



Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 01:01:24

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3464.930	-49.28	peak	10.38	-38.90	-13.00	150	330	-25.90	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 12:56:49

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5202.405	-58.33	peak	7.86	-50.47	-13.00	150	165	-37.47	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 01:02:15

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5202.405	-59.07	peak	8.73	-50.34	-13.00	150	195	-37.34	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City  
 Tel: +886-2-2646-1508  
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 12:57:31

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City  
 Tel: +886-2-2646-1508  
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 01:03:18

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City  
 Tel: +886-2-2646-1508  
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 12:57:44

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City  
 Tel: +886-2-2646-1508  
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 01:03:29

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City  
 Tel: +886-2-2646-1508  
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 12:57:56

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Radiated Emission Measurement

Operator: Sora

File :3

Data :#10


Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 01:03:41

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City  
 Tel: +886-2-2646-1508  
 Fax: +886-2-2646-1533

## Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 04:37:05

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	65.4310	-86.53	peak	24.44	-62.09	-13.00	150	155	-49.09	
*	97.7956	-85.06	peak	22.99	-62.07	-13.00	150	185	-49.07	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 04:45:06

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	77.0140	-83.99	peak	23.34	-60.65	-13.00	150	340	-47.65	
*	99.8397	-82.04	peak	24.47	-57.57	-13.00	150	290	-44.57	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 01:59:00

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	650.5010	-75.72	peak	0.71	-75.01	-13.00	150	165	-62.01	
*	781.9640	-70.92	peak	-2.03	-72.95	-13.00	150	245	-59.95	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 02:01:06

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	429.2585	-58.70	peak	-8.62	-67.32	-13.00	150	305	-54.32	
	919.8397	-70.72	peak	-0.46	-71.18	-13.00	150	285	-58.18	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 01:20:31

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3464.930	-53.95	peak	6.14	-47.81	-13.00	150	185	-34.81	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City  
 Tel: +886-2-2646-1508  
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 01:26:18

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3464.930	-50.05	peak	10.38	-39.67	-13.00	150	255	-26.67	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 01:22:06

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5202.405	-58.54	peak	7.86	-50.68	-13.00	150	110	-37.68	





Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 01:27:31

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5202.405	-57.05	peak	8.73	-48.32	-13.00	150	275	-35.32	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City  
 Tel: +886-2-2646-1508  
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 01:23:45

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City  
 Tel: +886-2-2646-1508  
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 01:28:19

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City  
 Tel: +886-2-2646-1508  
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 01:23:58

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City  
 Tel: +886-2-2646-1508  
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 01:28:31

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City  
 Tel: +886-2-2646-1508  
 Fax: +886-2-2646-1533

**Radiated Emission Measurement**

Operator: Sora

File :3

Data :#5


Date: 2024/5/12

Temperature: 22 °C

0.0 dBm

Time: 下午 01:24:10

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22405-23456

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin