

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG

## 8.5 Test result of band edge emissions

Test date: August 05, 2020- August 06, 2020


Temperature: 24.9 °C

Humidity: 48.2 %

Tester: Kent


WCDMA

Band II



Tx Channel				-BW_4_8_MHz_lower UL			
Bandwidth		4.8 MHz	Power		21.06 dBm		
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]	
-7.400 M	-3.400 M	1.00 M	1.848842 G	-23.84	-44.90	-10.84	
-3.400 M	-2.400 M	20.00 k	1.849862 G	-32.47	-53.53	-19.47	
2.400 M	7.400 M	100.00 k	1.854938 G	-25.80	-46.86	-325.80	


Date: 5.AUG.2020 20:03:27



# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				-BW_4_8_MHz_higher UL		
Bandwidth		4.8 MHz	Power		20.86 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.400 M	-2.400 M	100.00 k	1.905062 G	-25.38	-46.25	-325.38
2.400 M	3.400 M	20.00 k	1.910138 G	-34.15	-55.01	-21.15
3.400 M	7.400 M	1.00 M	1.911181 G	-27.03	-47.89	-14.03

Date: 5.AUG.2020 20:04:41




# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG

Band IV




Date: 5.AUG.2020 20:09:47



# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				-BW_4_8_MHz_higher UL		
Bandwidth		4.8 MHz	Power		20.89 dBm	
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-7.400 M	-2.400 M	100.00 k	1.750181 G	-28.23	-49.12	-328.23
2.400 M	3.400 M	20.00 k	1.755138 G	-37.09	-57.98	-24.09
3.400 M	7.400 M	1.00 M	1.756015 G	-29.97	-50.86	-16.97

Date: 5.AUG.2020 20:05:38




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG

Band V



Tx Channel				-BW_4_8_MHz_lower UL		
Bandwidth		4.8 MHz	Power		22.18 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]
-7.400 M	-3.400 M	1.00 M	822.889744 M	-27.12	-49.30	-14.12
-3.400 M	-2.400 M	20.00 k	823.980769 M	-34.85	-57.03	-21.85
2.400 M	7.400 M	100.00 k	828.800000 M	-24.76	-46.94	-324.76


Date: 5.AUG.2020 20:08:58



# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				-BW_4_8_MHz_higher UL		
Bandwidth		4.8 MHz	Power		22.09 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.400 M	-2.400 M	100.00 k	844.180769 M	-26.29	-48.38	-326.29
2.400 M	3.400 M	20.00 k	849.161538 M	-35.35	-57.44	-22.35
3.400 M	7.400 M	1.00 M	850.015385 M	-26.83	-48.92	-13.83

Date: 5.AUG.2020 20:08:06




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG

LTE  
 Band II  
 16QAM  
 1RB  
 1.4MHz



Tx Channel				BW_1_4_MHz_lower UL		
Bandwidth			1.4 MHz	Power		
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-2.500 M	-1.700 M	1.00 M	1.848969 G	-28.71	-49.14	-15.71
-1.700 M	-700.000 k	20.00 k	1.849995 G	-28.36	-48.79	-15.36
700.000 k	2.500 M	100.00 k	1.852038 G	-34.88	-55.31	-334.88


Date: 5.AUG.2020 20:16:53



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG



Tx Channel				BW_1_4_MHz_higher UL		
Bandwidth		1.4 MHz	Power		20.71 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-2.500 M	-700.000 k	100.00 k	1.907946 G	-35.58	-56.29	-335.58
700.000 k	1.700 M	20.00 k	1.910000 G	-16.86	-37.57	-3.86
1.700 M	2.500 M	1.00 M	1.911047 G	-25.42	-46.13	-12.42

Date: 5.AUG.2020 20:18:49






# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG

3MHz




Tx Channel				BW_3_MHz_lower UL		
Bandwidth		3 MHz	Power		21.10 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]
-5.000 M	-2.500 M	1.00 M	1.847878 G	-31.86	-52.96	-18.86
-2.500 M	-1.500 M	30.00 k	1.849978 G	-25.99	-47.09	-12.99
1.500 M	5.000 M	100.00 k	1.855282 G	-36.06	-57.16	-336.06

Date: 5.AUG.2020 20:20:53




Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_3_MHz_higher UL		
Bandwidth		3 MHz	Power		19.99 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-5.000 M	-1.500 M	100.00 k	1.904718 G	-38.97	-58.96	-338.97
1.500 M	2.500 M	30.00 k	1.910006 G	-25.57	-45.56	-12.57
2.500 M	5.000 M	1.00 M	1.912170 G	-32.51	-52.50	-19.51

Date: 5.AUG.2020 20:22:25




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG

5MHz



Tx Channel				BW_5_MHz_lower UL		
Bandwidth		5 MHz	Power		20.56 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]
-7.500 M	-3.500 M	1.00 M	1.848942 G	-33.13	-53.69	-20.13
-3.500 M	-2.500 M	50.00 k	1.849976 G	-26.88	-47.44	-13.88
2.500 M	7.500 M	100.00 k	1.858990 G	-36.17	-56.74	-336.17


Date: 5.AUG.2020 20:24:01



# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_5_MHz_higher UL		
Bandwidth		5 MHz	Power		20.16 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-2.500 M	100.00 k	1.901010 G	-38.66	-58.82	-338.66
2.500 M	3.500 M	50.00 k	1.910000 G	-26.74	-46.90	-13.74
3.500 M	7.500 M	1.00 M	1.911034 G	-34.18	-54.34	-21.18

Date: 5.AUG.2020 20:25:00




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG

10MHz




Tx Channel				BW_10_MHz_lower UL		
Bandwidth		10 MHz	Power		21.30 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]
-15.000 M	-6.000 M	1.00 M	1.841442 G	-33.42	-54.72	-20.42
-6.000 M	-5.000 M	100.00 k	1.849952 G	-37.12	-58.42	-24.12
5.000 M	15.000 M	100.00 k	1.868269 G	-35.12	-56.43	-335.12

Date: 5.AUG.2020 20:26:25



Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_10_MHz_higher UL		
Bandwidth		10 MHz	Power		20.69 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]
-15.000 M	-5.000 M	100.00 k	1.891731 G	-36.37	-57.06	-336.37
5.000 M	6.000 M	100.00 k	1.910000 G	-36.90	-57.60	-23.90
6.000 M	15.000 M	1.00 M	1.911346 G	-34.05	-54.74	-21.05

Date: 5.AUG.2020 20:27:43




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG

15MHz




Tx Channel				BW_15_MHz_lower UL		
Bandwidth		15 MHz	Power		21.30 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]
-22.500 M	-8.500 M	1.00 M	1.837668 G	-33.12	-54.42	-20.12
-8.500 M	-7.500 M	150.00 k	1.849928 G	-34.06	-55.36	-21.06
7.500 M	22.500 M	100.00 k	1.877476 G	-34.66	-55.96	-334.66

Date: 5.AUG.2020 20:29:02



Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG



Tx Channel				BW_15_MHz_higher UL			
Bandwidth		15 MHz		Power		19.94 dBm	
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-22.500 M	-7.500 M	100.00 k	1.882452 G	-35.45	-55.39	-335.45	
7.500 M	8.500 M	150.00 k	1.910000 G	-34.60	-54.54	-21.60	
8.500 M	22.500 M	1.00 M	1.911082 G	-35.03	-54.97	-22.03	

Date: 5.AUG.2020 20:30:01






Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG

20MHz



Tx Channel				BW_20_MHz_lower UL		
Bandwidth		20 MHz	Power		19.83 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-30.000 M	-11.000 M	1.00 M	1.848750 G	-35.25	-55.08	-22.25
-11.000 M	-10.000 M	200.00 k	1.849904 G	-37.24	-57.07	-24.24
10.000 M	30.000 M	100.00 k	1.886731 G	-39.76	-59.59	-339.76


Date: 5.AUG.2020 20:31:06



# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				Power			BW_20_MHz_higher UL
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit	20.72 dBm
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-30.000 M	-10.000 M	100.00 k	1.873269 G	-35.52	-56.24	-335.52	
10.000 M	11.000 M	200.00 k	1.910000 G	-36.71	-57.43	-23.71	
11.000 M	30.000 M	1.00 M	1.911058 G	-34.91	-55.63	-21.91	

Date: 5.AUG.2020 20:32:03



# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG

QPSK

FRB

1.4MHz



Tx Channel				BW_1_4_MHz_lower UL		
Bandwidth		1.4 MHz		Power		20.04 dBm
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-2.500 M	-1.700 M	1.00 M	1.848993 G	-27.53	-47.57	-14.53
-1.700 M	-700.000 k	20.00 k	1.849995 G	-32.50	-52.54	-19.50
700.000 k	2.500 M	100.00 k	1.851400 G	-23.05	-43.09	-323.05


Date: 5.AUG.2020 20:37:23



# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_1_4_MHz_higher UL		
Bandwidth		1.4 MHz	Power		20.36 dBm	
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-2.500 M	-700.000 k	100.00 k	1.908595 G	-21.83	-42.19	-321.83
700.000 k	1.700 M	20.00 k	1.910000 G	-20.95	-41.31	-7.95
1.700 M	2.500 M	1.00 M	1.911007 G	-22.74	-43.10	-9.74

Date: 5.AUG.2020 20:38:10




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG

3MHz




Tx Channel				BW_3_MHz_lower UL		
Bandwidth		3 MHz	Power		20.16 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]
-5.000 M	-2.500 M	1.00 M	1.848984 G	-24.66	-44.82	-11.66
-2.500 M	-1.500 M	30.00 k	1.849978 G	-31.30	-51.46	-18.30
1.500 M	5.000 M	100.00 k	1.853006 G	-25.48	-45.65	-325.48

Date: 5.AUG.2020 20:40:41




Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_3_MHz_higher UL		
Bandwidth		3 MHz	Power		20.54 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-5.000 M	-1.500 M	100.00 k	1.906978 G	-23.65	-44.19	-323.65
1.500 M	2.500 M	30.00 k	1.910006 G	-30.56	-51.10	-17.56
2.500 M	5.000 M	1.00 M	1.911048 G	-22.77	-43.31	-9.77

Date: 5.AUG.2020 20:42:41




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG

5MHz



Tx Channel				BW_5_MHz_lower UL		
Bandwidth		5 MHz	Power		19.83 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-3.500 M	1.00 M	1.848942 G	-26.12	-45.95	-13.12
-3.500 M	-2.500 M	50.00 k	1.849976 G	-33.02	-52.85	-20.02
2.500 M	7.500 M	100.00 k	1.855000 G	-29.60	-49.43	-329.60


Date: 5.AUG.2020 21:06:55



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG



Tx Channel				BW_5_MHz_higher UL		
Bandwidth		5 MHz	Power		20.19 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-2.500 M	100.00 k	1.904976 G	-28.68	-48.87	-328.68
2.500 M	3.500 M	50.00 k	1.910000 G	-32.78	-52.97	-19.78
3.500 M	7.500 M	1.00 M	1.911082 G	-26.50	-46.68	-13.50

Date: 5.AUG.2020 21:07:34






# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG

10MHz




Tx Channel				BW_10_MHz_lower UL		
Bandwidth		10 MHz	Power		20.00 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]
-15.000 M	-6.000 M	1.00 M	1.848798 G	-27.33	-47.33	-14.33
-6.000 M	-5.000 M	100.00 k	1.849952 G	-34.43	-54.43	-21.43
5.000 M	15.000 M	100.00 k	1.860000 G	-34.91	-54.91	-334.91

Date: 5.AUG.2020 21:09:22




Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				Power			BW_10_MHz_higher UL
Bandwidth		10 MHz					20.27 dBm
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-15.000 M	-5.000 M	100.00 k	1.899952 G	-34.03	-54.30	-334.03	
5.000 M	6.000 M	100.00 k	1.910000 G	-35.33	-55.60	-22.33	
6.000 M	15.000 M	1.00 M	1.911298 G	-28.53	-48.80	-15.53	

Date: 5.AUG.2020 21:10:11




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG

15MHz



Tx Channel				BW_15_MHz_lower UL		
Bandwidth		15 MHz	Power		20.29 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]
-22.500 M	-8.500 M	1.00 M	1.848846 G	-26.34	-46.64	-13.34
-8.500 M	-7.500 M	150.00 k	1.849063 G	-34.38	-54.67	-21.38
7.500 M	22.500 M	100.00 k	1.865865 G	-35.08	-55.37	-335.08


Date: 5.AUG.2020 21:13:42



# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_15_MHz_higher UL		
Bandwidth		15 MHz	Power		20.33 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-22.500 M	-7.500 M	100.00 k	1.894063 G	-35.90	-56.23	-335.90
7.500 M	8.500 M	150.00 k	1.910361 G	-34.01	-54.34	-21.01
8.500 M	22.500 M	1.00 M	1.911082 G	-27.48	-47.81	-14.48

Date: 5.AUG.2020 21:14:28




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG

20MHz



Tx Channel				BW_20_MHz_lower UL		
Bandwidth		20 MHz	Power		19.96 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-30.000 M	-11.000 M	1.00 M	1.848750 G	-29.52	-49.48	-16.52
-11.000 M	-10.000 M	200.00 k	1.849904 G	-36.02	-55.98	-23.02
10.000 M	30.000 M	100.00 k	1.870962 G	-38.36	-58.31	-338.36


Date: 5.AUG.2020 21:16:23



# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_20_MHz_higher UL		
Bandwidth		20 MHz	Power		20.12 dBm	
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-30.000 M	-10.000 M	100.00 k	1.889423 G	-38.59	-58.71	-338.59
10.000 M	11.000 M	200.00 k	1.910000 G	-35.15	-55.27	-22.15
11.000 M	30.000 M	1.00 M	1.911154 G	-28.82	-48.94	-15.82

Date: 5.AUG.2020 21:17:14




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG

1RB

1.4MHz




Tx Channel				BW_1_4_MHz_lower UL			
Bandwidth		1.4 MHz		Power		20.91 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]	
-2.500 M	-1.700 M	1.00 M	1.848993 G	-28.57	-49.48	-15.57	
-1.700 M	-700.000 k	20.00 k	1.849995 G	-28.20	-49.11	-15.20	
700.000 k	2.500 M	100.00 k	1.852038 G	-29.82	-50.74	-329.82	

Date: 5.AUG.2020 20:36:43



Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG



Tx Channel				BW_1_4_MHz_higher UL		
Bandwidth		1.4 MHz	Power		21.69 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-2.500 M	-700.000 k	100.00 k	1.907946 G	-32.84	-54.54	-332.84
700.000 k	1.700 M	20.00 k	1.910000 G	-14.08	-35.77	-1.08
1.700 M	2.500 M	1.00 M	1.911015 G	-23.34	-45.03	-10.34

Date: 5.AUG.2020 20:38:37






Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG

3MHz




Tx Channel				BW_3_MHz_lower UL		
Bandwidth		3 MHz	Power		21.00 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]
-5.000 M	-2.500 M	1.00 M	1.847878 G	-32.07	-53.07	-19.07
-2.500 M	-1.500 M	30.00 k	1.849978 G	-26.14	-47.14	-13.14
1.500 M	5.000 M	100.00 k	1.855282 G	-36.16	-57.16	-336.16

Date: 5.AUG.2020 20:40:10



Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_3_MHz_higher UL		
Bandwidth		3 MHz	Power		21.36 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-5.000 M	-1.500 M	100.00 k	1.904718 G	-35.98	-57.34	-335.98
1.500 M	2.500 M	30.00 k	1.910006 G	-22.02	-43.38	-9.02
2.500 M	5.000 M	1.00 M	1.912202 G	-29.75	-51.11	-16.75

Date: 5.AUG.2020 20:43:06




# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG

5MHz




Date: 5.AUG.2020 21:06:29



# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_5_MHz_higher UL		
Bandwidth		5 MHz	Power		21.03 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-2.500 M	100.00 k	1.901010 G	-35.50	-56.52	-335.50
2.500 M	3.500 M	50.00 k	1.910000 G	-25.11	-46.14	-12.11
3.500 M	7.500 M	1.00 M	1.911130 G	-33.28	-54.31	-20.28

Date: 5.AUG.2020 21:08:03




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG

10MHz



Tx Channel				BW_10_MHz_lower UL		
Bandwidth		10 MHz	Power		21.00 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]
-15.000 M	-6.000 M	1.00 M	1.848750 G	-33.85	-54.85	-20.85
-6.000 M	-5.000 M	100.00 k	1.849952 G	-37.25	-58.25	-24.25
5.000 M	15.000 M	100.00 k	1.868221 G	-37.09	-58.09	-337.09


Date: 5.AUG.2020 21:08:59



# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_10_MHz_higher UL		
Bandwidth		10 MHz	Power		21.16 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-5.000 M	100.00 k	1.891731 G	-34.90	-56.06	-334.90
5.000 M	6.000 M	100.00 k	1.910000 G	-36.65	-57.81	-23.65
6.000 M	15.000 M	1.00 M	1.911106 G	-33.61	-54.77	-20.61

Date: 5.AUG.2020 21:10:36




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG

15MHz



Tx Channel				BW_15_MHz_lower UL		
Bandwidth		15 MHz	Power		20.34 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-22.500 M	-8.500 M	1.00 M	1.848774 G	-34.41	-54.74	-21.41
-8.500 M	-7.500 M	150.00 k	1.849928 G	-34.80	-55.14	-21.80
7.500 M	22.500 M	100.00 k	1.877548 G	-38.23	-58.57	-338.23


Date: 5.AUG.2020 21:11:56



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG



Tx Channel				Power			BW_15_MHz_higher UL
Bandwidth	15 MHz						21.27 dBm
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-22.500 M	-7.500 M	100.00 k	1.882524 G	-33.35	-54.62	-333.35	
7.500 M	8.500 M	150.00 k	1.910000 G	-34.20	-55.47	-21.20	
8.500 M	22.500 M	1.00 M	1.911226 G	-34.32	-55.59	-21.32	

Date: 5.AUG.2020 21:15:02






# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG

20MHz




Tx Channel				BW_20_MHz_lower UL		
Bandwidth				Power		
Start	Stop	RBW	Freq	PwrAbs	PwrRel	ΔLimit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-30.000 M	-11.000 M	1.00 M	1.848750 G	-34.42	-55.28	-21.42
-11.000 M	-10.000 M	200.00 k	1.849904 G	-36.87	-57.73	-23.87
10.000 M	30.000 M	100.00 k	1.886731 G	-36.79	-57.66	-336.79

Date: 5.AUG.2020 21:16:01



Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_20_MHz_higher UL			
Bandwidth		20 MHz		Power		21.07 dBm	
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-30.000 M	-10.000 M	100.00 k	1.873269 G	-35.00	-56.07	-335.00	
10.000 M	11.000 M	200.00 k	1.910000 G	-36.31	-57.37	-23.31	
11.000 M	30.000 M	1.00 M	1.911346 G	-34.51	-55.58	-21.51	

Date: 5.AUG.2020 21:17:36



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG

Band IV

16QAM

1RB

1.4MHz



Tx Channel				BW_1_4_MHz_lower UL		
Bandwidth		1.4 MHz		Power		19.87 dBm
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]
-2.500 M	-1.700 M	1.00 M	1.708961 G	-31.35	-51.23	-18.35
-1.700 M	-700.000 k	20.00 k	1.709995 G	-29.64	-49.51	-16.64
700.000 k	2.500 M	100.00 k	1.712086 G	-34.05	-53.93	-334.05


Date: 6.AUG.2020 19:32:43



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_1_4_MHz_higher UL		
Bandwidth		1.4 MHz	Power		20.25 dBm	
Start	Stop	RBW	Freq	PwrAbs	PwrRel	ΔLimit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-2.500 M	-700.000 k	100.00 k	1.752978 G	-40.87	-61.12	-340.87
700.000 k	1.700 M	20.00 k	1.755000 G	-18.02	-38.26	-5.02
1.700 M	2.500 M	1.00 M	1.756007 G	-31.15	-51.40	-18.15


Date: 6.AUG.2020 19:37:21



Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG

3MHz




Tx Channel				BW_3_MHz_lower UL		
Bandwidth			3 MHz	Power		
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]
-5.000 M	-2.500 M	1.00 M	1.707926 G	-33.99	-54.01	-20.99
-2.500 M	-1.500 M	30.00 k	1.709978 G	-27.24	-47.26	-14.24
1.500 M	5.000 M	100.00 k	1.715250 G	-33.18	-53.20	-333.18

Date: 6.AUG.2020 19:39:43




Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_3_MHz_higher UL		
Bandwidth		3 MHz	Power		19.61 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-5.000 M	-1.500 M	100.00 k	1.750904 G	-43.19	-62.80	-343.19
1.500 M	2.500 M	30.00 k	1.755006 G	-27.93	-47.53	-14.93
2.500 M	5.000 M	1.00 M	1.756032 G	-34.86	-54.46	-21.86

Date: 6.AUG.2020 19:47:25




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG

5MHz



Tx Channel				BW_5_MHz_lower UL		
Bandwidth		5 MHz	Power		20.29 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]
-7.500 M	-3.500 M	1.00 M	1.708942 G	-34.55	-54.85	-21.55
-3.500 M	-2.500 M	50.00 k	1.709976 G	-27.34	-47.63	-14.34
2.500 M	7.500 M	100.00 k	1.718990 G	-32.30	-52.60	-332.30


Date: 6.AUG.2020 19:49:22



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG



Tx Channel				BW_5_MHz_higher UL		
Bandwidth		5 MHz	Power		19.83 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-2.500 M	100.00 k	1.746947 G	-42.86	-62.69	-342.86
2.500 M	3.500 M	50.00 k	1.755000 G	-27.95	-47.78	-14.95
3.500 M	7.500 M	1.00 M	1.756178 G	-34.89	-54.72	-21.89

Date: 6.AUG.2020 19:51:47






# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG

10MHz




Tx Channel				BW_10_MHz_lower UL		
Bandwidth		10 MHz	Power		20.60 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]
-15.000 M	-6.000 M	1.00 M	1.708846 G	-34.91	-55.51	-21.91
-6.000 M	-5.000 M	100.00 k	1.709952 G	-38.15	-58.75	-25.15
5.000 M	15.000 M	100.00 k	1.728269 G	-41.94	-62.54	-341.94

Date: 6.AUG.2020 19:53:45




Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_10_MHz_higher UL		
Bandwidth		10 MHz	Power		20.36 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-5.000 M	100.00 k	1.736731 G	-39.25	-59.60	-339.25
5.000 M	6.000 M	100.00 k	1.755000 G	-37.76	-58.11	-24.76
6.000 M	15.000 M	1.00 M	1.756058 G	-35.43	-55.78	-22.43

Date: 6.AUG.2020 19:54:28




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG

15MHz



Tx Channel				BW_15_MHz_lower UL		
Bandwidth		15 MHz	Power		20.52 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]
-22.500 M	-8.500 M	1.00 M	1.708918 G	-35.05	-55.58	-22.05
-8.500 M	-7.500 M	150.00 k	1.709928 G	-34.78	-55.30	-21.78
7.500 M	22.500 M	100.00 k	1.737476 G	-41.74	-62.26	-341.74


Date: 6.AUG.2020 19:57:49



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_15_MHz_higher UL			
Bandwidth			Power		Power		
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-22.500 M	-7.500 M	100.00 k	1.727452 G	-40.25	-59.62	-340.25	
7.500 M	8.500 M	150.00 k	1.755000 G	-34.91	-54.28	-21.91	
8.500 M	22.500 M	1.00 M	1.756154 G	-36.15	-55.52	-23.15	

Date: 6.AUG.2020 19:59:06




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG

20MHz




Tx Channel				BW_20_MHz_lower UL		
Bandwidth		20 MHz	Power		19.74 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-30.000 M	-11.000 M	1.00 M	1.708846 G	-35.96	-55.70	-22.96
-11.000 M	-10.000 M	200.00 k	1.709904 G	-37.87	-57.60	-24.87
10.000 M	30.000 M	100.00 k	1.746731 G	-40.58	-60.31	-340.58

Date: 6.AUG.2020 20:03:36




Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_20_MHz_higher UL		
Bandwidth		20 MHz	Power		20.20 dBm	
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-30.000 M	-10.000 M	100.00 k	1.718269 G	-40.36	-60.55	-340.36
10.000 M	11.000 M	200.00 k	1.755000 G	-36.60	-56.79	-23.60
11.000 M	30.000 M	1.00 M	1.756250 G	-36.01	-56.21	-23.01

Date: 6.AUG.2020 20:04:37



# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG

QPSK


FRB

1.4MHz



Tx Channel				BW_1_4_MHz_lower UL		
Bandwidth	1.4 MHz			Power		
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-2.500 M	-1.700 M	1.00 M	1.708977 G	-28.51	-48.61	-15.51
-1.700 M	-700.000 k	20.00 k	1.709995 G	-33.20	-53.30	-20.20
700.000 k	2.500 M	100.00 k	1.711400 G	-24.56	-44.65	-324.56


Date: 6.AUG.2020 19:35:23



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG



Tx Channel				BW_1_4_MHz_higher UL		
Bandwidth		1.4 MHz	Power		19.90 dBm	
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-2.500 M	-700.000 k	100.00 k	1.753595 G	-25.56	-45.47	-325.56
700.000 k	1.700 M	20.00 k	1.755000 G	-22.75	-42.66	-9.75
1.700 M	2.500 M	1.00 M	1.756031 G	-31.54	-51.45	-18.54

Date: 6.AUG.2020 19:36:15






# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG

3MHz



Tx Channel				BW_3_MHz_lower UL		
Bandwidth		3 MHz	Power		19.84 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]
-5.000 M	-2.500 M	1.00 M	1.708551 G	-30.06	-49.90	-17.06
-2.500 M	-1.500 M	30.00 k	1.709978 G	-32.59	-52.42	-19.59
1.500 M	5.000 M	100.00 k	1.713006 G	-26.72	-46.56	-326.72


Date: 6.AUG.2020 19:40:11



# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_3_MHz_higher UL		
Bandwidth		3 MHz	Power		19.75 dBm	
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-5.000 M	-1.500 M	100.00 k	1.751978 G	-26.44	-46.19	-326.44
1.500 M	2.500 M	30.00 k	1.755006 G	-32.13	-51.88	-19.13
2.500 M	5.000 M	1.00 M	1.756048 G	-30.22	-49.97	-17.22

Date: 6.AUG.2020 19:40:58




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG

5MHz



Tx Channel				BW_5_MHz_lower UL		
Bandwidth		5 MHz	Power		20.07 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]
-7.500 M	-3.500 M	1.00 M	1.708918 G	-31.27	-51.34	-18.27
-3.500 M	-2.500 M	50.00 k	1.709976 G	-33.81	-53.88	-20.81
2.500 M	7.500 M	100.00 k	1.715000 G	-29.93	-49.99	-329.93


Date: 6.AUG.2020 19:49:55



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_5_MHz_higher UL		
Bandwidth		5 MHz	Power		20.03 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-2.500 M	100.00 k	1.749976 G	-29.86	-49.89	-329.86
2.500 M	3.500 M	50.00 k	1.755000 G	-33.27	-53.30	-20.27
3.500 M	7.500 M	1.00 M	1.756082 G	-30.83	-50.86	-17.83

Date: 6.AUG.2020 19:50:55




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG

10MHz



Tx Channel				BW_10_MHz_lower UL		
Bandwidth		10 MHz	Power		20.06 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]
-15.000 M	-6.000 M	1.00 M	1.708846 G	-32.09	-52.15	-19.09
-6.000 M	-5.000 M	100.00 k	1.709952 G	-36.10	-56.16	-23.10
5.000 M	15.000 M	100.00 k	1.720000 G	-36.84	-56.90	-336.84


Date: 6.AUG.2020 19:53:02



# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_10_MHz_higher UL		
Bandwidth		10 MHz	Power		20.08 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-5.000 M	100.00 k	1.744952 G	-35.71	-55.79	-335.71
5.000 M	6.000 M	100.00 k	1.755000 G	-35.90	-55.98	-22.90
6.000 M	15.000 M	1.00 M	1.756490 G	-32.28	-52.36	-19.28

Date: 6.AUG.2020 19:55:23




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG

15MHz



Tx Channel				BW_15_MHz_lower UL		
Bandwidth		15 MHz	Power		19.93 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]
-22.500 M	-8.500 M	1.00 M	1.708918 G	-31.52	-51.44	-18.52
-8.500 M	-7.500 M	150.00 k	1.709928 G	-37.96	-57.89	-24.96
7.500 M	22.500 M	100.00 k	1.725000 G	-40.05	-59.97	-340.05


Date: 6.AUG.2020 19:56:51



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_15_MHz_higher UL			
Bandwidth		15 MHz		Power		19.94 dBm	
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-22.500 M	-7.500 M	100.00 k	1.739928 G	-39.16	-59.10	-339.16	
7.500 M	8.500 M	150.00 k	1.755000 G	-36.72	-56.66	-23.72	
8.500 M	22.500 M	1.00 M	1.757091 G	-32.38	-52.32	-19.38	

Date: 6.AUG.2020 20:00:37






# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG

20MHz




Tx Channel				BW_20_MHz_lower UL		
Bandwidth		20 MHz	Power		19.73 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]
-30.000 M	-11.000 M	1.00 M	1.708846 G	-31.61	-51.34	-18.61
-11.000 M	-10.000 M	200.00 k	1.709904 G	-37.48	-57.21	-24.48
10.000 M	30.000 M	100.00 k	1.730000 G	-41.52	-61.25	-341.52

Date: 6.AUG.2020 20:02:35




Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_20_MHz_higher UL		
Bandwidth		20 MHz	Power		19.81 dBm	
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-30.000 M	-10.000 M	100.00 k	1.734904 G	-42.65	-62.46	-342.65
10.000 M	11.000 M	200.00 k	1.755000 G	-38.01	-57.81	-25.01
11.000 M	30.000 M	1.00 M	1.756154 G	-33.90	-53.71	-20.90

Date: 6.AUG.2020 20:05:32




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG


1RB

1.4MHz



Tx Channel				BW_1_4_MHz_lower UL			
Bandwidth		1.4 MHz		Power		21.27 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]	
-2.500 M	-1.700 M	1.00 M	1.708977 G	-29.03	-50.30	-16.03	
-1.700 M	-700.000 k	20.00 k	1.709995 G	-28.16	-49.43	-15.16	
700.000 k	2.500 M	100.00 k	1.712054 G	-31.83	-53.10	-331.83	


Date: 6.AUG.2020 19:34:48



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_1_4_MHz_higher UL		
Bandwidth		1.4 MHz	Power		21.23 dBm	
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-2.500 M	-700.000 k	100.00 k	1.752962 G	-39.81	-61.04	-339.81
700.000 k	1.700 M	20.00 k	1.755000 G	-17.29	-38.52	-4.29
1.700 M	2.500 M	1.00 M	1.756023 G	-30.22	-51.45	-17.22

Date: 6.AUG.2020 19:36:45




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG

3MHz



Tx Channel				BW_3_MHz_lower UL		
Bandwidth		3 MHz	Power		21.05 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]
-5.000 M	-2.500 M	1.00 M	1.707750 G	-33.15	-54.20	-20.15
-2.500 M	-1.500 M	30.00 k	1.709978 G	-26.61	-47.66	-13.61
1.500 M	5.000 M	100.00 k	1.715282 G	-31.10	-52.15	-331.10


Date: 6.AUG.2020 19:39:21



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_3_MHz_higher UL		
Bandwidth		3 MHz	Power		21.25 dBm	
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-5.000 M	-1.500 M	100.00 k	1.749702 G	-41.01	-62.26	-341.01
1.500 M	2.500 M	30.00 k	1.755006 G	-25.27	-46.53	-12.27
2.500 M	5.000 M	1.00 M	1.756913 G	-32.40	-53.65	-19.40

Date: 6.AUG.2020 19:41:20




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG

5MHz




Tx Channel				BW_5_MHz_lower UL		
Bandwidth		5 MHz	Power		20.98 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]
-7.500 M	-3.500 M	1.00 M	1.708966 G	-34.33	-55.31	-21.33
-3.500 M	-2.500 M	50.00 k	1.709976 G	-26.26	-47.24	-13.26
2.500 M	7.500 M	100.00 k	1.719014 G	-30.96	-51.94	-330.96

Date: 6.AUG.2020 19:49:01



Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG



Tx Channel				BW_5_MHz_higher UL		
Bandwidth		5 MHz	Power		21.22 dBm	
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-7.500 M	-2.500 M	100.00 k	1.745986 G	-40.09	-61.31	-340.09
2.500 M	3.500 M	50.00 k	1.755000 G	-26.02	-47.24	-13.02
3.500 M	7.500 M	1.00 M	1.758894 G	-33.61	-54.83	-20.61

Date: 6.AUG.2020 19:51:23






# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG

10MHz




Tx Channel				BW_10_MHz_lower UL		
Bandwidth		10 MHz	Power		21.16 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]
-15.000 M	-6.000 M	1.00 M	1.708894 G	-34.59	-55.76	-21.59
-6.000 M	-5.000 M	100.00 k	1.709952 G	-38.00	-59.16	-25.00
5.000 M	15.000 M	100.00 k	1.728221 G	-41.07	-62.23	-341.07

Date: 6.AUG.2020 19:53:24



Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_10_MHz_higher UL		
Bandwidth		10 MHz	Power		21.24 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-5.000 M	100.00 k	1.736731 G	-37.18	-58.43	-337.18
5.000 M	6.000 M	100.00 k	1.755000 G	-37.18	-58.42	-24.18
6.000 M	15.000 M	1.00 M	1.756058 G	-34.92	-56.16	-21.92

Date: 6.AUG.2020 19:54:48




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG

15MHz



Tx Channel				BW_15_MHz_lower UL		
Bandwidth		15 MHz	Power		21.15 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]
-22.500 M	-8.500 M	1.00 M	1.708846 G	-35.15	-56.29	-22.15
-8.500 M	-7.500 M	150.00 k	1.709928 G	-34.01	-55.15	-21.01
7.500 M	22.500 M	100.00 k	1.737476 G	-40.94	-62.09	-340.94


Date: 6.AUG.2020 19:57:21



# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_15_MHz_higher UL		
Bandwidth		15 MHz	Power		20.65 dBm	
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-22.500 M	-7.500 M	100.00 k	1.727452 G	-37.35	-58.00	-337.35
7.500 M	8.500 M	150.00 k	1.755000 G	-34.02	-54.67	-21.02
8.500 M	22.500 M	1.00 M	1.756082 G	-35.63	-56.28	-22.63

Date: 6.AUG.2020 19:59:30




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG

20MHz




Tx Channel				BW_20_MHz_lower UL		
Bandwidth		20 MHz	Power		21.23 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]
-30.000 M	-11.000 M	1.00 M	1.708462 G	-35.27	-56.49	-22.27
-11.000 M	-10.000 M	200.00 k	1.709904 G	-37.25	-58.47	-24.25
10.000 M	30.000 M	100.00 k	1.746731 G	-40.22	-61.45	-340.22

Date: 6.AUG.2020 20:03:02



Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_20_MHz_higher UL		
Bandwidth		20 MHz	Power		20.87 dBm	
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-30.000 M	-10.000 M	100.00 k	1.718269 G	-39.21	-60.09	-339.21
10.000 M	11.000 M	200.00 k	1.755000 G	-35.85	-56.72	-22.85
11.000 M	30.000 M	1.00 M	1.756154 G	-35.59	-56.46	-22.59

Date: 6.AUG.2020 20:04:59




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG

Band V  
16QAM  
1RB  
1.4MHz



Tx Channel				BW_1_4_MHz_lower UL		
Bandwidth		1.4 MHz		Power		21.18 dBm
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]
-2.500 M	-1.700 M	1.00 M	822.608654 M	-34.85	-56.03	-21.85
-1.700 M	-700.000 k	20.00 k	823.994872 M	-28.60	-49.78	-15.60
700.000 k	2.500 M	100.00 k	826.046154 M	-39.78	-60.96	-339.78


Date: 6.AUG.2020 20:08:38



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_1_4_MHz_higher UL		
Bandwidth		1.4 MHz	Power		21.29 dBm	
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-2.500 M	-700.000 k	100.00 k	846.969872 M	-37.00	-58.30	-337.00
700.000 k	1.700 M	20.00 k	849.000000 M	-17.11	-38.41	-4.11
1.700 M	2.500 M	1.00 M	850.030769 M	-34.18	-55.48	-21.18

Date: 6.AUG.2020 20:12:40






# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG

3MHz



Tx Channel				BW_3_MHz_lower UL		
Bandwidth				Power		
Start	Stop	RBW	Freq	PwrAbs	PwrRel	ΔLimit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-5.000 M	-2.500 M	1.00 M	822.951923 M	-35.02	-55.82	-22.02
-2.500 M	-1.500 M	30.00 k	823.977564 M	-26.71	-47.51	-13.71
1.500 M	5.000 M	100.00 k	829.266026 M	-41.04	-61.84	-341.04


Date: 6.AUG.2020 20:15:02



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_3_MHz_higher UL		
Bandwidth		3 MHz		Power		
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-5.000 M	-1.500 M	100.00 k	843.701923 M	-34.77	-56.05	-334.77
1.500 M	2.500 M	30.00 k	849.006410 M	-25.33	-46.61	-12.33
2.500 M	5.000 M	1.00 M	850.032051 M	-35.01	-56.30	-22.01

Date: 6.AUG.2020 20:16:58




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG

5MHz



Tx Channel				BW_5_MHz_lower UL		
Bandwidth				Power		
Start	Stop	RBW	Freq	PwrAbs	PwrRel	ΔLimit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-7.500 M	-3.500 M	1.00 M	822.557692 M	-35.44	-56.85	-22.44
-3.500 M	-2.500 M	50.00 k	823.975962 M	-26.17	-47.58	-13.17
2.500 M	7.500 M	100.00 k	832.966346 M	-38.61	-60.02	-338.61


Date: 6.AUG.2020 20:17:56



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_5_MHz_higher UL		
Bandwidth		5 MHz		Power		
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-7.500 M	-2.500 M	100.00 k	840.009615 M	-33.76	-54.63	-333.76
2.500 M	3.500 M	50.00 k	849.000000 M	-26.74	-47.61	-13.74
3.500 M	7.500 M	1.00 M	850.682692 M	-35.76	-56.63	-22.76

Date: 6.AUG.2020 20:19:53




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG

10MHz




Tx Channel				BW_10_MHz_lower UL		
Bandwidth		10 MHz		Power		
Start	Stop	RBW	Freq	PwrAbs	PwrRel	ΔLimit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-15.000 M	-6.000 M	1.00 M	822.942308 M	-35.69	-57.11	-22.69
-6.000 M	-5.000 M	100.00 k	823.951923 M	-37.97	-59.39	-24.97
5.000 M	15.000 M	100.00 k	842.269231 M	-36.58	-58.00	-336.58

Date: 6.AUG.2020 20:22:51




Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_10_MHz_higher UL		
Bandwidth		10 MHz	Power		20.75 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-5.000 M	100.00 k	830.730769 M	-40.10	-60.85	-340.10
5.000 M	6.000 M	100.00 k	849.000000 M	-37.26	-58.01	-24.26
6.000 M	15.000 M	1.00 M	850.057692 M	-36.21	-56.96	-23.21

Date: 6.AUG.2020 20:23:39



# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG

QPSK

FRB

1.4MHz



Tx Channel				BW_1_4_MHz_lower UL		
Bandwidth		1.4 MHz		Power		20.97 dBm
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-2.500 M	-1.700 M	1.00 M	822.993269 M	-27.87	-48.84	-14.87
-1.700 M	-700.000 k	20.00 k	823.994872 M	-32.69	-53.66	-19.69
700.000 k	2.500 M	100.00 k	825.400000 M	-21.90	-42.87	-321.90


Date: 6.AUG.2020 20:10:14



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG



Tx Channel				BW_1_4_MHz_higher UL		
Bandwidth		1.4 MHz	Power		20.83 dBm	
Start	Stop	RBW	Freq	PwrAbs	PwrRel	ΔLimit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-2.500 M	-700.000 k	100.00 k	847.594872 M	-23.47	-44.30	-323.47
700.000 k	1.700 M	20.00 k	849.000000 M	-22.57	-43.41	-9.57
1.700 M	2.500 M	1.00 M	850.022756 M	-26.81	-47.64	-13.81

Date: 6.AUG.2020 20:11:46






# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG

3MHz



Tx Channel				BW_3_MHz_lower UL		
Bandwidth				Power		
Start	Stop	RBW	Freq	PwrAbs	PwrRel	ΔLimit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-5.000 M	-2.500 M	1.00 M	822.807692 M	-27.90	-48.98	-14.90
-2.500 M	-1.500 M	30.00 k	823.977564 M	-30.27	-51.35	-17.27
1.500 M	5.000 M	100.00 k	827.006410 M	-24.44	-45.52	-324.44


Date: 6.AUG.2020 20:15:43



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_3_MHz_higher UL		
Bandwidth		3 MHz	Power		20.93 dBm	
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-5.000 M	-1.500 M	100.00 k	845.977564 M	-25.77	-46.70	-325.77
1.500 M	2.500 M	30.00 k	849.006410 M	-31.87	-52.81	-18.87
2.500 M	5.000 M	1.00 M	850.512821 M	-26.86	-47.79	-13.86

Date: 6.AUG.2020 20:16:18




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG

5MHz



Tx Channel				BW_5_MHz_lower UL		
Bandwidth				Power		
Start	Stop	RBW	Freq	PwrAbs	PwrRel	ΔLimit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-7.500 M	-3.500 M	1.00 M	822.701923 M	-29.26	-50.32	-16.26
-3.500 M	-2.500 M	50.00 k	823.975962 M	-31.80	-52.85	-18.80
2.500 M	7.500 M	100.00 k	829.000000 M	-27.93	-48.99	-327.93


Date: 6.AUG.2020 20:18:31



# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_5_MHz_higher UL		
Bandwidth		5 MHz		Power		21.00 dBm
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-7.500 M	-2.500 M	100.00 k	843.975962 M	-28.89	-49.89	-328.89
2.500 M	3.500 M	50.00 k	849.000000 M	-31.54	-52.55	-18.54
3.500 M	7.500 M	1.00 M	850.081731 M	-27.78	-48.78	-14.78

Date: 6.AUG.2020 20:19:09




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG

10MHz



Tx Channel				BW_10_MHz_lower UL		
Bandwidth				Power		
Start	Stop	RBW	Freq	PwrAbs	PwrRel	ΔLimit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-15.000 M	-6.000 M	1.00 M	822.605769 M	-30.88	-51.95	-17.88
-6.000 M	-5.000 M	100.00 k	823.951923 M	-34.82	-55.89	-21.82
5.000 M	15.000 M	100.00 k	834.000000 M	-32.77	-53.84	-332.77


Date: 6.AUG.2020 20:22:05



# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_10_MHz_higher UL		
Bandwidth		10 MHz	Power		21.05 dBm	
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-15.000 M	-5.000 M	100.00 k	838.951923 M	-34.79	-55.84	-334.79
5.000 M	6.000 M	100.00 k	849.000000 M	-33.78	-54.82	-20.78
6.000 M	15.000 M	1.00 M	850.730769 M	-28.39	-49.44	-15.39

Date: 6.AUG.2020 20:24:23




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG


1RB

1.4MHz




Tx Channel				BW_1_4_MHz_lower UL		
Bandwidth		1.4 MHz		Power		22.03 dBm
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]
-2.500 M	-1.700 M	1.00 M	822.841026 M	-34.63	-56.66	-21.63
-1.700 M	-700.000 k	20.00 k	823.994872 M	-27.26	-49.29	-14.26
700.000 k	2.500 M	100.00 k	826.150321 M	-39.52	-61.54	-339.52

Date: 6.AUG.2020 20:09:05



Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG



Tx Channel				BW_1_4_MHz_higher UL		
Bandwidth		1.4 MHz	Power		21.74 dBm	
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-2.500 M	-700.000 k	100.00 k	846.929808 M	-36.94	-58.68	-336.94
700.000 k	1.700 M	20.00 k	849.000000 M	-15.52	-37.26	-2.52
1.700 M	2.500 M	1.00 M	850.030769 M	-35.06	-56.80	-22.06

Date: 6.AUG.2020 20:12:18






# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG

3MHz




Tx Channel				BW_3_MHz_lower UL		
Bandwidth				Power		
Start	Stop	RBW	Freq	PwrAbs	PwrRel	ΔLimit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-5.000 M	-2.500 M	1.00 M	822.919872 M	-34.92	-56.89	-21.92
-2.500 M	-1.500 M	30.00 k	823.977564 M	-25.69	-47.66	-12.69
1.500 M	5.000 M	100.00 k	829.298077 M	-41.07	-63.04	-341.07

Date: 6.AUG.2020 20:15:23




Report Number: W6M22103-20740-P-247-R  
 FCC ID: GX9CHMG



Tx Channel				BW_3_MHz_higher UL		
Bandwidth		3 MHz		Power		22.22 dBm
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-5.000 M	-1.500 M	100.00 k	843.669872 M	-34.03	-56.25	-334.03
1.500 M	2.500 M	30.00 k	849.006410 M	-24.21	-46.44	-11.21
2.500 M	5.000 M	1.00 M	850.032051 M	-34.37	-56.59	-21.37

Date: 6.AUG.2020 20:16:40




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG

5MHz




Tx Channel				BW_5_MHz_lower UL		
Bandwidth				Power		
Start	Stop	RBW	Freq	PwrAbs	PwrRel	ΔLimit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-7.500 M	-3.500 M	1.00 M	822.918269 M	-35.37	-57.24	-22.37
-3.500 M	-2.500 M	50.00 k	823.975962 M	-25.29	-47.16	-12.29
2.500 M	7.500 M	100.00 k	832.966346 M	-38.30	-60.18	-338.30

Date: 6.AUG.2020 20:18:13




Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_5_MHz_higher UL		
Bandwidth		5 MHz		Power		
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-7.500 M	-2.500 M	100.00 k	840.033654 M	-32.67	-54.47	-332.67
2.500 M	3.500 M	50.00 k	849.000000 M	-25.72	-47.52	-12.72
3.500 M	7.500 M	1.00 M	850.081731 M	-35.20	-57.00	-22.20

Date: 6.AUG.2020 20:19:32




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG

10MHz




Tx Channel				BW_10_MHz_lower UL		
Bandwidth				Power		
Start	Stop	RBW	Freq	PwrAbs	PwrRel	ΔLimit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-15.000 M	-6.000 M	1.00 M	822.942308 M	-35.25	-57.29	-22.25
-6.000 M	-5.000 M	100.00 k	823.951923 M	-36.26	-58.30	-23.26
5.000 M	15.000 M	100.00 k	842.269231 M	-36.00	-58.03	-336.00

Date: 6.AUG.2020 20:22:28




Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_10_MHz_higher UL		
Bandwidth		10 MHz	Power		21.91 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-5.000 M	100.00 k	830.778846 M	-39.68	-61.59	-339.68
5.000 M	6.000 M	100.00 k	849.000000 M	-36.40	-58.31	-23.40
6.000 M	15.000 M	1.00 M	850.105769 M	-35.95	-57.86	-22.95

Date: 6.AUG.2020 20:24:02



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG

Band XII

16QAM

1RB

1.4MHz



Tx Channel				BW_1_4_MHz_lower UL		
Bandwidth		1.4 MHz		Power		20.80 dBm
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]
-2.500 M	-1.700 M	1.00 M	697.889103 M	-34.93	-55.73	-21.93
-1.700 M	-700.000 k	20.00 k	698.994872 M	-29.29	-50.09	-16.29
700.000 k	2.500 M	100.00 k	701.062179 M	-40.60	-61.40	-340.60


Date: 6.AUG.2020 20:29:11



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG



Tx Channel				BW_1_4_MHz_higher UL		
Bandwidth		1.4 MHz	Power		20.97 dBm	
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-2.500 M	-700.000 k	100.00 k	713.921795 M	-36.78	-57.75	-336.78
700.000 k	1.700 M	20.00 k	716.000000 M	-17.01	-37.98	-4.01
1.700 M	2.500 M	1.00 M	717.030769 M	-35.40	-56.37	-22.40

Date: 6.AUG.2020 20:49:27






# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG

3MHz




Tx Channel				BW_3_MHz_lower UL		
Bandwidth				Power		
Start	Stop	RBW	Freq	PwrAbs	PwrRel	ΔLimit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-5.000 M	-2.500 M	1.00 M	697.983974 M	-34.96	-56.44	-21.96
-2.500 M	-1.500 M	30.00 k	698.977564 M	-25.52	-47.00	-12.52
1.500 M	5.000 M	100.00 k	703.096154 M	-42.06	-63.54	-342.06

Date: 6.AUG.2020 20:52:19




Report Number: W6M22103-20740-P-247-R  
 FCC ID: GX9CHMG



Tx Channel				BW_3_MHz_higher UL		
Bandwidth		3 MHz		Power		20.65 dBm
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-5.000 M	-1.500 M	100.00 k	710.685897 M	-34.40	-55.05	-334.40
1.500 M	2.500 M	30.00 k	716.006410 M	-26.05	-46.71	-13.05
2.500 M	5.000 M	1.00 M	717.096154 M	-35.62	-56.28	-22.62

Date: 6.AUG.2020 20:55:32




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG

5MHz



Tx Channel				BW_5_MHz_lower UL		
Bandwidth	5 MHz			Power		
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]
-7.500 M	-3.500 M	1.00 M	697.750000 M	-35.81	-56.88	-22.81
-3.500 M	-2.500 M	50.00 k	698.975962 M	-25.79	-46.87	-12.79
2.500 M	7.500 M	100.00 k	707.990385 M	-40.69	-61.76	-340.69


Date: 6.AUG.2020 20:56:36



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_5_MHz_higher UL		
Bandwidth		5 MHz		Power		20.67 dBm
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-2.500 M	100.00 k	707.009615 M	-33.06	-53.73	-333.06
2.500 M	3.500 M	50.00 k	716.000000 M	-26.87	-47.54	-13.87
3.500 M	7.500 M	1.00 M	717.129808 M	-36.33	-57.00	-23.33

Date: 6.AUG.2020 21:01:39




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG

10MHz




Date: 6.AUG.2020 21:05:02




Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				Power			BW_10_MHz_higher UL
Bandwidth	10 MHz			Power			20.47 dBm
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-15.000 M	-5.000 M	100.00 k	697.730769 M	-40.08	-60.55	-340.08	
5.000 M	6.000 M	100.00 k	716.000000 M	-36.89	-57.36	-23.89	
6.000 M	15.000 M	1.00 M	717.490385 M	-36.82	-57.29	-23.82	

Date: 6.AUG.2020 21:08:12



# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG

QPSK

FRB

1.4MHz



Tx Channel				BW_1_4_MHz_lower UL		
Bandwidth		1.4 MHz	Power		21.29 dBm	
Start	Stop	RBW	Freq	PwrAbs	PwrRel	ΔLimit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-2.500 M	-1.700 M	1.00 M	697.993269 M	-24.49	-45.78	-11.49
-1.700 M	-700.000 k	20.00 k	698.994872 M	-29.18	-50.47	-16.18
700.000 k	2.500 M	100.00 k	700.400000 M	-20.86	-42.15	-320.86


Date: 6.AUG.2020 20:30:24



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG



Tx Channel				BW_1_4_MHz_higher UL		
Bandwidth		1.4 MHz	Power		20.80 dBm	
Start	Stop	RBW	Freq	PwrAbs	PwrRel	ΔLimit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-2.500 M	-700.000 k	100.00 k	714.586859 M	-22.19	-42.99	-322.19
700.000 k	1.700 M	20.00 k	716.000000 M	-20.48	-41.28	-7.48
1.700 M	2.500 M	1.00 M	717.014744 M	-25.57	-46.37	-12.57

Date: 6.AUG.2020 20:48:11






# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG

3MHz




Tx Channel				BW_3_MHz_lower UL		
Bandwidth		3 MHz		Power		
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]
-5.000 M	-2.500 M	1.00 M	697.967949 M	-21.86	-42.92	-8.86
-2.500 M	-1.500 M	30.00 k	698.977564 M	-29.27	-50.33	-16.27
1.500 M	5.000 M	100.00 k	702.006410 M	-23.54	-44.60	-323.54

Date: 6.AUG.2020 20:53:02




Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_3_MHz_higher UL		
Bandwidth		3 MHz	Power		20.94 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-5.000 M	-1.500 M	100.00 k	712.977564 M	-23.44	-44.38	-323.44
1.500 M	2.500 M	30.00 k	716.006410 M	-29.10	-50.04	-16.10
2.500 M	5.000 M	1.00 M	717.032051 M	-22.75	-43.69	-9.75

Date: 6.AUG.2020 20:54:25




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG

5MHz



Tx Channel				BW_5_MHz_lower UL		
Bandwidth				Power		
Start	Stop	RBW	Freq	PwrAbs	PwrRel	ΔLimit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-7.500 M	-3.500 M	1.00 M	697.870192 M	-23.20	-44.38	-10.20
-3.500 M	-2.500 M	50.00 k	698.975962 M	-29.78	-50.96	-16.78
2.500 M	7.500 M	100.00 k	704.000000 M	-26.23	-47.41	-326.23


Date: 6.AUG.2020 20:57:29



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_5_MHz_higher UL		
Bandwidth		5 MHz	Power		20.77 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-2.500 M	100.00 k	710.975962 M	-26.96	-47.73	-326.96
2.500 M	3.500 M	50.00 k	716.000000 M	-30.88	-51.65	-17.88
3.500 M	7.500 M	1.00 M	717.370192 M	-25.28	-46.05	-12.28

Date: 6.AUG.2020 21:00:51




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG

10MHz




Tx Channel				BW_10_MHz_lower UL		
Bandwidth				Power		
Start	Stop	RBW	Freq	PwrAbs	PwrRel	ΔLimit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-15.000 M	-6.000 M	1.00 M	697.942308 M	-26.68	-47.75	-13.68
-6.000 M	-5.000 M	100.00 k	698.951923 M	-32.97	-54.03	-19.97
5.000 M	15.000 M	100.00 k	709.000000 M	-31.90	-52.97	-331.90

Date: 6.AUG.2020 21:04:02




Report Number: W6M22103-20740-P-247-R  
 FCC ID: GX9CHMG



Tx Channel				BW_10_MHz_higher UL		
Bandwidth		10 MHz	Power		21.07 dBm	
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-15.000 M	-5.000 M	100.00 k	705.951923 M	-32.54	-53.61	-332.54
5.000 M	6.000 M	100.00 k	716.000000 M	-32.43	-53.51	-19.43
6.000 M	15.000 M	1.00 M	717.057692 M	-26.78	-47.85	-13.78

Date: 6.AUG.2020 21:09:00




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG

1RB

1.4MHz



Tx Channel				BW_1_4_MHz_lower UL		
Bandwidth		1.4 MHz	Power			22.02 dBm
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]
-2.500 M	-1.700 M	1.00 M	697.913141 M	-34.35	-56.37	-21.35
-1.700 M	-700.000 k	20.00 k	698.994872 M	-26.56	-48.58	-13.56
700.000 k	2.500 M	100.00 k	701.014103 M	-40.08	-62.11	-340.08


Date: 6.AUG.2020 20:29:44



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG



Tx Channel				BW_1_4_MHz_higher UL		
Bandwidth		1.4 MHz	Power		22.05 dBm	
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-2.500 M	-700.000 k	100.00 k	713.905769 M	-35.88	-57.93	-335.88
700.000 k	1.700 M	20.00 k	716.000000 M	-15.60	-37.65	-2.60
1.700 M	2.500 M	1.00 M	717.046795 M	-35.06	-57.11	-22.06

Date: 6.AUG.2020 20:48:47






# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG

3MHz




Tx Channel				BW_3_MHz_lower UL		
Bandwidth				Power		
Start	Stop	RBW	Freq	PwrAbs	PwrRel	ΔLimit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-5.000 M	-2.500 M	1.00 M	697.983974 M	-34.51	-56.64	-21.51
-2.500 M	-1.500 M	30.00 k	698.977564 M	-24.69	-46.82	-11.69
1.500 M	5.000 M	100.00 k	703.096154 M	-41.67	-63.80	-341.67

Date: 6.AUG.2020 20:52:41



Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_3_MHz_higher UL		
Bandwidth		3 MHz		Power		21.99 dBm
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-5.000 M	-1.500 M	100.00 k	710.701923 M	-33.42	-55.41	-333.42
1.500 M	2.500 M	30.00 k	716.006410 M	-23.67	-45.66	-10.67
2.500 M	5.000 M	1.00 M	717.048077 M	-35.71	-57.70	-22.71

Date: 6.AUG.2020 20:55:02




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG

5MHz




Tx Channel				BW_5_MHz_lower UL		
Bandwidth				Power		
Start	Stop	RBW	Freq	PwrAbs	PwrRel	ΔLimit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-7.500 M	-3.500 M	1.00 M	697.870192 M	-35.66	-57.39	-22.66
-3.500 M	-2.500 M	50.00 k	698.975962 M	-25.13	-46.85	-12.13
2.500 M	7.500 M	100.00 k	707.990385 M	-39.46	-61.18	-339.46

Date: 6.AUG.2020 20:57:04



Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_5_MHz_higher UL		
Bandwidth		5 MHz		Power		21.81 dBm
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-7.500 M	-2.500 M	100.00 k	707.009615 M	-32.74	-54.55	-332.74
2.500 M	3.500 M	50.00 k	716.000000 M	-25.84	-47.65	-12.84
3.500 M	7.500 M	1.00 M	717.153846 M	-35.53	-57.34	-22.53

Date: 6.AUG.2020 21:01:16




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG

10MHz




Tx Channel				BW_10_MHz_lower UL		
Bandwidth				Power		
Start	Stop	RBW	Freq	PwrAbs	PwrRel	ΔLimit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-15.000 M	-6.000 M	1.00 M	697.894231 M	-35.65	-57.66	-22.65
-6.000 M	-5.000 M	100.00 k	698.951923 M	-36.71	-58.72	-23.71
5.000 M	15.000 M	100.00 k	717.221154 M	-39.38	-61.39	-339.38

Date: 6.AUG.2020 21:04:26




Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				Power			BW_10_MHz_higher UL
Bandwidth	10 MHz		Power		21.89 dBm		
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-15.000 M	-5.000 M	100.00 k	697.778846 M	-39.29	-61.19	-339.29	
5.000 M	6.000 M	100.00 k	716.000000 M	-35.93	-57.82	-22.93	
6.000 M	15.000 M	1.00 M	717.201923 M	-36.07	-57.96	-23.07	

Date: 6.AUG.2020 21:08:35



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG

Band XIII

16QAM


1RB

5MHz



Tx Channel				BW_5_MHz_lower UL		
Bandwidth		5 MHz	Power		20.90 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]
-7.500 M	-3.500 M	1.00 M	775.942308 M	-36.48	-57.38	-23.48
-3.500 M	-2.500 M	50.00 k	776.975962 M	-27.18	-48.08	-14.18
2.500 M	7.500 M	100.00 k	786.014423 M	-35.88	-56.78	-335.88


Date: 6.AUG.2020 21:11:46



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_5_MHz_higher UL		
Bandwidth		5 MHz	Power		20.38 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-2.500 M	100.00 k	778.009615 M	-36.89	-57.27	-336.89
2.500 M	3.500 M	50.00 k	787.000000 M	-27.52	-47.90	-14.52
3.500 M	7.500 M	1.00 M	788.033654 M	-35.50	-55.89	-22.50

Date: 6.AUG.2020 21:14:12






# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG

10MHz



Tx Channel				BW_10_MHz_higher UL		
Bandwidth		10 MHz		Power		20.27 dBm
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]
-15.000 M	-5.000 M	100.00 k	776.951923 M	-47.38	-67.64	-347.38
5.000 M	6.000 M	100.00 k	787.000000 M	-36.39	-56.66	-23.39
6.000 M	15.000 M	1.00 M	788.057692 M	-36.22	-56.49	-23.22


Date: 6.AUG.2020 21:18:51



# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_10_MHz_lower UL		
Bandwidth		10 MHz	Power		20.56 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-6.000 M	1.00 M	775.942308 M	-36.92	-57.48	-23.92
-6.000 M	-5.000 M	100.00 k	776.951923 M	-38.08	-58.63	-25.08
5.000 M	15.000 M	100.00 k	795.269231 M	-44.43	-64.99	-344.43

Date: 6.AUG.2020 21:17:59



# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG

QPSK


FRB

5MHz



Tx Channel				BW_5_MHz_lower UL		
Bandwidth	5 MHz			Power		
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-7.500 M	-3.500 M	1.00 M	775.966346 M	-30.13	-50.81	-17.13
-3.500 M	-2.500 M	50.00 k	776.975962 M	-32.94	-53.62	-19.94
2.500 M	7.500 M	100.00 k	782.000000 M	-27.36	-48.04	-327.36


Date: 6.AUG.2020 21:12:43



# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_5_MHz_higher UL		
Bandwidth		5 MHz	Power		20.72 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-2.500 M	100.00 k	781.975962 M	-29.17	-49.89	-329.17
2.500 M	3.500 M	50.00 k	787.000000 M	-31.78	-52.50	-18.78
3.500 M	7.500 M	1.00 M	788.105769 M	-27.19	-47.90	-14.19

Date: 6.AUG.2020 21:13:27




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG

10MHz




Tx Channel				BW_10_MHz_higher UL		
Bandwidth		10 MHz		Power		
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]
-15.000 M	-5.000 M	100.00 k	776.951923 M	-35.16	-55.87	-335.16
5.000 M	6.000 M	100.00 k	787.000000 M	-32.74	-53.45	-19.74
6.000 M	15.000 M	1.00 M	788.105769 M	-27.62	-48.33	-14.62

Date: 6.AUG.2020 21:19:29




Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_10_MHz_lower UL		
Bandwidth		10 MHz	Power		20.68 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-6.000 M	1.00 M	775.942308 M	-33.65	-54.33	-20.65
-6.000 M	-5.000 M	100.00 k	776.951923 M	-35.20	-55.88	-22.20
5.000 M	15.000 M	100.00 k	787.000000 M	-32.65	-53.33	-332.65

Date: 6.AUG.2020 21:15:50




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG

IRB

5MHz



Tx Channel		5 MHz		Power		BW_5_MHz_lower UL	
Start	Stop	RBW	Freq	PwrAbs	PwrRel	ΔLimit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-7.500 M	-3.500 M	1.00 M	775.942308 M	-36.50	-58.03	-23.50	
-3.500 M	-2.500 M	50.00 k	776.975962 M	-26.18	-47.71	-13.18	
2.500 M	7.500 M	100.00 k	785.966346 M	-34.98	-56.51	-334.98	


Date: 6.AUG.2020 21:12:10



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_5_MHz_higher UL		
Bandwidth		5 MHz		Power		
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-7.500 M	-2.500 M	100.00 k	778.033654 M	-36.56	-58.20	-336.56
2.500 M	3.500 M	50.00 k	787.000000 M	-25.97	-47.61	-12.97
3.500 M	7.500 M	1.00 M	788.105769 M	-35.08	-56.72	-22.08

Date: 6.AUG.2020 21:13:51






# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG

10MHz




Tx Channel				BW_10_MHz_higher UL		
Bandwidth		10 MHz		Power		21.59 dBm
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]
-15.000 M	-5.000 M	100.00 k	776.951923 M	-47.32	-68.92	-347.32
5.000 M	6.000 M	100.00 k	787.000000 M	-36.17	-57.77	-23.17
6.000 M	15.000 M	1.00 M	788.634615 M	-35.91	-57.50	-22.91

Date: 6.AUG.2020 21:19:12



Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG



Tx Channel				BW_10_MHz_lower UL		
Bandwidth		10 MHz	Power		21.73 dBm	
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-15.000 M	-6.000 M	1.00 M	775.942308 M	-36.55	-58.28	-23.55
-6.000 M	-5.000 M	100.00 k	776.951923 M	-37.80	-59.53	-24.80
5.000 M	15.000 M	100.00 k	795.317308 M	-44.46	-66.19	-344.46

Date: 6.AUG.2020 21:17:40

Test equipment: ETSTW-RE 055, ETSTW-GSM 002, ETSTW-GSM 023, ETSTW-GSM 004

Report Number: W6M22103-20740-P-247-R


FCC ID: GX9CHMG


**9. Frequency Stability**

The frequency stability shall be measured by variation of ambient temperature and variation of primary supply voltage to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintain within  $\pm 0.00025\%$  ( $\pm 2.5$  ppm) of the center frequency.

**9.1 Test procedure**

- The equipment under test was supplied with rated power supply and the RF output was connected to a frequency counter via feed through attenuators. The EUT was placed inside the temperature chamber. The DC leads and RF output cable, exited the chamber through an opening made for that purpose.  
After the temperature stabilized the frequency output was recorded from the counter.
- An external variable power supply was used to supply nominal voltage and 85% to 115% of nominal voltage to the EUT under room temperature. Record the frequencies measured from the counter.
- End point voltage: For hand carried, battery powered equipment, reduce primary supply voltage to the battery operating end point which shall be specified by the manufacturer. Then record the frequencies measured from the counter.





Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG

**9.2 Test Results**

**9.2.1 Frequency Stability vs. Temperature**

Test date: August 13, 2020

Temperature: 24.5 °C

Humidity: 48.6 %

Tester: Kent

WCDMA BAND II					WCDMA BAND IV				
CH9262	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH1312	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	11.13	0.006	±2.5		-30	10.22	0.006	±2.5
	-20	-8.33	-0.004			-20	-8.96	-0.005	
	-10	6.55	0.004			-10	6.55	0.004	
	0	-7.43	-0.004			0	5.98	0.003	
	10	3.42	0.002			10	2.93	0.002	
	20	-1.92	-0.001			20	-5.13	-0.003	
	30	4.73	0.003			30	3.99	0.002	
	40	6.51	0.004			40	-4.55	-0.003	
	50	-8.33	-0.004			50	-6.39	-0.004	
132Vac	25	-3.35	-0.002	132Vac	25	-4.25	-0.002		
108Vac	25	-3.74	-0.002	108Vac	25	-1.52	-0.001		
CH9400	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH1412	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	-9.55	-0.005	±2.5		-30	-10.13	-0.006	±2.5
	-20	8.41	0.004			-20	8.95	0.005	
	-10	8.44	0.004			-10	-7.44	-0.004	
	0	-6.41	-0.003			0	-7.48	-0.004	
	10	-1.31	-0.001			10	5.35	0.003	
	20	2.55	0.001			20	-2.05	-0.001	
	30	4.85	0.003			30	-5.31	-0.003	
	40	-3.04	-0.002			40	-6.15	-0.004	
	50	7.63	0.004			50	7.12	0.004	
132Vac	25	-5.71	-0.003	132Vac	25	-4.07	-0.002		
108Vac	25	-4.28	-0.002	108Vac	25	-4.16	-0.002		
CH9538	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH1513	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	-9.75	-0.005	±2.5		-30	7.41	0.004	±2.5
	-20	4.43	0.002			-20	8.55	0.005	
	-10	6.18	0.003			-10	6.73	0.004	
	0	-5.29	-0.003			0	-7.42	-0.004	
	10	5.29	0.003			10	5.73	0.003	
	20	-4.32	-0.002			20	-3.16	-0.002	
	30	4.66	0.002			30	3.55	0.002	
	40	5.31	0.003			40	-4.82	-0.003	
	50	-5.98	-0.003			50	6.61	0.004	
132Vac	25	-3.55	-0.002	132Vac	25	-3.93	-0.002		
108Vac	25	-3.60	-0.002	108Vac	25	-3.97	-0.002		



Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG

WCDMA BAND V				
CH4132	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	-11.23	-0.014	±2.5
	-20	9.33	0.011	
	-10	7.54	0.009	
	0	-8.43	-0.010	
	10	-4.93	-0.006	
	20	3.13	0.004	
	30	5.49	0.007	
	40	-6.11	-0.007	
	50	7.19	0.009	
132Vac	25	1.42	0.002	
108Vac	25	-2.33	-0.003	
CH4183	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	9.14	0.011	±2.5
	-20	-5.77	-0.007	
	-10	-6.39	-0.008	
	0	-7.43	-0.009	
	10	-3.75	-0.004	
	20	4.74	0.006	
	30	4.65	0.006	
	40	5.22	0.006	
	50	7.88	0.009	
132Vac	25	2.93	0.004	
108Vac	25	-5.51	-0.007	
CH4233	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	-9.93	-0.012	±2.5
	-20	-7.78	-0.009	
	-10	8.63	0.010	
	0	-6.16	-0.007	
	10	5.74	0.007	
	20	2.74	0.003	
	30	5.31	0.006	
	40	6.21	0.007	
	50	8.21	0.010	
132Vac	25	-3.33	-0.004	
108Vac	25	-2.87	-0.003	



# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22103-20740-P-247-R  
 FCC ID: GX9CHMG

LTE BAND II QPSK 10MHz FRB					LTE BAND IV QPSK 10MHz FRB				
CH18900	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH20175	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	-11.43	-0.006	±2.5		-30	9.95	0.006	±2.5
	-20	7.48	0.004			-20	-3.98	-0.002	
	-10	-8.93	-0.005			-10	-7.41	-0.004	
	0	-9.21	-0.005			0	-8.92	-0.005	
	10	-8.74	-0.005			10	7.06	0.004	
	20	-5.04	-0.003			20	-2.29	-0.001	
	30	6.89	0.004			30	-3.41	-0.002	
	40	-8.44	-0.004			40	7.45	0.004	
	50	8.56	0.005			50	9.87	0.006	
132Vac	25	-6.51	-0.003	132Vac	25	2.86	0.002		
108Vac	25	-5.58	-0.003	108Vac	25	-3.02	-0.002		

LTE BAND V QPSK 10MHz FRB					LTE BAND XII QPSK 10MHz FRB				
CH20525	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH23095	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	9.12	0.011	±2.5		-30	8.99	0.013	±2.5
	-20	-8.79	-0.011			-20	-7.41	-0.010	
	-10	5.99	0.007			-10	-5.14	-0.007	
	0	-8.21	-0.010			0	-6.88	-0.010	
	10	7.18	0.009			10	5.48	0.008	
	20	1.85	0.002			20	-2.66	-0.004	
	30	7.44	0.009			30	-4.56	-0.006	
	40	6.35	0.008			40	6.55	0.009	
	50	8.98	0.011			50	7.98	0.011	
132Vac	25	-2.31	-0.003	132Vac	25	-2.03	-0.003		
108Vac	25	-2.55	-0.003	108Vac	25	-2.73	-0.004		

LTE BAND XIII QPSK 10MHz FRB				
CH23230	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	-10.31	-0.013	±2.5
	-20	-8.44	-0.011	
	-10	5.89	0.008	
	0	7.40	0.009	
	10	-6.84	-0.009	
	20	-2.60	-0.003	
	30	7.44	0.010	
	40	-8.66	-0.011	
	50	11.85	0.015	
132Vac	25	1.30	0.002	
108Vac	25	2.70	0.003	

Test equipment: ETSTW-CE 009, ETSTW-GSM 002, ETSTW-GSM 004



Report Number: W6M22103-20740-P-247-R

FCC ID: GX9CHMG

**10 Maximum Permissible Exposure**

**10.1 Exemption Limits for Routine Evaluation according to 47 CFR FCC Part 2 Subpart J, section 2.1091**

FCC OET Bulletin 65 Edition 97.01 determines the equations for predicting RF fields and applicable limits.

The prediction for power density in the far-field but will over-predict power density in the near field, where it could be used for walking a “worst case” or conservative prediction.

Systems operating under the provisions of this section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy levels in excess limit for maximum permissible exposure. In accordance with 47 CFR FCC Part 2 Subpart J, section 2.1091 this device has been defined as a mobile device whereby a distance of 20 cm normally can be maintained between the user and the device.

**MPE Calculation Method**

**(A) Limits for Occupational/Controlled Exposure**

Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/cm <sup>2</sup> )	Averaging Time  E  <sup>2</sup> ,  H  <sup>2</sup> or S (minutes)
0.3-3.0	614	1.63	(100)*	6
3.0-30	1842/f	4.89/f	(900/f <sup>2</sup> )*	6
30-300	61.4	0.163	1.0	6
300-1500	--	--	f/300	6
1500-100,000	--	--	5	6

**(B) Limits for General Population/Uncontrolled Exposure**

Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/cm <sup>2</sup> )	Averaging Time  E  <sup>2</sup> ,  H  <sup>2</sup> or S (minutes)
0.3-1.34	614	1.63	(100)*	30
1.34-30	824/f	2.19/f	(180/f <sup>2</sup> )*	30
30-300	27.5	0.073	0.2	30
300-1500	--	--	f/1500	30
1500-100,000	--	--	1.0	30

f = frequency in MHz


\*Plane-wave equivalent power density

E = Electric field (V/m) P = output power (W) G = EUT Antenna numeric gain (numeric)

d = Separation distance between radiator and human body (m)

$$Pd = \frac{30 \times P \times G}{377 \times d^2}$$

The formula can be changed to mW/cm<sup>2</sup>.



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22103-20740-P-247-R  
 FCC ID: GX9CHMG

Frequency	Max output power		Antenna Gain	Power Density(S) (mW/cm <sup>2</sup> )	Limit of Power Density (S) (mW/cm <sup>2</sup> )	Test Result
	(dBm)	(W)				
WCDMA Band II	22.57	0.18	3.15	0.0742	1	Complies
WCDMA Band IV	22.74	0.19	3.49	0.0835	1	Complies
WCDMA Band V	23.64	0.23	1.15	0.0599	0.5644	Complies
LTE Band II	23.35	0.22	3.15	0.0889	1	Complies
LTE Band IV	23.15	0.21	3.49	0.0918	1	Complies
<i>LTE Band V</i>	<i>23.81</i>	<i>0.24</i>	<i>1.15</i>	<i>0.0623</i>	<i>0.5577</i>	<i>Complies</i>
LTE Band XII	23.46	0.22	-0.04	0.0437	0.4740	Complies
<i>LTE Band XIII</i>	<i>23.66</i>	<i>0.23</i>	<i>0.9</i>	<i>0.0569</i>	<i>0.5213</i>	<i>Complies</i>

From the peak EUT RF output power, the minimum mobile separation distance, d=0.2 m, as well as the gain of the used antenna, the RF power density can be obtained.





## **Appendix**

### ***A. Photos***

1. *External Photos*
2. *Internal Photos*
3. *Set Up Photo of Radiated Emission*

### ***B. Measurement diagrams***

*Filed Strength of Spurious Emission*



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

## Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 04:21:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	65.7715	-89.16	peak	23.77	-65.39	-13.00	150	115	-52.39	
	137.3146	-94.79	peak	22.28	-72.51	-13.00	150	240	-59.51	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 04:41:19

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	38.1764	-89.05	peak	23.08	-65.97	-13.00	150	270	-52.97	
*	48.0561	-83.87	peak	23.36	-60.51	-13.00	150	65	-47.51	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:43:37

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	275.3507	-59.58	peak	-9.77	-69.35	-13.00	150	210	-56.35	
	777.1543	-70.39	peak	-2.24	-72.63	-13.00	150	125	-59.63	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:50:05

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	895.7916	-68.94	peak	-0.55	-69.49	-13.00	150	95	-56.49	
*	958.3166	-62.43	peak	-0.74	-63.17	-13.00	150	305	-50.17	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 04:06:12

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2454.910	-45.67	peak	5.71	-39.96	-13.00	150	125	-26.96	
	3711.423	-51.15	peak	9.74	-41.41	-13.00	150	220	-28.41	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 04:44:55

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2454.910	-43.07	peak	7.30	-35.77	-13.00	150	285	-22.77	
	3711.423	-49.80	peak	9.65	-40.15	-13.00	150	75	-27.15	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 04:18:11

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 04:45:33

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 04:22:23

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 04:46:21

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 04:22:35

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: *Horizontal*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA-Band2-CH9262

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 04:46:33

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: *Vertical*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA-Band2-CH9262

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 04:22:47

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 04:46:45

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 04:25:17

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	65.4310	-90.80	peak	23.78	-67.02	-13.00	150	120	-54.02	
	133.9078	-95.04	peak	22.29	-72.75	-13.00	150	195	-59.75	





Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 04:38:46

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	36.4730	-89.28	peak	23.22	-66.06	-13.00	150	275	-53.06	
*	45.6713	-85.75	peak	23.23	-62.52	-13.00	150	55	-49.52	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:45:00

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	280.1603	-60.29	peak	-9.59	-69.88	-13.00	150	195	-56.88	
	799.5992	-69.66	peak	-2.01	-71.67	-13.00	150	105	-58.67	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:48:48

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	895.7916	-67.62	peak	-0.55	-68.17	-13.00	150	275	-55.17	
*	958.3166	-63.46	peak	-0.74	-64.20	-13.00	150	320	-51.20	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 04:31:20

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2454.910	-43.33	peak	5.71	-37.62	-13.00	150	135	-24.62	
	3759.519	-55.78	peak	9.81	-45.97	-13.00	150	95	-32.97	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 04:53:21

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2454.910	-45.13	peak	7.30	-37.83	-13.00	150	75	-24.83	
	3759.519	-55.06	peak	9.60	-45.46	-13.00	150	245	-32.46	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 04:31:58

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 04:54:07

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: **Vertical**

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA-Band2-CH9400

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 04:32:42

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 04:54:50

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 04:32:54

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: *Horizontal*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA-Band2-CH9400

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 04:55:02

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 04:33:06

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 04:55:14

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 04:28:18

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	65.7715	-91.61	peak	23.77	-67.84	-13.00	150	140	-54.84	
*	72.2445	-90.95	peak	23.68	-67.27	-13.00	150	55	-54.27	



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 04:34:23

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	47.0340	-83.89	peak	23.30	-60.59	-13.00	150	45	-47.59	
	71.9038	-90.86	peak	23.18	-67.68	-13.00	150	275	-54.68	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:46:19

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	281.7635	-60.66	peak	-9.47	-70.13	-13.00	150	180	-57.13	
	777.1543	-69.94	peak	-2.24	-72.18	-13.00	150	85	-59.18	





Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:47:45

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	764.3287	-70.75	peak	-1.23	-71.98	-13.00	150	260	-58.98	
*	959.9198	-62.15	peak	-0.73	-62.88	-13.00	150	335	-49.88	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 04:35:27

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2454.910	-43.06	peak	5.71	-37.35	-13.00	150	135	-24.35	
	3813.627	-53.95	peak	9.89	-44.06	-13.00	150	150	-31.06	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 04:40:32

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2460.922	-43.53	peak	7.34	-36.19	-13.00	150	335	-23.19	
	3813.627	-54.40	peak	9.55	-44.85	-13.00	150	280	-31.85	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 04:36:45

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 04:41:12

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 04:37:43

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: *Horizontal*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA-Band2-CH9538

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 04:41:55

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 04:37:55

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 04:42:08

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 04:38:07

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 04:42:20

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 04:05:55

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	64.7495	-93.01	peak	23.80	-69.21	-13.00	150	165	-56.21	
	90.3006	-94.82	peak	23.03	-71.79	-13.00	150	80	-58.79	



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 04:43:44

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	36.8136	-89.25	peak	23.19	-66.06	-13.00	150	220	-53.06	
*	46.3527	-83.01	peak	23.26	-59.75	-13.00	150	45	-46.75	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:52:07

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	257.7154	-59.21	peak	-10.52	-69.73	-13.00	150	175	-56.73	
	778.7575	-70.94	peak	-2.23	-73.17	-13.00	150	205	-60.17	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:59:07

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	783.5671	-71.98	peak	-0.87	-72.85	-13.00	150	335	-59.85	
*	958.3166	-62.29	peak	-0.74	-63.03	-13.00	150	255	-50.03	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:01:05

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2454.910	-45.33	peak	5.71	-39.62	-13.00	150	110	-26.62	
	3428.858	-51.25	peak	9.12	-42.13	-13.00	150	165	-29.13	





Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:23:54

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2454.910	-43.11	peak	7.30	-35.81	-13.00	150	335	-22.81	
	3428.858	-51.41	peak	9.48	-41.93	-13.00	150	240	-28.93	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:01:48

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: *Horizontal*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA-Band4-CH1312

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:24:34

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:02:59

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: *Horizontal*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA-Band4-CH1312

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:25:26

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: *Vertical*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA-Band4-CH1312

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:03:11

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:25:38

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:03:23

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:25:50

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1312

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 04:09:58

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	66.1122	-91.68	peak	23.76	-67.92	-13.00	150	155	-54.92	
	103.2464	-95.13	peak	23.52	-71.61	-13.00	150	70	-58.61	



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 04:47:27

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	37.1543	-89.30	peak	23.16	-66.14	-13.00	150	195	-53.14	
*	46.3527	-81.45	peak	23.26	-58.19	-13.00	150	60	-45.19	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1

Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:53:29

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	278.5571	-59.82	peak	-9.65	-69.47	-13.00	150	165	-56.47	
	953.5070	-70.01	peak	-0.86	-70.87	-13.00	150	80	-57.87	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:58:10

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	892.5852	-66.17	peak	-0.48	-66.65	-13.00	150	110	-53.65	
*	958.3166	-64.61	peak	-0.74	-65.35	-13.00	150	85	-52.35	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:05:45

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2460.922	-45.33	peak	5.74	-39.59	-13.00	150	185	-26.59	
*	3464.930	-47.51	peak	9.28	-38.23	-13.00	150	140	-25.23	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:18:16

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2454.910	-42.14	peak	7.30	-34.84	-13.00	150	235	-21.84	
	3464.930	-49.00	peak	9.66	-39.34	-13.00	150	300	-26.34	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:06:38

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:19:11

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:07:21

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:19:53

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:07:33

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: *Horizontal*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA-Band4-CH1412

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:20:05

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:07:45

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1412

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

**Radiated Emission Measurement**

Operator: Sora

File :3

Data :#10


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:20:17

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: *Vertical*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA-Band4-CH1412

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 04:15:36

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	65.7715	-92.19	peak	23.77	-68.42	-13.00	150	145	-55.42	
	135.2705	-95.22	peak	22.29	-72.93	-13.00	150	65	-59.93	





Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 04:49:46

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	38.1764	-89.07	peak	23.08	-65.99	-13.00	150	310	-52.99	
*	46.3527	-82.59	peak	23.26	-59.33	-13.00	150	55	-46.33	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1

Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:55:32

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	265.7315	-58.96	peak	-10.12	-69.08	-13.00	150	180	-56.08	
	772.3447	-71.78	peak	-2.29	-74.07	-13.00	150	110	-61.07	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:57:03

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	767.5351	-71.20	peak	-1.17	-72.37	-13.00	150	235	-59.37	
*	959.9198	-61.52	peak	-0.73	-62.25	-13.00	150	305	-49.25	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:10:02

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2454.910	-45.10	peak	5.71	-39.39	-13.00	150	205	-26.39	
	3507.014	-49.33	peak	9.45	-39.88	-13.00	150	165	-26.88	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:14:07

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2454.910	-42.25	peak	7.30	-34.95	-13.00	150	275	-21.95	
	3507.014	-50.87	peak	9.83	-41.04	-13.00	150	305	-28.04	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:10:46

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:14:51

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:11:29

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:15:33

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:11:41

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: *Horizontal*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA-Band4-CH1513

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:15:45

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:11:53

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10


Date: 2021/3/19

Temperature:24 °C

0.0 dBm

Time: 下午 05:15:57

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band4-CH1513

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 03:50:21

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	64.7495	-94.04	peak	23.80	-70.24	-13.00	150	115	-57.24	
*	90.6413	-92.42	peak	23.06	-69.36	-13.00	150	65	-56.36	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 04:52:07

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	37.8356	-89.01	peak	23.11	-65.90	-13.00	150	335	-52.90	
*	46.6934	-83.49	peak	23.28	-60.21	-13.00	150	60	-47.21	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 02:54:34

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	873.3467	-33.69	peak	0.13	-33.56	-13.00	150	115	-20.56	
	958.3166	-65.27	peak	-0.86	-66.13	-13.00	150	85	-53.13	





Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 02:56:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	873.3467	-51.58	peak	-0.06	-51.64	-13.00	150	315	-38.64	
	953.5070	-64.76	peak	-0.76	-65.52	-13.00	150	255	-52.52	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 07:56:38

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1649.299	-54.21	peak	0.94	-53.27	-13.00	150	155	-40.27	
*	2478.958	-43.54	peak	5.84	-37.70	-13.00	150	75	-24.70	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 08:09:53

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1655.311	-56.41	peak	2.70	-53.71	-13.00	150	330	-40.71	
*	2454.910	-48.60	peak	7.30	-41.30	-13.00	150	275	-28.30	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 07:57:18

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 08:10:32

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 07:58:06

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 08:11:34

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 03:54:05

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	64.7495	-94.39	peak	23.80	-70.59	-13.00	150	165	-57.59	
*	91.6633	-93.02	peak	23.13	-69.89	-13.00	150	85	-56.89	





Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 04:55:30

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	39.8798	-88.99	peak	22.93	-66.06	-13.00	150	255	-53.06	
*	46.6934	-83.51	peak	23.28	-60.23	-13.00	150	50	-47.23	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 02:51:23

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	884.5691	-33.76	peak	0.42	-33.34	-13.00	150	155	-20.34	
	956.7134	-65.80	peak	-0.86	-66.66	-13.00	150	95	-53.66	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 02:49:11

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	882.9660	-50.75	peak	-0.27	-51.02	-13.00	150	65	-38.02	
	953.5070	-63.83	peak	-0.76	-64.59	-13.00	150	290	-51.59	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 08:00:44

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1673.347	-39.04	peak	1.10	-37.94	-13.00	150	205	-24.94	
*	2503.006	-39.83	peak	5.96	-33.87	-13.00	150	60	-20.87	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 08:14:04

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1949.900	-52.38	peak	4.20	-48.18	-13.00	150	355	-35.18	
*	2454.910	-48.68	peak	7.30	-41.38	-13.00	150	290	-28.38	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 08:01:24

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 08:14:42

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 08:02:47

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 08:15:35

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 03:58:33

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	65.7715	-91.09	peak	23.77	-67.32	-13.00	150	155	-54.32	
	134.2485	-95.67	peak	22.29	-73.38	-13.00	150	185	-60.38	



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 04:58:30

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	36.4730	-89.45	peak	23.22	-66.23	-13.00	150	215	-53.23	
*	47.3746	-85.01	peak	23.32	-61.69	-13.00	150	60	-48.69	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 02:44:23

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	892.5852	-32.97	peak	0.63	-32.34	-13.00	150	155	-19.34	
	959.9198	-64.24	peak	-0.87	-65.11	-13.00	150	105	-52.11	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 02:46:25

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	892.5852	-49.89	peak	-0.48	-50.37	-13.00	150	335	-37.37	
	953.5070	-63.97	peak	-0.76	-64.73	-13.00	150	285	-51.73	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 08:05:02

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1691.383	-43.75	peak	1.22	-42.53	-13.00	150	195	-29.53	
*	2539.078	-39.77	peak	6.05	-33.72	-13.00	150	275	-20.72	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 08:18:05

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2454.910	-48.30	peak	7.30	-41.00	-13.00	150	300	-28.00	
	2539.078	-50.41	peak	7.56	-42.85	-13.00	150	240	-29.85	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 08:05:41

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 08:18:45

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 08:06:24

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: *Horizontal*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA-Band5-CH4233

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 08:19:39

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 05:07:07

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	65.4310	-90.66	peak	23.78	-66.88	-13.00	150	140	-53.88	
	134.5892	-94.41	peak	22.29	-72.12	-13.00	150	215	-59.12	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 05:37:48

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	38.5170	-88.70	peak	23.05	-65.65	-13.00	150	290	-52.65	
*	46.6934	-82.70	peak	23.28	-59.42	-13.00	150	340	-46.42	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 10:51:04

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	283.3667	-60.03	peak	-9.36	-69.39	-13.00	150	155	-56.39	
	799.5992	-70.93	peak	-2.01	-72.94	-13.00	150	65	-59.94	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 11:05:14

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	284.9700	-60.50	peak	-6.88	-67.38	-13.00	150	275	-54.38	
*	958.3166	-63.48	peak	-0.74	-64.22	-13.00	150	115	-51.22	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:52:18

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2460.922	-47.45	peak	5.74	-41.71	-13.00	150	355	-28.71	
	3765.531	-53.06	peak	9.82	-43.24	-13.00	150	205	-30.24	





Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:56:53

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2454.910	-48.40	peak	7.30	-41.10	-13.00	150	255	-28.10	
	3765.531	-53.63	peak	9.60	-44.03	-13.00	150	305	-31.03	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:53:31

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:57:44

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:54:17

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:58:36

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:54:29

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:58:48

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:54:41

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:59:00

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 05:09:50

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	66.7936	-93.22	peak	23.74	-69.48	-13.00	150	155	-56.48	
	134.5892	-93.82	peak	22.29	-71.53	-13.00	150	195	-58.53	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 05:40:44

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	36.4730	-88.52	peak	23.22	-65.30	-13.00	150	215	-52.30	
*	47.3746	-81.69	peak	23.32	-58.37	-13.00	150	55	-45.37	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 10:52:51

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	284.9700	-59.85	peak	-9.24	-69.09	-13.00	150	140	-56.09	
	958.3166	-70.15	peak	-0.86	-71.01	-13.00	150	105	-58.01	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 11:03:47

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	296.1923	-61.73	peak	-5.81	-67.54	-13.00	150	330	-54.54	
*	959.9198	-62.63	peak	-0.73	-63.36	-13.00	150	315	-50.36	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:41:10

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2454.910	-48.06	peak	5.71	-42.35	-13.00	150	95	-29.35	
	3765.531	-54.40	peak	9.82	-44.58	-13.00	150	145	-31.58	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:47:12

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2460.922	-48.43	peak	7.34	-41.09	-13.00	150	225	-28.09	
	3765.531	-53.89	peak	9.60	-44.29	-13.00	150	85	-31.29	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:42:07

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:47:51

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:44:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:48:38

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:44:34

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: *Horizontal*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:48:50

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:44:47

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:49:03

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 05:12:50

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	65.4310	-92.70	peak	23.78	-68.92	-13.00	150	110	-55.92	
	134.2485	-93.74	peak	22.29	-71.45	-13.00	150	150	-58.45	

\*:Maximum data x:Over limit !:over margin





Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 05:32:53

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	39.8798	-88.50	peak	22.93	-65.57	-13.00	150	195	-52.57	
*	46.6934	-84.49	peak	23.28	-61.21	-13.00	150	55	-48.21	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 10:55:30

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	272.1443	-59.52	peak	-9.89	-69.41	-13.00	150	165	-56.41	
	958.3166	-70.14	peak	-0.86	-71.00	-13.00	150	225	-58.00	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 11:01:37

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	299.3987	-61.59	peak	-5.50	-67.09	-13.00	150	260	-54.09	
*	959.9198	-63.93	peak	-0.73	-64.66	-13.00	150	55	-51.66	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:19:30

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2460.922	-48.26	peak	5.74	-42.52	-13.00	150	155	-29.52	
*	3464.930	-47.81	peak	9.28	-38.53	-13.00	150	270	-25.53	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:24:29

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2460.922	-47.28	peak	7.34	-39.94	-13.00	150	260	-26.94	
*	3464.930	-47.34	peak	9.66	-37.68	-13.00	150	85	-24.68	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:20:27

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:25:11

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:21:10

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:26:01

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:21:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:26:14

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:21:34

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:26:26

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 05:15:49

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	65.0902	-91.78	peak	23.79	-67.99	-13.00	150	165	-54.99	
	135.9520	-92.72	peak	22.29	-70.43	-13.00	150	240	-57.43	



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 05:35:04

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	37.8356	-88.82	peak	23.11	-65.71	-13.00	150	335	-52.71	
*	46.3527	-85.86	peak	23.26	-62.60	-13.00	150	70	-49.60	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 10:58:11

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	281.7635	-59.86	peak	-9.47	-69.33	-13.00	150	155	-56.33	
	958.3166	-70.76	peak	-0.86	-71.62	-13.00	150	270	-58.62	

\*:Maximum data x:Over limit !:over margin





Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 10:59:52

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	286.5731	-60.64	peak	-6.73	-67.37	-13.00	150	315	-54.37	
*	959.9198	-62.58	peak	-0.73	-63.31	-13.00	150	75	-50.31	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:30:54

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2454.910	-46.82	peak	5.71	-41.11	-13.00	150	280	-28.11	
*	3464.930	-47.25	peak	9.28	-37.97	-13.00	150	165	-24.97	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:35:43

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2454.910	-47.90	peak	7.30	-40.60	-13.00	150	105	-27.60	
*	3464.930	-46.14	peak	9.66	-36.48	-13.00	150	310	-23.48	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:31:54

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:36:36

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:32:52

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:37:29

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:33:04

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: *Horizontal*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:37:41

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:33:17

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:37:53

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 下午 12:06:37

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	44.9900	-93.76	peak	23.77	-69.99	-13.00	150	105	-56.99	
	127.7756	-94.66	peak	22.32	-72.34	-13.00	150	175	-59.34	



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 下午 12:09:38

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	47.7154	-80.24	peak	23.34	-56.90	-13.00	150	315	-43.90	
	119.9400	-90.60	peak	22.94	-67.66	-13.00	150	210	-54.66	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 上午 11:20:24

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	778.7575	-67.41	peak	-2.23	-69.64	-13.00	150	165	-56.64	
*	959.9198	-60.54	peak	-0.87	-61.41	-13.00	150	75	-48.41	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2

Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 上午 11:22:55

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	778.7575	-66.41	peak	-0.96	-67.37	-13.00	150	285	-54.37	
	956.7134	-68.56	peak	-0.75	-69.31	-13.00	150	110	-56.31	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 上午 11:04:11

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1673.347	-54.28	peak	1.10	-53.18	-13.00	150	175	-40.18	
*	2509.018	-35.20	peak	5.97	-29.23	-13.00	150	140	-16.23	





Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 上午 11:09:53

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1673.347	-56.44	peak	2.79	-53.65	-13.00	150	355	-40.65	
*	2509.018	-38.10	peak	7.57	-30.53	-13.00	150	270	-17.53	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 上午 11:05:04

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 上午 11:10:53

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 上午 11:07:09

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 上午 11:12:45

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: *Vertical*

EUT : W6M22103-20740-R

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 下午 12:05:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	48.7375	-93.58	peak	23.55	-70.03	-13.00	150	145	-57.03	
	72.2445	-95.31	peak	23.68	-71.63	-13.00	150	115	-58.63	



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 下午 12:10:58

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	46.6934	-79.38	peak	23.28	-56.10	-13.00	150	315	-43.10	
	119.5992	-90.56	peak	22.96	-67.60	-13.00	150	225	-54.60	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1

Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 上午 11:25:59

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	777.1543	-68.64	peak	-2.24	-70.88	-13.00	150	175	-57.88	
*	959.9198	-60.69	peak	-0.87	-61.56	-13.00	150	105	-48.56	





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 上午 11:24:31

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	778.7575	-67.84	peak	-0.96	-68.80	-13.00	150	235	-55.80	
*	959.9198	-67.40	peak	-0.73	-68.13	-13.00	150	295	-55.13	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 下午 12:05:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	48.7375	-93.58	peak	23.55	-70.03	-13.00	150	145	-57.03	
	72.2445	-95.31	peak	23.68	-71.63	-13.00	150	115	-58.63	



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 下午 12:10:58

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	46.6934	-79.38	peak	23.28	-56.10	-13.00	150	315	-43.10	
	119.5992	-90.56	peak	22.96	-67.60	-13.00	150	225	-54.60	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1

Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 上午 11:25:59

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	777.1543	-68.64	peak	-2.24	-70.88	-13.00	150	175	-57.88	
*	959.9198	-60.69	peak	-0.87	-61.56	-13.00	150	105	-48.56	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 上午 11:24:31

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	778.7575	-67.84	peak	-0.96	-68.80	-13.00	150	235	-55.80	
*	959.9198	-67.40	peak	-0.73	-68.13	-13.00	150	295	-55.13	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 上午 10:54:30

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1661.322	-53.47	peak	1.02	-52.45	-13.00	150	115	-39.45	
*	2496.994	-33.14	peak	5.93	-27.21	-13.00	150	195	-14.21	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 上午 10:58:27

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1661.322	-56.26	peak	2.73	-53.53	-13.00	150	355	-40.53	
*	2496.994	-39.26	peak	7.56	-31.70	-13.00	150	250	-18.70	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 上午 10:55:19

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 上午 10:59:28

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 上午 10:56:13

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 上午 11:00:49

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 05:18:05

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	64.7495	-90.35	peak	23.80	-66.55	-13.00	150	165	-53.55	
	134.9300	-94.02	peak	22.29	-71.73	-13.00	150	135	-58.73	



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 05:29:28

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	39.1984	-88.86	peak	22.99	-65.87	-13.00	150	240	-52.87	
*	47.7154	-84.18	peak	23.34	-60.84	-13.00	150	60	-47.84	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 02:32:37

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	737.0741	-42.29	peak	-1.98	-44.27	-13.00	150	135	-31.27	
	958.3166	-66.51	peak	-0.86	-67.37	-13.00	150	310	-54.37	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 02:34:48

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	738.6774	-59.41	peak	-1.38	-60.79	-13.00	150	335	-47.79	
	953.5070	-65.80	peak	-0.76	-66.56	-13.00	150	285	-53.56	

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 08:57:43

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1414.830	-49.00	peak	-0.04	-49.04	-13.00	150	115	-36.04	
*	2118.236	-48.69	peak	3.90	-44.79	-13.00	150	285	-31.79	





Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:02:23

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2124.249	-54.80	peak	5.24	-49.56	-13.00	150	230	-36.56	
*	2454.910	-49.48	peak	7.30	-42.18	-13.00	150	115	-29.18	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 08:58:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:03:10

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 08:59:13

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:04:31

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 05:24:16

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	63.3868	-93.22	peak	23.84	-69.38	-13.00	150	155	-56.38	
	135.6111	-92.84	peak	22.29	-70.55	-13.00	150	220	-57.55	



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 05:26:34

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	37.1543	-88.78	peak	23.16	-65.62	-13.00	150	275	-52.62	
*	45.3307	-82.89	peak	23.21	-59.68	-13.00	150	55	-46.68	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 02:40:37

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	735.4710	-41.28	peak	-1.91	-43.19	-13.00	150	150	-30.19	
	958.3166	-65.80	peak	-0.86	-66.66	-13.00	150	340	-53.66	





Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 下午 02:37:01

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	737.0741	-57.52	peak	-1.37	-58.89	-13.00	150	225	-45.89	
	953.5070	-65.12	peak	-0.76	-65.88	-13.00	150	90	-52.88	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:08:09

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1414.830	-49.33	peak	-0.04	-49.37	-13.00	150	115	-36.37	
*	2454.910	-51.41	peak	5.71	-45.70	-13.00	150	355	-32.70	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:12:32

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2124.249	-53.99	peak	5.24	-48.75	-13.00	150	245	-35.75	
*	2454.910	-49.25	peak	7.30	-41.95	-13.00	150	335	-28.95	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:09:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:13:10

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:10:19

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2021/3/21

Temperature:24 °C

0.0 dBm

Time: 上午 09:14:25

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 下午 12:02:19

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	47.7154	-93.49	peak	23.61	-69.88	-13.00	150	135	-56.88	
	69.5190	-94.91	peak	23.66	-71.25	-13.00	150	220	-58.25	





Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 下午 12:14:26

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	46.6934	-80.45	peak	23.28	-57.17	-13.00	150	275	-44.17	
	119.2585	-91.09	peak	22.97	-68.12	-13.00	150	220	-55.12	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 上午 11:35:51

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	411.6232	-61.99	peak	-8.19	-70.18	-13.00	150	325	-57.18	
*	959.9198	-62.56	peak	-0.87	-63.43	-13.00	150	145	-50.43	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 上午 11:33:56

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	294.5892	-65.55	peak	-5.96	-71.51	-13.00	150	260	-58.51	
*	956.7134	-68.14	peak	-0.75	-68.89	-13.00	150	65	-55.89	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 上午 10:15:43

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1559.118	-57.02	peak	0.34	-56.68	-13.00	150	115	-43.68	
*	2340.681	-57.60	peak	5.09	-52.51	-13.00	150	145	-39.51	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 上午 10:22:00

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1553.106	-59.47	peak	2.18	-57.29	-13.00	150	220	-44.29	
*	2340.681	-52.87	peak	6.59	-46.28	-13.00	150	325	-33.28	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 上午 10:16:35

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 上午 10:23:40

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 上午 10:18:58

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 上午 10:24:46

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 下午 12:03:43

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	48.0561	-93.39	peak	23.59	-69.80	-13.00	150	120	-56.80	
	127.0942	-94.66	peak	22.32	-72.34	-13.00	150	195	-59.34	



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 下午 12:15:43

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	46.3527	-81.43	peak	23.26	-58.17	-13.00	150	235	-45.17	
	119.5992	-90.76	peak	22.96	-67.80	-13.00	150	240	-54.80	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 上午 11:30:28

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	236.8737	-59.06	peak	-12.17	-71.23	-13.00	150	140	-58.23	
*	958.3166	-62.61	peak	-0.86	-63.47	-13.00	150	95	-50.47	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 上午 11:32:10

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	292.9860	-65.33	peak	-6.11	-71.44	-13.00	150	265	-58.44	
*	959.9198	-68.62	peak	-0.73	-69.35	-13.00	150	305	-56.35	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 上午 10:28:10

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1553.106	-52.92	peak	0.30	-52.62	-13.00	150	145	-39.62	
*	2334.669	-46.25	peak	5.06	-41.19	-13.00	150	110	-28.19	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 上午 10:32:41

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1553.106	-55.18	peak	2.18	-53.00	-13.00	150	285	-40.00	
*	2334.669	-51.57	peak	6.55	-45.02	-13.00	150	65	-32.02	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 上午 10:29:02

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: *Horizontal*

EUT : W6M22103-20740-R

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 上午 10:33:19

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 上午 10:30:01

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: *Horizontal*

EUT : W6M22103-20740-R

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2021/7/18

Temperature:24 °C

0.0 dBm

Time: 上午 10:34:20

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22103-20740-R

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :1

Data :#1


Date: 3/22/2021

Temperature:20.8 °C

80.0 dBuV/m

Time: 5:42:50 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	140.8015	30.51	peak	-6.68	23.83	43.50	180	92	-19.67	
	276.8735	33.36	peak	-6.28	27.08	46.00	125	314	-18.92	
	368.2364	30.12	peak	-4.53	25.59	46.00	100	280	-20.41	
*	685.0901	27.98	peak	-0.15	27.83	46.00	226	70	-18.17	

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sky

File :1

Data :#2


Date: 3/22/2021

Temperature:20.8 °C

80.0 dBuV/m

Time: 5:43:50 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: **Vertical**

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	37.7756	46.69	peak	-9.16	37.53	40.00	266	25	-2.47	
	61.1022	37.02	peak	-11.86	25.16	40.00	190	140	-14.84	
	144.6894	33.64	peak	-6.93	26.71	43.50	183	284	-16.79	
	757.0140	32.20	peak	0.90	33.10	46.00	125	60	-12.90	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#1


Date: 3/22/2021

Temperature:20.8 °C

90.0 dBuV/m

Time: 7:35:12 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1771.543	47.64	peak	-7.16	40.48	74.00	150	171	-33.52	
*	6330.661	39.43	peak	1.66	41.09	74.00	150	288	-32.91	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#5


Date: 3/22/2021

Temperature:20.8 °C

90.0 dBuV/m

Time: 7:39:10 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

EUT : W6M22103-20740

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1785.571	42.93	peak	-6.71	36.22	74.00	150	215	-37.78	
*	3679.359	42.13	peak	-2.94	39.19	74.00	150	44	-34.81	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#2


Date: 3/22/2021

Temperature:20.8 °C

90.0 dBuV/m

Time: 7:37:08 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#6


Date: 3/22/2021

Temperature:20.8 °C

90.0 dBuV/m

Time: 7:40:24 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#3


Date: 3/22/2021

Temperature:20.8 °C

90.0 dBuV/m

Time: 7:37:22 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#7


Date: 3/22/2021

Temperature:20.8 °C

90.0 dBuV/m

Time: 7:40:38 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#4


Date: 3/22/2021

Temperature:20.8 °C

90.0 dBuV/m

Time: 7:37:32 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

**Radiated Emission Measurement**

Operator: Sky

File :3

Data :#8


Date: 3/22/2021

Temperature:20.8 °C

90.0 dBuV/m

Time: 7:40:48 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sky

File :1

Data :#1


Date: 3/22/2021

Temperature:20.8 °C

80.0 dBuV/m

Time: 5:46:34 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	142.7453	30.03	peak	-6.80	23.23	43.50	124	180	-20.27	
	278.8176	33.21	peak	-6.20	27.01	46.00	199	25	-18.99	
	659.8196	28.52	peak	-0.23	28.29	46.00	255	36	-17.71	
*	910.5811	28.17	peak	3.78	31.95	46.00	286	119	-14.05	



Radiated Emission Measurement

Operator: Sky

File :1

Data :#2


Date: 3/22/2021

Temperature:20.8 °C

80.0 dBuV/m

Time: 5:47:34 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: **Vertical**

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	37.7756	46.50	peak	-9.16	37.34	40.00	125	223	-2.66	
	144.6894	34.51	peak	-6.93	27.58	43.50	110	90	-15.92	
	490.7014	28.94	peak	-2.89	26.05	46.00	171	168	-19.95	
	846.4330	28.53	peak	2.76	31.29	46.00	255	128	-14.71	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#1


Date: 3/22/2021

Temperature:20.8 °C

90.0 dBuV/m

Time: 7:45:47 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3679.359	41.04	peak	-2.94	38.10	74.00	150	79	-35.90	
*	6120.240	39.55	peak	1.59	41.14	74.00	150	142	-32.86	





Radiated Emission Measurement

Operator: Sky

File :3

Data :#5


Date: 3/22/2021

Temperature:20.8 °C

90.0 dBuV/m

Time: 7:48:37 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3679.359	42.28	peak	-2.94	39.34	74.00	150	71	-34.66	
*	6106.212	39.71	peak	1.58	41.29	74.00	150	225	-32.71	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#2


Date: 3/22/2021

Temperature:20.8 °C

90.0 dBuV/m

Time: 7:47:06 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#6


Date: 3/22/2021

Temperature:20.8 °C

90.0 dBuV/m

Time: 7:49:53 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#3


Date: 3/22/2021

Temperature:20.8 °C

90.0 dBuV/m

Time: 7:47:20 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#7


Date: 3/22/2021

Temperature:20.8 °C

90.0 dBuV/m

Time: 7:50:07 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#4


Date: 3/22/2021

Temperature:20.8 °C

90.0 dBuV/m

Time: 7:47:30 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#8


Date: 3/22/2021

Temperature:20.8 °C

90.0 dBuV/m

Time: 7:50:17 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sky

File :1

Data :#1


Date: 3/22/2021

Temperature:20.8 °C

80.0 dBuV/m

Time: 5:51:42 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	142.7453	30.32	peak	-6.80	23.52	43.50	263	173	-19.98	
	274.9297	34.30	peak	-6.36	27.94	46.00	108	255	-18.06	
	370.1804	30.48	peak	-4.47	26.01	46.00	149	60	-19.99	
*	671.4830	28.18	peak	-0.20	27.98	46.00	124	291	-18.02	





Radiated Emission Measurement

Operator: Sky

File :1

Data :#2


Date: 3/22/2021

Temperature:20.8 °C

80.0 dBuV/m

Time: 5:52:45 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: **Vertical**

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	39.7194	45.66	peak	-9.40	36.26	40.00	128	187	-3.74	
	134.9700	33.69	peak	-6.73	26.96	43.50	176	300	-16.54	
	199.1182	32.52	peak	-10.70	21.82	43.50	114	255	-21.68	
	926.1323	31.84	peak	4.07	35.91	46.00	120	152	-10.09	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#1


Date: 3/22/2021

Temperature:20.8 °C

90.0 dBuV/m

Time: 7:54:33 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1785.571	42.96	peak	-6.71	36.25	74.00	150	44	-37.75	
*	7004.008	39.35	peak	3.56	42.91	74.00	150	180	-31.09	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#3


Date: 3/22/2021

Temperature:20.8 °C

90.0 dBuV/m

Time: 7:56:49 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2921.844	41.49	peak	-4.91	36.58	74.00	150	25	-37.42	
*	6583.166	38.96	peak	2.74	41.70	74.00	150	100	-32.30	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#2


Date: 3/22/2021

Temperature:20.8 °C

90.0 dBuV/m

Time: 7:55:41 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#4


Date: 3/22/2021

Temperature:20.8 °C

90.0 dBuV/m

Time: 7:58:14 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sky

File :1

Data :#1


Date: 3/22/2021

Temperature:20.8 °C

80.0 dBuV/m

Time: 5:25:47 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	37.7756	35.20	peak	-9.16	26.04	40.00	285	119	-13.96	
	142.7455	31.32	peak	-6.80	24.52	43.50	147	81	-18.98	
	276.8737	34.35	peak	-6.28	28.07	46.00	180	225	-17.93	
	772.5651	29.61	peak	1.17	30.78	46.00	205	125	-15.22	



Radiated Emission Measurement

Operator: Sky

File :1

Data :#2


Date: 3/22/2021

Temperature:20.8 °C

80.0 dBuV/m

Time: 5:27:21 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: *Vertical*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	37.7756	45.24	QP	-9.16	36.08	40.00	120	255	-3.92	
	144.6894	33.97	peak	-6.93	27.04	43.50	172	12	-16.46	
	278.8176	29.92	peak	-6.20	23.72	46.00	163	196	-22.28	
	648.1563	29.49	peak	-0.33	29.16	46.00	255	30	-16.84	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#1


Date: 3/22/2021

Temperature:20.8 °C

90.0 dBuV/m

Time: 7:07:12 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1757.515	46.00	peak	-7.61	38.39	74.00	150	250	-35.61	
*	5236.473	39.79	peak	-0.38	39.41	74.00	150	176	-34.59	





Radiated Emission Measurement

Operator: Sky

File :3

Data :#5


Date: 3/22/2021

Temperature:20.8 °C

90.0 dBuV/m

Time: 7:09:55 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3679.359	42.45	peak	-2.94	39.51	74.00	150	40	-34.49	
*	6569.138	39.31	peak	2.64	41.95	74.00	150	330	-32.05	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#2


Date: 3/22/2021

Temperature:20.8 °C

90.0 dBuV/m

Time: 7:08:25 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#6


Date: 3/22/2021

Temperature:20.8 °C

90.0 dBuV/m

Time: 7:13:05 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

**Radiated Emission Measurement**

Operator: Sky

File :3

Data :#3


Date: 3/22/2021

Temperature:20.8 °C

90.0 dBuV/m

Time: 7:08:39 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#7


Date: 3/22/2021

Temperature:20.8 °C

90.0 dBuV/m

Time: 7:13:19 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#4


Date: 3/22/2021

Temperature:20.8 °C

90.0 dBuV/m

Time: 7:08:49 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

**Radiated Emission Measurement**

Operator: Sky

File :3

Data :#8


Date: 3/22/2021

Temperature:20.8 °C

90.0 dBuV/m

Time: 7:13:29 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sky

File :1

Data :#1


Date: 3/22/2021

Temperature:20.8 °C

80.0 dBuV/m

Time: 5:33:56 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	140.8015	29.04	peak	-6.68	22.36	43.50	188	147	-21.14	
	278.8176	32.35	peak	-6.20	26.15	46.00	141	82	-19.85	
	344.9098	30.04	peak	-5.15	24.89	46.00	273	255	-21.11	
*	642.3246	27.40	peak	-0.54	26.86	46.00	150	296	-19.14	





Radiated Emission Measurement

Operator: Sky

File :1

Data :#2


Date: 3/22/2021

Temperature:20.8 °C

80.0 dBuV/m

Time: 5:34:57 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: **Vertical**

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	37.7756	45.80	peak	-9.16	36.64	40.00	125	255	-3.36	
	133.0261	33.64	peak	-6.76	26.88	43.50	192	180	-16.62	
	269.0982	29.64	peak	-6.63	23.01	46.00	180	132	-22.99	
	648.1563	28.51	peak	-0.33	28.18	46.00	271	25	-17.82	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#1


Date: 3/22/2021

Temperature:20.8 °C

90.0 dBuV/m

Time: 7:20:29 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3482.966	40.66	peak	-3.31	37.35	74.00	150	339	-36.65	
*	5699.399	39.92	peak	0.43	40.35	74.00	150	20	-33.65	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#5


Date: 3/22/2021

Temperature:20.8 °C

90.0 dBuV/m

Time: 7:23:40 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3679.359	41.96	peak	-2.94	39.02	74.00	150	130	-34.98	
*	5853.707	39.51	peak	0.33	39.84	74.00	150	255	-34.16	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#2


Date: 3/22/2021

Temperature:20.8 °C

90.0 dBuV/m

Time: 7:21:43 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#6


Date: 3/22/2021

Temperature:20.8 °C

90.0 dBuV/m

Time: 7:24:51 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#3


Date: 3/22/2021

Temperature:20.8 °C

90.0 dBuV/m

Time: 7:21:57 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

**Radiated Emission Measurement**

Operator: Sky

File :3

Data :#7


Date: 3/22/2021

Temperature:20.8 °C

90.0 dBuV/m

Time: 7:25:05 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#4


Date: 3/22/2021

Temperature:20.8 °C

90.0 dBuV/m

Time: 7:22:06 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#8


Date: 3/22/2021

Temperature:20.8 °C

90.0 dBuV/m

Time: 7:25:15 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 7/21/2021

Temperature:27.5 °C

80.0 dBuV/m

Time: 5:24:21 AM

Humidity:49.4 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22103-20740-R

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	175.7915	36.68	peak	-10.48	26.20	43.50	120	37	-17.30	
	300.2004	35.50	peak	-5.93	29.57	46.00	115	180	-16.43	
	648.1562	28.46	peak	-0.33	28.13	46.00	100	324	-17.87	
*	924.1884	27.72	peak	4.03	31.75	46.00	126	162	-14.25	



Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 7/21/2021

Temperature:27.5 °C

80.0 dBuV/m

Time: 5:25:22 AM

Humidity:49.4 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: *Vertical*

EUT : W6M22103-20740-R

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	35.8316	45.10	peak	-8.91	36.19	40.00	130	98	-3.81	
	41.6633	40.25	peak	-9.61	30.64	40.00	110	220	-9.36	
	64.9900	36.35	peak	-12.80	23.55	40.00	124	62	-16.45	
	115.5311	32.93	peak	-7.66	25.27	43.50	107	345	-18.23	



Radiated Emission Measurement

Operator: Allen

File :3

Data :#1


Date: 7/21/2021

Temperature:27.5 °C

90.0 dBuV/m

Time: 5:05:49 AM

Humidity:49.4 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22103-20740-R

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4030.060	40.91	peak	-2.18	38.73	74.00	150	172	-35.27	
*	7424.850	39.79	peak	3.97	43.76	74.00	150	154	-30.24	



Radiated Emission Measurement

Operator: Allen

File :3

Data :#3


Date: 7/21/2021

Temperature:27.5 °C

90.0 dBuV/m

Time: 5:08:09 AM

Humidity:49.4 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22103-20740-R

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3482.966	40.14	peak	-3.26	36.88	74.00	150	325	-37.12	
*	7452.906	40.16	peak	3.88	44.04	74.00	150	110	-29.96	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#2


Date: 7/21/2021

Temperature:27.5 °C

90.0 dBuV/m

Time: 5:06:59 AM

Humidity:49.4 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22103-20740-R

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 7/21/2021

Temperature:27.5 °C

90.0 dBuV/m

Time: 5:09:38 AM

Humidity:49.4 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22103-20740-R

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sky

File :1

Data :#1


Date: 3/22/2021

Temperature:20.8 °C

80.0 dBuV/m

Time: 5:38:05 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 12 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	140.8015	30.82	peak	-6.68	24.14	43.50	319	25	-19.36	
	199.1182	31.76	peak	-10.70	21.06	43.50	288	274	-22.44	
*	274.9297	33.91	peak	-6.36	27.55	46.00	141	43	-18.45	
	463.4870	28.70	peak	-3.02	25.68	46.00	162	100	-20.32	





Radiated Emission Measurement

Operator: Sky

File :1

Data :#2


Date: 3/22/2021

Temperature:20.8 °C

80.0 dBuV/m

Time: 5:39:06 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: **Vertical**

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 12 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	37.7756	46.08	peak	-9.16	36.92	40.00	152	18	-3.08	
	144.6894	34.43	peak	-6.93	27.50	43.50	225	100	-16.00	
	280.7615	30.21	peak	-6.16	24.05	46.00	147	327	-21.95	
	681.2024	28.99	peak	-0.17	28.82	46.00	169	149	-17.18	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#1


Date: 3/22/2021

Temperature:20.8 °C

90.0 dBuV/m

Time: 7:30:38 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 12 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1757.515	44.83	peak	-7.61	37.22	74.00	150	300	-36.78	
*	4352.705	41.79	peak	-2.73	39.06	74.00	150	194	-34.94	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#2


Date: 3/22/2021

Temperature:20.8 °C

90.0 dBuV/m

Time: 7:32:44 PM

Humidity:60.3 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22103-20740

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 12 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1771.543	42.99	peak	-7.16	35.83	74.00	150	33	-38.17	
*	7032.064	40.24	peak	3.58	43.82	74.00	150	284	-30.18	



Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 7/21/2021

Temperature:27.5 °C

80.0 dBuV/m

Time: 5:21:11 AM

Humidity:49.4 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22103-20740-R

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 13 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	173.8477	36.54	peak	-10.31	26.23	43.50	100	297	-17.27	
	300.2004	35.37	peak	-5.93	29.44	46.00	130	100	-16.56	
	564.5691	28.17	peak	-2.03	26.14	46.00	124	58	-19.86	
*	914.4688	27.49	peak	3.85	31.34	46.00	107	325	-14.66	



Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 7/21/2021

Temperature:27.5 °C

80.0 dBuV/m

Time: 5:22:12 AM

Humidity:49.4 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: **Vertical**

EUT : W6M22103-20740-R

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 13 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	35.8316	42.98	peak	-8.91	34.07	40.00	105	75	-5.93	
	43.6072	41.01	peak	-9.80	31.21	40.00	130	310	-8.79	
	64.9900	36.69	peak	-12.80	23.89	40.00	100	90	-16.11	
	117.4750	33.20	peak	-7.51	25.69	43.50	110	164	-17.81	



Radiated Emission Measurement

Operator: Allen

File :3

Data :#1


Date: 7/21/2021

Temperature:27.5 °C

90.0 dBuV/m

Time: 5:11:46 AM

Humidity:49.4 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22103-20740-R

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 13 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3482.966	40.26	peak	-3.26	37.00	74.00	150	128	-37.00	
*	7130.261	40.36	peak	3.54	43.90	74.00	150	325	-30.10	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#2


Date: 7/21/2021

Temperature:27.5 °C

90.0 dBuV/m

Time: 5:12:55 AM

Humidity:49.4 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22103-20740-R

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 13 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Allen

File :3

Data :#3


Date: 7/21/2021

Temperature:27.5 °C

90.0 dBuV/m

Time: 5:13:58 AM

Humidity:49.4 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

EUT : W6M22103-20740-R

M/N:

Test Mode : LTE Band 13 Idle

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4030.060	40.82	peak	-2.18	38.64	74.00	150	80	-35.36	
*	7116.233	40.33	peak	3.62	43.95	74.00	150	143	-30.05	





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 7/21/2021

Temperature:27.5 °C

90.0 dBuV/m

Time: 5:15:23 AM

Humidity:49.4 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22103-20740-R

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 13 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin