



Appendix

A. Photos

1. External Photos
2. Internal Photos
3. Set Up Photo of Radiated Emission

B. Measurement diagrams

Filed Strength of Spurious Emission



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 05:08:42

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND2-CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	46.6934	-93.85	peak	23.67	-70.18	-13.00	150	110	-57.18	
*	84.5090	-92.91	peak	23.44	-69.47	-13.00	150	245	-56.47	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 05:57:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND2-CH9262

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	47.0340	-77.55	peak	23.30	-54.25	-13.00	150	220	-41.25	
	64.4087	-88.01	peak	23.48	-64.53	-13.00	150	130	-51.53	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 08:45:29

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND2-CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	783.5671	-65.28	peak	-2.18	-67.46	-13.00	150	245	-54.46	
	956.7134	-68.73	peak	-0.86	-69.59	-13.00	150	110	-56.59	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2020/12/3

Temperature:24 °C

10.0 dBm

Time: 下午 08:52:47

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND2-CH9262

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	406.8136	-58.70	peak	-8.05	-66.75	-13.00	150	110	-53.75	
*	959.9198	-60.29	peak	-0.73	-61.02	-13.00	150	145	-48.02	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 05:14:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND2-CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3494.990	-61.16	peak	9.42	-51.74	-13.00	150	160	-38.74	
*	3705.411	-45.26	peak	9.74	-35.52	-13.00	150	245	-22.52	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 05:26:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND2-CH9262

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 05:14:51

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND2-CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 05:27:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND2-CH9262

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5218.437	-61.95	peak	8.53	-53.42	-13.00	150	220	-40.42	
*	5555.110	-60.71	peak	10.80	-49.91	-13.00	150	130	-36.91	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 05:15:40

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND2-CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 05:28:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND2-CH9262

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 05:15:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA-BAND2-CH9262

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 05:28:46

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND2-CH9262

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 05:16:04

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND2-CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 05:28:58

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND2-CH9262

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 05:09:43

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND2-CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	85.1904	-96.89	peak	23.39	-73.50	-13.00	150	195	-60.50	
*	129.1383	-93.95	peak	22.31	-71.64	-13.00	150	245	-58.64	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 05:58:12

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND2-CH9400

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	46.3527	-78.70	peak	23.26	-55.44	-13.00	150	330	-42.44	
	60.3206	-87.58	peak	23.73	-63.85	-13.00	150	160	-50.85	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 08:46:25

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND2-CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	783.5671	-66.14	peak	-2.18	-68.32	-13.00	150	220	-55.32	
	956.7134	-70.24	peak	-0.86	-71.10	-13.00	150	115	-58.10	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 08:53:48

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND2-CH9400

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	783.5671	-67.91	peak	-0.87	-68.78	-13.00	150	145	-55.78	
*	956.7134	-59.00	peak	-0.75	-59.75	-13.00	150	130	-46.75	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 05:18:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND2-CH9400

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3759.519	-50.43	peak	9.81	-40.62	-13.00	150	220	-27.62	
	3855.711	-51.75	peak	9.95	-41.80	-13.00	150	130	-28.80	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 05:30:44

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND2-CH9400

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3765.531	-54.73	peak	9.60	-45.13	-13.00	150	220	-32.13	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 05:18:49

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND2-CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 05:31:23

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND2-CH9400

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5643.287	-58.21	peak	10.94	-47.27	-13.00	150	200	-34.27	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 05:19:37

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND2-CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 05:32:05

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND2-CH9400

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 05:19:49

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA-BAND2-CH9400

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 05:32:17

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND2-CH9400

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 05:20:01

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND2-CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 05:32:29

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND2-CH9400

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 05:10:41

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND2-CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	77.6954	-93.26	peak	23.76	-69.50	-13.00	150	95	-56.50	
	129.1383	-94.10	peak	22.31	-71.79	-13.00	150	330	-58.79	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 05:59:14

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND2-CH9538

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	47.3746	-79.42	peak	23.32	-56.10	-13.00	150	345	-43.10	
	62.0240	-85.52	peak	23.62	-61.90	-13.00	150	110	-48.90	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 08:47:39

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA-BAND2-CH9538

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	645.6914	-70.50	peak	-0.81	-71.31	-13.00	150	110	-58.31	
*	783.5671	-65.93	peak	-2.18	-68.11	-13.00	150	245	-55.11	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 08:54:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND2-CH9538

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	783.5671	-68.17	peak	-0.87	-69.04	-13.00	150	195	-56.04	
*	958.3166	-59.57	peak	-0.74	-60.31	-13.00	150	30	-47.31	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 05:22:08

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND2-CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3819.639	-54.99	peak	9.90	-45.09	-13.00	150	155	-32.09	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 05:34:42

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND2-CH9538

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3819.639	-57.90	peak	9.55	-48.35	-13.00	150	220	-35.35	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 05:22:47

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND2-CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5723.447	-60.67	peak	10.91	-49.76	-13.00	150	30	-36.76	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 05:35:21

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND2-CH9538

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5723.447	-56.85	peak	11.07	-45.78	-13.00	150	200	-32.78	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 05:23:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND2-CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 05:36:05

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND2-CH9538

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 05:23:57

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA-BAND2-CH9538

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 05:36:17

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND2-CH9538

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 05:24:09

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND2-CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 05:36:29

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND2-CH9538

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 05:11:53

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1312

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	75.9920	-96.80	peak	23.73	-73.07	-13.00	150	160	-60.07	
*	129.1383	-94.85	peak	22.31	-72.54	-13.00	150	245	-59.54	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 06:00:18

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1312

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	46.6934	-80.29	peak	23.28	-57.01	-13.00	150	130	-44.01	
	85.1904	-89.69	peak	23.64	-66.05	-13.00	150	110	-53.05	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 08:48:55

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1312

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	783.5671	-66.47	peak	-2.18	-68.65	-13.00	150	245	-55.65	
	959.9198	-69.83	peak	-0.87	-70.70	-13.00	150	130	-57.70	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 08:56:00

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1312

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	783.5671	-67.74	peak	-0.87	-68.61	-13.00	150	195	-55.61	
*	958.3166	-58.78	peak	-0.74	-59.52	-13.00	150	245	-46.52	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:14:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1312

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3422.846	-49.13	peak	9.10	-40.03	-13.00	150	220	-27.03	
	3909.820	-60.73	peak	10.03	-50.70	-13.00	150	130	-37.70	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:31:53

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1312

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3422.846	-51.04	peak	9.45	-41.59	-13.00	150	110	-28.59	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:15:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1312

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:32:32

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1312

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5138.277	-59.60	peak	7.91	-51.69	-13.00	150	115	-38.69	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:16:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1312

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:33:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1312

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:16:47

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1312

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:33:31

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1312

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:16:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1312

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:33:43

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1312

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 05:12:54

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1412

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	84.8496	-93.38	peak	23.41	-69.97	-13.00	150	45	-56.97	
	129.1383	-94.20	peak	22.31	-71.89	-13.00	150	330	-58.89	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 07:11:07

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1412

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	47.3746	-79.45	peak	23.32	-56.13	-13.00	150	245	-43.13	
	56.9138	-88.38	peak	23.66	-64.72	-13.00	150	110	-51.72	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 08:49:58

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1412

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	783.5671	-65.57	peak	-2.18	-67.75	-13.00	150	145	-54.75	
	956.7134	-68.48	peak	-0.86	-69.34	-13.00	150	110	-56.34	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 08:57:02

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1412

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	783.5671	-66.77	peak	-0.87	-67.64	-13.00	150	195	-54.64	
*	959.9198	-60.76	peak	-0.73	-61.49	-13.00	150	145	-48.49	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:23:48

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1412

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3464.930	-53.33	peak	9.28	-44.05	-13.00	150	220	-31.05	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:35:47

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1412

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3464.930	-53.58	peak	9.66	-43.92	-13.00	150	305	-30.92	
	3747.495	-60.79	peak	9.61	-51.18	-13.00	150	160	-38.18	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:24:26

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1412

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5210.421	-63.10	peak	7.75	-55.35	-13.00	150	30	-42.35	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:36:24

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1412

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:25:11

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1412

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:37:07

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1412

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:25:23

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA-BAND4-CH1412

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:37:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1412

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:25:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1412

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:37:31

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1412

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 05:13:57

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1513

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	77.0140	-95.94	peak	23.75	-72.19	-13.00	150	245	-59.19	
*	129.1383	-94.23	peak	22.31	-71.92	-13.00	150	110	-58.92	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 07:12:16

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1513

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	48.3968	-80.67	peak	23.37	-57.30	-13.00	150	245	-44.30	
	60.6613	-86.85	peak	23.71	-63.14	-13.00	150	160	-50.14	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 08:51:09

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1513

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	783.5671	-67.24	peak	-2.18	-69.42	-13.00	150	145	-56.42	
	959.9198	-69.83	peak	-0.87	-70.70	-13.00	150	110	-57.70	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 08:58:13

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1513

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	783.5671	-68.36	peak	-0.87	-69.23	-13.00	150	110	-56.23	
*	956.7134	-61.16	peak	-0.75	-61.91	-13.00	150	145	-48.91	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:27:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1513

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3507.014	-50.86	peak	9.45	-41.41	-13.00	150	330	-28.41	
	3993.988	-61.59	peak	10.15	-51.44	-13.00	150	160	-38.44	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:39:22

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1513

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3507.014	-53.32	peak	9.83	-43.49	-13.00	150	85	-30.49	
	3945.892	-60.06	peak	9.43	-50.63	-13.00	150	220	-37.63	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:28:17

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1513

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:40:01

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1513

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:29:03

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA-BAND4-CH1513

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:40:44

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1513

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:29:15

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1513

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:40:56

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1513

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:29:27

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1513

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:41:08

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND4-CH1513

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 05:15:12

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND5-CH4132

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	35.4510	-91.64	peak	24.27	-67.37	-13.00	150	245	-54.37	
*	78.7174	-87.99	peak	23.77	-64.22	-13.00	150	110	-51.22	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 07:13:30

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND5-CH4132

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	46.3527	-77.68	peak	23.26	-54.42	-13.00	150	245	-41.42	
	59.6393	-87.95	peak	23.74	-64.21	-13.00	150	95	-51.21	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 09:03:34

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND5-CH4132

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	302.6051	-66.93	peak	-8.17	-75.10	-13.00	150	305	-62.10	
*	645.6914	-70.82	peak	-0.81	-71.63	-13.00	150	60	-58.63	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 09:05:32

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND5-CH4132

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	312.2243	-66.62	peak	-5.79	-72.41	-13.00	150	160	-59.41	
*	959.9198	-60.88	peak	-0.73	-61.61	-13.00	150	245	-48.61	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:45:34

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND5-CH4132

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1655.311	-52.05	peak	0.98	-51.07	-13.00	150	220	-38.07	
*	2412.826	-56.11	peak	5.48	-50.63	-13.00	150	110	-37.63	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:58:46

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND5-CH4132

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1655.311	-49.52	peak	2.70	-46.82	-13.00	150	75	-33.82	
	3615.231	-59.64	peak	9.73	-49.91	-13.00	150	220	-36.91	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:46:13

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND5-CH4132

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:59:23

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND5-CH4132

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:46:58

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND5-CH4132

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 08:00:08

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND5-CH4132

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 05:16:17

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA-BAND5-CH4183

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	47.0340	-95.71	peak	23.65	-72.06	-13.00	150	195	-59.06	
*	129.1383	-93.77	peak	22.31	-71.46	-13.00	150	330	-58.46	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 07:14:40

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND5-CH4183

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	45.6713	-80.42	peak	23.23	-57.19	-13.00	150	30	-44.19	
	86.8938	-87.39	peak	23.73	-63.66	-13.00	150	195	-50.66	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 09:08:29

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND5-CH4183

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	645.6914	-71.49	peak	-0.81	-72.30	-13.00	150	130	-59.30	
*	959.9198	-69.93	peak	-0.87	-70.80	-13.00	150	145	-57.80	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 09:10:29

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND5-CH4183

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	315.4310	-66.81	peak	-5.88	-72.69	-13.00	150	160	-59.69	
*	956.7134	-59.05	peak	-0.75	-59.80	-13.00	150	245	-46.80	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:49:17

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND5-CH4183

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1673.347	-53.87	peak	1.10	-52.77	-13.00	150	220	-39.77	
*	2418.838	-57.84	peak	5.51	-52.33	-13.00	150	100	-39.33	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 08:02:04

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND5-CH4183

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1673.347	-50.07	peak	2.79	-47.28	-13.00	150	220	-34.28	
	2412.826	-56.22	peak	7.04	-49.18	-13.00	150	130	-36.18	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:49:55

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND5-CH4183

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 08:02:41

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND5-CH4183

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:50:42

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND5-CH4183

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 08:03:27

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND5-CH4183

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 05:17:25

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND5-CH4233

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	84.1683	-93.05	peak	23.46	-69.59	-13.00	150	330	-56.59	
	129.1383	-94.48	peak	22.31	-72.17	-13.00	150	195	-59.17	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 07:15:44

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND5-CH4233

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	46.0120	-79.22	peak	23.24	-55.98	-13.00	150	330	-42.98	
	58.9580	-87.88	peak	23.72	-64.16	-13.00	150	195	-51.16	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 09:13:15

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND5-CH4233

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	645.6914	-69.38	peak	-0.81	-70.19	-13.00	150	245	-57.19	
*	959.9198	-67.89	peak	-0.87	-68.76	-13.00	150	160	-55.76	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 09:30:27

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND5-CH4233

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	778.7575	-70.44	peak	-0.96	-71.40	-13.00	150	110	-58.40	
*	959.9198	-59.72	peak	-0.73	-60.45	-13.00	150	45	-47.45	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:54:18

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND5-CH4233

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1691.383	-52.18	peak	1.22	-50.96	-13.00	150	145	-37.96	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 08:05:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND5-CH4233

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1691.383	-49.25	peak	2.89	-46.36	-13.00	150	220	-33.36	
	2418.838	-56.13	peak	7.07	-49.06	-13.00	150	130	-36.06	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:54:55

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND5-CH4233

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5210.421	-59.56	peak	7.75	-51.81	-13.00	150	345	-38.81	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 08:06:15

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND5-CH4233

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 07:55:42

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND5-CH4233

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 08:07:00

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : WCDMA-BAND5-CH4233

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 04:27:30

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	78.7174	-88.84	peak	23.77	-65.07	-13.00	150	145	-52.07	
	129.1383	-96.07	peak	22.31	-73.76	-13.00	150	110	-60.76	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 05:46:29

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	47.0340	-78.04	peak	23.30	-54.74	-13.00	150	245	-41.74	
	62.0240	-89.01	peak	23.62	-65.39	-13.00	150	185	-52.39	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 08:12:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	783.5671	-65.47	peak	-2.18	-67.65	-13.00	150	305	-54.65	
	956.7134	-68.54	peak	-0.86	-69.40	-13.00	150	60	-56.40	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 08:17:32

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	783.5671	-67.34	peak	-0.87	-68.21	-13.00	150	220	-55.21	
*	959.9198	-60.38	peak	-0.73	-61.11	-13.00	150	45	-48.11	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 08:13:00

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3759.519	-38.08	peak	9.81	-28.27	-13.00	150	245	-15.27	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 08:17:39

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3759.519	-45.73	peak	9.60	-36.13	-13.00	150	45	-23.13	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 08:13:40

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5635.270	-53.62	peak	10.67	-42.95	-13.00	150	205	-29.95	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 08:18:17

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5635.270	-50.49	peak	10.93	-39.56	-13.00	150	225	-26.56	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 08:14:25

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 08:19:03

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 08:14:37

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 08:19:15

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

Polarization: **Vertical**

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 08:14:49

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 08:19:27

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 04:28:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	78.7174	-98.38	peak	23.77	-74.61	-13.00	150	245	-61.61	
*	129.1383	-94.60	peak	22.31	-72.29	-13.00	150	160	-59.29	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 05:47:33

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	46.3527	-78.79	peak	23.26	-55.53	-13.00	150	305	-42.53	
	84.8496	-89.89	peak	23.63	-66.26	-13.00	150	195	-53.26	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 08:13:39

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	783.5671	-66.52	peak	-2.18	-68.70	-13.00	150	225	-55.70	
	956.7134	-69.58	peak	-0.86	-70.44	-13.00	150	90	-57.44	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 08:16:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	783.5671	-67.04	peak	-0.87	-67.91	-13.00	150	120	-54.91	
*	958.3166	-58.65	peak	-0.74	-59.39	-13.00	150	220	-46.39	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 08:22:16

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3765.531	-39.44	peak	9.82	-29.62	-13.00	150	145	-16.62	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 08:26:46

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3765.531	-48.06	peak	9.60	-38.46	-13.00	150	205	-25.46	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 08:22:57

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5643.287	-53.44	peak	10.69	-42.75	-13.00	150	330	-29.75	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 08:27:24

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5643.287	-50.37	peak	10.94	-39.43	-13.00	150	145	-26.43	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 08:23:43

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 08:28:09

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 08:23:55

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 08:28:21

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 08:24:07

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 08:28:33

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 04:30:03

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	78.0361	-88.94	peak	23.76	-65.18	-13.00	150	245	-52.18	
	84.8496	-89.44	peak	23.41	-66.03	-13.00	150	160	-53.03	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 05:48:40

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	47.0340	-78.14	peak	23.30	-54.84	-13.00	150	245	-41.84	
	59.9800	-89.60	peak	23.75	-65.85	-13.00	150	110	-52.85	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 08:19:40

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	461.3226	-66.42	peak	-7.54	-73.96	-13.00	150	160	-60.96	
*	783.5671	-65.66	peak	-2.18	-67.84	-13.00	150	130	-54.84	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 08:42:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	783.5671	-66.83	peak	-0.87	-67.70	-13.00	150	140	-54.70	
*	958.3166	-59.29	peak	-0.74	-60.03	-13.00	150	220	-47.03	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 08:32:46

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3464.930	-46.69	peak	9.28	-37.41	-13.00	150	220	-24.41	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 08:37:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3464.930	-51.61	peak	9.66	-41.95	-13.00	150	330	-28.95	
	3729.459	-61.12	peak	9.63	-51.49	-13.00	150	195	-38.49	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 08:33:25

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5194.389	-62.08	peak	7.61	-54.47	-13.00	150	240	-41.47	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 08:37:51

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 08:34:12

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 08:38:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 08:34:24

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 08:38:47

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 08:34:36

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 08:38:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 04:59:16

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	65.0902	-96.84	peak	23.79	-73.05	-13.00	150	305	-60.05	
*	129.1383	-94.15	peak	22.31	-71.84	-13.00	150	195	-58.84	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2

Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 05:49:37

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	46.6934	-80.48	peak	23.28	-57.20	-13.00	150	110	-44.20	
	84.5090	-87.16	peak	23.61	-63.55	-13.00	150	130	-50.55	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 08:22:26

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	645.6914	-70.09	peak	-0.81	-70.90	-13.00	150	160	-57.90	
*	783.5671	-64.61	peak	-2.18	-66.79	-13.00	150	245	-53.79	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 08:39:55

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	783.5671	-66.40	peak	-0.87	-67.27	-13.00	150	110	-54.27	
*	959.9198	-57.48	peak	-0.73	-58.21	-13.00	150	245	-45.21	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 08:42:30

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3464.930	-45.59	peak	9.28	-36.31	-13.00	150	330	-23.31	
	3837.675	-61.15	peak	9.93	-51.22	-13.00	150	110	-38.22	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 08:47:21

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3464.930	-50.69	peak	9.66	-41.03	-13.00	150	110	-28.03	
	3627.255	-61.18	peak	9.72	-51.46	-13.00	150	165	-38.46	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 08:43:09

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 08:53:46

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 08:43:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 09:13:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 08:44:11

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 09:13:57

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 08:44:23

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2020/12/1

Temperature:24 °C

0.0 dBm

Time: 下午 09:14:09

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 05:00:48

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	81.1022	-93.86	peak	23.70	-70.16	-13.00	150	330	-57.16	
	129.1383	-94.31	peak	22.31	-72.00	-13.00	150	95	-59.00	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 05:50:43

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	34.7695	-86.63	peak	23.37	-63.26	-13.00	150	130	-50.26	
*	46.3527	-79.45	peak	23.26	-56.19	-13.00	150	220	-43.19	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 03:58:57

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	645.6914	-70.30	peak	-0.81	-71.11	-13.00	150	110	-58.11	
*	887.7756	-55.74	peak	0.50	-55.24	-13.00	150	245	-42.24	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 04:00:43

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	230.4610	-60.79	peak	-11.12	-71.91	-13.00	150	160	-58.91	
*	959.9198	-59.59	peak	-0.73	-60.32	-13.00	150	245	-47.32	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 02:38:42

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1673.347	-51.86	peak	1.10	-50.76	-13.00	150	220	-37.76	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 02:52:20

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1673.347	-47.97	peak	2.79	-45.18	-13.00	150	220	-32.18	
	3681.363	-60.41	peak	9.67	-50.74	-13.00	150	160	-37.74	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 02:48:23

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5210.421	-58.99	peak	7.75	-51.24	-13.00	150	220	-38.24	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 02:52:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 02:49:14

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 02:53:42

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 05:01:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	64.4087	-94.92	peak	23.81	-71.11	-13.00	150	195	-58.11	
	129.1383	-95.04	peak	22.31	-72.73	-13.00	150	220	-59.73	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 05:52:01

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	46.6934	-77.45	peak	23.28	-54.17	-13.00	150	220	-41.17	
	83.4870	-88.23	peak	23.56	-64.67	-13.00	150	145	-51.67	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 04:03:07

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	799.5992	-67.98	peak	-2.01	-69.99	-13.00	150	245	-56.99	
	953.5070	-70.50	peak	-0.86	-71.36	-13.00	150	110	-58.36	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 04:05:04

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	230.4610	-60.90	peak	-11.12	-72.02	-13.00	150	160	-59.02	
*	956.7134	-60.61	peak	-0.75	-61.36	-13.00	150	245	-48.36	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 02:56:28

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1673.347	-51.26	peak	1.10	-50.16	-13.00	150	205	-37.16	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 03:00:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1673.347	-47.76	peak	2.79	-44.97	-13.00	150	330	-31.97	
	3374.749	-60.16	peak	9.20	-50.96	-13.00	150	115	-37.96	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 02:57:07

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5210.421	-58.76	peak	7.75	-51.01	-13.00	150	200	-38.01	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 03:00:57

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 02:57:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 03:01:43

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 05:03:22

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	79.0581	-91.69	peak	23.78	-67.91	-13.00	150	145	-54.91	
	129.1383	-94.12	peak	22.31	-71.81	-13.00	150	330	-58.81	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 05:53:06

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	46.6934	-79.12	peak	23.28	-55.84	-13.00	150	245	-42.84	
	61.0020	-89.19	peak	23.69	-65.50	-13.00	150	110	-52.50	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 04:08:20

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	406.8136	-60.72	peak	-8.25	-68.97	-13.00	150	330	-55.97	
*	799.5992	-65.62	peak	-2.01	-67.63	-13.00	150	160	-54.63	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 04:13:27

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	230.4610	-60.69	peak	-11.12	-71.81	-13.00	150	110	-58.81	
*	956.7134	-58.01	peak	-0.75	-58.76	-13.00	150	245	-45.76	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 03:05:28

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH20395

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1414.830	-46.22	peak	-0.04	-46.26	-13.00	150	245	-33.26	
	2124.249	-53.32	peak	3.93	-49.39	-13.00	150	160	-36.39	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 03:09:18

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH20395

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1414.830	-43.72	peak	1.65	-42.07	-13.00	150	45	-29.07	
	2124.249	-54.34	peak	5.24	-49.10	-13.00	150	330	-36.10	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 03:06:14

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH20395

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 03:10:00

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH20395

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 03:06:58

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : BAND12-QPSK-1.4M-1RB-CH20395

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 03:10:43

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH20395

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 05:04:40

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	46.6934	-96.53	peak	23.67	-72.86	-13.00	150	145	-59.86	
*	129.1383	-94.08	peak	22.31	-71.77	-13.00	150	110	-58.77	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 05:54:02

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	46.6934	-80.05	peak	23.28	-56.77	-13.00	150	185	-43.77	
	80.4208	-91.14	peak	23.41	-67.73	-13.00	150	220	-54.73	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 04:09:54

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	799.5992	-68.42	peak	-2.01	-70.43	-13.00	150	305	-57.43	
	953.5070	-70.24	peak	-0.86	-71.10	-13.00	150	160	-58.10	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 04:11:51

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	801.2024	-71.95	peak	-0.54	-72.49	-13.00	150	195	-59.49	
*	959.9198	-58.81	peak	-0.73	-59.54	-13.00	150	130	-46.54	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 03:13:28

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH20395

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1414.830	-46.33	peak	-0.04	-46.37	-13.00	150	305	-33.37	
	2124.249	-54.88	peak	3.93	-50.95	-13.00	150	195	-37.95	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 03:17:24

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH20395

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1414.830	-43.92	peak	1.65	-42.27	-13.00	150	220	-29.27	
	2124.249	-54.63	peak	5.24	-49.39	-13.00	150	130	-36.39	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 03:14:05

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH20395

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 03:18:02

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH20395

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 03:14:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH20395

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 03:18:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH20395

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 05:06:18

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	84.8496	-90.26	peak	23.41	-66.85	-13.00	150	245	-53.85	
	129.1383	-94.07	peak	22.31	-71.76	-13.00	150	195	-58.76	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 05:55:09

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	46.3527	-77.08	peak	23.26	-53.82	-13.00	150	330	-40.82	
	61.3427	-87.92	peak	23.67	-64.25	-13.00	150	195	-51.25	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 04:17:25

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	312.2243	-64.98	peak	-8.19	-73.17	-13.00	150	110	-60.17	
*	953.5070	-69.43	peak	-0.86	-70.29	-13.00	150	45	-57.29	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 04:22:46

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	230.4610	-60.60	peak	-11.12	-71.72	-13.00	150	195	-58.72	
*	959.9198	-60.17	peak	-0.73	-60.90	-13.00	150	220	-47.90	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 04:49:32

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH20230

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1565.130	-45.11	peak	0.38	-44.73	-13.00	150	40	-31.73	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 04:53:25

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH20230

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1565.130	-42.39	peak	2.24	-40.15	-13.00	150	330	-27.15	
	1769.539	-48.08	peak	3.28	-44.80	-13.00	150	160	-31.80	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 04:50:16

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH20230

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5210.421	-60.15	peak	7.75	-52.40	-13.00	150	330	-39.40	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 04:54:05

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH20230

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 04:50:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH20230

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 04:54:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH20230

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 05:07:25

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	77.0140	-98.09	peak	23.75	-74.34	-13.00	150	330	-61.34	
*	129.1383	-94.78	peak	22.31	-72.47	-13.00	150	95	-59.47	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 05:56:13

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	46.0120	-80.13	peak	23.24	-56.89	-13.00	150	330	-43.89	
	58.6172	-86.85	peak	23.71	-63.14	-13.00	150	195	-50.14	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 04:19:16

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	434.0681	-64.84	peak	-7.90	-72.74	-13.00	150	245	-59.74	
*	953.5070	-69.11	peak	-0.86	-69.97	-13.00	150	160	-56.97	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2020/12/4

Temperature:24 °C

0.0 dBm

Time: 下午 04:21:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	230.4610	-60.72	peak	-11.12	-71.84	-13.00	150	305	-58.84	
*	959.9198	-58.85	peak	-0.73	-59.58	-13.00	150	95	-46.58	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 05:00:08

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH20230

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1565.130	-45.82	peak	0.38	-45.44	-13.00	150	245	-32.44	
	2346.693	-56.17	peak	5.13	-51.04	-13.00	150	160	-38.04	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 05:03:40

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH20230

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1565.130	-42.77	peak	2.24	-40.53	-13.00	150	220	-27.53	
	2503.006	-59.03	peak	7.58	-51.45	-13.00	150	195	-38.45	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 05:00:48

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH20230

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 05:04:49

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH20230

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 05:01:34

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH20230

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2020/12/3

Temperature:24 °C

0.0 dBm

Time: 下午 05:05:31

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22011-20409

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH20230

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :1

Data :#1


Date: 12/7/2020

Temperature:21.8 °C

80.0 dBuV/m

Time: 7:20:55 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: **Horizontal**

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	352.6854	47.51	peak	-4.98	42.53	46.00	100	48	-3.47	
	492.6453	27.86	peak	-2.86	25.00	46.00	100	105	-21.00	
	741.4630	28.06	peak	0.63	28.69	46.00	100	15	-17.31	
	912.5251	27.29	peak	3.82	31.11	46.00	100	225	-14.89	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sky

File :1

Data :#2


Date: 12/7/2020

Temperature:21.8 °C

80.0 dBuV/m

Time: 7:22:41 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Vertical*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	35.8316	45.66	peak	-8.91	36.75	40.00	100	63	-3.25	
	129.1383	33.71	peak	-6.86	26.85	43.50	100	289	-16.65	
	208.8377	36.12	peak	-10.60	25.52	43.50	100	140	-17.98	
	352.6854	44.52	peak	-4.98	39.54	46.00	100	25	-6.46	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#1


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 7:49:00 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3679.359	41.60	peak	-2.94	38.66	74.00	150	92	-35.34	
*	6106.212	40.12	peak	1.58	41.70	74.00	150	330	-32.30	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#5


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 7:51:46 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1785.571	42.51	peak	-6.71	35.80	74.00	150	45	-38.20	
*	4689.379	41.91	peak	-2.36	39.55	74.00	150	260	-34.45	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#2


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 7:50:06 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#6


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 7:52:53 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#3


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 7:50:32 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#7


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 7:53:19 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#4


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 7:50:44 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#8


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 7:53:31 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sky

File :1

Data :#1


Date: 12/7/2020

Temperature:21.8 °C

80.0 dBuV/m

Time: 7:25:52 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	35.8316	28.82	peak	-8.91	19.91	40.00	100	248	-20.09	
	129.1383	29.97	peak	-6.86	23.11	43.50	100	15	-20.39	
	220.5010	32.85	peak	-10.15	22.70	46.00	100	63	-23.30	
*	352.6854	47.43	peak	-4.98	42.45	46.00	100	19	-3.55	



Radiated Emission Measurement

Operator: Sky

File :1

Data :#2


Date: 12/7/2020

Temperature:21.8 °C

80.0 dBuV/m

Time: 7:27:58 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Vertical*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	33.8878	45.71	peak	-8.68	37.03	40.00	100	193	-2.97	
	129.1383	32.68	peak	-6.86	25.82	43.50	100	251	-17.68	
	212.7255	37.24	peak	-10.49	26.75	43.50	100	140	-16.75	
	352.6854	44.93	peak	-4.98	39.95	46.00	100	270	-6.05	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#1


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 7:55:26 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3398.798	40.71	peak	-3.70	37.01	74.00	150	67	-36.99	
*	5629.258	39.62	peak	-0.02	39.60	74.00	150	49	-34.40	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#5


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 7:58:13 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3679.359	44.25	peak	-2.94	41.31	74.00	150	21	-32.69	
*	6008.016	40.66	peak	1.15	41.81	74.00	150	76	-32.19	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#2


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 7:56:33 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#6


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 7:59:20 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#3


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 7:56:59 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#7


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 7:59:46 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#4


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 7:57:10 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#8


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 7:59:58 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sky

File :1

Data :#1


Date: 12/7/2020

Temperature:21.8 °C

80.0 dBuV/m

Time: 7:29:42 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	125.2505	28.88	peak	-7.05	21.83	43.50	100	319	-21.67	
	220.5010	33.15	peak	-10.15	23.00	46.00	100	24	-23.00	
*	352.6854	48.16	peak	-4.98	43.18	46.00	100	172	-2.82	
	360.4607	47.91	peak	-4.75	43.16	46.00	100	169	-2.84	



Radiated Emission Measurement

Operator: Sky

File :1

Data :#2


Date: 12/7/2020

Temperature:21.8 °C

80.0 dBuV/m

Time: 7:31:28 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Vertical*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	33.8878	45.59	peak	-8.68	36.91	40.00	100	31	-3.09	
	129.1383	32.15	peak	-6.86	25.29	43.50	100	199	-18.21	
	212.7255	35.80	peak	-10.49	25.31	43.50	100	264	-18.19	
	352.6854	46.48	peak	-4.98	41.50	46.00	100	45	-4.50	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#1


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 8:01:47 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3398.798	40.83	peak	-3.70	37.13	74.00	150	107	-36.87	
*	6190.381	39.82	peak	1.64	41.46	74.00	150	225	-32.54	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#5


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 8:04:33 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3454.910	40.71	peak	-3.44	37.27	74.00	150	10	-36.73	
*	5881.764	39.91	peak	0.44	40.35	74.00	150	236	-33.65	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#2


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 8:02:54 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#6


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 8:05:40 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#3


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 8:03:20 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#7


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 8:06:06 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#4


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 8:03:31 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#8


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 8:06:18 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sky

File :1

Data :#1


Date: 12/7/2020

Temperature:21.8 °C

80.0 dBuV/m

Time: 5:24:36 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	129.1382	28.76	peak	-6.86	21.90	43.50	100	271	-21.60	
	218.5570	33.60	peak	-10.27	23.33	46.00	100	326	-22.67	
*	352.6854	43.90	peak	-4.98	38.92	46.00	100	25	-7.08	
	589.8397	28.51	peak	-2.11	26.40	46.00	100	130	-19.60	



Radiated Emission Measurement

Operator: Sky

File :1

Data :#2


Date: 12/7/2020

Temperature:21.8 °C

80.0 dBuV/m

Time: 5:40:26 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Vertical*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	36.8938	45.33	QP	-9.04	36.29	40.00	100	109	-3.71	
	129.1382	32.71	peak	-6.86	25.85	43.50	100	150	-17.65	
	212.7255	37.13	peak	-10.49	26.64	43.50	100	255	-16.86	
	352.6854	44.29	peak	-4.98	39.31	46.00	100	20	-6.69	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#1


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 3:01:41 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3482.966	40.95	peak	-3.31	37.64	74.00	150	60	-36.36	
*	6190.381	39.80	peak	1.64	41.44	74.00	150	110	-32.56	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#5


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 3:03:31 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4016.032	40.50	peak	-1.67	38.83	74.00	150	40	-35.17	
*	5699.399	39.07	peak	0.43	39.50	74.00	150	325	-34.50	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#2


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 3:02:47 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#6


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 3:03:45 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#3


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 3:03:12 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#7


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 3:04:10 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#4


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 3:03:23 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#8


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 3:04:21 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sky

File :1

Data :#1


Date: 12/7/2020

Temperature:21.8 °C

80.0 dBuV/m

Time: 5:54:10 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	129.1383	30.02	peak	-6.86	23.16	43.50	100	20	-20.34	
	214.6693	32.19	peak	-10.42	21.77	43.50	100	310	-21.73	
*	352.6854	50.33	QP	-4.98	45.35	46.00	100	225	-0.65	
	838.6573	27.30	peak	2.57	29.87	46.00	100	150	-16.13	



Radiated Emission Measurement

Operator: Sky

File :1

Data :#2


Date: 12/7/2020

Temperature:21.8 °C

80.0 dBuV/m

Time: 6:00:04 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: **Vertical**

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	35.8316	45.82	peak	-8.91	36.91	40.00	100	226	-3.09	
	129.1383	33.92	peak	-6.86	27.06	43.50	100	169	-16.44	
	220.5010	36.45	peak	-10.15	26.30	46.00	100	3	-19.70	
	352.6854	46.01	peak	-4.98	41.03	46.00	100	150	-4.97	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#1


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 3:08:34 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3216.433	40.40	peak	-3.90	36.50	74.00	150	316	-37.50	
*	5671.343	38.97	peak	0.25	39.22	74.00	150	75	-34.78	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#5


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 3:11:18 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3679.359	44.34	peak	-2.94	41.40	74.00	150	225	-32.60	
*	6442.886	39.95	peak	2.09	42.04	74.00	150	100	-31.96	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#2


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 3:09:40 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#6


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 3:12:25 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#3


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 3:10:05 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#7


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 3:12:50 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#4


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 3:10:16 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#8


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 3:13:01 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sky

File :1

Data :#1


Date: 12/7/2020

Temperature:21.8 °C

80.0 dBuV/m

Time: 7:06:24 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	129.1383	29.45	peak	-6.86	22.59	43.50	100	160	-20.91	
	220.5010	33.93	peak	-10.15	23.78	46.00	100	25	-22.22	
*	352.6854	48.56	peak	-4.98	43.58	46.00	100	330	-2.42	
	591.7836	28.31	peak	-2.10	26.21	46.00	100	240	-19.79	



Radiated Emission Measurement

Operator: Sky

File :1

Data :#2


Date: 12/7/2020

Temperature:21.8 °C

80.0 dBuV/m

Time: 7:07:59 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Vertical*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	35.8316	45.60	peak	-8.91	36.69	40.00	100	42	-3.31	
	129.1383	32.79	peak	-6.86	25.93	43.50	100	326	-17.57	
	212.7255	36.11	peak	-10.49	25.62	43.50	100	125	-17.88	
	352.6854	46.18	peak	-4.98	41.20	46.00	100	19	-4.80	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#1


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 3:15:57 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3721.443	41.10	peak	-3.01	38.09	74.00	150	100	-35.91	
*	5993.988	40.47	peak	1.07	41.54	74.00	150	21	-32.46	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#5


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 3:18:41 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3679.359	44.49	peak	-2.94	41.55	74.00	150	65	-32.45	
*	6428.858	39.90	peak	2.08	41.98	74.00	150	325	-32.02	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#2


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 3:17:03 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#6


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 3:19:48 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#3


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 3:17:29 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#7


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 3:20:13 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#4


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 3:17:39 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#8


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 3:20:24 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sky

File :1

Data :#1


Date: 12/7/2020

Temperature:21.8 °C

80.0 dBuV/m

Time: 7:12:37 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 12 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	127.1944	29.19	peak	-6.96	22.23	43.50	100	330	-21.27	
	220.5010	33.07	peak	-10.15	22.92	46.00	100	15	-23.08	
*	352.6854	49.93	QP	-4.98	44.95	46.00	100	25	-1.05	
	640.3808	28.38	peak	-0.61	27.77	46.00	100	116	-18.23	



Radiated Emission Measurement

Operator: Sky

File :1

Data :#2


Date: 12/7/2020

Temperature:21.8 °C

80.0 dBuV/m

Time: 7:14:03 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Vertical*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 12 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	33.8878	45.87	peak	-8.68	37.19	40.00	100	69	-2.81	
	129.1383	33.35	peak	-6.86	26.49	43.50	100	150	-17.01	
	220.5010	36.17	peak	-10.15	26.02	46.00	100	310	-19.98	
	352.6854	45.94	peak	-4.98	40.96	46.00	100	52	-5.04	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#1


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 3:27:49 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 12 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3412.826	41.20	peak	-3.64	37.56	74.00	150	330	-36.44	
*	5867.735	40.39	peak	0.38	40.77	74.00	150	60	-33.23	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#5


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 3:30:33 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 12 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3679.359	44.79	peak	-2.94	41.85	74.00	150	220	-32.15	
*	6428.858	40.10	peak	2.08	42.18	74.00	150	27	-31.82	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#2


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 3:28:55 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 12 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#6


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 3:31:40 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 12 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#3


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 3:29:20 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 12 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#7


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 3:32:05 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 12 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#4


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 3:29:31 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 12 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#8


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 3:32:16 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 12 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sky

File :1

Data :#1


Date: 12/7/2020

Temperature:21.8 °C

80.0 dBuV/m

Time: 7:16:45 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 13 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	129.1383	30.05	peak	-6.86	23.19	43.50	100	332	-20.31	
	220.5010	33.38	peak	-10.15	23.23	46.00	100	16	-22.77	
*	360.4610	42.83	peak	-4.75	38.08	46.00	100	93	-7.92	
	399.3387	38.07	peak	-3.67	34.40	46.00	100	180	-11.60	



Radiated Emission Measurement

Operator: Sky

File :1

Data :#2


Date: 12/7/2020

Temperature:21.8 °C

80.0 dBuV/m

Time: 7:18:39 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: **Vertical**

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 13 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	33.8878	45.99	peak	-8.68	37.31	40.00	100	240	-2.69	
	129.1383	33.42	peak	-6.86	26.56	43.50	100	332	-16.94	
	210.7816	36.77	peak	-10.56	26.21	43.50	100	258	-17.29	
	352.6854	44.37	peak	-4.98	39.39	46.00	100	115	-6.61	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#1


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 7:41:11 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 13 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3482.966	41.09	peak	-3.31	37.78	74.00	150	115	-36.22	
*	6008.016	39.97	peak	1.15	41.12	74.00	150	62	-32.88	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#5


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 7:43:57 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 13 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3679.359	44.35	peak	-2.94	41.41	74.00	150	225	-32.59	
*	6106.212	40.22	peak	1.58	41.80	74.00	150	105	-32.20	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#2


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 7:42:17 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 13 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#6


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 7:45:04 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 13 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#3


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 7:42:43 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 13 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#7


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 7:45:30 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 13 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#4


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 7:42:54 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 13 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#8


Date: 12/7/2020

Temperature:21.8 °C

90.0 dBuV/m

Time: 7:45:41 PM

Humidity:68.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R22011-20409

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 13 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin