

Report Number: W6R22104-20827-P-247


FCC ID: GX9FPHUB3


9. Frequency Stability

The frequency stability shall be measured by variation of ambient temperature and variation of primary supply voltage to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintain within $\pm 0.00025\%$ (± 2.5 ppm) of the center frequency.

9.1 Test procedure

- The equipment under test was supplied with rated power supply and the RF output was connected to a frequency counter via feed through attenuators. The EUT was placed inside the temperature chamber. The DC leads and RF output cable, exited the chamber through an opening made for that purpose.
After the temperature stabilized the frequency output was recorded from the counter.
- An external variable power supply was used to supply nominal voltage and 85% to 115% of nominal voltage to the EUT under room temperature. Record the frequencies measured from the counter.
- End point voltage: For hand carried, battery powered equipment, reduce primary supply voltage to the battery operating end point which shall be specified by the manufacturer. Then record the frequencies measured from the counter.





Report Number: W6R22104-20827-P-247
 FCC ID: GX9FPHUB3

9.2 Test Results

9.2.1 Frequency Stability vs. Temperature

WCDMA Band 2					WCDMA Band 4					WCDMA Band 5				
CH9262	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH1312	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH4132	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
120Vac	-30	18.00	0.010	±2.5	120Vac	-30	22.00	0.013	±2.5	120Vac	-30	16.00	0.019	±2.5
	-20	13.00	0.007			-20	31.00	0.018			-20	17.00	0.021	
	-10	40.00	0.022			-10	12.00	0.007			-10	13.00	0.016	
	0	-23.00	-0.012			0	16.00	0.009			0	15.00	0.018	
	10	-24.00	-0.013			10	14.00	0.008			10	23.00	0.028	
	20	28.00	0.015			20	18.00	0.011			20	16.00	0.019	
	30	22.00	0.012			30	12.00	0.007			30	19.00	0.023	
	40	33.00	0.018			40	11.00	0.006			40	21.00	0.025	
50	24.00	0.013	50	21.00	0.012	50	14.00	0.017						
132Vac	25	-18.00	-0.010		132Vac	25	19.00	0.011		132Vac	25	12.00	0.015	
108Vac	25	20.00	0.011		108Vac	25	11.00	0.006		108Vac	25	12.00	0.015	
CH9400	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH1413	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH4183	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
120Vac	-30	16.00	0.009	±2.5	120Vac	-30	15.00	0.009	±2.5	120Vac	-30	24.00	0.029	±2.5
	-20	14.00	0.007			-20	16.00	0.009			-20	21.00	0.025	
	-10	13.00	0.007			-10	11.00	0.006			-10	15.00	0.018	
	0	12.00	0.006			0	21.00	0.012			0	18.00	0.022	
	10	-17.00	-0.009			10	19.00	0.011			10	11.00	0.013	
	20	-13.00	-0.007			20	12.00	0.007			20	-14.00	-0.017	
	30	13.00	0.007			30	11.00	0.006			30	11.00	0.013	
	40	-17.00	-0.009			40	23.00	0.013			40	20.00	0.024	
50	15.00	0.008	50	21.00	0.012	50	16.00	0.019						
132Vac	25	19.00	0.010		132Vac	25	14.00	0.008		132Vac	25	14.00	0.017	
108Vac	25	20.00	0.011		108Vac	25	17.00	0.010		108Vac	25	21.00	0.025	
CH9538	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH1513	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH4233	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
120Vac	-30	11.00	0.006	±2.5	120Vac	-30	-22.00	-0.013	±2.5	120Vac	-30	10.00	0.012	±2.5
	-20	15.00	0.008			-20	14.00	0.008			-20	14.00	0.017	
	-10	16.00	0.008			-10	18.00	0.010			-10	18.00	0.021	
	0	13.00	0.007			0	13.00	0.007			0	16.00	0.019	
	10	19.00	0.010			10	15.00	0.009			10	18.00	0.021	
	20	12.00	0.006			20	11.00	0.006			20	-16.00	-0.019	
	30	15.00	0.008			30	16.00	0.009			30	-14.00	-0.017	
	40	22.00	0.012			40	21.00	0.012			40	-13.00	-0.015	
50	11.00	0.006	50	14.00	0.008	50	12.00	0.014						
132Vac	25	31.00	0.016		132Vac	25	18.00	0.010		132Vac	25	14.00	0.017	
108Vac	25	18.00	0.009		108Vac	25	16.00	0.009		108Vac	25	19.00	0.022	



Report Number: W6R22104-20827-P-247
 FCC ID: GX9FPHUB3

LTE Band 2 QPSK 10MHz FRB					LTE Band 4 QPSK 10MHz FRB				
CH18900	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH20175	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
120Vac	-30	16.00	0.009	±2.5	120Vac	-30	12.00	0.007	±2.5
	-20	18.00	0.010			-20	11.00	0.006	
	-10	-47.00	-0.025			-10	8.00	0.005	
	0	-33.00	-0.018			0	6.00	0.003	
	10	-19.00	-0.010			10	-16.00	-0.009	
	20	-25.00	-0.013			20	-7.00	-0.004	
	30	21.00	0.011			30	14.00	0.008	
	40	17.00	0.009			40	19.00	0.011	
50	-21.00	-0.011	50	21.00	0.012				
132Vac	25	-16.00	-0.009	132Vac	25	-16.00	-0.009		
108Vac	25	-19.00	-0.010	108Vac	25	-9.00	-0.005		

LTE Band 5 QPSK 10MHz FRB					LTE Band 12 QPSK 10MHz FRB				
CH20525	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH23095	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
120Vac	-30	12.00	0.014	±2.5	120Vac	-30	14.00	0.020	±2.5
	-20	14.00	0.017			-20	-12.00	-0.017	
	-10	-20.00	-0.024			-10	-18.00	-0.025	
	0	-18.00	-0.022			0	-17.00	-0.024	
	10	-18.00	-0.022			10	-14.00	-0.020	
	20	-48.00	-0.057			20	-19.00	-0.027	
	30	17.00	0.020			30	13.00	0.018	
	40	-17.00	-0.020			40	18.00	0.025	
50	29.00	0.035	50	-26.00	-0.037				
132Vac	25	-19.00	-0.023	132Vac	25	-22.00	-0.031		
108Vac	25	-18.00	-0.022	108Vac	25	-22.00	-0.031		

Test equipment: ETSTW-CE 009, ETSTW-GSM 004



Report Number: W6R22104-20827-P-247

FCC ID: GX9FPHUB3

10 Maximum Permissible Exposure

10.1 Exemption Limits for Routine Evaluation according to 47 CFR FCC Part 2 Subpart J, section 2.1091

FCC OET Bulletin 65 Edition 97.01 determines the equations for predicting RF fields and applicable limits.

The prediction for power density in the far-field but will over-predict power density in the near field, where it could be used for walking a “worst case” or conservative prediction.

Systems operating under the provisions of this section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy levels in excess limit for maximum permissible exposure. In accordance with 47 CFR FCC Part 2 Subpart J, section 2.1091 this device has been defined as a mobile device whereby a distance of 20 cm normally can be maintained between the user and the device.

MPE Calculation Method

(A) Limits for Occupational/Controlled Exposure

Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/cm ²)	Averaging Time E ² , H ² or S (minutes)
0.3-3.0	614	1.63	(100)*	6
3.0-30	1842/f	4.89/f	(900/f ²)*	6
30-300	61.4	0.163	1.0	6
300-1500	--	--	f/300	6
1500-100,000	--	--	5	6

(B) Limits for General Population/Uncontrolled Exposure

Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/cm ²)	Averaging Time E ² , H ² or S (minutes)
0.3-1.34	614	1.63	(100)*	30
1.34-30	824/f	2.19/f	(180/f ²)*	30
30-300	27.5	0.073	0.2	30
300-1500	--	--	f/1500	30
1500-100,000	--	--	1.0	30

f = frequency in MHz


*Plane-wave equivalent power density

E = Electric field (V/m) P = output power (W) G = EUT Antenna numeric gain (numeric)

d = Separation distance between radiator and human body (m)

$$Pd = \frac{30 \times P \times G}{377 \times d^2}$$

The formula can be changed to mW/cm².



Report Number: W6R22104-20827-P-247
FCC ID: GX9FPHUB3

Frequency	Max output power		Antenna Gain	Power Density(S) (mW/cm ²)	Limit of Power Density (S) (mW/cm ²)	Test Result
	(dBm)	(W)				
WCDMA Band II	22.79	0.1901	4.91	0.1171	1	Complies
WCDMA Band IV	23.27	0.2123	2.72	0.0790	1	Complies
WCDMA Band V	20.35	0.1084	-2.27	0.0128	0.5509	Complies
LTE Band II	22.59	0.1816	4.91	0.1119	1	Complies
LTE Band IV	21.98	0.1578	2.72	0.0587	1	Complies
LTE Band V	20.97	0.1250	-2.27	0.0147	0.5627	Complies
LTE Band XII	20.99	0.1256	1.05	0.0318	0.4717	Complies

From the peak EUT RF output power, the minimum mobile separation distance, $d=0.2$ m, as well as the gain of the used antenna, the RF power density can be obtained.



Report Number: W6R22104-20827-P-247
FCC ID: GX9FPHUB3

Appendix

Measurement diagrams

1. RF Power Output
2. Filed Strength of Spurious Emission



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#1


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 上午 11:17:30

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3706.731	-59.90	peak	9.74	-50.16	-13.00	150	186	-37.16	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#6


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 上午 11:51:36

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3701.923	-63.03	peak	9.65	-53.38	-13.00	150	193	-40.38	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#2


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 上午 11:18:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5557.692	-69.11	peak	10.45	-58.66	-13.00	150	85	-45.66	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#7


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 上午 11:52:24

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5557.692	-69.06	peak	10.80	-58.26	-13.00	150	350	-45.26	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#3


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 上午 11:18:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6R21805-18133

Power : 120V A.C.

M/N:

Distance: 3m

Test Mode : WCDMA BAND2 CH9262

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#8


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 上午 11:53:15

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#4


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 上午 11:19:11

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6R21805-18133

Power : 120V A.C.

M/N:

Distance: 3m

Test Mode : WCDMA BAND2 CH9262

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#9


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 上午 11:53:27

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#5


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 上午 11:19:22

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6R21805-18133

Power : 120V A.C.

M/N:

Distance: 3m

Test Mode : WCDMA BAND2 CH9262

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#10


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 上午 11:53:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#1


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 上午 11:22:53

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3759.615	-62.81	peak	9.81	-53.00	-13.00	150	158	-40.00	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#6


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 上午 11:42:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3764.423	-61.26	peak	9.60	-51.66	-13.00	150	118	-38.66	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#2


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 上午 11:23:44

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5641.026	-69.54	peak	10.68	-58.86	-13.00	150	263	-45.86	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#7


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 上午 11:43:29

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5641.026	-69.79	peak	10.94	-58.85	-13.00	150	187	-45.85	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#3


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 上午 11:24:29

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#8


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 上午 11:44:32

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#4


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 上午 11:24:41

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#9


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 上午 11:44:43

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#5


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 上午 11:24:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#10


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 上午 11:44:55

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#1


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 上午 11:28:05

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3817.308	-58.14	peak	9.90	-48.24	-13.00	150	300	-35.24	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#6


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 上午 11:34:13

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3817.308	-59.88	peak	9.55	-50.33	-13.00	150	196	-37.33	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#2


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 上午 11:28:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5722.855	-69.12	peak	10.91	-58.21	-13.00	150	147	-45.21	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#7


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 上午 11:35:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5722.855	-68.93	peak	11.07	-57.86	-13.00	150	206	-44.86	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#3


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 上午 11:29:44

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#8


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 上午 11:36:14

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#4


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 上午 11:29:55

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#9


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 上午 11:36:26

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#5


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 上午 11:30:07

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#10


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 上午 11:36:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#1


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 12:01:44

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3427.885	-57.11	peak	9.12	-47.99	-13.00	150	325	-34.99	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#6


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 01:13:14

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3427.885	-62.69	peak	9.47	-53.22	-13.00	150	116	-40.22	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Spencer

File :3

Data :#2


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 12:02:26

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5141.828	-68.27	peak	7.15	-61.12	-13.00	150	150	-48.12	



Radiated Emission Measurement

Operator: Spencer

File :3

Data :#7


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 01:14:57

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5141.828	-67.73	peak	7.94	-59.79	-13.00	150	174	-46.79	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#3


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 12:11:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#8


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 01:16:05

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#4


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 12:11:21

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#9


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 01:16:16

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#5


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 12:11:33

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#10


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 01:16:28

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#1


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 12:13:24

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3466.346	-59.07	peak	9.29	-49.78	-13.00	150	193	-36.78	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#6


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 01:04:43

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3466.346	-60.04	peak	9.67	-50.37	-13.00	150	123	-37.37	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#2


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 12:15:05

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5197.844	-68.46	peak	7.64	-60.82	-13.00	150	256	-47.82	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#7


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 01:05:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5197.844	-67.68	peak	8.37	-59.31	-13.00	150	75	-46.31	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#3


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 12:16:24

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#8


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 01:06:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#4


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 12:16:36

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#9


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 01:07:11

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#5


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 12:16:47

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#10


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 01:07:22

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#1


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 12:23:14

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3504.808	-58.66	peak	9.45	-49.21	-13.00	150	168	-36.21	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#6


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 12:31:37

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3504.808	-60.27	peak	9.84	-50.43	-13.00	150	106	-37.43	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#2


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 12:24:14

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5257.800	-68.23	peak	8.16	-60.07	-13.00	150	163	-47.07	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#7


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 12:33:44

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5257.800	-68.22	peak	8.84	-59.38	-13.00	150	186	-46.38	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#3


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 12:26:33

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#8


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 12:34:32

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#4


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 12:26:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#9


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 12:34:44

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#5


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 12:26:56

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#10


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 12:34:55

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Spencer

File :3

Data :#1


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 01:24:18

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1649.039	-47.94	peak	0.94	-47.00	-13.00	150	80	-34.00	
*	2370.192	-49.71	peak	5.25	-44.46	-13.00	150	265	-31.46	



Radiated Emission Measurement

Operator: Spencer

File :3

Data :#4


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 02:19:56

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1649.039	-56.42	peak	2.67	-53.75	-13.00	150	106	-40.75	
*	2379.808	-51.44	peak	6.83	-44.61	-13.00	150	300	-31.61	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#2


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 01:24:57

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#5


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 02:22:25

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#3


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 01:26:16

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#6


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 02:26:15

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#1


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 01:29:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1673.077	-51.08	peak	1.10	-49.98	-13.00	150	102	-36.98	
*	2365.385	-53.81	peak	5.23	-48.58	-13.00	150	88	-35.58	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Spencer

File :3

Data :#4


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 02:13:11

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1673.077	-56.17	peak	2.79	-53.38	-13.00	150	106	-40.38	
*	2375.000	-54.23	peak	6.80	-47.43	-13.00	150	330	-34.43	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#2


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 01:30:32

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#5


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 02:15:40

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#3


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 01:31:24

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#6


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 02:17:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Spencer

File :3

Data :#1


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 01:33:34

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1687.500	-52.15	peak	1.19	-50.96	-13.00	150	116	-37.96	
*	2269.231	-50.44	peak	4.71	-45.73	-13.00	150	98	-32.73	



Radiated Emission Measurement

Operator: Spencer

File :3

Data :#4


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 02:08:13

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1692.308	-55.98	peak	2.89	-53.09	-13.00	150	206	-40.09	
*	2331.731	-56.24	peak	6.53	-49.71	-13.00	150	300	-36.71	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#2


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 02:05:00

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#5


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 02:08:53

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#3


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 02:05:44

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#6


Date: 2018/5/31

Temperature:24 °C

0.0 dBm

Time: 下午 02:10:14

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#1


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 03:26:46

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3764.423	-26.91	peak	9.82	-17.09	-13.00	150	200	-4.09	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#6


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 03:56:04

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3764.423	-30.82	peak	9.60	-21.22	-13.00	150	86	-8.22	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Spencer

File :3

Data :#2


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 03:27:28

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5641.026	-63.45	peak	10.68	-52.77	-13.00	150	75	-39.77	



Radiated Emission Measurement

Operator: Spencer

File :3

Data :#7


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 03:56:49

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5641.026	-64.07	peak	10.94	-53.13	-13.00	150	203	-40.13	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#3


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 03:28:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#8


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 03:58:02

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#4


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 03:28:31

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#9


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 03:58:13

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#5


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 03:28:42

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#10


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 03:58:24

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#1


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 03:32:01

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3764.423	-36.59	peak	9.82	-26.77	-13.00	150	100	-13.77	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#6


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 03:50:16

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3764.423	-37.16	peak	9.60	-27.56	-13.00			-14.56	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#2


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 03:32:40

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5641.026	-66.77	peak	10.68	-56.09	-13.00	150	122	-43.09	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#7


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 03:51:07

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5641.026	-66.30	peak	10.94	-55.36	-13.00	150	300	-42.36	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#3


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 03:33:30

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#8


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 03:52:02

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#4


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 03:33:41

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#9


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 03:52:13

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#5


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 03:33:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#10


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 03:52:25

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#1


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 03:36:23

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3764.423	-49.67	peak	9.82	-39.85	-13.00	150	220	-26.85	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#6


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 03:45:56

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3759.615	-43.82	peak	9.60	-34.22	-13.00	150	103	-21.22	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#2


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 03:37:08

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Spencer

File :3

Data :#7


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 03:46:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5641.026	-68.62	peak	10.94	-57.68	-13.00	150	225	-44.68	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#3


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 03:37:56

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#8


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 03:47:34

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#4


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 03:38:07

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#9


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 03:47:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#5


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 03:38:18

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#10


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 03:47:57

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#1


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 04:32:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3466.346	-40.94	peak	9.29	-31.65	-13.00	150	100	-18.65	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Spencer

File :3

Data :#6


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 05:13:14

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2413.462	-45.34	peak	7.04	-38.30	-13.00	150	96	-25.30	
*	3466.346	-36.48	peak	9.67	-26.81	-13.00	150	203	-13.81	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#2


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 04:32:54

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5192.308	-67.43	peak	7.59	-59.84	-13.00	150	205	-46.84	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#7


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 05:14:23

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#3


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 04:33:48

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#8


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 05:16:49

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#4


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 04:33:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#9


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 05:17:01

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#5


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 04:34:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#10


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 05:17:12

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Spencer

File :3

Data :#1


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 04:36:40

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3466.346	-47.54	peak	9.29	-38.25	-13.00	150	200	-25.25	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#6


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 05:06:40

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3466.346	-43.52	peak	9.67	-33.85	-13.00	150	223	-20.85	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#2


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 04:37:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5205.128	-67.42	peak	7.70	-59.72	-13.00	150	255	-46.72	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#7


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 05:07:44

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5192.308	-67.31	peak	8.33	-58.98	-13.00	150	66	-45.98	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#3


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 04:38:44

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#8


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 05:08:46

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#4


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 04:38:55

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#9


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 05:08:57

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#5


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 04:39:06

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#10


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 05:09:08

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#1


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 04:42:06

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3466.346	-52.28	peak	9.29	-42.99	-13.00	150	255	-29.99	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Spencer

File :3

Data :#6


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 04:48:32

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3466.346	-46.17	peak	9.67	-36.50	-13.00	150	200	-23.50	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#2


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 04:43:01

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5192.308	-67.99	peak	7.59	-60.40	-13.00	150	114	-47.40	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#7


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 04:49:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5198.718	-67.21	peak	8.38	-58.83	-13.00	150	60	-45.83	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#3


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 04:43:58

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#8


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 04:49:54

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#4


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 04:44:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#9


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 04:50:05

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#5


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 04:44:21

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#10


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 04:50:16

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Spencer

File :3

Data :#1


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 05:32:36

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1673.077	-46.80	peak	1.10	-45.70	-13.00	150	200	-32.70	
	2509.615	-62.86	peak	5.97	-56.89	-13.00	150	36	-43.89	



Radiated Emission Measurement

Operator: Spencer

File :3

Data :#4


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 05:57:20

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1673.077	-54.49	peak	2.79	-51.70	-13.00	150	111	-38.70	
	2509.615	-62.33	peak	7.57	-54.76	-13.00	150	30	-41.76	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#2


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 05:33:28

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#5


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 05:57:57

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#3


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 05:34:13

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#6


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 05:59:15

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Spencer

File :3

Data :#1


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 05:37:01

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1673.077	-51.19	peak	1.10	-50.09	-13.00	150	82	-37.09	
	2509.615	-62.24	peak	5.97	-56.27	-13.00	150	177	-43.27	



Radiated Emission Measurement

Operator: Spencer

File :3

Data :#4


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 05:53:07

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1677.885	-57.88	peak	2.82	-55.06	-13.00	150	79	-42.06	
	2509.615	-62.71	peak	7.57	-55.14	-13.00	150	86	-42.14	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#2


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 05:37:48

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#5


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 05:53:56

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#3


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 05:38:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#6


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 05:55:05

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Spencer

File :3

Data :#1


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 05:41:28

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1677.885	-52.39	peak	1.13	-51.26	-13.00	150	203	-38.26	
	2509.615	-61.68	peak	5.97	-55.71	-13.00	150	66	-42.71	



Radiated Emission Measurement

Operator: Spencer

File :3

Data :#4


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 05:46:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1677.885	-57.90	peak	2.82	-55.08	-13.00	150	196	-42.08	
*	2509.615	-62.39	peak	7.57	-54.82	-13.00	150	63	-41.82	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#2


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 05:42:29

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#5


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 05:48:15

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#3


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 05:43:27

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#6


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 05:50:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Spencer

File :3

Data :#1


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 06:06:13

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 1.4M CH23095

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1413.462	-45.15	peak	-0.04	-45.19	-13.00	150	200	-32.19	
	2120.192	-59.04	peak	3.91	-55.13	-13.00	150	144	-42.13	



Radiated Emission Measurement

Operator: Spencer

File :3

Data :#4


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 06:34:41

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 1.4M CH23095

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1413.462	-45.20	peak	1.65	-43.55	-13.00	150	263	-30.55	
	2120.192	-57.43	peak	5.21	-52.22	-13.00	150	96	-39.22	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#2


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 06:06:58

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 1.4M CH23095

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#5


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 06:35:51

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 1.4M CH23095

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#3


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 06:07:47

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 1.4M CH23095

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#6


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 06:36:58

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 1.4M CH23095

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Spencer

File :3

Data :#1


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 06:11:42

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 5M CH23095

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1413.462	-44.72	peak	-0.04	-44.76	-13.00	150	311	-31.76	
	2120.192	-59.09	peak	3.91	-55.18	-13.00	150	136	-42.18	



Radiated Emission Measurement

Operator: Spencer

File :3

Data :#4


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 06:28:25

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 5M CH23095

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1841.346	-58.61	peak	3.65	-54.96	-13.00	150	203	-41.96	
	2120.192	-61.42	peak	5.21	-56.21	-13.00	150	66	-43.21	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#2


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 06:12:22

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 5M CH23095

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#5


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 06:29:09

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 5M CH23095

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#3


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 06:13:11

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 5M CH23095

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#6


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 06:30:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 5M CH23095

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Spencer

File :3

Data :#1


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 06:16:54

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 10M CH23095

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1403.846	-52.19	peak	-0.04	-52.23	-13.00	150	223	-39.23	
	2120.192	-61.15	peak	3.91	-57.24	-13.00	150	214	-44.24	



Radiated Emission Measurement

Operator: Spencer

File :3

Data :#4


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 06:22:30

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 10M CH23095

Note :

Polarization: **Vertical**

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1403.846	-52.81	peak	1.62	-51.19	-13.00	150	200	-38.19	
	2120.192	-60.84	peak	5.21	-55.63	-13.00	150	63	-42.63	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#2


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 06:17:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 10M CH23095

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#5


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 06:23:29

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 10M CH23095

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#3


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 06:18:41

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 10M CH23095

Note :

Polarization: *Horizontal*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Spencer

File :3

Data :#6


Date: 2018/5/29

Temperature:24 °C

0.0 dBm

Time: 下午 06:24:31

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6R21805-18133

M/N:

Test Mode : LTE BAND12 QPSK 10M CH23095

Note :

Polarization: *Vertical*

Power : 120V A.C.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 6/3/2018

Temperature:26.8 °C

80.0 dBuV/m

Time: 11:26:59 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	105.8115	30.42	peak	-8.44	21.98	43.50	100	35	-21.52	
	183.5671	34.88	peak	-10.75	24.13	43.50	100	265	-19.37	
	230.2204	32.30	peak	-8.43	23.87	46.00	100	240	-22.13	
*	420.7214	30.68	peak	-3.25	27.43	46.00	100	175	-18.57	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 6/3/2018

Temperature:26.8 °C

80.0 dBuV/m

Time: 11:27:59 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Vertical*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	49.4388	41.19	peak	-10.03	31.16	40.00	100	85	-8.84	
	66.9340	41.04	peak	-13.11	27.93	40.00	100	170	-12.07	
	105.8116	36.34	peak	-8.44	27.90	43.50	100	160	-15.60	
*	123.3066	43.91	peak	-6.50	37.41	43.50	100	245	-6.09	



Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 7:50:14 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1042.084	41.76	peak	-7.88	33.88	74.00	150	75	-40.12	
*	1561.122	42.62	peak	-8.45	34.17	74.00	150	140	-39.83	



Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 7:51:08 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1168.337	42.20	peak	-9.28	32.92	74.00	150	95	-41.08	
*	1561.122	43.34	peak	-8.45	34.89	74.00	150	245	-39.11	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 7:50:26 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 7:51:20 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 7:50:50 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 7:51:44 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 7:51:00 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 7:51:53 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 6/3/2018

Temperature:26.8 °C

80.0 dBuV/m

Time: 11:31:02 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	123.3066	30.60	peak	-6.50	24.10	43.50	100	154	-19.40	
	187.4550	35.36	peak	-10.72	24.64	43.50	100	70	-18.86	
	249.6593	33.10	peak	-7.39	25.71	46.00	100	165	-20.29	
*	558.7374	29.56	peak	-1.17	28.39	46.00	100	239	-17.61	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 6/3/2018

Temperature:26.8 °C

80.0 dBuV/m

Time: 11:32:01 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Vertical*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	49.4388	40.68	peak	-10.03	30.65	40.00	100	285	-9.35	
	105.8116	39.15	peak	-8.44	30.71	43.50	100	70	-12.79	
*	123.3066	44.77	peak	-6.50	38.27	43.50	100	135	-5.23	
	249.6593	34.91	peak	-7.39	27.52	46.00	100	90	-18.48	



Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 8:01:19 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1575.150	42.85	peak	-8.32	34.53	74.00	150	175	-39.47	
*	3146.293	41.38	peak	-2.63	38.75	74.00	150	40	-35.25	



Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 8:02:12 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1028.056	41.51	peak	-7.65	33.86	74.00	150	95	-40.14	
*	1561.122	42.81	peak	-8.45	34.36	74.00	150	60	-39.64	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 8:01:30 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 8:02:25 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 8:01:54 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 8:02:49 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 6/3/2018

Temperature:26.8 °C

80.0 dBuV/m

Time: 11:33:58 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	107.7554	29.59	peak	-7.96	21.63	43.50	100	275	-21.87	
	185.5110	34.66	peak	-10.73	23.93	43.50	100	90	-19.57	
	278.8176	30.64	peak	-6.09	24.55	46.00	100	110	-21.45	
*	418.7776	30.88	peak	-3.25	27.63	46.00	100	165	-18.37	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 6/3/2018

Temperature:26.8 °C

80.0 dBuV/m

Time: 11:34:58 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: **Vertical**

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	49.4388	42.02	peak	-10.03	31.99	40.00	100	157	-8.01	
	64.9900	40.08	peak	-12.65	27.43	40.00	100	230	-12.57	
	105.8116	37.33	peak	-8.44	28.89	43.50	100	165	-14.61	
*	123.3066	45.30	peak	-6.50	38.80	43.50	100	80	-4.70	



Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 7:53:46 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1561.122	43.42	peak	-8.45	34.97	74.00	150	35	-39.03	
*	4464.930	41.58	peak	-0.15	41.43	74.00	105	246	-32.57	



Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 7:54:40 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1561.122	43.10	peak	-8.45	34.65	74.00	150	24	-39.35	
*	3861.723	41.94	peak	-1.31	40.63	74.00	150	85	-33.37	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 7:53:58 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 7:54:52 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 6/3/2018

Temperature:26.8 °C

80.0 dBuV/m

Time: 11:10:45 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	68.8777	32.87	peak	-13.57	19.30	40.00	100	265	-20.70	
	123.3066	36.32	peak	-6.50	29.82	43.50	100	90	-13.68	
*	249.6593	40.12	peak	-7.39	32.73	46.00	100	35	-13.27	
	327.4148	33.14	peak	-5.01	28.13	46.00	100	240	-17.87	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 6/3/2018

Temperature:26.8 °C

80.0 dBuV/m

Time: 11:11:44 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6R21805-18133

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	49.4388	41.17	peak	-10.03	31.14	40.00	100	175	-8.86	
	107.7554	36.63	peak	-7.96	28.67	43.50	100	110	-14.83	
	123.3066	38.70	peak	-6.50	32.20	43.50	100	40	-11.30	
	249.6593	37.27	peak	-7.39	29.88	46.00	100	135	-16.12	



Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 7:30:33 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1308.617	42.67	peak	-9.18	33.49	74.00	150	35	-40.51	
*	3272.545	41.63	peak	-2.35	39.28	74.00	150	260	-34.72	



Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 7:31:27 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1196.393	42.64	peak	-9.48	33.16	74.00	150	40	-40.84	
*	1561.122	43.58	peak	-8.45	35.13	74.00	150	75	-38.87	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 7:30:45 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 7:31:39 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 7:31:09 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 7:32:03 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 7:31:19 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 7:32:13 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 6/3/2018

Temperature:26.8 °C

80.0 dBuV/m

Time: 11:17:30 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	123.3066	31.34	peak	-6.50	24.84	43.50	100	175	-18.66	
	173.8477	34.01	peak	-10.29	23.72	43.50	100	40	-19.78	
	249.6593	33.24	peak	-7.39	25.85	46.00	100	10	-20.15	
	422.6653	29.50	peak	-3.24	26.26	46.00	100	125	-19.74	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 6/3/2018

Temperature:26.8 °C

80.0 dBuV/m

Time: 11:18:30 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6R21805-18133

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	49.4388	40.42	peak	-10.03	30.39	40.00	100	35	-9.61	
	66.9340	40.85	peak	-13.11	27.74	40.00	100	62	-12.26	
*	123.3066	41.77	peak	-6.50	35.27	43.50	100	55	-8.23	
	249.6593	36.66	peak	-7.39	29.27	46.00	100	240	-16.73	



Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 7:37:17 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1028.056	41.67	peak	-7.65	34.02	74.00	150	260	-39.98	
*	1561.122	43.33	peak	-8.45	34.88	74.00	150	145	-39.12	



Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 7:38:11 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1070.140	42.36	peak	-8.34	34.02	74.00	150	65	-39.98	
*	1561.122	42.64	peak	-8.45	34.19	74.00	150	230	-39.81	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 7:37:29 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 7:38:23 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 7:37:53 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 7:38:47 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 6/3/2018

Temperature:26.8 °C

80.0 dBuV/m

Time: 11:20:31 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	123.3066	30.50	peak	-6.50	24.00	43.50	100	85	-19.50	
	185.5110	35.90	peak	-10.73	25.17	43.50	100	270	-18.33	
	420.7214	29.55	peak	-3.25	26.30	46.00	100	110	-19.70	
*	558.7374	34.29	peak	-1.17	33.12	46.00	100	135	-12.88	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 6/3/2018

Temperature:26.8 °C

80.0 dBuV/m

Time: 11:21:31 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6R21805-18133

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	49.4388	41.15	peak	-10.03	31.12	40.00	100	145	-8.88	
	64.9900	41.46	peak	-12.65	28.81	40.00	100	240	-11.19	
*	123.3066	44.04	peak	-6.50	37.54	43.50	100	170	-5.96	
	249.6593	38.85	peak	-7.39	31.46	46.00	100	95	-14.54	



Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 7:42:12 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1420.842	42.41	peak	-9.12	33.29	74.00	150	42	-40.71	
*	3146.293	42.16	peak	-2.63	39.53	74.00	150	170	-34.47	



Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 7:43:06 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1028.056	41.58	peak	-7.65	33.93	74.00	150	265	-40.07	
*	1561.122	42.82	peak	-8.45	34.37	74.00	150	90	-39.63	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 7:42:24 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 7:43:18 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 6/3/2018

Temperature:26.8 °C

80.0 dBuV/m

Time: 11:24:07 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 12 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	123.3066	29.89	peak	-6.50	23.39	43.50	100	205	-20.11	
	183.5671	33.10	peak	-10.75	22.35	43.50	100	140	-21.15	
*	249.6593	34.66	peak	-7.39	27.27	46.00	100	75	-18.73	
	420.7214	30.42	peak	-3.25	27.17	46.00	100	160	-18.83	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 6/3/2018

Temperature:26.8 °C

80.0 dBuV/m

Time: 11:25:06 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6R21805-18133

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	49.4388	42.04	peak	-10.03	32.01	40.00	100	80	-7.99	
	64.9900	41.41	peak	-12.65	28.76	40.00	100	90	-11.24	
	105.8116	38.29	peak	-8.44	29.85	43.50	100	265	-13.65	
*	123.3066	43.62	peak	-6.50	37.12	43.50	100	145	-6.38	



Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 7:45:52 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 12 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1547.094	42.93	peak	-8.58	34.35	74.00	150	225	-39.65	
*	4549.098	41.71	peak	-0.02	41.69	74.00	150	140	-32.31	



Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 6/3/2018

Temperature:26.8 °C

90.0 dBuV/m

Time: 7:46:46 AM

Humidity:62.1 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6R21805-18133

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 12 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1056.112	41.99	peak	-8.11	33.88	74.00	150	95	-40.12	
*	1575.150	42.52	peak	-8.32	34.20	74.00	150	236	-39.80	