



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch4132

Data :#1


Date: 2017/8/16

Temperature:24 °C

50.0 dBm

Time: 下午 02:08:04

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA BAND5 CH4132

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 825.3780 | -13.99 | peak | 35.68 | 21.69 | 38.45 | 150 | 90 | -16.76 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch4132

Data :#2


Date: 2017/8/16

Temperature:24 °C

50.0 dBm

Time: 下午 02:19:01

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 827.4621 | -22.65 | peak | 35.67 | 13.02 | 38.45 | 150 | 60 | -25.43 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch4183

Data :#1


Date: 2017/8/16

Temperature:24 °C

50.0 dBm

Time: 下午 02:09:48

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 837.3415 | -13.76 | peak | 36.09 | 22.33 | 38.45 | 150 | 90 | -16.12 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch4183

Data :#2


Date: 2017/8/16

Temperature:24 °C

50.0 dBm

Time: 下午 02:17:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 837.5420 | -21.81 | peak | 35.98 | 14.17 | 38.45 | 150 | 60 | -24.28 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch4233

Data :#1


Date: 2017/8/16

Temperature:24 °C

50.0 dBm

Time: 下午 02:12:27

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA BAND5 CH4233

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 845.3375 | -14.71 | peak | 36.36 | 21.65 | 38.45 | 150 | 90 | -16.80 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch4233

Data :#2


Date: 2017/8/16

Temperature:24 °C

50.0 dBm

Time: 下午 02:14:26

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 847.5420 | -22.58 | peak | 36.28 | 13.70 | 38.45 | 150 | 60 | -24.75 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch18607

Data :#1


Date: 2017/8/1

Temperature:24 °C

40.0 dBm

Time: 下午 09:19:04

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 QPSK 1.4M CH18607

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1850.309 | -14.83 | peak | 44.16 | 29.33 | 33.00 | 150 | 90 | -3.67 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch18607

Data :#2


Date: 2017/8/1

Temperature:24 °C

40.0 dBm

Time: 下午 09:21:01

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18607

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1850.249 | -23.57 | peak | 45.39 | 21.82 | 33.00 | 150 | 60 | -11.18 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch18900

Data :#1


Date: 2017/8/1

Temperature:24 °C

40.0 dBm

Time: 下午 09:17:31

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1879.609 | -13.62 | peak | 44.17 | 30.55 | 33.00 | 150 | 90 | -2.45 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch18900

Data :#2


Date: 2017/8/1

Temperature:24 °C

40.0 dBm

Time: 下午 09:22:24

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: **Vertical**

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1879.649 | -23.75 | peak | 45.49 | 21.74 | 33.00 | 150 | 60 | -11.26 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch19193

Data :#1


Date: 2017/8/1

Temperature:24 °C

40.0 dBm

Time: 下午 09:15:32

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 QPSK 1.4M CH19193

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1908.909 | -14.34 | peak | 44.37 | 30.03 | 33.00 | 150 | 90 | -2.97 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch19193

Data :#2


Date: 2017/8/1

Temperature:24 °C

40.0 dBm

Time: 下午 09:23:33

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: **Vertical**

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 QPSK 1.4M CH19193

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1908.909 | -26.01 | peak | 45.83 | 19.82 | 33.00 | 150 | 60 | -13.18 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch18607

Data :#1


Date: 2017/8/1

Temperature:24 °C

40.0 dBm

Time: 下午 08:58:04

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 16QAM 1.4M CH18607

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1850.309 | -13.89 | peak | 44.16 | 30.27 | 33.00 | 150 | 90 | -2.73 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch18607

Data :#2


Date: 2017/8/1

Temperature:24 °C

40.0 dBm

Time: 下午 09:27:32

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: **Vertical**

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 16QAM 1.4M CH18607

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1850.269 | -23.44 | peak | 45.39 | 21.95 | 33.00 | 150 | 60 | -11.05 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch18900

Data :#1


Date: 2017/8/1

Temperature:24 °C

50.0 dBm

Time: 下午 09:08:27

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 16QAM 1.4M CH18900

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1879.509 | -12.77 | peak | 44.17 | 31.40 | 33.00 | 150 | 90 | -1.60 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch18900

Data :#2


Date: 2017/8/1

Temperature:24 °C

40.0 dBm

Time: 下午 09:26:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: **Vertical**

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 16QAM 1.4M CH18900

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1879.569 | -23.21 | peak | 45.49 | 22.28 | 33.00 | 150 | 60 | -10.72 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch19193

Data :#1


Date: 2017/8/1

Temperature:24 °C

40.0 dBm

Time: 下午 09:09:54

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 16QAM 1.4M CH19193

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1908.729 | -13.98 | peak | 44.37 | 30.39 | 33.00 | 150 | 90 | -2.61 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch19193

Data :#2


Date: 2017/8/1

Temperature:24 °C

40.0 dBm

Time: 下午 09:25:05

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: **Vertical**

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 16QAM 1.4M CH19193

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1908.789 | -25.66 | peak | 45.82 | 20.16 | 33.00 | 150 | 60 | -12.84 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch18700

Data :#2


Date: 2017/8/1

Temperature:24 °C

40.0 dBm

Time: 下午 09:42:17

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 QPSK 20M CH18700

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1853.948 | -12.85 | peak | 44.16 | 31.31 | 33.00 | 150 | 90 | -1.69 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch18700

Data :#1


Date: 2017/8/1

Temperature:24 °C

40.0 dBm

Time: 下午 09:40:55

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: **Vertical**

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 QPSK 20M CH18700

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1853.387 | -21.97 | peak | 45.40 | 23.43 | 33.00 | 150 | 60 | -9.57 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch18900

Data :#2


Date: 2017/8/1

Temperature:24 °C

40.0 dBm

Time: 下午 09:43:36

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1873.948 | -12.07 | peak | 44.16 | 32.09 | 33.00 | 150 | 90 | -0.91 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch18900

Data :#1


Date: 2017/8/1

Temperature:24 °C

40.0 dBm

Time: 下午 09:39:36

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: **Vertical**

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1873.146 | -22.96 | peak | 45.47 | 22.51 | 33.00 | 150 | 60 | -10.49 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch19100

Data :#2


Date: 2017/8/1

Temperature:24 °C

40.0 dBm

Time: 下午 09:45:00

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 QPSK 20M CH19100

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1893.788 | -12.85 | peak | 44.17 | 31.32 | 33.00 | 150 | 90 | -1.68 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch19100

Data :#1


Date: 2017/8/1

Temperature:24 °C

40.0 dBm

Time: 下午 09:38:12

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 QPSK 20M CH19100

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1893.948 | -24.61 | peak | 45.54 | 20.93 | 33.00 | 150 | 60 | -12.07 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch18700

Data :#2


Date: 2017/8/1

Temperature:24 °C

40.0 dBm

Time: 下午 09:49:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 16QAM 20M CH18700

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1858.597 | -13.48 | peak | 44.16 | 30.68 | 33.00 | 150 | 90 | -2.32 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch18700

Data :#1


Date: 2017/8/1

Temperature:24 °C

40.0 dBm

Time: 下午 09:32:30

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 16QAM 20M CH18700

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1853.066 | -21.97 | peak | 45.40 | 23.43 | 33.00 | 150 | 60 | -9.57 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch18900

Data :#2


Date: 2017/8/1

Temperature:24 °C

40.0 dBm

Time: 下午 09:48:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 16QAM 20M CH18900

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1875.711 | -13.23 | peak | 44.17 | 30.94 | 33.00 | 150 | 90 | -2.06 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch18900

Data :#1


Date: 2017/8/1

Temperature:24 °C

40.0 dBm

Time: 下午 09:35:07

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 16QAM 20M CH18900

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1877.395 | -22.22 | peak | 45.48 | 23.26 | 33.00 | 150 | 60 | -9.74 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch19100

Data :#2


Date: 2017/8/1

Temperature:24 °C

40.0 dBm

Time: 下午 09:46:55

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 16QAM 20M CH19100

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1896.994 | -13.11 | peak | 44.17 | 31.06 | 33.00 | 150 | 90 | -1.94 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch19100

Data :#1


Date: 2017/8/1

Temperature:24 °C

40.0 dBm

Time: 下午 09:36:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND2 16QAM 20M CH19100

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1905.892 | -24.86 | peak | 45.74 | 20.88 | 33.00 | 150 | 60 | -12.12 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch19957

Data :#1


Date: 2017/8/2

Temperature:24 °C

40.0 dBm

Time: 上午 10:26:46

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 QPSK 1.4M CH19957

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1710.610 | -18.56 | peak | 43.48 | 24.92 | 30.00 | 150 | 90 | -5.08 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch19957

Data :#2


Date: 2017/8/2

Temperature:24 °C

40.0 dBm

Time: 上午 10:28:20

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 QPSK 1.4M CH19957

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1710.870 | -30.23 | peak | 47.21 | 16.98 | 30.00 | 150 | 60 | -13.02 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20175

Data :#1


Date: 2017/8/2

Temperature:24 °C

40.0 dBm

Time: 上午 10:25:06

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1732.410 | -22.14 | peak | 43.64 | 21.50 | 30.00 | 150 | 90 | -8.50 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20175

Data :#2


Date: 2017/8/2

Temperature:24 °C

40.0 dBm

Time: 上午 10:29:33

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: **Vertical**

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1732.430 | -30.73 | peak | 46.72 | 15.99 | 30.00 | 150 | 60 | -14.01 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20393

Data :#1


Date: 2017/8/2

Temperature:24 °C

40.0 dBm

Time: 上午 10:23:31

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 QPSK 1.4M CH20393

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1754.350 | -22.67 | peak | 43.81 | 21.14 | 30.00 | 150 | 90 | -8.86 | |

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :ch20393

Data :#2


Date: 2017/8/2

Temperature:24 °C

40.0 dBm

Time: 上午 10:33:15

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 QPSK 1.4M CH20393

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1754.230 | -32.43 | peak | 46.24 | 13.81 | 30.00 | 150 | 60 | -16.19 | |



Radiated Emission Measurement

Operator: Kent

File :ch19957

Data :#1


Date: 2017/8/2

Temperature:24 °C

40.0 dBm

Time: 上午 10:12:14

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 16QAM 1.4M CH19957

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1710.750 | -17.94 | peak | 43.48 | 25.54 | 30.00 | 150 | 90 | -4.46 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch19957

Data :#2


Date: 2017/8/2

Temperature:24 °C

40.0 dBm

Time: 上午 10:36:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 16QAM 1.4M CH19957

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1710.850 | -27.90 | peak | 47.21 | 19.31 | 30.00 | 150 | 60 | -10.69 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20175

Data :#1


Date: 2017/8/2

Temperature:24 °C

40.0 dBm

Time: 上午 10:19:18

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 16QAM 1.4M CH20175

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1732.610 | -21.75 | peak | 43.64 | 21.89 | 30.00 | 150 | 90 | -8.11 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20175

Data :#2


Date: 2017/8/2

Temperature:24 °C

40.0 dBm

Time: 上午 10:35:37

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: **Vertical**

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 16QAM 1.4M CH20175

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1732.410 | -29.65 | peak | 46.72 | 17.07 | 30.00 | 150 | 60 | -12.93 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20393

Data :#1


Date: 2017/8/2

Temperature:24 °C

40.0 dBm

Time: 上午 10:21:41

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 16QAM 1.4M CH20393

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1754.410 | -22.23 | peak | 43.81 | 21.58 | 30.00 | 150 | 90 | -8.42 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20393

Data :#2


Date: 2017/8/2

Temperature:24 °C

40.0 dBm

Time: 上午 10:34:28

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: **Vertical**

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 16QAM 1.4M CH20393

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1754.330 | -31.25 | peak | 46.23 | 14.98 | 30.00 | 150 | 60 | -15.02 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20050

Data :#1


Date: 2017/8/1

Temperature:24 °C

40.0 dBm

Time: 下午 10:16:40

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 QPSK 20M CH20050

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1728.216 | -19.18 | peak | 43.61 | 24.43 | 30.00 | 150 | 90 | -5.57 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20050

Data :#2


Date: 2017/8/1

Temperature:24 °C

40.0 dBm

Time: 下午 10:18:02

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 QPSK 20M CH20050

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1728.216 | -29.34 | peak | 46.82 | 17.48 | 30.00 | 150 | 60 | -12.52 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20175

Data :#1


Date: 2017/8/1

Temperature:24 °C

40.0 dBm

Time: 下午 10:15:07

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1726.608 | -18.30 | peak | 43.60 | 25.30 | 30.00 | 150 | 90 | -4.70 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20175

Data :#2


Date: 2017/8/1

Temperature:24 °C

40.0 dBm

Time: 下午 10:19:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1726.448 | -27.82 | peak | 46.86 | 19.04 | 30.00 | 150 | 60 | -10.96 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20300

Data :#1


Date: 2017/8/1

Temperature:24 °C

40.0 dBm

Time: 下午 10:13:40

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 QPSK 20M CH20300

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1752.896 | -21.36 | peak | 43.80 | 22.44 | 30.00 | 150 | 90 | -7.56 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20300

Data :#2


Date: 2017/8/1

Temperature:24 °C

40.0 dBm

Time: 下午 10:20:39

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: **Vertical**

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 QPSK 20M CH20300

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1738.387 | -27.95 | peak | 46.59 | 18.64 | 30.00 | 150 | 60 | -11.36 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20050

Data :#1


Date: 2017/8/1

Temperature:24 °C

40.0 dBm

Time: 下午 10:09:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 16QAM 20M CH20050

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1725.571 | -19.18 | peak | 43.59 | 24.41 | 30.00 | 150 | 90 | -5.59 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20050

Data :#2


Date: 2017/8/1

Temperature:24 °C

40.0 dBm

Time: 下午 10:26:24

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 16QAM 20M CH20050

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1721.243 | -28.08 | peak | 46.97 | 18.89 | 30.00 | 150 | 60 | -11.11 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20175

Data :#1


Date: 2017/8/1

Temperature:24 °C

40.0 dBm

Time: 下午 10:11:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 16QAM 20M CH20175

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1728.612 | -18.93 | peak | 43.61 | 24.68 | 30.00 | 150 | 90 | -5.32 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20175

Data :#2


Date: 2017/8/1

Temperature:24 °C

40.0 dBm

Time: 下午 10:22:44

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: **Vertical**

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 16QAM 20M CH20175

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1725.726 | -27.95 | peak | 46.87 | 18.92 | 30.00 | 150 | 60 | -11.08 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20300

Data :#1


Date: 2017/8/1

Temperature:24 °C

40.0 dBm

Time: 下午 10:12:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 16QAM 20M CH20300

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1745.842 | -20.87 | peak | 43.74 | 22.87 | 30.00 | 150 | 90 | -7.13 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20300

Data :#2


Date: 2017/8/1

Temperature:24 °C

40.0 dBm

Time: 下午 10:21:36

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND4 16QAM 20M CH20300

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1742.475 | -29.61 | peak | 46.50 | 16.89 | 30.00 | 150 | 60 | -13.11 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20407

Data :#1


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 10:16:23

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND5 QPSK 1.4M CH20407

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 824.2291 | -9.98 | peak | 35.64 | 25.66 | 38.45 | 150 | 90 | -12.79 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20407

Data :#2


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 10:36:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND5 QPSK 1.4M CH20407

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 824.3293 | -17.10 | peak | 35.57 | 18.47 | 38.45 | 150 | 60 | -19.98 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20525

Data :#1


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 10:18:02

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 836.0892 | -14.18 | peak | 36.04 | 21.86 | 38.45 | 150 | 90 | -16.59 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20525

Data :#2


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 10:34:43

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 836.0692 | -18.73 | peak | 35.93 | 17.20 | 38.45 | 150 | 60 | -21.25 | |

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :ch20643

Data :#1


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 10:19:54

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND5 QPSK 1.4M CH20643

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 847.8491 | -13.87 | peak | 36.45 | 22.58 | 38.45 | 150 | 90 | -15.87 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20643

Data :#2


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 10:33:00

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: **Vertical**

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND5 QPSK 1.4M CH20643

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 847.8491 | -17.81 | peak | 36.29 | 18.48 | 38.45 | 150 | 60 | -19.97 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20407

Data :#1


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 10:25:13

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND5 16QAM 1.4M CH20407

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 824.1890 | -9.53 | peak | 35.64 | 26.11 | 38.45 | 150 | 90 | -12.34 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20407

Data :#2


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 10:28:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND5 16QAM 1.4M CH20407

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 824.2691 | -17.27 | peak | 35.57 | 18.30 | 38.45 | 150 | 60 | -20.15 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20525

Data :#1


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 10:23:33

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND5 16QAM 1.4M CH20525

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 836.0892 | -13.98 | peak | 36.04 | 22.06 | 38.45 | 150 | 90 | -16.39 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20525

Data :#2


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 10:30:40

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND5 16QAM 1.4M CH20525

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 836.0892 | -18.62 | peak | 35.93 | 17.31 | 38.45 | 150 | 60 | -21.14 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20643

Data :#1


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 10:21:43

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND5 16QAM 1.4M CH20643

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 847.9293 | -13.70 | peak | 36.45 | 22.75 | 38.45 | 150 | 90 | -15.70 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20643

Data :#2


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 10:31:58

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND5 16QAM 1.4M CH20643

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 847.8090 | -17.59 | peak | 36.29 | 18.70 | 38.45 | 150 | 60 | -19.75 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20470

Data :#2


Date: 2017/8/16

Temperature:24 °C

50.0 dBm

Time: 下午 01:41:03

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND5 QPSK 10M CH20470

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 827.6533 | -8.37 | peak | 35.76 | 27.39 | 38.45 | 150 | 90 | -11.06 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20470

Data :#1


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 10:44:39

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20470

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 827.6132 | -16.59 | peak | 35.67 | 19.08 | 38.45 | 150 | 60 | -19.37 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20525

Data :#2


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 11:01:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 832.6723 | -14.10 | peak | 35.93 | 21.83 | 38.45 | 150 | 90 | -16.62 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20525

Data :#1


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 10:42:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20470

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 832.4320 | -19.06 | peak | 35.82 | 16.76 | 38.45 | 150 | 60 | -21.69 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20600

Data :#2


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 10:58:02

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND5 QPSK 10M CH20600

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 840.2525 | -11.94 | peak | 36.19 | 24.25 | 38.45 | 150 | 90 | -14.20 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20600

Data :#1


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 10:46:09

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20600

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 840.1723 | -15.92 | peak | 36.06 | 20.14 | 38.45 | 150 | 60 | -18.31 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20470

Data :#2


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 10:52:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND5 16QAM 10M CH20470

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 827.7335 | -10.43 | peak | 35.76 | 25.33 | 38.45 | 150 | 90 | -13.12 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20470

Data :#1


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 10:51:16

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND5 16QAM 10M CH20470

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 827.8537 | -15.92 | peak | 35.68 | 19.76 | 38.45 | 150 | 60 | -18.69 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20525

Data :#2


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 10:54:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND5 16QAM 10M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 833.1743 | -14.10 | peak | 35.94 | 21.84 | 38.45 | 150 | 90 | -16.61 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20525

Data :#1


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 10:49:17

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND5 16QAM 10M CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 832.5922 | -18.93 | peak | 35.82 | 16.89 | 38.45 | 150 | 60 | -21.56 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20600

Data :#2


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 10:55:33

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND5 16QAM 10M CH20600

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 840.1723 | -11.37 | peak | 36.18 | 24.81 | 38.45 | 150 | 90 | -13.64 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch20600

Data :#1


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 10:47:42

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND5 16QAM 10M CH20600

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 840.8136 | -15.27 | peak | 36.08 | 20.81 | 38.45 | 150 | 60 | -17.64 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch23017

Data :#2


Date: 2017/8/16

Temperature:24 °C

50.0 dBm

Time: 下午 01:55:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 QPSK 1.4M CH23017

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 699.2892 | -10.03 | peak | 37.64 | 27.61 | 34.77 | 150 | 90 | -7.16 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch23017

Data :#1


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 11:35:51

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: **Vertical**

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 QPSK 1.4M CH23017

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 699.3293 | -18.35 | peak | 34.35 | 16.00 | 34.77 | 150 | 60 | -18.77 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch23095

Data :#2


Date: 2017/8/16

Temperature:24 °C

50.0 dBm

Time: 下午 01:54:25

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 QPSK 1.4M CH23095

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 707.0090 | -11.02 | peak | 37.26 | 26.24 | 34.77 | 150 | 90 | -8.53 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch23095

Data :#1


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 11:34:21

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: **Vertical**

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 QPSK 1.4M CH23095

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 707.0892 | -18.94 | peak | 34.38 | 15.44 | 34.77 | 150 | 60 | -19.33 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch23173

Data :#2


Date: 2017/8/16

Temperature:24 °C

50.0 dBm

Time: 下午 01:52:34

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 QPSK 1.4M CH23173

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 714.9293 | -10.73 | peak | 36.81 | 26.08 | 34.77 | 150 | 90 | -8.69 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch23173

Data :#1


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 11:38:54

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: **Vertical**

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 QPSK 1.4M CH23173

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 714.8691 | -17.50 | peak | 34.38 | 16.88 | 34.77 | 150 | 60 | -17.89 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch23017

Data :#2


Date: 2017/8/16

Temperature:24 °C

50.0 dBm

Time: 下午 01:48:36

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 16QAM 1.4M CH23017

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 699.3693 | -10.02 | peak | 37.65 | 27.63 | 34.77 | 150 | 90 | -7.14 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch23017

Data :#1


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 11:57:04

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: **Vertical**

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 16QAM 1.4M CH23017

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 699.2691 | -17.49 | peak | 34.35 | 16.86 | 34.77 | 150 | 60 | -17.91 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch23095

Data :#2


Date: 2017/8/16

Temperature:24 °C

50.0 dBm

Time: 下午 01:50:05

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 16QAM 1.4M CH23095

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 707.0490 | -10.02 | peak | 37.26 | 27.24 | 34.77 | 150 | 90 | -7.53 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch23095

Data :#1


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 11:54:33

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 16QAM 1.4M CH23095

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 707.1293 | -17.63 | peak | 34.38 | 16.75 | 34.77 | 150 | 60 | -18.02 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch23173

Data :#2


Date: 2017/8/16

Temperature:24 °C

50.0 dBm

Time: 下午 01:51:16

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 16QAM 1.4M CH23173

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 714.9293 | -9.36 | peak | 36.81 | 27.45 | 34.77 | 150 | 90 | -7.32 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch23173

Data :#1


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 11:40:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 16QAM 1.4M CH23173

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 714.8892 | -16.57 | peak | 34.38 | 17.81 | 34.77 | 150 | 60 | -16.96 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch23060

Data :#1


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 11:04:42

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 10M CH23060

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 699.8517 | -9.35 | peak | 37.66 | 28.31 | 34.77 | 150 | 90 | -6.46 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch23060

Data :#2


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 11:29:36

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: **Vertical**

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 QPSK 10M CH23060

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 699.8918 | -17.91 | peak | 34.37 | 16.46 | 34.77 | 150 | 60 | -18.31 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch23095

Data :#1


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 11:08:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 10M CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 702.7906 | -8.37 | peak | 37.50 | 29.13 | 34.77 | 150 | 90 | -5.64 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch23095

Data :#2


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 11:28:27

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 10M CH23095

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 703.2315 | -16.72 | peak | 34.37 | 17.65 | 34.77 | 150 | 60 | -17.12 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch23130

Data :#1


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 11:10:36

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 QPSK 10M CH23130

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 706.6513 | -9.83 | peak | 37.28 | 27.45 | 34.77 | 150 | 90 | -7.32 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch23130

Data :#2


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 11:27:03

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 10M CH23130

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 706.7315 | -18.55 | peak | 34.38 | 15.83 | 34.77 | 150 | 60 | -18.94 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch23060

Data :#1


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 11:20:26

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 16QAM 10M CH23060

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 699.8517 | -8.61 | peak | 37.66 | 29.05 | 34.77 | 150 | 90 | -5.72 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch23060

Data :#2


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 11:22:01

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND12 16QAM 10M CH23060

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 700.2926 | -17.25 | peak | 34.37 | 17.12 | 34.77 | 150 | 60 | -17.65 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch23095

Data :#1


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 11:18:34

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 16QAM 10M CH23095

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 702.6703 | -6.82 | peak | 37.51 | 30.69 | 34.77 | 150 | 90 | -4.08 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch23095

Data :#2


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 11:23:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: **Vertical**

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 16QAM 10M CH23095

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 703.7124 | -15.27 | peak | 34.37 | 19.10 | 34.77 | 150 | 60 | -15.67 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch23130

Data :#1


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 11:12:18

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 16QAM 10M CH23130

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 706.8517 | -9.47 | peak | 37.27 | 27.80 | 34.77 | 150 | 90 | -6.97 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :ch23130

Data :#2


Date: 2017/8/3

Temperature:24 °C

50.0 dBm

Time: 上午 11:25:05

Humidity:60 %



Site : Chamber

Condition : FCC_part 27 POWER

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N: 1RB 0

Distance: 3m

Test Mode : LTE BAND12 16QAM 10M CH23130

Note :

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 706.9720 | -17.91 | peak | 34.38 | 16.47 | 34.77 | 150 | 60 | -18.30 | |

*:Maximum data x:Over limit !:over margin



Report Number: W6M21706-17098-P-247
FCC ID: GX9HSGW

Appendix

Measurement diagrams

Filed Strength of Spurious Emission



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2017/8/17

Temperature:24 °C

-10.0 dBm

Time: 上午 09:41:27

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 102.5651 | -87.18 | peak | 23.27 | -63.91 | -13.00 | 150 | 180 | -50.91 | |
| * | 168.3166 | -87.27 | peak | 23.92 | -63.35 | -13.00 | 150 | 20 | -50.35 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2017/8/17

Temperature:24 °C

-10.0 dBm

Time: 上午 10:00:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 56.9138 | -86.90 | peak | 23.85 | -63.05 | -13.00 | 150 | 140 | -50.05 | |
| * | 100.1804 | -86.97 | peak | 24.14 | -62.83 | -13.00 | 150 | 250 | -49.83 | |

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 02:29:34

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 501.4028 | -86.83 | peak | 32.22 | -54.61 | -13.00 | 150 | 100 | -41.61 | |
| * | 955.1102 | -84.37 | peak | 36.28 | -48.09 | -13.00 | 150 | 140 | -35.09 | |



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 02:50:14

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 645.6914 | -86.33 | peak | 36.33 | -50.00 | -13.00 | 150 | 90 | -37.00 | |
| * | 900.6012 | -85.75 | peak | 39.10 | -46.65 | -13.00 | 150 | 140 | -33.65 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 05:52:14

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 3711.423 | -60.60 | peak | 10.01 | -50.59 | -13.00 | 150 | 100 | -37.59 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 06:26:02

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 3422.846 | -60.98 | peak | 11.08 | -49.90 | -13.00 | 150 | 20 | -36.90 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 06:03:08

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 6909.820 | -65.52 | peak | 13.94 | -51.58 | -13.00 | 150 | 90 | -38.58 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 06:26:40

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 6909.820 | -64.97 | peak | 13.41 | -51.56 | -13.00 | 150 | 60 | -38.56 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 06:03:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 06:27:26

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 06:04:04

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 06:27:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 06:04:17

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 06:27:49

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9262

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2017/8/17

Temperature:24 °C

-10.0 dBm

Time: 上午 09:42:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 81.4430 | -87.30 | peak | 23.83 | -63.47 | -13.00 | 150 | 140 | -50.47 | |
| | 174.1082 | -87.89 | peak | 24.21 | -63.68 | -13.00 | 150 | 90 | -50.68 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2017/8/17

Temperature:24 °C

-10.0 dBm

Time: 上午 10:01:57

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 97.7956 | -86.95 | peak | 24.09 | -62.86 | -13.00 | 150 | 200 | -49.86 | |
| * | 179.2184 | -87.12 | peak | 24.72 | -62.40 | -13.00 | 150 | 100 | -49.40 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 02:31:09

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 671.3427 | -85.45 | peak | 33.73 | -51.72 | -13.00 | 150 | 140 | -38.72 | |
| * | 919.8397 | -84.95 | peak | 36.44 | -48.51 | -13.00 | 150 | 60 | -35.51 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 02:53:32

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 735.4710 | -80.67 | peak | 35.63 | -45.04 | -13.00 | 150 | 190 | -32.04 | |
| | 929.4590 | -84.01 | peak | 38.56 | -45.45 | -13.00 | 150 | 300 | -32.45 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 06:06:23

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 3759.519 | -59.62 | peak | 9.92 | -49.70 | -13.00 | 150 | 80 | -36.70 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 06:18:41

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 3386.773 | -60.40 | peak | 10.77 | -49.63 | -13.00 | 150 | 90 | -36.63 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 06:07:27

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 6909.820 | -65.44 | peak | 13.94 | -51.50 | -13.00 | 150 | 40 | -38.50 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 06:19:26

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 6108.217 | -66.99 | peak | 13.81 | -53.18 | -13.00 | 150 | 90 | -40.18 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 06:08:20

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 06:20:27

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 06:08:32

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 06:20:39

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 06:08:44

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 06:20:51

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9400

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2017/8/17

Temperature:24 °C

-10.0 dBm

Time: 上午 09:43:47

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 57.5952 | -87.65 | peak | 24.25 | -63.40 | -13.00 | 150 | 20 | -50.40 | |
| | 171.7234 | -87.56 | peak | 24.09 | -63.47 | -13.00 | 150 | 140 | -50.47 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2017/8/17

Temperature:24 °C

-10.0 dBm

Time: 上午 10:02:58

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 99.8397 | -87.49 | peak | 24.15 | -63.34 | -13.00 | 150 | 140 | -50.34 | |
| * | 169.3387 | -87.79 | peak | 24.53 | -63.26 | -13.00 | 150 | 300 | -50.26 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 02:32:30

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 504.6092 | -87.70 | peak | 32.21 | -55.49 | -13.00 | 150 | 140 | -42.49 | |
| * | 892.5852 | -85.60 | peak | 36.54 | -49.06 | -13.00 | 150 | 90 | -36.06 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 02:54:51

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 684.1683 | -86.85 | peak | 37.29 | -49.56 | -13.00 | 150 | 220 | -36.56 | |
| * | 924.6493 | -85.32 | peak | 38.65 | -46.67 | -13.00 | 150 | 190 | -33.67 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 06:10:28

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 3813.627 | -58.23 | peak | 9.92 | -48.31 | -13.00 | 150 | 10 | -35.31 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 06:14:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 3428.858 | -60.60 | peak | 11.03 | -49.57 | -13.00 | 150 | 90 | -36.57 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 06:11:12

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 6917.836 | -65.23 | peak | 13.81 | -51.42 | -13.00 | 150 | 60 | -38.42 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 06:15:49

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 6965.932 | -64.75 | peak | 12.87 | -51.88 | -13.00 | 150 | 60 | -38.88 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 06:12:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 06:16:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 06:12:22

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 06:16:47

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 06:12:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 06:16:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND2 CH9538

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2017/8/17

Temperature:24 °C

-10.0 dBm

Time: 上午 09:45:26

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 64.4087 | -87.78 | peak | 24.23 | -63.55 | -13.00 | 150 | 180 | -50.55 | |
| * | 180.9218 | -87.57 | peak | 24.45 | -63.12 | -13.00 | 150 | 60 | -50.12 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2017/8/17

Temperature:24 °C

-10.0 dBm

Time: 上午 09:58:00

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 57.5952 | -87.03 | peak | 23.90 | -63.13 | -13.00 | 150 | 190 | -50.13 | |
| | 165.5912 | -87.86 | peak | 24.45 | -63.41 | -13.00 | 150 | 60 | -50.41 | |

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 02:35:04

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 310.6212 | -86.86 | peak | 30.58 | -56.28 | -13.00 | 150 | 160 | -43.28 | |
| * | 903.8076 | -85.72 | peak | 36.54 | -49.18 | -13.00 | 150 | 30 | -36.18 | |



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 02:56:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 729.0581 | -82.16 | peak | 36.00 | -46.16 | -13.00 | 150 | 90 | -33.16 | |
| * | 746.6934 | -75.59 | peak | 34.99 | -40.60 | -13.00 | 150 | 140 | -27.60 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 05:37:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 3422.846 | -52.88 | peak | 10.04 | -42.84 | -13.00 | 150 | 230 | -29.84 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 05:14:55

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 3422.846 | -58.51 | peak | 11.08 | -47.43 | -13.00 | 150 | 90 | -34.43 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 05:37:53

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 6877.756 | -65.39 | peak | 13.87 | -51.52 | -13.00 | 150 | 90 | -38.52 | |

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 05:15:36

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 4809.619 | -64.88 | peak | 12.18 | -52.70 | -13.00 | 150 | 70 | -39.70 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 05:38:55

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 05:16:31

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 05:39:07

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 05:16:43

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 05:39:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 05:16:55

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1312

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2017/8/17

Temperature:24 °C

-10.0 dBm

Time: 上午 09:46:05

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 65.0902 | -88.84 | peak | 24.22 | -64.62 | -13.00 | 150 | 180 | -51.62 | |
| * | 181.6032 | -87.76 | peak | 24.41 | -63.35 | -13.00 | 150 | 90 | -50.35 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2017/8/17

Temperature:24 °C

-10.0 dBm

Time: 上午 09:58:58

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 41.9238 | -86.14 | peak | 23.21 | -62.93 | -13.00 | 150 | 150 | -49.93 | |
| * | 179.5591 | -87.25 | peak | 24.73 | -62.52 | -13.00 | 150 | 200 | -49.52 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 02:37:30

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 535.0701 | -87.28 | peak | 32.09 | -55.19 | -13.00 | 150 | 80 | -42.19 | |
| * | 844.4890 | -85.96 | peak | 36.19 | -49.77 | -13.00 | 150 | 160 | -36.77 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 02:58:25

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 700.2004 | -87.30 | peak | 37.65 | -49.65 | -13.00 | 150 | 130 | -36.65 | |
| * | 907.0140 | -86.31 | peak | 38.98 | -47.33 | -13.00 | 150 | 280 | -34.33 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 05:33:14

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 3470.942 | -56.33 | peak | 10.02 | -46.31 | -13.00 | 150 | 60 | -33.31 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 05:19:15

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 3849.699 | -59.82 | peak | 10.82 | -49.00 | -13.00 | 150 | 90 | -36.00 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 05:33:53

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 6917.836 | -64.76 | peak | 13.81 | -50.95 | -13.00 | 150 | 90 | -37.95 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 05:20:27

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 4809.619 | -65.31 | peak | 12.18 | -53.13 | -13.00 | 150 | 150 | -40.13 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 05:34:37

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 05:21:26

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 05:34:49

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 05:21:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 05:35:01

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 05:21:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1413

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2017/8/17

Temperature:24 °C

-10.0 dBm

Time: 上午 09:47:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 60.6613 | -88.01 | peak | 24.30 | -63.71 | -13.00 | 150 | 30 | -50.71 | |
| * | 177.5150 | -87.53 | peak | 24.38 | -63.15 | -13.00 | 150 | 180 | -50.15 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2017/8/17

Temperature:24 °C

-10.0 dBm

Time: 上午 10:00:00

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 58.2766 | -86.94 | peak | 23.95 | -62.99 | -13.00 | 150 | 140 | -49.99 | |
| | 163.5471 | -87.52 | peak | 24.41 | -63.11 | -13.00 | 150 | 60 | -50.11 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 02:37:30

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 535.0701 | -87.28 | peak | 32.09 | -55.19 | -13.00 | 150 | 80 | -42.19 | |
| * | 844.4890 | -85.96 | peak | 36.19 | -49.77 | -13.00 | 150 | 160 | -36.77 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 02:58:25

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 700.2004 | -87.30 | peak | 37.65 | -49.65 | -13.00 | 150 | 130 | -36.65 | |
| * | 907.0140 | -86.31 | peak | 38.98 | -47.33 | -13.00 | 150 | 280 | -34.33 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 05:27:37

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 3507.014 | -56.33 | peak | 10.00 | -46.33 | -13.00 | 150 | 230 | -33.33 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 05:23:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 3573.146 | -59.91 | peak | 10.31 | -49.60 | -13.00 | 150 | 90 | -36.60 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 05:28:29

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 6917.836 | -65.22 | peak | 13.81 | -51.41 | -13.00 | 150 | 90 | -38.41 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 05:24:24

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 6901.804 | -65.30 | peak | 13.49 | -51.81 | -13.00 | 150 | 80 | -38.81 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 05:30:08

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 05:25:09

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 05:30:20

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 05:25:22

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 05:30:32

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 05:25:34

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND4 CH1513

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2017/8/17

Temperature:24 °C

-10.0 dBm

Time: 上午 09:48:44

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 58.2766 | -86.82 | peak | 24.26 | -62.56 | -13.00 | 150 | 240 | -49.56 | |
| | 181.6032 | -88.10 | peak | 24.41 | -63.69 | -13.00 | 150 | 250 | -50.69 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2017/8/17

Temperature:24 °C

-10.0 dBm

Time: 上午 09:56:43

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 56.9138 | -86.90 | peak | 23.85 | -63.05 | -13.00 | 150 | 180 | -50.05 | |
| * | 160.8216 | -87.35 | peak | 24.36 | -62.99 | -13.00 | 150 | 60 | -49.99 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 02:39:23

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 701.8036 | -86.99 | peak | 34.37 | -52.62 | -13.00 | 150 | 110 | -39.62 | |
| * | 1000.0000 | -87.56 | peak | 39.28 | -48.28 | -13.00 | 150 | 50 | -35.28 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 02:48:23

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 438.8778 | -87.71 | peak | 34.06 | -53.65 | -13.00 | 150 | 40 | -40.65 | |
| * | 663.3267 | -85.86 | peak | 36.79 | -49.07 | -13.00 | 150 | 70 | -36.07 | |

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 03:47:37

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 1655.311 | -55.13 | peak | 2.76 | -52.37 | -13.00 | 150 | 140 | -39.37 | |
| * | 3513.026 | -60.01 | peak | 9.98 | -50.03 | -13.00 | 150 | 90 | -37.03 | |



Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 04:38:22

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 1763.527 | -55.32 | peak | 3.24 | -52.08 | -13.00 | 150 | 140 | -39.08 | |
| * | 3573.146 | -60.26 | peak | 10.31 | -49.95 | -13.00 | 150 | 290 | -36.95 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 03:48:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 04:39:04

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 03:49:53

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 04:39:51

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND5 CH4132

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2017/8/17

Temperature:24 °C

-10.0 dBm

Time: 上午 09:49:55

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 118.9178 | -87.23 | peak | 22.11 | -65.12 | -13.00 | 150 | 180 | -52.12 | |
| * | 181.2625 | -87.56 | peak | 24.43 | -63.13 | -13.00 | 150 | 200 | -50.13 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2017/8/17

Temperature:24 °C

-10.0 dBm

Time: 上午 09:55:01

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 101.5431 | -88.99 | peak | 24.04 | -64.95 | -13.00 | 150 | 160 | -51.95 | |
| * | 174.4488 | -88.15 | peak | 24.63 | -63.52 | -13.00 | 150 | 30 | -50.52 | |

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 02:41:05

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 594.3888 | -86.45 | peak | 32.47 | -53.98 | -13.00 | 150 | 80 | -40.98 | |
| * | 732.2645 | -83.04 | peak | 34.40 | -48.64 | -13.00 | 150 | 170 | -35.64 | |



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 02:46:36

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 700.2004 | -87.55 | peak | 37.65 | -49.90 | -13.00 | 150 | 190 | -36.90 | |
| | 353.9078 | -88.29 | peak | 34.94 | -53.35 | -13.00 | 150 | 200 | -40.35 | |



Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 04:11:30

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1667.335 | -50.23 | peak | 2.77 | -47.46 | -13.00 | 150 | 140 | -34.46 | |
| | 2695.391 | -61.06 | peak | 11.32 | -49.74 | -13.00 | 150 | 90 | -36.74 | |



Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 04:34:41

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1763.527 | -53.69 | peak | 3.24 | -50.45 | -13.00 | 150 | 140 | -37.45 | |
| | 3200.401 | -59.78 | peak | 9.32 | -50.46 | -13.00 | 150 | 90 | -37.46 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 04:12:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 04:35:22

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 04:13:02

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 04:36:09

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND5 CH4183

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2017/8/17

Temperature:24 °C

-10.0 dBm

Time: 上午 09:51:03

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 101.8838 | -87.16 | peak | 23.32 | -63.84 | -13.00 | 150 | 200 | -50.84 | |
| * | 183.9880 | -87.42 | peak | 24.27 | -63.15 | -13.00 | 150 | 140 | -50.15 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2017/8/17

Temperature:24 °C

-10.0 dBm

Time: 上午 09:54:33

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 60.3206 | -86.70 | peak | 24.07 | -62.63 | -13.00 | 150 | 140 | -49.63 | |
| | 181.2625 | -87.63 | peak | 24.66 | -62.97 | -13.00 | 150 | 600 | -49.97 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 02:42:39

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 746.6934 | -74.08 | peak | 34.41 | -39.67 | -13.00 | 150 | 190 | -26.67 | |
| | 849.2986 | -84.63 | peak | 36.34 | -48.29 | -13.00 | 150 | 90 | -35.29 | |

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 02:44:47

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 339.4790 | -87.24 | peak | 34.72 | -52.52 | -13.00 | 150 | 290 | -39.52 | |
| * | 714.6293 | -86.94 | peak | 36.82 | -50.12 | -13.00 | 150 | 130 | -37.12 | |



Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 04:15:46

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1691.383 | -50.39 | peak | 2.79 | -47.60 | -13.00 | 150 | 140 | -34.60 | |
| | 2707.415 | -60.69 | peak | 11.20 | -49.49 | -13.00 | 150 | 90 | -36.49 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 04:30:57

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 1691.383 | -58.23 | peak | 4.29 | -53.94 | -13.00 | 150 | 190 | -40.94 | |
| * | 3783.567 | -60.01 | peak | 10.88 | -49.13 | -13.00 | 150 | 60 | -36.13 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 04:16:28

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 04:31:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 04:17:39

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2017/8/1

Temperature:24 °C

-10.0 dBm

Time: 下午 04:32:23

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N:

Test Mode : WCDMA BAND5 CH4233

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 05:18:43

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 63.3868 | -87.65 | peak | 24.25 | -63.40 | -13.00 | 150 | 120 | -50.40 | |
| * | 180.9218 | -87.24 | peak | 24.45 | -62.79 | -13.00 | 150 | 60 | -49.79 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2017/8/17

Temperature:24 °C

-10.0 dBm

Time: 上午 10:07:37

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 57.9360 | -87.44 | peak | 23.93 | -63.51 | -13.00 | 150 | 200 | -50.51 | |
| | 173.4270 | -88.29 | peak | 24.61 | -63.68 | -13.00 | 150 | 170 | -50.68 | |

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 03:23:54

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 687.3747 | -87.36 | peak | 37.36 | -50.00 | -13.00 | 150 | 20 | -37.00 | |
| * | 926.2525 | -84.96 | peak | 38.62 | -46.34 | -13.00 | 150 | 180 | -33.34 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 05:01:39

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 700.2004 | -87.28 | peak | 37.65 | -49.63 | -13.00 | 150 | 200 | -36.63 | |
| * | 910.2204 | -85.14 | peak | 38.92 | -46.22 | -13.00 | 150 | 180 | -33.22 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 下午 01:56:18

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2017/8/3

Temperature:24 °C

-10.0 dBm

Time: 上午 09:36:20

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 下午 01:57:11

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 4753.507 | -64.59 | peak | 10.91 | -53.68 | -13.00 | 150 | 140 | -40.68 | |
| * | 6941.884 | -65.05 | peak | 13.43 | -51.62 | -13.00 | 150 | 80 | -38.62 | |



Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2017/8/3

Temperature:24 °C

-10.0 dBm

Time: 上午 09:37:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 4817.635 | -65.17 | peak | 12.04 | -53.13 | -13.00 | 150 | 180 | -40.13 | |
| * | 6909.820 | -64.56 | peak | 13.41 | -51.15 | -13.00 | 150 | 300 | -38.15 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 下午 01:58:00

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2017/8/3

Temperature:24 °C

-10.0 dBm

Time: 上午 09:38:36

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 下午 01:58:12

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2017/8/3

Temperature:24 °C

-10.0 dBm

Time: 上午 09:38:48

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 下午 01:58:24

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2017/8/3

Temperature:24 °C

-10.0 dBm

Time: 上午 09:39:00

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 1.4M CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 05:19:17

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 147.5351 | -87.74 | peak | 22.61 | -65.13 | -13.00 | 150 | 170 | -52.13 | |
| * | 101.5431 | -88.03 | peak | 23.34 | -64.69 | -13.00 | 150 | 60 | -51.69 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2017/8/17

Temperature:24 °C

-10.0 dBm

Time: 上午 10:08:29

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 80.4208 | -86.58 | peak | 23.81 | -62.77 | -13.00 | 150 | 140 | -49.77 | |
| | 155.3707 | -87.17 | peak | 23.89 | -63.28 | -13.00 | 150 | 180 | -50.28 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 03:25:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 470.9420 | -86.63 | peak | 33.70 | -52.93 | -13.00 | 150 | 60 | -39.93 | |
| * | 700.2004 | -86.64 | peak | 37.65 | -48.99 | -13.00 | 150 | 140 | -35.99 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 05:03:15

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 688.9780 | -86.92 | peak | 37.40 | -49.52 | -13.00 | 150 | 190 | -36.52 | |
| * | 900.6012 | -86.19 | peak | 39.10 | -47.09 | -13.00 | 150 | 200 | -34.09 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 下午 02:01:32

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2017/8/3

Temperature:24 °C

-10.0 dBm

Time: 上午 09:42:22

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 下午 02:02:16

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 4801.603 | -65.59 | peak | 11.94 | -53.65 | -13.00 | 150 | 30 | -40.65 | |
| * | 6917.836 | -65.12 | peak | 13.81 | -51.31 | -13.00 | 150 | 170 | -38.31 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2017/8/3

Temperature:24 °C

-10.0 dBm

Time: 上午 09:43:02

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 4817.635 | -65.42 | peak | 12.04 | -53.38 | -13.00 | 150 | 140 | -40.38 | |
| * | 6917.836 | -65.19 | peak | 13.34 | -51.85 | -13.00 | 150 | 80 | -38.85 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 下午 02:04:00

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2017/8/3

Temperature:24 °C

-10.0 dBm

Time: 上午 09:43:46

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 下午 02:04:13

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2017/8/3

Temperature:24 °C

-10.0 dBm

Time: 上午 09:43:58

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 下午 02:04:25

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2017/8/3

Temperature:24 °C

-10.0 dBm

Time: 上午 09:44:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 5M CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 05:20:43

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 59.2986 | -87.23 | peak | 24.29 | -62.94 | -13.00 | 150 | 90 | -49.94 | |
| | 172.7455 | -88.22 | peak | 24.14 | -64.08 | -13.00 | 150 | 50 | -51.08 | |

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2017/8/17

Temperature:24 °C

-10.0 dBm

Time: 上午 10:09:26

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 97.1142 | -86.79 | peak | 24.07 | -62.72 | -13.00 | 150 | 140 | -49.72 | |
| | 112.7856 | -86.15 | peak | 23.22 | -62.93 | -13.00 | 150 | 90 | -49.93 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 03:27:09

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 729.0581 | -82.57 | peak | 36.00 | -46.57 | -13.00 | 150 | 170 | -33.57 | |
| | 910.2204 | -85.80 | peak | 38.92 | -46.88 | -13.00 | 150 | 200 | -33.88 | |

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 05:04:32

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 664.9300 | -86.62 | peak | 36.83 | -49.79 | -13.00 | 150 | 50 | -36.79 | |
| * | 905.4108 | -85.67 | peak | 39.01 | -46.66 | -13.00 | 150 | 170 | -33.66 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 上午 11:06:13

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 上午 11:10:42

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 上午 11:07:18

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 4817.635 | -65.72 | peak | 11.56 | -54.16 | -13.00 | 150 | 60 | -41.16 | |
| * | 6909.820 | -65.85 | peak | 13.94 | -51.91 | -13.00 | 150 | 100 | -38.91 | |

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 上午 11:11:26

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 4793.587 | -65.27 | peak | 12.21 | -53.06 | -13.00 | 150 | 60 | -40.06 | |
| * | 6933.868 | -64.84 | peak | 13.18 | -51.66 | -13.00 | 150 | 140 | -38.66 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 上午 11:08:08

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 上午 11:12:11

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 上午 11:08:21

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 上午 11:12:23

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 上午 11:08:34

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 上午 11:12:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND2 QPSK 20M CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 05:22:13

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 84.8496 | -88.13 | peak | 23.70 | -64.43 | -13.00 | 150 | 250 | -51.43 | |
| * | 160.1402 | -87.70 | peak | 23.51 | -64.19 | -13.00 | 150 | 90 | -51.19 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2017/8/17

Temperature:24 °C

-10.0 dBm

Time: 上午 10:10:49

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 57.5952 | -86.43 | peak | 23.90 | -62.53 | -13.00 | 150 | 60 | -49.53 | |
| | 176.8337 | -87.57 | peak | 24.68 | -62.89 | -13.00 | 150 | 140 | -49.89 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 03:28:53

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 701.8036 | -87.24 | peak | 37.56 | -49.68 | -13.00 | 150 | 200 | -36.68 | |
| * | 902.2044 | -86.06 | peak | 39.07 | -46.99 | -13.00 | 150 | 180 | -33.99 | |

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 05:07:05

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 695.3908 | -86.47 | peak | 37.55 | -48.92 | -13.00 | 150 | 90 | -35.92 | |
| | 847.6954 | -87.14 | peak | 36.44 | -50.70 | -13.00 | 150 | 60 | -37.70 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 下午 02:31:12

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2017/8/3

Temperature:24 °C

-10.0 dBm

Time: 上午 09:47:17

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 下午 02:31:53

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 4793.587 | -65.73 | peak | 11.83 | -53.90 | -13.00 | 150 | 60 | -40.90 | |
| * | 6909.820 | -65.68 | peak | 13.94 | -51.74 | -13.00 | 150 | 140 | -38.74 | |



Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2017/8/3

Temperature:24 °C

-10.0 dBm

Time: 上午 09:47:56

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 4809.619 | -65.42 | peak | 12.18 | -53.24 | -13.00 | 150 | 300 | -40.24 | |
| * | 6909.820 | -65.35 | peak | 13.41 | -51.94 | -13.00 | 150 | 140 | -38.94 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 下午 02:32:51

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2017/8/3

Temperature:24 °C

-10.0 dBm

Time: 上午 09:48:48

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 下午 02:33:03

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2017/8/3

Temperature:24 °C

-10.0 dBm

Time: 上午 09:49:00

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 下午 02:33:15

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2017/8/3

Temperature:24 °C

-10.0 dBm

Time: 上午 09:49:12

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 1.4M CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 05:24:20

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 48.0561 | -86.69 | peak | 24.07 | -62.62 | -13.00 | 150 | 120 | -49.62 | |
| | 165.5912 | -87.45 | peak | 23.78 | -63.67 | -13.00 | 150 | 90 | -50.67 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2017/8/17

Temperature:24 °C

-10.0 dBm

Time: 上午 10:11:17

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 42.6051 | -86.60 | peak | 23.22 | -63.38 | -13.00 | 150 | 60 | -50.38 | |
| | 175.4710 | -88.23 | peak | 24.65 | -63.58 | -13.00 | 150 | 40 | -50.58 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 03:30:14

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 632.8657 | -86.58 | peak | 35.89 | -50.69 | -13.00 | 150 | 90 | -37.69 | |
| * | 911.8236 | -85.57 | peak | 38.89 | -46.68 | -13.00 | 150 | 170 | -33.68 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 05:08:24

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 669.7395 | -86.61 | peak | 36.95 | -49.66 | -13.00 | 150 | 70 | -36.66 | |
| * | 905.4108 | -85.99 | peak | 39.01 | -46.98 | -13.00 | 150 | 200 | -33.98 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 下午 02:36:12

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2017/8/3

Temperature:24 °C

-10.0 dBm

Time: 上午 09:51:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 下午 02:37:13

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 4793.587 | -65.88 | peak | 11.83 | -54.05 | -13.00 | 150 | 140 | -41.05 | |
| * | 6933.868 | -64.87 | peak | 13.55 | -51.32 | -13.00 | 150 | 300 | -38.32 | |

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2017/8/3

Temperature:24 °C

-10.0 dBm

Time: 上午 09:52:53

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 4817.635 | -65.19 | peak | 12.04 | -53.15 | -13.00 | 150 | 180 | -40.15 | |
| * | 6813.627 | -64.96 | peak | 13.13 | -51.83 | -13.00 | 150 | 210 | -38.83 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 下午 02:37:56

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2017/8/3

Temperature:24 °C

-10.0 dBm

Time: 上午 09:53:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 下午 02:38:08

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2017/8/3

Temperature:24 °C

-10.0 dBm

Time: 上午 09:53:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 下午 02:38:20

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2017/8/3

Temperature:24 °C

-10.0 dBm

Time: 上午 09:54:02

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 5M CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 05:25:39

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 52.8257 | -87.41 | peak | 24.12 | -63.29 | -13.00 | 150 | 240 | -50.29 | |
| | 134.2485 | -86.96 | peak | 22.07 | -64.89 | -13.00 | 150 | 90 | -51.89 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2017/8/17

Temperature:24 °C

-10.0 dBm

Time: 上午 10:11:41

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 57.9360 | -87.61 | peak | 23.93 | -63.68 | -13.00 | 150 | 90 | -50.68 | |
| * | 177.5150 | -88.01 | peak | 24.69 | -63.32 | -13.00 | 150 | 140 | -50.32 | |

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 03:31:02

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 671.3427 | -86.04 | peak | 36.98 | -49.06 | -13.00 | 150 | 20 | -36.06 | |
| * | 898.9980 | -86.04 | peak | 39.06 | -46.98 | -13.00 | 150 | 50 | -33.98 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 05:09:53

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 714.6293 | -86.39 | peak | 36.82 | -49.57 | -13.00 | 150 | 60 | -36.57 | |
| * | 898.9980 | -85.51 | peak | 39.06 | -46.45 | -13.00 | 150 | 160 | -33.45 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 上午 10:57:51

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 上午 10:49:09

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 上午 10:58:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 4761.523 | -65.00 | peak | 11.10 | -53.90 | -13.00 | 150 | 60 | -40.90 | |
| * | 6901.804 | -65.47 | peak | 14.07 | -51.40 | -13.00 | 150 | 140 | -38.40 | |



Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 上午 10:49:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 4793.587 | -65.84 | peak | 12.21 | -53.63 | -13.00 | 150 | 60 | -40.63 | |
| * | 6885.772 | -65.43 | peak | 13.45 | -51.98 | -13.00 | 150 | 100 | -38.98 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 上午 10:59:21

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 上午 10:50:41

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 上午 10:59:33

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 上午 10:50:53

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 上午 10:59:46

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 上午 10:51:05

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND4 QPSK 20M CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2017/8/16

Temperature:24 °C

-5.0 dBm

Time: 下午 05:44:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 97.1142 | -88.31 | peak | 23.46 | -64.85 | -13.00 | 150 | 240 | -51.85 | |
| * | 180.2405 | -88.08 | peak | 24.49 | -63.59 | -13.00 | 150 | 60 | -50.59 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2017/8/17

Temperature:24 °C

-10.0 dBm

Time: 上午 10:12:05

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 42.6051 | -85.55 | peak | 23.22 | -62.33 | -13.00 | 150 | 60 | -49.33 | |
| | 172.0641 | -87.30 | peak | 24.58 | -62.72 | -13.00 | 150 | 140 | -49.72 | |

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 03:36:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 684.1683 | -86.59 | peak | 37.29 | -49.30 | -13.00 | 150 | 60 | -36.30 | |
| * | 902.2044 | -85.64 | peak | 39.07 | -46.57 | -13.00 | 150 | 180 | -33.57 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 04:50:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 656.9138 | -86.07 | peak | 36.64 | -49.43 | -13.00 | 150 | 200 | -36.43 | |
| * | 913.4270 | -85.53 | peak | 38.86 | -46.67 | -13.00 | 150 | 180 | -33.67 | |

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 下午 02:43:08

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 1673.347 | -53.18 | peak | 2.78 | -50.40 | -13.00 | 150 | 60 | -37.40 | |
| * | 1757.515 | -39.37 | peak | 2.77 | -36.60 | -13.00 | 150 | 140 | -23.60 | |



Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2017/8/3

Temperature:24 °C

-10.0 dBm

Time: 上午 09:58:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 1769.539 | -53.11 | peak | 3.12 | -49.99 | -13.00 | 150 | 140 | -36.99 | |
| * | 2803.607 | -60.43 | peak | 11.97 | -48.46 | -13.00 | 150 | 60 | -35.46 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 下午 02:44:02

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2017/8/3

Temperature:24 °C

-10.0 dBm

Time: 上午 09:59:24

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 下午 02:45:15

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2017/8/3

Temperature:24 °C

-10.0 dBm

Time: 上午 10:00:20

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 1.4M CH20525

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 05:49:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 88.5972 | -87.56 | peak | 23.55 | -64.01 | -13.00 | 150 | 140 | -51.01 | |
| * | 177.1743 | -87.43 | peak | 24.36 | -63.07 | -13.00 | 150 | 200 | -50.07 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2017/8/17

Temperature:24 °C

-10.0 dBm

Time: 上午 10:12:33

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 42.6051 | -85.86 | peak | 23.22 | -62.64 | -13.00 | 150 | 90 | -49.64 | |
| | 176.4930 | -88.03 | peak | 24.67 | -63.36 | -13.00 | 150 | 140 | -50.36 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 03:38:08

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 729.0581 | -79.27 | peak | 36.00 | -43.27 | -13.00 | 150 | 190 | -30.27 | |
| | 746.6934 | -80.55 | peak | 34.99 | -45.56 | -13.00 | 150 | 300 | -32.56 | |

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 04:53:07

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 729.0581 | -83.69 | peak | 36.00 | -47.69 | -13.00 | 150 | 120 | -34.69 | |
| * | 746.6934 | -80.20 | peak | 34.99 | -45.21 | -13.00 | 150 | 190 | -32.21 | |



Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 下午 02:47:15

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 1667.335 | -57.29 | peak | 2.77 | -54.52 | -13.00 | 150 | 140 | -41.52 | |
| * | 2412.826 | -57.94 | peak | 8.93 | -49.01 | -13.00 | 150 | 60 | -36.01 | |



Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2017/8/3

Temperature:24 °C

-10.0 dBm

Time: 上午 10:03:01

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1763.527 | -46.42 | peak | 3.24 | -43.18 | -13.00 | 150 | 140 | -30.18 | |
| | 2719.439 | -59.93 | peak | 12.09 | -47.84 | -13.00 | 150 | 60 | -34.84 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 下午 02:47:57

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2017/8/3

Temperature:24 °C

-10.0 dBm

Time: 上午 10:03:49

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 下午 02:48:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2017/8/3

Temperature:24 °C

-10.0 dBm

Time: 上午 10:04:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 5M CH20525

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 05:50:01

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 101.5431 | -86.56 | peak | 23.34 | -63.22 | -13.00 | 150 | 140 | -50.22 | |
| | 182.2846 | -87.65 | peak | 24.37 | -63.28 | -13.00 | 150 | 90 | -50.28 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2017/8/17

Temperature:24 °C

-10.0 dBm

Time: 上午 10:12:56

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 142.7655 | -87.56 | peak | 22.68 | -64.88 | -13.00 | 150 | 180 | -51.88 | |
| * | 171.7234 | -88.56 | peak | 24.57 | -63.99 | -13.00 | 150 | 20 | -50.99 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 03:39:57

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 672.9460 | -86.88 | peak | 37.02 | -49.86 | -13.00 | 150 | 60 | -36.86 | |
| * | 935.8717 | -85.21 | peak | 38.44 | -46.77 | -13.00 | 150 | 140 | -33.77 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 04:55:36

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 685.7715 | -86.41 | peak | 37.32 | -49.09 | -13.00 | 150 | 160 | -36.09 | |
| * | 900.6012 | -85.99 | peak | 39.10 | -46.89 | -13.00 | 150 | 300 | -33.89 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 上午 11:30:15

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 上午 11:26:33

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 上午 11:30:57

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 4817.635 | -65.34 | peak | 11.56 | -53.78 | -13.00 | 150 | 140 | -40.78 | |
| * | 6909.819 | -65.09 | peak | 13.94 | -51.15 | -13.00 | 150 | 60 | -38.15 | |



Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 上午 11:27:17

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 4801.603 | -65.79 | peak | 12.33 | -53.46 | -13.00 | 150 | 200 | -40.46 | |
| * | 6917.836 | -65.11 | peak | 13.34 | -51.77 | -13.00 | 150 | 190 | -38.77 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 上午 11:31:47

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 上午 11:28:13

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND5 QPSK 10M CH20525

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 05:52:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 1.4M CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 101.5431 | -87.32 | peak | 23.34 | -63.98 | -13.00 | 150 | 200 | -50.98 | |
| | 150.9420 | -87.10 | peak | 22.86 | -64.24 | -13.00 | 150 | 190 | -51.24 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2017/8/17

Temperature:24 °C

-10.0 dBm

Time: 上午 10:13:25

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 1.4M CH23095

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 60.6613 | -87.94 | peak | 24.06 | -63.88 | -13.00 | 150 | 160 | -50.88 | |
| | 170.7014 | -88.70 | peak | 24.55 | -64.15 | -13.00 | 150 | 100 | -51.15 | |

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 03:43:03

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 1.4M CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 663.3267 | -86.08 | peak | 36.79 | -49.29 | -13.00 | 150 | 280 | -36.29 | |
| * | 900.6012 | -85.93 | peak | 39.10 | -46.83 | -13.00 | 150 | 140 | -33.83 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 04:49:07

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 1.4M CH23095

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 450.1002 | -87.20 | peak | 34.48 | -52.72 | -13.00 | 150 | 60 | -39.72 | |
| * | 730.6613 | -85.15 | peak | 35.91 | -49.24 | -13.00 | 150 | 180 | -36.24 | |

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 下午 03:12:39

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 1.4M CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 1414.830 | -43.94 | peak | 0.81 | -43.13 | -13.00 | 150 | 140 | -30.13 | |
| | 1763.527 | -49.20 | peak | 2.77 | -46.43 | -13.00 | 150 | 60 | -33.43 | |



Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2017/8/3

Temperature:24 °C

-10.0 dBm

Time: 上午 09:30:37

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 1.4M CH23095

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 1414.830 | -53.89 | peak | 1.68 | -52.21 | -13.00 | 150 | 200 | -39.21 | |
| * | 1757.515 | -46.29 | peak | 3.36 | -42.93 | -13.00 | 150 | 290 | -29.93 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 下午 03:18:02

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 1.4M CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2017/8/3

Temperature:24 °C

-10.0 dBm

Time: 上午 09:31:21

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 1.4M CH23095

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 下午 03:19:31

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 1.4M CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2017/8/3

Temperature:24 °C

-10.0 dBm

Time: 上午 09:32:06

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 1.4M CH23095

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 05:53:49

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 5M CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 75.6512 | -87.42 | peak | 23.99 | -63.43 | -13.00 | 150 | 160 | -50.43 | |
| | 180.2405 | -88.21 | peak | 24.49 | -63.72 | -13.00 | 150 | 50 | -50.72 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2017/8/17

Temperature:24 °C

-10.0 dBm

Time: 上午 10:13:49

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 5M CH23095

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 59.2986 | -87.72 | peak | 24.02 | -63.70 | -13.00 | 150 | 160 | -50.70 | |
| | 170.0200 | -88.45 | peak | 24.54 | -63.91 | -13.00 | 150 | 140 | -50.91 | |

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 03:46:03

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 5M CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 671.3427 | -87.02 | peak | 36.98 | -50.04 | -13.00 | 150 | 150 | -37.04 | |
| * | 915.0301 | -85.10 | peak | 38.83 | -46.27 | -13.00 | 150 | 60 | -33.27 | |



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 04:47:40

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 5M CH23095

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 685.7715 | -85.37 | peak | 37.32 | -48.05 | -13.00 | 150 | 200 | -35.05 | |
| * | 918.2365 | -85.57 | peak | 38.77 | -46.80 | -13.00 | 150 | 140 | -33.80 | |



Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 下午 03:23:04

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 5M CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 1414.830 | -50.92 | peak | 0.81 | -50.11 | -13.00 | 150 | 140 | -37.11 | |
| * | 2677.355 | -60.64 | peak | 10.63 | -50.01 | -13.00 | 150 | 120 | -37.01 | |



Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2017/8/3

Temperature:24 °C

-10.0 dBm

Time: 上午 09:24:55

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 5M CH23095

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 2515.030 | -58.19 | peak | 9.85 | -48.34 | -13.00 | 150 | 140 | -35.34 | |
| | 3410.822 | -60.81 | peak | 11.19 | -49.62 | -13.00 | 150 | 60 | -36.62 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 下午 03:28:48

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 5M CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2017/8/3

Temperature:24 °C

-10.0 dBm

Time: 上午 09:26:33

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 5M CH23095

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 下午 03:29:39

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 5M CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2017/8/3

Temperature:24 °C

-10.0 dBm

Time: 上午 09:27:26

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 5M CH23095

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 05:54:30

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 10M CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 100.1804 | -87.63 | peak | 23.44 | -64.19 | -13.00 | 150 | 160 | -51.19 | |
| * | 168.3166 | -87.94 | peak | 23.92 | -64.02 | -13.00 | 150 | 20 | -51.02 | |

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2017/8/17

Temperature:24 °C

-10.0 dBm

Time: 上午 10:14:13

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 10M CH23095

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| * | 42.6051 | -85.59 | peak | 23.22 | -62.37 | -13.00 | 150 | 130 | -49.37 | |
| | 94.0480 | -88.85 | peak | 24.00 | -64.85 | -13.00 | 150 | 120 | -51.85 | |

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 03:48:04

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 10M CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 735.4710 | -83.89 | peak | 35.63 | -48.26 | -13.00 | 150 | 20 | -35.26 | |
| * | 913.4270 | -85.44 | peak | 38.86 | -46.58 | -13.00 | 150 | 100 | -33.58 | |



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2017/8/16

Temperature:24 °C

-10.0 dBm

Time: 下午 04:45:43

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 10M CH23095

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 353.9078 | -87.14 | peak | 34.94 | -52.20 | -13.00 | 150 | 140 | -39.20 | |
| * | 894.1884 | -85.80 | peak | 38.81 | -46.99 | -13.00 | 150 | 200 | -33.99 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 上午 11:35:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 10M CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 1420.842 | -54.93 | peak | 0.80 | -54.13 | -13.00 | 150 | 140 | -41.13 | |
| * | 2454.910 | -51.00 | peak | 8.42 | -42.58 | -13.00 | 150 | 90 | -29.58 | |

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 上午 11:39:24

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 10M CH23095

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
| | 1769.539 | -51.42 | peak | 3.12 | -48.30 | -13.00 | 150 | 200 | -35.30 | |
| * | 2448.898 | -50.02 | peak | 8.83 | -41.19 | -13.00 | 150 | 140 | -28.19 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 上午 11:36:24

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 10M CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 上午 11:40:05

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 10M CH23095

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 上午 11:37:17

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 10M CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2017/8/2

Temperature:24 °C

-10.0 dBm

Time: 上午 11:40:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21706-17098

M/N: 1RB 0

Test Mode : LTE BAND12 QPSK 10M CH23095

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|
|-----|-----------------|---------------|----------|-------------------|--------------|-------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/19

Temperature:24 °C

80.0 dBuV/m

Time: 下午 01:42:28

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 37.7756 | 30.33 | peak | -9.18 | 21.15 | 40.00 | 100 | 60 | -18.85 | |
| | 61.1022 | 31.15 | peak | -12.26 | 18.89 | 40.00 | 100 | 220 | -21.11 | |
| | 101.9238 | 33.74 | peak | -9.63 | 24.11 | 43.50 | 100 | 145 | -19.39 | |
| * | 307.9760 | 41.24 | peak | -5.72 | 35.52 | 46.00 | 100 | 95 | -10.48 | |



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/19

Temperature:24 °C

80.0 dBuV/m

Time: 下午 01:56:21

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| * | 37.7756 | 43.93 | peak | -9.18 | 34.75 | 40.00 | 100 | 175 | -5.25 | |
| | 61.1022 | 45.47 | peak | -12.26 | 33.21 | 40.00 | 100 | 90 | -6.79 | |
| | 99.9800 | 38.55 | peak | -10.12 | 28.43 | 43.50 | 100 | 220 | -15.07 | |
| | 134.9700 | 28.26 | peak | -6.75 | 21.51 | 43.50 | 100 | 135 | -21.99 | |



Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/18

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:16:11

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 1294.589 | 42.71 | peak | -9.20 | 33.51 | 74.00 | 150 | 95 | -40.49 | |
| * | 3146.293 | 42.70 | peak | -2.63 | 40.07 | 74.00 | 150 | 60 | -33.93 | |



Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/18

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:17:05

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 1561.122 | 43.78 | peak | -8.45 | 35.33 | 74.00 | 150 | 225 | -38.67 | |
| * | 3146.293 | 41.88 | peak | -2.63 | 39.25 | 74.00 | 150 | 90 | -34.75 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/18

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:16:23

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/18

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:17:17

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/18

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:16:47

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/18

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:17:42

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/18

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:16:58

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/18

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:17:51

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/19

Temperature:24 °C

80.0 dBuV/m

Time: 下午 01:44:17

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 61.1022 | 31.74 | peak | -12.26 | 19.48 | 40.00 | 100 | 175 | -20.52 | |
| | 96.0922 | 35.86 | peak | -11.55 | 24.31 | 43.50 | 100 | 80 | -19.19 | |
| * | 311.8637 | 35.94 | peak | -5.61 | 30.33 | 46.00 | 100 | 235 | -15.67 | |
| | 634.5490 | 28.76 | peak | -0.72 | 28.04 | 46.00 | 100 | 160 | -17.96 | |



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/19

Temperature:24 °C

80.0 dBuV/m

Time: 下午 01:57:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| * | 37.7756 | 44.19 | peak | -9.18 | 35.01 | 40.00 | 100 | 75 | -4.99 | |
| | 59.1583 | 45.06 | peak | -11.95 | 33.11 | 40.00 | 100 | 90 | -6.89 | |
| | 96.0922 | 40.77 | peak | -11.55 | 29.22 | 43.50 | 100 | 135 | -14.28 | |
| | 133.0261 | 28.13 | peak | -6.71 | 21.42 | 43.50 | 100 | 120 | -22.08 | |



Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/18

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:19:09

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 1561.122 | 43.11 | peak | -8.45 | 34.66 | 74.00 | 150 | 175 | -39.34 | |
| * | 3272.545 | 42.40 | peak | -2.35 | 40.05 | 74.00 | 150 | 40 | -33.95 | |



Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/18

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:20:03

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 1561.122 | 42.92 | peak | -8.45 | 34.47 | 74.00 | 150 | 95 | -39.53 | |
| * | 4478.958 | 42.98 | peak | -0.08 | 42.90 | 74.00 | 150 | 230 | -31.10 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/18

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:19:21

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/18

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:20:16

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/18

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:19:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/18

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:20:40

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/19

Temperature:24 °C

80.0 dBuV/m

Time: 下午 01:45:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 43.6072 | 29.40 | peak | -9.80 | 19.60 | 40.00 | 100 | 90 | -20.40 | |
| | 99.9800 | 34.45 | peak | -10.12 | 24.33 | 43.50 | 100 | 155 | -19.17 | |
| * | 311.8637 | 35.40 | peak | -5.61 | 29.79 | 46.00 | 100 | 230 | -16.21 | |
| | 414.8898 | 29.15 | peak | -3.39 | 25.76 | 46.00 | 100 | 60 | -20.24 | |



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/19

Temperature:24 °C

80.0 dBuV/m

Time: 下午 01:59:27

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| * | 37.7756 | 44.05 | peak | -9.18 | 34.87 | 40.00 | 100 | 310 | -5.13 | |
| | 59.1583 | 45.81 | peak | -11.95 | 33.86 | 40.00 | 100 | 40 | -6.14 | |
| | 96.0922 | 41.17 | peak | -11.55 | 29.62 | 43.50 | 100 | 150 | -13.88 | |
| | 134.9700 | 29.20 | peak | -6.75 | 22.45 | 43.50 | 100 | 170 | -21.05 | |



Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/18

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:24:40

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 1533.066 | 46.36 | peak | -8.70 | 37.66 | 74.00 | 150 | 90 | -36.34 | |
| * | 2430.862 | 48.55 | peak | -4.25 | 44.30 | 74.00 | 150 | 75 | -29.70 | |



Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/18

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:27:20

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 2430.862 | 45.06 | peak | -4.25 | 40.81 | 74.00 | 150 | 245 | -33.19 | |
| * | 4464.930 | 42.70 | peak | -0.15 | 42.55 | 74.00 | 150 | 190 | -31.45 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/18

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:28:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/18

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:28:57

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/19

Temperature:24 °C

80.0 dBuV/m

Time: 下午 01:35:26

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 33.8878 | 27.65 | peak | -8.63 | 19.02 | 40.00 | 100 | 230 | -20.98 | |
| | 61.1022 | 32.48 | peak | -12.26 | 20.22 | 40.00 | 100 | 90 | -19.78 | |
| | 99.9800 | 35.04 | peak | -10.12 | 24.92 | 43.50 | 100 | 155 | -18.58 | |
| * | 311.8637 | 35.80 | peak | -5.61 | 30.19 | 46.00 | 100 | 170 | -15.81 | |



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/19

Temperature:24 °C

80.0 dBuV/m

Time: 下午 01:47:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| * | 37.7756 | 43.22 | peak | -9.18 | 34.04 | 40.00 | 100 | 175 | -5.96 | |
| | 61.1022 | 44.67 | peak | -12.26 | 32.41 | 40.00 | 100 | 90 | -7.59 | |
| | 99.9800 | 38.96 | peak | -10.12 | 28.84 | 43.50 | 100 | 230 | -14.66 | |
| | 407.1142 | 29.71 | peak | -3.48 | 26.23 | 46.00 | 100 | 160 | -19.77 | |



Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/18

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:31:46

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 1561.122 | 43.83 | peak | -8.45 | 35.38 | 74.00 | 150 | 85 | -38.62 | |
| * | 2430.862 | 44.66 | peak | -4.25 | 40.41 | 74.00 | 150 | 60 | -33.59 | |



Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/18

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:32:40

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21706-17098

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 1659.319 | 43.87 | peak | -7.68 | 36.19 | 74.00 | 150 | 40 | -37.81 | |
| * | 7018.036 | 41.89 | peak | 5.11 | 47.00 | 74.00 | 150 | 175 | -27.00 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/18

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:31:58

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/18

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:32:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/18

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:32:22

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/18

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:33:16

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/18

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:32:33

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#8


Date: 2017/7/18

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:33:26

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/19

Temperature:24 °C

80.0 dBuV/m

Time: 下午 01:37:57

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 37.7756 | 29.07 | peak | -9.18 | 19.89 | 40.00 | 100 | 85 | -20.11 | |
| | 61.1022 | 32.27 | peak | -12.26 | 20.01 | 40.00 | 100 | 240 | -19.99 | |
| | 99.9800 | 34.29 | peak | -10.12 | 24.17 | 43.50 | 100 | 190 | -19.33 | |
| * | 323.5271 | 35.63 | peak | -5.30 | 30.33 | 46.00 | 100 | 160 | -15.67 | |



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/19

Temperature:24 °C

80.0 dBuV/m

Time: 下午 01:48:55

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| * | 37.7756 | 43.57 | peak | -9.18 | 34.39 | 40.00 | 100 | 155 | -5.61 | |
| | 61.1022 | 45.10 | peak | -12.26 | 32.84 | 40.00 | 100 | 240 | -7.16 | |
| | 99.9800 | 39.42 | peak | -10.12 | 29.30 | 43.50 | 100 | 190 | -14.20 | |
| | 152.4648 | 29.45 | peak | -8.17 | 21.28 | 43.50 | 100 | 130 | -22.22 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/18

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:36:56

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| * | 2430.862 | 49.12 | peak | -4.25 | 44.87 | 74.00 | 150 | 220 | -29.13 | |
| | 6120.240 | 40.99 | peak | 3.30 | 44.29 | 74.00 | 150 | 135 | -29.71 | |

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/18

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:37:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 1561.122 | 43.22 | peak | -8.45 | 34.77 | 74.00 | 150 | 85 | -39.23 | |
| * | 4464.930 | 42.19 | peak | -0.15 | 42.04 | 74.00 | 150 | 135 | -31.96 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/18

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:37:08

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#6


Date: 2017/7/18

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:38:03

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/18

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:37:32

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#7


Date: 2017/7/18

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:38:27

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/19

Temperature:24 °C

80.0 dBuV/m

Time: 下午 01:39:22

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 63.0461 | 32.22 | peak | -12.59 | 19.63 | 40.00 | 100 | 75 | -20.37 | |
| | 101.9238 | 33.41 | peak | -9.63 | 23.78 | 43.50 | 100 | 90 | -19.72 | |
| * | 323.5271 | 35.30 | peak | -5.30 | 30.00 | 46.00 | 100 | 230 | -16.00 | |
| | 428.4970 | 28.48 | peak | -3.31 | 25.17 | 46.00 | 100 | 160 | -20.83 | |



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/19

Temperature:24 °C

80.0 dBuV/m

Time: 下午 01:50:01

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| * | 37.7756 | 43.17 | peak | -9.18 | 33.99 | 40.00 | 100 | 175 | -6.01 | |
| | 59.1583 | 45.29 | peak | -11.95 | 33.34 | 40.00 | 100 | 90 | -6.66 | |
| | 99.9800 | 39.31 | peak | -10.12 | 29.19 | 43.50 | 100 | 130 | -14.31 | |
| | 134.9700 | 28.55 | peak | -6.75 | 21.80 | 43.50 | 100 | 150 | -21.70 | |



Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/18

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:40:04

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 1673.347 | 42.82 | peak | -7.58 | 35.24 | 74.00 | 150 | 95 | -38.76 | |
| * | 4044.088 | 42.41 | peak | -0.91 | 41.50 | 74.00 | 150 | 230 | -32.50 | |



Radiated Emission Measurement

Operator: Leon

File :3

Data :#4


Date: 2017/7/18

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:40:25

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21706-17098

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 1575.150 | 43.16 | peak | -8.32 | 34.84 | 74.00 | 150 | 175 | -39.16 | |
| * | 3819.639 | 42.10 | peak | -1.47 | 40.63 | 74.00 | 150 | 80 | -33.37 | |



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#3


Date: 2017/7/18

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:40:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3

Data :#5


Date: 2017/7/18

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:41:13

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/7/19

Temperature:24 °C

80.0 dBuV/m

Time: 下午 01:40:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 12 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 61.1022 | 31.60 | peak | -12.26 | 19.34 | 40.00 | 100 | 90 | -20.66 | |
| | 101.9238 | 34.21 | peak | -9.63 | 24.58 | 43.50 | 100 | 155 | -18.92 | |
| * | 311.8637 | 36.31 | peak | -5.61 | 30.70 | 46.00 | 100 | 240 | -15.30 | |
| | 323.5271 | 36.00 | peak | -5.30 | 30.70 | 46.00 | 100 | 170 | -15.30 | |



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/7/19

Temperature:24 °C

80.0 dBuV/m

Time: 下午 01:53:08

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M21706-17098

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| * | 37.7756 | 44.44 | peak | -9.18 | 35.26 | 40.00 | 100 | 250 | -4.74 | |
| | 59.1583 | 45.62 | peak | -11.95 | 33.67 | 40.00 | 100 | 310 | -6.33 | |
| | 99.9800 | 39.01 | peak | -10.12 | 28.89 | 43.50 | 100 | 40 | -14.61 | |
| | 133.0261 | 27.72 | peak | -6.71 | 21.01 | 43.50 | 100 | 110 | -22.49 | |



Radiated Emission Measurement

Operator: Leon

File :3

Data :#1


Date: 2017/7/18

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:43:43

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 12 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 1561.122 | 42.84 | peak | -8.45 | 34.39 | 74.00 | 150 | 85 | -39.61 | |
| * | 4044.088 | 42.88 | peak | -0.91 | 41.97 | 74.00 | 150 | 230 | -32.03 | |



Radiated Emission Measurement

Operator: Leon

File :3

Data :#2


Date: 2017/7/18

Temperature:24 °C

90.0 dBuV/m

Time: 下午 05:44:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21706-17098

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 12 Idle

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|-----|-----------------|----------------|----------|---------------------|-----------------|----------------|--------------|----------------|-------------|---------|
| | 1575.150 | 43.46 | peak | -8.32 | 35.14 | 74.00 | 150 | 245 | -38.86 | |
| * | 3496.994 | 42.78 | peak | -2.37 | 40.41 | 74.00 | 150 | 170 | -33.59 | |