



Report Number: W6M21710-17467-P-2224
FCC ID: GX9HSGW3G

Appendix

Measurement diagrams

1. RF Power Output
2. Filed Strength of Spurious Emission



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement


Operator: Rick

File :power
 40.0 dBm

Data :#1

Date: 2017/11/17
 Time: 下午 01:56:03

Temperature:24 °C
 Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21710-17467

M/N:

Test Mode : GSM850 CH128

Note :

Polarization: *Horizontal*

Power : %&\$JUW

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	824.1350	-15.84	peak	35.96	20.12	38.45	150	60	-18.33	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement


Operator: Rick

File :power
 40.0 dBm

Data :#2

Date: 2017/11/17
 Time: 下午 01:58:54

Temperature:24 °C
 Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21710-17467

M/N:

Test Mode : GSM850 CH128

Note :

Polarization: *Vertical*

Power : %\$JUW

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	824.2711	-15.34	peak	35.91	20.57	38.45	150	230	-17.88	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement


Operator: Rick

File :power
 40.0 dBm

Data :#2

Date: 2017/11/17
 Time: 下午 02:03:09

Temperature:24 °C
 Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21710-17467

M/N:

Test Mode : GSM850 CH188

Note :

Polarization: *Horizontal*

Power : %&\$JUW

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	836.1290	-17.44	peak	36.18	18.74	38.45	150	200	-19.71	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement


Operator: Rick

File :power
 40.0 dBm

Data :#1

Date: 2017/11/17
 Time: 下午 02:01:05

Temperature:24 °C
 Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21710-17467

M/N:

Test Mode : GSM850 CH188

Note :

Polarization: *Vertical*

Power : %&\$JUW

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	836.2631	-14.46	peak	36.31	21.85	38.45	150		-16.60	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement


Operator: Rick

File :power
 40.0 dBm

Data :#1

Date: 2017/11/17
 Time: 下午 02:05:38

Temperature:24 °C
 Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21710-17467

M/N:

Test Mode : GSM850 CH251

Note :

Polarization: *Horizontal*

Power : %&\$JUW

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	848.7390	-20.78	peak	36.41	15.63	38.45	150	210	-22.82	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement


Operator: Rick

File :power
 40.0 dBm

Data :#2

Date: 2017/11/17
 Time: 下午 02:07:32

Temperature:24 °C
 Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21710-17467

M/N:

Test Mode : GSM850 CH251

Note :

Polarization: *Vertical*

Power : %&\$JUW

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	848.8631	-15.57	peak	36.73	21.16	38.45	150	70	-17.29	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement


Operator: Rick

File :power
 40.0 dBm

Data :#1

Date: 2017/11/17
 Time: 上午 10:59:33

Temperature:24 °C
 Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21710-17467

M/N:

Test Mode : PCS1900 CH512

Note :

Polarization: *Horizontal*

Power : %&\$JUW

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1850.118	-17.47	peak	43.63	26.16	33.00	150	200	-6.84	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement


Operator: Rick

File :power
 40.0 dBm

Data :#2

Date: 2017/11/17
 Time: 上午 11:00:56

Temperature:24 °C
 Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21710-17467

M/N:

Test Mode : PCS1900 CH512

Note :

Polarization: *Vertical*

Power : %&\$JUW

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1850.134	-23.51	peak	46.41	22.90	33.00	150	130	-10.10	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement


Operator: Rick

File :power
 40.0 dBm

Data :#1

Date: 2017/11/17
 Time: 上午 11:05:49

Temperature:24 °C
 Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21710-17467

M/N:

Test Mode : PCS1900 CH661

Note :

Polarization: *Horizontal*

Power : %&\$JUW

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1879.922	-19.28	peak	43.90	24.62	33.00	150	300	-8.38	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement


Operator: Rick

File :power
 40.0 dBm

Data :#2

Date: 2017/11/17
 Time: 上午 11:07:21

Temperature:24 °C
 Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21710-17467

M/N:

Test Mode : PCS1900 CH661

Note :

Polarization: *Vertical*

Power : %&\$JUW

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1879.918	-22.59	peak	46.54	23.95	33.00	150	70	-9.05	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement


Operator: Rick

File :power
 40.0 dBm

Data :#1

Date: 2017/11/17
 Time: 上午 11:13:17

Temperature:24 °C
 Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21710-17467

M/N:

Test Mode : PCS1900 CH810

Note :

Polarization: *Horizontal*

Power : %&\$JUW

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1909.862	-17.74	peak	44.17	26.43	33.00	150	110	-6.57	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement


Operator: Rick

File :power
 40.0 dBm

Data :#2

Date: 2017/11/17
 Time: 上午 11:10:05

Temperature:24 °C
 Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21710-17467

M/N:

Test Mode : PCS1900 CH810

Note :

Polarization: *Vertical*

Power : %&\$JUW

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1909.866	-22.67	peak	46.66	23.99	33.00	150	50	-9.01	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement


Operator: Rick

File :power
 40.0 dBm

Data :#1

Date: 2017/11/17
 Time: 上午 11:25:59

Temperature:24 °C
 Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA II CH9262

Note :

Polarization: *Horizontal*

Power : %&\$JUW

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1851.298	-21.51	peak	43.64	22.13	33.00	150	300	-10.87	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement


Operator: Rick

File :power
 40.0 dBm

Data :#2

Date: 2017/11/17
 Time: 上午 11:28:56

Temperature:24 °C
 Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA II CH9262

Note :

Polarization: *Vertical*

Power : %&\$JUW

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1851.538	-25.84	peak	46.42	20.58	33.00	150	70	-12.42	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement


Operator: Rick

File :power
 40.0 dBm

Data :#2

Date: 2017/11/17
 Time: 上午 11:36:56

Temperature:24 °C
 Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA II CH9400

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1879.098	-21.88	peak	43.89	22.01	33.00	150	210	-10.99	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement


Operator: Rick

File :power
 40.0 dBm

Data :#1

Date: 2017/11/17
 Time: 上午 11:33:18

Temperature:24 °C
 Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA II CH9400

Note :

Polarization: *Vertical*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1879.499	-24.57	peak	46.54	21.97	33.00	150	60	-11.03	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement


Operator: Rick

File :power
 40.0 dBm

Data :#1

Date: 2017/11/17
 Time: 上午 11:39:55

Temperature:24 °C
 Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA II CH9538

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1906.939	-22.82	peak	44.14	21.32	33.00	150	100	-11.68	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement


Operator: Rick

File :power
 40.0 dBm

Data :#2

Date: 2017/11/17
 Time: 上午 11:42:11

Temperature:24 °C
 Humidity:60 %



Site : Chamber

Condition : FCC_part 24 POWER

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA II CH9538

Note :

Polarization: **Vertical**

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1906.618	-24.64	peak	46.65	22.01	33.00	150	60	-10.99	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement


Operator: Rick

File :power
 40.0 dBm

Data :#1

Date: 2017/11/17
 Time: 上午 11:48:35

Temperature:24 °C
 Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA V CH4132

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	826.0191	-19.97	peak	35.99	16.02	38.45	150	80	-22.43	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement


Operator: Rick

File :power
 40.0 dBm

Data :#2

Date: 2017/11/17
 Time: 上午 11:51:58

Temperature:24 °C
 Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA V CH4132

Note :

Polarization: **Vertical**

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	827.5022	-20.47	peak	36.01	15.54	38.45	150	60	-22.91	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement


Operator: Rick

File :power
 40.0 dBm

Data :#2

Date: 2017/11/17
 Time: 上午 11:57:10

Temperature:24 °C
 Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA V CH4183

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	836.1792	-23.81	peak	36.18	12.37	38.45	150	80	-26.08	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement


Operator: Rick

File :power
 40.0 dBm

Data :#1

Date: 2017/11/17
 Time: 上午 11:54:49

Temperature:24 °C
 Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA V CH4183

Note :

Polarization: *Vertical*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	836.0188	-20.22	peak	36.30	16.08	38.45	150	70	-22.37	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement


Operator: Rick

File :power
 40.0 dBm

Data :#1

Date: 2017/11/17
 Time: 上午 11:58:46

Temperature:24 °C
 Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA V CH4233

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	845.5780	-26.78	peak	36.35	9.57	38.45	150	330	-28.88	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement


Operator: Rick

File :power
 40.0 dBm

Data :#2

Date: 2017/11/17
 Time: 下午 12:00:45

Temperature:24 °C
 Humidity:60 %



Site : Chamber

Condition : FCC_part 22 POWER

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA V CH4233

Note :

Polarization: **Vertical**

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	846.0188	-21.57	peak	36.64	15.07	38.45	150	250	-23.38	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Rick

File :1

Data :#1


Date: 2017/10/25

Temperature:24 °C

5.0 dBm

Time: 下午 03:04:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Horizontal*

EUT : W6M21710-17467

Power : %&\$VU.c

M/N:

Distance: 3m

Test Mode : GSM850 CH128

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	108.6974	-102.27	peak	20.99	-81.28	-13.00	150	116	-68.28	
*	162.1844	-102.30	peak	21.38	-80.92	-13.00	150	98	-67.92	



Radiated Emission Measurement

Operator: Rick

File :1

Data :#2


Date: 2017/10/25

Temperature:24 °C

5.0 dBm

Time: 下午 03:17:34

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: **Vertical**

EUT : W6M21710-17467

Power : 120Va.c

M/N:

Distance: 3m

Test Mode : GSM850 CH128

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	93.3667	-102.82	peak	21.72	-81.10	-13.00	150	103	-68.10	
*	177.1743	-102.71	peak	22.44	-80.27	-13.00	150	88	-67.27	



Radiated Emission Measurement

Operator: Rick

File :2

Data :#1


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 下午 02:05:37

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : GSM850 CH128

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	434.0681	-67.63	peak	-7.90	-75.53	-13.00	150	100	-62.53	
*	618.4370	-57.44	peak	-2.62	-60.06	-13.00	150	230	-47.06	



Radiated Emission Measurement

Operator: Rick

File :2

Data :#2


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 下午 02:08:21

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : GSM850 CH128

Note :

Polarization: **Vertical**

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	310.6212	-67.70	peak	-5.74	-73.44	-13.00	150	120	-60.44	
*	618.4370	-51.68	peak	-3.01	-54.69	-13.00	150	300	-41.69	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#1


Date: 2017/10/23

Temperature:24 °C

-10.0 dBm

Time: 下午 04:59:53

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : GSM850 CH128

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1649.299	-49.84	peak	0.94	-48.90	-13.00	150	300	-35.90	
	3567.134	-61.07	peak	9.54	-51.53	-13.00	150	20	-38.53	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Rick

File :3

Data :#4


Date: 2017/10/23

Temperature:24 °C

-10.0 dBm

Time: 下午 06:03:21

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : GSM850 CH128

Note :

Polarization: **Vertical**

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1649.299	-53.14	peak	2.67	-50.47	-13.00	150	100	-37.47	
*	2472.946	-54.39	peak	7.41	-46.98	-13.00	150	250	-33.98	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#2


Date: 2017/10/23

Temperature:24 °C

-10.0 dBm

Time: 下午 05:02:01

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : GSM850 CH128

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#5


Date: 2017/10/23

Temperature:24 °C

-10.0 dBm

Time: 下午 06:04:13

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : GSM850 CH128

Note :

Polarization: *Vertical*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#3


Date: 2017/10/23

Temperature:24 °C

-10.0 dBm

Time: 下午 05:04:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : GSM850 CH128

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#6


Date: 2017/10/23

Temperature:24 °C

-10.0 dBm

Time: 下午 06:05:58

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : GSM850 CH128

Note :

Polarization: *Vertical*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :1

Data :#1


Date: 2017/10/25

Temperature:24 °C

5.0 dBm

Time: 下午 03:06:09

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Horizontal*

EUT : W6M21710-17467

Power : 120Va.c

M/N:

Distance: 3m

Test Mode : GSM850 CH188

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	70.2004	-102.62	peak	21.50	-81.12	-13.00	150	115	-68.12	
	104.6092	-102.96	peak	21.28	-81.68	-13.00	150	65	-68.68	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :1

Data :#2


Date: 2017/10/25

Temperature:24 °C

5.0 dBm

Time: 下午 03:18:41

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : GSM850 CH188

Note :

Polarization: **Vertical**

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	151.2826	-102.48	peak	21.16	-81.32	-13.00	150	116	-68.32	
*	178.8778	-102.90	peak	22.49	-80.41	-13.00	150	89	-67.41	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :2

Data :#1


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 下午 02:21:32

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : GSM850 CH188

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	382.7654	-64.98	peak	-8.31	-73.29	-13.00	150	230	-60.29	
*	628.0561	-57.88	peak	-1.98	-59.86	-13.00	150	70	-46.86	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Rick

File :2

Data :#2


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 下午 02:22:48

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : GSM850 CH188

Note :

Polarization: **Vertical**

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	312.2243	-63.09	peak	-5.79	-68.88	-13.00	150	100	-55.88	
*	626.4530	-49.32	peak	-2.83	-52.15	-13.00	150	230	-39.15	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#1


Date: 2017/10/23

Temperature:24 °C

-10.0 dBm

Time: 下午 05:07:18

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

Polarization: *Horizontal*

EUT : W6M21710-17467

Power : 120Va.c

M/N:

Distance: 3m

Test Mode : GSM850 CH188

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1042.084	-51.40	peak	0.00	-51.40	-13.00	150	100	-38.40	
*	1673.347	-50.50	peak	1.10	-49.40	-13.00	150	230	-36.40	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Rick

File :3

Data :#4


Date: 2017/10/23

Temperature:24 °C

-10.0 dBm

Time: 下午 05:59:12

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : GSM850 CH188

Note :

Polarization: **Vertical**

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1042.084	-54.54	peak	0.51	-54.03	-13.00	150	220	-41.03	
*	1745.491	-52.78	peak	3.16	-49.62	-13.00	150	170	-36.62	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#2


Date: 2017/10/23

Temperature:24 °C

-10.0 dBm

Time: 下午 05:08:43

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : GSM850 CH188

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#5


Date: 2017/10/23

Temperature:24 °C

-10.0 dBm

Time: 下午 06:00:15

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : GSM850 CH188

Note :

Polarization: *Vertical*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#3


Date: 2017/10/23

Temperature:24 °C

-10.0 dBm

Time: 下午 05:09:29

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : GSM850 CH188

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#6


Date: 2017/10/23

Temperature:24 °C

-10.0 dBm

Time: 下午 06:01:01

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : GSM850 CH188

Note :

Polarization: *Vertical*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Rick

File :1

Data :#1


Date: 2017/10/25

Temperature:24 °C

5.0 dBm

Time: 下午 03:07:48

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : GSM850 CH251

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	61.6834	-103.00	peak	21.74	-81.26	-13.00	150	225	-68.26	
*	99.4990	-102.31	peak	21.56	-80.75	-13.00	150	87	-67.75	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :1

Data :#2


Date: 2017/10/25

Temperature:24 °C

5.0 dBm

Time: 下午 03:19:32

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : GSM850 CH251

Note :

Polarization: **Vertical**

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	157.0741	-102.31	peak	21.70	-80.61	-13.00	150	200	-67.61	
*	179.5591	-102.48	peak	22.51	-79.97	-13.00	150	85	-66.97	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Rick

File :2

Data :#1


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 下午 02:25:07

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : GSM850 CH251

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	636.0720	-57.18	peak	-1.44	-58.62	-13.00	150	100	-45.62	
*	958.3165	-56.05	peak	-0.86	-56.91	-13.00	150	230	-43.91	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :2

Data :#2


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 下午 02:26:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : GSM850 CH251

Note :

Polarization: **Vertical**

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	310.6212	-66.26	peak	-5.74	-72.00	-13.00	150	110	-59.00	
*	636.0721	-48.69	peak	-2.61	-51.30	-13.00	150	250	-38.30	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Rick

File :3

Data :#2


Date: 2017/10/23

Temperature:24 °C

-10.0 dBm

Time: 下午 05:16:34

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : GSM850 CH251

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1697.395	-51.85	peak	1.26	-50.59	-13.00	150	80	-37.59	
*	2545.090	-48.50	peak	6.06	-42.44	-13.00	150	210	-29.44	



Radiated Emission Measurement

Operator: Rick

File :3

Data :#5


Date: 2017/10/23

Temperature:24 °C

-10.0 dBm

Time: 下午 05:39:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : GSM850 CH251

Note :

Polarization: **Vertical**

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1721.443	-52.27	peak	3.04	-49.23	-13.00	150	230	-36.23	
*	2545.090	-47.93	peak	7.55	-40.38	-13.00	150	100	-27.38	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#3


Date: 2017/10/23

Temperature:24 °C

-10.0 dBm

Time: 下午 05:17:23

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : GSM850 CH251

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#6


Date: 2017/10/23

Temperature:24 °C

-10.0 dBm

Time: 下午 05:56:08

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : GSM850 CH251

Note :

Polarization: *Vertical*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#4


Date: 2017/10/23

Temperature:24 °C

-10.0 dBm

Time: 下午 05:23:08

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : GSM850 CH251

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#7


Date: 2017/10/23

Temperature:24 °C

-10.0 dBm

Time: 下午 05:56:55

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : GSM850 CH251

Note :

Polarization: *Vertical*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :1

Data :#1


Date: 2017/10/25

Temperature:24 °C

5.0 dBm

Time: 下午 03:09:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21710-17467

Power : 120Va.c

M/N:

Distance: 3m

Test Mode : PCS1900 CH512

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	99.8397	-102.70	peak	21.59	-81.11	-13.00	150	122	-68.11	
*	156.0520	-101.85	peak	21.12	-80.73	-13.00	150	32	-67.73	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :1

Data :#2


Date: 2017/10/25

Temperature:24 °C

5.0 dBm

Time: 下午 03:22:18

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : PCS1900 CH512

Note :

Polarization: **Vertical**

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	153.3267	-102.18	peak	21.35	-80.83	-13.00	150	163	-67.83	
*	184.3287	-102.20	peak	22.31	-79.89	-13.00	150	85	-66.89	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Rick

File :2

Data :#1


Date: 2017/10/25

Temperature:24 °C

0.0 dBm

Time: 下午 02:32:08

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : PCS1900 CH512

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	571.9437	-65.19	peak	-6.89	-72.08	-13.00	150	300	-59.08	
	676.1523	-64.19	peak	-2.62	-66.81	-13.00	150	153	-53.81	
*	926.2525	-62.46	peak	-2.21	-64.67	-13.00	150	85	-51.67	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :2

Data :#2


Date: 2017/10/25

Temperature:24 °C

0.0 dBm

Time: 下午 02:39:12

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : PCS1900 CH512

Note :

Polarization: **Vertical**

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	299.3987	-68.79	peak	-7.65	-76.44	-13.00	150	170	-63.44	
	716.2325	-66.01	peak	-3.31	-69.32	-13.00	150	82	-56.32	
*	958.3166	-61.35	peak	-2.89	-64.24	-13.00	150	145	-51.24	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#1


Date: 2017/10/23

Temperature:24 °C

-10.0 dBm

Time: 下午 06:21:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21710-17467

Power : 120Va.c

M/N:

Distance: 3m

Test Mode : PCS1900 CH512

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3476.954	-60.56	peak	9.34	-51.22	-13.00	150	220	-38.22	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#6


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 10:27:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : PCS1900 CH512

Note :

Polarization: **Vertical**

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3494.990	-61.31	peak	9.81	-51.50	-13.00	150	300	-38.50	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#2


Date: 2017/10/23

Temperature:24 °C

-10.0 dBm

Time: 下午 06:22:15

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : PCS1900 CH512

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#7


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 10:28:57

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : PCS1900 CH512

Note :

Polarization: *Vertical*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#3


Date: 2017/10/23

Temperature:24 °C

-10.0 dBm

Time: 下午 06:23:33

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : PCS1900 CH512

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#8


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 10:29:44

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : PCS1900 CH512

Note :

Polarization: **Vertical**

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#4


Date: 2017/10/23

Temperature:24 °C

-10.0 dBm

Time: 下午 06:23:46

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21710-17467

Power : 120Va.c

M/N:

Distance: 3m

Test Mode : PCS1900 CH512

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#9


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 10:29:56

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : PCS1900 CH512

Note :

Polarization: *Vertical*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#5


Date: 2017/10/23

Temperature:24 °C

-10.0 dBm

Time: 下午 06:23:58

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : PCS1900 CH512

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#10


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 10:30:08

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21710-17467

Power : 120Va.c

M/N:

Distance: 3m

Test Mode : PCS1900 CH512

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Rick

File :1

Data :#1


Date: 2017/10/25

Temperature:24 °C

5.0 dBm

Time: 下午 03:11:48

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21710-17467

Power : 120Va.c

M/N:

Distance: 3m

Test Mode : PCS1900 CH661

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	61.3427	-102.82	peak	21.75	-81.07	-13.00	150	152	-68.07	
	100.8617	-102.68	peak	21.54	-81.14	-13.00	150	65	-68.14	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :1

Data :#2


Date: 2017/10/25

Temperature:24 °C

5.0 dBm

Time: 下午 03:23:29

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : PCS1900 CH661

Note :

Polarization: **Vertical**

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	46.6934	-99.54	peak	21.13	-78.41	-13.00	150	163	-65.41	
	187.3948	-101.26	peak	22.16	-79.10	-13.00	150	85	-66.10	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Rick

File :2

Data :#1


Date: 2017/10/25

Temperature:24 °C

0.0 dBm

Time: 下午 02:33:22

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : PCS1900 CH661

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	624.8496	-66.89	peak	-4.34	-71.23	-13.00	150	70	-58.23	
	676.1523	-64.20	peak	-2.62	-66.82	-13.00	150	100	-53.82	
*	926.2525	-63.61	peak	-2.21	-65.82	-13.00	150	178	-52.82	



Radiated Emission Measurement

Operator: Rick

File :2

Data :#2


Date: 2017/10/25

Temperature:24 °C

0.0 dBm

Time: 下午 02:38:08

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : PCS1900 CH661

Note :

Polarization: **Vertical**

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	294.5892	-69.02	peak	-8.11	-77.13	-13.00	150	300	-64.13	
	716.2325	-65.92	peak	-3.31	-69.23	-13.00	150	102	-56.23	
*	955.1102	-65.62	peak	-2.90	-68.52	-13.00	150	330	-55.52	



Radiated Emission Measurement

Operator: Rick

File :3

Data :#1


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 10:03:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21710-17467

Power : 120Va.c

M/N:

Distance: 3m

Test Mode : PCS1900 CH661

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3633.267	-61.89	peak	9.63	-52.26	-13.00	150	70	-39.26	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#6


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 10:21:01

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: **Vertical**

EUT : W6M21710-17467

Power : 120Va.c

M/N:

Distance: 3m

Test Mode : PCS1900 CH661

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3633.267	-60.83	peak	9.72	-51.11	-13.00	150	60	-38.11	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#2


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 10:04:23

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : PCS1900 CH661

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#7


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 10:23:14

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : PCS1900 CH661

Note :

Polarization: *Vertical*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#3


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 10:05:18

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : PCS1900 CH661

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#8


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 10:23:58

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : PCS1900 CH661

Note :

Polarization: *Vertical*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#4


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 10:05:31

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : PCS1900 CH661

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#9


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 10:24:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : PCS1900 CH661

Note :

Polarization: *Vertical*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#5


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 10:05:43

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : PCS1900 CH661

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#10


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 10:24:22

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21710-17467

Power : 120Va.c

M/N:

Distance: 3m

Test Mode : PCS1900 CH661

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :1

Data :#1


Date: 2017/10/25

Temperature:24 °C

5.0 dBm

Time: 下午 03:14:29

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : PCS1900 CH810

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	101.2023	-102.27	peak	21.52	-80.75	-13.00	150	118	-67.75	
*	185.3507	-101.29	peak	21.57	-79.72	-13.00	150	78	-66.72	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :1

Data :#2


Date: 2017/10/25

Temperature:24 °C

5.0 dBm

Time: 下午 03:24:40

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: **Vertical**

EUT : W6M21710-17467

Power : 120Va.c

M/N:

Distance: 3m

Test Mode : PCS1900 CH810

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	111.4228	-101.83	peak	21.18	-80.65	-13.00	150	117	-67.65	
	159.4590	-102.84	peak	21.93	-80.91	-13.00	150	85	-67.91	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Rick

File :2

Data :#1


Date: 2017/10/25

Temperature:24 °C

0.0 dBm

Time: 下午 02:34:23

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : PCS1900 CH810

Note :

Polarization: **Horizontal**

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	624.8496	-68.26	peak	-4.34	-72.60	-13.00	150	170	-59.60	
	716.2325	-62.49	peak	-3.25	-65.74	-13.00	150	102	-52.74	
*	955.1102	-59.47	peak	-3.01	-62.48	-13.00	150	84	-49.48	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :2

Data :#2


Date: 2017/10/25

Temperature:24 °C

0.0 dBm

Time: 下午 02:36:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : PCS1900 CH810

Note :

Polarization: **Vertical**

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	240.0801	-64.88	peak	-12.16	-77.04	-13.00	150	70	-64.04	
	716.2325	-66.60	peak	-3.31	-69.91	-13.00	150	163	-56.91	
*	958.3166	-60.78	peak	-2.89	-63.67	-13.00	150	20	-50.67	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#1


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 10:08:58

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21710-17467

Power : 120Va.c

M/N:

Distance: 3m

Test Mode : PCS1900 CH810

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3476.954	-61.50	peak	9.34	-52.16	-13.00	150	30	-39.16	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#6


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 10:12:58

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: **Vertical**

EUT : W6M21710-17467

Power : 120Va.c

M/N:

Distance: 3m

Test Mode : PCS1900 CH810

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3422.846	-61.17	peak	9.45	-51.72	-13.00	150	110	-38.72	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#2


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 10:09:40

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : PCS1900 CH810

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#7


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 10:14:27

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : PCS1900 CH810

Note :

Polarization: *Vertical*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#3


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 10:10:28

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : PCS1900 CH810

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#8


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 10:16:09

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : PCS1900 CH810

Note :

Polarization: *Vertical*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#4


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 10:10:40

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21710-17467

Power : 120Va.c

M/N:

Distance: 3m

Test Mode : PCS1900 CH810

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#9


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 10:16:21

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21710-17467

Power : 120Va.c

M/N:

Distance: 3m

Test Mode : PCS1900 CH810

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#5


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 10:10:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : PCS1900 CH810

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#10


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 10:16:33

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : PCS900 CH810

Note :

Polarization: **Vertical**

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Rick

File :1

Data :#1


Date: 2017/10/25

Temperature:24 °C

5.0 dBm

Time: 下午 02:54:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21710-17467

Power : %\$JUW

M/N:

Distance: 3m

Test Mode : WCDMA II CH9262

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	38.1764	-103.58	peak	22.00	-81.58	-13.00	150	201	-68.58	
	158.0961	-102.92	peak	21.24	-81.68	-13.00	150	47	-68.68	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :1

Data :#2


Date: 2017/10/25

Temperature:24 °C

5.0 dBm

Time: 下午 03:27:13

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21710-17467

Power : %&\$JUW

M/N:

Distance: 3m

Test Mode : WCDMA II CH9262

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	97.7956	-102.33	peak	21.70	-80.63	-13.00	150	178	-67.63	
*	113.4670	-101.10	peak	21.08	-80.02	-13.00	150	99	-67.02	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Rick

File :2

Data :#1


Date: 2017/10/25

Temperature:24 °C

0.0 dBm

Time: 下午 02:43:06

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA II CH9262

Note :

Polarization: *Horizontal*

Power : %&\$JUW

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	246.4930	-61.54	peak	-13.60	-75.14	-13.00	150	196	-62.14	
	462.9260	-67.71	peak	-9.67	-77.38	-13.00	150	63	-64.38	
	956.7133	-72.39	peak	-3.01	-75.40	-13.00	150	40	-62.40	



Radiated Emission Measurement

Operator: Rick

File :2

Data :#2


Date: 2017/10/25

Temperature:24 °C

0.0 dBm

Time: 下午 02:47:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA II CH9262

Note :

Polarization: **Vertical**

Power : %&\$JUW

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	227.2545	-59.49	peak	-13.64	-73.13	-13.00	150	285	-60.13	
	294.5892	-68.02	peak	-8.11	-76.13	-13.00	150	70	-63.13	
*	958.3166	-64.15	peak	-2.89	-67.04	-13.00	150	74	-54.04	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#1


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 10:36:28

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA II CH9262

Note :

Polarization: *Horizontal*

Power : %&\$JUW

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3705.411	-43.53	peak	9.74	-33.79	-13.00	150	80	-20.79	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#6


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 11:21:20

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: **Vertical**

EUT : W6M21710-17467

Power : %&\$JUW

M/N:

Distance: 3m

Test Mode : WCDMA II CH9262

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3705.411	-46.12	peak	9.65	-36.47	-13.00	150	230	-23.47	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#2


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 10:37:08

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA II CH9262

Note :

Polarization: *Horizontal*

Power : %\$JUW

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#7


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 11:22:37

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA II CH9262

Note :

Polarization: *Vertical*

Power : %\$JUW

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#3


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 10:37:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA II CH9262

Note :

Polarization: *Horizontal*

Power : %\$JUW

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#8


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 11:24:02

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21710-17467

Power : %&\$JUW

M/N:

Distance: 3m

Test Mode : WCDMA II CH9262

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#4


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 10:38:04

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA II CH9262

Note :

Polarization: *Horizontal*

Power : %&\$JUW

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#9


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 11:24:14

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21710-17467

Power : %&\$JUW

M/N:

Distance: 3m

Test Mode : WCDMA II CH9262

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#5


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 10:38:16

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA II CH9262

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#10


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 11:24:26

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA II CH9262

Note :

Polarization: *Vertical*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Rick

File :1

Data :#1


Date: 2017/10/25

Temperature:24 °C

5.0 dBm

Time: 下午 02:56:07

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA II CH9400

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	75.3106	-101.93	peak	21.57	-80.36	-13.00	150	104	-67.36	
	135.2705	-102.33	peak	20.14	-82.19	-13.00	150	58	-69.19	



Radiated Emission Measurement

Operator: Rick

File :1

Data :#2


Date: 2017/10/25

Temperature:24 °C

5.0 dBm

Time: 下午 03:28:11

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA II CH9400

Note :

Polarization: **Vertical**

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	88.2565	-102.14	peak	21.64	-80.50	-13.00	150	169	-67.50	
*	187.0541	-101.65	peak	22.17	-79.48	-13.00	150	87	-66.48	



Radiated Emission Measurement

Operator: Rick

File :2

Data :#1


Date: 2017/10/25

Temperature:24 °C

0.0 dBm

Time: 下午 02:44:31

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA II CH9400

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	246.4930	-63.45	peak	-13.60	-77.05	-13.00	150	110	-64.05	
	868.5371	-74.58	peak	-2.15	-76.73	-13.00	150	170	-63.73	
*	958.3166	-67.48	peak	-3.01	-70.49	-13.00	150	36	-57.49	



Radiated Emission Measurement

Operator: Rick

File :2

Data :#2


Date: 2017/10/25

Temperature:24 °C

0.0 dBm

Time: 下午 02:49:15

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA II CH9400

Note :

Polarization: **Vertical**

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	297.7955	-67.42	peak	-7.80	-75.22	-13.00	150	80	-62.22	
	746.6934	-66.35	peak	-3.62	-69.97	-13.00	150	102	-56.97	
*	958.3166	-64.99	peak	-2.89	-67.88	-13.00	150	56	-54.88	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#1


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 10:40:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA II CH9400

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3765.531	-54.48	peak	9.82	-44.66	-13.00	150	170	-31.66	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#6


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 11:14:31

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: **Vertical**

EUT : W6M21710-17467

Power : 120Va.c

M/N:

Distance: 3m

Test Mode : WCDMA II CH9400

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3765.531	-55.00	peak	9.60	-45.40	-13.00	150	140	-32.40	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#2


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 10:59:00

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA II CH9400

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#7


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 11:15:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA II CH9400

Note :

Polarization: *Vertical*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#3


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 10:59:55

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA II CH9400

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#8


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 11:17:14

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA II CH9400

Note :

Polarization: *Vertical*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#4


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 11:00:07

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA II CH9400

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#9


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 11:17:26

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA II CH9400

Note :

Polarization: *Vertical*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#5


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 11:00:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA II CH9400

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#10


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 11:17:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA II CH9400

Note :

Polarization: *Vertical*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :1

Data :#1


Date: 2017/10/25

Temperature:24 °C

5.0 dBm

Time: 下午 02:57:23

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA II CH9538

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	155.0301	-102.08	peak	21.05	-81.03	-13.00	150	201	-68.03	
*	168.9980	-102.05	peak	21.43	-80.62	-13.00	150	220	-67.62	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :1

Data :#2


Date: 2017/10/25

Temperature:24 °C

5.0 dBm

Time: 下午 03:30:28

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA II CH9538

Note :

Polarization: **Vertical**

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	57.9358	-98.63	peak	21.54	-77.09	-13.00	150	125	-64.09	
	183.3066	-101.61	peak	22.36	-79.25	-13.00	150	88	-66.25	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Rick

File :2

Data :#1


Date: 2017/10/25

Temperature:24 °C

0.0 dBm

Time: 下午 02:45:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA II CH9538

Note :

Polarization: **Horizontal**

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	246.4930	-62.07	peak	-13.60	-75.67	-13.00	150	203	-62.67	
*	729.0581	-67.67	peak	-3.79	-71.46	-13.00	150	125	-58.46	
	958.3165	-72.61	peak	-3.01	-75.62	-13.00	150	280	-62.62	



Radiated Emission Measurement

Operator: Rick

File :2

Data :#2


Date: 2017/10/25

Temperature:24 °C

0.0 dBm

Time: 下午 02:50:30

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA II CH9538

Note :

Polarization: **Vertical**

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	297.7955	-67.50	peak	-7.80	-75.30	-13.00	150	70	-62.30	
	733.8677	-65.15	peak	-3.49	-68.64	-13.00	150	84	-55.64	
*	958.3166	-60.26	peak	-2.89	-63.15	-13.00	150	231	-50.15	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#1


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 11:02:54

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21710-17467

Power : 120Va.c

M/N:

Distance: 3m

Test Mode : WCDMA II CH9538

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3819.639	-48.32	peak	9.90	-38.42	-13.00	150	110	-25.42	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#6


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 11:10:03

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: **Vertical**

EUT : W6M21710-17467

Power : 120Va.c

M/N:

Distance: 3m

Test Mode : WCDMA II CH9538

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3819.639	-47.21	peak	9.55	-37.66	-13.00	150	80	-24.66	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#2


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 11:04:00

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA II CH9538

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#7


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 11:10:44

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA II CH9538

Note :

Polarization: *Vertical*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#3


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 11:05:28

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Horizontal*

EUT : W6M21710-17467

Power : 120Va.c

M/N:

Distance: 3m

Test Mode : WCDMA II CH9538

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#8


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 11:11:37

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA II CH9538

Note :

Polarization: *Vertical*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#4


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 11:05:40

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA II CH9538

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#9


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 11:11:49

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: *Vertical*

EUT : W6M21710-17467

Power : 120Va.c

M/N:

Distance: 3m

Test Mode : WCDMA II CH9538

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#5


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 11:05:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA II CH9538

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#10


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 11:12:01

Humidity:60 %



Site : Chamber

Condition : FCC_part 24 (1900 band)

Polarization: **Vertical**

EUT : W6M21710-17467

Power : 120Va.c

M/N:

Distance: 3m

Test Mode : WCDMA II CH9538

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Rick

File :1

Data :#1


Date: 2017/10/25

Temperature:24 °C

5.0 dBm

Time: 下午 03:03:00

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA V CH4132

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	79.3988	-102.21	peak	21.63	-80.58	-13.00	150	114	-67.58	
*	192.8456	-101.47	peak	21.64	-79.83	-13.00	150	85	-66.83	



Radiated Emission Measurement

Operator: Rick

File :1

Data :#2


Date: 2017/10/25

Temperature:24 °C

5.0 dBm

Time: 下午 03:32:12

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA V CH4132

Note :

Polarization: **Vertical**

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	113.1263	-102.19	peak	21.10	-81.09	-13.00	150	201	-68.09	
*	177.1743	-102.88	peak	22.44	-80.44	-13.00	150	55	-67.44	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :2

Data :#1


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 下午 01:40:51

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA V CH4132

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	244.8898	-61.63	peak	-11.58	-73.21	-13.00	150	300	-60.21	
*	772.3447	-66.17	peak	-2.29	-68.46	-13.00	150	120	-55.46	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Rick

File :2

Data :#2


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 下午 01:45:56

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA V CH4132

Note :

Polarization: **Vertical**

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	244.8898	-66.00	peak	-9.79	-75.79	-13.00	150	110	-62.79	
*	746.6934	-64.92	peak	-1.47	-66.39	-13.00	150	300	-53.39	



Radiated Emission Measurement

Operator: Rick

File :3

Data :#1


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 11:28:37

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA V CH4132

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1655.311	-50.37	peak	0.98	-49.39	-13.00	150	130	-36.39	
	2484.970	-56.09	peak	5.87	-50.22	-13.00	150	60	-37.22	



Radiated Emission Measurement

Operator: Rick

File :3

Data :#4


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 下午 12:02:13

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA V CH4132

Note :

Polarization: **Vertical**

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1649.299	-50.51	peak	2.67	-47.84	-13.00	150	70	-34.84	
*	2521.042	-48.55	peak	7.57	-40.98	-13.00	150	160	-27.98	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#2


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 11:30:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA V CH4132

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#5


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 下午 12:03:28

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA V CH4132

Note :

Polarization: *Vertical*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#3


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 11:31:55

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA V CH4132

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#6


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 下午 12:04:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA V CH4132

Note :

Polarization: *Vertical*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :1

Data :#1


Date: 2017/10/25

Temperature:24 °C

5.0 dBm

Time: 下午 03:00:32

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA V CH4183

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	101.2023	-101.68	peak	21.52	-80.16	-13.00	150	110	-67.16	
	179.8998	-102.50	peak	21.52	-80.98	-13.00	150	300	-67.98	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :1

Data :#2


Date: 2017/10/25

Temperature:24 °C

5.0 dBm

Time: 下午 03:33:56

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA V CH4183

Note :

Polarization: **Vertical**

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	57.2545	-100.46	peak	21.52	-78.94	-13.00	150	115	-65.94	
*	178.8778	-101.24	peak	22.49	-78.75	-13.00	150	68	-65.75	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Rick

File :2

Data :#1


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 下午 01:50:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA V CH4183

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	434.0681	-72.08	peak	-7.90	-79.98	-13.00	150	310	-66.98	
*	770.7415	-65.28	peak	-2.31	-67.59	-13.00	150	40	-54.59	



Radiated Emission Measurement

Operator: Rick

File :2

Data :#2


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 下午 01:52:08

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA V CH4183

Note :

Polarization: **Vertical**

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	227.2545	-64.67	peak	-11.49	-76.16	-13.00	150	110	-63.16	
*	769.1383	-67.63	peak	-1.14	-68.77	-13.00	150	80	-55.77	



Radiated Emission Measurement

Operator: Rick

File :3

Data :#1


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 11:35:26

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA V CH4183

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1667.335	-44.79	peak	1.06	-43.73	-13.00	150	110	-30.73	
*	2448.898	-46.70	peak	5.68	-41.02	-13.00	150	310	-28.02	



Radiated Emission Measurement

Operator: Rick

File :3

Data :#4


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 11:58:08

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA V CH4183

Note :

Polarization: **Vertical**

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1667.335	-48.86	peak	2.76	-46.10	-13.00	150	70	-33.10	
*	2454.910	-47.15	peak	7.30	-39.85	-13.00	150	150	-26.85	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#2


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 11:37:29

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA V CH4183

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#5


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 11:58:49

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA V CH4183

Note :

Polarization: *Vertical*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#3


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 11:39:17

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA V CH4183

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#6


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 11:59:48

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA V CH4183

Note :

Polarization: *Vertical*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :1

Data :#1


Date: 2017/10/25

Temperature:24 °C

5.0 dBm

Time: 下午 02:59:24

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA V CH4233

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	73.6071	-102.70	peak	21.55	-81.15	-13.00	150	269	-68.15	
*	169.3387	-101.80	peak	21.43	-80.37	-13.00	150	98	-67.37	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :1

Data :#2


Date: 2017/10/25

Temperature:24 °C

5.0 dBm

Time: 下午 03:36:23

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA V CH4233

Note :

Polarization: **Vertical**

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	153.3267	-101.83	peak	21.35	-80.48	-13.00	150	110	-67.48	
*	178.1964	-101.69	peak	22.47	-79.22	-13.00	150	87	-66.22	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Rick

File :2

Data :#1


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 下午 01:56:37

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA V CH4233

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	236.8737	-62.19	peak	-12.17	-74.36	-13.00	150	130	-61.36	
*	770.7415	-65.02	peak	-2.31	-67.33	-13.00	150	70	-54.33	



Radiated Emission Measurement

Operator: Rick

File :2

Data :#2


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 下午 01:59:30

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA V CH4233

Note :

Polarization: **Vertical**

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	246.4930	-67.11	peak	-9.72	-76.83	-13.00	150	110	-63.83	
*	761.1221	-67.07	peak	-1.29	-68.36	-13.00	150	60	-55.36	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#1


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 11:41:58

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA V CH4233

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1691.383	-47.60	peak	1.22	-46.38	-13.00	150	80	-33.38	
*	2448.898	-45.52	peak	5.68	-39.84	-13.00	150	170	-26.84	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#4


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 11:51:34

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA V CH4233

Note :

Polarization: **Vertical**

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1691.383	-51.74	peak	2.89	-48.85	-13.00	150	30	-35.85	
*	2448.898	-45.92	peak	7.26	-38.66	-13.00	150	125	-25.66	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#2


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 11:45:04

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA V CH4233

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#5


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 11:54:04

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA V CH4233

Note :

Polarization: *Vertical*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#3


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 11:47:30

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA V CH4233

Note :

Polarization: *Horizontal*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Rick

File :3

Data :#6


Date: 2017/10/24

Temperature:24 °C

-10.0 dBm

Time: 上午 11:55:11

Humidity:60 %



Site : Chamber

Condition : FCC_part 22 (850 band)

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA V CH4233

Note :

Polarization: *Vertical*

Power : 120Va.c

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sky

File :1

Data :#2


Date: 2017/10/23

Temperature:24 °C

80.0 dBuV/m

Time: 下午 02:13:28

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21710-17467

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : GSM 850 IDLE

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	66.9338	32.94	peak	-13.23	19.71	40.00	100	220	-20.29	
*	148.5772	41.15	peak	-7.73	33.42	43.50	100	90	-10.08	
	412.9458	27.87	peak	-3.41	24.46	46.00	100	135	-21.54	
	624.8297	28.54	peak	-1.04	27.50	46.00	100	15	-18.50	



Radiated Emission Measurement

Operator: Sky

File :1

Data :#3


Date: 2017/10/23

Temperature:24 °C

80.0 dBuV/m

Time: 下午 02:17:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: **Vertical**

EUT : W6M21710-17467

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : GSM 850 IDLE

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	66.9338	42.80	peak	-13.23	29.57	40.00	100	90	-10.43	
	96.0922	42.10	peak	-11.55	30.55	43.50	100	170	-12.95	
	125.2505	34.45	peak	-6.74	27.71	43.50	100	230	-15.79	
	729.7996	33.19	peak	0.18	33.37	46.00	100	245	-12.63	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#1


Date: 2017/10/20

Temperature:24 °C

90.0 dBuV/m

Time: 下午 02:45:34

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21710-17467

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : GSM 850 IDLE

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5671.343	39.78	peak	1.92	41.70	74.00	150	110	-32.30	
*	7523.046	40.38	peak	5.20	45.58	74.00	150	200	-28.42	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sky

File :3

Data :#5


Date: 2017/10/20

Temperature:24 °C

90.0 dBuV/m

Time: 下午 02:46:28

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21710-17467

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : GSM 850 IDLE

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3805.611	40.79	peak	-1.53	39.26	74.00	150	195	-34.74	
*	7102.204	40.62	peak	5.22	45.84	74.00	150	45	-28.16	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#2


Date: 2017/10/20

Temperature:24 °C

90.0 dBuV/m

Time: 下午 02:45:46

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21710-17467

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : GSM 850 IDLE

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#6


Date: 2017/10/20

Temperature:24 °C

90.0 dBuV/m

Time: 下午 02:46:40

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21710-17467

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : GSM 850 IDLE

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#3


Date: 2017/10/20

Temperature:24 °C

90.0 dBuV/m

Time: 下午 02:46:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21710-17467

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : GSM 850 IDLE

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#7


Date: 2017/10/20

Temperature:24 °C

90.0 dBuV/m

Time: 下午 02:47:05

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21710-17467

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : GSM 850 IDLE

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#4


Date: 2017/10/20

Temperature:24 °C

90.0 dBuV/m

Time: 下午 02:46:21

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21710-17467

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : GSM 850 IDLE

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#8


Date: 2017/10/20

Temperature:24 °C

90.0 dBuV/m

Time: 下午 02:47:14

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21710-17467

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : GSM 850 IDLE

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sky

File :1

Data :#2


Date: 2017/10/23

Temperature:24 °C

80.0 dBuV/m

Time: 下午 02:20:15

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21710-17467

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : PCS 1900 IDLE

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	66.9338	32.44	peak	-13.23	19.21	40.00	100	255	-20.79	
*	148.5772	41.15	peak	-7.73	33.42	43.50	100	60	-10.08	
	309.9198	28.31	peak	-5.66	22.65	46.00	100	170	-23.35	
	463.4870	29.11	peak	-3.07	26.04	46.00	100	190	-19.96	



Radiated Emission Measurement

Operator: Sky

File :1

Data :#3


Date: 2017/10/23

Temperature:24 °C

80.0 dBuV/m

Time: 下午 02:23:44

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M21710-17467

M/N:

Test Mode : PCS 1900 IDLE

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	66.9338	43.30	peak	-13.23	30.07	40.00	100	170	-9.93	
	96.0922	42.60	peak	-11.55	31.05	43.50	100	90	-12.45	
	125.2505	34.95	peak	-6.74	28.21	43.50	100	185	-15.29	
	729.7996	33.69	peak	0.18	33.87	46.00	100	65	-12.13	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#1


Date: 2017/10/20

Temperature:24 °C

90.0 dBuV/m

Time: 下午 02:49:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21710-17467

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : PCS 1900 IDLE

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5418.838	40.51	peak	1.22	41.73	74.00	150	195	-32.27	
*	7901.804	40.13	peak	5.85	45.98	74.00	150	75	-28.02	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sky

File :3

Data :#5


Date: 2017/10/20

Temperature:24 °C

90.0 dBuV/m

Time: 下午 02:50:04

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M21710-17467

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : PCS 1900 IDLE

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4717.435	41.37	peak	-0.21	41.16	74.00	150	100	-32.84	
*	7775.551	40.57	peak	5.31	45.88	74.00	150	165	-28.12	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#2


Date: 2017/10/20

Temperature:24 °C

90.0 dBuV/m

Time: 下午 02:49:22

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21710-17467

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : PCS 1900 IDLE

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#6


Date: 2017/10/20

Temperature:24 °C

90.0 dBuV/m

Time: 下午 02:50:16

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21710-17467

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : PCS 1900 IDLE

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#3


Date: 2017/10/20

Temperature:24 °C

90.0 dBuV/m

Time: 下午 02:49:46

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21710-17467

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : PCS 1900 IDLE

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#7


Date: 2017/10/20

Temperature:24 °C

90.0 dBuV/m

Time: 下午 02:50:41

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21710-17467

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : PCS 1900 IDLE

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#4


Date: 2017/10/20

Temperature:24 °C

90.0 dBuV/m

Time: 下午 02:49:57

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21710-17467

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : PCS 1900 IDLE

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#8


Date: 2017/10/20

Temperature:24 °C

90.0 dBuV/m

Time: 下午 02:50:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21710-17467

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : PCS 1900 IDLE

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sky

File :1

Data :#2


Date: 2017/10/23

Temperature:24 °C

80.0 dBuV/m

Time: 下午 02:27:27

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21710-17467

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band II IDLE

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	66.9338	32.94	peak	-13.23	19.71	40.00	100	85	-20.29	
*	148.5772	41.15	peak	-7.73	33.42	43.50	100	175	-10.08	
	412.9458	27.87	peak	-3.41	24.46	46.00	100	220	-21.54	
	508.1963	29.50	peak	-2.64	26.86	46.00	100	165	-19.14	



Radiated Emission Measurement

Operator: Sky

File :1

Data :#3


Date: 2017/10/23

Temperature:24 °C

80.0 dBuV/m

Time: 下午 02:30:25

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: **Vertical**

EUT : W6M21710-17467

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band II IDLE

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	66.9338	43.30	peak	-13.23	30.07	40.00	100	150	-9.93	
	96.0922	42.10	peak	-11.55	30.55	43.50	100	85	-12.95	
	519.8595	31.68	peak	-2.45	29.23	46.00	100	175	-16.77	
	729.7996	33.19	peak	0.18	33.37	46.00	100	40	-12.63	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#1


Date: 2017/10/20

Temperature:24 °C

90.0 dBuV/m

Time: 下午 02:52:24

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21710-17467

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band II IDLE

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4675.351	41.49	peak	-0.22	41.27	74.00	150	35	-32.73	
*	7551.102	40.68	peak	5.24	45.92	74.00	150	145	-28.08	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#5


Date: 2017/10/20

Temperature:24 °C

90.0 dBuV/m

Time: 下午 02:53:18

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M21710-17467

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band II IDLE

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4128.257	41.58	peak	-0.98	40.60	74.00	150	155	-33.40	
*	7018.036	40.57	peak	5.11	45.68	74.00	150	200	-28.32	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#2


Date: 2017/10/20

Temperature:24 °C

90.0 dBuV/m

Time: 下午 02:52:36

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21710-17467

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band II IDLE

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#6


Date: 2017/10/20

Temperature:24 °C

90.0 dBuV/m

Time: 下午 02:53:30

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21710-17467

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band II IDLE

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#3


Date: 2017/10/20

Temperature:24 °C

90.0 dBuV/m

Time: 下午 02:53:00

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21710-17467

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band II IDLE

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#7


Date: 2017/10/20

Temperature:24 °C

90.0 dBuV/m

Time: 下午 02:53:54

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21710-17467

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band II IDLE

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#4


Date: 2017/10/20

Temperature:24 °C

90.0 dBuV/m

Time: 下午 02:53:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21710-17467

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band II IDLE

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#8


Date: 2017/10/20

Temperature:24 °C

90.0 dBuV/m

Time: 下午 02:54:04

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21710-17467

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band II IDLE

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sky

File :1

Data :#2


Date: 2017/10/23

Temperature:24 °C

80.0 dBuV/m

Time: 下午 02:35:27

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21710-17467

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band V IDLE

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	66.9338	32.94	peak	-13.23	19.71	40.00	100	45	-20.29	
*	148.5772	41.15	peak	-7.73	33.42	43.50	100	110	-10.08	
	282.7053	28.80	peak	-6.29	22.51	46.00	100	60	-23.49	
	412.9458	28.87	peak	-3.41	25.46	46.00	100	245	-20.54	



Radiated Emission Measurement

Operator: Sky

File :1

Data :#3


Date: 2017/10/23

Temperature:24 °C

80.0 dBuV/m

Time: 下午 02:39:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Vertical*

EUT : W6M21710-17467

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band V IDLE

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	78.5972	45.78	peak	-14.15	31.63	40.00	100	250	-8.37	
	96.0922	42.10	peak	-11.55	30.55	43.50	100	175	-12.95	
	127.1944	35.03	peak	-6.71	28.32	43.50	100	90	-15.18	
	729.7996	33.69	peak	0.18	33.87	46.00	100	60	-12.13	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#1


Date: 2017/10/20

Temperature:24 °C

90.0 dBuV/m

Time: 下午 02:59:24

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M21710-17467

M/N:

Test Mode : WCDMA Band V IDLE

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3006.012	42.34	peak	-3.12	39.22	74.00	150	195	-34.78	
*	7074.148	39.34	peak	5.19	44.53	74.00	150	170	-29.47	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sky

File :3

Data :#5


Date: 2017/10/20

Temperature:24 °C

90.0 dBuV/m

Time: 下午 03:00:18

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21710-17467

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band V IDLE

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4030.060	41.41	peak	-0.86	40.55	74.00	150	210	-33.45	
*	7102.204	40.18	peak	5.22	45.40	74.00	150	110	-28.60	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#2


Date: 2017/10/20

Temperature:24 °C

90.0 dBuV/m

Time: 下午 02:59:36

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21710-17467

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band V IDLE

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#6


Date: 2017/10/20

Temperature:24 °C

90.0 dBuV/m

Time: 下午 03:00:30

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21710-17467

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band V IDLE

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#3


Date: 2017/10/20

Temperature:24 °C

90.0 dBuV/m

Time: 下午 03:00:00

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21710-17467

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band V IDLE

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#7


Date: 2017/10/20

Temperature:24 °C

90.0 dBuV/m

Time: 下午 03:00:55

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21710-17467

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band V IDLE

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#4


Date: 2017/10/20

Temperature:24 °C

90.0 dBuV/m

Time: 下午 03:00:11

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21710-17467

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band V IDLE

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sky

File :3

Data :#8


Date: 2017/10/20

Temperature:24 °C

90.0 dBuV/m

Time: 下午 03:01:04

Humidity:60 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21710-17467

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band V IDLE

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin