





Registration number: W6M22302-22480-C-247
FCC ID: GX9HSGWCATM1




BANDEDGE BAND66 16QAM FRB 20MHz CH132572
Date: 7.APR.2023 16:17:59


1RB



BANDEDGE BAND66 16QAM 1RB 20MHz CH132072
Date: 7.APR.2023 16:11:39



Registration number: W6M22302-22480-C-247
FCC ID: GX9HSGWCATM1



BANDEDGE BAND66 16QAM 1RB 20MHz CH132572

Date: 7.APR.2023 16:16:34

Test equipment: ETSTW-RE 055, ETSTW-GSM 002, ETSTW-GSM 023, ETSTW-GSM 004

Registration number: W6M22302-22480-C-247


FCC ID: GX9HSGWCATM1


9. Frequency Stability

The frequency stability shall be measured by variation of ambient temperature and variation of primary supply voltage to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintain within $\pm 0.00025\%$ (± 2.5 ppm) of the center frequency.

9.1 Test procedure

- The equipment under test was supplied with rated power supply and the RF output was connected to a frequency counter via feed through attenuators. The EUT was placed inside the temperature chamber. The DC leads and RF output cable, exited the chamber through an opening made for that purpose.
After the temperature stabilized the frequency output was recorded from the counter.
- An external variable power supply was used to supply nominal voltage and 85% to 115% of nominal voltage to the EUT under room temperature. Record the frequencies measured from the counter.
- End point voltage: For hand carried, battery powered equipment, reduce primary supply voltage to the battery operating end point which shall be specified by the manufacturer. Then record the frequencies measured from the counter.





Registration number: W6M22302-22480-C-247

FCC ID: GX9HSGWCATM1

9.2 Test Results

Test date: April 11, 2023

Temperature: 21.3 °C


Humidity: 58.6 %

Tester: Rick

9.2.1 Frequency Stability vs. Temperature

CAT-M1 BAND2 QPSK 20MHz FRB				
CH18900	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit
120Va.c.	-30	-14.10	-0.008	The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.
	-20	-13.50	-0.007	
	-10	-14.20	-0.008	
	0	-13.50	-0.007	
	10	-16.00	-0.009	
	20	-9.20	-0.005	
	30	-12.40	-0.007	
	40	-16.80	-0.009	
	50	-13.40	-0.007	
132Va.c.	25	-12.30	-0.007	
108Va.c.	25	-10.30	-0.005	

CAT-M1 BAND4 QPSK 20MHz FRB				
CH20175	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit
120Va.c.	-30	-13.45	-0.001	The frequency stability shall be sufficient to ensure that the fundamental emissions stay within the authorized bands of operation.
	-20	-9.30	-0.001	
	-10	-9.10	-0.001	
	0	-12.40	-0.001	
	10	-8.30	0.000	
	20	-13.20	-0.001	
	30	-6.30	0.000	
	40	-7.60	0.000	
	50	-8.40	0.000	
132Va.c.	25	-9.40	-0.001	
108Va.c.	25	-7.20	0.000	



Registration number: W6M22302-22480-C-247

FCC ID: GX9HSGWCATM1

CAT-M1 BAND5 QPSK 10MHz FRB				
CH20525	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
120Va.c.	-30	-14.20	-0.017	±1.5
	-20	-11.30	-0.014	
	-10	-13.40	-0.016	
	0	-14.00	-0.017	
	10	-15.51	-0.019	
	20	-13.30	-0.016	
	30	-12.40	-0.015	
	40	-14.30	-0.017	
50	-15.40	-0.018		
132Va.c.	25	-12.40	-0.015	
108Va.c.	25	-13.40	-0.016	

CAT-M1 BAND12 QPSK 10MHz FRB				
CH23095	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit
120Va.c.	-30	-15.60	-0.022	The frequency stability shall be sufficient to ensure that the fundamental emissions stay within the authorized bands of operation.
	-20	-14.30	-0.020	
	-10	-14.50	-0.020	
	0	-12.60	-0.018	
	10	-11.60	-0.016	
	20	-13.40	-0.019	
	30	-14.30	-0.020	
	40	-13.50	-0.019	
50	-11.30	-0.016		
132Va.c.	25	-14.60	-0.021	
108Va.c.	25	-11.40	-0.016	

CAT-M1 BAND13 QPSK 10MHz FRB				
CH23230	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit
120Va.c.	-30	-14.80	-0.019	The frequency stability shall be sufficient to ensure that the fundamental emissions stay within the authorized bands of operation.
	-20	-15.00	-0.019	
	-10	-14.60	-0.019	
	0	-14.50	-0.019	
	10	-17.60	-0.023	
	20	-13.50	-0.017	
	30	-17.50	-0.022	
	40	-13.40	-0.017	
50	-16.50	-0.021		
132Va.c.	25	-12.60	-0.016	
108Va.c.	25	-13.40	-0.017	




Registration number: W6M22302-22480-C-247

FCC ID: GX9HSGWCATM1

CAT-M1 BAND66 QPSK 20MHz FRB				
CH132322	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit
120Va.c.	-30	-6.30	-0.004	The frequency stability shall be sufficient to ensure that the fundamental emissions stay within the authorized bands of operation.
	-20	-5.90	-0.003	
	-10	-4.50	-0.003	
	0	-6.70	-0.004	
	10	-5.40	-0.003	
	20	-3.20	-0.002	
	30	-4.40	-0.003	
	40	-5.40	-0.003	
50	-8.60	-0.005		
132Va.c.	25	-2.70	-0.002	
108Va.c.	25	-1.60	-0.001	

Test equipment: ETSTW-CE 009, ETSTW-GSM 002, ETSTW-GSM 004



Registration number: W6M22302-22480-C-247
FCC ID: GX9HSGWCATM1

Appendix

Measurement diagrams

Filed Strength of Spurious Emission



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :1

Data :#1


Date: 2023/3/22

Temperature:22 °C

0.0 dBm

Time: 下午 08:21:25

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	89.9600	-89.18	peak	24.01	-65.17	-13.00	150	140	-52.17	
*	197.6150	-89.27	peak	24.67	-64.60	-13.00	150	310	-51.60	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :1

Data :#2


Date: 2023/3/22

Temperature:22 °C

0.0 dBm

Time: 下午 09:05:28

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	70.5411	-87.02	peak	23.70	-63.32	-13.00	150	140	-50.32	
	171.7233	-89.04	peak	24.96	-64.08	-13.00	150	280	-51.08	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Rick

File :2

Data :#1


Date: 2023/3/23

Temperature:22 °C

-10.0 dBm

Time: 下午 03:45:49

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	249.6993	-54.20	peak	-12.26	-66.46	-13.00	150	140	-53.46	
	349.0982	-64.49	peak	-8.23	-72.72	-13.00	150	250	-59.72	



Radiated Emission Measurement

Operator: Rick

File :2

Data :#2


Date: 2023/3/23

Temperature:22 °C

-10.0 dBm

Time: 下午 03:48:57

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	249.6993	-57.01	peak	-10.73	-67.74	-13.00	150	140	-54.74	
	325.0500	-66.28	peak	-7.73	-74.01	-13.00	150	220	-61.01	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#1


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 04:00:17

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3320.641	-59.80	peak	5.88	-53.92	-13.00	150	200	-40.92	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#6


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 04:21:46

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3320.641	-61.21	peak	10.15	-51.06	-13.00	150	80	-38.06	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#2


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 04:01:31

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5747.495	-63.63	peak	10.99	-52.64	-13.00	150	300	-39.64	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#7


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 04:22:51

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	6484.970	-67.43	peak	13.25	-54.18	-13.00	150	300	-41.18	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#3


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 04:05:44

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

Polarization: *Horizontal*

EUT : W6M22302-22480

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#8


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 04:24:26

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#4


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 04:05:55

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#9


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 04:24:38

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#5


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 04:06:08

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#10


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 04:24:50

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :1

Data :#1


Date: 2023/3/22

Temperature:22 °C

0.0 dBm

Time: 下午 08:22:29

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	85.8717	-87.80	peak	23.80	-64.00	-13.00	150	140	-51.00	
	153.3266	-88.77	peak	23.54	-65.23	-13.00	150	100	-52.23	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :1

Data :#2


Date: 2023/3/22

Temperature:22 °C

0.0 dBm

Time: 下午 09:05:52

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	66.1122	-87.20	peak	23.33	-63.87	-13.00	150	300	-50.87	
	163.8878	-89.86	peak	25.11	-64.75	-13.00	150	120	-51.75	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :2

Data :#1


Date: 2023/3/23

Temperature:22 °C

-10.0 dBm

Time: 下午 03:46:59

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	249.6993	-55.06	peak	-12.26	-67.32	-13.00	150	320	-54.32	
	349.0982	-64.69	peak	-8.23	-72.92	-13.00	150	220	-59.92	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Rick

File :2

Data :#2


Date: 2023/3/23

Temperature:22 °C

-10.0 dBm

Time: 下午 03:48:15

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	249.6993	-56.35	peak	-10.73	-67.08	-13.00	150	210	-54.08	
	325.0500	-65.69	peak	-7.73	-73.42	-13.00	150	130	-60.42	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#1


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 04:11:43

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3320.641	-60.75	peak	5.88	-54.87	-13.00	150	210	-41.87	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#6


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 04:17:09

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3314.629	-59.60	peak	10.14	-49.46	-13.00	150	270	-36.46	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#2


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 04:12:28

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5747.495	-63.40	peak	10.99	-52.41	-13.00	150	70	-39.41	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#7


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 04:17:52

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	6460.922	-68.20	peak	13.24	-54.96	-13.00	150	270	-41.96	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#3


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 04:13:20

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#8


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 04:18:49

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#4


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 04:13:32

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#9


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 04:19:01

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#5


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 04:13:44

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#10


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 04:19:13

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :1

Data :#1


Date: 2023/3/22

Temperature:22 °C

0.0 dBm

Time: 下午 08:23:26

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	84.8496	-87.00	peak	23.74	-63.26	-13.00	150	210	-50.26	
	192.5050	-88.03	peak	24.25	-63.78	-13.00	150	300	-50.78	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :1

Data :#2


Date: 2023/3/22

Temperature:22 °C

0.0 dBm

Time: 下午 09:04:37

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	71.5631	-87.67	peak	23.64	-64.03	-13.00	150	40	-51.03	
*	169.6793	-88.93	peak	25.00	-63.93	-13.00	150	250	-50.93	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Rick

File :2

Data :#2


Date: 2023/3/23

Temperature:22 °C

-10.0 dBm

Time: 下午 03:55:10

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	249.6993	-56.38	peak	-12.26	-68.64	-13.00	150	140	-55.64	
	349.0982	-65.44	peak	-8.23	-73.67	-13.00	150	320	-60.67	



Radiated Emission Measurement

Operator: Rick

File :2

Data :#1


Date: 2023/3/23

Temperature:22 °C

-10.0 dBm

Time: 下午 03:51:44

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	249.6993	-56.68	peak	-10.73	-67.41	-13.00	150	250	-54.41	
	325.0500	-66.38	peak	-7.73	-74.11	-13.00	150	330	-61.11	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#1


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 04:34:58

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3464.930	-58.85	peak	6.14	-52.71	-13.00	150	230	-39.71	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#6


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 05:53:14

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3464.930	-59.68	peak	10.38	-49.30	-13.00	150	300	-36.30	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#2


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 04:39:02

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#7


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 05:56:46

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5515.030	-68.58	peak	11.86	-56.72	-13.00	150	220	-43.72	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#3


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 04:44:02

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#8


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 05:57:35

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#4


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 04:44:14

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#9


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 05:57:47

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

Polarization: **Vertical**

EUT : W6M22302-22480

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#5


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 04:44:26

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#10


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 05:57:59

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :1

Data :#1


Date: 2023/3/22

Temperature:22 °C

0.0 dBm

Time: 下午 08:24:25

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	87.9158	-86.33	peak	23.90	-62.43	-13.00	150	300	-49.43	
	160.1402	-88.48	peak	24.01	-64.47	-13.00	150	210	-51.47	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :1

Data :#2


Date: 2023/3/22

Temperature:22 °C

0.0 dBm

Time: 下午 09:05:03

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	69.1783	-87.79	peak	23.64	-64.15	-13.00	150	200	-51.15	
	159.4588	-89.53	peak	25.10	-64.43	-13.00	150	140	-51.43	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Rick

File :2

Data :#2


Date: 2023/3/23

Temperature:22 °C

-10.0 dBm

Time: 下午 03:54:03

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	249.6993	-56.88	peak	-12.26	-69.14	-13.00	150	320	-56.14	
	349.0982	-65.20	peak	-8.23	-73.43	-13.00	150	110	-60.43	



Radiated Emission Measurement

Operator: Rick

File :2

Data :#1


Date: 2023/3/23

Temperature:22 °C

-10.0 dBm

Time: 下午 03:52:34

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	249.6993	-56.63	peak	-10.73	-67.36	-13.00	150	210	-54.36	
	325.0500	-66.08	peak	-7.73	-73.81	-13.00	150	130	-60.81	



Radiated Emission Measurement

Operator: Rick

File :3

Data :#1


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 04:48:18

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3446.894	-56.13	peak	6.11	-50.02	-13.00	150	230	-37.02	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#6


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 05:35:56

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3452.906	-61.20	peak	10.36	-50.84	-13.00	150	310	-37.84	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Rick

File :3

Data :#2


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 04:49:17

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5747.495	-63.87	peak	10.99	-52.88	-13.00	150	100	-39.88	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#7


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 05:47:23

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5755.511	-68.45	peak	12.50	-55.95	-13.00	150	300	-42.95	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#3


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 04:51:12

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#8


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 05:48:31

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#4


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 04:51:24

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

Polarization: *Horizontal*

EUT : W6M22302-22480

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#9


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 05:48:44

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#5


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 04:51:36

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

Polarization: *Horizontal*

EUT : W6M22302-22480

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#10


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 05:48:56

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :1

Data :#1


Date: 2023/3/22

Temperature:22 °C

0.0 dBm

Time: 下午 08:25:25

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	53.8477	-89.10	peak	24.44	-64.66	-13.00	150	270	-51.66	
*	189.7795	-88.47	peak	24.02	-64.45	-13.00	150	320	-51.45	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :1

Data :#2


Date: 2023/3/22

Temperature:22 °C

0.0 dBm

Time: 下午 09:03:30

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	70.5411	-87.51	peak	23.70	-63.81	-13.00	150	300	-50.81	
*	172.4047	-88.61	peak	24.94	-63.67	-13.00	150	140	-50.67	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Rick

File :2

Data :#2


Date: 2023/3/23

Temperature:22 °C

-10.0 dBm

Time: 下午 04:25:24

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	567.1342	-49.00	peak	-4.59	-53.59	-13.00	150	150	-40.59	
	605.6112	-54.59	peak	-3.47	-58.06	-13.00	150	310	-45.06	



Radiated Emission Measurement

Operator: Rick

File :2

Data :#1


Date: 2023/3/23

Temperature:22 °C

-10.0 dBm

Time: 下午 04:23:14

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	567.1342	-57.00	peak	-4.38	-61.38	-13.00	150	250	-48.38	
	249.6994	-58.24	peak	-10.73	-68.97	-13.00	150	100	-55.97	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#1


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 07:41:45

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1673.347	-45.12	peak	5.79	-39.33	-13.00	150	210	-26.33	
	2509.018	-51.48	peak	3.15	-48.33	-13.00	150	130	-35.33	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Rick

File :3

Data :#4


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 08:01:16

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1745.491	-46.05	peak	8.00	-38.05	-13.00	150	140	-25.05	
	2509.018	-54.78	peak	8.33	-46.45	-13.00	150	60	-33.45	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#2


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 07:42:29

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#5


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 08:02:57

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#3


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 07:43:22

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#6


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 08:03:43

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :1

Data :#1


Date: 2023/3/22

Temperature:22 °C

0.0 dBm

Time: 下午 08:26:18

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	90.6413	-85.20	peak	23.93	-61.27	-13.00	150	270	-48.27	
	194.8897	-88.15	peak	24.45	-63.70	-13.00	150	310	-50.70	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :1

Data :#2


Date: 2023/3/22

Temperature:22 °C

0.0 dBm

Time: 下午 09:03:58

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	68.1563	-87.17	peak	23.54	-63.63	-13.00	150	210	-50.63	
	159.1182	-89.39	peak	25.06	-64.33	-13.00	150	300	-51.33	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Rick

File :2

Data :#1


Date: 2023/3/23

Temperature:22 °C

-10.0 dBm

Time: 下午 04:31:46

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	563.9280	-53.50	peak	-4.64	-58.14	-13.00	150	140	-45.14	
	640.8817	-58.22	peak	-0.14	-58.36	-13.00	150	320	-45.36	



Radiated Emission Measurement

Operator: Rick

File :2

Data :#2


Date: 2023/3/23

Temperature:22 °C

-10.0 dBm

Time: 下午 04:33:38

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	525.4510	-60.06	peak	-5.33	-65.39	-13.00	150	230	-52.39	
*	563.9280	-56.60	peak	-4.64	-61.24	-13.00	150	140	-48.24	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#1


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 07:47:23

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1661.322	-37.11	peak	5.79	-31.32	-13.00	150	320	-18.32	
	2496.994	-47.69	peak	3.13	-44.56	-13.00	150	140	-31.56	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#4


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 07:51:11

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1661.322	-45.90	peak	7.20	-38.70	-13.00	150	200	-25.70	
	2496.994	-55.38	peak	8.32	-47.06	-13.00	150	310	-34.06	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#2


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 07:48:10

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#5


Date: 2023/3/22

Temperature:22 °C

0.0 dBm

Time: 下午 09:35:09

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#3


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 07:49:03

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#6


Date: 2023/3/22

Temperature:22 °C

0.0 dBm

Time: 下午 09:37:43

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :1

Data :#1


Date: 2023/3/22

Temperature:22 °C

0.0 dBm

Time: 下午 08:27:34

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	87.5751	-87.99	peak	23.88	-64.11	-13.00	150	140	-51.11	
	186.7134	-88.05	peak	23.77	-64.28	-13.00	150	200	-51.28	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :1

Data :#2


Date: 2023/3/22

Temperature:22 °C

0.0 dBm

Time: 下午 09:02:40

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	69.5190	-87.96	peak	23.68	-64.28	-13.00	150	140	-51.28	
*	180.9217	-88.52	peak	24.70	-63.82	-13.00	150	230	-50.82	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Rick

File :2

Data :#1


Date: 2023/3/23

Temperature:22 °C

-10.0 dBm

Time: 下午 04:41:36

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	249.6993	-58.46	peak	-12.26	-70.72	-13.00	150	250	-57.72	
*	975.9520	-63.55	peak	-1.12	-64.67	-13.00	150	110	-51.67	



Radiated Emission Measurement

Operator: Rick

File :2

Data :#2

Date: 2023/3/23

Temperature:22 °C

-10.0 dBm

Time: 下午 04:44:39

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	249.6994	-57.00	peak	-10.73	-67.73	-13.00	150	120	-54.73	
*	975.9520	-54.89	peak	-0.12	-55.01	-13.00	150	300	-42.01	



Radiated Emission Measurement

Operator: Rick

File :3

Data :#1


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 08:09:46

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1414.830	-40.64	peak	5.72	-34.92	-13.00	150	140	-21.92	
	1739.479	-51.42	peak	5.83	-45.59	-13.00	150	320	-32.59	



Radiated Emission Measurement

Operator: Rick

File :3

Data :#4


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 08:28:11

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1414.830	-43.32	peak	5.64	-37.68	-13.00	150	70	-24.68	
*	1745.491	-43.12	peak	8.00	-35.12	-13.00	150	250	-22.12	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#2


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 08:11:02

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#5


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 08:29:07

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#3


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 08:11:48

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#6


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 08:30:00

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :1

Data :#1


Date: 2023/3/22

Temperature:22 °C

0.0 dBm

Time: 下午 08:28:40

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	90.6413	-86.57	peak	23.93	-62.64	-13.00	150	140	-49.64	
	154.0080	-87.78	peak	23.59	-64.19	-13.00	150	230	-51.19	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :1

Data :#2


Date: 2023/3/22

Temperature:22 °C

0.0 dBm

Time: 下午 09:03:02

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	70.8817	-88.67	peak	23.68	-64.99	-13.00	150	70	-51.99	
*	180.2404	-88.99	peak	24.77	-64.22	-13.00	150	200	-51.22	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :2

Data :#2


Date: 2023/3/23

Temperature:22 °C

-10.0 dBm

Time: 下午 04:52:59

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	249.6994	-57.39	peak	-12.26	-69.65	-13.00	150	250	-56.65	
*	934.2685	-67.38	peak	-0.95	-68.33	-13.00	150	140	-55.33	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :2

Data :#1


Date: 2023/3/23

Temperature:22 °C

-10.0 dBm

Time: 下午 04:50:31

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	934.2685	-59.96	peak	-0.79	-60.75	-13.00	150	250	-47.75	
*	972.7455	-57.00	peak	-0.25	-57.25	-13.00	150	140	-44.25	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Rick

File :3

Data :#1


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 08:17:52

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1402.805	-41.59	peak	5.72	-35.87	-13.00	150	240	-22.87	
	2112.224	-53.43	peak	5.33	-48.10	-13.00	150	130	-35.10	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#4


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 08:22:25

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1402.805	-41.99	peak	5.64	-36.35	-13.00	150	140	-23.35	
	2106.212	-59.78	peak	9.99	-49.79	-13.00	150	250	-36.79	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#2


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 08:18:36

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#5


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 08:23:10

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#3


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 08:19:26

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#6


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 08:23:57

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :1

Data :#1


Date: 2023/3/22

Temperature:22 °C

0.0 dBm

Time: 下午 08:29:03

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	70.5411	-89.72	peak	24.13	-65.59	-13.00	150	300	-52.59	
	152.3045	-89.35	peak	23.46	-65.89	-13.00	150	140	-52.89	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Rick

File :1

Data :#2


Date: 2023/3/22

Temperature:22 °C

0.0 dBm

Time: 下午 09:00:43

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	67.4750	-87.23	peak	23.47	-63.76	-13.00	150	120	-50.76	
	183.3066	-88.29	peak	24.46	-63.83	-13.00	150	300	-50.83	



Radiated Emission Measurement

Operator: Rick

File :2

Data :#1


Date: 2023/3/23

Temperature:22 °C

-10.0 dBm

Time: 下午 04:58:25

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	511.0220	-59.63	peak	-5.58	-65.21	-13.00	150	50	-52.21	
	549.4990	-61.07	peak	-4.90	-65.97	-13.00	150	120	-52.97	



Radiated Emission Measurement

Operator: Rick

File :2

Data :#2


Date: 2023/3/23

Temperature:22 °C

-10.0 dBm

Time: 下午 05:01:02

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	549.4990	-58.69	peak	-4.55	-63.24	-13.00	150	210	-50.24	
*	934.2685	-61.08	peak	-0.79	-61.87	-13.00	150	140	-48.87	



Radiated Emission Measurement

Operator: Rick

File :3

Data :#1


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 08:34:36

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1559.118	-41.49	peak	5.73	-35.76	-13.00	150	130	-22.76	
	2340.681	-48.15	peak	4.02	-44.13	-13.00	150	200	-31.13	



Radiated Emission Measurement

Operator: Rick

File :3

Data :#4


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 08:53:24

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1559.118	-51.32	peak	6.22	-45.10	-13.00	150	130	-32.10	
*	2340.681	-52.86	peak	8.99	-43.87	-13.00	150	200	-30.87	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#2


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 08:35:16

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#5


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 08:54:23

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#3


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 08:36:10

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

Polarization: *Horizontal*

EUT : W6M22302-22480

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#6


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 08:55:12

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :1

Data :#1


Date: 2023/3/22

Temperature:22 °C

0.0 dBm

Time: 下午 08:55:27

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	83.1461	-87.31	peak	23.65	-63.66	-13.00	150	200	-50.66	
	165.5911	-88.87	peak	23.79	-65.08	-13.00	150	80	-52.08	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :1

Data :#2


Date: 2023/3/22

Temperature:22 °C

0.0 dBm

Time: 下午 09:01:09

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	67.8156	-87.38	peak	23.50	-63.88	-13.00	150	90	-50.88	
	180.5811	-89.14	peak	24.74	-64.40	-13.00	150	250	-51.40	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Rick

File :2

Data :#2


Date: 2023/3/23

Temperature:22 °C

-10.0 dBm

Time: 下午 05:05:23

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	249.6994	-57.60	peak	-12.26	-69.86	-13.00	150	200	-56.86	
*	547.8958	-60.17	peak	-4.93	-65.10	-13.00	150	140	-52.10	



Radiated Emission Measurement

Operator: Rick

File :2

Data :#1


Date: 2023/3/23

Temperature:22 °C

-10.0 dBm

Time: 下午 05:03:29

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	509.4188	-57.77	peak	-4.94	-62.71	-13.00	150	210	-49.71	
	971.1423	-63.84	peak	-0.31	-64.15	-13.00	150	140	-51.15	



Radiated Emission Measurement

Operator: Rick

File :3

Data :#1


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 08:37:50

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1559.118	-47.06	peak	5.73	-41.33	-13.00	150	100	-28.33	
	2340.681	-49.83	peak	4.02	-45.81	-13.00	150	250	-32.81	



Radiated Emission Measurement

Operator: Rick

File :3

Data :#4


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 08:48:55

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1553.106	-49.49	peak	6.16	-43.33	-13.00	150	300	-30.33	
*	2334.669	-50.53	peak	9.01	-41.52	-13.00	150	210	-28.52	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#2


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 08:38:55

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#5


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 08:49:36

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#3


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 08:39:45

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#6


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 08:50:43

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :1

Data :#1


Date: 2023/3/22

Temperature:22 °C

0.0 dBm

Time: 下午 08:56:40

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND66-QPSK-1.4M-1RB-CH132322

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	91.6633	-86.20	peak	23.79	-62.41	-13.00	150	270	-49.41	
	194.2084	-88.91	peak	24.39	-64.52	-13.00	150	100	-51.52	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :1

Data :#2


Date: 2023/3/22

Temperature:22 °C

0.0 dBm

Time: 下午 09:00:19

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND66-QPSK-1.4M-1RB-CH132322

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	70.2004	-87.44	peak	23.72	-63.72	-13.00	150	210	-50.72	
	163.2064	-89.12	peak	25.12	-64.00	-13.00	150	60	-51.00	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :2

Data :#1


Date: 2023/3/23

Temperature:22 °C

-10.0 dBm

Time: 下午 04:12:36

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND66-QPSK-1.4M-1RB-CH132322

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	249.6993	-56.36	peak	-12.26	-68.62	-13.00	150	240	-55.62	
*	345.8917	-59.63	peak	-8.27	-67.90	-13.00	150	310	-54.90	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :2

Data :#2


Date: 2023/3/23

Temperature:22 °C

-10.0 dBm

Time: 下午 04:14:00

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND66-QPSK-1.4M-1RB-CH132322

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	249.6993	-56.74	peak	-10.73	-67.47	-13.00	150	320	-54.47	
	325.0500	-66.23	peak	-7.73	-73.96	-13.00	150	120	-60.96	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#1


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 09:27:05

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND66-QPSK-1.4M-1RB-CH132322

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3494.990	-55.60	peak	6.19	-49.41	-13.00	150	100	-36.41	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#6


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 09:46:39

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND66-QPSK-1.4M-1RB-CH132322

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3494.990	-59.56	peak	10.43	-49.13	-13.00	150	210	-36.13	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#2


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 09:28:25

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND66-QPSK-1.4M-1RB-CH132322

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5747.495	-65.91	peak	10.99	-54.92	-13.00	150	200	-41.92	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#8


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 09:50:50

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND66-QPSK-1.4M-1RB-CH132322

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5771.543	-68.08	peak	12.55	-55.53	-13.00	150	200	-42.53	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#3


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 09:29:19

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND66-QPSK-1.4M-1RB-CH132322

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#9


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 09:52:07

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND66-QPSK-1.4M-1RB-CH132322

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#4


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 09:29:31

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND66-QPSK-1.4M-1RB-CH132322

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#10


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 09:52:19

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND66-QPSK-1.4M-1RB-CH132322

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#5


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 09:29:43

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND66-QPSK-1.4M-1RB-CH132322

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#11


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 09:52:31

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND66-QPSK-1.4M-1RB-CH132322

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :1

Data :#1


Date: 2023/3/22

Temperature:22 °C

0.0 dBm

Time: 下午 08:57:43

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND66-QPSK-20M-1RB-CH132322

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	82.8055	-87.30	peak	23.64	-63.66	-13.00	150	140	-50.66	
	195.2305	-88.69	peak	24.47	-64.22	-13.00	150	300	-51.22	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Rick

File :1

Data :#2


Date: 2023/3/22

Temperature:22 °C

0.0 dBm

Time: 下午 08:59:55

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND66-QPSK-20M-1RB-CH132322

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	74.2886	-88.02	peak	23.49	-64.53	-13.00	150	80	-51.53	
*	166.9540	-89.35	peak	25.05	-64.30	-13.00	150	230	-51.30	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :2

Data :#1


Date: 2023/3/23

Temperature:22 °C

-10.0 dBm

Time: 下午 04:11:48

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND66-QPSK-20M-1RB-CH132322

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	249.6993	-56.29	peak	-12.26	-68.55	-13.00	150	140	-55.55	
*	735.4710	-62.51	peak	-2.41	-64.92	-13.00	150	320	-51.92	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Rick

File :2

Data :#2


Date: 2023/3/23

Temperature:22 °C

-10.0 dBm

Time: 下午 04:14:43

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND66-QPSK-20M-1RB-CH132322

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	249.6994	-57.35	peak	-10.73	-68.08	-13.00	150	320	-55.08	
	325.0501	-67.00	peak	-7.73	-74.73	-13.00	150	120	-61.73	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#1


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 09:34:13

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND66-QPSK-20M-1RB-CH132322

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3494.990	-57.50	peak	6.19	-51.31	-13.00	150	230	-38.31	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#6


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 09:38:34

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND66-QPSK-20M-1RB-CH132322

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3494.990	-59.84	peak	10.43	-49.41	-13.00	150	200	-36.41	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Rick

File :3

Data :#2


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 09:34:55

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND66-QPSK-20M-1RB-CH132322

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5747.495	-64.46	peak	10.99	-53.47	-13.00	150	80	-40.47	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#7


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 09:39:16

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND66-QPSK-20M-1RB-CH132322

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5739.479	-66.90	peak	12.46	-54.44	-13.00	150	80	-41.44	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#3


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 09:35:40

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND66-QPSK-20M-1RB-CH132322

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#8


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 09:40:10

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND66-QPSK-20M-1RB-CH132322

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#4


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 09:35:52

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND66-QPSK-20M-1RB-CH132322

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#9


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 09:40:22

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND66-QPSK-20M-1RB-CH132322

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#5


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 09:36:04

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND66-QPSK-20M-1RB-CH132322

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Rick

File :3

Data :#10


Date: 2023/3/17

Temperature:22 °C

0.0 dBm

Time: 下午 09:40:34

Humidity:55 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22302-22480

M/N:

Test Mode : BAND66-QPSK-20M-1RB-CH132322

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :1

Data :#1


Date: 2023/3/1

Temperature:20.3 °C

80.0 dBuV/m

Time: 下午 09:27:10

Humidity:63.7 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22302-22480

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : Band2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	117.4750	28.61	QP	-6.45	22.16	43.50	109	82	-21.34	
	249.6593	35.99	QP	-7.70	28.29	46.00	104	110	-17.71	
	444.0480	27.82	QP	-2.98	24.84	46.00	100	5	-21.16	
	653.9880	28.98	QP	0.90	29.88	46.00	107	258	-16.12	
	811.4430	29.18	QP	1.66	30.84	46.00	103	159	-15.16	
*	945.5711	31.34	QP	4.46	35.80	46.00	121	73	-10.20	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sky

File :1

Data :#2


Date: 2023/3/1

Temperature:20.3 °C

80.0 dBuV/m

Time: 下午 09:28:30

Humidity:63.7 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: **Vertical**

EUT : W6M22302-22480

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : Band2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	105.8115	34.35	QP	-7.94	26.41	43.50	113	40	-17.09	
	249.6593	34.29	QP	-7.70	26.59	46.00	102	169	-19.41	
	482.9260	27.94	QP	-2.74	25.20	46.00	108	90	-20.80	
	648.1562	28.04	QP	0.86	28.90	46.00	104	117	-17.10	
	844.4890	27.41	QP	2.60	30.01	46.00	110	6	-15.99	
*	945.5711	29.91	QP	4.46	34.37	46.00	106	225	-11.63	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#1


Date: 2023/3/1

Temperature:20.3 °C

90.0 dBuV/m

Time: 下午 10:27:51

Humidity:63.7 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22302-22480

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : Band2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3468.938	43.20	peak	-3.55	39.65	74.00	100	31	-34.35	
	3468.938	35.26	AVG	-3.55	31.71	54.00	100	31	-22.29	
	5334.669	40.76	peak	0.49	41.25	74.00	100	255	-32.75	
	5334.669	32.17	AVG	0.49	32.66	54.00	100	255	-21.34	
	7130.261	41.24	peak	3.93	45.17	74.00	100	159	-28.83	
*	7130.261	33.29	AVG	3.93	37.22	54.00	100	159	-16.78	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#3


Date: 2023/3/1

Temperature:20.3 °C

90.0 dBuV/m

Time: 下午 10:30:42

Humidity:63.7 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22302-22480

M/N:

Test Mode : Band2 Idle

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3468.938	44.28	peak	-3.55	40.73	74.00	100	113	-33.27	
*	3468.938	39.16	AVG	-3.55	35.61	54.00	100	113	-18.39	
	5755.511	40.98	peak	0.64	41.62	74.00	100	21	-32.38	
	5755.511	31.19	AVG	0.64	31.83	54.00	100	21	-22.17	
	7200.401	40.95	peak	4.02	44.97	74.00	100	50	-29.03	
	7200.401	30.72	AVG	4.02	34.74	54.00	100	50	-19.26	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#2


Date: 2023/3/1

Temperature:20.3 °C

90.0 dBuV/m

Time: 下午 10:29:16

Humidity:63.7 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22302-22480

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : Band2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#4


Date: 2023/3/1

Temperature:20.3 °C

90.0 dBuV/m

Time: 下午 10:32:15

Humidity:63.7 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M22302-22480

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : Band2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sky

File :1

Data :#1


Date: 2023/3/1

Temperature:20.3 °C

80.0 dBuV/m

Time: 下午 09:32:39

Humidity:63.7 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22302-22480

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : Band4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	125.2505	27.64	QP	-6.06	21.58	43.50	109	224	-21.92	
	249.6593	35.74	QP	-7.70	28.04	46.00	104	131	-17.96	
	399.3387	28.96	QP	-3.66	25.30	46.00	112	70	-20.70	
	652.0440	28.63	QP	0.94	29.57	46.00	110	81	-16.43	
	782.2844	29.90	QP	1.04	30.94	46.00	123	89	-15.06	
*	931.9638	31.69	QP	4.20	35.89	46.00	107	22	-10.11	



Radiated Emission Measurement

Operator: Sky

File :1

Data :#2


Date: 2023/3/1

Temperature:20.3 °C

80.0 dBuV/m

Time: 下午 09:33:59

Humidity:63.7 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: **Vertical**

EUT : W6M22302-22480

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : Band4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	47.4950	36.83	QP	-9.53	27.30	40.00	113	104	-12.70	
	249.6593	33.88	QP	-7.70	26.18	46.00	102	7	-19.82	
	447.9360	27.31	QP	-3.06	24.25	46.00	106	302	-21.75	
	652.0440	28.13	QP	0.94	29.07	46.00	127	116	-16.93	
	768.6774	30.29	QP	0.82	31.11	46.00	100	2	-14.89	
*	931.9638	31.30	QP	4.20	35.50	46.00	119	159	-10.50	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#1


Date: 2023/3/1

Temperature:20.3 °C

90.0 dBuV/m

Time: 下午 10:36:58

Humidity:63.7 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22302-22480

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : Band4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3721.443	41.73	peak	-2.33	39.40	74.00	109	5	-34.60	
	3721.443	31.86	AVG	-2.33	29.53	54.00	109	5	-24.47	
	5671.343	39.90	peak	0.61	40.51	74.00	113	101	-33.49	
	5671.343	32.47	AVG	0.61	33.08	54.00	113	101	-20.92	
	6625.251	39.71	peak	3.22	42.93	74.00	101	41	-31.07	
*	6625.251	33.19	AVG	3.22	36.41	54.00	101	41	-17.59	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#3


Date: 2023/3/1

Temperature:20.3 °C

90.0 dBuV/m

Time: 下午 10:39:52

Humidity:63.7 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M22302-22480

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : Band4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3805.611	41.65	peak	-2.24	39.41	74.00	100	3	-34.59	
	3805.611	33.24	AVG	-2.24	31.00	54.00	100	3	-23.00	
	5138.277	41.75	peak	-0.47	41.28	74.00	100	225	-32.72	
	5138.277	32.19	AVG	-0.47	31.72	54.00	100	225	-22.28	
	7747.495	40.67	peak	3.87	44.54	74.00	100	40	-29.46	
*	7747.495	31.47	AVG	3.87	35.34	54.00	100	40	-18.66	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#2


Date: 2023/3/1

Temperature:20.3 °C

90.0 dBuV/m

Time: 下午 10:38:25

Humidity:63.7 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22302-22480

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : Band4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#4


Date: 2023/3/1

Temperature:20.3 °C

90.0 dBuV/m

Time: 下午 10:42:13

Humidity:63.7 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M22302-22480

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : Band4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sky

File :1

Data :#1


Date: 2023/3/1

Temperature:20.3 °C

80.0 dBuV/m

Time: 下午 09:38:41

Humidity:63.7 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22302-22480

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : Band5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	140.8015	28.98	QP	-6.58	22.40	43.50	101	50	-21.10	
	249.6593	34.86	QP	-7.70	27.16	46.00	124	92	-18.84	
	486.8136	28.76	QP	-2.81	25.95	46.00	117	331	-20.05	
	729.7996	28.96	QP	0.26	29.22	46.00	108	21	-16.78	
	780.3406	28.41	QP	1.01	29.42	46.00	115	50	-16.58	
*	931.9638	31.13	QP	4.20	35.33	46.00	102	104	-10.67	



Radiated Emission Measurement

Operator: Sky

File :1

Data :#2


Date: 2023/3/1

Temperature:20.3 °C

80.0 dBuV/m

Time: 下午 09:40:02

Humidity:63.7 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: **Vertical**

EUT : W6M22302-22480

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : Band5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	47.4950	37.74	QP	-9.53	28.21	40.00	123	81	-11.79	
	105.8116	36.34	QP	-7.94	28.40	43.50	100	245	-15.10	
	249.6593	34.29	QP	-7.70	26.59	46.00	109	5	-19.41	
	552.9058	28.39	QP	-2.03	26.36	46.00	102	133	-19.64	
	663.7073	28.35	QP	0.69	29.04	46.00	107	77	-16.96	
*	931.9640	31.60	QP	4.20	35.80	46.00	114	104	-10.20	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#1


Date: 2023/3/1

Temperature:20.3 °C

90.0 dBuV/m

Time: 下午 10:47:07

Humidity:63.7 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22302-22480

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : Band5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3468.938	43.35	peak	-3.55	39.80	74.00	100	3	-34.20	
	3468.938	31.17	AVG	-3.55	27.62	54.00	100	3	-26.38	
	5236.473	40.39	peak	0.33	40.72	74.00	100	100	-33.28	
*	5236.473	32.92	AVG	0.33	33.25	54.00	100	100	-20.75	
	6218.437	40.51	peak	2.00	42.51	74.00	100	21	-31.49	
	6218.437	30.66	AVG	2.00	32.66	54.00	100	21	-21.34	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#3


Date: 2023/3/1

Temperature:20.3 °C

90.0 dBuV/m

Time: 下午 10:50:06

Humidity:63.7 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22302-22480

M/N:

Test Mode : Band5 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3721.443	42.14	peak	-2.33	39.81	74.00	100	159	-34.19	
	3721.443	31.29	AVG	-2.33	28.96	54.00	100	159	-25.04	
	5334.669	40.75	peak	0.49	41.24	74.00	100	117	-32.76	
	5334.669	33.47	AVG	0.49	33.96	54.00	100	117	-20.04	
	6611.222	40.14	peak	3.29	43.43	74.00	100	25	-30.57	
*	6611.222	30.76	AVG	3.29	34.05	54.00	100	25	-19.95	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#2


Date: 2023/3/1

Temperature:20.3 °C

90.0 dBuV/m

Time: 下午 10:48:34

Humidity:63.7 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22302-22480

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : Band5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#4


Date: 2023/3/1

Temperature:20.3 °C

90.0 dBuV/m

Time: 下午 10:53:42

Humidity:63.7 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M22302-22480

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : Band5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sky

File :1

Data :#1


Date: 2023/3/1

Temperature:20.3 °C

80.0 dBuV/m

Time: 下午 09:43:26

Humidity:63.7 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22302-22480

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : Band12 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	115.5310	29.04	QP	-6.63	22.41	43.50	124	255	-21.09	
	249.6593	36.23	QP	-7.70	28.53	46.00	106	9	-17.47	
	426.5530	28.83	QP	-3.35	25.48	46.00	108	81	-20.52	
	650.1001	28.03	QP	0.99	29.02	46.00	112	47	-16.98	
	782.2844	30.20	QP	1.04	31.24	46.00	100	200	-14.76	
*	931.9638	31.74	QP	4.20	35.94	46.00	103	130	-10.06	



Radiated Emission Measurement

Operator: Sky

File :1

Data :#2


Date: 2023/3/1

Temperature:20.3 °C

80.0 dBuV/m

Time: 下午 09:44:47

Humidity:63.7 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Vertical*

EUT : W6M22302-22480

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : Band12 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	47.4950	37.05	QP	-9.53	27.52	40.00	112	8	-12.48	
	105.8116	35.06	QP	-7.94	27.12	43.50	104	209	-16.38	
	249.6593	34.11	QP	-7.70	26.41	46.00	103	159	-19.59	
	479.0381	28.53	QP	-2.72	25.81	46.00	108	211	-20.19	
	671.4830	28.24	QP	0.51	28.75	46.00	127	300	-17.25	
*	931.9640	31.65	QP	4.20	35.85	46.00	100	50	-10.15	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#1


Date: 2023/3/1

Temperature:20.3 °C

90.0 dBuV/m

Time: 下午 11:00:41

Humidity:63.7 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22302-22480

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : Band12 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3805.611	42.28	peak	-2.24	40.04	74.00	100	302	-33.96	
	3805.611	31.13	AVG	-2.24	28.89	54.00	100	302	-25.11	
	5208.417	40.50	peak	0.23	40.73	74.00	100	9	-33.27	
	5208.417	32.24	AVG	0.23	32.47	54.00	100	9	-21.53	
	7004.008	40.85	peak	3.77	44.62	74.00	100	115	-29.38	
*	7004.008	33.19	AVG	3.77	36.96	54.00	100	115	-17.04	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#3


Date: 2023/3/1

Temperature:20.3 °C

90.0 dBuV/m

Time: 下午 11:03:39

Humidity:63.7 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22302-22480

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : Band12 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3805.611	41.87	peak	-2.24	39.63	74.00	100	3	-34.37	
	3805.611	31.26	AVG	-2.24	29.02	54.00	100	3	-24.98	
	5418.838	41.03	peak	0.38	41.41	74.00	100	225	-32.59	
	5418.838	32.82	AVG	0.38	33.20	54.00	100	225	-20.80	
	6569.138	40.08	peak	3.08	43.16	74.00	100	41	-30.84	
*	6569.138	30.69	AVG	3.08	33.77	54.00	100	41	-20.23	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#2


Date: 2023/3/1

Temperature:20.3 °C

90.0 dBuV/m

Time: 下午 11:02:13

Humidity:63.7 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22302-22480

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : Band12 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#4


Date: 2023/3/1

Temperature:20.3 °C

90.0 dBuV/m

Time: 下午 11:07:06

Humidity:63.7 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M22302-22480

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : Band12 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sky

File :1

Data :#1


Date: 2023/3/1

Temperature:20.3 °C

80.0 dBuV/m

Time: 下午 09:48:32

Humidity:63.7 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22302-22480

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : Band13 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	140.8015	29.09	QP	-6.58	22.51	43.50	103	101	-20.99	
	249.6593	35.89	QP	-7.70	28.19	46.00	114	44	-17.81	
	502.3647	28.80	QP	-2.96	25.84	46.00	109	40	-20.16	
	652.0440	28.97	QP	0.94	29.91	46.00	124	92	-16.09	
	782.2844	30.31	QP	1.04	31.35	46.00	100	116	-14.65	
*	935.8517	31.28	QP	4.27	35.55	46.00	122	21	-10.45	



Radiated Emission Measurement

Operator: Sky

File :1

Data :#2


Date: 2023/3/1

Temperature:20.3 °C

80.0 dBuV/m

Time: 下午 09:49:53

Humidity:63.7 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: **Vertical**

EUT : W6M22302-22480

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : Band13 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	47.4950	36.71	QP	-9.53	27.18	40.00	109	90	-12.82	
	107.7555	34.18	QP	-7.57	26.61	43.50	112	210	-16.89	
	249.6593	34.18	QP	-7.70	26.48	46.00	102	281	-19.52	
	477.0942	28.58	QP	-2.79	25.79	46.00	124	116	-20.21	
	650.1002	28.15	QP	0.99	29.14	46.00	100	50	-16.86	
*	949.4590	32.37	QP	4.53	36.90	46.00	107	80	-9.10	



Radiated Emission Measurement

Operator: Eason

File :3

Data :#1


Date: 2023/3/2

Temperature:22.0 °C

90.0 dBuV/m

Time: 上午 12:53:04

Humidity:58.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22302-22480

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : Band13 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3468.938	43.46	peak	-3.55	39.91	74.00	100	98	-34.09	
	3468.938	34.23	AVG	-3.55	30.68	54.00	100	98	-23.32	
	5867.735	40.74	peak	1.03	41.77	74.00	100	126	-32.23	
	5867.735	32.58	AVG	1.03	33.61	54.00	100	126	-20.39	
	7004.008	41.39	peak	3.77	45.16	74.00	100	191	-28.84	
*	7004.008	32.91	AVG	3.77	36.68	54.00	100	191	-17.32	



Radiated Emission Measurement

Operator: Eason

File :3

Data :#3


Date: 2023/3/2

Temperature:22.0 °C

90.0 dBuV/m

Time: 上午 01:01:06

Humidity:58.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22302-22480

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : Band13 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3468.938	43.89	peak	-3.55	40.34	74.00	100	156	-33.66	
	3468.938	34.12	AVG	-3.55	30.57	54.00	100	156	-23.43	
	5432.866	41.56	peak	0.40	41.96	74.00	100	271	-32.04	
	5432.866	33.27	AVG	0.40	33.67	54.00	100	271	-20.33	
	7130.261	41.09	peak	3.93	45.02	74.00	100	188	-28.98	
*	7130.261	32.58	AVG	3.93	36.51	54.00	100	188	-17.49	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Eason

File :3

Data :#2


Date: 2023/3/2

Temperature:22.0 °C

90.0 dBuV/m

Time: 上午 12:54:33

Humidity:58.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22302-22480

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : Band13 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Eason

File :3

Data :#4


Date: 2023/3/2

Temperature:22.0 °C

90.0 dBuV/m

Time: 上午 01:03:08

Humidity:58.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M22302-22480

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : Band13 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sky

File :1

Data :#1


Date: 2023/3/1

Temperature:20.3 °C

80.0 dBuV/m

Time: 下午 09:53:28

Humidity:63.7 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22302-22480

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : Band66 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	148.5772	29.51	QP	-7.43	22.08	43.50	100	100	-21.42	
	249.6593	34.75	QP	-7.70	27.05	46.00	123	8	-18.95	
	508.1963	28.69	QP	-2.80	25.89	46.00	109	26	-20.11	
	652.0440	27.93	QP	0.94	28.87	46.00	127	104	-17.13	
	782.2844	30.00	QP	1.04	31.04	46.00	114	19	-14.96	
*	953.3467	31.45	QP	4.66	36.11	46.00	102	211	-9.89	



Radiated Emission Measurement

Operator: Sky

File :1

Data :#2


Date: 2023/3/1

Temperature:20.3 °C

80.0 dBuV/m

Time: 下午 09:54:49

Humidity:63.7 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: **Vertical**

EUT : W6M22302-22480

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : Band66 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	47.4950	37.47	QP	-9.53	27.94	40.00	107	84	-12.06	
	105.8116	36.35	QP	-7.94	28.41	43.50	110	215	-15.09	
	249.6593	33.46	QP	-7.70	25.76	46.00	102	5	-20.24	
	652.0440	28.05	QP	0.94	28.99	46.00	114	27	-17.01	
	782.2846	30.42	QP	1.04	31.46	46.00	103	104	-14.54	
*	951.4028	33.01	QP	4.59	37.60	46.00	106	117	-8.40	



Radiated Emission Measurement

Operator: Eason

File :3

Data :#1


Date: 2023/3/2

Temperature:22.0 °C

90.0 dBuV/m

Time: 上午 01:17:30

Humidity:58.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22302-22480

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : Band66 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1869.739	43.71	peak	-6.56	37.15	74.00	100	152	-36.85	
	1869.739	34.52	AVG	-6.56	27.96	54.00	100	152	-26.04	
	4450.902	42.68	peak	-2.31	40.37	74.00	100	173	-33.63	
	4450.902	33.18	AVG	-2.31	30.87	54.00	100	173	-23.13	
	7228.457	41.12	peak	3.95	45.07	74.00	100	255	-28.93	
*	7228.457	33.17	AVG	3.95	37.12	54.00	100	255	-16.88	



Radiated Emission Measurement

Operator: Eason

File :3

Data :#3


Date: 2023/3/2

Temperature:22.0 °C

90.0 dBuV/m

Time: 上午 01:20:40

Humidity:58.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22302-22480

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : Band66 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1869.739	43.79	peak	-6.56	37.23	74.00	100	127	-36.77	
	1869.739	35.58	AVG	-6.56	29.02	54.00	100	127	-24.98	
	4254.509	41.95	peak	-2.00	39.95	74.00	100	315	-34.05	
	4254.509	33.81	AVG	-2.00	31.81	54.00	100	315	-22.19	
	7270.541	41.48	peak	3.85	45.33	74.00	100	188	-28.67	
*	7270.541	33.28	AVG	3.85	37.13	54.00	100	188	-16.87	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Eason

File :3

Data :#2


Date: 2023/3/2

Temperature:22.0 °C

90.0 dBuV/m

Time: 上午 01:19:15

Humidity:58.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22302-22480

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : Band66 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Eason

File :3

Data :#4


Date: 2023/3/2

Temperature:22.0 °C

90.0 dBuV/m

Time: 上午 01:22:29

Humidity:58.8 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M22302-22480

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : Band66 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin