

Registration number: W6M22207-21977-C-54  
FCC ID: GX9HSGWGEN2

## **Appendix**

### **Measurement diagrams**

Spurious Emissions radiated



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :1\_WiFi 5G\_ant1\_TX 802 Data :#1


Date: 2022/8/18

Temperature:29.1 °C

80.0 dBuV/m

Time: 下午 05:58:27

Humidity:46.1 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	249.6593	37.83	peak	-7.58	30.25	46.00	102	145	-15.75	
	440.1603	41.55	peak	-3.43	38.12	46.00	100	166	-7.88	
*	484.8697	42.93	peak	-3.09	39.84	46.00	100	325	-6.16	
	527.6352	39.03	peak	-2.24	36.79	46.00	101	180	-9.21	

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Vincent

File :1\_WiFi 5G\_ant1\_TX 802 Data :#2


Date: 2022/8/18

Temperature:29.1 °C

80.0 dBuV/m

Time: 下午 05:59:26

Humidity:46.1 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	440.1603	33.22	peak	-3.43	29.79	46.00	102	326	-16.21	
	484.8697	38.70	peak	-3.09	35.61	46.00	100	25	-10.39	
*	527.6352	44.09	peak	-2.24	41.85	46.00	101	142	-4.15	
	572.3446	37.39	peak	-2.06	35.33	46.00	102	190	-10.67	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 08:52:33

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 08:55:50

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 08:52:41

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 08:55:58

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 08:53:45

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10360.000	36.62	peak	8.45	45.07	74.00	150	122	-28.93	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 08:57:02

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10360.000	35.93	peak	8.45	44.38	74.00	150	226	-29.62	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 08:54:54

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15540.000	27.94	peak	18.93	46.87	74.00	150	115	-27.13	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 08:58:11

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15540.000	27.67	peak	18.93	46.60	74.00	150	214	-27.40	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 08:55:04

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 08:58:20

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 08:55:14

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 08:58:31

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 09:07:17

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 09:14:28

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 09:07:24

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 09:14:36

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 09:11:56

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10440.000	34.86	peak	8.46	43.32	74.00	150	90	-30.68	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 09:19:06

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10440.000	36.77	peak	8.46	45.23	74.00	150	221	-28.77	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 09:13:05

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15660.000	27.28	peak	17.95	45.23	74.00	150	227	-28.77	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 09:20:15

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15660.000	27.26	peak	17.95	45.21	74.00	150	214	-28.79	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 09:13:15

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 09:20:25

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 09:13:25

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 09:20:35

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 09:29:29

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 09:33:05

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 09:29:37

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 09:33:12

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 09:31:23

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10480.000	35.37	peak	8.57	43.94	74.00	150	54	-30.06	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 09:34:31

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10480.000	36.07	peak	8.57	44.64	74.00	150	227	-29.36	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 09:32:32

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15720.000	27.44	peak	17.60	45.04	74.00	150	132	-28.96	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 09:35:40

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15720.000	27.08	peak	17.60	44.68	74.00	150	145	-29.32	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 09:32:42

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 09:35:50

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 09:32:52

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 09:36:00

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 08:25:01

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 08:28:41

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 08:25:09

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 08:28:49

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 08:26:57

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10520.000	36.98	peak	8.69	45.67	74.00	150	123	-28.33	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 08:29:55

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10520.000	35.27	peak	8.69	43.96	74.00	150	62	-30.04	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 08:28:07

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15780.000	27.58	peak	18.15	45.73	74.00	150	185	-28.27	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 08:31:04

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15780.000	26.93	peak	18.15	45.08	74.00	150	241	-28.92	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 08:28:17

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 08:28:28

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 08:31:15

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 08:31:26

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 08:49:38

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH60

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 08:52:34

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH60

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 08:49:47

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH60

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 08:52:42

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH60

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 08:50:50

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH60

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10600.000	35.15	peak	8.95	44.10	74.00	150	88	-29.90	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 08:54:25

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH60

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10600.000	35.14	peak	8.95	44.09	74.00	150	311	-29.91	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 08:52:00

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH60

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15900.000	28.67	peak	18.52	47.19	74.00	150	246	-26.81	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 08:55:34

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH60

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15900.000	27.27	peak	18.52	45.79	74.00	150	247	-28.21	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 08:52:10

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH60

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 08:55:44

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH60

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 08:52:21

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH60

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 08:55:56

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH60

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 09:15:29

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 09:19:12

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 09:15:37

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 09:19:21

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 09:17:08

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10640.000	36.27	peak	9.10	45.37	74.00	150	70	-28.63	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 09:20:42

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10640.000	35.35	peak	9.10	44.45	74.00	150	90	-29.55	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 09:18:17

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15960.000	28.33	peak	17.73	46.06	74.00	150	88	-27.94	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 09:21:51

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15960.000	27.74	peak	17.73	45.47	74.00	150	142	-28.53	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 09:18:28

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 09:22:02

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 09:18:39

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 09:22:13

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 05:23:45

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 05:26:39

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 05:23:53

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 05:26:47

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 05:24:59

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11000.000	34.98	peak	10.37	45.35	74.00	150	74	-28.65	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 05:28:28

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11000.000	33.89	peak	10.37	44.26	74.00	150	152	-29.74	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 05:26:07

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16500.000	25.73	peak	19.56	45.29	74.00	150	162	-28.71	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 05:29:37

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16500.000	26.29	peak	19.56	45.85	74.00	150	194	-28.15	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 05:26:17

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 05:29:47

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 05:26:28

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 05:29:58

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 08:12:25

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 08:15:19

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 08:12:32

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 08:15:28

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 08:13:36

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11200.000	35.24	peak	10.49	45.73	74.00	150	90	-28.27	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 08:16:33

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11200.000	35.47	peak	10.49	45.96	74.00	150	299	-28.04	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 08:14:45

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16800.000	25.29	peak	21.03	46.32	74.00	150	241	-27.68	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 08:17:44

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16800.000	25.31	peak	21.03	46.34	74.00	150	255	-27.66	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 08:14:57

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 08:17:55

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 08:15:08

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 08:18:06

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 07:54:18

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 07:57:12

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 07:54:26

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 07:57:20

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 07:55:29

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11400.000	34.36	peak	10.51	44.87	74.00	150	213	-29.13	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 07:58:27

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11400.000	34.29	peak	10.51	44.80	74.00	150	249	-29.20	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 07:56:38

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17100.000	25.99	peak	21.48	47.47	74.00	150	254	-26.53	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 07:59:36

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17100.000	26.51	peak	21.48	47.99	74.00	150	221	-26.01	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 07:56:48

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

EUT : W6M22207-21977

M/N:

Test Mode : TX 802.11a CH140

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 07:59:45

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 07:56:58

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 07:59:56

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 06:45:13

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 06:48:45

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 06:45:21

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 06:48:53

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 06:46:25

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11490.000	34.39	peak	10.89	45.28	74.00	150	14	-28.72	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 06:49:58

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11490.000	33.35	peak	10.89	44.24	74.00	150	214	-29.76	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 06:47:35

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17235.000	25.17	peak	18.97	44.14	74.00	150	226	-29.86	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 06:51:07

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17235.000	26.55	peak	18.97	45.52	74.00	150	119	-28.48	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 06:47:45

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 06:51:17

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 06:47:56

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 06:51:28

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 07:03:10

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 07:06:05

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 07:03:18

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 07:06:13

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 07:04:22

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11570.000	34.98	peak	11.48	46.46	74.00	150	134	-27.54	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 07:07:20

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11570.000	35.48	peak	11.48	46.96	74.00	150	90	-27.04	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 07:05:31

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17355.000	25.08	peak	19.34	44.42	74.00	150	256	-29.58	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 07:08:29

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17355.000	26.09	peak	19.34	45.43	74.00	150	142	-28.57	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 07:05:42

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 07:08:40

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 07:05:53

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 07:08:51

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:02:48

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:05:55

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:02:56

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:06:03

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:04:02

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11650.000	34.54	peak	11.39	45.93	74.00	150	137	-28.07	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:07:50

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11650.000	34.60	peak	11.39	45.99	74.00	150	142	-28.01	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:05:11

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17475.000	25.80	peak	19.05	44.85	74.00	150	196	-29.15	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:08:59

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17475.000	26.67	peak	19.05	45.72	74.00	150	126	-28.28	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:05:21

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:09:10

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:05:32

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:09:21

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



## Radiated Emission Measurement

Operator: Vincent

File :1\_WiFi 5G\_ant2\_TX 802 Data :#1


Date: 2022/8/18

Temperature:29.1 °C

80.0 dBuV/m

Time: 下午 06:16:01

Humidity:46.1 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	249.6593	36.96	peak	-7.58	29.38	46.00	100	227	-16.62	
	440.1603	38.64	peak	-3.43	35.21	46.00	100	264	-10.79	
*	484.8697	40.61	peak	-3.09	37.52	46.00	102	163	-8.48	
	527.6352	38.87	peak	-2.24	36.63	46.00	101	198	-9.37	



Radiated Emission Measurement

Operator: Vincent

File :1\_WiFi 5G\_ant2\_TX 802 Data :#2


Date: 2022/8/18

Temperature:29.1 °C

80.0 dBuV/m

Time: 下午 06:17:00

Humidity:46.1 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	440.1603	33.78	peak	-3.43	30.35	46.00	100	216	-15.65	
	484.8697	38.99	peak	-3.09	35.90	46.00	102	90	-10.10	
*	527.6352	43.17	peak	-2.24	40.93	46.00	100	145	-5.07	
	572.3447	38.14	peak	-2.06	36.08	46.00	101	322	-9.92	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 09:55:00

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 09:57:53

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 09:55:08

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 09:58:01

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 09:56:12

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10360.000	35.34	peak	8.45	43.79	74.00	150	274	-30.21	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 09:59:05

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10360.000	36.19	peak	8.45	44.64	74.00	150	247	-29.36	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 09:57:20

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15540.000	28.21	peak	18.93	47.14	74.00	150	231	-26.86	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:00:14

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15540.000	27.25	peak	18.93	46.18	74.00	150	194	-27.82	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 09:57:30

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:00:24

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 09:57:41

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:00:34

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:04:56

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:07:49

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:05:04

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:07:57

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:06:08

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10440.000	35.88	peak	8.46	44.34	74.00	150	85	-29.66	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:09:01

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10440.000	35.27	peak	8.46	43.73	74.00	150	219	-30.27	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:07:16

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15660.000	26.86	peak	17.95	44.81	74.00	150	314	-29.19	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:10:10

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15660.000	27.89	peak	17.95	45.84	74.00	150	184	-28.16	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:07:26

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Vincent

File :3

Data :#11


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:10:20

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:07:37

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:10:31

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:16:13

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:19:08

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:16:21

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:19:16

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:17:25

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10480.000	34.69	peak	8.57	43.26	74.00	150	247	-30.74	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:20:20

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10480.000	34.81	peak	8.57	43.38	74.00	150	324	-30.62	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:18:34

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15720.000	27.01	peak	17.60	44.61	74.00	150	64	-29.39	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:21:29

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15720.000	27.86	peak	17.60	45.46	74.00	150	266	-28.54	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:18:44

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:21:38

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:18:54

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Vincent

File :3

Data :#12


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:21:49

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:33:54

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:36:48

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:34:01

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:36:56

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:35:06

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10520.000	34.74	peak	8.69	43.43	74.00	150	211	-30.57	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:38:01

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10520.000	36.02	peak	8.69	44.71	74.00	150	32	-29.29	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:36:15

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15780.000	25.95	peak	18.15	44.10	74.00	150	194	-29.90	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:39:09

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15780.000	25.34	peak	18.15	43.49	74.00	150	241	-30.51	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:36:25

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:39:19

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:36:36

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:39:30

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:21:55

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH60

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:24:52

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH60

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:22:03

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH60

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:25:00

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH60

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:23:09

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH60

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10600.000	35.65	peak	8.95	44.60	74.00	150	64	-29.40	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:26:09

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH60

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10600.000	35.00	peak	8.95	43.95	74.00	150	211	-30.05	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:24:17

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH60

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15900.000	27.96	peak	18.52	46.48	74.00	150	116	-27.52	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:27:18

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH60

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15900.000	27.85	peak	18.52	46.37	74.00	150	284	-27.63	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:24:27

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH60

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:27:28

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH60

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:24:38

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH60

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:27:38

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH60

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:07:40

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:10:32

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:07:48

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:10:40

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:08:52

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10640.000	36.72	peak	9.10	45.82	74.00	150	274	-28.18	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:11:46

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10640.000	35.70	peak	9.10	44.80	74.00	150	90	-29.20	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:10:01

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15960.000	29.19	peak	17.73	46.92	74.00	150	324	-27.08	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:12:55

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15960.000	27.62	peak	17.73	45.35	74.00	150	221	-28.65	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:10:10

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:13:05

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:10:21

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:13:15

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 08:38:34

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 08:41:38

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 08:38:42

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 08:41:46

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 08:39:48

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11000.000	35.26	peak	10.37	45.63	74.00	150	80	-28.37	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 08:43:28

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11000.000	35.06	peak	10.37	45.43	74.00	150	237	-28.57	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 08:40:56

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16500.000	26.24	peak	19.56	45.80	74.00	150	274	-28.20	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 08:44:46

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16500.000	25.33	peak	19.56	44.89	74.00	150	227	-29.11	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 08:41:06

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 08:45:07

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 08:41:17

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 08:45:18

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 08:21:05

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 08:24:06

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 08:21:13

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 08:24:15

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 08:22:19

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11200.000	35.23	peak	10.49	45.72	74.00	150	28	-28.28	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 08:26:16

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11200.000	35.26	peak	10.49	45.75	74.00	150	257	-28.25	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 08:23:28

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16800.000	25.33	peak	21.03	46.36	74.00	150	264	-27.64	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 08:27:26

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16800.000	24.52	peak	21.03	45.55	74.00	150	225	-28.45	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 08:23:39

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 08:27:37

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 08:23:50

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 08:27:50

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 09:34:32

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Vincent

File :3

Data :#7


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 09:37:23

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 09:34:39

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 09:37:31

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 09:35:43

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11400.000	34.07	peak	10.51	44.58	74.00	150	234	-29.42	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 09:38:35

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11400.000	34.27	peak	10.51	44.78	74.00	150	245	-29.22	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 09:36:51

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17100.000	25.34	peak	21.48	46.82	74.00	150	280	-27.18	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 09:39:43

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17100.000	26.36	peak	21.48	47.84	74.00	150	229	-26.16	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 09:37:01

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 09:39:53

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 09:37:12

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 09:40:04

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:35:58

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:38:57

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:36:06

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:39:05

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:37:11

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11490.000	34.61	peak	10.89	45.50	74.00	150	228	-28.50	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:40:13

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11490.000	34.76	peak	10.89	45.65	74.00	150	64	-28.35	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:38:21

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17235.000	25.87	peak	18.97	44.84	74.00	150	248	-29.16	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:41:22

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17235.000	26.99	peak	18.97	45.96	74.00	150	164	-28.04	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:38:31

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:41:33

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:38:42

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:41:44

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:46:19

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:49:41

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:46:27

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:49:50

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:47:35

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11490.000	34.35	peak	10.89	45.24	74.00	150	287	-28.76	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:50:54

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11570.000	33.96	peak	11.48	45.44	74.00	150	294	-28.56	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:48:45

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17235.000	26.50	peak	18.97	45.47	74.00	150	62	-28.53	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:52:04

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17355.000	26.07	peak	19.34	45.41	74.00	150	241	-28.59	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:48:55

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:52:14

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:49:06

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:52:25

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:54:50

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:57:44

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:54:58

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:57:52

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:56:01

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11650.000	35.94	peak	11.39	47.33	74.00	150	322	-26.67	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:58:57

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11650.000	35.05	peak	11.39	46.44	74.00	150	326	-27.56	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:57:11

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17475.000	26.42	peak	19.05	45.47	74.00	150	224	-28.53	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:00:06

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17475.000	25.89	peak	19.05	44.94	74.00	150	62	-29.06	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:57:21

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:00:16

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 08:57:32

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:00:27

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
Tel:+886-2-6606-8877  
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Vincent

File :1\_WiFi 5G\_ant all\_TX

Data :#1


Date: 2022/8/18

Temperature:29.1 °C

80.0 dBuV/m

Time: 下午 06:20:35

Humidity:46.1 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	249.6593	37.73	peak	-7.58	30.15	46.00	102	145	-15.85	
	440.1603	38.35	peak	-3.43	34.92	46.00	100	60	-11.08	
	484.8697	40.76	peak	-3.09	37.67	46.00	100	328	-8.33	
*	527.6352	40.93	peak	-2.24	38.69	46.00	102	115	-7.31	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Vincent

File :1\_WiFi 5G\_ant all\_TX

Data :#2


Date: 2022/8/18

Temperature:29.1 °C

80.0 dBuV/m

Time: 下午 06:21:35

Humidity:46.1 %



Site : Chamber

Condition : FCC\_part 15 RE-Class E\_30-1000MHz

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	329.3587	33.22	peak	-5.34	27.88	46.00	104	65	-18.12	
	484.8697	38.23	peak	-3.09	35.14	46.00	100	125	-10.86	
*	527.6352	43.61	peak	-2.24	41.37	46.00	101	227	-4.63	
	572.3447	37.00	peak	-2.06	34.94	46.00	100	134	-11.06	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:41:55

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:44:55

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:42:03

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:45:02

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:43:07

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10360.000	35.53	peak	8.45	43.98	74.00	150	174	-30.02	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:46:11

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10360.000	36.17	peak	8.45	44.62	74.00	150	266	-29.38	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:44:16

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15540.000	28.31	peak	18.93	47.24	74.00	150	152	-26.76	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:47:20

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15540.000	27.38	peak	18.93	46.31	74.00	150	167	-27.69	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:44:26

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Vincent

File :3

Data :#11


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:47:30

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:44:36

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:47:40

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:56:03

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:58:59

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:56:10

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:59:07

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

EUT : W6M22207-21977

M/N:

Test Mode : TX 802.11n20 CH44

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:57:17

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10440.000	36.04	peak	8.46	44.50	74.00	150	90	-29.50	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:00:12

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10440.000	35.74	peak	8.46	44.20	74.00	150	218	-29.80	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:58:26

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15660.000	27.05	peak	17.95	45.00	74.00	150	255	-29.00	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:01:21

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15660.000	27.44	peak	17.95	45.39	74.00	150	126	-28.61	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:58:36

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:01:31

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 10:58:46

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:01:42

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH44

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:05:31

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:09:36

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:05:39

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:09:44

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:07:53

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10480.000	35.76	peak	8.57	44.33	74.00	150	226	-29.67	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:10:48

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10480.000	35.47	peak	8.57	44.04	74.00	150	77	-29.96	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:09:02

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15720.000	27.56	peak	17.60	45.16	74.00	150	64	-28.84	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:11:56

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15720.000	27.09	peak	17.60	44.69	74.00	150	158	-29.31	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:09:11

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:12:06

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:09:22

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:12:17

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH48

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:42:55

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:46:14

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:43:03

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:46:21

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:44:09

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10520.000	35.59	peak	8.69	44.28	74.00	150	342	-29.72	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:48:08

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10520.000	35.26	peak	8.69	43.95	74.00	150	266	-30.05	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:45:17

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15780.000	26.28	peak	18.15	44.43	74.00	150	64	-29.57	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:49:17

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15780.000	26.22	peak	18.15	44.37	74.00	150	164	-29.63	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:45:27

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:49:26

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:45:38

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:49:37

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH52

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:52:07

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH60

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Vincent

File :3

Data :#7


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:55:04

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH60

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:52:15

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH60

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:55:12

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH60

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:53:19

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH60

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10600.000	35.39	peak	8.95	44.34	74.00	150	64	-29.66	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:56:34

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH60

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10600.000	35.75	peak	8.95	44.70	74.00	150	100	-29.30	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:54:27

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH60

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15900.000	28.02	peak	18.52	46.54	74.00	150	284	-27.46	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:57:43

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH60

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15900.000	27.80	peak	18.52	46.32	74.00	150	228	-27.68	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:54:37

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH60

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:57:53

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH60

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:54:48

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH60

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 10:58:03

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH60

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 11:03:25

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 11:07:44

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 11:03:32

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 11:07:51

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 11:05:53

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10640.000	36.23	peak	9.10	45.33	74.00	150	118	-28.67	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 11:09:40

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10640.000	35.88	peak	9.10	44.98	74.00	150	234	-29.02	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 11:07:02

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15960.000	27.61	peak	17.73	45.34	74.00	150	254	-28.66	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 11:10:49

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15960.000	27.60	peak	17.73	45.33	74.00	150	215	-28.67	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 11:07:12

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 11:10:59

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 11:07:22

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 11:11:09

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 10:49:11

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 10:52:10

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 10:49:19

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 10:52:18

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 10:50:23

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11000.000	36.17	peak	10.37	46.54	74.00	150	184	-27.46	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 10:53:24

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11000.000	35.18	peak	10.37	45.55	74.00	150	64	-28.45	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 10:51:31

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16500.000	25.12	peak	19.56	44.68	74.00	150	223	-29.32	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 10:54:32

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16500.000	25.10	peak	19.56	44.66	74.00	150	224	-29.34	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 10:51:41

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 10:54:42

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 10:51:52

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 10:54:53

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 10:59:10

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:02:05

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 10:59:18

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:02:13

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:00:23

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11200.000	35.25	peak	10.49	45.74	74.00	150	102	-28.26	

\*:Maximum data x:Over limit !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:04:07

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11200.000	35.00	peak	10.49	45.49	74.00	150	254	-28.51	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:01:31

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16800.000	25.51	peak	21.03	46.54	74.00	150	163	-27.46	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:05:16

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16800.000	24.57	peak	21.03	45.60	74.00	150	225	-28.40	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:01:41

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:05:26

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:01:52

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:05:36

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH120

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:12:48

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:15:41

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:12:56

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:15:49

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:13:59

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11400.000	34.00	peak	10.51	44.51	74.00	150	231	-29.49	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:16:56

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11400.000	35.39	peak	10.51	45.90	74.00	150	90	-28.10	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:15:08

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17100.000	25.70	peak	21.48	47.18	74.00	150	142	-26.82	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:18:05

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17100.000	25.52	peak	21.48	47.00	74.00	150	216	-27.00	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:15:18

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:18:15

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:15:28

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:18:25

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:12:12

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:15:09

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:12:20

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:15:18

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:13:25

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11490.000	34.95	peak	10.89	45.84	74.00	150	253	-28.16	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:16:29

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11490.000	34.96	peak	10.89	45.85	74.00	150	154	-28.15	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:14:35

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17235.000	25.31	peak	18.97	44.28	74.00	150	90	-29.72	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:17:38

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17235.000	27.24	peak	18.97	46.21	74.00	150	169	-27.79	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:14:45

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:17:48

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:14:56

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:17:59

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH149

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:20:31

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:23:34

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:20:40

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:23:42

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:21:44

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11570.000	35.41	peak	11.48	46.89	74.00	150	237	-27.11	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:26:03

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11570.000	35.25	peak	11.48	46.73	74.00	150	239	-27.27	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:22:54

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17355.000	24.68	peak	19.34	44.02	74.00	150	296	-29.98	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:27:12

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17355.000	26.18	peak	19.34	45.52	74.00	150	214	-28.48	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:23:04

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:27:23

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:23:15

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:27:34

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH157

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:30:45

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:33:51

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:30:54

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:34:00

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:32:07

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11650.000	35.64	peak	11.39	47.03	74.00	150	326	-26.97	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:35:28

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11650.000	34.83	peak	11.39	46.22	74.00	150	90	-27.78	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:33:16

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17475.000	27.03	peak	19.05	46.08	74.00	150	254	-27.92	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:36:37

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17475.000	25.50	peak	19.05	44.55	74.00	150	169	-29.45	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:33:27

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:36:48

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:33:38

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:36:59

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH165

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:16:35

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH38

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:19:41

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH38

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:16:42

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH38

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:19:49

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH38

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:18:01

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH38

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10380.000	35.45	peak	8.40	43.85	74.00	150	90	-30.15	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:21:14

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH38

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10380.000	35.55	peak	8.40	43.95	74.00	150	62	-30.05	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:19:10

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH38

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15570.000	27.33	peak	18.85	46.18	74.00	150	274	-27.82	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:22:23

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH38

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15570.000	27.49	peak	18.85	46.34	74.00	150	244	-27.66	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:19:20

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH38

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:22:33

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH38

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:19:31

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH38

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Vincent

File :3

Data :#12


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:22:43

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH38

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:28:37

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH46

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:31:28

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH46

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:28:45

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH46

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:31:36

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH46

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:29:48

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH46

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10460.000	34.96	peak	8.51	43.47	74.00	150	114	-30.53	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:32:39

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH46

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10460.000	34.92	peak	8.51	43.43	74.00	150	227	-30.57	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:30:57

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH46

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15690.000	27.36	peak	17.55	44.91	74.00	150	246	-29.09	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:33:48

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH46

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15690.000	27.42	peak	17.55	44.97	74.00	150	142	-29.03	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:31:07

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH46

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Vincent

File :3

Data :#11


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:33:58

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH46

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:31:17

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH46

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:34:08

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH46

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 11:34:55

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH54

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 11:37:54

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH54

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 11:35:03

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH54

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 11:38:01

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH54

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 11:36:10

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH54

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10540.000	35.26	peak	8.75	44.01	74.00	150	115	-29.99	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 11:40:32

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH54

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10540.000	35.20	peak	8.75	43.95	74.00	150	296	-30.05	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 11:37:19

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH54

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15810.000	27.84	peak	18.36	46.20	74.00	150	211	-27.80	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 11:41:41

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH54

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15810.000	26.93	peak	18.36	45.29	74.00	150	264	-28.71	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 11:37:29

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH54

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 11:41:51

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH54

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 11:37:39

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH54

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 11:42:01

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH54

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 11:50:32

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH62

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 11:53:35

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH62

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 11:50:40

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH62

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 11:53:42

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH62

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 11:51:45

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH62

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10620.000	34.76	peak	9.03	43.79	74.00	150	284	-30.21	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 11:55:02

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH62

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10620.000	34.11	peak	9.03	43.14	74.00	150	94	-30.86	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 11:52:54

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH62

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15930.000	27.57	peak	18.13	45.70	74.00	150	247	-28.30	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 11:56:11

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH62

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15930.000	28.62	peak	18.13	46.75	74.00	150	146	-27.25	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 11:53:04

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH62

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 11:56:21

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH62

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 11:53:14

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH62

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/9

Temperature:30.2 °C

90.0 dBuV/m

Time: 下午 11:56:31

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH62

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:26:31

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH102

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:29:27

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH102

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:26:39

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH102

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:29:34

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH102

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:27:43

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH102

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11020.000	35.18	peak	10.28	45.46	74.00	150	123	-28.54	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:31:21

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH102

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11020.000	35.14	peak	10.28	45.42	74.00	150	60	-28.58	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:28:52

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH102

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16530.000	27.15	peak	19.25	46.40	74.00	150	245	-27.60	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:32:30

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH102

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16530.000	26.68	peak	19.25	45.93	74.00	150	224	-28.07	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:29:02

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH102

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:32:40

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH102

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:29:12

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH102

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:32:50

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH102

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:37:48

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH118

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:41:45

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH118

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:37:56

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH118

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:41:53

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH118

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:39:14

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH118

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11180.000	34.83	peak	10.38	45.21	74.00	150	75	-28.79	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:44:09

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH118

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11180.000	34.86	peak	10.38	45.24	74.00	150	142	-28.76	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:40:23

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH118

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16770.000	24.67	peak	20.59	45.26	74.00	150	253	-28.74	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:45:17

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH118

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16770.000	24.71	peak	20.59	45.30	74.00	150	169	-28.70	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:40:33

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH118

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Vincent

File :3

Data :#11


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:45:27

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH118

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:40:44

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH118

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:45:37

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH118

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:49:45

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH134

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:52:42

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH134

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:49:53

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH134

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:52:49

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH134

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:51:01

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH134

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11340.000	34.80	peak	11.09	45.89	74.00	150	216	-28.11	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:53:56

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH134

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11340.000	34.17	peak	11.09	45.26	74.00	150	64	-28.74	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:52:09

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH134

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17010.000	25.88	peak	19.59	45.47	74.00	150	196	-28.53	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:55:05

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH134

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17010.000	26.17	peak	19.59	45.76	74.00	150	228	-28.24	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:52:19

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH134

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:55:15

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH134

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:52:30

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH134

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/10

Temperature:27.6 °C

90.0 dBuV/m

Time: 下午 11:55:25

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH134

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:48:03

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH151

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:51:03

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH151

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:48:11

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH151

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:51:11

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH151

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:49:16

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH151

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11510.000	34.82	peak	11.01	45.83	74.00	150	128	-28.17	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:52:58

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH151

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11510.000	34.57	peak	11.01	45.58	74.00	150	74	-28.42	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:50:26

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH151

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17265.000	27.02	peak	19.21	46.23	74.00	150	253	-27.77	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:54:07

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH151

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17265.000	27.16	peak	19.21	46.37	74.00	150	294	-27.63	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:50:36

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH151

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:54:18

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH151

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:50:47

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH151

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:54:29

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH151

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:56:40

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH159

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 10:01:27

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH159

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:56:48

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH159

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 10:01:36

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH159

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:58:49

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH159

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11590.000	34.55	peak	11.63	46.18	74.00	150	87	-27.82	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 10:03:26

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH159

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11590.000	36.25	peak	11.63	47.88	74.00	150	146	-26.12	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 09:59:58

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH159

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17385.000	26.15	peak	19.26	45.41	74.00	150	264	-28.59	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 10:04:36

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH159

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17385.000	26.24	peak	19.26	45.50	74.00	150	264	-28.50	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 10:00:09

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH159

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 10:04:46

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH159

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 10:00:20

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH159

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 10:04:57

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH159

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:38:00

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH42

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:43:41

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH42

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:38:08

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH42

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:43:48

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH42

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:42:00

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH42

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10420.000	35.26	peak	8.40	43.66	74.00	150	218	-30.34	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:44:52

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH42

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10420.000	34.84	peak	8.40	43.24	74.00	150	296	-30.76	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:43:08

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH42

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15630.000	27.70	peak	18.36	46.06	74.00	150	257	-27.94	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:46:01

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH42

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15630.000	28.17	peak	18.36	46.53	74.00	150	217	-27.47	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:43:18

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH42

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:46:10

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH42

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:43:29

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH42

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 11:46:21

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH42

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/10

Temperature:30.2 °C

90.0 dBuV/m

Time: 上午 12:00:26

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH58

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/10

Temperature:30.2 °C

90.0 dBuV/m

Time: 上午 12:03:20

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH58

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/10

Temperature:30.2 °C

90.0 dBuV/m

Time: 上午 12:00:34

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH58

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/10

Temperature:30.2 °C

90.0 dBuV/m

Time: 上午 12:03:28

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH58

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/10

Temperature:30.2 °C

90.0 dBuV/m

Time: 上午 12:01:38

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH58

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10580.000	35.60	peak	8.88	44.48	74.00	150	274	-29.52	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/10

Temperature:30.2 °C

90.0 dBuV/m

Time: 上午 12:05:05

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH58

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	10580.000	36.12	peak	8.88	45.00	74.00	150	327	-29.00	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/10

Temperature:30.2 °C

90.0 dBuV/m

Time: 上午 12:02:46

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH58

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15870.000	26.99	peak	18.47	45.46	74.00	150	62	-28.54	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/10

Temperature:30.2 °C

90.0 dBuV/m

Time: 上午 12:06:14

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH58

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	15870.000	27.11	peak	18.47	45.58	74.00	150	227	-28.42	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/10

Temperature:30.2 °C

90.0 dBuV/m

Time: 上午 12:02:56

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH58

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Vincent

File :3

Data :#11


Date: 2022/8/10

Temperature:30.2 °C

90.0 dBuV/m

Time: 上午 12:06:24

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH58

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/10

Temperature:30.2 °C

90.0 dBuV/m

Time: 上午 12:03:07

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH58

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/10

Temperature:30.2 °C

90.0 dBuV/m

Time: 上午 12:06:34

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH58

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 05:50:22

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH106

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 05:54:09

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH106

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 05:50:30

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH106

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 05:54:18

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH106

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 05:51:36

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH106

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11060.000	35.23	peak	10.10	45.33	74.00	150	287	-28.67	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 05:55:26

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH106

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11060.000	36.04	peak	10.10	46.14	74.00	150	218	-27.86	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 05:52:45

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH106

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16590.000	27.21	peak	18.62	45.83	74.00	150	153	-28.17	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 05:56:35

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH106

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16590.000	26.68	peak	18.62	45.30	74.00	150	147	-28.70	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 05:52:56

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH106

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 05:56:46

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH106

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 05:53:07

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH106

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 05:56:57

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH106

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 10:09:50

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH122

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 10:13:45

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH122

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 10:09:59

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH122

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 10:13:54

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH122

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 10:12:03

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH122

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11220.000	35.97	peak	10.69	46.66	74.00	150	48	-27.34	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 10:15:31

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH122

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11220.000	34.60	peak	10.69	45.29	74.00	150	159	-28.71	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 10:13:12

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH122

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16830.000	26.22	peak	20.43	46.65	74.00	150	224	-27.35	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 10:16:40

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH122

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	16830.000	25.59	peak	20.43	46.02	74.00	150	266	-27.98	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 10:13:22

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH122

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 10:16:50

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH122

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 10:13:33

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH122

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 10:17:02

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH122

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 10:26:40

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH155

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 10:29:47

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH155

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 10:26:48

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH155

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 10:29:56

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH155

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 10:28:04

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH155

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11550.000	34.15	peak	11.32	45.47	74.00	150	143	-28.53	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#9


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 10:31:15

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH155

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	11550.000	34.13	peak	11.32	45.45	74.00	150	269	-28.55	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 10:29:14

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH155

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17325.000	26.01	peak	19.41	45.42	74.00	150	283	-28.58	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#10


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 10:32:24

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: Vertical

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH155

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	17325.000	25.91	peak	19.41	45.32	74.00	150	228	-28.68	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 10:29:24

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH155

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#11


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 10:32:34

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH155

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 10:29:35

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH155

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#12


Date: 2022/8/11

Temperature:30.1 °C

90.0 dBuV/m

Time: 下午 10:32:45

Humidity:48.8 %



Site : Chamber

Condition : FCC\_part 15E RE\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH155

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement


Operator: Vincent

File :Bandedge  
122.0 dBuV/m

Data :#1

Date: 2022/8/8  
Time: 下午 08:47:16

Temperature:28.5 °C  
Humidity:50.7 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B1\_5150\_5250)

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5150.000	8.02	peak	41.58	49.60	74.00	195	286	-24.40	
*	5150.000	5.70	AVG	41.58	47.28	54.00	195	286	-6.72	





Radiated Emission Measurement

Operator: Vincent

File :Bandedge  
 122.0 dBuV/m


Data :#2

Date: 2022/8/8

Temperature:28.5 °C

Time: 下午 08:50:45

Humidity:50.7 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B1\_5150\_5250)

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5150.000	7.54	peak	41.58	49.12	74.00	175	41	-24.88	
*	5150.000	5.27	AVG	41.58	46.85	54.00	175	41	-7.15	



Radiated Emission Measurement


Operator: Sky

File :Bandedge  
 132.0 dBuV/m

Data :#1

Date: 2022/9/22  
 Time: 下午 05:50:54

Temperature:26.7 °C  
 Humidity:60 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B2\_5250\_5350)

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance:

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5350.000	21.17	peak	42.09	63.26	74.00	150	49	-10.74	
*	5350.000	7.62	AVG	42.09	49.71	54.00	150	49	-4.29	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement


Operator: Sky

File :Bandedge  
 132.0 dBuV/m

Data :#2

Date: 2022/9/22  
 Time: 下午 05:57:03

Temperature:26.7 °C  
 Humidity:60 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B2\_5250\_5350)

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance:

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5350.000	19.09	peak	42.09	61.18	74.00	150	15	-12.82	
*	5350.000	6.27	AVG	42.09	48.36	54.00	150	15	-5.64	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement


Operator: Vincent

File :Bandedge  
 122.0 dBuV/m

Data :#1

Date: 2022/8/10  
 Time: 下午 07:30:29

Temperature:27.6 °C  
 Humidity:50.7 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3\_5460\_5725)

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5460.000	12.27	peak	42.14	54.41	74.00	150	60	-19.59	
*	5460.000	7.06	AVG	42.14	49.20	54.00	150	60	-4.80	



Radiated Emission Measurement

Operator: Vincent

File :Bandedge

Data :#2


Date: 2022/8/10

Temperature:27.6 °C

122.0 dBuV/m

Time: 下午 07:36:06

Humidity:50.7 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3\_5460\_5725)

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5460.000	9.73	peak	42.14	51.87	74.00	150	160	-22.13	
*	5460.000	6.14	AVG	42.14	48.28	54.00	150	160	-5.72	



Radiated Emission Measurement

Operator: Vincent

File :Bandedge

Data :#1


Date: 2022/8/10

Temperature:27.6 °C

122.0 dBuV/m

Time: 下午 07:46:09

Humidity:50.7 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3\_5460\_5725)

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5725.000	13.76	peak	42.38	56.14	74.00	182	63	-17.86	
*	5725.000	7.57	AVG	42.38	49.95	54.00	182	63	-4.05	



Radiated Emission Measurement

Operator: Vincent

File :Bandedge

Data :#2


Date: 2022/8/10

Temperature:27.6 °C

122.0 dBuV/m

Time: 下午 07:51:00

Humidity:50.7 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3\_5460\_5725)

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5725.000	12.12	peak	42.38	54.50	74.00	166	321	-19.50	
*	5725.000	6.74	AVG	42.38	49.12	54.00	166	321	-4.88	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement


Operator: Vincent

File :Bandedge  
 122.0 dBuV/m

Data :#1

Date: 2022/8/8  
 Time: 下午 09:49:17

Temperature:28.5 °C  
 Humidity:50.7 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B1\_5150\_5250)

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5150.000	9.38	peak	41.58	50.96	74.00	154	171	-23.04	
*	5150.000	7.37	AVG	41.58	48.95	54.00	154	171	-5.05	





Radiated Emission Measurement

Operator: Vincent

File :Bandedge  
 122.0 dBuV/m


Data :#2

Date: 2022/8/8

Temperature:28.5 °C

Time: 下午 09:52:43

Humidity:50.7 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B1\_5150\_5250)

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5150.000	7.47	peak	41.58	49.05	74.00	190	100	-24.95	
*	5150.000	5.82	AVG	41.58	47.40	54.00	190	100	-6.60	



Radiated Emission Measurement


Operator: Sky

File :Bandedge  
 132.0 dBuV/m

Data :#1

Date: 2022/9/22  
 Time: 下午 07:11:36

Temperature:26.7 °C  
 Humidity:60 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B2\_5250\_5350)

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance:

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5350.000	21.43	peak	42.09	63.52	74.00	150	171	-10.48	
*	5350.000	8.04	AVG	42.09	50.13	54.00	150	171	-3.87	



Radiated Emission Measurement


Operator: Sky

File :Bandedge  
 132.0 dBuV/m

Data :#2

Date: 2022/9/22  
 Time: 下午 07:15:56

Temperature:26.7 °C  
 Humidity:60 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B2\_5250\_5350)

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance:

Test Mode : TX 802.11a CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5350.000	18.71	peak	42.09	60.80	74.00	150	214	-13.20	
*	5350.000	5.95	AVG	42.09	48.04	54.00	150	214	-5.96	



Radiated Emission Measurement


Operator: Vincent

File :Bandedge  
 122.0 dBuV/m

Data :#1

Date: 2022/8/10  
 Time: 下午 08:59:31

Temperature:27.6 °C  
 Humidity:50.7 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3\_5460\_5725)

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5460.000	11.71	peak	42.14	53.85	74.00	185	177	-20.15	
*	5460.000	7.46	AVG	42.14	49.60	54.00	185	177	-4.40	



Radiated Emission Measurement


Operator: Vincent

File :Bandedge  
 122.0 dBuV/m

Data :#2

Date: 2022/8/10  
 Time: 下午 09:09:54

Temperature:27.6 °C  
 Humidity:50.7 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3\_5460\_5725)

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5460.000	9.05	peak	42.14	51.19	74.00	152	274	-22.81	
*	5460.000	6.25	AVG	42.14	48.39	54.00	152	274	-5.61	



Radiated Emission Measurement

Operator: Vincent

File :Bandedge

Data :#1


Date: 2022/8/10

Temperature:27.6 °C

122.0 dBuV/m

Time: 下午 09:24:15

Humidity:50.7 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3\_5460\_5725)

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5725.000	14.25	peak	42.38	56.63	74.00	155	205	-17.37	
*	5725.000	7.24	AVG	42.38	49.62	54.00	155	205	-4.38	



Radiated Emission Measurement

Operator: Vincent

File :Bandedge

Data :#2


Date: 2022/8/10

Temperature:27.6 °C

122.0 dBuV/m

Time: 下午 09:31:57

Humidity:50.7 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3\_5460\_5725)

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5725.000	14.17	peak	42.38	56.55	74.00	187	117	-17.45	
*	5725.000	6.99	AVG	42.38	49.37	54.00	187	117	-4.63	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement


Operator: Vincent

File :Bandedge  
 122.0 dBuV/m

Data :#1

Date: 2022/8/8  
 Time: 下午 10:33:40

Temperature:28.5 °C  
 Humidity:50.7 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B1\_5150\_5250)

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5150.000	9.55	peak	41.58	51.13	74.00	155	170	-22.87	
*	5150.000	7.64	AVG	41.58	49.22	54.00	155	170	-4.78	





Radiated Emission Measurement


Operator: Vincent

File :Bandedge  
 122.0 dBuV/m

Data :#2

Date: 2022/8/8  
 Time: 下午 10:37:54

Temperature:28.5 °C  
 Humidity:50.7 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B1\_5150\_5250)

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH36

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5150.000	8.75	peak	41.58	50.33	74.00	190	100	-23.67	
*	5150.000	5.56	AVG	41.58	47.14	54.00	190	100	-6.86	



Radiated Emission Measurement


Operator: Sky

File :Bandedge  
 132.0 dBuV/m

Data :#1

Date: 2022/9/22  
 Time: 下午 07:53:21

Temperature:26.7 °C  
 Humidity:60 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B2\_5250\_5350)

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance:

Test Mode : TX 802.11n20 CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5350.000	20.46	peak	42.09	62.55	74.00	150	160	-11.45	
*	5350.000	7.86	AVG	42.09	49.95	54.00	150	160	-4.05	



Radiated Emission Measurement


Operator: Sky

File :Bandedge  
 132.0 dBuV/m

Data :#2

Date: 2022/9/22  
 Time: 下午 07:57:23

Temperature:26.7 °C  
 Humidity:60 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B2\_5250\_5350)

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance:

Test Mode : TX 802.11n20 CH64

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5350.000	19.35	peak	42.09	61.44	74.00	150	29	-12.56	
*	5350.000	6.21	AVG	42.09	48.30	54.00	150	29	-5.70	



Radiated Emission Measurement


Operator: Vincent

File :Bandedge  
 122.0 dBuV/m

Data :#1

Date: 2022/8/10  
 Time: 下午 10:00:18

Temperature:27.6 °C  
 Humidity:50.7 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3\_5460\_5725)

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5460.000	12.77	peak	42.14	54.91	74.00	185	65	-19.09	
*	5460.000	6.77	AVG	42.14	48.91	54.00	185	65	-5.09	



Radiated Emission Measurement


Operator: Vincent

File :Bandedge  
 122.0 dBuV/m

Data :#2

Date: 2022/8/10  
 Time: 下午 10:03:50

Temperature:27.6 °C  
 Humidity:50.7 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3\_5460\_5725)

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH100

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5460.000	11.44	peak	42.14	53.58	74.00	193	108	-20.42	
*	5460.000	6.24	AVG	42.14	48.38	54.00	193	108	-5.62	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement


Operator: Vincent

File :Bandedge  
 122.0 dBuV/m

Data :#1

Date: 2022/8/10  
 Time: 下午 09:49:44

Temperature:27.6 °C  
 Humidity:50.7 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3\_5460\_5725)

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5725.000	14.64	peak	42.38	57.02	74.00	195	62	-16.98	
*	5725.000	7.89	AVG	42.38	50.27	54.00	195	62	-3.73	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Vincent

File :Bandedge

Data :#2


Date: 2022/8/10

Temperature:27.6 °C

122.0 dBuV/m

Time: 下午 09:53:53

Humidity:50.7 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3\_5460\_5725)

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n20 CH140

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5725.000	11.14	peak	42.38	53.52	74.00	150	125	-20.48	
*	5725.000	6.90	AVG	42.38	49.28	54.00	150	125	-4.72	



Radiated Emission Measurement

Operator: Sky

File :Bandedge

Data :#1


Date: 2022/10/17

Temperature:24.9 °C

122.0 dBuV/m

Time: 下午 08:22:31

Humidity:63.1 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B1\_5150\_5250)

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH38

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5150.000	23.23	peak	41.58	64.81	74.00	150	170	-9.19	
*	5150.000	8.48	AVG	41.58	50.06	54.00	150	170	-3.94	





Radiated Emission Measurement


Operator: Sky

File :Bandedge  
 122.0 dBuV/m

Data :#2

Date: 2022/10/17  
 Time: 下午 08:26:04

Temperature:24.9 °C  
 Humidity:63.1 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B1\_5150\_5250)

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH38

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5150.000	20.49	peak	41.58	62.07	74.00	150	109	-11.93	
*	5150.000	7.62	AVG	41.58	49.20	54.00	150	109	-4.80	



Radiated Emission Measurement


Operator: Sky

File :Bandedge  
 122.0 dBuV/m

Data :#1

Date: 2022/10/17  
 Time: 下午 08:30:52

Temperature:24.9 °C  
 Humidity:63.1 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B2\_5250\_5350)

EUT : W6M22207-21977

M/N:

Test Mode : TX 802.11n40 CH62

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5350.000	15.59	peak	42.09	57.68	74.00	150	180	-16.32	
*	5350.000	7.44	AVG	42.09	49.53	54.00	150	180	-4.47	



Radiated Emission Measurement


Operator: Sky

File :Bandedge  
 122.0 dBuV/m

Data :#2

Date: 2022/10/17  
 Time: 下午 08:34:15

Temperature:24.9 °C  
 Humidity:63.1 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B2\_5250\_5350)

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH62

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5350.000	13.36	peak	42.09	55.45	74.00	150	300	-18.55	
*	5350.000	6.69	AVG	42.09	48.78	54.00	150	300	-5.22	



Radiated Emission Measurement


Operator: Sky

File :Bandedge  
 122.0 dBuV/m

Data :#1

Date: 2022/10/17  
 Time: 下午 08:38:54

Temperature:24.9 °C  
 Humidity:63.1 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3\_5460\_5725)

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH102

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5460.000	8.13	peak	42.14	50.27	74.00	150	75	-23.73	
*	5460.000	0.64	AVG	42.14	42.78	54.00	150	75	-11.22	



Radiated Emission Measurement


Operator: Sky

File :Bandedge  
 122.0 dBuV/m

Data :#2

Date: 2022/10/17  
 Time: 下午 08:41:11

Temperature:24.9 °C  
 Humidity:63.1 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3\_5460\_5725)

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH102

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5460.000	7.11	peak	42.14	49.25	74.00	150	110	-24.75	
*	5460.000	0.14	AVG	42.14	42.28	54.00	150	110	-11.72	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :Bandedge

Data :#1


Date: 2022/10/17

Temperature:24.9 °C

122.0 dBuV/m

Time: 下午 08:44:46

Humidity:63.1 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3\_5460\_5725)

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH134

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5725.000	3.73	peak	42.38	46.11	74.00	150	165	-27.89	
*	5725.000	-4.66	AVG	42.38	37.72	54.00	150	165	-16.28	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement


Operator: Sky

File :Bandedge  
 122.0 dBuV/m

Data :#2

Date: 2022/10/17  
 Time: 下午 08:46:37

Temperature:24.9 °C  
 Humidity:63.1 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3\_5460\_5725)

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n40 CH134

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5725.000	2.71	peak	42.38	45.09	74.00	150	145	-28.91	
*	5725.000	-6.25	AVG	42.38	36.13	54.00	150	145	-17.87	



Radiated Emission Measurement


Operator: Sky

File :Bandedge  
 122.0 dBuV/m

Data :#1

Date: 2022/10/17  
 Time: 下午 08:54:02

Temperature:24.9 °C  
 Humidity:63.1 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B1\_5150\_5250)

Polarization: **Horizontal**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH42

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5150.000	5.81	peak	41.58	47.39	74.00	150	176	-26.61	
*	5150.000	-1.25	AVG	41.58	40.33	54.00	150	176	-13.67	





Radiated Emission Measurement


Operator: Sky

File :Bandedge  
 122.0 dBuV/m

Data :#2

Date: 2022/10/17  
 Time: 下午 08:56:08

Temperature:24.9 °C  
 Humidity:63.1 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B1\_5150\_5250)

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH42

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5150.000	5.45	peak	41.58	47.03	74.00	150	120	-26.97	
*	5150.000	-1.25	AVG	41.58	40.33	54.00	150	120	-13.67	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement


Operator: Sky

File :Bandedge  
 122.0 dBuV/m

Data :#1

Date: 2022/10/17  
 Time: 下午 09:00:00

Temperature:24.9 °C  
 Humidity:63.1 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B2\_5250\_5350)

EUT : W6M22207-21977

M/N:

Test Mode : TX 802.11ac80 CH58

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5350.000	6.55	peak	42.09	48.64	74.00	150	172	-25.36	
*	5350.000	-1.21	AVG	42.09	40.88	54.00	150	172	-13.12	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement


Operator: Sky

File :Bandedge  
 122.0 dBuV/m

Data :#2

Date: 2022/10/17  
 Time: 下午 09:03:18

Temperature:24.9 °C  
 Humidity:63.1 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B2\_5250\_5350)

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH58

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5350.000	8.51	peak	42.09	50.60	74.00	150	317	-23.40	
*	5350.000	-1.24	AVG	42.09	40.85	54.00	150	317	-13.15	



Radiated Emission Measurement


Operator: Sky

File :Bandedge  
 122.0 dBuV/m

Data :#1

Date: 2022/10/17  
 Time: 下午 09:13:00

Temperature:24.9 °C  
 Humidity:63.1 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3\_5460\_5725)

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH106

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5460.000	5.37	peak	42.14	47.51	74.00	150	220	-26.49	
*	5460.000	-2.36	AVG	42.14	39.78	54.00	150	220	-14.22	



Radiated Emission Measurement


Operator: Sky

File :Bandedge  
 122.0 dBuV/m

Data :#2

Date: 2022/10/17  
 Time: 下午 09:18:35

Temperature:24.9 °C  
 Humidity:63.1 %



Site : Chamber

Condition : FCC 15.407 PK (Bandedge)(B3\_5460\_5725)

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac80 CH106

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5460.000	4.96	peak	42.14	47.10	74.00	150	359	-26.90	
*	5460.000	-2.11	AVG	42.14	40.03	54.00	150	359	-13.97	



Radiated Emission Measurement

Operator: Sora

File :A-CH149

Data :#1


Date: 2022/8/11

Temperature:24 °C

40.0 dBm

Time: 下午 01:56:13

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M22207-21977

M/N:

Test Mode : Tx 802.11A CH149

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :A-CH149

Data :#2


Date: 2022/8/11

Temperature:24 °C

40.0 dBm

Time: 下午 02:06:01

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M22207-21977

M/N:

Test Mode : Tx 802.11A CH149

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :A-CH157

Data :#1


Date: 2022/8/11

Temperature:24 °C

40.0 dBm

Time: 下午 01:59:07

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M22207-21977

M/N:

Test Mode : Tx 802.11A CH157

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :A-CH157

Data :#2


Date: 2022/8/11

Temperature:24 °C

40.0 dBm

Time: 下午 02:04:26

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M22207-21977

M/N:

Test Mode : Tx 802.11A CH157

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :A-CH165

Data :#1


Date: 2022/8/11

Temperature:24 °C

40.0 dBm

Time: 下午 02:01:03

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M22207-21977

M/N:

Test Mode : Tx 802.11A CH165

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :A-CH165

Data :#2


Date: 2022/8/11

Temperature:24 °C

40.0 dBm

Time: 下午 02:02:53

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M22207-21977

M/N:

Test Mode : Tx 802.11A CH165

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :A-CH149

Data :#1


Date: 2022/8/11

Temperature:24 °C

40.0 dBm

Time: 下午 02:12:37

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M22207-21977

M/N:

Test Mode : Tx 802.11A CH149

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :A-CH149

Data :#2


Date: 2022/8/11

Temperature:24 °C

40.0 dBm

Time: 下午 02:22:22

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M22207-21977

M/N:

Test Mode : Tx 802.11A CH149

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5740.000	-5.0			-5.0	35.0			40.0	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :A-CH157

Data :#1


Date: 2022/8/11

Temperature:24 °C

40.0 dBm

Time: 下午 02:14:13

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M22207-21977

M/N:

Test Mode : Tx 802.11A CH157

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :A-CH157

Data :#2


Date: 2022/8/11

Temperature:24 °C

40.0 dBm

Time: 下午 02:20:31

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M22207-21977

M/N:

Test Mode : Tx 802.11A CH157

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :A-CH165

Data :#1


Date: 2022/8/11

Temperature:24 °C

40.0 dBm

Time: 下午 02:16:38

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M22207-21977

M/N:

Test Mode : Tx 802.11A CH165

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :A-CH165

Data :#2


Date: 2022/8/11

Temperature:24 °C

40.0 dBm

Time: 下午 02:18:33

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M22207-21977

M/N:

Test Mode : Tx 802.11A CH165

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :N20-CH149

Data :#1


Date: 2022/8/11

Temperature:24 °C

Time: 下午 02:32:10

Humidity:60 %

40.0 dBm



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M22207-21977

M/N:

Test Mode : Tx 802.11N20 CH149

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :N20-CH149

Data :#2


Date: 2022/8/11

Temperature:24 °C

40.0 dBm

Time: 下午 02:42:15

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : Tx 802.11N20 CH149

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :N20-CH157

Data :#1


Date: 2022/8/11

Temperature:24 °C

40.0 dBm

Time: 下午 02:34:05

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M22207-21977

M/N:

Test Mode : Tx 802.11N20 CH157

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :N20-CH157

Data :#2


Date: 2022/8/11

Temperature:24 °C

40.0 dBm

Time: 下午 02:40:44

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M22207-21977

M/N:

Test Mode : Tx 802.11N20 CH157

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :N20-CH165

Data :#1


Date: 2022/8/11

Temperature:24 °C

40.0 dBm

Time: 下午 02:36:09

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M22207-21977

M/N:

Test Mode : Tx 802.11N20 CH165

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :N20-CH165

Data :#2


Date: 2022/8/11

Temperature:24 °C

40.0 dBm

Time: 下午 02:38:22

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M22207-21977

M/N:

Test Mode : Tx 802.11N20 CH165

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :N40-CH151

Data :#1


Date: 2022/8/11

Temperature:24 °C

40.0 dBm

Time: 下午 02:50:12

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : Tx 802.11N40 CH151

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data x:Over limit !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :N40-CH151

Data :#2


Date: 2022/8/11

Temperature:24 °C

40.0 dBm

Time: 下午 03:00:11

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M22207-21977

M/N:

Test Mode : Tx 802.11N40 CH151

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :N40-CH159

Data :#1


Date: 2022/8/11

Temperature:24 °C

40.0 dBm

Time: 下午 02:51:52

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M22207-21977

M/N:

Test Mode : Tx 802.11N40 CH159

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :N40-CH159

Data :#2


Date: 2022/8/11

Temperature:24 °C

40.0 dBm

Time: 下午 02:58:32

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M22207-21977

M/N:

Test Mode : Tx 802.11N40 CH159

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :AC80-CH155

Data :#1


Date: 2022/8/11

Temperature:24 °C

40.0 dBm

Time: 下午 02:54:04

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M22207-21977

M/N:

Test Mode : Tx 802.11AC80 CH155

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :AC80-CH155

Data :#2


Date: 2022/8/11

Temperature:24 °C

40.0 dBm

Time: 下午 02:56:55

Humidity:60 %



Site : Chamber

Condition : FCC\_5G Band4 Mask

EUT : W6M22207-21977

M/N:

Test Mode : Tx 802.11AC80 CH155

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin