



Report Number: W6M22207-21977-P-247  
FCC ID: GX9HSGWGEN2

## **Appendix**

Measurement diagrams

Filed Strength of Spurious Emission



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 02:21:25

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	89.2786	-88.49	peak	23.97	-64.52	-13.00	150	135	-51.52	
	94.3888	-88.47	peak	23.44	-65.03	-13.00	150	140	-52.03	



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 02:54:14

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	74.6293	-86.71	peak	23.47	-63.24	-13.00	150	50	-50.24	
*	87.9158	-84.27	peak	22.82	-61.45	-13.00	150	285	-48.45	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 05:26:59

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	483.7675	-59.82	peak	-6.06	-65.88	-13.00	150	135	-52.88	
	528.6573	-63.43	peak	-5.27	-68.70	-13.00	150	205	-55.70	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 05:37:10

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	389.1784	-56.55	peak	-9.77	-66.32	-13.00	150	280	-53.32	
*	483.7675	-60.21	peak	-5.85	-66.06	-13.00	150	240	-53.06	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 12:11:36

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3705.411	-55.02	peak	7.00	-48.02	-13.00	150	140	-35.02	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 12:37:09

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3705.411	-51.85	peak	10.19	-41.66	-13.00	150	220	-28.66	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 12:12:46

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5202.405	-55.38	peak	7.86	-47.52	-13.00	150	105	-34.52	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 12:37:54

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5555.110	-59.86	peak	11.97	-47.89	-13.00	150	250	-34.89	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 12:14:16

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 12:39:05

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 12:14:28

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA-Band2-CH9262

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 12:39:17

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 12:14:40

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Sora

File :3

Data :#10


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 12:39:29

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 02:23:24

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	67.8156	-94.54	peak	24.30	-70.24	-13.00	150	105	-57.24	
*	91.6633	-88.29	peak	23.79	-64.50	-13.00	150	155	-51.50	





Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 02:52:07

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	70.2004	-83.31	peak	23.72	-59.59	-13.00	150	325	-46.59	
	87.9158	-84.12	peak	22.82	-61.30	-13.00	150	290	-48.30	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Sora

File :2

Data :#1


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 05:28:53

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	483.7675	-60.15	peak	-6.06	-66.21	-13.00	150	155	-53.21	
	621.6433	-64.69	peak	-1.96	-66.65	-13.00	150	215	-53.65	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 05:35:24

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	483.7675	-61.62	peak	-5.85	-67.47	-13.00	150	335	-54.47	
*	879.7595	-65.77	peak	-0.57	-66.34	-13.00	150	285	-53.34	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 12:17:48

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3765.531	-55.62	peak	7.23	-48.39	-13.00	150	145	-35.39	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 12:32:25

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3765.531	-55.03	peak	10.12	-44.91	-13.00	150	100	-31.91	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 12:18:37

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5194.389	-56.70	peak	7.81	-48.89	-13.00	150	65	-35.89	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 12:33:06

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5643.287	-59.27	peak	12.20	-47.07	-13.00	150	335	-34.07	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 12:19:29

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 12:34:08

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 12:19:41

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 12:34:20

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 12:19:53

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 12:34:31

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 02:24:58

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	68.1563	-94.11	peak	24.28	-69.83	-13.00	150	75	-56.83	
*	90.6413	-86.32	peak	23.93	-62.39	-13.00	150	165	-49.39	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 02:50:36

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	67.1343	-83.67	peak	23.43	-60.24	-13.00	150	315	-47.24	
*	93.3667	-81.69	peak	23.33	-58.36	-13.00	150	285	-45.36	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 05:30:34

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: **Horizontal**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA-Band2-CH9538

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	483.7675	-60.21	peak	-6.06	-66.27	-13.00	150	100	-53.27	
	658.5170	-69.88	peak	0.49	-69.39	-13.00	150	215	-56.39	

\*:Maximum data x:Over limit !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 05:33:03

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	483.7675	-60.70	peak	-5.85	-66.55	-13.00	150	275	-53.55	
*	879.7595	-65.41	peak	-0.57	-65.98	-13.00	150	305	-52.98	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 12:22:51

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3819.639	-58.01	peak	7.44	-50.57	-13.00	150	115	-37.57	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 12:28:25

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3819.639	-56.99	peak	10.06	-46.93	-13.00	150	270	-33.93	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 12:23:41

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5202.405	-55.38	peak	7.86	-47.52	-13.00	150	165	-34.52	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 12:29:03

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5715.431	-60.30	peak	12.40	-47.90	-13.00	150	330	-34.90	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 12:24:42

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 12:29:45

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 12:24:54

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA-Band2-CH9538

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 12:29:57

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 12:25:06

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Sora

File :3

Data :#10


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 12:30:09

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 02:27:05

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	70.8818	-95.81	peak	24.11	-71.70	-13.00	150	105	-58.70	
*	93.0261	-90.26	peak	23.61	-66.65	-13.00	150	140	-53.65	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Sora

File :1

Data :#2


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 02:48:32

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	71.5631	-83.13	peak	23.64	-59.49	-13.00	150	260	-46.49	
	93.0261	-82.97	peak	23.27	-59.70	-13.00	150	330	-46.70	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2022/8/1

Temperature:24 °C

0.0 dBm

Time: 上午 09:17:46

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	483.7675	-54.45	peak	-6.06	-60.51	-13.00	150	125	-47.51	
*	746.6934	-40.58	peak	-2.97	-43.55	-13.00	150	305	-30.55	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2022/8/1

Temperature:24 °C

0.0 dBm

Time: 上午 09:21:08

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	483.7675	-61.97	peak	-5.85	-67.82	-13.00	150	205	-54.82	
*	745.0902	-49.03	peak	-2.14	-51.17	-13.00	150	285	-38.17	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 12:58:23

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1649.299	-53.50	peak	5.78	-47.72	-13.00	150	115	-34.72	
*	2448.898	-48.93	peak	3.40	-45.53	-13.00	150	160	-32.53	





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 01:22:10

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1649.299	-59.02	peak	7.08	-51.94	-13.00	150	335	-38.94	
*	2442.886	-52.68	peak	8.55	-44.13	-13.00	150	250	-31.13	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 12:59:00

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 01:24:25

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 12:59:46

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA-Band5-CH4132

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 01:26:12

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 02:29:09

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	74.6293	-95.97	peak	23.86	-72.11	-13.00	150	135	-59.11	
*	91.6633	-84.06	peak	23.79	-60.27	-13.00	150	185	-47.27	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 02:47:00

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	68.1563	-84.51	peak	23.54	-60.97	-13.00	150	340	-47.97	
	85.5311	-84.42	peak	22.93	-61.49	-13.00	150	285	-48.49	

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2022/8/1

Temperature:24 °C

0.0 dBm

Time: 上午 09:25:36

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	402.0040	-59.65	peak	-7.48	-67.13	-13.00	150	155	-54.13	
	483.7674	-61.86	peak	-6.06	-67.92	-13.00	150	95	-54.92	





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2022/8/1

Temperature:24 °C

0.0 dBm

Time: 上午 09:23:34

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	483.7675	-61.98	peak	-5.85	-67.83	-13.00	150	240	-54.83	
*	745.0902	-48.42	peak	-2.14	-50.56	-13.00	150	295	-37.56	

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 01:02:04

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1673.347	-54.94	peak	5.79	-49.15	-13.00	150	110	-36.15	
*	2515.030	-37.77	peak	3.18	-34.59	-13.00	150	155	-21.59	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 01:16:40

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1673.347	-61.01	peak	7.31	-53.70	-13.00	150	330	-40.70	
*	2509.018	-60.29	peak	8.33	-51.96	-13.00	150	285	-38.96	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 01:02:40

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 01:17:17

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 01:03:39

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 01:18:43

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA-Band5-CH4183

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 02:31:00

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	66.1122	-95.68	peak	24.40	-71.28	-13.00	150	110	-58.28	
*	94.0480	-90.61	peak	23.48	-67.13	-13.00	150	165	-54.13	

\*:Maximum data    x:Over limit    !:over margin





Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 02:45:08

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	74.6293	-86.36	peak	23.47	-62.89	-13.00	150	215	-49.89	
*	96.4330	-85.26	peak	23.87	-61.39	-13.00	150	285	-48.39	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2022/8/1

Temperature:24 °C

0.0 dBm

Time: 上午 09:28:54

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	483.7675	-61.73	peak	-6.06	-67.79	-13.00	150	215	-54.79	
*	746.6934	-43.69	peak	-2.97	-46.66	-13.00	150	160	-33.66	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2022/8/1

Temperature:24 °C

0.0 dBm

Time: 上午 09:31:32

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	483.7675	-62.97	peak	-5.85	-68.82	-13.00	150	255	-55.82	
*	738.6774	-42.49	peak	-2.08	-44.57	-13.00	150	305	-31.57	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 01:06:29

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1691.383	-56.41	peak	5.80	-50.61	-13.00	150	115	-37.61	
	2545.090	-58.14	peak	3.31	-54.83	-13.00	150	185	-41.83	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 01:10:21

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1691.383	-61.18	peak	7.48	-53.70	-13.00	150	335	-40.70	
*	2545.090	-60.35	peak	8.43	-51.92	-13.00	150	305	-38.92	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 01:07:06

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 01:11:12

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 01:07:50

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 01:12:42

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA-Band5-CH4233

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 03:10:24

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	66.1122	-95.88	peak	24.40	-71.48	-13.00	150	85	-58.48	
*	91.3226	-89.36	peak	23.84	-65.52	-13.00	150	150	-52.52	



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 04:10:36

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	66.4528	-86.46	peak	23.36	-63.10	-13.00	150	275	-50.10	
*	92.0040	-80.92	peak	23.08	-57.84	-13.00	150	325	-44.84	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 04:29:06

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	483.7675	-59.54	peak	-6.06	-65.60	-13.00	150	165	-52.60	
	879.7595	-70.61	peak	0.97	-69.64	-13.00	150	75	-56.64	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 05:10:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	483.7675	-58.06	peak	-5.85	-63.91	-13.00	150	135	-50.91	
	881.3627	-65.71	peak	-0.53	-66.24	-13.00	150	225	-53.24	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 08:50:05

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3759.519	-40.37	peak	7.21	-33.16	-13.00	150	165	-20.16	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Sora

File :3

Data :#6


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 09:06:11

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3759.519	-43.63	peak	10.13	-33.50	-13.00	150	335	-20.50	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 08:50:42

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5643.287	-61.70	peak	10.44	-51.26	-13.00	150	115	-38.26	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 09:06:48

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5635.270	-54.65	peak	12.18	-42.47	-13.00	150	90	-29.47	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 08:52:00

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 09:08:11

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 08:52:12

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 09:08:23

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 08:52:24

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 09:08:35

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 03:12:32

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	39.8798	-94.06	peak	25.26	-68.80	-13.00	150	205	-55.80	
*	93.0261	-85.00	peak	23.61	-61.39	-13.00	150	145	-48.39	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 04:09:02

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	68.4970	-86.76	peak	23.57	-63.19	-13.00	150	255	-50.19	
*	90.6413	-83.44	peak	22.84	-60.60	-13.00	150	305	-47.60	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 04:31:04

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	483.7675	-59.68	peak	-6.06	-65.74	-13.00	150	195	-52.74	
	879.7595	-70.20	peak	0.97	-69.23	-13.00	150	55	-56.23	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 05:07:38

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	483.7675	-57.47	peak	-5.85	-63.32	-13.00	150	305	-50.32	
	881.3627	-65.39	peak	-0.53	-65.92	-13.00	150	260	-52.92	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 08:56:13

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3759.519	-41.22	peak	7.21	-34.01	-13.00	150	160	-21.01	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 09:01:25

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3759.519	-43.78	peak	10.13	-33.65	-13.00	150	290	-20.65	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 08:57:14

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5635.270	-62.07	peak	10.40	-51.67	-13.00	150	185	-38.67	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 09:02:02

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5635.270	-53.25	peak	12.18	-41.07	-13.00	150	205	-28.07	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 08:58:24

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 09:03:12

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 08:58:36

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 09:03:24

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 08:58:48

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 09:03:36

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 03:18:07

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	71.2224	-96.74	peak	24.09	-72.65	-13.00	150	95	-59.65	
*	90.3006	-90.16	peak	23.97	-66.19	-13.00	150	155	-53.19	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 04:03:35

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	69.5190	-84.13	peak	23.68	-60.45	-13.00	150	285	-47.45	
*	88.9380	-82.61	peak	22.78	-59.83	-13.00	150	330	-46.83	

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 04:37:23

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	483.7675	-59.59	peak	-6.06	-65.65	-13.00	150	210	-52.65	
	527.0541	-62.78	peak	-5.30	-68.08	-13.00	150	115	-55.08	





Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 05:01:39

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	483.7675	-57.11	peak	-5.85	-62.96	-13.00	150	305	-49.96	
	879.7595	-65.82	peak	-0.57	-66.39	-13.00	150	260	-53.39	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 09:50:42

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3464.930	-60.42	peak	6.14	-54.28	-13.00	150	155	-41.28	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 10:06:47

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3452.906	-61.75	peak	10.36	-51.39	-13.00	150	220	-38.39	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 09:51:27

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5202.405	-62.74	peak	7.86	-54.88	-13.00	150	105	-41.88	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 10:07:24

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5202.405	-62.53	peak	8.73	-53.80	-13.00	150	295	-40.80	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 09:52:57

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 10:08:10

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 09:53:09

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 10:08:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 09:53:21

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 10:08:34

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 03:19:41

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	74.6293	-97.40	peak	23.86	-73.54	-13.00	150	285	-60.54	
*	89.6192	-89.05	peak	23.99	-65.06	-13.00	150	155	-52.06	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 04:01:28

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	68.8377	-85.24	peak	23.61	-61.63	-13.00	150	340	-48.63	
*	94.7295	-84.45	peak	23.57	-60.88	-13.00	150	285	-47.88	

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 04:39:12

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	483.7675	-59.71	peak	-6.06	-65.77	-13.00	150	200	-52.77	
	528.6573	-62.56	peak	-5.27	-67.83	-13.00	150	125	-54.83	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 04:59:45

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	483.7675	-57.33	peak	-5.85	-63.18	-13.00	150	320	-50.18	
	879.7595	-65.34	peak	-0.57	-65.91	-13.00	150	255	-52.91	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 09:56:01

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3464.930	-60.42	peak	6.14	-54.28	-13.00	150	175	-41.28	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 10:01:26

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3464.930	-59.85	peak	10.38	-49.47	-13.00	150	285	-36.47	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 09:56:41

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5202.405	-63.64	peak	7.86	-55.78	-13.00	150	225	-42.78	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 10:02:07

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5202.405	-63.26	peak	8.73	-54.53	-13.00	150	335	-41.53	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 09:57:23

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 10:02:49

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 09:57:35

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 10:03:01

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 09:57:46

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 10:03:13

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 03:21:43

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	66.4528	-96.91	peak	24.38	-72.53	-13.00	150	135	-59.53	
*	89.6192	-89.07	peak	23.99	-65.08	-13.00	150	155	-52.08	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 03:59:26

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	69.1784	-84.92	peak	23.64	-61.28	-13.00	150	55	-48.28	
	96.7735	-87.94	peak	23.93	-64.01	-13.00	150	260	-51.01	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2022/8/1

Temperature:24 °C

0.0 dBm

Time: 上午 10:03:52

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	483.7675	-61.93	peak	-6.06	-67.99	-13.00	150	95	-54.99	
	669.7395	-68.30	peak	0.18	-68.12	-13.00	150	140	-55.12	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2022/8/1

Temperature:24 °C

0.0 dBm

Time: 上午 10:05:42

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	483.7675	-63.31	peak	-5.85	-69.16	-13.00	150	275	-56.16	
*	773.9480	-66.80	peak	-1.84	-68.64	-13.00	150	330	-55.64	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 07:38:59

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1673.347	-54.47	peak	5.79	-48.68	-13.00	150	240	-35.68	
*	2509.018	-26.95	peak	3.15	-23.80	-13.00	150	125	-10.80	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 07:43:53

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1673.347	-57.44	peak	7.31	-50.13	-13.00	150	115	-37.13	
*	2509.018	-54.80	peak	8.33	-46.47	-13.00	150	335	-33.47	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 07:40:02

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 07:44:32

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 07:41:20

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 07:45:46

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
Tel:+886-2-6606-8877  
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 03:23:25

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	69.1784	-96.50	peak	24.22	-72.28	-13.00	150	310	-59.28	
*	90.3006	-92.91	peak	23.97	-68.94	-13.00	150	165	-55.94	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 03:57:45

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	66.4528	-84.38	peak	23.36	-61.02	-13.00	150	215	-48.02	
*	90.9820	-83.04	peak	22.90	-60.14	-13.00	150	300	-47.14	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2022/8/1

Temperature:24 °C

0.0 dBm

Time: 上午 10:09:39

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	483.7675	-61.84	peak	-6.06	-67.90	-13.00	150	165	-54.90	
	730.6613	-67.13	peak	-2.17	-69.30	-13.00	150	110	-56.30	

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2022/8/1

Temperature:24 °C

0.0 dBm

Time: 上午 10:07:46

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	483.7675	-62.77	peak	-5.85	-68.62	-13.00	150	215	-55.62	
*	746.6934	-59.87	peak	-2.15	-62.02	-13.00	150	255	-49.02	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 07:48:59

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1673.347	-53.74	peak	5.79	-47.95	-13.00	150	110	-34.95	
	2509.018	-52.94	peak	3.15	-49.79	-13.00	150	185	-36.79	





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 07:53:25

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1673.347	-58.70	peak	7.31	-51.39	-13.00	150	205	-38.39	
*	2509.018	-55.37	peak	8.33	-47.04	-13.00	150	305	-34.04	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 07:49:44

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 07:54:04

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 07:50:42

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 07:55:00

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
Tel:+886-2-6606-8877  
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 03:25:41

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND7-QPSK-5M-1RB-CH21100

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	69.8597	-96.11	peak	24.18	-71.93	-13.00	150	110	-58.93	
*	89.6192	-88.52	peak	23.99	-64.53	-13.00	150	165	-51.53	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 03:55:45

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND7-QPSK-5M-1RB-CH21100

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	68.1563	-86.00	peak	23.54	-62.46	-13.00	150	305	-49.46	
*	87.2345	-82.88	peak	22.85	-60.03	-13.00	150	245	-47.03	

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 04:44:27

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND7-QPSK-5M-1RB-CH21100

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	483.7675	-59.57	peak	-6.06	-65.63	-13.00	150	255	-52.63	
	528.6573	-63.25	peak	-5.27	-68.52	-13.00	150	95	-55.52	





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 04:57:34

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND7-QPSK-5M-1RB-CH21100

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	483.7675	-56.94	peak	-5.85	-62.79	-13.00	150	335	-49.79	
	881.3627	-65.52	peak	-0.53	-66.05	-13.00	150	250	-53.05	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 10:35:50

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND7-QPSK-5M-1RB-CH21100

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 11:19:08

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND7-QPSK-5M-1RB-CH21100

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 10:36:28

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND7-QPSK-5M-1RB-CH21100

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5074.148	-66.50	peak	7.07	-59.43	-13.00	150	150	-46.43	
*	7607.214	-64.35	peak	10.34	-54.01	-13.00	150	95	-41.01	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 11:19:44

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND7-QPSK-5M-1RB-CH21100

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5202.405	-55.84	peak	8.73	-47.11	-13.00	150	285	-34.11	
	7607.214	-61.23	peak	11.20	-50.03	-13.00	150	200	-37.03	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 10:37:46

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND7-QPSK-5M-1RB-CH21100

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 11:20:27

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND7-QPSK-5M-1RB-CH21100

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 10:37:58

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND7-QPSK-5M-1RB-CH21100

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 11:20:39

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : BAND7-QPSK-5M-1RB-CH21100

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 10:38:10

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND7-QPSK-5M-1RB-CH21100

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 11:20:51

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND7-QPSK-5M-1RB-CH21100

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
Tel:+886-2-6606-8877  
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 03:27:33

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND7-QPSK-20M-1RB-CH21100

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	67.8156	-96.67	peak	24.30	-72.37	-13.00	150	110	-59.37	
*	91.3226	-86.90	peak	23.84	-63.06	-13.00	150	150	-50.06	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 03:53:53

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND7-QPSK-20M-1RB-CH21100

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	69.5190	-83.24	peak	23.68	-59.56	-13.00	150	285	-46.56	
	98.4770	-87.26	peak	24.23	-63.03	-13.00	150	220	-50.03	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 04:42:33

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND7-QPSK-20M-1RB-CH21100

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	483.7675	-59.44	peak	-6.06	-65.50	-13.00	150	215	-52.50	
	528.6573	-62.61	peak	-5.27	-67.88	-13.00	150	140	-54.88	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 下午 04:55:55

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND7-QPSK-20M-1RB-CH21100

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	483.7675	-56.62	peak	-5.85	-62.47	-13.00	150	245	-49.47	
	881.3627	-65.16	peak	-0.53	-65.69	-13.00	150	280	-52.69	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 10:41:49

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND7-QPSK-20M-1RB-CH21100

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 11:14:26

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND7-QPSK-20M-1RB-CH21100

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 10:43:38

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND7-QPSK-20M-1RB-CH21100

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5202.405	-62.61	peak	7.86	-54.75	-13.00	150	255	-41.75	
*	7615.230	-64.10	peak	10.38	-53.72	-13.00	150	135	-40.72	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 11:15:03

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND7-QPSK-20M-1RB-CH21100

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5202.405	-56.51	peak	8.73	-47.78	-13.00	150	305	-34.78	
	7607.214	-61.60	peak	11.20	-50.40	-13.00	150	225	-37.40	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 10:44:27

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND7-QPSK-20M-1RB-CH21100

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 11:16:18

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND7-QPSK-20M-1RB-CH21100

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 10:44:39

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND7-QPSK-20M-1RB-CH21100

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 11:16:30

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : BAND7-QPSK-20M-1RB-CH21100

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 10:44:51

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND7-QPSK-20M-1RB-CH21100

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10


Date: 2022/7/30

Temperature:24 °C

0.0 dBm

Time: 上午 11:16:42

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22207-21977

M/N:

Test Mode : BAND7-QPSK-20M-1RB-CH21100

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin

Radiated Emission Measurement

Operator: Sky

File :1

Data :#1


Date: 2022/8/9

Temperature:30.2 °C

80.0 dBuV/m

Time: 上午 10:41:04

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	125.2505	32.53	peak	-6.29	26.24	43.50	106	8	-17.26	
	199.1182	39.90	peak	-10.77	29.13	43.50	109	27	-14.37	
	249.6593	38.42	peak	-7.58	30.84	46.00	117	331	-15.16	
	440.1603	42.62	peak	-3.43	39.19	46.00	104	50	-6.81	
*	484.8697	46.88	QP	-3.09	43.79	46.00	100	221	-2.21	
	527.6352	41.30	peak	-2.24	39.06	46.00	103	40	-6.94	



Radiated Emission Measurement

Operator: Sky

File :1

Data :#2


Date: 2022/8/9

Temperature:30.2 °C

80.0 dBuV/m

Time: 上午 10:43:00

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	43.6072	34.30	peak	-9.25	25.05	40.00	101	29	-14.95	
	125.2505	32.40	peak	-6.29	26.11	43.50	113	300	-17.39	
	440.1603	38.96	peak	-3.43	35.53	46.00	120	7	-10.47	
	484.8697	45.91	peak	-3.09	42.82	46.00	109	244	-3.18	
*	527.6352	45.29	peak	-2.24	43.05	46.00	110	5	-2.95	
	572.3447	38.00	peak	-2.06	35.94	46.00	104	16	-10.06	



Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 06:14:59

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4450.902	43.79	peak	-1.16	42.63	74.00	150	217	-31.37	
*	6344.689	41.42	peak	3.65	45.07	74.00	150	46	-28.93	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 06:22:02

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3931.864	43.21	peak	-0.53	42.68	74.00	150	116	-31.32	
*	5783.567	43.28	peak	1.67	44.95	74.00	150	247	-29.05	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 06:18:22

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 06:23:07

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 06:19:37

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 06:24:22

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 06:19:43

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 06:24:29

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sky

File :1

Data :#1


Date: 2022/8/9

Temperature:30.2 °C

80.0 dBuV/m

Time: 上午 10:44:56

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	199.1182	40.28	peak	-10.77	29.51	43.50	112	120	-13.99	
	249.6593	37.96	peak	-7.58	30.38	46.00	103	70	-15.62	
	395.4510	34.20	peak	-3.89	30.31	46.00	107	50	-15.69	
	440.1603	41.61	peak	-3.43	38.18	46.00	121	214	-7.82	
*	484.8697	46.98	QP	-3.09	43.89	46.00	100	16	-2.11	
	527.6352	39.73	peak	-2.24	37.49	46.00	108	150	-8.51	



Radiated Emission Measurement

Operator: Sky

File :1

Data :#2


Date: 2022/8/9

Temperature:30.2 °C

80.0 dBuV/m

Time: 上午 10:47:04

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	125.2505	33.56	peak	-6.29	27.27	43.50	130	110	-16.23	
	199.1182	36.30	peak	-10.77	25.53	43.50	107	9	-17.97	
	440.1603	39.96	peak	-3.43	36.53	46.00	106	310	-9.47	
	484.8697	45.93	peak	-3.09	42.84	46.00	112	52	-3.16	
*	527.6352	46.13	QP	-2.24	43.89	46.00	104	19	-2.11	
	626.7735	34.20	peak	-0.60	33.60	46.00	116	25	-12.40	



Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 06:35:43

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4366.734	43.54	peak	-1.24	42.30	74.00	150	243	-31.70	
*	6442.886	41.66	peak	3.45	45.11	74.00	150	116	-28.89	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 06:39:15

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3805.611	42.67	peak	-0.78	41.89	74.00	150	192	-32.11	
*	6428.858	41.90	peak	3.58	45.48	74.00	150	226	-28.52	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 06:36:48

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 06:40:21

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sky

File :1

Data :#1


Date: 2022/8/9

Temperature:30.2 °C

80.0 dBuV/m

Time: 上午 11:03:50

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	125.2505	35.16	peak	-6.29	28.87	43.50	101	6	-14.63	
	199.1182	40.05	peak	-10.77	29.28	43.50	119	300	-14.22	
	249.6593	39.12	peak	-7.58	31.54	46.00	107	210	-14.46	
	440.1603	42.46	peak	-3.43	39.03	46.00	112	24	-6.97	
*	484.8697	47.03	QP	-3.09	43.94	46.00	100	110	-2.06	
	527.6352	41.12	peak	-2.24	38.88	46.00	130	81	-7.12	



Radiated Emission Measurement

Operator: Sky

File :1

Data :#2


Date: 2022/8/9

Temperature:30.2 °C

80.0 dBuV/m

Time: 上午 11:06:00

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	125.2505	34.40	peak	-6.29	28.11	43.50	109	100	-15.39	
	329.3587	35.37	peak	-5.34	30.03	46.00	120	70	-15.97	
	440.1603	40.01	peak	-3.43	36.58	46.00	107	60	-9.42	
	484.8697	46.17	QP	-3.09	43.08	46.00	100	30	-2.92	
*	527.6352	45.44	peak	-2.24	43.20	46.00	104	109	-2.80	
	572.3447	36.15	peak	-2.06	34.09	46.00	112	224	-11.91	



Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 01:02:45

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5334.669	44.04	peak	1.01	45.05	74.00	150	110	-28.95	
*	5867.735	44.05	peak	1.91	45.96	74.00	150	260	-28.04	



Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 01:06:24

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4815.631	42.93	peak	-0.72	42.21	74.00	150	120	-31.79	
*	6428.858	42.03	peak	3.58	45.61	74.00	150	40	-28.39	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 01:03:59

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 01:09:00

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 01:05:14

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 01:10:15

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 01:05:21

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 01:10:22

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sky

File :1

Data :#1


Date: 2022/8/9

Temperature:30.2 °C

80.0 dBuV/m

Time: 上午 11:12:06

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	125.2505	35.45	peak	-6.29	29.16	43.50	102	107	-14.34	
	249.6593	39.32	peak	-7.58	31.74	46.00	107	255	-14.26	
	395.4510	34.20	peak	-3.89	30.31	46.00	131	14	-15.69	
	440.1603	41.76	peak	-3.43	38.33	46.00	112	115	-7.67	
*	484.8697	47.34	QP	-3.09	44.25	46.00	100	43	-1.75	
	527.6352	40.45	peak	-2.24	38.21	46.00	106	21	-7.79	



Radiated Emission Measurement

Operator: Sky

File :1

Data :#2


Date: 2022/8/9

Temperature:30.2 °C

80.0 dBuV/m

Time: 上午 11:13:47

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: Vertical

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	125.2505	34.27	peak	-6.29	27.98	43.50	119	300	-15.52	
	329.3587	35.76	peak	-5.34	30.42	46.00	127	6	-15.58	
	440.1603	39.22	peak	-3.43	35.79	46.00	130	50	-10.21	
	484.8697	46.59	peak	-3.09	43.50	46.00	110	18	-2.50	
*	527.6352	46.53	QP	-2.24	44.29	46.00	101	107	-1.71	
	572.3447	36.45	peak	-2.06	34.39	46.00	106	214	-11.61	



Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 12:17:38

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5180.361	43.28	peak	0.80	44.08	74.00	150	300	-29.92	
*	7186.373	42.03	peak	5.15	47.18	74.00	150	120	-26.82	



Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 12:23:14

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4661.323	43.53	peak	-1.21	42.32	74.00	150	160	-31.68	
*	6891.783	40.76	peak	4.88	45.64	74.00	150	22	-28.36	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 12:18:56

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 12:24:21

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 12:20:11

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 12:25:36

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 12:20:18

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 12:25:43

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sky

File :1

Data :#1


Date: 2022/8/9

Temperature:30.2 °C

80.0 dBuV/m

Time: 上午 11:15:38

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	125.2505	35.46	peak	-6.29	29.17	43.50	100	70	-14.33	
	199.1182	39.99	peak	-10.77	29.22	43.50	113	244	-14.28	
	249.6593	38.89	peak	-7.58	31.31	46.00	121	219	-14.69	
	440.1603	40.74	peak	-3.43	37.31	46.00	109	60	-8.69	
*	484.8697	47.22	QP	-3.09	44.13	46.00	103	5	-1.87	
	527.6352	40.95	peak	-2.24	38.71	46.00	128	126	-7.29	



Radiated Emission Measurement

Operator: Sky

File :1

Data :#2


Date: 2022/8/9

Temperature:30.2 °C

80.0 dBuV/m

Time: 上午 11:18:55

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	125.2505	35.20	peak	-6.29	28.91	43.50	124	331	-14.59	
	199.1182	36.80	peak	-10.77	26.03	43.50	110	90	-17.47	
	329.3587	34.31	peak	-5.34	28.97	46.00	126	6	-17.03	
	440.1603	40.86	peak	-3.43	37.43	46.00	109	50	-8.57	
	484.8697	46.21	peak	-3.09	43.12	46.00	112	127	-2.88	
*	527.6352	46.28	QP	-2.24	44.04	46.00	103	46	-1.96	



Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 上午 10:42:31

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: **Horizontal**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3805.611	47.46	peak	-0.78	46.68	74.00	150	200	-27.32	
	6204.409	43.37	peak	2.72	46.09	74.00	150	130	-27.91	





Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 上午 10:44:46

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5250.501	43.27	peak	0.85	44.12	74.00	150	205	-29.88	
*	6428.858	41.84	peak	3.58	45.42	74.00	150	310	-28.58	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 上午 10:43:37

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 上午 10:47:10

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sky

File :1

Data :#1


Date: 2022/8/9

Temperature:30.2 °C

80.0 dBuV/m

Time: 上午 11:21:41

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 7 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	125.2505	35.85	peak	-6.29	29.56	43.50	109	31	-13.94	
	249.6593	39.43	peak	-7.58	31.85	46.00	121	6	-14.15	
	440.1603	40.99	peak	-3.43	37.56	46.00	112	208	-8.44	
*	484.8697	47.24	QP	-3.09	44.15	46.00	100	71	-1.85	
	527.6352	39.39	peak	-2.24	37.15	46.00	103	124	-8.85	
	710.3607	29.60	peak	0.26	29.86	46.00	107	299	-16.14	



Radiated Emission Measurement

Operator: Sky

File :1

Data :#2


Date: 2022/8/9

Temperature:30.2 °C

80.0 dBuV/m

Time: 上午 11:24:21

Humidity:51.2 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: Vertical

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 7 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	125.2505	36.06	peak	-6.29	29.77	43.50	124	6	-13.73	
	199.1182	37.05	peak	-10.77	26.28	43.50	100	82	-17.22	
	440.1603	40.10	peak	-3.43	36.67	46.00	109	110	-9.33	
	484.8697	46.43	peak	-3.09	43.34	46.00	103	62	-2.66	
*	527.6352	46.29	QP	-2.24	44.05	46.00	104	108	-1.95	
	572.3447	37.51	peak	-2.06	35.45	46.00	110	13	-10.55	



Radiated Emission Measurement

Operator: Vincent

File :3

Data :#1


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 12:27:10

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 7 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3805.611	44.20	peak	-0.78	43.42	74.00	150	30	-30.58	
*	6204.409	41.95	peak	2.72	44.67	74.00	150	205	-29.33	



Radiated Emission Measurement

Operator: Vincent

File :3

Data :#5


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 12:30:49

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 7 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3777.555	45.51	peak	-0.95	44.56	74.00	150	220	-29.44	
*	5222.445	44.58	peak	0.90	45.48	74.00	150	110	-28.52	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#2


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 12:28:19

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 7 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#6


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 12:32:10

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 7 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#3


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 12:29:34

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 7 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#7


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 12:33:25

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 7 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#4


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 12:29:41

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 7 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Vincent

File :3

Data :#8


Date: 2022/8/8

Temperature:28.5 °C

90.0 dBuV/m

Time: 下午 12:33:32

Humidity:50.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22207-21977

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 7 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin