



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 下午 01:07:31

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band2 -20M-QPSK-1RB-CH18900 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	43.6273	-93.09	peak	24.90	-68.19	-13.00	150	150	-55.19	
*	97.7956	-88.81	peak	22.99	-65.82	-13.00	150	110	-52.82	



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 下午 01:32:35

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band2 -20M-QPSK-1RB-CH18900 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	100.5210	-89.79	peak	24.46	-65.33	-13.00	150	225	-52.33	
*	164.5691	-89.41	peak	25.09	-64.32	-13.00	150	290	-51.32	

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :2

Data :#1

Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 下午 12:10:05

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band2 -20M-QPSK-1RB-CH18900 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	783.5671	-67.22	peak	-1.98	-69.20	-13.00	150	45	-56.20	
	921.4430	-69.80	peak	-0.30	-70.10	-13.00	150	105	-57.10	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 下午 12:59:13

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band2 -20M-QPSK-1RB-CH18900 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	783.5671	-63.72	peak	-1.70	-65.42	-13.00	150	90	-52.42	
	945.4910	-68.25	peak	-1.05	-69.30	-13.00	150	35	-56.30	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 09:00:04

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band2 -20M-QPSK-1RB-CH18900 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3747.495	-60.78	peak	7.16	-53.62	-13.00	150	130	-40.62	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 09:06:30

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band2 -20M-QPSK-1RB-CH18900 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3747.495	-57.95	peak	10.14	-47.81	-13.00	150	310	-34.81	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 09:01:14

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band2 -20M-QPSK-1RB-CH18900 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5611.222	-58.39	peak	10.28	-48.11	-13.00	150	105	-35.11	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 09:07:21

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band2 -20M-QPSK-1RB-CH18900 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5611.222	-56.13	peak	12.12	-44.01	-13.00	150	240	-31.01	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 09:02:02

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band2 -20M-QPSK-1RB-CH18900 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 09:08:26

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band2 -20M-QPSK-1RB-CH18900 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 09:02:15

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band2 -20M-QPSK-1RB-CH18900 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 09:08:38

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band2 -20M-QPSK-1RB-CH18900 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5

Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 09:02:27

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band2 -20M-QPSK-1RB-CH18900 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 09:08:50

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band2 -20M-QPSK-1RB-CH18900 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 下午 01:09:36

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band4 -1.4M-QPSK-1RB-CH20175 Activ

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	47.0340	-92.50	peak	24.55	-67.95	-13.00	150	110	-54.95	
*	93.3667	-89.07	peak	23.57	-65.50	-13.00	150	350	-52.50	



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 下午 01:31:03

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band4 -1.4M-QPSK-1RB-CH20175 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	37.8356	-87.48	peak	23.44	-64.04	-13.00	150	75	-51.04	
	160.4810	-90.66	peak	25.17	-65.49	-13.00	150	250	-52.49	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 下午 12:30:59

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band4 -1.4M-QPSK-1RB-CH20175 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	264.1283	-57.30	peak	-10.88	-68.18	-13.00	150	110	-55.18	
*	780.3607	-64.96	peak	-2.09	-67.05	-13.00	150	185	-54.05	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 下午 12:56:49

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band4 -1.4M-QPSK-1RB-CH20175 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	781.9640	-63.45	peak	-1.73	-65.18	-13.00	150	335	-52.18	
	945.4910	-70.45	peak	-1.05	-71.50	-13.00	150	260	-58.50	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 09:29:31

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band4 -1.4M-QPSK-1RB-CH20175 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3464.930	-61.12	peak	6.14	-54.98	-13.00	150	105	-41.98	

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 09:35:03

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band4 -1.4M-QPSK-1RB-CH20175 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3464.930	-60.97	peak	10.38	-50.59	-13.00	150	175	-37.59	

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 09:30:42

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band4 -1.4M-QPSK-1RB-CH20175 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5194.389	-61.52	peak	7.81	-53.71	-13.00	150	200	-40.71	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 09:36:18

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band4 -1.4M-QPSK-1RB-CH20175 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5194.389	-60.87	peak	8.64	-52.23	-13.00	150	310	-39.23	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 09:31:38

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band4 -1.4M-QPSK-1RB-CH20175 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 09:37:28

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band4 -1.4M-QPSK-1RB-CH20175 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 09:31:50

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band4 -1.4M-QPSK-1RB-CH20175 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 09:37:41

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band4 -1.4M-QPSK-1RB-CH20175 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 09:32:02

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band4 -1.4M-QPSK-1RB-CH20175 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin