



Radiated Emission Measurement

Operator: Sora

File :3

Data :#10


Date: 2024/10/20

Temperature:22 °C

0.0 dBm

Time: 上午 09:37:54

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band4 -1.4M-QPSK-1RB-CH20175 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 下午 01:11:45

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band4 -20M-QPSK-1RB-CH20175 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	93.3667	-88.68	peak	23.57	-65.11	-13.00	150	115	-52.11	
	101.8838	-87.98	peak	22.60	-65.38	-13.00	150	140	-52.38	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 下午 01:30:04

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band4 -20M-QPSK-1RB-CH20175 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	96.4330	-89.62	peak	23.87	-65.75	-13.00	150	215	-52.75	
*	160.1402	-90.67	peak	25.18	-65.49	-13.00	150	220	-52.49	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 下午 12:33:53

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band4 -20M-QPSK-1RB-CH20175 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	783.5671	-64.52	peak	-1.98	-66.50	-13.00	150	215	-53.50	
	945.4910	-67.84	peak	-1.53	-69.37	-13.00	150	150	-56.37	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 下午 12:54:41

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band4 -20M-QPSK-1RB-CH20175 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	781.9640	-64.47	peak	-1.73	-66.20	-13.00	150	65	-53.20	
	945.4910	-69.61	peak	-1.05	-70.66	-13.00	150	205	-57.66	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 09:45:19

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band4 -20M-QPSK-1RB-CH20175 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3410.822	-60.69	peak	6.04	-54.65	-13.00	150	45	-41.65	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 09:52:01

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band4 -20M-QPSK-1RB-CH20175 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3422.846	-62.13	peak	10.32	-51.81	-13.00	150	40	-38.81	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 09:46:30

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band4 -20M-QPSK-1RB-CH20175 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5170.341	-60.69	peak	7.66	-53.03	-13.00	150	215	-40.03	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 09:53:24

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band4 -20M-QPSK-1RB-CH20175 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5170.341	-61.78	peak	8.39	-53.39	-13.00	150	325	-40.39	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 09:47:51

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band4 -20M-QPSK-1RB-CH20175 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 09:54:55

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

Polarization: **Vertical**

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band4 -20M-QPSK-1RB-CH20175 Activ

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 09:48:02

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band4 -20M-QPSK-1RB-CH20175 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 09:55:08

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band4 -20M-QPSK-1RB-CH20175 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 09:48:14

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band4 -20M-QPSK-1RB-CH20175 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 09:55:20

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band4 -20M-QPSK-1RB-CH20175 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 下午 01:36:14

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band5 -1.4M-QPSK-1RB-CH20525 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	45.6713	-91.81	peak	22.54	-69.27	-13.00	150	135	-56.27	
*	92.0040	-89.19	peak	21.60	-67.59	-13.00	150	110	-54.59	



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 下午 01:48:46

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band5 -1.4M-QPSK-1RB-CH20525 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	37.4950	-87.03	peak	21.29	-65.74	-13.00	150	250	-52.74	
	97.7956	-88.08	peak	21.96	-66.12	-13.00	150	345	-53.12	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 11:30:42

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band5 -1.4M-QPSK-1RB-CH20525 Activ

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	669.7395	-68.89	peak	-1.97	-70.86	-13.00	150	116	-57.86	
	943.8877	-69.41	peak	-3.60	-73.01	-13.00	150	250	-60.01	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2

Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 11:35:14

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band5 -1.4M-QPSK-1RB-CH20525 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	777.1543	-68.19	peak	-3.94	-72.13	-13.00	150	225	-59.13	
	945.4910	-71.44	peak	-3.20	-74.64	-13.00	150	345	-61.64	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 07:50:49

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band5 -1.4M-QPSK-1RB-CH20525 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1673.347	-54.96	peak	3.64	-51.32	-13.00	150	165	-38.32	
	2424.850	-56.09	peak	1.39	-54.70	-13.00	150	85	-41.70	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 07:54:56

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band5 -1.4M-QPSK-1RB-CH20525 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1709.419	-49.31	peak	5.51	-43.80	-13.00	150	285	-30.80	
	2424.850	-56.38	peak	6.48	-49.90	-13.00	150	110	-36.90	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 07:51:49

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band5 -1.4M-QPSK-1RB-CH20525 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 07:55:45

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band5 -1.4M-QPSK-1RB-CH20525 Activ

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3

Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 07:52:52

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band5 -1.4M-QPSK-1RB-CH20525 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 07:56:33

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

Polarization: **Vertical**

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band5 -1.4M-QPSK-1RB-CH20525 Activ

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 下午 01:38:33

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band5 -10M-QPSK-1RB-CH20525 Activ

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	43.6273	-92.04	peak	22.75	-69.29	-13.00	150	145	-56.29	
*	92.3447	-89.02	peak	21.55	-67.47	-13.00	150	90	-54.47	



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 下午 01:47:33

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band5 -10M-QPSK-1RB-CH20525 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	37.4950	-87.15	peak	21.29	-65.86	-13.00	150	275	-52.86	
	97.7956	-88.21	peak	21.96	-66.25	-13.00	150	105	-53.25	