



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 11:45:07

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band5 -10M-QPSK-1RB-CH20525 Activ

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	669.7395	-66.69	peak	-1.97	-68.66	-13.00	150	125	-55.66	
	778.7575	-66.09	peak	-4.29	-70.38	-13.00	150	175	-57.38	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2

Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 11:43:00

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band5 -10M-QPSK-1RB-CH20525 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	785.1703	-68.26	peak	-3.83	-72.09	-13.00	150	355	-59.09	
	945.4910	-73.16	peak	-3.20	-76.36	-13.00	150	110	-63.36	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 08:01:04

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band5 -10M-QPSK-1RB-CH20525 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1661.322	-56.37	peak	3.64	-52.73	-13.00	150	255	-39.73	
*	2496.994	-51.09	peak	0.98	-50.11	-13.00	150	140	-37.11	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 08:04:39

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band5 -10M-QPSK-1RB-CH20525 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1661.322	-60.57	peak	5.05	-55.52	-13.00	150	85	-42.52	
*	2424.850	-55.15	peak	6.48	-48.67	-13.00	150	45	-35.67	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 08:01:53

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band5 -10M-QPSK-1RB-CH20525 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 08:05:29

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band5 -10M-QPSK-1RB-CH20525 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 08:02:41

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

Polarization: *Horizontal*

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band5 -10M-QPSK-1RB-CH20525 Activ

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 08:07:43

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

Polarization: **Vertical**

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band5 -10M-QPSK-1RB-CH20525 Activ

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 下午 01:13:49

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band7 -5M-QPSK-1RB-CH21100 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	43.6273	-92.80	peak	24.90	-67.90	-13.00	150	105	-54.90	
*	93.0261	-88.96	peak	23.61	-65.35	-13.00	150	135	-52.35	



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 下午 01:28:17

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band7 -5M-QPSK-1RB-CH21100 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	37.4950	-87.10	peak	23.44	-63.66	-13.00	150	115	-50.66	
	162.5251	-90.13	peak	25.13	-65.00	-13.00	150	255	-52.00	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1

Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 下午 12:36:02

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band7 -5M-QPSK-1RB-CH21100 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	729.0581	-63.72	peak	-2.09	-65.81	-13.00	150	285	-52.81	
	781.9640	-63.84	peak	-2.03	-65.87	-13.00	150	135	-52.87	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 下午 12:52:36

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band7 -5M-QPSK-1RB-CH21100 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	781.9640	-64.10	peak	-1.73	-65.83	-13.00	150	310	-52.83	
	943.8878	-71.18	peak	-1.01	-72.19	-13.00	150	280	-59.19	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 10:17:14

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band7 -5M-QPSK-1RB-CH21100 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 10:26:02

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band7 -5M-QPSK-1RB-CH21100 Activ

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 10:19:36

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band7 -5M-QPSK-1RB-CH21100 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5066.132	-59.51	peak	7.02	-52.49	-13.00	150	110	-39.49	
	7607.214	-65.64	peak	10.34	-55.30	-13.00	150	355	-42.30	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 10:27:26

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band7 -5M-QPSK-1RB-CH21100 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5066.132	-62.92	peak	7.31	-55.61	-13.00	150	210	-42.61	
*	7599.198	-63.72	peak	11.19	-52.53	-13.00	150	95	-39.53	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 10:20:53

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band7 -5M-QPSK-1RB-CH21100 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 10:29:10

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band7 -5M-QPSK-1RB-CH21100 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 10:21:05

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band7 -5M-QPSK-1RB-CH21100 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 10:29:22

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band7 -5M-QPSK-1RB-CH21100 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 10:21:17

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band7 -5M-QPSK-1RB-CH21100 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10

Date: 2024/10/20

Temperature: 22 °C

Time: 上午 10:29:35

Humidity: 55 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band7 -5M-QPSK-1RB-CH21100 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 下午 01:17:46

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band7 -20M-QPSK-1RB-CH21100 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	47.7154	-92.75	peak	24.48	-68.27	-13.00	150	220	-55.27	
*	92.3447	-89.29	peak	23.70	-65.59	-13.00	150	185	-52.59	



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 下午 01:26:59

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band7 -20M-QPSK-1RB-CH21100 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	37.1543	-87.58	peak	23.44	-64.14	-13.00	150	285	-51.14	
	159.4590	-90.92	peak	25.10	-65.82	-13.00	150	110	-52.82	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 下午 12:37:52

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band7 -20M-QPSK-1RB-CH21100 Activ

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	781.9640	-63.42	peak	-2.03	-65.45	-13.00	150	120	-52.45	
	945.4910	-67.45	peak	-1.53	-68.98	-13.00	150	185	-55.98	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 下午 12:50:31

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band7 -20M-QPSK-1RB-CH21100 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	783.5671	-64.04	peak	-1.70	-65.74	-13.00	150	95	-52.74	
	945.4910	-70.67	peak	-1.05	-71.72	-13.00	150	240	-58.72	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 10:03:19

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band7 -20M-QPSK-1RB-CH21100 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin