



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City  
 Tel: +886-2-2646-1508  
 Fax: +886-2-2646-1533

**Radiated Emission Measurement**

Operator: Sora

File :3

Data :#6


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 10:09:34

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band7 -20M-QPSK-1RB-CH21100 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 10:04:19

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band7 -20M-QPSK-1RB-CH21100 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5050.100	-59.70	peak	6.92	-52.78	-13.00	150	155	-39.78	
	7591.182	-65.32	peak	10.28	-55.04	-13.00	150	45	-42.04	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 10:11:07

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band7 -20M-QPSK-1RB-CH21100 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5050.100	-61.92	peak	7.14	-54.78	-13.00	150	195	-41.78	
*	7583.166	-63.43	peak	11.17	-52.26	-13.00	150	255	-39.26	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City  
 Tel: +886-2-2646-1508  
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 10:05:25

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band7 -20M-QPSK-1RB-CH21100 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City  
 Tel: +886-2-2646-1508  
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 10:12:22

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band7 -20M-QPSK-1RB-CH21100 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City  
 Tel: +886-2-2646-1508  
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 10:05:37

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band7 -20M-QPSK-1RB-CH21100 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City  
 Tel: +886-2-2646-1508  
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 10:12:34

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band7 -20M-QPSK-1RB-CH21100 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City  
 Tel: +886-2-2646-1508  
 Fax: +886-2-2646-1533

**Radiated Emission Measurement**

Operator: Sora

File :3

Data :#5


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 10:05:49

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band7 -20M-QPSK-1RB-CH21100 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Radiated Emission Measurement

Operator: Sora

File :3

Data :#10

Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 10:12:47

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band7 -20M-QPSK-1RB-CH21100 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 下午 01:20:18

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band40 -5M-QPSK-1RB-CH39150 Activ

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	47.7154	-92.19	peak	24.48	-67.71	-13.00	150	110	-54.71	
*	93.7074	-89.00	peak	23.52	-65.48	-13.00	150	185	-52.48	



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 下午 01:25:29

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band40 -5M-QPSK-1RB-CH39150 Activ

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	37.4950	-87.31	peak	23.44	-63.87	-13.00	150	305	-50.87	
	159.4590	-90.64	peak	25.10	-65.54	-13.00	150	220	-52.54	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 下午 12:40:06

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band40 -5M-QPSK-1RB-CH39150 Activ

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	783.5671	-63.37	peak	-1.98	-65.35	-13.00	150	165	-52.35	
	945.4910	-68.33	peak	-1.53	-69.86	-13.00	150	85	-56.86	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City  
 Tel: +886-2-2646-1508  
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 下午 12:48:30

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band40 -5M-QPSK-1RB-CH39150 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	783.5671	-64.84	peak	-1.70	-66.54	-13.00	150	350	-53.54	
	943.8878	-70.30	peak	-1.01	-71.31	-13.00	150	285	-58.31	

\*:Maximum data    x:Over limit    !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City  
 Tel: +886-2-2646-1508  
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 10:43:03

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band40 -5M-QPSK-1RB-CH39150 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City  
 Tel: +886-2-2646-1508  
 Fax: +886-2-2646-1533

**Radiated Emission Measurement**

Operator: Sora

File :3

Data :#6


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 10:48:57

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band40 -5M-QPSK-1RB-CH39150 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 10:43:51

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band40 -5M-QPSK-1RB-CH39150 Activ

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4689.379	-48.08	peak	7.20	-40.88	-13.00	150	115	-27.88	
	7070.140	-66.45	peak	10.96	-55.49	-13.00	150	285	-42.49	





Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 10:51:49

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band40 -5M-QPSK-1RB-CH39150 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4689.379	-52.49	peak	7.12	-45.37	-13.00	150	225	-32.37	
	7046.092	-65.83	peak	10.94	-54.89	-13.00	150	340	-41.89	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City  
 Tel: +886-2-2646-1508  
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 10:45:01

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band40 -5M-QPSK-1RB-CH39150 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City  
 Tel: +886-2-2646-1508  
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 10:53:03

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

Polarization: **Vertical**

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band40 -5M-QPSK-1RB-CH39150 Activ

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City  
 Tel: +886-2-2646-1508  
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 10:45:14

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band40 -5M-QPSK-1RB-CH39150 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City  
 Tel: +886-2-2646-1508  
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 10:53:15

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band40 -5M-QPSK-1RB-CH39150 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2024/10/20

Temperature:22 °C

0.0 dBm

Time: 上午 10:45:27

Humidity:55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band40 -5M-QPSK-1RB-CH39150 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Radiated Emission Measurement

Operator: Sora

File :3

Data :#10


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 10:53:28

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band40 -5M-QPSK-1RB-CH39150 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2024/10/20

Temperature:22 °C

0.0 dBm

Time: 下午 01:22:32

Humidity:55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band40 -20M-QPSK-1RB-CH39150 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	43.6273	-92.65	peak	24.90	-67.75	-13.00	150	35	-54.75	
*	97.7956	-88.19	peak	22.99	-65.20	-13.00	150	115	-52.20	





Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 下午 01:24:09

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band40 -20M-QPSK-1RB-CH39150 Activ

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	37.4950	-86.60	peak	23.44	-63.16	-13.00	150	245	-50.16	
	100.8617	-90.45	peak	24.44	-66.01	-13.00	150	30	-53.01	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 下午 12:43:11

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band40 -20M-QPSK-1RB-CH39150 Activ

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	783.5671	-64.14	peak	-1.98	-66.12	-13.00	150	255	-53.12	
	943.8878	-69.44	peak	-1.45	-70.89	-13.00	150	140	-57.89	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 下午 12:46:35

Humidity: 55 %



Site : 966A Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band40 -20M-QPSK-1RB-CH39150 Activ

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	781.9640	-64.07	peak	-1.73	-65.80	-13.00	150	110	-52.80	
	945.4910	-71.25	peak	-1.05	-72.30	-13.00	150	285	-59.30	