



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 10:58:55

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band40 -20M-QPSK-1RB-CH39150 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 11:07:06

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band40 -20M-QPSK-1RB-CH39150 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 11:01:04

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band40 -20M-QPSK-1RB-CH39150 Activ

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4681.363	-49.28	peak	7.22	-42.06	-13.00	150	115	-29.06	
	7022.044	-66.52	peak	11.08	-55.44	-13.00	150	75	-42.44	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 11:09:15

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band40 -20M-QPSK-1RB-CH39150 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4681.363	-55.05	peak	7.14	-47.91	-13.00	150	305	-34.91	
	7022.044	-65.38	peak	10.94	-54.44	-13.00	150	215	-41.44	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 11:02:35

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band40 -20M-QPSK-1RB-CH39150 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 11:12:00

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band40 -20M-QPSK-1RB-CH39150 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 11:02:47

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band40 -20M-QPSK-1RB-CH39150 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 11:12:13

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band40 -20M-QPSK-1RB-CH39150 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 11:02:59

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band40 -20M-QPSK-1RB-CH39150 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :3

Data :#10

Date: 2024/10/20

Temperature: 22 °C

0.0 dBm

Time: 上午 11:12:25

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band40 -20M-QPSK-1RB-CH39150 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Kai

File :1

Data :#1


Date: 2024/10/23

Temperature: 24.5 °C

80.0 dBuV/m

Time: 下午 05:04:02

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	56.1900	35.56	QP	-12.77	22.79	40.00	100	15	-17.21	
	106.6300	39.19	QP	-16.15	23.04	43.50	100	0	-20.46	
	160.9500	38.70	QP	-12.25	26.45	43.50	100	279	-17.05	
	263.7700	41.76	QP	-13.26	28.50	46.00	100	121	-17.50	
	321.4850	44.57	QP	-11.52	33.05	46.00	100	200	-12.95	
*	358.8300	47.09	QP	-10.90	36.19	46.00	100	160	-9.81	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kai

File :1

Data :#2


Date: 2024/10/23

Temperature: 24.5 °C

80.0 dBuV/m

Time: 下午 05:04:47

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Vertical*

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	35.3350	51.32	QP	-14.41	36.91	40.00	100	7	-3.09	
	56.1900	49.25	QP	-12.77	36.48	40.00	100	1	-3.52	
	106.6300	46.29	QP	-16.15	30.14	43.50	100	278	-13.36	
	124.5750	45.04	QP	-14.33	30.71	43.50	100	258	-12.79	
	160.4650	39.23	QP	-12.21	27.02	43.50	100	311	-16.48	
	360.2850	39.10	QP	-10.86	28.24	46.00	100	252	-17.76	



Radiated Emission Measurement

Operator: Jeff

File :3

Data :#1


Date: 2024/10/23

Temperature: 24.5 °C

90.0 dBuV/m

Time: 下午 03:01:06

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: **Horizontal**

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2183.000	34.35	peak	-4.77	29.58	74.00	100	136	-44.42	
	2183.000	26.37	AVG	-4.77	21.60	54.00	100	136	-32.40	
	3072.000	34.47	peak	-2.45	32.02	74.00	100	82	-41.98	
	3072.000	26.43	AVG	-2.45	23.98	54.00	100	82	-30.02	
	4899.000	33.94	peak	4.88	38.82	74.00	100	309	-35.18	
*	4899.000	25.92	AVG	4.88	30.80	54.00	100	309	-23.20	



Radiated Emission Measurement

Operator: Jeff

File :3

Data :#5


Date: 2024/10/23

Temperature: 24.5 °C

90.0 dBuV/m

Time: 下午 03:03:39

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2288.000	34.91	peak	-4.34	30.57	74.00	100	113	-43.43	
	2288.000	26.18	AVG	-4.34	21.84	54.00	100	113	-32.16	
	4066.000	34.43	peak	1.31	35.74	74.00	100	53	-38.26	
	4066.000	26.35	AVG	1.31	27.66	54.00	100	53	-26.34	
	5550.000	33.07	peak	5.71	38.78	74.00	100	208	-35.22	
*	5550.000	25.43	AVG	5.71	31.14	54.00	100	208	-22.86	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#2


Date: 2024/10/23

Temperature: 24.5 °C

90.0 dBuV/m

Time: 下午 03:01:55

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#6


Date: 2024/10/23

Temperature: 24.5 °C

90.0 dBuV/m

Time: 下午 03:04:21

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#3


Date: 2024/10/23

Temperature: 24.5 °C

90.0 dBuV/m

Time: 下午 03:02:45

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#7


Date: 2024/10/23

Temperature: 24.5 °C

90.0 dBuV/m

Time: 下午 03:05:11

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#4


Date: 2024/10/23

Temperature: 24.5 °C

90.0 dBuV/m

Time: 下午 03:02:56

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#8


Date: 2024/10/23

Temperature: 24.5 °C

90.0 dBuV/m

Time: 下午 03:05:22

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kai

File :1

Data :#1


Date: 2024/10/23

Temperature: 24.5 °C

80.0 dBuV/m

Time: 下午 05:07:04

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: **Horizontal**

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	159.0100	38.05	QP	-12.17	25.88	43.50	100	126	-17.62	
	320.5150	42.82	QP	-11.53	31.29	46.00	100	142	-14.71	
*	355.4350	45.64	QP	-10.99	34.65	46.00	100	214	-11.35	
	654.1950	33.03	QP	-4.14	28.89	46.00	100	325	-17.11	
	811.3350	33.52	QP	-1.85	31.67	46.00	100	211	-14.33	
	967.9900	33.66	QP	-0.35	33.31	54.00	100	26	-20.69	



Radiated Emission Measurement

Operator: Kai

File :1

Data :#2


Date: 2024/10/23

Temperature: 24.5 °C

80.0 dBuV/m

Time: 下午 05:07:49

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: Vertical

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	34.8500	51.56	QP	-14.48	37.08	40.00	100	199	-2.92	
	56.1900	49.66	QP	-12.77	36.89	40.00	100	357	-3.11	
	70.7400	46.70	QP	-15.32	31.38	40.00	100	126	-8.62	
	106.6300	46.61	QP	-16.15	30.46	43.50	100	298	-13.04	
	124.5750	45.17	QP	-14.33	30.84	43.50	100	311	-12.66	
	357.8600	37.33	QP	-10.93	26.40	46.00	100	252	-19.60	



Radiated Emission Measurement

Operator: Jeff

File :3

Data :#1


Date: 2024/10/23

Temperature: 24.5 °C

90.0 dBuV/m

Time: 下午 03:06:06

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band4 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2508.500	35.45	peak	-4.24	31.21	74.00	100	103	-42.79	
	2508.500	27.63	AVG	-4.24	23.39	54.00	100	103	-30.61	
	3905.000	34.36	peak	1.24	35.60	74.00	100	18	-38.40	
	3905.000	26.72	AVG	1.24	27.96	54.00	100	18	-26.04	
	5238.500	33.90	peak	5.02	38.92	74.00	100	290	-35.08	
*	5238.500	25.48	AVG	5.02	30.50	54.00	100	290	-23.50	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Jeff

File :3

Data :#5


Date: 2024/10/23

Temperature: 24.5 °C

90.0 dBuV/m

Time: 下午 03:08:39

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22410-23833

Power : 120 V.a.c.

M/N:

Distance: 3m

Test Mode : LTE Band4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2015.000	35.68	peak	-5.27	30.41	74.00	100	136	-43.59	
	2015.000	27.61	AVG	-5.27	22.34	54.00	100	136	-31.66	
	3467.500	35.13	peak	-1.37	33.76	74.00	100	203	-40.24	
	3467.500	27.28	AVG	-1.37	25.91	54.00	100	203	-28.09	
	5214.000	33.63	peak	5.10	38.73	74.00	100	151	-35.27	
*	5214.000	25.67	AVG	5.10	30.77	54.00	100	151	-23.23	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#2


Date: 2024/10/23

Temperature: 24.5 °C

90.0 dBuV/m

Time: 下午 03:06:54

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#6


Date: 2024/10/23

Temperature: 24.5 °C

90.0 dBuV/m

Time: 下午 03:09:20

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#3


Date: 2024/10/23

Temperature: 24.5 °C

90.0 dBuV/m

Time: 下午 03:07:45

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin