



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#7


Date: 2024/10/23

Temperature: 24.5 °C

90.0 dBuV/m

Time: 下午 03:10:11

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#4


Date: 2024/10/23

Temperature: 24.5 °C

90.0 dBuV/m

Time: 下午 03:07:55

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#8


Date: 2024/10/23

Temperature: 24.5 °C

90.0 dBuV/m

Time: 下午 03:10:21

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kai

File :1

Data :#1


Date: 2024/10/23

Temperature: 24.5 °C

80.0 dBuV/m

Time: 下午 05:09:19

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	56.1900	37.70	QP	-12.77	24.93	40.00	100	69	-15.07	
	158.0400	38.39	QP	-12.18	26.21	43.50	100	254	-17.29	
	249.7050	38.80	QP	-13.73	25.07	46.00	100	195	-20.93	
	313.7250	42.13	QP	-11.73	30.40	46.00	100	201	-15.60	
*	358.8300	45.28	QP	-10.90	34.38	46.00	100	182	-11.62	
	573.6850	34.13	QP	-5.88	28.25	46.00	100	148	-17.75	



Radiated Emission Measurement

Operator: Kai

File :1

Data :#2


Date: 2024/10/23

Temperature: 24.5 °C

80.0 dBuV/m

Time: 下午 05:10:03

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: Vertical

EUT : W6M22410-23833

Power : 120 V.a.c.

M/N:

Distance: 3m

Test Mode : LTE Band5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	34.8500	51.23	QP	-14.48	36.75	40.00	100	111	-3.25	
*	56.6750	49.58	QP	-12.78	36.80	40.00	100	18	-3.20	
	106.6300	45.26	QP	-16.15	29.11	43.50	100	311	-14.39	
	124.5750	45.34	QP	-14.33	31.01	43.50	100	318	-12.49	
	154.1600	37.83	QP	-12.19	25.64	43.50	100	355	-17.86	
	357.3750	37.62	QP	-10.94	26.68	46.00	100	243	-19.32	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Jeff

File :3

Data :#1


Date: 2024/10/23

Temperature: 24.5 °C

90.0 dBuV/m

Time: 下午 03:11:05

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: **Horizontal**

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1451.500	35.72	peak	-8.06	27.66	74.00	100	258	-46.34	
	1451.500	27.61	AVG	-8.06	19.55	54.00	100	258	-34.45	
	2778.000	35.38	peak	-3.02	32.36	74.00	100	130	-41.64	
	2778.000	27.34	AVG	-3.02	24.32	54.00	100	130	-29.68	
	3996.000	34.55	peak	1.18	35.73	74.00	100	48	-38.27	
*	3996.000	26.62	AVG	1.18	27.80	54.00	100	48	-26.20	



Radiated Emission Measurement

Operator: Jeff

File :3

Data :#3


Date: 2024/10/23

Temperature: 24.5 °C

90.0 dBuV/m

Time: 下午 03:13:39

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1987.000	35.29	peak	-5.43	29.86	74.00	100	29	-44.14	
	1987.000	27.49	AVG	-5.43	22.06	54.00	100	29	-31.94	
	2690.500	35.00	peak	-3.32	31.68	74.00	100	136	-42.32	
	2690.500	27.19	AVG	-3.32	23.87	54.00	100	136	-30.13	
	3849.000	34.50	peak	1.00	35.50	74.00	100	307	-38.50	
*	3849.000	26.63	AVG	1.00	27.63	54.00	100	307	-26.37	



Radiated Emission Measurement

Operator: Jeff

File :3

Data :#2


Date: 2024/10/23

Temperature: 24.5 °C

90.0 dBuV/m

Time: 下午 03:11:54

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#4


Date: 2024/10/23

Temperature: 24.5 °C

90.0 dBuV/m

Time: 下午 03:14:21

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kai

File :1

Data :#1


Date: 2024/10/23

Temperature: 24.5 °C

80.0 dBuV/m

Time: 下午 05:11:48

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band7 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	56.1900	35.40	QP	-12.77	22.63	40.00	100	74	-17.37	
	149.7950	36.58	QP	-12.22	24.36	43.50	100	284	-19.14	
	247.2800	39.04	QP	-13.77	25.27	46.00	100	0	-20.73	
*	263.7700	49.52	QP	-13.26	36.26	46.00	100	335	-9.74	
	326.8200	41.31	QP	-11.46	29.85	46.00	100	185	-16.15	
	360.7700	44.54	QP	-10.84	33.70	46.00	100	165	-12.30	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kai

File : 1

Data : #2


Date: 2024/10/23

Temperature: 24.5 °C

80.0 dBuV/m

Time: 下午 05:12:32

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Vertical*

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band7 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	35.3350	51.22	QP	-14.41	36.81	40.00	100	359	-3.19	
*	56.6750	49.69	QP	-12.78	36.91	40.00	100	359	-3.09	
	70.2550	45.27	QP	-15.20	30.07	40.00	100	142	-9.93	
	124.5750	43.46	QP	-14.33	29.13	43.50	100	227	-14.37	
	149.7950	38.41	QP	-12.22	26.19	43.50	100	259	-17.31	
	367.5600	36.50	QP	-10.59	25.91	46.00	100	207	-20.09	



Radiated Emission Measurement

Operator: Jeff

File :3

Data :#1


Date: 2024/10/23

Temperature: 24.5 °C

90.0 dBuV/m

Time: 下午 03:16:06

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band7 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2277.500	34.78	peak	-4.38	30.40	74.00	100	169	-43.60	
	2277.500	26.89	AVG	-4.38	22.51	54.00	100	169	-31.49	
	3870.000	33.89	peak	1.10	34.99	74.00	100	238	-39.01	
	3870.000	25.73	AVG	1.10	26.83	54.00	100	238	-27.17	
	4979.500	33.49	peak	5.01	38.50	74.00	100	116	-35.50	
*	4979.500	25.17	AVG	5.01	30.18	54.00	100	116	-23.82	



Radiated Emission Measurement

Operator: Jeff

File :3

Data :#5


Date: 2024/10/23

Temperature: 24.5 °C

90.0 dBuV/m

Time: 下午 03:18:40

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: Vertical

EUT : W6M22410-23833

Power : 120 V.a.c.

M/N:

Distance: 3m

Test Mode : LTE Band7 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2102.500	34.43	peak	-5.15	29.28	74.00	100	47	-44.72	
	2102.500	26.46	AVG	-5.15	21.31	54.00	100	47	-32.69	
	4059.000	34.20	peak	1.29	35.49	74.00	100	163	-38.51	
	4059.000	26.73	AVG	1.29	28.02	54.00	100	163	-25.98	
	5329.500	34.21	peak	4.85	39.06	74.00	100	209	-34.94	
*	5329.500	26.82	AVG	4.85	31.67	54.00	100	209	-22.33	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#2


Date: 2024/10/23

Temperature: 24.5 °C

90.0 dBuV/m

Time: 下午 03:16:55

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band7 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#6


Date: 2024/10/23

Temperature: 24.5 °C

90.0 dBuV/m

Time: 下午 03:19:21

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band7 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#3


Date: 2024/10/23

Temperature: 24.5 °C

90.0 dBuV/m

Time: 下午 03:17:45

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band7 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#7


Date: 2024/10/23

Temperature: 24.5 °C

90.0 dBuV/m

Time: 下午 03:20:12

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band7 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#4


Date: 2024/10/23

Temperature: 24.5 °C

90.0 dBuV/m

Time: 下午 03:17:56

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band7 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#8


Date: 2024/10/23

Temperature: 24.5 °C

90.0 dBuV/m

Time: 下午 03:20:22

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band7 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kai

File :1

Data :#1

Date: 2024/10/23

Temperature: 24.5 °C

80.0 dBuV/m

Time: 下午 05:17:27

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band40 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	56.6750	36.43	QP	-12.78	23.65	40.00	100	58	-16.35	
	106.6300	38.29	QP	-16.15	22.14	43.50	100	189	-21.36	
	151.2500	37.91	QP	-12.20	25.71	43.50	100	58	-17.79	
	249.7050	38.51	QP	-13.73	24.78	46.00	100	10	-21.22	
	319.0600	41.06	QP	-11.57	29.49	46.00	100	196	-16.51	
*	358.8300	44.38	QP	-10.90	33.48	46.00	100	170	-12.52	



Radiated Emission Measurement

Operator: Kai

File : 1

Data : #2


Date: 2024/10/23

Temperature: 24.5 °C

80.0 dBuV/m

Time: 下午 05:18:12

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Vertical*

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band40 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	36.3050	51.34	QP	-14.25	37.09	40.00	100	79	-2.91	
	56.6750	49.52	QP	-12.78	36.74	40.00	100	25	-3.26	
	105.1750	47.19	QP	-16.38	30.81	43.50	100	350	-12.69	
	124.5750	45.21	QP	-14.33	30.88	43.50	100	344	-12.62	
	149.7950	38.32	QP	-12.22	26.10	43.50	100	45	-17.40	
	360.7700	37.67	QP	-10.84	26.83	46.00	100	258	-19.17	



Radiated Emission Measurement

Operator: Jeff

File :3

Data :#1


Date: 2024/10/23

Temperature: 24.5 °C

90.0 dBuV/m

Time: 下午 03:26:06

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: **Horizontal**

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band40 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2134.000	35.17	peak	-5.00	30.17	74.00	100	231	-43.83	
	2134.000	27.53	AVG	-5.00	22.53	54.00	100	231	-31.47	
	3212.000	34.91	peak	-2.23	32.68	74.00	100	300	-41.32	
	3212.000	26.16	AVG	-2.23	23.93	54.00	100	300	-30.07	
	5102.000	33.34	peak	5.32	38.66	74.00	100	163	-35.34	
*	5102.000	25.16	AVG	5.32	30.48	54.00	100	163	-23.52	



Radiated Emission Measurement

Operator: Jeff

File :3

Data :#5


Date: 2024/10/23

Temperature: 24.5 °C

90.0 dBuV/m

Time: 下午 03:28:39

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22410-23833

M/N:

Test Mode : LTE Band40 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2018.500	34.07	peak	-5.27	28.80	74.00	100	115	-45.20	
	2018.500	26.69	AVG	-5.27	21.42	54.00	100	115	-32.58	
	4076.500	34.37	peak	1.33	35.70	74.00	100	202	-38.30	
	4076.500	26.73	AVG	1.33	28.06	54.00	100	202	-25.94	
	5165.000	33.88	peak	5.20	39.08	74.00	100	37	-34.92	
*	5165.000	25.44	AVG	5.20	30.64	54.00	100	37	-23.36	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#2


Date: 2024/10/23

Temperature: 24.5 °C

90.0 dBuV/m

Time: 下午 03:26:54

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band40 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#6


Date: 2024/10/23

Temperature: 24.5 °C

90.0 dBuV/m

Time: 下午 03:29:21

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: Vertical

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band40 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#3


Date: 2024/10/23

Temperature: 24.5 °C

90.0 dBuV/m

Time: 下午 03:27:45

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band40 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File :3

Data :#7


Date: 2024/10/23

Temperature: 24.5 °C

90.0 dBuV/m

Time: 下午 03:30:12

Humidity: 63.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M22410-23833

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band40 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin