




# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID



Tx Channel				BW_15 MHz higher UL			
Bandwidth			15 MHz	Power		19.58 dBm	
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-22.500 M	-7.500 M	100.00 k	1.727524 G	-35.38	-54.95	-335.38	
7.500 M	8.500 M	150.00 k	1.755000 G	-34.35	-53.93	-21.35	
8.500 M	22.500 M	1.00 M	1.756082 G	-35.79	-55.37	-22.79	

Date: 5.JUL.2021 15:05:27




# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID

20MHz




Date: 5.JUL.2021 15:07:02



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID



Center 1.745 GHz 6 MHz/ Span 60 MHz

Tx Channel				BW_20_MHz_higher_UL			
Bandwidth			20 MHz	Power			19.66 dBm
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-30.000 M	-10.000 M	100.00 k	1.718269 G	-36.31	-55.98	-336.31	
10.000 M	11.000 M	200.00 k	1.755000 G	-38.31	-57.97	-25.31	
11.000 M	30.000 M	1.00 M	1.756154 G	-35.88	-55.54	-22.88	

Date: 5.JUL.2021 15:07:38




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247


FCC ID: GX9HYBRID

QPSK  
FRB  
1.4MHz



Tx Channel			BW 1.4 MHz_lower UL			
Bandwidth			Power			
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-2.500 M	-1.700 M	1.00 M	1.708937 G	-28.80	-48.65	-15.80
-1.700 M	-700.000 k	20.00 k	1.709995 G	-33.79	-53.65	-20.79
700.000 k	2.500 M	100.00 k	1.711400 G	-23.97	-43.83	-323.97


Date: 5.JUL.2021 15:10:37



# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID



Tx Channel				BW 1.4 MHz higher UL			
Bandwidth			1.4 MHz	Power			19.78 dBm
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-2.500 M	-700.000 k	100.00 k	1.753595 G	-25.60	-45.38	-325.60	
700.000 k	1.700 M	20.00 k	1.755000 G	-24.67	-44.45	-11.67	
1.700 M	2.500 M	1.00 M	1.756031 G	-27.48	-47.26	-14.48	


Date: 5.JUL.2021 15:11:14



Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID

3MHz



Tx Channel				BW_3_MHz_lower UL		
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-5.000 M	-2.500 M	1.00 M	1.708984 G	-26.53	-46.30	-13.53
-2.500 M	-1.500 M	30.00 k	1.709978 G	-33.10	-52.87	-20.10
1.500 M	5.000 M	100.00 k	1.713006 G	-25.48	-45.24	-325.48


Date: 5.JUL.2021 15:13:09



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID



Tx Channel				BW 3 MHz higher UL			
Bandwidth			Power		19.87 dBm		
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-5.000 M	-1.500 M	100.00 k	1.751978 G	-26.67	-46.54	-326.67	
1.500 M	2.500 M	30.00 k	1.755006 G	-32.51	-52.37	-19.51	
2.500 M	5.000 M	1.00 M	1.756080 G	-28.02	-47.89	-15.02	

Date: 5.JUL.2021 15:14:18




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID


5MHz



Tx Channel				BW_5_MHz_lower UL			
Bandwidth			5 MHz	Power		19.63 dBm	
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-7.500 M	-3.500 M	1.00 M	1.708918 G	-27.83	-47.46	-14.83	
-3.500 M	-2.500 M	50.00 k	1.709976 G	-33.87	-53.50	-20.87	
2.500 M	7.500 M	100.00 k	1.715000 G	-29.68	-49.31	-329.68	

Date: 5.JUL.2021 15:19:21






# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID



Tx Channel		5 MHz		Power		BW 5 MHz higher UL	
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-7.500 M	-2.500 M	100.00 k	1.749976 G	-29.34	-49.07	-329.34	
2.500 M	3.500 M	50.00 k	1.755000 G	-33.48	-53.20	-20.48	
3.500 M	7.500 M	1.00 M	1.756058 G	-28.95	-48.68	-15.95	

Date: 5.JUL.2021 15:19:56




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247


FCC ID: GX9HYBRID

10MHz



Tx Channel				BW_10_MHz_lower UL		
Bandwidth		10 MHz	Power			19.72 dBm
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-6.000 M	1.00 M	1.708750 G	-27.72	-47.43	-14.72
-6.000 M	-5.000 M	100.00 k	1.709952 G	-35.23	-54.95	-22.23
5.000 M	15.000 M	100.00 k	1.720000 G	-34.98	-54.69	-334.98


Date: 5.JUL.2021 15:24:34



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID



Tx Channel				BW_10_MHz_higher_UL		
Bandwidth	10 MHz	Power			19.90 dBm	
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-5.000 M	100.00 k	1.744952 G	-33.27	-53.17	-333.27
5.000 M	6.000 M	100.00 k	1.755000 G	-35.34	-55.24	-22.34
6.000 M	15.000 M	1.00 M	1.756154 G	-29.52	-49.42	-16.52

Date: 5.JUL.2021 15:25:05




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID

15MHz




Date: 5.JUL.2021 15:27:13



# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID



Tx Channel				BW_15 MHz higher UL			
Bandwidth		15 MHz		Power		19.61 dBm	
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-22.500 M	-7.500 M	100.00 k	1.739928 G	-38.41	-58.03	-338.41	
7.500 M	8.500 M	150.00 k	1.755000 G	-37.16	-56.78	-24.16	
8.500 M	22.500 M	1.00 M	1.756082 G	-31.54	-51.16	-18.54	

Date: 5.JUL.2021 15:28:32




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID

20MHz



Tx Channel				BW_20_MHz_lower UL		
Bandwidth		20 MHz	Power			19.68 dBm
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-30.000 M	-11.000 M	1.00 M	1.708750 G	-27.87	-47.55	-14.87
-11.000 M	-10.000 M	200.00 k	1.709904 G	-35.32	-55.01	-22.32
10.000 M	30.000 M	100.00 k	1.730000 G	-42.42	-62.10	-342.42


Date: 5.JUL.2021 15:30:27



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID



Tx Channel				BW_20_MHz_higher_UL			
Bandwidth			20 MHz	Power			19.78 dBm
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-30.000 M	-10.000 M	100.00 k	1.734904 G	-41.04	-60.81	-341.04	
10.000 M	11.000 M	200.00 k	1.755000 G	-35.85	-55.63	-22.85	
11.000 M	30.000 M	1.00 M	1.756250 G	-30.07	-49.85	-17.07	

Date: 5.JUL.2021 15:31:10




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID

1RB

1.4MHz




Center: 1.7107 GHz      500 kHz/      Span: 5 MHz

Tx Channel			BW 1.4 MHz_lower UL			
Bandwidth			Power			
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-2.500 M	-1.700 M	1.00 M	1.708937 G	-33.87	-54.63	-20.87
-1.700 M	-700.000 k	20.00 k	1.709995 G	-28.50	-49.26	-15.50
700.000 k	2.500 M	100.00 k	1.712078 G	-29.77	-50.53	-329.77

Date: 5.JUL.2021 15:10:14






# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID



Tx Channel				BW 1.4 MHz higher UL			
Bandwidth			1.4 MHz	Power			20.66 dBm
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-2.500 M	-700.000 k	100.00 k	1.752946 G	-33.85	-54.51	-333.85	
700.000 k	1.700 M	20.00 k	1.755000 G	-16.90	-37.56	-3.90	
1.700 M	2.500 M	1.00 M	1.756159 G	-33.85	-54.51	-20.85	

Date: 5.JUL.2021 15:11:39




# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID

3MHz




Date: 5.JUL.2021 15:12:47



# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID



Tx Channel				BW 3 MHz higher UL			
Bandwidth			Power				
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-5.000 M	-1.500 M	100.00 k	1.749734 G	-33.99	-54.69	-333.99	
1.500 M	2.500 M	30.00 k	1.755006 G	-24.63	-45.32	-11.63	
2.500 M	5.000 M	1.00 M	1.756929 G	-31.63	-52.33	-18.63	

Date: 5.JUL.2021 15:14:36




# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID

5MHz




Date: 5.JUL.2021 15:19:01



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID



Tx Channel		5 MHz		Power		BW 5 MHz higher UL	
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-7.500 M	-2.500 M	100.00 k	1.745986 G	-32.11	-52.88	-332.11	
2.500 M	3.500 M	50.00 k	1.755000 G	-26.90	-47.67	-13.90	
3.500 M	7.500 M	1.00 M	1.758654 G	-32.17	-52.94	-19.17	20.77 dBm

Date: 5.JUL.2021 15:20:12




# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID

10MHz




Date: 5.JUL.2021 15:24:14



# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID



Tx Channel				BW_10 MHz higher UL			
Bandwidth	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-15.000 M	-5.000 M	100.00 k	1.736731 G	-32.88	-53.65	-332.88	
5.000 M	6.000 M	100.00 k	1.755000 G	-37.14	-57.92	-24.14	
6.000 M	15.000 M	1.00 M	1.763221 G	-33.58	-54.35	-20.58	20.77 dBm

Date: 5.JUL.2021 15:25:28




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247


FCC ID: GX9HYBRID

15MHz



Date: 5.JUL.2021 15:26:31






# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID



Tx Channel				BW_15 MHz higher UL			
Bandwidth			15 MHz	Power			20.62 dBm
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-22.500 M	-7.500 M	100.00 k	1.727524 G	-31.00	-51.62	-331.00	
7.500 M	8.500 M	150.00 k	1.755000 G	-34.33	-54.95	-21.33	
8.500 M	22.500 M	1.00 M	1.767620 G	-34.69	-55.32	-21.69	

Date: 5.JUL.2021 15:28:06




# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID

20MHz




Date: 5.JUL.2021 15:30:11



# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID



Tx Channel				BW_20_MHz_higher_UL			
Bandwidth			20 MHz	Power			20.40 dBm
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-30.000 M	-10.000 M	100.00 k	1.718269 G	-32.14	-52.54	-332.14	
10.000 M	11.000 M	200.00 k	1.755000 G	-37.00	-57.39	-24.00	
11.000 M	30.000 M	1.00 M	1.771538 G	-34.02	-54.41	-21.02	

Date: 5.JUL.2021 15:31:29




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID

Band V  
16QAM  
1RB  
1.4MHz




Date: 5.JUL.2021 15:35:50



# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID



Tx Channel				BW 1.4 MHz higher UL		
Bandwidth		1.4 MHz		Power		20.65 dBm
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-2.500 M	-700.000 k	100.00 k	846.921795 M	-38.60	-59.25	-338.60
700.000 k	1.700 M	20.00 k	849.000000 M	-15.85	-36.50	-2.85
1.700 M	2.500 M	1.00 M	850.166987 M	-34.96	-55.61	-21.96

Date: 5.JUL.2021 15:36:29




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID

3MHz



Tx Channel				BW_3_MHz_higher UL		
Bandwidth		3 MHz	Power		20.61 dBm	
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-5.000 M	-1.500 M	100.00 k	843.717949 M	-37.62	-58.23	-337.62
1.500 M	2.500 M	30.00 k	849.006410 M	-25.55	-46.16	-12.55
2.500 M	5.000 M	1.00 M	850.032051 M	-35.24	-55.85	-22.24


Date: 5.JUL.2021 15:40:51



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID



Date: 5.JUL.2021 15:41:58




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247


FCC ID: GX9HYBRID

5MHz



Date: 5.JUL.2021 15:41:58






# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID



Tx Channel		5 MHz		Power		BW 5 MHz higher UL	
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-7.500 M	-2.500 M	100.00 k	839.985577 M	-35.47	-56.22	-335.47	
2.500 M	3.500 M	50.00 k	849.000000 M	-25.53	-46.28	-12.53	
3.500 M	7.500 M	1.00 M	850.033654 M	-35.53	-56.28	-22.53	

Date: 5.JUL.2021 15:42:35




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID

10MHz




Date: 5.JUL.2021 15:44:29



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID



Tx Channel				BW_10 MHz higher UL		
Bandwidth		10 MHz	Power		20.84 dBm	
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-5.000 M	100.00 k	830.778846 M	-43.15	-64.00	-343.15
5.000 M	6.000 M	100.00 k	849.000000 M	-36.28	-57.13	-23.28
6.000 M	15.000 M	1.00 M	850.105769 M	-36.34	-57.18	-23.34

Date: 5.JUL.2021 15:45:08






# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID



Tx Channel				BW 1.4 MHz higher UL		
Bandwidth		1.4 MHz	Power			21.21 dBm
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-2.500 M	-700.000 k	100.00 k	847.594872 M	-22.90	-44.11	-322.90
700.000 k	1.700 M	20.00 k	849.000000 M	-21.91	-43.12	-8.91
1.700 M	2.500 M	1.00 M	850.006731 M	-21.47	-42.69	-8.47

Date: 5.JUL.2021 15:48:17




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247


FCC ID: GX9HYBRID

3MHz



Tx Channel				BW_3_MHz_lower UL		
Bandwidth		3 MHz	Power		21.24 dBm	
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-5.000 M	-2.500 M	1.00 M	822.983974 M	-21.15	-42.39	-8.15
-2.500 M	-1.500 M	30.00 k	823.977564 M	-29.80	-51.04	-16.80
1.500 M	5.000 M	100.00 k	827.006410 M	-22.80	-44.03	-322.80


Date: 5.JUL.2021 15:49:55



# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID



Tx Channel				BW 3 MHz higher UL		
Bandwidth				Power		
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-5.000 M	-1.500 M	100.00 k	845.977564 M	-25.48	-46.67	-325.48
1.500 M	2.500 M	30.00 k	849.006410 M	-30.38	-51.58	-17.38
2.500 M	5.000 M	1.00 M	850.817308 M	-22.35	-43.55	-9.35

Date: 5.JUL.2021 15:54:16




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID


5MHz



Tx Channel				BW_5_MHz_lower UL		
Bandwidth		5 MHz	Power			21.03 dBm
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-3.500 M	1.00 M	822.918269 M	-23.40	-44.43	-10.40
-3.500 M	-2.500 M	50.00 k	823.975962 M	-30.15	-51.19	-17.15
2.500 M	7.500 M	100.00 k	829.000000 M	-27.21	-48.24	-327.21

Date: 5.JUL.2021 15:56:28






# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID



Tx Channel				BW 5 MHz higher UL		
Bandwidth		5 MHz	Power	21.03 dBm		
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-2.500 M	100.00 k	843.975962 M	-28.36	-49.39	-328.36
2.500 M	3.500 M	50.00 k	849.000000 M	-31.39	-52.42	-18.39
3.500 M	7.500 M	1.00 M	852.461538 M	-23.86	-44.89	-10.86


Date: 5.JUL.2021 15:57:05




Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID

10MHz




Date: 5.JUL.2021 15:58:41



# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID



Tx Channel				BW_10_MHz_higher_UL		
Bandwidth	10 MHz	Power				21.20 dBm
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-5.000 M	100.00 k	838.951923 M	-33.36	-54.57	-333.36
5.000 M	6.000 M	100.00 k	849.000000 M	-32.45	-53.65	-19.45
6.000 M	15.000 M	1.00 M	850.442308 M	-25.26	-46.46	-12.26

Date: 5.JUL.2021 15:59:11




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID

1RB


1.4MHz



Center: 824.7 MHz      500 kHz/      Span: 5 MHz

Tx Channel				BW 1.4 MHz_lower UL		
Bandwidth		1.4 MHz	Power		22.10 dBm	
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-2.500 M	-1.700 M	1.00 M	822.945192 M	-34.10	-56.20	-21.10
-1.700 M	-700.000 k	20.00 k	823.994872 M	-26.19	-48.28	-13.19
700.000 k	2.500 M	100.00 k	826.070192 M	-37.71	-59.80	-337.71


Date: 5.JUL.2021 15:47:20



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID



Tx Channel				BW 1.4 MHz higher UL		
Bandwidth		1.4 MHz	Power			22.09 dBm
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-2.500 M	-700.000 k	100.00 k	846.977885 M	-38.84	-60.94	-338.84
700.000 k	1.700 M	20.00 k	849.000000 M	-16.80	-38.89	-3.80
1.700 M	2.500 M	1.00 M	850.006731 M	-34.13	-56.22	-21.13

Date: 5.JUL.2021 15:48:39




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID

3MHz




Date: 5.JUL.2021 15:49:38



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID



Tx Channel		3 MHz		Power		BW 3 MHz higher UL	
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-5.000 M	-1.500 M	100.00 k	843.685897 M	-36.64	-58.78	-336.64	
1.500 M	2.500 M	30.00 k	849.006410 M	-24.48	-46.62	-11.48	
2.500 M	5.000 M	1.00 M	850.048077 M	-34.62	-56.76	-21.62	


Date: 5.JUL.2021 15:54:35



Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID

5MHz



Date: 5.JUL.2021 15:56:08






# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID



Tx Channel				BW 5 MHz higher UL		
Bandwidth		5 MHz	Power		21.99 dBm	
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-2.500 M	100.00 k	840.033654 M	-34.75	-56.74	-334.75
2.500 M	3.500 M	50.00 k	849.000000 M	-24.77	-46.76	-11.77
3.500 M	7.500 M	1.00 M	850.466346 M	-35.30	-57.29	-22.30

Date: 5.JUL.2021 15:57:28




# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID

10MHz




Date: 5.JUL.2021 15:58:22




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID



Date: 5.JUL.2021 15:59:30



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247


FCC ID: GX9HYBRID

Band VII


16QAM

1RB

5MHz




Date: 5.JUL.2021 16:28:17



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID



Tx Channel				BW 5 MHz higher UL			
Bandwidth			Power		18.40 dBm		
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-7.500 M	-2.500 M	100.00 k	2.560986 G	-38.30	-56.70	-338.30	
2.500 M	3.500 M	50.00 k	2.570000 G	-27.87	-46.27	-14.87	
3.500 M	7.500 M	1.00 M	2.574159 G	-34.86	-53.26	-21.86	

Date: 5.JUL.2021 16:37:15




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID

10MHz




Date: 5.JUL.2021 16:41:30



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247


FCC ID: GX9HYBRID



Center 2.565 GHz 3 MHz/ Span 30 MHz

Tx Channel				BW_10_MHz_higher_UL			
Bandwidth			10 MHz	Power			18.78 dBm
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-15.000 M	-5.000 M	100.00 k	2.551731 G	-37.33	-56.11	-337.33	
5.000 M	6.000 M	100.00 k	2.570000 G	-37.43	-56.21	-24.43	
6.000 M	15.000 M	1.00 M	2.577981 G	-34.74	-53.52	-21.74	

Date: 5.JUL.2021 16:42:12




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247


FCC ID: GX9HYBRID

15MHz



Date: 5.JUL.2021 16:44:30






# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID



Tx Channel				BW_15 MHz higher UL			
Bandwidth			15 MHz	Power		18.86 dBm	
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-22.500 M	-7.500 M	100.00 k	2.542452 G	-37.72	-56.57	-337.72	
7.500 M	8.500 M	150.00 k	2.570000 G	-33.96	-52.82	-20.96	
8.500 M	22.500 M	1.00 M	2.582764 G	-35.64	-54.49	-22.64	

Date: 5.JUL.2021 16:45:27




# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID

20MHz




Date: 5.JUL.2021 16:46:18



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID



Center 2.56 GHz 6 MHz/ Span 60 MHz

Tx Channel				BW_20_MHz_higher_UL			
Bandwidth			20 MHz	Power			18.73 dBm
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-30.000 M	-10.000 M	100.00 k	2.533269 G	-38.18	-56.91	-338.18	
10.000 M	11.000 M	200.00 k	2.570000 G	-38.91	-57.64	-25.91	
11.000 M	30.000 M	1.00 M	2.571346 G	-36.19	-54.92	-23.19	


Date: 5.JUL.2021 16:46:54



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247  
 FCC ID: GX9HYBRID

QPSK  
 FRB  
 5MHz




Center 2.5025 GHz      1.5 MHz/      Span 15 MHz

Tx Channel			BW 5 MHz_lower UL			
Bandwidth			Power		18.58 dBm	
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-7.500 M	-3.500 M	1.00 M	2.498822 G	-19.87	-38.45	-6.87
-3.500 M	-2.500 M	50.00 k	2.499976 G	-28.12	-46.70	-15.12
2.500 M	7.500 M	100.00 k	2.505000 G	-25.49	-44.08	-325.49

Date: 5.JUL.2021 16:48:24




Report Number: W6M22106-21044-P-247  
 FCC ID: GX9HYBRID



Tx Channel				BW 5 MHz higher UL			
Bandwidth			Power		18.88 dBm		
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-7.500 M	-2.500 M	100.00 k	2.564976 G	-28.85	-47.74	-328.85	
2.500 M	3.500 M	50.00 k	2.570000 G	-31.97	-50.85	-18.97	
3.500 M	7.500 M	1.00 M	2.571130 G	-25.42	-44.30	-12.42	

Date: 5.JUL.2021 16:49:03




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID

10MHz




Date: 5.JUL.2021 16:50:36



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID



Tx Channel				BW_10 MHz higher UL		
Bandwidth		10 MHz	Power			19.03 dBm
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-5.000 M	100.00 k	2.559952 G	-35.20	-54.24	-335.20
5.000 M	6.000 M	100.00 k	2.570000 G	-34.14	-53.18	-21.14
6.000 M	15.000 M	1.00 M	2.571298 G	-27.29	-46.32	-14.29

Date: 5.JUL.2021 16:51:08




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID

15MHz



Tx Channel			BW_15_MHz_lower UL			
Bandwidth	15 MHz		Power		18.77 dBm	
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-22.500 M	-8.500 M	1.00 M	2.498702 G	-22.59	-41.36	-9.59
-8.500 M	-7.500 M	150.00 k	2.499928 G	-28.01	-46.78	-15.01
7.500 M	22.500 M	100.00 k	2.515000 G	-34.42	-53.19	-334.42

Date: 5.JUL.2021 16:55:03






# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247


FCC ID: GX9HYBRID



Center 2.5625 GHz 4.5 MHz/ Span 45 MHz

Tx Channel				BW_15 MHz higher UL			
Bandwidth			Power		19.14 dBm		
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-22.500 M	-7.500 M	100.00 k	2.551971 G	-39.75	-58.89	-339.75	
7.500 M	8.500 M	150.00 k	2.570000 G	-33.28	-52.42	-20.28	
8.500 M	22.500 M	1.00 M	2.571226 G	-27.57	-46.71	-14.57	

Date: 5.JUL.2021 16:55:44




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID

20MHz



Tx Channel			BW_20_MHz_lower UL			
Bandwidth	20 MHz		Power		18.63 dBm	
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-30.000 M	-11.000 M	1.00 M	2.498654 G	-22.09	-40.72	-9.09
-11.000 M	-10.000 M	200.00 k	2.499904 G	-27.88	-46.51	-14.88
10.000 M	30.000 M	100.00 k	2.520000 G	-42.94	-61.56	-342.94


Date: 5.JUL.2021 16:57:32



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID



Tx Channel				BW_20_MHz_higher_UL		
Bandwidth		20 MHz	Power			18.92 dBm
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-30.000 M	-10.000 M	100.00 k	2.549904 G	-43.75	-62.67	-343.75
10.000 M	11.000 M	200.00 k	2.570000 G	-34.05	-52.97	-21.05
11.000 M	30.000 M	1.00 M	2.571250 G	-28.58	-47.49	-15.58

Date: 5.JUL.2021 16:58:13




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID


1RB  
5MHz



Center: 2.5025 GHz      1.5 MHz/      Span 15 MHz

Tx Channel			BW 5_MHz_lower UL			
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-7.500 M	-3.500 M	1.00 M	2.496058 G	-28.57	-48.23	-15.57
-3.500 M	-2.500 M	50.00 k	2.499976 G	-26.18	-45.83	-13.18
2.500 M	7.500 M	100.00 k	2.508990 G	-33.69	-53.34	-333.69


Date: 5.JUL.2021 16:48:07



# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID



Tx Channel			BW 5 MHz higher UL			
Bandwidth	5 MHz	Power	19.48 dBm			
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-2.500 M	100.00 k	2.561010 G	-36.05	-55.53	-336.05
2.500 M	3.500 M	50.00 k	2.570000 G	-27.36	-46.84	-14.36
3.500 M	7.500 M	1.00 M	2.573894 G	-32.95	-52.43	-19.95

Date: 5.JUL.2021 16:49:22




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID

10MHz



Date: 5.JUL.2021 16:50:17






# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID

15MHz



Date: 5.JUL.2021 16:54:30






# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID



Tx Channel				BW_15 MHz higher UL			
Bandwidth			15 MHz	Power			20.05 dBm
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-22.500 M	-7.500 M	100.00 k	2.542524 G	-36.35	-56.40	-336.35	
7.500 M	8.500 M	150.00 k	2.570000 G	-34.57	-54.62	-21.57	
8.500 M	22.500 M	1.00 M	2.582332 G	-34.82	-54.87	-21.82	

Date: 5.JUL.2021 16:56:03




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID

20MHz



Tx Channel				BW_20_MHz_lower UL			
Bandwidth			20 MHz	Power		19.61 dBm	
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-30.000 M	-11.000 M	1.00 M	2.483462 G	-33.23	-52.84	-20.23	
-11.000 M	-10.000 M	200.00 k	2.499904 G	-37.42	-57.02	-24.42	
10.000 M	30.000 M	100.00 k	2.536731 G	-34.99	-54.60	-334.99	


Date: 5.JUL.2021 16:57:05



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID



Tx Channel				BW_20_MHz_higher_UL			
Bandwidth			20 MHz	Power			19.47 dBm
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-30.000 M	-10.000 M	100.00 k	2.533269 G	-36.34	-55.81	-336.34	
10.000 M	11.000 M	200.00 k	2.570000 G	-37.83	-57.30	-24.83	
11.000 M	30.000 M	1.00 M	2.586731 G	-36.33	-55.81	-23.33	

Date: 5.JUL.2021 16:58:31

Test equipment: ETSTW-RE 055, ETSTW-GSM 002, ETSTW-GSM 023, ETSTW-GSM 004

Report Number: W6M22106-21044-P-247


FCC ID: GX9HYBRID


## 9. Frequency Stability

The frequency stability shall be measured by variation of ambient temperature and variation of primary supply voltage to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintain within  $\pm 0.00025\%$  ( $\pm 2.5$  ppm) of the center frequency.

### 9.1 Test procedure

- The equipment under test was supplied with rated power supply and the RF output was connected to a frequency counter via feed through attenuators. The EUT was placed inside the temperature chamber. The DC leads and RF output cable, exited the chamber through an opening made for that purpose. After the temperature stabilized the frequency output was recorded from the counter.
- An external variable power supply was used to supply nominal voltage and 85% to 115% of nominal voltage to the EUT under room temperature. Record the frequencies measured from the counter.
- End point voltage: For hand carried, battery powered equipment, reduce primary supply voltage to the battery operating end point which shall be specified by the manufacturer. Then record the frequencies measured from the counter.





Report Number: W6M22106-21044-P-247  
 FCC ID: GX9HYBRID

## 9.2 Test Results

### 9.2.1 Frequency Stability vs. Temperature

Test date: July 06, 2021

Temperature: 24.6 °C

Humidity: 51.3 %

Tester: Kent

WCDMA BAND II					WCDMA BAND V				
CH9262	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH4132	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	6.20	0.003	±2.5		-30	2.90	0.004	±2.5
	-20	5.40	0.003			-20	3.40	0.004	
	-10	6.40	0.003			-10	4.30	0.005	
	0	7.20	0.004			0	2.50	0.003	
	10	5.60	0.003			10	2.40	0.003	
	20	5.30	0.003			20	1.00	0.001	
	30	3.70	0.002			30	1.80	0.002	
	40	4.30	0.002			40	2.50	0.003	
	50	5.70	0.003			50	2.70	0.003	
132Vac	25	5.70	0.003	132Vac	25	3.10	0.004		
108Vac	25	5.80	0.003	108Vac	25	2.40	0.003		
CH9400	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH4183	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	-2.10	-0.001	±2.5		-30	2.40	0.003	±2.5
	-20	0.60	0.000			-20	0.90	0.001	
	-10	1.60	0.001			-10	-0.90	-0.001	
	0	-2.10	-0.001			0	1.00	0.001	
	10	1.20	0.001			10	-0.40	0.000	
	20	-1.30	-0.001			20	0.10	0.000	
	30	-0.30	0.000			30	-0.90	-0.001	
	40	-1.10	-0.001			40	0.50	0.001	
	50	-1.40	-0.001			50	0.10	0.000	
132Vac	25	1.40	0.001	132Vac	25	-0.10	0.000		
108Vac	25	1.80	0.001	108Vac	25	0.10	0.000		
CH9538	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH4233	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	-6.30	-0.003	±2.5		-30	-3.30	-0.004	±2.5
	-20	-7.20	-0.004			-20	-2.60	-0.003	
	-10	-8.70	-0.005			-10	-3.00	-0.004	
	0	-6.00	-0.003			0	-1.50	-0.002	
	10	-10.40	-0.005			10	-2.40	-0.003	
	20	-3.90	-0.002			20	-3.80	-0.004	
	30	-6.60	-0.003			30	-3.40	-0.004	
	40	-4.20	-0.002			40	-2.50	-0.003	
	50	-6.90	-0.004			50	-2.40	-0.003	
132Vac	25	-6.90	-0.004	132Vac	25	-2.80	-0.003		
108Vac	25	-5.80	-0.003	108Vac	25	-2.90	-0.003		



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247  
 FCC ID: GX9HYBRID

LTE BAND II QPSK 10MHz FRB					LTE BAND IV QPSK 10MHz FRB				
CH18900	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH20175	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	3.80	0.002	±2.5		-30	-0.30	0.000	±2.5
	-20	1.00	0.001			-20	-4.80	-0.003	
	-10	1.70	0.001			-10	5.00	0.003	
	0	-7.20	-0.004			0	-5.20	-0.003	
	10	1.80	0.001			10	1.50	0.001	
	20	-7.40	-0.004			20	1.50	0.001	
	30	-1.60	-0.001			30	-0.70	0.000	
	40	-1.90	-0.001			40	1.70	0.001	
	50	-7.30	-0.004			50	-3.10	-0.002	
132Vac	25	1.80	0.001	132Vac	25	0.10	0.000		
108Vac	25	-5.50	-0.003	108Vac	25	0.30	0.000		

LTE BAND V QPSK 10MHz FRB					LTE BAND VII QPSK 10MHz FRB				
CH20525	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH21100	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	1.20	0.001	±2.5		-30	-6.30	-0.002	±2.5
	-20	-2.60	-0.003			-20	1.70	0.001	
	-10	-0.20	0.000			-10	-2.80	-0.001	
	0	-1.30	-0.002			0	0.20	0.000	
	10	-1.10	-0.001			10	-3.50	-0.001	
	20	-2.00	-0.002			20	-1.90	-0.001	
	30	-0.50	-0.001			30	-5.50	-0.002	
	40	-0.50	-0.001			40	-2.80	-0.001	
	50	-1.90	-0.002			50	-0.60	0.000	
132Vac	25	-0.60	-0.001	132Vac	25	0.30	0.000		
108Vac	25	-0.30	0.000	108Vac	25	-6.10	-0.002		

Test equipment: ETSTW-CE 009, ETSTW-GSM 002, ETSTW-GSM 004



Report Number: W6M22106-21044-P-247  
 FCC ID: GX9HYBRID

## 10 Maximum Permissible Exposure

### 10.1 Exemption Limits for Routine Evaluation according to 47 CFR FCC Part 2 Subpart J, section 2.1091

FCC OET Bulletin 65 Edition 97.01 determines the equations for predicting RF fields and applicable limits.

The prediction for power density in the far-field but will over-predict power density in the near field, where it could be used for walking a “worst case” or conservative prediction.

Systems operating under the provisions of this section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy levels in excess limit for maximum permissible exposure. In accordance with 47 CFR FCC Part 2 Subpart J, section 2.1091 this device has been defined as a mobile device whereby a distance of 20 cm normally can be maintained between the user and the device.

### MPE Calculation Method

#### (A) Limits for Occupational/Controlled Exposure

Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/cm <sup>2</sup> )	Averaging Time  E  <sup>2</sup> ,  H  <sup>2</sup> or S (minutes)
0.3-3.0	614	1.63	(100)*	6
3.0-30	1842/f	4.89/f	(900/f <sup>2</sup> )*	6
30-300	61.4	0.163	1.0	6
300-1500	--	--	f/300	6
1500-100,000	--	--	5	6

#### (B) Limits for General Population/Uncontrolled Exposure

Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/cm <sup>2</sup> )	Averaging Time  E  <sup>2</sup> ,  H  <sup>2</sup> or S (minutes)
0.3-1.34	614	1.63	(100)*	30
1.34-30	824/f	2.19/f	(180/f <sup>2</sup> )*	30
30-300	27.5	0.073	0.2	30
300-1500	--	--	f/1500	30
1500-100,000	--	--	1.0	30

f = frequency in MHz


\*Plane-wave equivalent power density

E = Electric field (V/m) P = output power (W) G = EUT Antenna numeric gain (numeric)  
 d = Separation distance between radiator and human body (m)

$$Pd = \frac{30 \times P \times G}{377 \times d^2}$$

The formula can be changed to

mW/cm<sup>2</sup>.




# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M22106-21044-P-247

FCC ID: GX9HYBRID

Frequency	Max output power		Antenna Gain	Power Density(S) (mW/cm <sup>2</sup> )	Limit of Power Density (S) (mW/cm <sup>2</sup> )	Test Result
	(dBm)	(W)				
WCDMA Band II	22.91	0.1954	4.11	0.1001	1	Pass
WCDMA Band V	23.73	0.236	3.61	0.1078	0.5577	Pass
LTE Band II	22.61	0.1824	4.11	0.0935	1	Pass
LTE Band IV	23.64	0.2312	1.89	0.0711	1	Pass
LTE Band V	23.98	0.25	3.64	0.115	0.5577	Pass
LTE Band VII	22.35	0.1718	2.15	0.0561	1	Pass





Report Number: W6M22106-21044-P-247  
FCC ID: GX9HYBRID

## **Appendix**

Measurement diagrams

Filed Strength of Spurious Emission



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1

Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 09:08:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	46.6934	-89.27	peak	23.67	-65.60	-13.00	150	330	-52.60	
*	88.5972	-86.52	peak	23.12	-63.40	-13.00	150	245	-50.40	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2

Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 09:21:46

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	35.4510	-79.48	peak	23.31	-56.17	-13.00	150	300	-43.17	
	45.6713	-82.62	peak	23.23	-59.39	-13.00	150	195	-46.39	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 08:37:54

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	400.4008	-61.65	peak	-8.33	-69.98	-13.00	150	200	-56.98	
	958.3166	-69.12	peak	-0.86	-69.98	-13.00	150	145	-56.98	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 08:43:58

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	299.3987	-69.15	peak	-5.50	-74.65	-13.00	150	245	-61.65	
*	959.9198	-68.26	peak	-0.73	-68.99	-13.00	150	110	-55.99	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 07:37:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 07:56:42

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3386.773	-61.77	peak	9.26	-52.51	-13.00	150	330	-39.51	
*	3705.411	-57.98	peak	9.65	-48.33	-13.00	150	110	-35.33	



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei  
 Tel: +886-2-6606-8877  
 Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2021/7/6

Temperature: 24 °C

0.0 dBm

Time: 下午 07:38:00

Humidity: 60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5210.421	-61.49	peak	7.75	-53.74	-13.00	150	245	-40.74	
	5555.110	-64.88	peak	10.44	-54.44	-13.00	150	110	-41.44	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 07:57:19

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 07:38:42

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: *Horizontal*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA-Band2-CH9262

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 07:58:08

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 07:38:54

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 07:58:20

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 07:39:06

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 07:58:32

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 09:09:26

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	46.0120	-89.53	peak	23.71	-65.82	-13.00	150	110	-52.82	
*	90.6413	-86.58	peak	23.06	-63.52	-13.00	150	245	-50.52	





Radiated Emission Measurement

Operator: Kent

File :1

Data :#2

Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 09:20:48

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	35.4510	-79.36	peak	23.31	-56.05	-13.00	150	245	-43.05	
	97.1142	-87.25	peak	23.85	-63.40	-13.00	150	110	-50.40	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 08:38:58

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	349.0982	-63.14	peak	-8.25	-71.39	-13.00	150	145	-58.39	
*	400.4008	-61.45	peak	-8.33	-69.78	-13.00	150	300	-56.78	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 08:42:50

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	398.7976	-66.88	peak	-8.27	-75.15	-13.00	150	195	-62.15	
*	958.3166	-69.60	peak	-0.74	-70.34	-13.00	150	300	-57.34	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 07:41:11

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3140.281	-60.75	peak	7.84	-52.91	-13.00	150	330	-39.91	
*	3765.531	-58.83	peak	9.82	-49.01	-13.00	150	95	-36.01	

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 07:53:00

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3422.846	-61.36	peak	9.45	-51.91	-13.00	150	160	-38.91	
*	3765.531	-55.29	peak	9.60	-45.69	-13.00	150	300	-32.69	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 07:41:50

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 07:53:37

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 07:42:32

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 07:54:23

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 07:42:44

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: *Horizontal*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA-Band2-CH9400

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 07:54:35

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 07:42:56

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

**Radiated Emission Measurement**

Operator: Kent

File :3

Data :#10


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 07:54:47

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 09:10:38

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	46.6934	-89.00	peak	23.67	-65.33	-13.00	150	300	-52.33	
*	88.9380	-86.32	peak	23.09	-63.23	-13.00	150	195	-50.23	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2

Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 09:19:53

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	35.1102	-79.64	peak	23.34	-56.30	-13.00	150	220	-43.30	
	96.7735	-87.71	peak	23.85	-63.86	-13.00	150	130	-50.86	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 08:39:59

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	400.4008	-61.35	peak	-8.33	-69.68	-13.00	150	245	-56.68	
	499.7996	-67.20	peak	-7.04	-74.24	-13.00	150	110	-61.24	





Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 08:41:49

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	549.4990	-69.16	peak	-4.00	-73.16	-13.00	150	300	-60.16	
*	953.5070	-69.41	peak	-0.76	-70.17	-13.00	150	195	-57.17	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 07:44:58

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3296.593	-60.76	peak	8.53	-52.23	-13.00	150	245	-39.23	
*	3819.639	-56.75	peak	9.90	-46.85	-13.00	150	110	-33.85	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 07:48:59

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3681.363	-61.42	peak	9.67	-51.75	-13.00	150	185	-38.75	
*	3813.627	-56.10	peak	9.55	-46.55	-13.00	150	300	-33.55	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 07:45:35

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 07:49:39

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 07:46:18

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 07:50:32

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: *Vertical*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA-Band2-CH9538

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 07:46:31

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 07:50:44

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 07:46:43

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 07:50:56

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 09:12:09

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	73.9480	-87.63	peak	23.71	-63.92	-13.00	150	300	-50.92	
*	92.0040	-86.40	peak	23.16	-63.24	-13.00	150	145	-50.24	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 09:18:11

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	35.4510	-79.37	peak	23.31	-56.06	-13.00	150	245	-43.06	
	97.1142	-86.95	peak	23.85	-63.10	-13.00	150	110	-50.10	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 08:05:11

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	762.7255	-49.74	peak	-2.39	-52.13	-13.00	150	245	-39.13	
*	958.3166	-48.82	peak	-0.86	-49.68	-13.00	150	110	-36.68	

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 08:06:46

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	778.7575	-49.38	peak	-0.96	-50.34	-13.00	150	330	-37.34	
*	959.9198	-45.98	peak	-0.73	-46.71	-13.00	150	195	-33.71	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 05:38:21

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1294.589	-56.73	peak	-0.03	-56.76	-13.00	150	220	-43.76	
*	1943.888	-58.84	peak	2.89	-55.95	-13.00	150	185	-42.95	





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 07:33:14

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2436.874	-57.98	peak	7.19	-50.79	-13.00	150	245	-37.79	
	3398.798	-60.70	peak	9.32	-51.38	-13.00	150	110	-38.38	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 05:39:01

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 07:33:52

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 05:39:47

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 07:34:36

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 09:13:26

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	47.3746	-87.73	peak	23.63	-64.10	-13.00	150	245	-51.10	
*	88.5972	-86.67	peak	23.12	-63.55	-13.00	150	185	-50.55	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2

Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 09:17:08

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	35.1102	-79.47	peak	23.34	-56.13	-13.00	150	200	-43.13	
	97.1142	-88.15	peak	23.85	-64.30	-13.00	150	130	-51.30	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 08:09:19

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	778.7575	-48.81	peak	-2.23	-51.04	-13.00	150	330	-38.04	
*	958.3166	-49.16	peak	-0.86	-50.02	-13.00	150	160	-37.02	

\*:Maximum data x:Over limit !:over margin





Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 08:11:03

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	778.7575	-50.48	peak	-0.96	-51.44	-13.00	150	245	-38.44	
*	959.9198	-47.76	peak	-0.73	-48.49	-13.00	150	185	-35.49	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 05:41:47

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1667.335	-54.65	peak	1.06	-53.59	-13.00	150	185	-40.59	
*	1757.515	-52.87	peak	1.65	-51.22	-13.00	150	45	-38.22	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 07:30:04

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1757.515	-56.36	peak	3.22	-53.14	-13.00	150	245	-40.14	
*	2436.874	-57.86	peak	7.19	-50.67	-13.00	150	110	-37.67	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 05:42:28

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 07:30:42

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 05:43:13

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: *Horizontal*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA-Band5-CH4183

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 07:31:28

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: **Vertical**

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA-Band5-CH4183

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1

Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 09:14:33

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	35.1102	-90.19	peak	24.29	-65.90	-13.00	150	75	-52.90	
*	88.9380	-86.63	peak	23.09	-63.54	-13.00	150	220	-50.54	





Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 09:16:08

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	35.1102	-79.13	peak	23.34	-55.79	-13.00	150	220	-42.79	
	96.0922	-87.45	peak	23.86	-63.59	-13.00	150	195	-50.59	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 08:13:28

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	777.1543	-49.49	peak	-2.24	-51.73	-13.00	150	160	-38.73	
*	959.9198	-47.42	peak	-0.87	-48.29	-13.00	150	300	-35.29	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 08:16:03

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	778.7575	-49.86	peak	-0.96	-50.82	-13.00	150	300	-37.82	
*	959.9198	-46.48	peak	-0.73	-47.21	-13.00	150	160	-34.21	

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 05:45:05

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1769.539	-49.46	peak	1.73	-47.73	-13.00	150	300	-34.73	
	2539.078	-57.28	peak	6.05	-51.23	-13.00	150	185	-38.23	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 07:26:47

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2436.874	-57.87	peak	7.19	-50.68	-13.00	150	75	-37.68	
*	3681.363	-60.14	peak	9.67	-50.47	-13.00	150	220	-37.47	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 05:45:44

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 07:27:28

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 05:46:30

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 07:28:14

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 08:58:57

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	46.3527	-89.02	peak	23.69	-65.33	-13.00	150	200	-52.33	
*	69.5190	-87.03	peak	23.66	-63.37	-13.00	150	130	-50.37	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2

Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 09:25:06

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	35.1102	-79.21	peak	23.34	-55.87	-13.00	150	300	-42.87	
	46.3527	-84.32	peak	23.26	-61.06	-13.00	150	185	-48.06	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 08:33:13

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	349.0982	-63.23	peak	-8.25	-71.48	-13.00	150	220	-58.48	
*	398.7976	-61.49	peak	-8.34	-69.83	-13.00	150	85	-56.83	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 08:47:12

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	549.4990	-70.41	peak	-4.00	-74.41	-13.00	150	185	-61.41	
*	958.3166	-67.58	peak	-0.74	-68.32	-13.00	150	300	-55.32	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:10:56

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:14:58

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3464.930	-51.39	peak	9.66	-41.73	-13.00	150	305	-28.73	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:11:38

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5226.453	-58.60	peak	7.89	-50.71	-13.00	150	305	-37.71	
	7430.862	-64.40	peak	11.38	-53.02	-13.00	150	110	-40.02	





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:15:37

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5210.421	-58.87	peak	8.47	-50.40	-13.00	150	220	-37.40	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:12:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:16:21

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:12:34

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:16:32

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:12:46

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:16:44

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 09:00:26

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	70.2004	-87.27	peak	23.65	-63.62	-13.00	150	300	-50.62	
*	90.6413	-86.58	peak	23.06	-63.52	-13.00	150	195	-50.52	

\*:Maximum data x:Over limit !:over margin





Radiated Emission Measurement

Operator: Kent

File :1

Data :#2

Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 09:26:14

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	35.1102	-79.46	peak	23.34	-56.12	-13.00	150	245	-43.12	
	46.6934	-85.45	peak	23.28	-62.17	-13.00	150	160	-49.17	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 08:34:23

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	400.4008	-61.98	peak	-8.33	-70.31	-13.00	150	245	-57.31	
*	959.9198	-67.27	peak	-0.87	-68.14	-13.00	150	160	-55.14	

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 08:48:15

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	299.3987	-69.01	peak	-5.50	-74.51	-13.00	150	200	-61.51	
*	650.5010	-71.47	peak	-2.28	-73.75	-13.00	150	110	-60.75	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:21:23

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3446.894	-53.80	peak	9.20	-44.60	-13.00	150	330	-31.60	
	3927.856	-62.33	peak	10.06	-52.27	-13.00	150	50	-39.27	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:25:47

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:22:05

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:26:30

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5210.421	-59.37	peak	8.47	-50.90	-13.00	150	200	-37.90	
	7406.814	-64.53	peak	10.94	-53.59	-13.00	150	85	-40.59	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:22:51

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:27:13

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:23:03

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:27:25

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:23:15

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:27:37

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 08:56:10

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	35.4510	-90.80	peak	24.27	-66.53	-13.00	150	200	-53.53	
*	69.5190	-86.82	peak	23.66	-63.16	-13.00	150	195	-50.16	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :1

Data :#2

Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 09:22:51

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	35.4510	-79.45	peak	23.31	-56.14	-13.00	150	300	-43.14	
	96.0922	-87.61	peak	23.86	-63.75	-13.00	150	145	-50.75	

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 08:30:38

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	400.4008	-61.58	peak	-8.33	-69.91	-13.00	150	245	-56.91	
*	958.3166	-68.60	peak	-0.86	-69.46	-13.00	150	110	-56.46	





Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 08:45:06

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	650.5010	-70.86	peak	-2.28	-73.14	-13.00	150	245	-60.14	
*	958.3166	-69.45	peak	-0.74	-70.19	-13.00	150	110	-57.19	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 03:47:36

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 03:53:59

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3555.110	-49.33	peak	9.79	-39.54	-13.00	150	245	-26.54	
*	3765.531	-48.50	peak	9.60	-38.90	-13.00	150	185	-25.90	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 03:48:16

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5210.421	-58.51	peak	7.75	-50.76	-13.00	150	245	-37.76	
*	5643.287	-57.11	peak	10.69	-46.42	-13.00	150	160	-33.42	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 03:54:46

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 03:49:01

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 03:55:30

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 03:49:13

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 03:55:42

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 03:49:25

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 03:55:55

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 08:57:23

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	68.8377	-87.85	peak	23.68	-64.17	-13.00	150	185	-51.17	
*	88.9380	-86.71	peak	23.09	-63.62	-13.00	150	200	-50.62	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 09:24:01

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	35.4510	-79.52	peak	23.31	-56.21	-13.00	150	300	-43.21	
	45.3307	-83.03	peak	23.21	-59.82	-13.00	150	195	-46.82	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 08:32:01

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	400.4008	-61.64	peak	-8.33	-69.97	-13.00	150	200	-56.97	
*	958.3166	-68.97	peak	-0.86	-69.83	-13.00	150	130	-56.83	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 08:46:07

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	650.5010	-71.66	peak	-2.28	-73.94	-13.00	150	195	-60.94	
*	958.3166	-69.41	peak	-0.74	-70.15	-13.00	150	300	-57.15	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:00:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:04:32

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:01:05

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5611.222	-55.28	peak	10.60	-44.68	-13.00	150	245	-31.68	
	7430.862	-64.61	peak	11.38	-53.23	-13.00	150	160	-40.23	

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:05:11

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5210.421	-56.75	peak	8.47	-48.28	-13.00	150	245	-35.28	
*	5611.222	-59.07	peak	10.89	-48.18	-13.00	150	110	-35.18	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:01:51

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:05:56

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:02:03

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:06:08

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:02:15

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:06:20

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 09:02:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	68.8377	-87.28	peak	23.68	-63.60	-13.00	150	245	-50.60	
*	90.3006	-86.06	peak	23.03	-63.03	-13.00	150	110	-50.03	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2

Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 09:27:17

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	35.7916	-79.27	peak	23.28	-55.99	-13.00	150	205	-42.99	
	45.6713	-84.97	peak	23.23	-61.74	-13.00	150	195	-48.74	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 08:20:54

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	777.1543	-47.27	peak	-2.24	-49.51	-13.00	150	160	-36.51	
*	959.9198	-48.18	peak	-0.87	-49.05	-13.00	150	245	-36.05	

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 08:22:27

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	777.1543	-48.12	peak	-0.99	-49.11	-13.00	150	245	-36.11	
	959.9198	-50.05	peak	-0.73	-50.78	-13.00	150	160	-37.78	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:32:04

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1673.347	-48.26	peak	1.10	-47.16	-13.00	150	200	-34.16	
*	2509.018	-49.86	peak	5.97	-43.89	-13.00	150	160	-30.89	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:35:37

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1727.455	-50.52	peak	3.07	-47.45	-13.00	150	185	-34.45	
*	3344.689	-52.23	peak	9.05	-43.18	-13.00	150	330	-30.18	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:32:44

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:36:16

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:33:27

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:37:00

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 09:03:36

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	69.5190	-87.01	peak	23.66	-63.35	-13.00	150	245	-50.35	
*	92.3447	-86.34	peak	23.18	-63.16	-13.00	150	110	-50.16	

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2

Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 09:28:19

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	35.4510	-79.33	peak	23.31	-56.02	-13.00	150	300	-43.02	
	45.3307	-83.06	peak	23.21	-59.85	-13.00	150	160	-46.85	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 08:24:23

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	777.1543	-49.62	peak	-2.24	-51.86	-13.00	150	185	-38.86	
*	958.3166	-48.54	peak	-0.86	-49.40	-13.00	150	330	-36.40	

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 08:25:52

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	777.1543	-48.88	peak	-0.99	-49.87	-13.00	150	300	-36.87	
	958.3166	-49.42	peak	-0.74	-50.16	-13.00	150	160	-37.16	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:39:57

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1661.322	-50.09	peak	1.02	-49.07	-13.00	150	185	-36.07	
*	2539.078	-51.17	peak	6.05	-45.12	-13.00	150	300	-32.12	





Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:44:21

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2496.994	-53.42	peak	7.56	-45.86	-13.00	150	300	-32.86	
*	3332.665	-54.48	peak	8.99	-45.49	-13.00	150	195	-32.49	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:40:46

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:45:00

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:41:31

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:45:47

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 09:05:43

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND7-QPSK-5M-1RB-CH21100

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	45.3307	-89.84	peak	23.75	-66.09	-13.00	150	245	-53.09	
*	89.2786	-86.63	peak	23.07	-63.56	-13.00	150	110	-50.56	

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2

Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 09:29:33

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND7-QPSK-5M-1RB-CH21100

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	35.1102	-79.33	peak	23.34	-55.99	-13.00	150	300	-42.99	
	46.0120	-85.13	peak	23.24	-61.89	-13.00	150	145	-48.89	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 08:35:40

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND7-QPSK-5M-1RB-CH21100

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	400.4008	-61.92	peak	-8.33	-70.25	-13.00	150	145	-57.25	
*	958.3166	-66.41	peak	-0.86	-67.27	-13.00	150	300	-54.27	

\*:Maximum data x:Over limit !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 08:49:36

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND7-QPSK-5M-1RB-CH21100

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	299.3987	-68.93	peak	-5.50	-74.43	-13.00	150	200	-61.43	
*	958.3166	-67.27	peak	-0.74	-68.01	-13.00	150	130	-55.01	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:49:46

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND7-QPSK-5M-1RB-CH21100

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:54:30

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND7-QPSK-5M-1RB-CH21100

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:50:41

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND7-QPSK-5M-1RB-CH21100

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5066.132	-62.64	peak	6.48	-56.16	-13.00	150	300	-43.16	
*	5226.453	-63.96	peak	7.89	-56.07	-13.00	150	195	-43.07	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:55:15

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND7-QPSK-5M-1RB-CH21100

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5210.421	-59.13	peak	8.47	-50.66	-13.00	150	300	-37.66	
	7599.198	-61.85	peak	10.83	-51.02	-13.00	150	160	-38.02	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:51:26

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND7-QPSK-5M-1RB-CH21100

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:55:58

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND7-QPSK-5M-1RB-CH21100

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:51:38

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND7-QPSK-5M-1RB-CH21100

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:56:10

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND7-QPSK-5M-1RB-CH21100

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:51:50

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND7-QPSK-5M-1RB-CH21100

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 04:56:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND7-QPSK-5M-1RB-CH21100

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 09:07:03

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND7-QPSK-20M-1RB-CH21100

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	74.6293	-88.02	peak	23.71	-64.31	-13.00	150	195	-51.31	
*	88.5972	-86.73	peak	23.12	-63.61	-13.00	150	305	-50.61	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 09:30:31

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND7-QPSK-20M-1RB-CH21100

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	35.4510	-79.24	peak	23.31	-55.93	-13.00	150	245	-42.93	
	45.6713	-81.84	peak	23.23	-58.61	-13.00	150	110	-45.61	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 08:36:46

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND7-QPSK-20M-1RB-CH21100

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	349.0982	-63.33	peak	-8.25	-71.58	-13.00	150	130	-58.58	
*	400.4008	-61.73	peak	-8.33	-70.06	-13.00	150	145	-57.06	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 08:50:50

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND7-QPSK-20M-1RB-CH21100

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	802.8056	-71.01	peak	-0.50	-71.51	-13.00	150	195	-58.51	
*	959.9198	-69.35	peak	-0.73	-70.08	-13.00	150	335	-57.08	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 05:02:06

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND7-QPSK-20M-1RB-CH21100

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 05:06:44

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND7-QPSK-20M-1RB-CH21100

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 05:03:05

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND7-QPSK-20M-1RB-CH21100

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5050.100	-61.03	peak	6.34	-54.69	-13.00	150	75	-41.69	
	5226.453	-64.09	peak	7.89	-56.20	-13.00	150	220	-43.20	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 05:14:15

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND7-QPSK-20M-1RB-CH21100

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5210.421	-57.80	peak	8.47	-49.33	-13.00	150	245	-36.33	
	7583.166	-61.52	peak	10.82	-50.70	-13.00	150	110	-37.70	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 05:03:50

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND7-QPSK-20M-1RB-CH21100

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 05:15:03

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND7-QPSK-20M-1RB-CH21100

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 05:04:02

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND7-QPSK-20M-1RB-CH21100

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 05:15:15

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND7-QPSK-20M-1RB-CH21100

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 05:04:14

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND7-QPSK-20M-1RB-CH21100

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2021/7/6

Temperature:24 °C

0.0 dBm

Time: 下午 05:15:27

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6M22106-21044

M/N:

Test Mode : BAND7-QPSK-20M-1RB-CH21100

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 7/23/2021

Temperature:25.6 °C

80.0 dBuV/m

Time: 1:40:38 AM

Humidity:47.0 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	33.8877	35.77	peak	-8.68	27.09	40.00	105	85	-12.91	
	96.0922	37.84	peak	-11.57	26.27	43.50	100	220	-17.23	
	399.3387	34.86	peak	-3.67	31.19	46.00	132	173	-14.81	
	751.1824	29.95	peak	0.80	30.75	46.00	119	50	-15.25	



Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 7/23/2021

Temperature:25.6 °C

80.0 dBuV/m

Time: 1:41:39 AM

Humidity:47.0 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: *Vertical*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	31.9440	46.29	peak	-8.46	37.83	40.00	128	42	-2.17	
	101.9238	37.46	peak	-9.93	27.53	43.50	120	158	-15.97	
	148.5772	31.77	peak	-7.17	24.60	43.50	115	73	-18.90	
	813.3867	29.36	peak	1.97	31.33	46.00	112	114	-14.67	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#1


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 7:21:44 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4254.509	40.91	peak	-2.29	38.62	74.00	150	132	-35.38	
*	7004.008	39.89	peak	3.66	43.55	74.00	150	260	-30.45	

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Allen

File :3

Data :#5


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 7:22:32 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3679.359	42.21	peak	-3.12	39.09	74.00	150	87	-34.91	
*	7424.850	39.60	peak	3.97	43.57	74.00	150	150	-30.43	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#2


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 7:21:56 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#6


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 7:22:44 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#3


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 7:22:18 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#7


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 7:23:06 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 7:22:24 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#8


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 7:23:13 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 7/23/2021

Temperature:25.6 °C

80.0 dBuV/m

Time: 2:12:18 AM

Humidity:47.0 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	33.8877	35.30	peak	-8.68	26.62	40.00	141	290	-13.38	
	98.0361	35.10	peak	-10.97	24.13	43.50	105	46	-19.37	
	148.5772	31.35	peak	-7.17	24.18	43.50	116	170	-19.32	
	399.3387	35.14	peak	-3.67	31.47	46.00	108	332	-14.53	



Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 7/23/2021

Temperature:25.6 °C

80.0 dBuV/m

Time: 2:13:19 AM

Humidity:47.0 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: **Vertical**

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	33.8878	45.54	peak	-8.68	36.86	40.00	100	145	-3.14	
	99.9800	38.64	peak	-10.38	28.26	43.50	110	315	-15.24	
	148.5772	32.69	peak	-7.17	25.52	43.50	107	230	-17.98	
	650.1002	29.31	peak	-0.26	29.05	46.00	137	181	-16.95	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#1


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 7:25:01 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1392.785	46.20	peak	-9.37	36.83	74.00	150	110	-37.17	
*	7004.008	40.16	peak	3.66	43.82	74.00	150	295	-30.18	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Allen

File :3

Data :#3


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 7:27:08 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3679.359	43.24	peak	-3.12	40.12	74.00	150	173	-33.88	
*	7859.719	40.20	peak	4.03	44.23	74.00	150	68	-29.77	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#2


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 7:26:06 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 7:28:09 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 7/23/2021

Temperature:25.6 °C

80.0 dBuV/m

Time: 1:22:36 AM

Humidity:47.0 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	33.8877	36.60	peak	-8.68	27.92	40.00	122	210	-12.08	
	98.0361	37.01	peak	-10.97	26.04	43.50	100	86	-17.46	
	154.4088	31.83	peak	-7.89	23.94	43.50	108	347	-19.56	
	399.3387	35.49	peak	-3.67	31.82	46.00	113	102	-14.18	

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 7/23/2021

Temperature:25.6 °C

80.0 dBuV/m

Time: 1:23:37 AM

Humidity:47.0 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

EUT : W6M22106-21044

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	31.9440	44.85	peak	-8.46	36.39	40.00	140	98	-3.61	
	101.9238	38.29	peak	-9.93	28.36	43.50	105	250	-15.14	
	148.5772	32.82	peak	-7.17	25.65	43.50	112	76	-17.85	
	550.9620	30.56	peak	-1.93	28.63	46.00	130	143	-17.37	



Radiated Emission Measurement

Operator: Allen

File :3

Data :#1


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 6:48:45 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2444.890	44.54	peak	-5.33	39.21	74.00	150	59	-34.79	
*	7354.709	40.33	peak	3.72	44.05	74.00	150	220	-29.95	



Radiated Emission Measurement

Operator: Allen

File :3

Data :#5


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 6:53:15 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3679.359	42.50	peak	-3.12	39.38	74.00	150	342	-34.62	
*	7424.850	40.04	peak	3.97	44.01	74.00	150	55	-29.99	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#2


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 6:51:12 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#6


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 6:54:36 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#3


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 6:52:04 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#7


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 6:55:29 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 6:52:10 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#8


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 6:55:35 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 7/23/2021

Temperature:25.6 °C

80.0 dBuV/m

Time: 1:26:35 AM

Humidity:47.0 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	33.8877	36.17	peak	-8.68	27.49	40.00	105	55	-12.51	
	96.0922	37.67	peak	-11.57	26.10	43.50	130	260	-17.40	
	152.4650	31.41	peak	-7.61	23.80	43.50	100	173	-19.70	
	399.3387	34.81	peak	-3.67	31.14	46.00	107	340	-14.86	

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 7/23/2021

Temperature:25.6 °C

80.0 dBuV/m

Time: 1:27:36 AM

Humidity:47.0 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

EUT : W6M22106-21044

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	31.9440	45.13	peak	-8.46	36.67	40.00	104	163	-3.33	
	101.9238	38.74	peak	-9.93	28.81	43.50	135	245	-14.69	
	144.6894	31.25	peak	-6.93	24.32	43.50	110	10	-19.18	
	550.9620	30.73	peak	-1.93	28.80	46.00	115	176	-17.20	



Radiated Emission Measurement

Operator: Allen

File :3

Data :#1


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 6:59:21 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1392.785	46.89	peak	-9.37	37.52	74.00	150	57	-36.48	
*	7004.008	40.25	peak	3.66	43.91	74.00	150	184	-30.09	



Radiated Emission Measurement

Operator: Allen

File :3

Data :#5


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 7:02:46 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3679.359	43.14	peak	-3.12	40.02	74.00	150	330	-33.98	
*	7116.233	40.45	peak	3.62	44.07	74.00	150	245	-29.93	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#2


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 7:00:26 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#6


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 7:03:56 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#3


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 7:01:18 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#7


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 7:04:48 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 7:01:24 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#8


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 7:04:55 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 7/23/2021

Temperature:25.6 °C

80.0 dBuV/m

Time: 1:30:21 AM

Humidity:47.0 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	33.8877	36.03	peak	-8.68	27.35	40.00	120	98	-12.65	
	98.0361	37.65	peak	-10.97	26.68	43.50	137	355	-16.82	
	348.7974	31.81	peak	-5.08	26.73	46.00	106	47	-19.27	
	399.3387	35.52	peak	-3.67	31.85	46.00	100	120	-14.15	

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 7/23/2021

Temperature:25.6 °C

80.0 dBuV/m

Time: 1:31:22 AM

Humidity:47.0 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: *Vertical*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	31.9440	45.99	peak	-8.46	37.53	40.00	103	36	-2.47	
	43.6072	42.51	peak	-9.80	32.71	40.00	140	148	-7.29	
	99.9800	38.72	peak	-10.38	28.34	43.50	100	200	-15.16	
	550.9620	30.10	peak	-1.93	28.17	46.00	115	170	-17.83	



Radiated Emission Measurement

Operator: Allen

File :3

Data :#1


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 7:07:25 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

EUT : W6M22106-21044

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1392.785	45.84	peak	-9.37	36.47	74.00	150	85	-37.53	
*	7424.850	40.65	peak	3.97	44.62	74.00	150	252	-29.38	





Radiated Emission Measurement

Operator: Allen

File :3

Data :#3


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 7:10:04 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3679.359	42.48	peak	-3.12	39.36	74.00	150	175	-34.64	
*	7060.120	39.81	peak	3.70	43.51	74.00	150	341	-30.49	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#2


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 7:08:59 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 7:11:21 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :1

Data :#1


Date: 7/23/2021

Temperature:25.6 °C

80.0 dBuV/m

Time: 1:34:21 AM

Humidity:47.0 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 7 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	33.8877	36.68	peak	-8.68	28.00	40.00	100	186	-12.00	
	98.0361	37.31	peak	-10.97	26.34	43.50	130	270	-17.16	
	148.5772	31.63	peak	-7.17	24.46	43.50	106	118	-19.04	
	399.3387	34.89	peak	-3.67	31.22	46.00	142	34	-14.78	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Allen

File :1

Data :#2


Date: 7/23/2021

Temperature:25.6 °C

80.0 dBuV/m

Time: 1:35:22 AM

Humidity:47.0 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: **Vertical**

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 7 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	33.8878	46.10	peak	-8.68	37.42	40.00	115	59	-2.58	
	99.9800	39.36	peak	-10.38	28.98	43.50	148	275	-14.52	
	148.5772	31.75	peak	-7.17	24.58	43.50	115	136	-18.92	
	550.9620	30.43	peak	-1.93	28.50	46.00	106	148	-17.50	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#1


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 7:13:09 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 7 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1392.785	45.59	peak	-9.37	36.22	74.00	150	150	-37.78	
*	7438.878	40.14	peak	3.92	44.06	74.00	150	0	-29.94	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Allen

File :3

Data :#5


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 7:17:12 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 7 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3679.359	43.28	peak	-3.12	40.16	74.00	150	245	-33.84	
*	7004.008	39.97	peak	3.66	43.63	74.00	150	170	-30.37	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#2


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 7:14:48 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 7 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

**Radiated Emission Measurement**

Operator: Allen

File :3

Data :#6


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 7:18:17 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 7 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#3


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 7:15:40 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 7 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#7


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 7:19:10 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 7 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#4


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 7:15:47 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 7 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Allen

File :3

Data :#8


Date: 7/8/2021

Temperature:27.4 °C

90.0 dBuV/m

Time: 7:19:16 AM

Humidity:51.7 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M22106-21044

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 7 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin