




Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2




Tx Channel				BW_3_MHz_higher UL			
Bandwidth			3 MHz	Power			20.69 dBm
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-5.000 M	-1.500 M	100.00 k	1.749734 G	-33.99	-54.69	-333.99	
1.500 M	2.500 M	30.00 k	1.755006 G	-24.63	-45.32	-11.63	
2.500 M	5.000 M	1.00 M	1.756929 G	-31.63	-52.33	-18.63	

Date: 5.OCT.2022 15:14:36





Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2



Tx Channel			BW_5_MHz_higher UL			
Bandwidth			5 MHz	Power		
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-7.500 M	-2.500 M	100.00 k	1.749976 G	-29.34	-49.07	-329.34
2.500 M	3.500 M	50.00 k	1.755000 G	-33.48	-53.20	-20.48
3.500 M	7.500 M	1.00 M	1.756058 G	-28.95	-48.68	-15.95


Date: 5.OCT.2022 15:19:56



Report Number: W6R22209-22106-P-247

FCC ID: GX9HYGWGEN2

1RB




Tx Channel				BW_5_MHz_lower UL			
Bandwidth			5 MHz	Power			20.64 dBm
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]	
-7.500 M	-3.500 M	1.00 M	1.708966 G	-34.20	-54.85	-21.20	
-3.500 M	-2.500 M	50.00 k	1.709976 G	-27.55	-48.19	-14.55	
2.500 M	7.500 M	100.00 k	1.718990 G	-31.09	-51.74	-331.09	

Date: 5.OCT.2022 15:19:01



Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGGEN2




Tx Channel				BW_5_MHz_higher UL			
Bandwidth			5 MHz	Power			20.77 dBm
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-7.500 M	-2.500 M	100.00 k	1.745986 G	-32.11	-52.88	-332.11	
2.500 M	3.500 M	50.00 k	1.755000 G	-26.90	-47.67	-13.90	
3.500 M	7.500 M	1.00 M	1.758654 G	-32.17	-52.94	-19.17	

Date: 5.OCT.2022 15:20:12



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2  
 10 MHz QPSK  
 FRB




Center 1.715 GHz      3 MHz/      Span 30 MHz

Tx Channel				BW_10_MHz_lower UL			
Bandwidth		10 MHz	Power		19.72 dBm		
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-15.000 M	-6.000 M	1.00 M	1.708750 G	-27.72	-47.43	-14.72	
-6.000 M	-5.000 M	100.00 k	1.709952 G	-35.23	-54.95	-22.23	
5.000 M	15.000 M	100.00 k	1.720000 G	-34.98	-54.69	-334.98	

Date: 5.OCT.2022 15:24:34



Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2



Tx Channel			BW_10_MHz_higher UL			
Bandwidth			10 MHz	Power		
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-5.000 M	100.00 k	1.744952 G	-33.27	-53.17	-333.27
5.000 M	6.000 M	100.00 k	1.755000 G	-35.34	-55.24	-22.34
6.000 M	15.000 M	1.00 M	1.756154 G	-29.52	-49.42	-16.52


Date: 5.OCT.2022 15:25:05



Report Number: W6R22209-22106-P-247

FCC ID: GX9HYGWGEN2

1RB




Tx Channel				BW_10_MHz_lower UL			
Bandwidth			10 MHz	Power			20.85 dBm
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]	
-15.000 M	-6.000 M	1.00 M	1.708846 G	-34.65	-55.50	-21.65	
-6.000 M	-5.000 M	100.00 k	1.709952 G	-38.16	-59.01	-25.16	
5.000 M	15.000 M	100.00 k	1.728221 G	-37.15	-58.00	-337.15	

Date: 5.OCT.2022 15:24:14





Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2




Tx Channel			BW_10_MHz_higher UL			
Bandwidth			10 MHz	Power		
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-15.000 M	-5.000 M	100.00 k	1.736731 G	-32.88	-53.65	-332.88
5.000 M	6.000 M	100.00 k	1.755000 G	-37.14	-57.92	-24.14
6.000 M	15.000 M	1.00 M	1.763221 G	-33.58	-54.35	-20.58

Date: 5.OCT.2022 15:25:28



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2  
 15 MHz QPSK  
 FRB




Tx Channel				BW_15_MHz_lower UL			
Bandwidth			15 MHz	Power			19.68 dBm
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-22.500 M	-8.500 M	1.00 M	1.708413 G	-28.59	-48.27	-15.59	
-8.500 M	-7.500 M	150.00 k	1.709928 G	-35.90	-55.59	-22.90	
7.500 M	22.500 M	100.00 k	1.725000 G	-40.67	-60.36	-340.67	

Date: 5.OCT.2022 15:27:13



Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGGEN2



Tx Channel				BW_15_MHz_higher UL			
Bandwidth			15 MHz	Power			19.61 dBm
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-22.500 M	-7.500 M	100.00 k	1.739928 G	-38.41	-58.03	-338.41	
7.500 M	8.500 M	150.00 k	1.755000 G	-37.16	-56.78	-24.16	
8.500 M	22.500 M	1.00 M	1.756082 G	-31.54	-51.16	-18.54	


Date: 5.OCT.2022 15:28:32



Report Number: W6R22209-22106-P-247

FCC ID: GX9HYGWGEN2

1RB




Tx Channel				BW_15_MHz_lower UL			
Bandwidth			15 MHz	Power			20.71 dBm
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]	
-22.500 M	-8.500 M	1.00 M	1.708558 G	-35.41	-56.11	-22.41	
-8.500 M	-7.500 M	150.00 k	1.709928 G	-34.98	-55.69	-21.98	
7.500 M	22.500 M	100.00 k	1.737476 G	-37.97	-58.68	-337.97	

Date: 5.OCT.2022 15:26:31



Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2




Tx Channel				BW_15_MHz_higher UL			
Bandwidth			15 MHz	Power			20.62 dBm
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-22.500 M	-7.500 M	100.00 k	1.727524 G	-31.00	-51.62	-331.00	
7.500 M	8.500 M	150.00 k	1.755000 G	-34.33	-54.95	-21.33	
8.500 M	22.500 M	1.00 M	1.767620 G	-34.69	-55.32	-21.69	

Date: 5.OCT.2022 15:28:06



Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2  
 20 MHz QPSK  
 FRB



Tx Channel				BW_20_MHz_lower UL			
Bandwidth			20 MHz	Power			19.68 dBm
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-30.000 M	-11.000 M	1.00 M	1.708750 G	-27.87	-47.55	-14.87	
-11.000 M	-10.000 M	200.00 k	1.709904 G	-35.32	-55.01	-22.32	
10.000 M	30.000 M	100.00 k	1.730000 G	-42.42	-62.10	-342.42	

Date: 5.OCT.2022 15:30:27






# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22209-22106-P-247

FCC ID: GX9HYGWGEN2

1RB




Tx Channel				BW_20_MHz_lower UL			
Bandwidth			20 MHz	Power			20.76 dBm
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	ΔLimit [dB]	
-30.000 M	-11.000 M	1.00 M	1.708846 G	-35.11	-55.87	-22.11	
-11.000 M	-10.000 M	200.00 k	1.709904 G	-38.20	-58.97	-25.20	
10.000 M	30.000 M	100.00 k	1.746731 G	-38.03	-58.79	-338.03	

Date: 5.OCT.2022 15:30:11





Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2




Tx Channel			BW_20_MHz_higher UL			
Bandwidth			20 MHz	Power		
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-30.000 M	-10.000 M	100.00 k	1.718269 G	-32.14	-52.54	-332.14
10.000 M	11.000 M	200.00 k	1.755000 G	-37.00	-57.39	-24.00
11.000 M	30.000 M	1.00 M	1.771538 G	-34.02	-54.41	-21.02

Date: 5.OCT.2022 15:31:29



Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2  
 1.4 MHz 16QAM  
 1RB




Tx Channel				BW_1_4_MHz_lower UL			
Bandwidth		1.4 MHz	Power		19.30 dBm		
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-2.500 M	-1.700 M	1.00 M	1.708985 G	-35.16	-54.45	-22.16	
-1.700 M	-700.000 k	20.00 k	1.709995 G	-31.09	-50.39	-18.09	
700.000 k	2.500 M	100.00 k	1.712046 G	-32.49	-51.79	-332.49	

Date: 5.OCT.2022 14:16:06



Report Number: W6R22209-22106-P-247

FCC ID: GX9HYGWGEN2




Tx Channel				BW_1_4_MHz_higher UL			
Bandwidth			1.4 MHz	Power			19.36 dBm
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-2.500 M	-700.000 k	100.00 k	1.752938 G	-37.62	-56.98	-337.62	
700.000 k	1.700 M	20.00 k	1.755000 G	-17.61	-36.98	-4.61	
1.700 M	2.500 M	1.00 M	1.756039 G	-34.33	-53.69	-21.33	

Date: 5.OCT.2022 14:17:03




Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2  
 3 MHz 16QAM  
 1RB



Date: 5.OCT.2022 14:19:38



Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGGEN2




Tx Channel				BW_3_MHz_higher UL			
Bandwidth			3 MHz	Power			19.64 dBm
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-5.000 M	-1.500 M	100.00 k	1.749702 G	-37.75	-57.39	-337.75	
1.500 M	2.500 M	30.00 k	1.755006 G	-26.70	-46.34	-13.70	
2.500 M	5.000 M	1.00 M	1.757234 G	-33.84	-53.48	-20.84	

Date: 5.OCT.2022 14:20:28



# Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2  
 5 MHz 16QAM  
 1RB



Date: 5.OCT.2022 14:59:09



Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGGEN2




Tx Channel			BW_5_MHz_higher UL			
Bandwidth			5 MHz	Power		
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-7.500 M	-2.500 M	100.00 k	1.745986 G	-38.53	-58.25	-338.53
2.500 M	3.500 M	50.00 k	1.755000 G	-26.69	-46.41	-13.69
3.500 M	7.500 M	1.00 M	1.756058 G	-34.99	-54.71	-21.99

Date: 5.OCT.2022 14:59:52



Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2  
 10 MHz 16QAM  
 1RB



Center 1.715 GHz      3 MHz/      Span 30 MHz

Tx Channel				BW_10_MHz_lower UL			
Bandwidth		10 MHz	Power		19.49 dBm		
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-15.000 M	-6.000 M	1.00 M	1.708510 G	-35.83	-55.33	-22.83	
-6.000 M	-5.000 M	100.00 k	1.709952 G	-39.36	-58.85	-26.36	
5.000 M	15.000 M	100.00 k	1.728269 G	-33.52	-53.01	-333.52	


Date: 5.OCT.2022 15:02:15





# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2




Tx Channel				Power			
Bandwidth		10 MHz			BW_10_MHz_higher UL		
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-15.000 M	-5.000 M	100.00 k	1.736779 G	-37.44	-57.26	-337.44	
5.000 M	6.000 M	100.00 k	1.755000 G	-37.90	-57.71	-24.90	
6.000 M	15.000 M	1.00 M	1.756106 G	-35.58	-55.39	-22.58	

Date: 5.OCT.2022 15:03:15



Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2  
 15 MHz 16QAM  
 1RB



Center 1.7175 GHz 4.5 MHz/ Span 45 MHz

**Tx Channel**


Bandwidth		15 MHz		Power		BW_15_MHz_lower UL	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-22.500 M	-8.500 M	1.00 M	1.708774 G	-35.39	-55.16	-22.39	
-8.500 M	-7.500 M	150.00 k	1.709928 G	-35.99	-55.77	-22.99	
7.500 M	22.500 M	100.00 k	1.737476 G	-32.72	-52.50	-332.72	

Date: 5.OCT.2022 15:04:23



Report Number: W6R22209-22106-P-247

FCC ID: GX9HYGGEN2




Tx Channel				BW_15_MHz_higher UL			
Bandwidth			15 MHz	Power			19.58 dBm
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-22.500 M	-7.500 M	100.00 k	1.727524 G	-35.38	-54.95	-335.38	
7.500 M	8.500 M	150.00 k	1.755000 G	-34.35	-53.93	-21.35	
8.500 M	22.500 M	1.00 M	1.756082 G	-35.79	-55.37	-22.79	

Date: 5.OCT.2022 15:05:27



Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2  
 20 MHz 16QAM  
 1RB




Tx Channel				BW_20_MHz_lower UL			
Bandwidth			20 MHz	Power			19.12 dBm
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-30.000 M	-11.000 M	1.00 M	1.708750 G	-35.23	-54.35	-22.23	
-11.000 M	-10.000 M	200.00 k	1.709904 G	-39.10	-58.22	-26.10	
10.000 M	30.000 M	100.00 k	1.746731 G	-34.24	-53.36	-334.24	

Date: 5.OCT.2022 15:07:02



Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGGEN2




Tx Channel				BW_20_MHz_higher UL			
Bandwidth			20 MHz	Power			19.66 dBm
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-30.000 M	-10.000 M	100.00 k	1.718269 G	-36.31	-55.98	-336.31	
10.000 M	11.000 M	200.00 k	1.755000 G	-38.31	-57.97	-25.31	
11.000 M	30.000 M	1.00 M	1.756154 G	-35.88	-55.54	-22.88	

Date: 5.OCT.2022 15:07:38



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2  
 Band 5  
 1.4 MHz QPSK  
 FRB




**Tx Channel**

Tx Channel				BW_1_4_MHz_lower UL		
Bandwidth		1.4 MHz	Power		21.21 dBm	
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-2.500 M	-1.700 M	1.00 M	822.953205 M	-21.63	-42.84	-8.63
-1.700 M	-700.000 k	20.00 k	823.994872 M	-29.99	-51.20	-16.99
700.000 k	2.500 M	100.00 k	825.400000 M	-21.52	-42.72	-321.52

Date: 5.OCT.2022 15:47:39



Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGGEN2




**Tx Channel**

Bandwidth		1.4 MHz		Power		BW_1_4_MHz_higher UL	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-2.500 M	-700.000 k	100.00 k	847.594872 M	-22.90	-44.11	-322.90	
700.000 k	1.700 M	20.00 k	849.000000 M	-21.91	-43.12	-8.91	
1.700 M	2.500 M	1.00 M	850.006731 M	-21.47	-42.69	-8.47	21.21 dBm

Date: 5.OCT.2022 15:48:17



Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2  
 1RB




Tx Channel				BW_1_4_MHz_lower UL			
Bandwidth		1.4 MHz		Power		22.10 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-2.500 M	-1.700 M	1.00 M	822.945192 M	-34.10	-56.20	-21.10	
-1.700 M	-700.000 k	20.00 k	823.994872 M	-26.19	-48.28	-13.19	
700.000 k	2.500 M	100.00 k	826.070192 M	-37.71	-59.80	-337.71	

Date: 5.OCT.2022 15:47:20





Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2



**Tx Channel**

Bandwidth				Power			
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-2.500 M	-700.000 k	100.00 k	846.977885 M	-38.84	-60.94	-338.84	
700.000 k	1.700 M	20.00 k	849.000000 M	-16.80	-38.89	-3.80	
1.700 M	2.500 M	1.00 M	850.006731 M	-34.13	-56.22	-21.13	


BW\_1\_4\_MHz\_higher UL      22.09 dBm

Date: 5.OCT.2022 15:48:39



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2  
 3 MHz QPSK  
 FRB



**Tx Channel**


Bandwidth		3 MHz		Power		BW_3_MHz_lower UL	
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-5.000 M	-2.500 M	1.00 M	822.983974 M	-21.15	-42.39	-8.15	
-2.500 M	-1.500 M	30.00 k	823.977564 M	-29.80	-51.04	-16.80	
1.500 M	5.000 M	100.00 k	827.006410 M	-22.80	-44.03	-322.80	

Date: 5.OCT.2022 15:49:55



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2




**Tx Channel**

Bandwidth		3 MHz		Power		BW_3_MHz_higher UL	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-5.000 M	-1.500 M	100.00 k	845.977564 M	-25.48	-46.67	-325.48	
1.500 M	2.500 M	30.00 k	849.006410 M	-30.38	-51.58	-17.38	
2.500 M	5.000 M	1.00 M	850.817308 M	-22.35	-43.55	-9.35	

Date: 5.OCT.2022 15:54:16



Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGGEN2  
 1RB




Tx Channel				BW_3_MHz_lower UL		
Bandwidth		3 MHz		Power	21.94 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-5.000 M	-2.500 M	1.00 M	822.983974 M	-34.38	-56.32	-21.38
-2.500 M	-1.500 M	30.00 k	823.977564 M	-23.38	-45.32	-10.38
1.500 M	5.000 M	100.00 k	829.330128 M	-40.50	-62.44	-340.50

Date: 5.OCT.2022 15:49:38



Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWFEN2



**Tx Channel**


Bandwidth		3 MHz		Power		BW_3_MHz_higher UL	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-5.000 M	-1.500 M	100.00 k	843.685897 M	-36.64	-58.78	-336.64	
1.500 M	2.500 M	30.00 k	849.006410 M	-24.48	-46.62	-11.48	
2.500 M	5.000 M	1.00 M	850.048077 M	-34.62	-56.76	-21.62	

Date: 5.OCT.2022 15:54:35



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2  
 5 MHz QPSK  
 FRB




Tx Channel				BW_5_MHz_lower UL			
Bandwidth		5 MHz	Power		21.03 dBm		
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-7.500 M	-3.500 M	1.00 M	822.918269 M	-23.40	-44.43	-10.40	
-3.500 M	-2.500 M	50.00 k	823.975962 M	-30.15	-51.19	-17.15	
2.500 M	7.500 M	100.00 k	829.000000 M	-27.21	-48.24	-327.21	

Date: 5.OCT.2022 15:56:28



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGGEN2




**Tx Channel**

Bandwidth		5 MHz		Power		BW_5_MHz_higher UL	
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-7.500 M	-2.500 M	100.00 k	843.975962 M	-28.36	-49.39	-328.36	
2.500 M	3.500 M	50.00 k	849.000000 M	-31.39	-52.42	-18.39	
3.500 M	7.500 M	1.00 M	852.461538 M	-23.86	-44.89	-10.86	21.03 dBm

Date: 5.OCT.2022 15:57:05



Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2  
 1RB




Tx Channel				BW_5_MHz_lower UL		
Bandwidth		5 MHz	Power		21.88 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-3.500 M	1.00 M	822.798077 M	-35.47	-57.34	-22.47
-3.500 M	-2.500 M	50.00 k	823.975962 M	-25.32	-47.20	-12.32
2.500 M	7.500 M	100.00 k	833.014423 M	-38.48	-60.36	-338.48

Date: 5.OCT.2022 15:56:08





Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2



**Tx Channel**


Bandwidth		5 MHz		Power		BW_5_MHz_higher UL	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-7.500 M	-2.500 M	100.00 k	840.033654 M	-34.75	-56.74	-334.75	
2.500 M	3.500 M	50.00 k	849.000000 M	-24.77	-46.76	-11.77	
3.500 M	7.500 M	1.00 M	850.466346 M	-35.30	-57.29	-22.30	

Date: 5.OCT.2022 15:57:28



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2  
 10 MHz QPSK  
 FRB




Tx Channel				BW_10_MHz_lower UL			
Bandwidth		10 MHz		Power		21.19 dBm	
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-15.000 M	-6.000 M	1.00 M	822.701923 M	-25.60	-46.79	-12.60	
-6.000 M	-5.000 M	100.00 k	823.951923 M	-32.14	-53.33	-19.14	
5.000 M	15.000 M	100.00 k	834.000000 M	-31.41	-52.61	-331.41	

Date: 5.OCT.2022 15:58:41



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGGEN2




**Tx Channel**

Bandwidth		10 MHz		Power		BW_10_MHz_higher UL	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-15.000 M	-5.000 M	100.00 k	838.951923 M	-33.36	-54.57	-333.36	
5.000 M	6.000 M	100.00 k	849.000000 M	-32.45	-53.65	-19.45	
6.000 M	15.000 M	1.00 M	850.442308 M	-25.26	-46.46	-12.26	

Date: 5.OCT.2022 15:59:11



Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2  
 1RB




**Tx Channel**

Bandwidth		10 MHz		Power		BW_10_MHz_lower UL	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-15.000 M	-6.000 M	1.00 M	822.798077 M	-36.04	-58.01	-23.04	
-6.000 M	-5.000 M	100.00 k	823.951923 M	-35.32	-57.29	-22.32	
5.000 M	15.000 M	100.00 k	842.269231 M	-40.10	-62.07	-340.10	

Date: 5.OCT.2022 15:58:22



Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWFEN2




Tx Channel				BW_10_MHz_higher UL		
Bandwidth		10 MHz	Power		22.31 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-5.000 M	100.00 k	830.778846 M	-41.32	-63.64	-341.32
5.000 M	6.000 M	100.00 k	849.000000 M	-33.85	-56.16	-20.85
6.000 M	15.000 M	1.00 M	850.394231 M	-35.65	-57.96	-22.65

Date: 5.OCT.2022 15:59:30



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2  
 1.4 MHz 16QAM  
 1RB




Tx Channel				BW_1_4_MHz_lower_UL		
Bandwidth		1.4 MHz		Power		20.41 dBm
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-2.500 M	-1.700 M	1.00 M	822.841026 M	-35.43	-55.84	-22.43
-1.700 M	-700.000 k	20.00 k	823.994872 M	-28.12	-48.52	-15.12
700.000 k	2.500 M	100.00 k	826.030128 M	-40.01	-60.42	-340.01

Date: 5.OCT.2022 15:35:50



Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2



**Tx Channel**


Bandwidth		1.4 MHz		Power		BW_1_4_MHz_higher UL	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-2.500 M	-700.000 k	100.00 k	846.921795 M	-38.60	-59.25	-338.60	
700.000 k	1.700 M	20.00 k	849.000000 M	-15.85	-36.50	-2.85	
1.700 M	2.500 M	1.00 M	850.166987 M	-34.96	-55.61	-21.96	

Date: 5.OCT.2022 15:36:29



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2  
 3 MHz 16QAM  
 1RB



**Tx Channel**

Bandwidth		3 MHz		Power		BW_3_MHz_lower UL	
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-5.000 M	-2.500 M	1.00 M	822.951923 M	-35.55	-56.06	-22.55	
-2.500 M	-1.500 M	30.00 k	823.977564 M	-25.94	-46.45	-12.94	
1.500 M	5.000 M	100.00 k	829.282051 M	-38.92	-59.43	-338.92	


Date: 5.OCT.2022 15:40:13





# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGGEN2



**Tx Channel**


Bandwidth		3 MHz		Power		BW_3_MHz_higher UL	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-5.000 M	-1.500 M	100.00 k	843.717949 M	-37.62	-58.23	-337.62	
1.500 M	2.500 M	30.00 k	849.006410 M	-25.55	-46.16	-12.55	
2.500 M	5.000 M	1.00 M	850.032051 M	-35.24	-55.85	-22.24	

Date: 5.OCT.2022 15:40:51



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2  
 5 MHz 16QAM  
 1RB




Tx Channel				BW_5_MHz_lower UL			
Bandwidth		5 MHz	Power		20.78 dBm		
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-7.500 M	-3.500 M	1.00 M	822.653846 M	-35.85	-56.63	-22.85	
-3.500 M	-2.500 M	50.00 k	823.975962 M	-26.68	-47.45	-13.68	
2.500 M	7.500 M	100.00 k	832.990385 M	-36.04	-56.82	-336.04	

Date: 5.OCT.2022 15:41:58



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGGEN2




Tx Channel				BW_5_MHz_higher UL		
Bandwidth		5 MHz	Power		20.75 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-2.500 M	100.00 k	839.985577 M	-35.47	-56.22	-335.47
2.500 M	3.500 M	50.00 k	849.000000 M	-25.53	-46.28	-12.53
3.500 M	7.500 M	1.00 M	850.033654 M	-35.53	-56.28	-22.53

Date: 5.OCT.2022 15:42:35



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2  
 10 MHz 16QAM  
 1RB




Tx Channel				BW_10_MHz_lower UL			
Bandwidth		10 MHz	Power	20.86 dBm			
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-15.000 M	-6.000 M	1.00 M	822.942308 M	-35.88	-56.74	-22.88	
-6.000 M	-5.000 M	100.00 k	823.951923 M	-36.80	-57.65	-23.80	
5.000 M	15.000 M	100.00 k	842.269231 M	-40.44	-61.30	-340.44	

Date: 5.OCT.2022 15:44:29



Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWFEN2




Tx Channel				BW_10_MHz_higher UL		
Bandwidth		10 MHz	Power		20.84 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-5.000 M	100.00 k	830.778846 M	-43.15	-64.00	-343.15
5.000 M	6.000 M	100.00 k	849.000000 M	-36.28	-57.13	-23.28
6.000 M	15.000 M	1.00 M	850.105769 M	-36.34	-57.18	-23.34

Date: 5.OCT.2022 15:45:08



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2  
 Band 7  
 5 MHz QPSK  
 FRB




Tx Channel				BW_5_MHz_lower UL			
Bandwidth			5 MHz	Power			18.58 dBm
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-7.500 M	-3.500 M	1.00 M	2.498822 G	-19.87	-38.45	-6.87	
-3.500 M	-2.500 M	50.00 k	2.499976 G	-28.12	-46.70	-15.12	
2.500 M	7.500 M	100.00 k	2.505000 G	-25.49	-44.08	-325.49	

Date: 5.OCT.2022 16:48:24



Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2



Tx Channel			BW_5_MHz_higher UL			
Bandwidth			5 MHz	Power		18.88 dBm
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-2.500 M	100.00 k	2.564976 G	-28.85	-47.74	-328.85
2.500 M	3.500 M	50.00 k	2.570000 G	-31.97	-50.85	-18.97
3.500 M	7.500 M	1.00 M	2.571130 G	-25.42	-44.30	-12.42


Date: 5.OCT.2022 16:49:03



Report Number: W6R22209-22106-P-247

FCC ID: GX9HYGWGEN2

1RB




Tx Channel				BW_5_MHz_lower UL		
Bandwidth			5 MHz	Power		19.65 dBm
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-3.500 M	1.00 M	2.496058 G	-28.57	-48.23	-15.57
-3.500 M	-2.500 M	50.00 k	2.499976 G	-26.18	-45.83	-13.18
2.500 M	7.500 M	100.00 k	2.508990 G	-33.69	-53.34	-333.69

Date: 5.OCT.2022 16:48:07





Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGNGEN2




Tx Channel			BW_5_MHz_higher UL			
Bandwidth			5 MHz	Power		19.48 dBm
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-2.500 M	100.00 k	2.561010 G	-36.05	-55.53	-336.05
2.500 M	3.500 M	50.00 k	2.570000 G	-27.36	-46.84	-14.36
3.500 M	7.500 M	1.00 M	2.573894 G	-32.95	-52.43	-19.95

Date: 5.OCT.2022 16:49:22



Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2  
 10 MHz QPSK  
 FRB




Tx Channel				BW_10_MHz_lower UL		
Bandwidth		10 MHz	Power		18.54 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-6.000 M	1.00 M	2.497933 G	-22.15	-40.69	-9.15
-6.000 M	-5.000 M	100.00 k	2.499952 G	-29.96	-48.50	-16.96
5.000 M	15.000 M	100.00 k	2.510000 G	-29.66	-48.20	-329.66

Date: 5.OCT.2022 16:50:36



Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2




Tx Channel		Bandwidth		10 MHz	Power			BW_10_MHz_higher UL
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	19.03 dBm	
-15.000 M	-5.000 M	100.00 k	2.559952 G	-35.20	-54.24	-335.20		
5.000 M	6.000 M	100.00 k	2.570000 G	-34.14	-53.18	-21.14		
6.000 M	15.000 M	1.00 M	2.571298 G	-27.29	-46.32	-14.29		

Date: 5.OCT.2022 16:51:08



Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2  
 1RB




Tx Channel				BW_10_MHz_lower UL		
Bandwidth		10 MHz	Power		19.52 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-6.000 M	1.00 M	2.491731 G	-31.85	-51.37	-18.85
-6.000 M	-5.000 M	100.00 k	2.499952 G	-37.41	-56.93	-24.41
5.000 M	15.000 M	100.00 k	2.518269 G	-37.58	-57.10	-337.58

Date: 5.OCT.2022 16:50:17



Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2




Tx Channel			BW_10_MHz_higher UL			
Bandwidth			10 MHz	Power		19.69 dBm
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-5.000 M	100.00 k	2.551779 G	-36.31	-55.99	-336.31
5.000 M	6.000 M	100.00 k	2.570000 G	-36.74	-56.42	-23.74
6.000 M	15.000 M	1.00 M	2.578365 G	-35.68	-55.37	-22.68

Date: 5.OCT.2022 16:51:59



Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2  
 15 MHz QPSK  
 FRB




Tx Channel			BW_15_MHz_lower UL			
Bandwidth			15 MHz	Power		
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-22.500 M	-8.500 M	1.00 M	2.498702 G	-22.59	-41.36	-9.59
-8.500 M	-7.500 M	150.00 k	2.499928 G	-28.01	-46.78	-15.01
7.500 M	22.500 M	100.00 k	2.515000 G	-34.42	-53.19	-334.42

Date: 5.OCT.2022 16:55:03



Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2




Tx Channel			BW_15_MHz_higher UL			
Bandwidth			15 MHz	Power		19.14 dBm
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-22.500 M	-7.500 M	100.00 k	2.551971 G	-39.75	-58.89	-339.75
7.500 M	8.500 M	150.00 k	2.570000 G	-33.28	-52.42	-20.28
8.500 M	22.500 M	1.00 M	2.571226 G	-27.57	-46.71	-14.57

Date: 5.OCT.2022 16:55:44



Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2  
 1RB




Tx Channel				BW_15_MHz_lower UL		
Bandwidth		15 MHz	Power		19.90 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-22.500 M	-8.500 M	1.00 M	2.487524 G	-32.35	-52.25	-19.35
-8.500 M	-7.500 M	150.00 k	2.499928 G	-33.36	-53.26	-20.36
7.500 M	22.500 M	100.00 k	2.527476 G	-36.03	-55.93	-336.03

Date: 5.OCT.2022 16:54:30





Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGNGEN2




Tx Channel		15 MHz		Power			BW_15_MHz_higher UL
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit	20.05 dBm
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-22.500 M	-7.500 M	100.00 k	2.542524 G	-36.35	-56.40	-336.35	
7.500 M	8.500 M	150.00 k	2.570000 G	-34.57	-54.62	-21.57	
8.500 M	22.500 M	1.00 M	2.582332 G	-34.82	-54.87	-21.82	

Date: 5.OCT.2022 16:56:03



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2  
 20 MHz QPSK  
 FRB




Tx Channel				BW_20_MHz_lower UL			
Bandwidth		20 MHz	Power		18.63 dBm		
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-30.000 M	-11.000 M	1.00 M	2.498654 G	-22.09	-40.72	-9.09	
-11.000 M	-10.000 M	200.00 k	2.499904 G	-27.88	-46.51	-14.88	
10.000 M	30.000 M	100.00 k	2.520000 G	-42.94	-61.56	-342.94	

Date: 5.OCT.2022 16:57:32



Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2




Tx Channel			BW_20_MHz_higher UL			
Bandwidth			20 MHz	Power		18.92 dBm
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-30.000 M	-10.000 M	100.00 k	2.549904 G	-43.75	-62.67	-343.75
10.000 M	11.000 M	200.00 k	2.570000 G	-34.05	-52.97	-21.05
11.000 M	30.000 M	1.00 M	2.571250 G	-28.58	-47.49	-15.58

Date: 5.OCT.2022 16:58:13



Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2  
 1RB




Tx Channel				BW_20_MHz_lower UL		
Bandwidth		20 MHz	Power		19.61 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-30.000 M	-11.000 M	1.00 M	2.483462 G	-33.23	-52.64	-20.23
-11.000 M	-10.000 M	200.00 k	2.499904 G	-37.42	-57.02	-24.42
10.000 M	30.000 M	100.00 k	2.536731 G	-34.99	-54.60	-334.99

Date: 5.OCT.2022 16:57:05



Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2




Tx Channel			BW_20_MHz_higher UL			
Bandwidth		20 MHz		Power		19.47 dBm
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-30.000 M	-10.000 M	100.00 k	2.533269 G	-36.34	-55.81	-336.34
10.000 M	11.000 M	200.00 k	2.570000 G	-37.83	-57.30	-24.83
11.000 M	30.000 M	1.00 M	2.586731 G	-36.33	-55.81	-23.33

Date: 5.OCT.2022 16:58:31



Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2  
 5 MHz 16QAM  
 1RB




Tx Channel				BW_5_MHz_lower UL		
Bandwidth		5 MHz	Power		18.67 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-3.500 M	1.00 M	2.495986 G	-29.35	-48.02	-16.35
-3.500 M	-2.500 M	50.00 k	2.499976 G	-27.78	-46.45	-14.78
2.500 M	7.500 M	100.00 k	2.508942 G	-35.58	-54.25	-335.58

Date: 5.OCT.2022 16:28:17



Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2




Tx Channel			BW_5_MHz_higher UL			
Bandwidth			5 MHz	Power		18.40 dBm
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-2.500 M	100.00 k	2.560986 G	-38.30	-56.70	-338.30
2.500 M	3.500 M	50.00 k	2.570000 G	-27.87	-46.27	-14.87
3.500 M	7.500 M	1.00 M	2.574159 G	-34.86	-53.26	-21.86

Date: 5.OCT.2022 16:37:15



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2  
 10 MHz 16QAM  
 1RB




Tx Channel			BW_10_MHz_lower UL			
Bandwidth			10 MHz	Power		
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-15.000 M	-6.000 M	1.00 M	2.491490 G	-31.85	-50.87	-18.85
-6.000 M	-5.000 M	100.00 k	2.499952 G	-36.47	-55.49	-23.47
5.000 M	15.000 M	100.00 k	2.518269 G	-39.83	-58.85	-339.83

Date: 5.OCT.2022 16:41:30





Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2




Tx Channel			BW_10_MHz_higher UL			
Bandwidth			10 MHz	Power		18.78 dBm
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-5.000 M	100.00 k	2.551731 G	-37.33	-56.11	-337.33
5.000 M	6.000 M	100.00 k	2.570000 G	-37.43	-56.21	-24.43
6.000 M	15.000 M	1.00 M	2.577981 G	-34.74	-53.52	-21.74

Date: 5.OCT.2022 16:42:12



Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2  
 15 MHz 16QAM  
 1RB




Tx Channel				BW_15_MHz_lower UL		
Bandwidth		15 MHz	Power		19.12 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-22.500 M	-8.500 M	1.00 M	2.487596 G	-32.94	-52.06	-19.94
-8.500 M	-7.500 M	150.00 k	2.499928 G	-34.60	-53.72	-21.60
7.500 M	22.500 M	100.00 k	2.527476 G	-37.94	-57.06	-337.94

Date: 5.OCT.2022 16:44:30



Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGNGEN2




Tx Channel			BW_15_MHz_higher UL			
Bandwidth			Power		18.86 dBm	
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-22.500 M	-7.500 M	100.00 k	2.542452 G	-37.72	-56.57	-337.72
7.500 M	8.500 M	150.00 k	2.570000 G	-33.96	-52.82	-20.96
8.500 M	22.500 M	1.00 M	2.582764 G	-35.64	-54.49	-22.64

Date: 5.OCT.2022 16:45:27



Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2  
 20 MHz 16QAM  
 1RB




Tx Channel				BW_20_MHz_lower UL			
Bandwidth		20 MHz	Power		18.86 dBm		
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-30.000 M	-11.000 M	1.00 M	2.483365 G	-34.30	-53.16	-21.30	
-11.000 M	-10.000 M	200.00 k	2.499904 G	-37.37	-56.23	-24.37	
10.000 M	30.000 M	100.00 k	2.536731 G	-36.14	-55.00	-336.14	

Date: 5.OCT.2022 16:46:18



Report Number: W6R22209-22106-P-247  
 FCC ID: GX9HYGWGEN2



Tx Channel		20 MHz		Power			BW_20_MHz_higher UL
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit	18.73 dBm
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-30.000 M	-10.000 M	100.00 k	2.533269 G	-38.18	-56.91	-338.18	
10.000 M	11.000 M	200.00 k	2.570000 G	-38.91	-57.64	-25.91	
11.000 M	30.000 M	1.00 M	2.571346 G	-36.19	-54.92	-23.19	

Date: 5.OCT.2022 16:46:54

Test equipment: ETSTW-RE 004, ETSTW-RE 030, ETSTW-RE 062, ETSTW-RE 142,  
 ETSTW-RE 147, ETSTW-GSM 002, ETSTW-GSM 003

Report Number: W6R22209-22106-P-247


FCC ID: GX9HYGWGEN2

**9. Frequency Stability**

The frequency stability shall be measured by variation of ambient temperature and variation of primary supply voltage to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintain within  $\pm 0.00025\%$  ( $\pm 2.5$  ppm) of the center frequency.

**9.1 Test procedure**

- The equipment under test was supplied with rated power supply and the RF output was connected to a frequency counter via feed through attenuators. The EUT was placed inside the temperature chamber. The DC leads and RF output cable, exited the chamber through an opening made for that purpose.  
After the temperature stabilized the frequency output was recorded from the counter.
- An external variable power supply was used to supply nominal voltage and 85% to 115% of nominal voltage to the EUT under room temperature. Record the frequencies measured from the counter.
- End point voltage: For hand carried, battery powered equipment, reduce primary supply voltage to the battery operating end point which shall be specified by the manufacturer. Then record the frequencies measured from the counter.





Report Number: W6R22209-22106-P-247

FCC ID: GX9HYGWGEN2

**9.2 Test Results**

**9.2.1 Frequency Stability vs. Temperature**

Test date: October 03, 2022

Temperature: 24.3 °C

Humidity: 51.6 %

Tester: Sora

WCDMA Band 2					WCDMA Band 5				
CH9262	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH4132	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
18Va.c.	-30	6.20	0.003	±2.5	18Va.c.	-30	2.90	0.004	±2.5
	-20	5.40	0.003			-20	3.40	0.004	
	-10	6.40	0.003			-10	4.30	0.005	
	0	7.20	0.004			0	2.50	0.003	
	10	5.60	0.003			10	2.40	0.003	
	20	5.30	0.003			20	1.00	0.001	
	30	3.70	0.002			30	1.80	0.002	
	40	4.30	0.002			40	2.50	0.003	
	50	5.70	0.003			50	2.70	0.003	
19.8Va.c.	25	5.70	0.003	19.8Va.c.	25	3.10	0.004		
16.2Va.c.	25	5.80	0.003	16.2Va.c.	25	2.40	0.003		
CH9400	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH4183	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
18Va.c.	-30	-2.10	-0.001	±2.5	18Va.c.	-30	2.40	0.003	±2.5
	-20	0.60	0.000			-20	0.90	0.001	
	-10	1.60	0.001			-10	-0.90	-0.001	
	0	-2.10	-0.001			0	1.00	0.001	
	10	1.20	0.001			10	-0.40	0.000	
	20	-1.30	-0.001			20	0.10	0.000	
	30	-0.30	0.000			30	-0.90	-0.001	
	40	-1.10	-0.001			40	0.50	0.001	
	50	-1.40	-0.001			50	0.10	0.000	
19.8Va.c.	25	1.40	0.001	19.8Va.c.	25	-0.10	0.000		
16.2Va.c.	25	1.80	0.001	16.2Va.c.	25	0.10	0.000		
CH9538	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH4233	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
18Va.c.	-30	-6.30	-0.003	±2.5	18Va.c.	-30	-3.30	-0.004	±2.5
	-20	-7.20	-0.004			-20	-2.60	-0.003	
	-10	-8.70	-0.005			-10	-3.00	-0.004	
	0	-6.00	-0.003			0	-1.50	-0.002	
	10	-10.40	-0.005			10	-2.40	-0.003	
	20	-3.90	-0.002			20	-3.80	-0.004	
	30	-6.60	-0.003			30	-3.40	-0.004	
	40	-4.20	-0.002			40	-2.50	-0.003	
	50	-6.90	-0.004			50	-2.40	-0.003	
19.8Va.c.	25	-6.90	-0.004	19.8Va.c.	25	-2.80	-0.003		
16.2Va.c.	25	-5.80	-0.003	16.2Va.c.	25	-2.90	-0.003		



Report Number: W6R22209-22106-P-247

FCC ID: GX9HYGWDEN2

LTE Band 2 QPSK 10MHz FRB					LTE Band 4 QPSK 10MHz FRB				
CH18900	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH20175	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
18Va.c.	-30	3.80	0.002	±2.5	18Va.c.	-30	-0.30	0.000	±2.5
	-20	1.00	0.001			-20	-4.80	-0.003	
	-10	1.70	0.001			-10	5.00	0.003	
	0	-7.20	-0.004			0	-5.20	-0.003	
	10	1.80	0.001			10	1.50	0.001	
	20	-7.40	-0.004			20	1.50	0.001	
	30	-1.60	-0.001			30	-0.70	0.000	
	40	-1.90	-0.001			40	1.70	0.001	
50	-7.30	-0.004	50	-3.10	-0.002				
19.8Va.c.	25	1.80	0.001	19.8Va.c.	25	0.10	0.000		
16.2Va.c.	25	-5.50	-0.003	16.2Va.c.	25	0.30	0.000		

LTE Band 5 QPSK 10MHz FRB					LTE Band 7 QPSK 10MHz FRB				
CH20525	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH20175	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
18Va.c.	-30	1.20	0.001	±2.5	18Va.c.	-30	-6.30	-0.002	±2.5
	-20	-2.60	-0.003			-20	1.70	0.001	
	-10	-0.20	0.000			-10	-2.80	-0.001	
	0	-1.30	-0.002			0	0.20	0.000	
	10	-1.10	-0.001			10	-3.50	-0.001	
	20	-2.00	-0.002			20	-1.90	-0.001	
	30	-0.50	-0.001			30	-5.50	-0.002	
	40	-0.50	-0.001			40	-2.80	-0.001	
50	-1.90	-0.002	50	-0.60	0.000				
19.8Va.c.	25	-0.60	-0.001	19.8Va.c.	25	0.30	0.000		
16.2Va.c.	25	-0.30	0.000	16.2Va.c.	25	-6.10	-0.002		

Test equipment: ETSTW-CE 009, ETSTW-GSM 004





Report Number: W6R22209-22106-P-247

FCC ID: GX9HYGWGEN2

**10 Maximum Permissible Exposure**

**10.1 Exemption Limits for Routine Evaluation according to 47 CFR FCC Part 2 Subpart J, section 2.1091**

FCC OET Bulletin 65 Edition 97.01 determines the equations for predicting RF fields and applicable limits.

The prediction for power density in the far-field but will over-predict power density in the near field, where it could be used for walking a “worst case” or conservative prediction.

Systems operating under the provisions of this section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy levels in excess limit for maximum permissible exposure. In accordance with 47 CFR FCC Part 2 Subpart J, section 2.1091 this device has been defined as a mobile device whereby a distance of 20 cm normally can be maintained between the user and the device.

**MPE Calculation Method**

**(A) Limits for Occupational/Controlled Exposure**

Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/cm <sup>2</sup> )	Averaging Time  E  <sup>2</sup> ,  H  <sup>2</sup> or S (minutes)
0.3-3.0	614	1.63	(100)*	6
3.0-30	1842/f	4.89/f	(900/f <sup>2</sup> )*	6
30-300	61.4	0.163	1.0	6
300-1500	--	--	f/300	6
1500-100,000	--	--	5	6

**(B) Limits for General Population/Uncontrolled Exposure**

Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/cm <sup>2</sup> )	Averaging Time  E  <sup>2</sup> ,  H  <sup>2</sup> or S (minutes)
0.3-1.34	614	1.63	(100)*	30
1.34-30	824/f	2.19/f	(180/f <sup>2</sup> )*	30
30-300	27.5	0.073	0.2	30
300-1500	--	--	f/1500	30
1500-100,000	--	--	1.0	30

f = frequency in MHz

\*Plane-wave equivalent power density

E = Electric field (V/m) P = output power (W) G = EUT Antenna numeric gain (numeric)

d = Separation distance between radiator and human body (m)

$$Pd = \frac{30 \times P \times G}{377 \times d^2}$$

The formula can be changed to mW/cm<sup>2</sup>.



Report Number: W6R22209-22106-P-247  
FCC ID: GX9HYGWFEN2

Band	Frequency (MHz)	Max output power		Antenna Gain	Power density (mW/cm <sup>2</sup> )	Limit (mW/cm <sup>2</sup> )	Ratio
		(dBm)	(W)	(dBi)			
WCDMA Band 2	1852.4	22.91	0.1954	4.11	0.1001	1	0.1001
WCDMA Band 5	836.6	23.73	0.2360	3.61	0.1078	0.5577	0.1933
LTE Band 2	1857.5	22.61	0.1824	4.11	0.0935	1	0.0935
LTE Band 4	1715	23.64	0.2312	1.89	0.0711	1	0.0711
LTE Band 5	836.5	23.98	0.2500	3.64	0.115	0.5577	<b>0.2062</b>
LTE Band 7	2507.5	22.35	0.1718	2.15	0.0561	1	0.0561

From the peak EUT RF output power, the minimum mobile separation distance,  $d=0.2$  m, as well as the gain of the used antenna, the RF power density can be obtained.



Report Number: W6R22209-22106-P-247  
FCC ID: GX9HYGWWGEN2

## **Appendix**

Measurement diagrams

Filed Strength of Spurious Emission



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2022/10/2

Temperature:22 °C

0.0 dBm

Time: 上午 09:50:36

Humidity:55 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	90.9820	-79.38	peak	23.88	-55.50	-13.00	150	100	-42.50	
	125.0501	-77.44	peak	21.90	-55.54	-13.00	150	145	-42.54	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2022/10/2

Temperature:22 °C

0.0 dBm

Time: 上午 11:02:40

Humidity:55 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: **Vertical**

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	57.2545	-73.16	peak	22.73	-50.43	-13.00	150	315	-37.43	
*	125.0501	-68.47	peak	22.86	-45.61	-13.00	150	255	-32.61	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2022/10/2

Temperature:22 °C

0.0 dBm

Time: 下午 02:31:07

Humidity:55 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	395.5912	-52.69	peak	-7.57	-60.26	-13.00	150	225	-47.26	
	450.1002	-55.02	peak	-6.64	-61.66	-13.00	150	155	-48.66	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2022/10/2

Temperature:22 °C

0.0 dBm

Time: 下午 02:44:07

Humidity:55 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: **Vertical**

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	249.6994	-56.98	peak	-10.73	-67.71	-13.00	150	290	-54.71	
*	349.0982	-54.56	peak	-8.50	-63.06	-13.00	150	320	-50.06	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 07:37:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 07:56:42

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: **Vertical**

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3386.773	-61.77	peak	9.26	-52.51	-13.00	150	330	-39.51	
*	3705.411	-57.98	peak	9.65	-48.33	-13.00	150	110	-35.33	

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 07:38:00

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5210.421	-61.49	peak	7.75	-53.74	-13.00	150	245	-40.74	
	5555.110	-64.88	peak	10.44	-54.44	-13.00	150	110	-41.44	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 07:57:19

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Vertical*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 07:38:42

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 07:58:08

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Vertical*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 07:38:54

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 07:58:20

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Vertical*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 07:39:06

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: *Horizontal*

EUT : W6R22209-22106

Power : 18 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA-Band2-CH9262

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 07:58:32

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Vertical*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2022/10/2

Temperature:22 °C

0.0 dBm

Time: 上午 09:48:58

Humidity:55 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	88.5972	-79.89	peak	23.94	-55.95	-13.00	150	110	-42.95	
*	125.0501	-76.33	peak	21.90	-54.43	-13.00	150	145	-41.43	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2022/10/2

Temperature:22 °C

0.0 dBm

Time: 上午 11:04:25

Humidity:55 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: **Vertical**

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	57.2545	-73.86	peak	22.73	-51.13	-13.00	150	220	-38.13	
*	125.0501	-68.13	peak	22.86	-45.27	-13.00	150	255	-32.27	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2022/10/2

Temperature:22 °C

0.0 dBm

Time: 下午 02:33:57

Humidity:55 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	395.5912	-53.42	peak	-7.57	-60.99	-13.00	150	205	-47.99	
	450.1002	-54.57	peak	-6.64	-61.21	-13.00	150	145	-48.21	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2022/10/2

Temperature:22 °C

0.0 dBm

Time: 下午 02:42:22

Humidity:55 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: **Vertical**

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	249.6994	-56.87	peak	-10.73	-67.60	-13.00	150	255	-54.60	
*	349.0982	-54.53	peak	-8.50	-63.03	-13.00	150	95	-50.03	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 07:41:11

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3140.281	-60.75	peak	7.84	-52.91	-13.00	150	330	-39.91	
*	3765.531	-58.83	peak	9.82	-49.01	-13.00	150	95	-36.01	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 07:53:00

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: **Vertical**

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3422.846	-61.36	peak	9.45	-51.91	-13.00	150	160	-38.91	
*	3765.531	-55.29	peak	9.60	-45.69	-13.00	150	300	-32.69	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 07:41:50

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 07:53:37

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Vertical*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 07:42:32

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: *Horizontal*

EUT : W6R22209-22106

Power : 18 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA-Band2-CH9400

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 07:54:23

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Vertical*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 07:42:44

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 07:54:35

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Vertical*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 07:42:56

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: *Horizontal*

EUT : W6R22209-22106

Power : 18 Va.c.

M/N:

Distance: 3m

Test Mode : WCDMA-Band2-CH9400

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 07:54:47

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Vertical*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2022/10/2

Temperature:22 °C

0.0 dBm

Time: 上午 09:47:16

Humidity:55 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	91.3226	-81.99	peak	23.84	-58.15	-13.00	150	120	-45.15	
*	125.0501	-75.89	peak	21.90	-53.99	-13.00	150	165	-40.99	





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2022/10/2

Temperature:22 °C

0.0 dBm

Time: 上午 11:06:41

Humidity:55 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: **Vertical**

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	57.5952	-73.84	peak	22.73	-51.11	-13.00	150	320	-38.11	
*	125.0501	-67.68	peak	22.86	-44.82	-13.00	150	260	-31.82	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2022/10/2

Temperature:22 °C

0.0 dBm

Time: 下午 02:36:12

Humidity:55 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	395.5912	-54.71	peak	-7.57	-62.28	-13.00	150	165	-49.28	
*	450.1002	-55.05	peak	-6.64	-61.69	-13.00	150	115	-48.69	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2022/10/2

Temperature:22 °C

0.0 dBm

Time: 下午 02:40:34

Humidity:55 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: **Vertical**

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	249.6994	-56.96	peak	-10.73	-67.69	-13.00	150	280	-54.69	
*	349.0982	-54.76	peak	-8.50	-63.26	-13.00	150	335	-50.26	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 07:44:58

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: **Horizontal**

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3296.593	-60.76	peak	8.53	-52.23	-13.00	150	245	-39.23	
*	3819.639	-56.75	peak	9.90	-46.85	-13.00	150	110	-33.85	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

**Radiated Emission Measurement**

Operator: Sora

File :3

Data :#6


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 07:48:59

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: **Vertical**

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3681.363	-61.42	peak	9.67	-51.75	-13.00	150	185	-38.75	
*	3813.627	-56.10	peak	9.55	-46.55	-13.00	150	300	-33.55	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 07:45:35

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 07:49:39

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Vertical*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 07:46:18

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 07:50:32

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Vertical*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 07:46:31

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 07:50:44

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Vertical*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 07:46:43

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 07:50:56

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band2-CH9538

Note :

Polarization: *Vertical*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2022/10/2

Temperature:22 °C

0.0 dBm

Time: 上午 09:45:29

Humidity:55 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	87.5752	-80.36	peak	23.88	-56.48	-13.00	150	100	-43.48	
*	125.0501	-76.65	peak	21.90	-54.75	-13.00	150	185	-41.75	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2022/10/2

Temperature:22 °C

0.0 dBm

Time: 上午 11:09:09

Humidity:55 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: **Vertical**

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	50.1002	-74.06	peak	22.85	-51.21	-13.00	150	65	-38.21	
*	125.0501	-69.17	peak	22.86	-46.31	-13.00	150	285	-33.31	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2022/10/2

Temperature:22 °C

0.0 dBm

Time: 下午 03:10:44

Humidity:55 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	400.4008	-53.08	peak	-7.50	-60.58	-13.00	150	165	-47.58	
	450.1002	-54.16	peak	-6.64	-60.80	-13.00	150	120	-47.80	





Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2022/10/2

Temperature:22 °C

0.0 dBm

Time: 下午 03:12:23

Humidity:55 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: **Vertical**

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	249.6994	-56.89	peak	-10.73	-67.62	-13.00	150	225	-54.62	
*	349.0982	-57.92	peak	-8.50	-66.42	-13.00	150	155	-53.42	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 05:38:21

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: **Horizontal**

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1294.589	-56.73	peak	-0.03	-56.76	-13.00	150	220	-43.76	
*	1943.888	-58.84	peak	2.89	-55.95	-13.00	150	185	-42.95	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 07:33:14

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: **Vertical**

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2436.874	-57.98	peak	7.19	-50.79	-13.00	150	245	-37.79	
	3398.798	-60.70	peak	9.32	-51.38	-13.00	150	110	-38.38	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 05:39:01

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 07:33:52

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: *Vertical*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 05:39:47

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 07:34:36

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band5-CH4132

Note :

Polarization: *Vertical*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2022/10/2

Temperature:22 °C

0.0 dBm

Time: 上午 09:43:55

Humidity:55 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	88.5972	-81.49	peak	23.94	-57.55	-13.00	150	105	-44.55	
*	125.0501	-76.79	peak	21.90	-54.89	-13.00	150	155	-41.89	





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2022/10/2

Temperature:22 °C

0.0 dBm

Time: 上午 11:11:03

Humidity:55 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: **Vertical**

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	59.2986	-73.20	peak	22.70	-50.50	-13.00	150	320	-37.50	
*	125.0501	-67.64	peak	22.86	-44.78	-13.00	150	285	-31.78	

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2022/10/2

Temperature:22 °C

0.0 dBm

Time: 下午 03:17:46

Humidity:55 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: **Horizontal**

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	400.4008	-53.06	peak	-7.50	-60.56	-13.00	150	165	-47.56	
	450.1002	-54.24	peak	-6.64	-60.88	-13.00	150	245	-47.88	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2022/10/2

Temperature:22 °C

0.0 dBm

Time: 下午 03:16:18

Humidity:55 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: **Vertical**

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	249.6994	-56.59	peak	-10.73	-67.32	-13.00	150	355	-54.32	
*	349.0982	-58.28	peak	-8.50	-66.78	-13.00	150	210	-53.78	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 05:41:47

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1667.335	-54.65	peak	1.06	-53.59	-13.00	150	185	-40.59	
*	1757.515	-52.87	peak	1.65	-51.22	-13.00	150	45	-38.22	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 07:30:04

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: **Vertical**

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1757.515	-56.36	peak	3.22	-53.14	-13.00	150	245	-40.14	
*	2436.874	-57.86	peak	7.19	-50.67	-13.00	150	110	-37.67	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 05:42:28

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 07:30:42

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: *Vertical*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 05:43:13

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 07:31:28

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band5-CH4183

Note :

Polarization: *Vertical*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2022/10/2

Temperature:22 °C

0.0 dBm

Time: 上午 09:41:52

Humidity:55 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	86.2124	-81.13	peak	23.81	-57.32	-13.00	150	295	-44.32	
*	125.0501	-76.86	peak	21.90	-54.96	-13.00	150	150	-41.96	



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2022/10/2

Temperature:22 °C

0.0 dBm

Time: 上午 11:31:44

Humidity:55 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: **Vertical**

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	59.9800	-74.31	peak	22.69	-51.62	-13.00	150	255	-38.62	
*	125.0501	-68.23	peak	22.86	-45.37	-13.00	150	305	-32.37	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2022/10/2

Temperature:22 °C

0.0 dBm

Time: 下午 03:23:25

Humidity:55 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	400.4008	-53.14	peak	-7.50	-60.64	-13.00	150	165	-47.64	
	450.1002	-54.11	peak	-6.64	-60.75	-13.00	150	90	-47.75	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2022/10/2

Temperature:22 °C

0.0 dBm

Time: 下午 03:25:57

Humidity:55 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: **Vertical**

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	249.6994	-57.14	peak	-10.73	-67.87	-13.00	150	285	-54.87	
*	349.0982	-58.10	peak	-8.50	-66.60	-13.00	150	210	-53.60	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 05:45:05

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1769.539	-49.46	peak	1.73	-47.73	-13.00	150	300	-34.73	
	2539.078	-57.28	peak	6.05	-51.23	-13.00	150	185	-38.23	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 07:26:47

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: **Vertical**

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2436.874	-57.87	peak	7.19	-50.68	-13.00	150	75	-37.68	
*	3681.363	-60.14	peak	9.67	-50.47	-13.00	150	220	-37.47	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 05:45:44

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 07:27:28

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: *Vertical*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 05:46:30

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 07:28:14

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : WCDMA-Band5-CH4233

Note :

Polarization: *Vertical*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2022/10/2

Temperature:22 °C

0.0 dBm

Time: 上午 10:20:43

Humidity:55 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	88.5972	-80.49	peak	23.94	-56.55	-13.00	150	115	-43.55	
*	125.0501	-77.31	peak	21.90	-55.41	-13.00	150	145	-42.41	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2022/10/2

Temperature:22 °C

0.0 dBm

Time: 上午 10:22:50

Humidity:55 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	54.1884	-72.13	peak	22.78	-49.35	-13.00	150	285	-36.35	
*	125.0501	-69.24	peak	22.86	-46.38	-13.00	150	255	-33.38	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2022/10/2

Temperature:22 °C

0.0 dBm

Time: 下午 02:12:13

Humidity:55 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	395.5912	-52.65	peak	-7.57	-60.22	-13.00	150	165	-47.22	
	450.1002	-54.56	peak	-6.64	-61.20	-13.00	150	110	-48.20	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2022/10/2

Temperature:22 °C

0.0 dBm

Time: 下午 03:00:02

Humidity:55 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	249.6994	-56.94	peak	-10.73	-67.67	-13.00	150	265	-54.67	
*	349.0982	-55.80	peak	-8.50	-64.30	-13.00	150	290	-51.30	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 03:47:36

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 03:53:59

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3555.110	-49.33	peak	9.79	-39.54	-13.00	150	245	-26.54	
*	3765.531	-48.50	peak	9.60	-38.90	-13.00	150	185	-25.90	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 03:48:16

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Horizontal**

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5210.421	-58.51	peak	7.75	-50.76	-13.00	150	245	-37.76	
*	5643.287	-57.11	peak	10.69	-46.42	-13.00	150	160	-33.42	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 03:54:46

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 03:49:01

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

Polarization: *Horizontal*

EUT : W6R22209-22106

Power : 18 Va.c.

M/N:

Distance: 3m

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 03:55:30

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 03:49:13

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 03:55:42

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 03:49:25

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 03:55:55

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2022/10/2

Temperature:22 °C

0.0 dBm

Time: 上午 10:19:04

Humidity:55 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	88.5972	-80.47	peak	23.94	-56.53	-13.00	150	110	-43.53	
*	125.0501	-77.00	peak	21.90	-55.10	-13.00	150	165	-42.10	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2022/10/2

Temperature:22 °C

0.0 dBm

Time: 上午 10:24:43

Humidity:55 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	51.4630	-71.66	peak	22.83	-48.83	-13.00	150	280	-35.83	
*	125.0501	-68.71	peak	22.86	-45.85	-13.00	150	240	-32.85	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2022/10/2

Temperature:22 °C

0.0 dBm

Time: 下午 02:14:38

Humidity:55 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	400.4008	-53.26	peak	-7.50	-60.76	-13.00	150	165	-47.76	
	450.1002	-55.01	peak	-6.64	-61.65	-13.00	150	125	-48.65	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2022/10/2

Temperature:22 °C

0.0 dBm

Time: 下午 02:58:20

Humidity:55 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	249.6994	-56.65	peak	-10.73	-67.38	-13.00	150	255	-54.38	
*	349.0982	-55.83	peak	-8.50	-64.33	-13.00	150	310	-51.33	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 04:00:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 04:04:32

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 04:01:05

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Horizontal**

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5611.222	-55.28	peak	10.60	-44.68	-13.00	150	245	-31.68	
	7430.862	-64.61	peak	11.38	-53.23	-13.00	150	160	-40.23	

\*:Maximum data x:Over limit !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 04:05:11

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5210.421	-56.75	peak	8.47	-48.28	-13.00	150	245	-35.28	
*	5611.222	-59.07	peak	10.89	-48.18	-13.00	150	110	-35.18	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 04:01:51

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 04:05:56

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 04:02:03

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 04:06:08

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 04:02:15

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 04:06:20

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2022/10/2

Temperature:22 °C

0.0 dBm

Time: 上午 10:16:58

Humidity:55 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	86.2124	-80.93	peak	23.81	-57.12	-13.00	150	120	-44.12	
*	125.0501	-77.45	peak	21.90	-55.55	-13.00	150	170	-42.55	

\*:Maximum data x:Over limit !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2022/10/2

Temperature:22 °C

0.0 dBm

Time: 上午 10:26:19

Humidity:55 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	54.8697	-72.11	peak	22.77	-49.34	-13.00	150	295	-36.34	
*	125.0501	-70.97	peak	22.86	-48.11	-13.00	150	240	-35.11	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2022/10/2

Temperature:22 °C

0.0 dBm

Time: 下午 02:19:01

Humidity:55 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	395.5912	-53.68	peak	-7.57	-61.25	-13.00	150	160	-48.25	
	450.1002	-54.80	peak	-6.64	-61.44	-13.00	150	110	-48.44	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2022/10/2

Temperature:22 °C

0.0 dBm

Time: 下午 02:55:24

Humidity:55 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	249.6994	-57.06	peak	-10.73	-67.79	-13.00	150	305	-54.79	
*	349.0982	-55.56	peak	-8.50	-64.06	-13.00	150	250	-51.06	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 04:10:56

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 04:14:58

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 18 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3464.930	-51.39	peak	9.66	-41.73	-13.00	150	305	-28.73	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 04:11:38

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5226.453	-58.60	peak	7.89	-50.71	-13.00	150	305	-37.71	
	7430.862	-64.40	peak	11.38	-53.02	-13.00	150	110	-40.02	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 04:15:37

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5210.421	-58.87	peak	8.47	-50.40	-13.00	150	220	-37.40	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 04:12:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 04:16:21

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Vertical*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2022/9/30

Temperature:24 °C

0.0 dBm

Time: 下午 04:12:34

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22/24/27

EUT : W6R22209-22106

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 18 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin