



Climax

CLIMAX TECHNOLOGY CO.,LTD.
大鵬科技股份有限公司

零件確認書



料號：8403000408C

品名：鍍錫銅包鋼天線 IR-32-F1用 1.0Φ

規格：不規則型 433MHz 廠內自製

廠商料號：_____

廠商：CLIMAX

廠牌：_____ 不限



承認日期：2021-10-22

備註：_____

核准	主管	承辦

Note:
1. (N) BALL SYMBOLS ARE CRITICAL DIMENSIONS

REVISIONS		
REV	DESCRIPTION	ENGR
M01	1ST ISSUE	0801



Climax

CLIMAX PRECISION IND. CO., LTD.
Research and Design

Drawn: Ryan

Designed: BO

Checked: Amos

Approved: Elane

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF CLIMAX TECHNOLOGY GROUP AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR DEVICES WITHOUT PERMISSION.

DIMENSIONAL TOLERANCES ±	M1	M2	S1	S2	P1	P2	C
0-6	0.05	0.10	0.15	0.20	0.05	0.10	0.5
6-30	0.10	0.20	0.15	0.25	0.10	0.15	1.0
30-80	0.15	0.25	0.20	0.30	0.20	0.40	2.0
80-180	0.15	0.30	0.25	0.45	0.40	0.80	3.0
180-315	0.20	0.50	0.40	0.60	0.60	1.20	3.0
315-800	0.30	0.80	0.70	1.10	0.80	1.50	4.0

Material:
Copper Plated Steel



Treatment:
Tin plating

A4
SIZE

DESCRIPTION:
IR-32-F1 433MHz

PART NO.:
8403000408C

REV.
M01

SCALE | 1.000 | UNITS | MM | USED ON

DWING NAME | 8403000408C | DWG NO. | | DATE | 2021/10/19

Frequency	400MHz	403MHz	406MHz	409MHz	412MHz	415MHz
Ant. Port Inp. Pow. (dBi)	0	0	0	0	0	0
Rad. Pow. (dBi)	-25	-24.05	-22.86	-22.15	-21.43	-20.46
Rad. Pow. 0-90 (dBi)	-29.29	-28.27	-27.01	-26.25	-25.45	-24.43
Rad. Pow. 90-180 (dBi)	-27.03	-26.11	-24.97	-24.29	-23.63	-22.68
Peak EIRP (dBi)	-19.72	-18.72	-17.65	-16.94	-16.3	-15.4
Directivity (dBi)	5.28	5.33	5.21	5.21	5.13	5.06
Efficiency (dB)	-25	-24.05	-22.86	-22.15	-21.43	-20.46
Efficiency (%)	0.32	0.39	0.52	0.61	0.72	0.9
Gain (dBi)	-19.72	-18.72	-17.65	-16.94	-16.3	-15.4
NHPRP +/-30 (dBi)	-29.15	-28.16	-26.92	-26.18	-25.41	-24.42
NHPRP +/-45 (dBi)	-27.36	-26.37	-25.15	-24.42	-23.67	-22.67
Maximum H+V Value (dBi)	-19.72	-18.72	-17.65	-16.94	-16.3	-15.4
Maximum H+V @ Theta (deg.)	135	135	135	135	135	135
Maximum H+V @ Phi (deg.)	270	270	270	285	285	285
Minimum H+V Value (dBi)	-31.65	-30.43	-29.24	-28.48	-27.65	-26.64
Minimum H+V @ Theta (deg.)	60	120	120	120	120	120
Minimum H+V @ Phi (deg.)	30	135	135	135	150	150
Horizontal ()						
Ant. Port Inp. Pow. (dBi)	0	0	0	0	0	0
H Rad. Pow. (dBi)	-26.16	-25.19	-23.98	-23.25	-22.52	-21.53
H Rad. Pow. 0-90 (dBi)	-30.19	-29.2	-27.93	-27.19	-26.41	-25.4
H Rad. Pow. 90-180 (dBi)	-28.35	-27.4	-26.21	-25.5	-24.81	-23.82
H Peak EIRP (dBi)	-20.27	-19.24	-18.16	-17.52	-16.88	-15.9
H Directivity (dBi)	5.89	5.95	5.82	5.73	5.64	5.63
H Efficiency (dB)	-26.16	-25.19	-23.98	-23.25	-22.52	-21.53
H Efficiency (%)	0.24	0.3	0.4	0.47	0.56	0.7
H Gain (dBi)	-20.27	-19.24	-18.16	-17.52	-16.88	-15.9
H NHPRP +/-30 (dBi)	-29.77	-28.79	-27.54	-26.8	-26.03	-25.03
H NHPRP +/-45 (dBi)	-28.23	-27.25	-26.01	-25.27	-24.51	-23.51
Maximum H Value (dBi)	-20.27	-19.24	-18.16	-17.52	-16.88	-15.9
Maximum H @ Theta (deg.)	135	135	135	135	135	135
Maximum H @ Phi (deg.)	270	270	270	285	285	270
Minimum H Value (dBi)	-46.61	-45.97	-44.73	-44.26	-43.6	-42.62
Minimum H @ Theta (deg.)	0	0	0	0	0	0
Minimum H @ Phi (deg.)	180	180	180	180	180	180
Vertical ()						
Ant. Port Inp. Pow. (dBi)	0	0	0	0	0	0
V Rad. Pow. (dBi)	-31.31	-30.38	-29.32	-28.66	-27.98	-27.04
V Rad. Pow. 0-90 (dBi)	-36.57	-35.45	-34.21	-33.37	-32.5	-31.39
V Rad. Pow. 90-180 (dBi)	-32.84	-32.01	-31.02	-30.45	-29.87	-29.04
V Peak EIRP (dBi)	-24.31	-23.72	-22.53	-21.81	-21.26	-20.55
V Directivity (dBi)	7	6.66	6.79	6.85	6.72	6.49
V Efficiency (dB)	-31.31	-30.38	-29.32	-28.66	-27.98	-27.04
V Efficiency (%)	0.07	0.09	0.12	0.14	0.16	0.2
V Gain (dBi)	-24.31	-23.72	-22.53	-21.81	-21.26	-20.55

V NHPRP +/-30 (dBi)	-37.92	-36.83	-35.69	-34.96	-34.2	-33.21
V NHPRP +/-45 (dBi)	-34.76	-33.74	-32.63	-31.92	-31.18	-30.21
Maximum V Value (dBi)	-24.31	-23.72	-22.53	-21.81	-21.26	-20.55
Maximum V @ Theta (deg.)	165	165	165	165	165	165
Maximum V @ Phi (deg.)	195	195	180	180	180	180
Minimum V Value (dBi)	-56.23	-53.42	-53.95	-54.49	-50.85	-49.09
Minimum V @ Theta (deg.)	60	60	15	15	15	60
Minimum V @ Phi (deg.)	255	255	255	255	255	75

418MHz	421MHz	424MHz	427MHz	430MHz	433MHz	436MHz	439MHz	442MHz
0	0	0	0	0	0	0	0	0
-18.97	-17.77	-16.13	-14.39	-12.99	-12.31	-12.66	-14.04	-15.79
-22.88	-21.62	-19.95	-18.16	-16.71	-15.98	-16.28	-17.62	-19.32
-21.24	-20.07	-18.45	-16.75	-15.39	-14.75	-15.13	-16.54	-18.33
-13.84	-12.75	-11.18	-9.58	-8.18	-7.53	-7.97	-9.42	-11.3
5.13	5.02	4.95	4.81	4.81	4.78	4.69	4.62	4.49
-18.97	-17.77	-16.13	-14.39	-12.99	-12.31	-12.66	-14.04	-15.79
1.27	1.67	2.44	3.64	5.02	5.87	5.42	3.94	2.64
-13.84	-12.75	-11.18	-9.58	-8.18	-7.53	-7.97	-9.42	-11.3
-22.89	-21.66	-20	-18.21	-16.78	-16.06	-16.37	-17.73	-19.46
-21.16	-19.94	-18.28	-16.52	-15.1	-14.39	-14.71	-16.08	-17.81
-13.84	-12.75	-11.18	-9.58	-8.18	-7.53	-7.97	-9.42	-11.3
135	135	135	135	135	135	135	135	135
285	285	285	285	285	285	285	285	285
-25.13	-23.84	-22.09	-20.29	-18.89	-18.09	-18.03	-19.45	-21.17
120	120	120	120	120	120	120	120	90
150	150	150	150	150	150	150	150	15
0	0	0	0	0	0	0	0	0
-20.02	-18.79	-17.13	-15.36	-13.93	-13.21	-13.53	-14.89	-16.62
-23.85	-22.58	-20.91	-19.11	-17.64	-16.88	-17.18	-18.51	-20.22
-22.34	-21.14	-19.49	-17.75	-16.34	-15.64	-15.99	-17.36	-19.12
-14.35	-13.27	-11.6	-9.99	-8.58	-7.93	-8.35	-9.78	-11.54
5.67	5.52	5.53	5.37	5.35	5.28	5.18	5.11	5.08
-20.02	-18.79	-17.13	-15.36	-13.93	-13.21	-13.53	-14.89	-16.62
1	1.32	1.94	2.91	4.05	4.78	4.44	3.24	2.18
-14.35	-13.27	-11.6	-9.99	-8.58	-7.93	-8.35	-9.78	-11.54
-23.49	-22.24	-20.57	-18.77	-17.32	-16.57	-16.86	-18.21	-19.93
-21.98	-20.74	-19.07	-17.28	-15.83	-15.08	-15.38	-16.73	-18.45
-14.35	-13.27	-11.6	-9.99	-8.58	-7.93	-8.35	-9.78	-11.54
135	135	135	135	135	135	135	135	135
285	285	270	270	270	285	270	270	270
-41.87	-40.55	-39.03	-37.36	-36.06	-35.64	-36.03	-37.46	-39.19
0	0	0	0	0	0	0	0	0
180	180	180	180	180	180	180	180	180
0	0	0	0	0	0	0	0	0
-25.66	-24.53	-22.99	-21.35	-20.08	-19.61	-20.05	-21.54	-23.34
-29.86	-28.65	-26.98	-25.24	-23.86	-23.26	-23.57	-24.93	-26.59
-27.74	-26.65	-25.19	-23.63	-22.44	-22.07	-22.6	-24.2	-26.13
-19.1	-17.97	-16.25	-14.67	-13.33	-12.67	-13.05	-14.4	-15.98
6.56	6.56	6.74	6.68	6.75	6.94	7	7.14	7.36
-25.66	-24.53	-22.99	-21.35	-20.08	-19.61	-20.05	-21.54	-23.34
0.27	0.35	0.5	0.73	0.98	1.09	0.99	0.7	0.46
-19.1	-17.97	-16.25	-14.67	-13.33	-12.67	-13.05	-14.4	-15.98

-31.78	-30.65	-29.07	-27.42	-26.14	-25.66	-26.1	-27.56	-29.36
-28.81	-27.68	-26.12	-24.46	-23.2	-22.73	-23.16	-24.63	-26.43
-19.1	-17.97	-16.25	-14.67	-13.33	-12.67	-13.05	-14.4	-15.98
165	165	165	165	165	0	0	165	0
180	180	180	180	180	0	0	180	0
-47.84	-47.2	-47.32	-47.55	-49.86	-53.27	-54.14	-51.07	-60.4
60	60	60	0	0	0	0	0	75
75	75	75	90	90	90	90	90	75

445MHz	448MHz	451MHz	454MHz	457MHz	460MHz	463MHz	466MHz	469MHz
0	0	0	0	0	0	0	0	0
-17.29	-18.32	-19.04	-20.22	-20.76	-21.3	-22.04	-22.96	-23.14
-20.77	-21.76	-22.45	-23.59	-24.1	-24.62	-25.36	-26.27	-26.45
-19.87	-20.94	-21.68	-22.9	-23.47	-24.01	-24.76	-25.7	-25.87
-12.93	-13.99	-14.77	-16.05	-16.56	-17.19	-17.85	-18.94	-19.14
4.36	4.33	4.27	4.17	4.2	4.11	4.19	4.02	4
-17.29	-18.32	-19.04	-20.22	-20.76	-21.3	-22.04	-22.96	-23.14
1.87	1.47	1.25	0.95	0.84	0.74	0.63	0.51	0.49
-12.93	-13.99	-14.77	-16.05	-16.56	-17.19	-17.85	-18.94	-19.14
-20.94	-21.95	-22.68	-23.84	-24.38	-24.89	-25.66	-26.57	-26.77
-19.29	-20.3	-21.02	-22.18	-22.72	-23.24	-23.99	-24.91	-25.09
-12.93	-13.99	-14.77	-16.05	-16.56	-17.19	-17.85	-18.94	-19.14
135	120	135	135	120	135	120	120	120
285	285	285	270	270	270	270	270	270
-22.85	-23.67	-24.49	-25.65	-26.26	-26.86	-27.74	-28.81	-29.16
90	90	75	90	90	75	75	75	75
15	15	15	15	15	15	30	30	30
0	0	0	0	0	0	0	0	0
-18.11	-19.15	-19.88	-21.07	-21.62	-22.15	-22.93	-23.87	-24.08
-21.68	-22.7	-23.42	-24.59	-25.12	-25.64	-26.44	-27.37	-27.61
-20.61	-21.68	-22.42	-23.64	-24.2	-24.73	-25.5	-26.44	-26.63
-13.15	-14.2	-14.98	-16.21	-16.71	-17.33	-18.05	-19.14	-19.33
4.96	4.95	4.9	4.86	4.91	4.82	4.88	4.73	4.75
-18.11	-19.15	-19.88	-21.07	-21.62	-22.15	-22.93	-23.87	-24.08
1.55	1.22	1.03	0.78	0.69	0.61	0.51	0.41	0.39
-13.15	-14.2	-14.98	-16.21	-16.71	-17.33	-18.05	-19.14	-19.33
-21.4	-22.42	-23.16	-24.33	-24.89	-25.4	-26.2	-27.14	-27.36
-19.92	-20.94	-21.67	-22.86	-23.41	-23.93	-24.71	-25.65	-25.87
-13.15	-14.2	-14.98	-16.21	-16.71	-17.33	-18.05	-19.14	-19.33
135	135	135	135	135	135	120	135	120
270	270	270	270	270	270	270	270	270
-41.27	-42.48	-43.54	-45.06	-46.1	-47.1	-48.52	-49.61	-49.67
0	0	0	0	0	0	0	0	0
180	180	180	180	180	180	180	180	180
0	0	0	0	0	0	0	0	0
-24.93	-25.93	-26.6	-27.73	-28.22	-28.77	-29.35	-30.18	-30.26
-28.01	-28.89	-29.46	-30.49	-30.9	-31.41	-31.95	-32.74	-32.77
-27.87	-28.99	-29.76	-30.99	-31.59	-32.19	-32.81	-33.71	-33.85
-17.42	-18.5	-19.07	-20.15	-20.54	-21.04	-21.79	-22.5	-22.69
7.51	7.43	7.53	7.58	7.68	7.73	7.56	7.68	7.57
-24.93	-25.93	-26.6	-27.73	-28.22	-28.77	-29.35	-30.18	-30.26
0.32	0.26	0.22	0.17	0.15	0.13	0.12	0.1	0.09
-17.42	-18.5	-19.07	-20.15	-20.54	-21.04	-21.79	-22.5	-22.69

-30.93	-31.84	-32.44	-33.5	-33.93	-34.41	-34.92	-35.68	-35.7
-27.97	-28.91	-29.53	-30.6	-31.06	-31.58	-32.1	-32.91	-32.94
-17.42	-18.5	-19.07	-20.15	-20.54	-21.04	-21.79	-22.5	-22.69
0	0	0	0	0	0	0	0	0
0	0	15	15	0	15	15	0	15
-63.48	-64.16	-58.78	-67.5	-63.48	-57.7	-55.48	-55.39	-55.38
60	120	60	60	60	60	75	60	60
75	135	75	75	75	75	75	75	75

472MHz	475MHz	478MHz	481MHz	484MHz	487MHz	490MHz	493MHz	496MHz
0	0	0	0	0	0	0	0	0
-23.29	-23.79	-24.55	-24.79	-25.26	-25.44	-25.5	-25.85	-26.35
-26.59	-27.1	-27.87	-28.11	-28.62	-28.85	-28.94	-29.33	-29.88
-26.03	-26.53	-27.27	-27.51	-27.94	-28.09	-28.12	-28.44	-28.89
-19.27	-19.75	-20.59	-20.93	-21.36	-21.3	-21.42	-21.75	-22.04
4.02	4.04	3.96	3.86	3.9	4.14	4.08	4.1	4.31
-23.29	-23.79	-24.55	-24.79	-25.26	-25.44	-25.5	-25.85	-26.35
0.47	0.42	0.35	0.33	0.3	0.29	0.28	0.26	0.23
-19.27	-19.75	-20.59	-20.93	-21.36	-21.3	-21.42	-21.75	-22.04
-26.92	-27.44	-28.23	-28.49	-29	-29.22	-29.3	-29.68	-30.22
-25.25	-25.75	-26.52	-26.77	-27.26	-27.47	-27.54	-27.91	-28.44
-19.27	-19.75	-20.59	-20.93	-21.36	-21.3	-21.42	-21.75	-22.04
120	120	120	120	120	120	120	120	120
300	270	285	270	285	285	300	285	300
-29.6	-30.4	-31.53	-32.01	-32.77	-33.18	-33.56	-34.17	-34.72
75	75	75	75	75	75	75	75	75
30	30	30	30	30	30	30	30	30
0	0	0	0	0	0	0	0	0
-24.25	-24.79	-25.61	-25.9	-26.42	-26.62	-26.73	-27.12	-27.62
-27.78	-28.33	-29.19	-29.49	-30.06	-30.3	-30.45	-30.87	-31.42
-26.8	-27.33	-28.12	-28.4	-28.87	-29.05	-29.14	-29.5	-29.97
-19.59	-19.93	-20.85	-21.13	-21.47	-21.7	-21.9	-22.09	-22.46
4.66	4.86	4.76	4.77	4.95	4.92	4.83	5.03	5.16
-24.25	-24.79	-25.61	-25.9	-26.42	-26.62	-26.73	-27.12	-27.62
0.38	0.33	0.27	0.26	0.23	0.22	0.21	0.19	0.17
-19.59	-19.93	-20.85	-21.13	-21.47	-21.7	-21.9	-22.09	-22.46
-27.53	-28.08	-28.93	-29.24	-29.79	-30.04	-30.16	-30.58	-31.14
-26.05	-26.59	-27.42	-27.72	-28.27	-28.5	-28.62	-29.03	-29.57
-19.59	-19.93	-20.85	-21.13	-21.47	-21.7	-21.9	-22.09	-22.46
135	120	105	120	120	120	135	105	135
270	270	270	270	255	285	270	270	285
-50.1	-51.75	-53.51	-54.44	-55.48	-55.38	-58.13	-63.55	-58.98
0	0	0	0	0	0	0	0	0
180	180	180	180	180	0	0	0	180
0	0	0	0	0	0	0	0	0
-30.3	-30.68	-31.2	-31.25	-31.56	-31.69	-31.58	-31.83	-32.29
-32.79	-33.16	-33.69	-33.76	-34.11	-34.3	-34.27	-34.59	-35.12
-33.91	-34.28	-34.8	-34.84	-35.08	-35.15	-34.95	-35.1	-35.49
-22.6	-23.13	-23.85	-24.1	-24.62	-24.97	-25.14	-25.58	-26.15
7.7	7.55	7.35	7.15	6.94	6.72	6.44	6.25	6.14
-30.3	-30.68	-31.2	-31.25	-31.56	-31.69	-31.58	-31.83	-32.29
0.09	0.09	0.08	0.07	0.07	0.07	0.07	0.07	0.06
-22.6	-23.13	-23.85	-24.1	-24.62	-24.97	-25.14	-25.58	-26.15

-35.75	-36.1	-36.55	-36.52	-36.78	-36.87	-36.72	-36.93	-37.4
-32.98	-33.32	-33.8	-33.81	-34.1	-34.23	-34.12	-34.36	-34.85
-22.6	-23.13	-23.85	-24.1	-24.62	-24.97	-25.14	-25.58	-26.15
0	0	0	0	0	15	0	0	165
15	15	15	0	0	0	0	0	180
-53.82	-55.93	-54.36	-54.45	-55.12	-56.68	-57.68	-59.75	-60.9
60	60	120	60	105	105	105	105	105
75	75	120	75	150	135	150	150	150

499MHz	502MHz
0	0
-26.31	-27.15
-29.89	-30.76
-28.82	-29.64
-21.82	-22.87
4.49	4.28
-26.31	-27.15
0.23	0.19
-21.82	-22.87
-30.21	-31.07
-28.42	-29.29
-21.82	-22.87
135	120
285	285
-34.84	-36.02
75	75
30	30
0	0
-27.58	-28.43
-31.42	-32.29
-29.9	-30.74
-22.1	-23.2
5.48	5.23
-27.58	-28.43
0.17	0.14
-22.1	-23.2
-31.12	-32
-29.54	-30.41
-22.1	-23.2
135	135
285	270
-58.38	-59.81
0	15
180	0
0	0
-32.28	-33.08
-35.17	-36.04
-35.41	-36.14
-26.05	-26.85
6.23	6.23
-32.28	-33.08
0.06	0.05
-26.05	-26.85

-37.4	-38.24
-34.86	-35.69
-26.05	-26.85
165	165
180	180
-60.52	-59.98
105	105
<u>150</u>	<u>150</u>