



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 04:46:17

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3765.531	-44.30	peak	9.60	-34.70	-13.00	150	245	-21.70	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 04:10:14

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5643.287	-61.39	peak	10.69	-50.70	-13.00	150	220	-37.70	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 04:46:57

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5643.287	-51.91	peak	10.94	-40.97	-13.00	150	220	-27.97	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 04:11:00

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 04:47:48

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 04:11:12

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 04:48:01

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 04:11:24

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 04:48:13

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2021/3/15

Temperature:24 °C

0.0 dBm

Time: 下午 01:35:12

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	72.5852	-97.49	peak	21.54	-75.95	-13.00	150	300	-62.95	
*	91.6633	-96.43	peak	20.98	-75.45	-13.00	150	160	-62.45	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2021/3/15

Temperature:24 °C

0.0 dBm

Time: 下午 01:59:06

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	91.3226	-103.16	peak	21.72	-81.44	-13.00	150	305	-68.44	
*	173.7675	-101.38	peak	22.35	-79.03	-13.00	150	75	-66.03	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1

Date: 2021/3/12

Temperature:24 °C

0.0 dBm

Time: 下午 05:46:22

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	762.7255	-67.23	peak	-4.54	-71.77	-13.00	150	195	-58.77	
*	953.5070	-61.79	peak	-3.01	-64.80	-13.00	150	330	-51.80	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2021/3/12

Temperature:24 °C

0.0 dBm

Time: 下午 05:52:03

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	762.7255	-66.57	peak	-3.41	-69.98	-13.00	150	130	-56.98	
*	953.5070	-59.13	peak	-2.91	-62.04	-13.00	150	220	-49.04	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 04:51:28

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3464.930	-43.67	peak	9.28	-34.39	-13.00	150	245	-21.39	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 04:55:33

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3464.930	-43.49	peak	9.66	-33.83	-13.00	150	220	-20.83	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 04:52:07

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	6933.868	-62.24	peak	11.71	-50.53	-13.00	150	245	-37.53	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 04:56:11

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	6933.868	-64.41	peak	11.51	-52.90	-13.00	150	95	-39.90	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 04:52:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 04:56:54

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 04:53:03

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

Polarization: *Horizontal*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 04:57:07

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 04:53:15

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 04:57:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2021/3/15

Temperature:24 °C

0.0 dBm

Time: 下午 01:36:36

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	66.4528	-99.63	peak	21.60	-78.03	-13.00	150	345	-65.03	
*	97.7956	-99.00	peak	21.44	-77.56	-13.00	150	95	-64.56	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2

Date: 2021/3/15

Temperature:24 °C

0.0 dBm

Time: 下午 02:00:16

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	85.1904	-102.08	peak	21.49	-80.59	-13.00	150	330	-67.59	
*	91.3226	-101.74	peak	21.72	-80.02	-13.00	150	45	-67.02	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2021/3/12

Temperature:24 °C

0.0 dBm

Time: 下午 05:47:29

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	762.7255	-66.12	peak	-4.54	-70.66	-13.00	150	110	-57.66	
*	953.5070	-61.15	peak	-3.01	-64.16	-13.00	150	245	-51.16	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2021/3/12

Temperature:24 °C

0.0 dBm

Time: 下午 05:53:07

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	889.3788	-62.42	peak	-2.56	-64.98	-13.00	150	185	-51.98	
*	953.5070	-59.92	peak	-2.91	-62.83	-13.00	150	245	-49.83	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:00:06

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3464.930	-43.99	peak	9.28	-34.71	-13.00	150	115	-21.71	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:49:40

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3464.930	-49.64	peak	9.66	-39.98	-13.00	150	220	-26.98	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:00:44

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5226.453	-63.88	peak	7.89	-55.99	-13.00	150	85	-42.99	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:50:23

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5226.453	-62.29	peak	8.59	-53.70	-13.00	150	40	-40.70	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:01:41

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

Polarization: *Horizontal*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:51:07

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:01:53

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:51:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:02:05

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

Polarization: *Horizontal*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:51:31

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2021/3/15

Temperature:24 °C

0.0 dBm

Time: 下午 01:38:00

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	76.6733	-99.02	peak	21.59	-77.43	-13.00	150	195	-64.43	
*	97.7956	-97.88	peak	21.44	-76.44	-13.00	150	300	-63.44	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2021/3/15

Temperature:24 °C

0.0 dBm

Time: 下午 02:01:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	45.3307	-96.47	peak	21.06	-75.41	-13.00	150	245	-62.41	
*	93.0261	-97.08	peak	21.72	-75.36	-13.00	150	100	-62.36	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2021/3/12

Temperature:24 °C

0.0 dBm

Time: 下午 05:03:14

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	778.7575	-69.71	peak	-4.38	-74.09	-13.00	150	195	-61.09	
*	956.7134	-69.09	peak	-3.01	-72.10	-13.00	150	305	-59.10	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2021/3/12

Temperature:24 °C

0.0 dBm

Time: 下午 05:08:01

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	791.5832	-60.96	peak	-2.87	-63.83	-13.00	150	245	-50.83	
	959.9198	-62.55	peak	-2.88	-65.43	-13.00	150	160	-52.43	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 07:54:06

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1757.515	-41.01	peak	1.65	-39.36	-13.00	150	305	-26.36	
	2454.910	-53.79	peak	5.71	-48.08	-13.00	150	160	-35.08	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 07:57:36

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1895.792	-52.67	peak	3.93	-48.74	-13.00	150	245	-35.74	
*	2533.066	-41.46	peak	7.56	-33.90	-13.00	150	110	-20.90	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 07:54:46

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 07:58:16

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 07:55:31

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 07:59:00

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2021/3/15

Temperature:24 °C

0.0 dBm

Time: 下午 01:39:07

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	74.6293	-100.66	peak	21.56	-79.10	-13.00	150	110	-66.10	
*	97.7956	-96.69	peak	21.44	-75.25	-13.00	150	245	-62.25	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2021/3/15

Temperature:24 °C

0.0 dBm

Time: 下午 02:02:34

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	46.6934	-98.56	peak	21.13	-77.43	-13.00	150	130	-64.43	
*	84.8496	-95.49	peak	21.48	-74.01	-13.00	150	75	-61.01	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2021/3/12

Temperature:24 °C

0.0 dBm

Time: 下午 05:04:47

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	778.7575	-68.83	peak	-4.38	-73.21	-13.00	150	245	-60.21	
*	959.9198	-69.07	peak	-3.02	-72.09	-13.00	150	185	-59.09	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2021/3/12

Temperature:24 °C

0.0 dBm

Time: 下午 05:06:39

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	791.5832	-59.88	peak	-2.87	-62.75	-13.00	150	245	-49.75	
	958.3166	-63.64	peak	-2.89	-66.53	-13.00	150	110	-53.53	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 08:01:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1889.780	-51.87	peak	2.53	-49.34	-13.00	150	160	-36.34	
*	2527.054	-50.63	peak	6.02	-44.61	-13.00	150	300	-31.61	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 08:05:07

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1889.780	-53.57	peak	3.90	-49.67	-13.00	150	330	-36.67	
*	2521.042	-46.83	peak	7.57	-39.26	-13.00	150	145	-26.26	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 08:02:16

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 08:05:48

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 08:03:02

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 08:06:32

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2021/3/15

Temperature:24 °C

0.0 dBm

Time: 下午 01:40:37

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	91.3226	-95.87	peak	20.96	-74.91	-13.00	150	245	-61.91	
	97.7956	-97.61	peak	21.44	-76.17	-13.00	150	185	-63.17	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2021/3/15

Temperature:24 °C

0.0 dBm

Time: 下午 02:03:43

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	45.6713	-97.21	peak	21.08	-76.13	-13.00	150	355	-63.13	
	83.8277	-98.52	peak	21.43	-77.09	-13.00	150	300	-64.09	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2021/3/12

Temperature:24 °C

0.0 dBm

Time: 下午 05:10:16

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	778.7575	-67.33	peak	-4.38	-71.71	-13.00	150	220	-58.71	
*	959.9198	-66.51	peak	-3.02	-69.53	-13.00	150	195	-56.53	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2021/3/12

Temperature:24 °C

0.0 dBm

Time: 下午 05:14:56

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	894.1884	-62.38	peak	-2.66	-65.04	-13.00	150	85	-52.04	
	959.9198	-64.33	peak	-2.88	-67.21	-13.00	150	330	-54.21	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 08:09:55

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1414.830	-34.08	peak	-0.04	-34.12	-13.00	150	330	-21.12	
	1757.515	-39.36	peak	1.65	-37.71	-13.00	150	195	-24.71	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 08:31:07

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1414.830	-31.09	peak	1.65	-29.44	-13.00	150	245	-16.44	
	2124.249	-38.76	peak	5.24	-33.52	-13.00	150	185	-20.52	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 08:10:33

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 08:31:46

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 08:11:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2021/3/11

Temperature:24 °C

0.0 dBm

Time: 下午 08:32:33

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2021/3/15

Temperature:24 °C

0.0 dBm

Time: 下午 01:41:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-96.60	peak	21.44	-75.16	-13.00	150	220	-62.16	
	173.7675	-101.21	peak	21.47	-79.74	-13.00	150	110	-66.74	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2021/3/15

Temperature:24 °C

0.0 dBm

Time: 下午 02:04:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	85.1904	-96.57	peak	21.49	-75.08	-13.00	150	300	-62.08	
*	93.3667	-94.82	peak	21.72	-73.10	-13.00	150	75	-60.10	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2021/3/12

Temperature:24 °C

0.0 dBm

Time: 下午 05:11:41

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	777.1543	-67.99	peak	-4.39	-72.38	-13.00	150	305	-59.38	
	956.7134	-70.22	peak	-3.01	-73.23	-13.00	150	95	-60.23	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2021/3/12

Temperature:24 °C

0.0 dBm

Time: 下午 05:13:34

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	894.1884	-64.44	peak	-2.66	-67.10	-13.00	150	245	-54.10	
	959.9198	-64.85	peak	-2.88	-67.73	-13.00	150	185	-54.73	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2021/3/12

Temperature:24 °C

0.0 dBm

Time: 下午 01:30:56

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1414.830	-31.53	peak	-0.04	-31.57	-13.00	150	330	-18.57	
	2460.922	-46.38	peak	5.74	-40.64	-13.00	150	160	-27.64	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2021/3/12

Temperature:24 °C

0.0 dBm

Time: 下午 01:33:46

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1414.830	-31.18	peak	1.65	-29.53	-13.00	150	245	-16.53	
	2124.249	-41.76	peak	5.24	-36.52	-13.00	150	160	-23.52	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2021/3/12

Temperature:24 °C

0.0 dBm

Time: 下午 01:31:39

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2021/3/12

Temperature:24 °C

0.0 dBm

Time: 下午 01:34:44

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

Polarization: *Vertical*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2021/3/12

Temperature:24 °C

0.0 dBm

Time: 下午 01:32:24

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2021/3/12

Temperature:24 °C

0.0 dBm

Time: 下午 01:35:28

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2021/3/15

Temperature:24 °C

0.0 dBm

Time: 下午 01:43:14

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	78.7174	-97.82	peak	21.62	-76.20	-13.00	150	85	-63.20	
*	97.7956	-97.34	peak	21.44	-75.90	-13.00	150	330	-62.90	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2021/3/15

Temperature:24 °C

0.0 dBm

Time: 下午 02:06:04

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: **Vertical**

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	46.6934	-98.03	peak	21.13	-76.90	-13.00	150	180	-63.90	
*	90.6413	-96.14	peak	21.73	-74.41	-13.00	150	245	-61.41	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2021/3/12

Temperature:24 °C

0.0 dBm

Time: 下午 05:17:23

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: **Horizontal**

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	886.1723	-71.55	peak	-1.69	-73.24	-13.00	150	110	-60.24	
	958.3166	-70.25	peak	-3.01	-73.26	-13.00	150	245	-60.26	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2021/3/12

Temperature:24 °C

0.0 dBm

Time: 下午 05:22:14

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: **Vertical**

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	815.6312	-59.00	peak	-2.39	-61.39	-13.00	150	245	-48.39	
	895.7916	-62.93	peak	-2.70	-65.63	-13.00	150	95	-52.63	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2021/3/12

Temperature:24 °C

0.0 dBm

Time: 下午 01:39:04

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1565.130	-38.28	peak	0.38	-37.90	-13.00	150	305	-24.90	
	1889.780	-44.10	peak	2.53	-41.57	-13.00	150	160	-28.57	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2021/3/12

Temperature:24 °C

0.0 dBm

Time: 下午 01:42:36

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: **Vertical**

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1565.130	-34.40	peak	2.24	-32.16	-13.00	150	85	-19.16	
	2346.693	-40.95	peak	6.62	-34.33	-13.00	150	220	-21.33	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2021/3/12

Temperature:24 °C

0.0 dBm

Time: 下午 01:39:42

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2021/3/12

Temperature:24 °C

0.0 dBm

Time: 下午 01:43:14

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2021/3/12

Temperature:24 °C

0.0 dBm

Time: 下午 01:40:25

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2021/3/12

Temperature:24 °C

0.0 dBm

Time: 下午 01:43:57

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1

Date: 2021/3/15

Temperature:24 °C

0.0 dBm

Time: 下午 01:44:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-97.31	peak	21.44	-75.87	-13.00	150	75	-62.87	
	102.5651	-100.62	peak	21.42	-79.20	-13.00	150	330	-66.20	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2021/3/15

Temperature:24 °C

0.0 dBm

Time: 下午 02:07:15

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: **Vertical**

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	47.3746	-96.88	peak	21.17	-75.71	-13.00	150	130	-62.71	
*	85.8717	-90.91	peak	21.53	-69.38	-13.00	150	200	-56.38	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2021/3/12

Temperature:24 °C

0.0 dBm

Time: 下午 05:18:25

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	693.7876	-74.17	peak	-2.58	-76.75	-13.00	150	330	-63.75	
*	959.9198	-69.12	peak	-3.02	-72.14	-13.00	150	145	-59.14	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2021/3/12

Temperature:24 °C

0.0 dBm

Time: 下午 05:20:47

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: **Vertical**

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	814.0281	-57.73	peak	-2.43	-60.16	-13.00	150	195	-47.16	
	887.7756	-62.62	peak	-2.52	-65.14	-13.00	150	220	-52.14	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2021/3/12

Temperature:24 °C

0.0 dBm

Time: 下午 01:46:31

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1565.130	-38.67	peak	0.38	-38.29	-13.00	150	245	-25.29	
*	1949.900	-32.00	peak	2.93	-29.07	-13.00	150	195	-16.07	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2021/3/12

Temperature:24 °C

0.0 dBm

Time: 下午 01:49:58

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: **Vertical**

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1565.130	-34.71	peak	2.24	-32.47	-13.00	150	75	-19.47	
	2346.693	-41.27	peak	6.62	-34.65	-13.00	150	220	-21.65	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2021/3/12

Temperature:24 °C

0.0 dBm

Time: 下午 01:47:09

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2021/3/12

Temperature:24 °C

0.0 dBm

Time: 下午 01:50:36

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2021/3/12

Temperature:24 °C

0.0 dBm

Time: 下午 01:47:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2021/3/12

Temperature:24 °C

0.0 dBm

Time: 下午 01:51:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6M22103-20710

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Vincent

File :1

Data :#1


Date: 3/16/2021

Temperature:24.4 °C

80.0 dBuV/m

Time: 3:52:10 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	129.1382	28.22	peak	-6.86	21.36	43.50	100	213	-22.14	
	271.0421	28.26	peak	-6.53	21.73	46.00	110	299	-24.27	
	512.0842	28.11	peak	-2.50	25.61	46.00	100	62	-20.39	
*	766.7335	28.64	peak	1.07	29.71	46.00	105	147	-16.29	



Radiated Emission Measurement

Operator: Vincent

File :1

Data :#2


Date: 3/16/2021

Temperature:24.4 °C

80.0 dBuV/m

Time: 3:53:10 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	140.8015	27.57	peak	-6.68	20.89	43.50	100	222	-22.61	
	411.0020	29.29	peak	-3.58	25.71	46.00	110	136	-20.29	
	580.1201	28.49	peak	-2.11	26.38	46.00	100	90	-19.62	
*	786.1722	27.91	peak	1.41	29.32	46.00	100	247	-16.68	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#1


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 7:21:20 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA Band 2 Idle

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3805.611	40.93	peak	-3.00	37.93	74.00	150	72	-36.07	
*	5559.118	40.28	peak	-0.11	40.17	74.00	150	55	-33.83	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#5


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 7:24:16 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3496.994	40.71	peak	-3.24	37.47	74.00	150	244	-36.53	
*	5699.399	39.62	peak	0.43	40.05	74.00	150	31	-33.95	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#2


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 7:22:46 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#6


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 7:25:38 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#3


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 7:23:00 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#7


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 7:25:52 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#4


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 7:23:10 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#8


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 7:26:02 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Vincent

File :1

Data :#1


Date: 3/16/2021

Temperature:24.4 °C

80.0 dBuV/m

Time: 3:54:46 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	140.8015	28.21	peak	-6.68	21.53	43.50	112	216	-21.97	
	350.7414	27.06	peak	-5.04	22.02	46.00	100	330	-23.98	
	566.5130	28.51	peak	-2.04	26.47	46.00	100	90	-19.53	
*	770.6211	27.96	peak	1.14	29.10	46.00	100	127	-16.90	



Radiated Emission Measurement

Operator: Vincent

File :1

Data :#2


Date: 3/16/2021

Temperature:24.4 °C

80.0 dBuV/m

Time: 3:55:47 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Vertical*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	134.9698	27.29	peak	-6.73	20.56	43.50	100	326	-22.94	
	276.8735	27.48	peak	-6.28	21.20	46.00	100	140	-24.80	
	484.8697	28.84	peak	-2.96	25.88	46.00	100	195	-20.12	
*	852.2644	27.84	peak	2.87	30.71	46.00	100	277	-15.29	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#1


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 7:32:17 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3398.798	41.00	peak	-3.70	37.30	74.00	150	70	-36.70	
*	5699.399	39.29	peak	0.43	39.72	74.00	150	255	-34.28	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#5


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 7:35:03 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA Band 4 Idle

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1757.515	46.51	peak	-7.61	38.90	74.00	160	314	-35.10	
*	4030.060	41.22	peak	-1.80	39.42	74.00	150	19	-34.58	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#2


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 7:33:34 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#6


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 7:36:06 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#3


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 7:33:48 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#7


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 7:36:20 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#4


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 7:33:58 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#8


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 7:36:29 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#1


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 7:41:49 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3398.798	41.18	peak	-3.70	37.48	74.00	150	39	-36.52	
*	5559.118	39.85	peak	-0.11	39.74	74.00	150	66	-34.26	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#2


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 7:43:40 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sky

File :3

Data :#3


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 7:45:16 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20710

M/N:

Test Mode : WCDMA Band 5 Idle

Note :

Polarization: **Vertical**

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1771.543	42.68	peak	-7.16	35.52	74.00	150	217	-38.48	
*	4030.060	40.95	peak	-1.80	39.15	74.00	150	100	-34.85	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#4


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 7:46:25 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Vincent

File :1

Data :#1


Date: 3/16/2021

Temperature:24.4 °C

80.0 dBuV/m

Time: 3:29:28 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	138.8576	28.18	peak	-6.65	21.53	43.50	110	225	-21.97	
	405.1702	27.51	peak	-3.62	23.89	46.00	100	136	-22.11	
	632.6051	28.63	peak	-0.90	27.73	46.00	100	90	-18.27	
*	850.3206	28.06	peak	2.84	30.90	46.00	100	247	-15.10	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Vincent

File :1

Data :#2


Date: 3/16/2021

Temperature:24.4 °C

80.0 dBuV/m

Time: 3:30:28 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: **Vertical**

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	129.1382	27.32	peak	-6.86	20.46	43.50	100	65	-23.04	
	362.4048	27.03	peak	-4.69	22.34	46.00	100	114	-23.66	
	582.0641	28.41	peak	-2.11	26.30	46.00	100	270	-19.70	
*	731.7435	28.04	peak	0.46	28.50	46.00	100	316	-17.50	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#1


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 5:48:55 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20710

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3412.826	40.51	peak	-3.64	36.87	74.00	150	180	-37.13	
*	6078.156	39.97	peak	1.48	41.45	74.00	150	39	-32.55	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#5


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 5:51:35 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3637.274	40.79	peak	-2.81	37.98	74.00	150	4	-36.02	
*	5699.399	40.17	peak	0.43	40.60	74.00	150	110	-33.40	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#2


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 5:50:05 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#6


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 5:52:40 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#3


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 5:50:19 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#7


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 5:52:54 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#4


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 5:50:29 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#8


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 5:53:04 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : LTE Band 2 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Vincent

File :1

Data :#1


Date: 3/16/2021

Temperature:24.4 °C

80.0 dBuV/m

Time: 3:38:00 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	129.1382	28.04	peak	-6.86	21.18	43.50	108	125	-22.32	
	352.6854	26.56	peak	-4.98	21.58	46.00	100	32	-24.42	
	535.4107	27.95	peak	-2.09	25.86	46.00	100	169	-20.14	
*	782.2844	27.75	peak	1.34	29.09	46.00	100	247	-16.91	



Radiated Emission Measurement

Operator: Vincent

File :1

Data :#2


Date: 3/16/2021

Temperature:24.4 °C

80.0 dBuV/m

Time: 3:39:01 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Vertical*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	131.0822	27.40	peak	-6.80	20.60	43.50	100	235	-22.90	
	405.1702	27.73	peak	-3.62	24.11	46.00	100	164	-21.89	
	657.8758	27.68	peak	-0.24	27.44	46.00	100	288	-18.56	
*	805.6112	28.07	peak	1.78	29.85	46.00	110	174	-16.15	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#1


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 6:39:43 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3623.247	40.36	peak	-2.76	37.60	74.00	150	225	-36.40	
*	5993.988	39.13	peak	1.07	40.20	74.00	150	41	-33.80	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#5


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 6:42:27 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3805.611	40.63	peak	-3.00	37.63	74.00	150	40	-36.37	
*	6765.531	38.53	peak	2.65	41.18	74.00	150	225	-32.82	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#2


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 6:40:55 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#6


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 6:43:40 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#3


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 6:41:09 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#7


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 6:43:54 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#4


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 6:41:19 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#8


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 6:44:04 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : LTE Band 4 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Vincent

File :1

Data :#1


Date: 3/16/2021

Temperature:24.4 °C

80.0 dBuV/m

Time: 3:41:18 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	125.2505	28.17	peak	-7.05	21.12	43.50	100	132	-22.38	
	432.3847	29.14	peak	-3.36	25.78	46.00	110	66	-20.22	
	661.7635	28.22	peak	-0.22	28.00	46.00	100	295	-18.00	
*	858.0961	28.19	peak	2.96	31.15	46.00	100	142	-14.85	



Radiated Emission Measurement

Operator: Vincent

File :1

Data :#2


Date: 3/16/2021

Temperature:24.4 °C

80.0 dBuV/m

Time: 3:42:18 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: **Vertical**

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	125.2505	27.51	peak	-7.05	20.46	43.50	100	195	-23.04	
	391.5631	27.56	peak	-3.88	23.68	46.00	100	142	-22.32	
	657.8758	29.54	peak	-0.24	29.30	46.00	112	326	-16.70	
*	828.9380	27.61	peak	2.34	29.95	46.00	100	185	-16.05	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#1


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 6:50:41 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: **Horizontal**

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1771.543	45.36	peak	-7.16	38.20	74.00	150	82	-35.80	
*	6106.212	40.35	peak	1.58	41.93	74.00	150	147	-32.07	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#3


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 6:53:36 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20710

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: **Vertical**

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3104.208	39.73	peak	-3.69	36.04	74.00	150	5	-37.96	
*	6527.054	38.68	peak	2.32	41.00	74.00	150	119	-33.00	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#2


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 6:52:05 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#4


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 6:54:48 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : LTE Band 5 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Vincent

File :1

Data :#1


Date: 3/16/2021

Temperature:24.4 °C

80.0 dBuV/m

Time: 3:43:55 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : LTE Band 12 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	127.1944	28.40	peak	-6.96	21.44	43.50	110	132	-22.06	
	411.0020	27.77	peak	-3.58	24.19	46.00	100	60	-21.81	
	739.5190	27.92	peak	0.59	28.51	46.00	100	185	-17.49	
*	955.2906	27.31	peak	4.58	31.89	46.00	100	192	-14.11	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Vincent

File :1

Data :#2


Date: 3/16/2021

Temperature:24.4 °C

80.0 dBuV/m

Time: 3:44:55 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Vertical*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : LTE Band 12 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	121.3627	28.14	peak	-7.24	20.90	43.50	105	259	-22.60	
	412.9458	28.12	peak	-3.57	24.55	46.00	100	321	-21.45	
	615.1100	28.23	peak	-1.54	26.69	46.00	100	274	-19.31	
*	844.4890	27.54	peak	2.71	30.25	46.00	100	185	-15.75	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Sky

File :3

Data :#1


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 7:00:41 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20710

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3581.162	40.17	peak	-2.79	37.38	74.00	150	289	-36.62	
*	6106.212	39.51	peak	1.58	41.09	74.00	150	61	-32.91	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sky

File :3

Data :#2


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 7:03:36 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: **Vertical**

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : LTE Band 12 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1771.543	42.82	peak	-7.16	35.66	74.00	150	200	-38.34	
*	4044.088	41.30	peak	-1.93	39.37	74.00	150	13	-34.63	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Vincent

File :1

Data :#1


Date: 3/16/2021

Temperature:24.4 °C

80.0 dBuV/m

Time: 3:48:47 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Horizontal*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : LTE Band 13 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	133.0261	29.18	peak	-6.76	22.42	43.50	110	125	-21.08	
	381.8437	27.34	peak	-4.14	23.20	46.00	100	58	-22.80	
	554.8496	28.14	peak	-1.96	26.18	46.00	100	139	-19.82	
*	848.3768	28.42	peak	2.80	31.22	46.00	105	277	-14.78	



Radiated Emission Measurement

Operator: Vincent

File :1

Data :#2


Date: 3/16/2021

Temperature:24.4 °C

80.0 dBuV/m

Time: 3:49:48 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

Polarization: *Vertical*

EUT : W6M22103-20710

Power : 3.8 Vd.c.

M/N:

Distance: 3m

Test Mode : LTE Band 13 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	144.6894	28.43	peak	-6.93	21.50	43.50	110	230	-22.00	
	372.1240	28.09	peak	-4.41	23.68	46.00	100	129	-22.32	
	653.9880	28.82	peak	-0.25	28.57	46.00	100	65	-17.43	
*	856.1522	28.38	peak	2.93	31.31	46.00	107	247	-14.69	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#1


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 7:11:16 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20710

M/N:

Test Mode : LTE Band 13 Idle

Note :

Polarization: *Horizontal*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3805.611	40.96	peak	-3.00	37.96	74.00	150	255	-36.04	
*	6092.184	39.51	peak	1.54	41.05	74.00	150	42	-32.95	



Radiated Emission Measurement

Operator: Sky

File :3

Data :#2


Date: 3/16/2021

Temperature:24.4 °C

90.0 dBuV/m

Time: 7:14:04 PM

Humidity:60.6 %



Site : Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22103-20710

M/N:

Test Mode : LTE Band 13 Idle

Note :

Polarization: *Vertical*

Power : 3.8 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3482.966	41.61	peak	-3.31	38.30	74.00	150	93	-35.70	
*	6428.858	39.83	peak	2.08	41.91	74.00	150	255	-32.09	