




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247


FCC ID: GX9MOBLIR32

15MHz



Tx Channel			BW_15_MHz_lower UL				
Bandwidth	15 MHz		Power		20.29 dBm		
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-22.500 M	-8.500 M	1.00 M	1.848846 G	-26.34	-46.64	-13.34	
-8.500 M	-7.500 M	150.00 k	1.849063 G	-34.38	-54.67	-21.38	
7.500 M	22.500 M	100.00 k	1.865865 G	-35.08	-55.37	-335.08	


Date: 5.AUG.2020 21:13:42



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32




Tx Channel				BW_15 MHz higher UL			
Bandwidth			15 MHz	Power			20.33 dBm
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-22.500 M	-7.500 M	100.00 k	1.894063 G	-35.90	-56.23	-335.90	
7.500 M	8.500 M	150.00 k	1.910361 G	-34.01	-54.34	-21.01	
8.500 M	22.500 M	1.00 M	1.911082 G	-27.48	-47.81	-14.48	

Date: 5.AUG.2020 21:14:28



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247
 FCC ID: GX9MOBLIR32



Tx Channel				BW 20 MHz higher UL		
Bandwidth		20 MHz	Power		20.12 dBm	
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-30.000 M	-10.000 M	100.00 k	1.889423 G	-38.59	-58.71	-338.59
10.000 M	11.000 M	200.00 k	1.910000 G	-35.15	-55.27	-22.15
11.000 M	30.000 M	1.00 M	1.911154 G	-28.82	-48.94	-15.82

Date: 5.AUG.2020 21:17:14




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

1RB


1.4MHz



Ref 40 dBm
Offset 17 dB
Center: 1.8507 GHz 500 kHz/ Span 5 MHz


Tx Channel			BW 1.4 MHz_lower UL			
Bandwidth		1.4 MHz	Power		20.91 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-2.500 M	-1.700 M	1.00 M	1.848993 G	-28.57	-49.48	-15.57
-1.700 M	-700.000 k	20.00 k	1.849995 G	-28.20	-49.11	-15.20
700.000 k	2.500 M	100.00 k	1.852038 G	-29.82	-50.74	-329.82

Date: 5.AUG.2020 20:36:43



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247
 FCC ID: GX9MOBLIR32



Tx Channel				BW 1.4 MHz higher UL			
Bandwidth			1.4 MHz	Power		21.69 dBm	
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-2.500 M	-700.000 k	100.00 k	1.907946 G	-32.84	-54.54	-332.84	
700.000 k	1.700 M	20.00 k	1.910000 G	-14.08	-35.77	-1.08	
1.700 M	2.500 M	1.00 M	1.911015 G	-23.34	-45.03	-10.34	


Date: 5.AUG.2020 20:38:37



Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

3MHz



Tx Channel				BW_3_MHz_lower UL			
Bandwidth			3 MHz	Power		21.00 dBm	
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-5.000 M	-2.500 M	1.00 M	1.847878 G	-32.07	-53.07	-19.07	
-2.500 M	-1.500 M	30.00 k	1.849978 G	-26.14	-47.14	-13.14	
1.500 M	5.000 M	100.00 k	1.855282 G	-36.16	-57.16	-336.16	


Date: 5.AUG.2020 20:40:10



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32



Tx Channel				BW 3 MHz higher UL			
Bandwidth			Power				
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-5.000 M	-1.500 M	100.00 k	1.904718 G	-35.98	-57.34	-335.98	
1.500 M	2.500 M	30.00 k	1.910006 G	-22.02	-43.38	-9.02	
2.500 M	5.000 M	1.00 M	1.912202 G	-29.75	-51.11	-16.75	21.36 dBm

Date: 5.AUG.2020 20:43:06




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

5MHz



Tx Channel				BW_5_MHz_lower UL			
Bandwidth			5 MHz	Power			20.83 dBm
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-7.500 M	-3.500 M	1.00 M	1.848846 G	-33.21	-54.05	-20.21	
-3.500 M	-2.500 M	50.00 k	1.849976 G	-26.41	-47.24	-13.41	
2.500 M	7.500 M	100.00 k	1.859014 G	-36.08	-56.91	-336.08	


Date: 5.AUG.2020 21:06:29



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32



Tx Channel				BW 5 MHz higher UL			
Bandwidth			Power				
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-7.500 M	-2.500 M	100.00 k	1.901010 G	-35.50	-56.52	-335.50	
2.500 M	3.500 M	50.00 k	1.910000 G	-25.11	-46.14	-12.11	
3.500 M	7.500 M	1.00 M	1.911130 G	-33.28	-54.31	-20.28	

Date: 5.AUG.2020 21:08:03




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

10MHz




Date: 5.AUG.2020 21:08:59



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32



Tx Channel				BW_10_MHz_higher_UL			
Bandwidth	Stop	10 MHz	Power	21.16 dBm			
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-15.000 M	-5.000 M	100.00 k	1.891731 G	-34.90	-56.06	-334.90	
5.000 M	6.000 M	100.00 k	1.910000 G	-36.65	-57.81	-23.65	
6.000 M	15.000 M	1.00 M	1.911106 G	-33.61	-54.77	-20.61	

Date: 5.AUG.2020 21:10:36




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

15MHz



Tx Channel			BW_15_MHz_lower UL				
Bandwidth			15 MHz	Power		20.34 dBm	
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-22.500 M	-8.500 M	1.00 M	1.848774 G	-34.41	-54.74	-21.41	
-8.500 M	-7.500 M	150.00 k	1.849928 G	-34.80	-55.14	-21.80	
7.500 M	22.500 M	100.00 k	1.877548 G	-38.23	-58.57	-338.23	


Date: 5.AUG.2020 21:11:56



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32



Tx Channel				BW_15 MHz higher UL			
Bandwidth		15 MHz		Power		21.27 dBm	
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-22.500 M	-7.500 M	100.00 k	1.882524 G	-33.35	-54.62	-333.35	
7.500 M	8.500 M	150.00 k	1.910000 G	-34.20	-55.47	-21.20	
8.500 M	22.500 M	1.00 M	1.911226 G	-34.32	-55.59	-21.32	

Date: 5.AUG.2020 21:15:02




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

20MHz



Tx Channel				BW_20_MHz_lower UL			
Bandwidth			20 MHz	Power			20.86 dBm
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-30.000 M	-11.000 M	1.00 M	1.848750 G	-34.42	-55.28	-21.42	
-11.000 M	-10.000 M	200.00 k	1.849904 G	-36.87	-57.73	-23.87	
10.000 M	30.000 M	100.00 k	1.886731 G	-36.79	-57.66	-336.79	


Date: 5.AUG.2020 21:16:01



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32



Tx Channel				BW_20_MHz_higher_UL			
Bandwidth			20 MHz	Power			21.07 dBm
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-30.000 M	-10.000 M	100.00 k	1.873269 G	-35.00	-56.07	-335.00	
10.000 M	11.000 M	200.00 k	1.910000 G	-36.31	-57.37	-23.31	
11.000 M	30.000 M	1.00 M	1.911346 G	-34.51	-55.58	-21.51	


Date: 5.AUG.2020 21:17:36



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247
 FCC ID: GX9MOBLIR32

Band IV
 16QAM
 1RB
 1.4MHz



Date: 6.AUG.2020 19:32:43




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

3MHz




Tx Channel				BW_3_MHz_lower UL		
Bandwidth			Power			
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-5.000 M	-2.500 M	1.00 M	1.707926 G	-33.99	-54.01	-20.99
-2.500 M	-1.500 M	30.00 k	1.709978 G	-27.24	-47.26	-14.24
1.500 M	5.000 M	100.00 k	1.715250 G	-33.18	-53.20	-333.18

Date: 6.AUG.2020 19:39:43



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247
 FCC ID: GX9MOBLIR32



Date: 6.AUG.2020 19:47:25




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

5MHz




Date: 6.AUG.2020 19:49:22



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247
 FCC ID: GX9MOBLIR32



Tx Channel		5 MHz		Power		BW 5 MHz higher UL	
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-7.500 M	-2.500 M	100.00 k	1.746947 G	-42.86	-62.69	-342.86	
2.500 M	3.500 M	50.00 k	1.755000 G	-27.95	-47.78	-14.95	
3.500 M	7.500 M	1.00 M	1.756178 G	-34.89	-54.72	-21.89	

Date: 6.AUG.2020 19:51:47




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

10MHz




Date: 6.AUG.2020 19:53:45



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32



Tx Channel		10 MHz		Power		BW_10_MHz_higher UL	
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-15.000 M	-5.000 M	100.00 k	1.736731 G	-39.25	-59.60	-339.25	
5.000 M	6.000 M	100.00 k	1.755000 G	-37.76	-58.11	-24.76	
6.000 M	15.000 M	1.00 M	1.756058 G	-35.43	-55.78	-22.43	

Date: 6.AUG.2020 19:54:28




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

15MHz



Tx Channel				BW_15_MHz_lower UL			
Bandwidth			15 MHz	Power			20.52 dBm
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-22.500 M	-8.500 M	1.00 M	1.708918 G	-35.05	-55.58	-22.05	
-8.500 M	-7.500 M	150.00 k	1.709928 G	-34.78	-55.30	-21.78	
7.500 M	22.500 M	100.00 k	1.737476 G	-41.74	-62.26	-341.74	


Date: 6.AUG.2020 19:57:49



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32



Tx Channel				BW_15_MHz_higher_UL			
Bandwidth		15 MHz	Power			19.37 dBm	
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-22.500 M	-7.500 M	100.00 k	1.727452 G	-40.25	-59.62	-340.25	
7.500 M	8.500 M	150.00 k	1.755000 G	-34.91	-54.28	-21.91	
8.500 M	22.500 M	1.00 M	1.756154 G	-36.15	-55.52	-23.15	

Date: 6.AUG.2020 19:59:06




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

20MHz




Date: 6.AUG.2020 20:03:36



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247
 FCC ID: GX9MOBLIR32



Tx Channel				BW_20_MHz_higher UL			
Bandwidth	20 MHz	Power					
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-30.000 M	-10.000 M	100.00 k	1.718269 G	-40.36	-60.55	-340.36	
10.000 M	11.000 M	200.00 k	1.755000 G	-36.60	-56.79	-23.60	
11.000 M	30.000 M	1.00 M	1.756250 G	-36.01	-56.21	-23.01	

Date: 6.AUG.2020 20:04:37




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

QPSK
FRB
1.4MHz



Center 1.7107 GHz 500 kHz/ Span 5 MHz

Tx Channel			BW 1.4 MHz_lower UL			
Bandwidth			1.4 MHz	Power		
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-2.500 M	-1.700 M	1.00 M	1.708977 G	-28.51	-48.61	-15.51
-1.700 M	-700.000 k	20.00 k	1.709995 G	-33.20	-53.30	-20.20
700.000 k	2.500 M	100.00 k	1.711400 G	-24.56	-44.65	-324.56


Date: 6.AUG.2020 19:35:23



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32



Tx Channel				BW 1.4 MHz higher UL			
Bandwidth		1.4 MHz		Power		19.90 dBm	
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-2.500 M	-700.000 k	100.00 k	1.753595 G	-25.56	-45.47	-325.56	
700.000 k	1.700 M	20.00 k	1.755000 G	-22.75	-42.66	-9.75	
1.700 M	2.500 M	1.00 M	1.756031 G	-31.54	-51.45	-18.54	

Date: 6.AUG.2020 19:36:15




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

3MHz



Tx Channel				BW_3_MHz_lower UL		
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-5.000 M	-2.500 M	1.00 M	1.708551 G	-30.06	-49.90	-17.06
-2.500 M	-1.500 M	30.00 k	1.709978 G	-32.59	-52.42	-19.59
1.500 M	5.000 M	100.00 k	1.713006 G	-26.72	-46.56	-326.72


Date: 6.AUG.2020 19:40:11



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32



Tx Channel		3 MHz		Power		BW 3 MHz higher UL	
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-5.000 M	-1.500 M	100.00 k	1.751978 G	-26.44	-46.19	-326.44	
1.500 M	2.500 M	30.00 k	1.755006 G	-32.13	-51.88	-19.13	
2.500 M	5.000 M	1.00 M	1.756048 G	-30.22	-49.97	-17.22	

Date: 6.AUG.2020 19:40:58




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

5MHz




Date: 6.AUG.2020 19:49:55



Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32



Date: 6.AUG.2020 19:50:55




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247


FCC ID: GX9MOBLIR32

10MHz



Tx Channel			BW_10_MHz_lower UL			
Bandwidth	10 MHz		Power		20.06 dBm	
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-6.000 M	1.00 M	1.708846 G	-32.09	-52.15	-19.09
-6.000 M	-5.000 M	100.00 k	1.709952 G	-36.10	-56.16	-23.10
5.000 M	15.000 M	100.00 k	1.720000 G	-36.84	-56.90	-336.84


Date: 6.AUG.2020 19:53:02



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32



Tx Channel				BW_10_MHz_higher UL			
Bandwidth			10 MHz	Power			20.08 dBm
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-15.000 M	-5.000 M	100.00 k	1.744952 G	-35.71	-55.79	-335.71	
5.000 M	6.000 M	100.00 k	1.755000 G	-35.90	-55.98	-22.90	
6.000 M	15.000 M	1.00 M	1.756490 G	-32.28	-52.36	-19.28	

Date: 6.AUG.2020 19:55:23




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247


FCC ID: GX9MOBLIR32

15MHz



Tx Channel			BW_15_MHz_lower UL				
Bandwidth	15 MHz		Power		19.93 dBm		
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-22.500 M	-8.500 M	1.00 M	1.708918 G	-31.52	-51.44	-18.52	
-8.500 M	-7.500 M	150.00 k	1.709928 G	-37.96	-57.89	-24.96	
7.500 M	22.500 M	100.00 k	1.725000 G	-40.05	-59.97	-340.05	


Date: 6.AUG.2020 19:56:51



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32



Tx Channel				BW_15 MHz higher UL			
Bandwidth			15 MHz	Power			19.94 dBm
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-22.500 M	-7.500 M	100.00 k	1.739928 G	-39.16	-59.10	-339.16	
7.500 M	8.500 M	150.00 k	1.755000 G	-36.72	-56.66	-23.72	
8.500 M	22.500 M	1.00 M	1.757091 G	-32.38	-52.32	-19.38	

Date: 6.AUG.2020 20:00:37




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

20MHz



Tx Channel				BW_20_MHz_lower UL			
Bandwidth			20 MHz	Power			19.73 dBm
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-30.000 M	-11.000 M	1.00 M	1.708846 G	-31.61	-51.34	-18.61	
-11.000 M	-10.000 M	200.00 k	1.709904 G	-37.48	-57.21	-24.48	
10.000 M	30.000 M	100.00 k	1.730000 G	-41.52	-61.25	-341.52	

Date: 6.AUG.2020 20:02:35




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32


1RB

1.4MHz



Tx Channel			BW 1.4 MHz_lower UL			
Bandwidth			Power			
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-2.500 M	-1.700 M	1.00 M	1.708977 G	-29.03	-50.30	-16.03
-1.700 M	-700.000 k	20.00 k	1.709995 G	-28.16	-49.43	-15.16
700.000 k	2.500 M	100.00 k	1.712054 G	-31.83	-53.10	-331.83


Date: 6.AUG.2020 19:34:48



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32



Tx Channel				BW 1.4 MHz higher UL			
Bandwidth		1.4 MHz	Power			21.23 dBm	
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-2.500 M	-700.000 k	100.00 k	1.752962 G	-39.81	-61.04	-339.81	
700.000 k	1.700 M	20.00 k	1.755000 G	-17.29	-38.52	-4.29	
1.700 M	2.500 M	1.00 M	1.756023 G	-30.22	-51.45	-17.22	

Date: 6.AUG.2020 19:36:45




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

3MHz




Tx Channel				BW_3_MHz_lower UL		
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-5.000 M	-2.500 M	1.00 M	1.707750 G	-33.15	-54.20	-20.15
-2.500 M	-1.500 M	30.00 k	1.709978 G	-26.61	-47.66	-13.61
1.500 M	5.000 M	100.00 k	1.715282 G	-31.10	-52.15	-331.10

Date: 6.AUG.2020 19:39:21



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247
 FCC ID: GX9MOBLIR32



Tx Channel			BW 3 MHz higher UL			
Bandwidth		3 MHz	Power		21.25 dBm	
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-5.000 M	-1.500 M	100.00 k	1.749702 G	-41.01	-62.26	-341.01
1.500 M	2.500 M	30.00 k	1.755006 G	-25.27	-46.53	-12.27
2.500 M	5.000 M	1.00 M	1.756913 G	-32.40	-53.65	-19.40

Date: 6.AUG.2020 19:41:20




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

5MHz



Tx Channel			BW_5_MHz_lower UL			
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-7.500 M	-3.500 M	1.00 M	1.708966 G	-34.33	-55.31	-21.33
-3.500 M	-2.500 M	50.00 k	1.709976 G	-26.26	-47.24	-13.26
2.500 M	7.500 M	100.00 k	1.719014 G	-30.96	-51.94	-330.96


Date: 6.AUG.2020 19:49:01



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32



Tx Channel		5 MHz		Power		BW 5 MHz higher UL	
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-7.500 M	-2.500 M	100.00 k	1.745986 G	-40.09	-61.31	-340.09	
2.500 M	3.500 M	50.00 k	1.755000 G	-26.02	-47.24	-13.02	
3.500 M	7.500 M	1.00 M	1.758894 G	-33.61	-54.83	-20.61	21.22 dBm

Date: 6.AUG.2020 19:51:23




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

10MHz




Date: 6.AUG.2020 19:53:24



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32



Tx Channel			BW_10_MHz_higher UL			
Bandwidth	10 MHz	Power	21.24 dBm			
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-5.000 M	100.00 k	1.736731 G	-37.18	-58.43	-337.18
5.000 M	6.000 M	100.00 k	1.755000 G	-37.18	-58.42	-24.18
6.000 M	15.000 M	1.00 M	1.756058 G	-34.92	-56.16	-21.92

Date: 6.AUG.2020 19:54:48




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

15MHz



Tx Channel			BW_15_MHz_lower UL			
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-22.500 M	-8.500 M	1.00 M	1.708846 G	-35.15	-56.29	-22.15
-8.500 M	-7.500 M	150.00 k	1.709928 G	-34.01	-55.15	-21.01
7.500 M	22.500 M	100.00 k	1.737476 G	-40.94	-62.09	-340.94

Date: 6.AUG.2020 19:57:21




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

20MHz




Date: 6.AUG.2020 20:03:02



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247
 FCC ID: GX9MOBLIR32



Tx Channel				BW_20_MHz_higher UL			
Bandwidth	20 MHz	Power					
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-30.000 M	-10.000 M	100.00 k	1.718269 G	-39.21	-60.09	-339.21	
10.000 M	11.000 M	200.00 k	1.755000 G	-35.85	-56.72	-22.85	
11.000 M	30.000 M	1.00 M	1.756154 G	-35.59	-56.46	-22.59	20.87 dBm


Date: 6.AUG.2020 20:04:59



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247
 FCC ID: GX9MOBLIR32

Band V
 16QAM
 1RB
 1.4MHz




Date: 6.AUG.2020 20:08:38




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247
 FCC ID: GX9MOBLIR32



Tx Channel				BW 1.4 MHz higher UL			
Bandwidth		1.4 MHz		Power		21.29 dBm	
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-2.500 M	-700.000 k	100.00 k	846.969872 M	-37.00	-58.30	-337.00	
700.000 k	1.700 M	20.00 k	849.000000 M	-17.11	-38.41	-4.11	
1.700 M	2.500 M	1.00 M	850.030769 M	-34.18	-55.48	-21.18	


Date: 6.AUG.2020 20:12:40



Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

3MHz




Date: 6.AUG.2020 20:15:02



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32



Tx Channel		3 MHz		Power		BW 3 MHz higher UL	
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-5.000 M	-1.500 M	100.00 k	843.701923 M	-34.77	-56.05	-334.77	
1.500 M	2.500 M	30.00 k	849.006410 M	-25.33	-46.61	-12.33	
2.500 M	5.000 M	1.00 M	850.032051 M	-35.01	-56.30	-22.01	

Date: 6.AUG.2020 20:16:58




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

5MHz



Tx Channel				BW_5_MHz_lower UL		
Bandwidth		5 MHz	Power		21.41 dBm	
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-3.500 M	1.00 M	822.557692 M	-35.44	-56.85	-22.44
-3.500 M	-2.500 M	50.00 k	823.975962 M	-26.17	-47.58	-13.17
2.500 M	7.500 M	100.00 k	832.966346 M	-38.61	-60.02	-338.61


Date: 6.AUG.2020 20:17:56



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32



Tx Channel		5 MHz		Power		BW 5 MHz higher UL	
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-7.500 M	-2.500 M	100.00 k	840.009615 M	-33.76	-54.63	-333.76	
2.500 M	3.500 M	50.00 k	849.000000 M	-26.74	-47.61	-13.74	
3.500 M	7.500 M	1.00 M	850.682692 M	-35.76	-56.63	-22.76	

Date: 6.AUG.2020 20:19:53




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

10MHz




Date: 6.AUG.2020 20:22:51



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247
 FCC ID: GX9MOBLIR32




Date: 6.AUG.2020 20:23:39



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247
 FCC ID: GX9MOBLIR32

QPSK
 FRB
 1.4MHz



Tx Channel			BW 1.4 MHz lower UL			
Bandwidth			1.4 MHz	Power		
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-2.500 M	-1.700 M	1.00 M	822.993269 M	-27.87	-48.84	-14.87
-1.700 M	-700.000 k	20.00 k	823.994872 M	-32.69	-53.66	-19.69
700.000 k	2.500 M	100.00 k	825.400000 M	-21.90	-42.87	-321.90


Date: 6.AUG.2020 20:10:14



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32



Tx Channel				BW 1.4 MHz higher UL		
Bandwidth		1.4 MHz	Power		20.83 dBm	
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-2.500 M	-700.000 k	100.00 k	847.594872 M	-23.47	-44.30	-323.47
700.000 k	1.700 M	20.00 k	849.000000 M	-22.57	-43.41	-9.57
1.700 M	2.500 M	1.00 M	850.022756 M	-26.81	-47.64	-13.81


Date: 6.AUG.2020 20:11:46



Report Number: W6R22202-21609-P-247


FCC ID: GX9MOBLIR32

3MHz




Tx Channel				BW_3_MHz_lower UL		
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-5.000 M	-2.500 M	1.00 M	822.807692 M	-27.90	-48.98	-14.90
-2.500 M	-1.500 M	30.00 k	823.977564 M	-30.27	-51.35	-17.27
1.500 M	5.000 M	100.00 k	827.006410 M	-24.44	-45.52	-324.44

Date: 6.AUG.2020 20:15:43



Report Number: W6R22202-21609-P-247
 FCC ID: GX9MOBLIR32




Date: 6.AUG.2020 20:16:18



Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

5MHz




Tx Channel				BW_5_MHz_lower UL		
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-7.500 M	-3.500 M	1.00 M	822.701923 M	-29.26	-50.32	-16.26
-3.500 M	-2.500 M	50.00 k	823.975962 M	-31.80	-52.85	-18.80
2.500 M	7.500 M	100.00 k	829.000000 M	-27.93	-48.99	-327.93

Date: 6.AUG.2020 20:18:31



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247
 FCC ID: GX9MOBLIR32



Date: 6.AUG.2020 20:19:09




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

10MHz



Tx Channel				BW_10_MHz_lower UL		
Bandwidth		10 MHz	Power			21.07 dBm
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-6.000 M	1.00 M	822.605769 M	-30.88	-51.95	-17.88
-6.000 M	-5.000 M	100.00 k	823.951923 M	-34.82	-55.89	-21.82
5.000 M	15.000 M	100.00 k	834.000000 M	-32.77	-53.84	-332.77


Date: 6.AUG.2020 20:22:05



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32



Tx Channel				BW_10_MHz_higher UL		
Bandwidth	10 MHz	Power	21.05 dBm			
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-5.000 M	100.00 k	838.951923 M	-34.79	-55.84	-334.79
5.000 M	6.000 M	100.00 k	849.000000 M	-33.78	-54.82	-20.78
6.000 M	15.000 M	1.00 M	850.730769 M	-28.39	-49.44	-15.39

Date: 6.AUG.2020 20:24:23




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32


1RB

1.4MHz




Tx Channel				BW 1.4 MHz_lower UL		
Bandwidth		1.4 MHz	Power		22.03 dBm	
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-2.500 M	-1.700 M	1.00 M	822.841026 M	-34.63	-56.66	-21.63
-1.700 M	-700.000 k	20.00 k	823.994872 M	-27.26	-49.29	-14.26
700.000 k	2.500 M	100.00 k	826.150321 M	-39.52	-61.54	-339.52

Date: 6.AUG.2020 20:09:05



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247
 FCC ID: GX9MOBLIR32



Tx Channel				BW 1.4 MHz higher UL		
Bandwidth		1.4 MHz		Power		21.74 dBm
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-2.500 M	-700.000 k	100.00 k	846.929808 M	-36.94	-58.68	-336.94
700.000 k	1.700 M	20.00 k	849.000000 M	-15.52	-37.26	-2.52
1.700 M	2.500 M	1.00 M	850.030769 M	-35.06	-56.80	-22.06

Date: 6.AUG.2020 20:12:18




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

3MHz



Tx Channel				BW_3_MHz_lower UL		
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-5.000 M	-2.500 M	1.00 M	822.919872 M	-34.92	-56.89	-21.92
-2.500 M	-1.500 M	30.00 k	823.977564 M	-25.69	-47.66	-12.69
1.500 M	5.000 M	100.00 k	829.298077 M	-41.07	-63.04	-341.07


Date: 6.AUG.2020 20:15:23



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32



Tx Channel		3 MHz		Power		BW 3 MHz higher UL	
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-5.000 M	-1.500 M	100.00 k	843.669872 M	-34.03	-56.25	-334.03	
1.500 M	2.500 M	30.00 k	849.006410 M	-24.21	-46.44	-11.21	
2.500 M	5.000 M	1.00 M	850.032051 M	-34.37	-56.59	-21.37	

Date: 6.AUG.2020 20:16:40




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247


FCC ID: GX9MOBLIR32

5MHz




Tx Channel		Bandwidth		5 MHz	Power		
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-7.500 M	-3.500 M	1.00 M	822.918269 M	-35.37	-57.24	-22.37	
-3.500 M	-2.500 M	50.00 k	823.975962 M	-25.29	-47.16	-12.29	
2.500 M	7.500 M	100.00 k	832.966346 M	-38.30	-60.18	-338.30	

Date: 6.AUG.2020 20:18:13




Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32



Tx Channel		5 MHz		Power		BW 5 MHz higher UL	
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-7.500 M	-2.500 M	100.00 k	840.033654 M	-32.67	-54.47	-332.67	
2.500 M	3.500 M	50.00 k	849.000000 M	-25.72	-47.52	-12.72	
3.500 M	7.500 M	1.00 M	850.081731 M	-35.20	-57.00	-22.20	

Date: 6.AUG.2020 20:19:32




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

10MHz




Tx Channel		Bandwidth		10 MHz	Power	BW_10_MHz_lower UL	
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-15.000 M	-6.000 M	1.00 M	822.942308 M	-35.25	-57.29	-22.25	
-6.000 M	-5.000 M	100.00 k	823.951923 M	-36.26	-58.30	-23.26	
5.000 M	15.000 M	100.00 k	842.269231 M	-36.00	-58.03	-336.00	

Date: 6.AUG.2020 20:22:28



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247
 FCC ID: GX9MOBLIR32



Center 844 MHz 3 MHz/ Span 30 MHz

Tx Channel				BW_10_MHz_higher UL		
Bandwidth	10 MHz	Power			21.91 dBm	
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-5.000 M	100.00 k	830.778846 M	-39.68	-61.59	-339.68
5.000 M	6.000 M	100.00 k	849.000000 M	-36.40	-58.31	-23.40
6.000 M	15.000 M	1.00 M	850.105769 M	-35.95	-57.86	-22.95


Date: 6.AUG.2020 20:24:02



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247
 FCC ID: GX9MOBLIR32

Band XII
 16QAM
 1RB
 1.4MHz




Date: 6.AUG.2020 20:29:11



Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32



Tx Channel				BW 1.4 MHz higher UL		
Bandwidth		1.4 MHz	Power			20.97 dBm
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-2.500 M	-700.000 k	100.00 k	713.921795 M	-36.78	-57.75	-336.78
700.000 k	1.700 M	20.00 k	716.000000 M	-17.01	-37.98	-4.01
1.700 M	2.500 M	1.00 M	717.030769 M	-35.40	-56.37	-22.40

Date: 6.AUG.2020 20:49:27




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

3MHz



Tx Channel				BW_3_MHz_lower UL		
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-5.000 M	-2.500 M	1.00 M	697.983974 M	-34.96	-56.44	-21.96
-2.500 M	-1.500 M	30.00 k	698.977564 M	-25.52	-47.00	-12.52
1.500 M	5.000 M	100.00 k	703.096154 M	-42.06	-63.54	-342.06


Date: 6.AUG.2020 20:52:19



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32



Tx Channel		3 MHz		Power		BW 3 MHz higher UL	
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-5.000 M	-1.500 M	100.00 k	710.685897 M	-34.40	-55.05	-334.40	
1.500 M	2.500 M	30.00 k	716.006410 M	-26.05	-46.71	-13.05	
2.500 M	5.000 M	1.00 M	717.096154 M	-35.62	-56.28	-22.62	

Date: 6.AUG.2020 20:55:32




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

5MHz




Tx Channel				BW_5_MHz_lower UL		
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-7.500 M	-3.500 M	1.00 M	697.750000 M	-35.81	-56.88	-22.81
-3.500 M	-2.500 M	50.00 k	698.975962 M	-25.79	-46.87	-12.79
2.500 M	7.500 M	100.00 k	707.990385 M	-40.69	-61.76	-340.69

Date: 6.AUG.2020 20:56:36



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247
 FCC ID: GX9MOBLIR32



Tx Channel				BW 5 MHz higher UL		
Bandwidth		5 MHz		Power		20.67 dBm
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-2.500 M	100.00 k	707.009615 M	-33.06	-53.73	-333.06
2.500 M	3.500 M	50.00 k	716.000000 M	-26.87	-47.54	-13.87
3.500 M	7.500 M	1.00 M	717.129808 M	-36.33	-57.00	-23.33

Date: 6.AUG.2020 21:01:39




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

10MHz




Date: 6.AUG.2020 21:05:02



Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6R22202-21609-P-247
 FCC ID: GX9MOBLIR32

QPSK
 FRB
 1.4MHz



Tx Channel			BW 1.4 MHz_lower UL			
Bandwidth	1.4 MHz		Power	21.29 dBm		
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-2.500 M	-1.700 M	1.00 M	697.993269 M	-24.49	-45.78	-11.49
-1.700 M	-700.000 k	20.00 k	698.994872 M	-29.18	-50.47	-16.18
700.000 k	2.500 M	100.00 k	700.400000 M	-20.86	-42.15	-320.86


Date: 6.AUG.2020 20:30:24



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32



Tx Channel				BW 1.4 MHz higher UL		
Bandwidth		1.4 MHz	Power		20.80 dBm	
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-2.500 M	-700.000 k	100.00 k	714.586859 M	-22.19	-42.99	-322.19
700.000 k	1.700 M	20.00 k	716.000000 M	-20.48	-41.28	-7.48
1.700 M	2.500 M	1.00 M	717.014744 M	-25.57	-46.37	-12.57


Date: 6.AUG.2020 20:48:11



Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

3MHz



Tx Channel				BW_3_MHz_lower UL		
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-5.000 M	-2.500 M	1.00 M	697.967949 M	-21.86	-42.92	-8.86
-2.500 M	-1.500 M	30.00 k	698.977564 M	-29.27	-50.33	-16.27
1.500 M	5.000 M	100.00 k	702.006410 M	-23.54	-44.60	-323.54


Date: 6.AUG.2020 20:53:02



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32



Tx Channel		3 MHz		Power		BW 3 MHz higher UL	
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-5.000 M	-1.500 M	100.00 k	712.977564 M	-23.44	-44.38	-323.44	
1.500 M	2.500 M	30.00 k	716.006410 M	-29.10	-50.04	-16.10	
2.500 M	5.000 M	1.00 M	717.032051 M	-22.75	-43.69	-9.75	


Date: 6.AUG.2020 20:54:25



Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

5MHz



Tx Channel				BW_5_MHz_lower UL		
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-7.500 M	-3.500 M	1.00 M	697.870192 M	-23.20	-44.38	-10.20
-3.500 M	-2.500 M	50.00 k	698.975962 M	-29.78	-50.96	-16.78
2.500 M	7.500 M	100.00 k	704.000000 M	-26.23	-47.41	-326.23


Date: 6.AUG.2020 20:57:29



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32



Tx Channel		5 MHz		Power		BW 5 MHz higher UL	
Bandwidth							
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]	
-7.500 M	-2.500 M	100.00 k	710.975962 M	-26.96	-47.73	-326.96	
2.500 M	3.500 M	50.00 k	716.000000 M	-30.88	-51.65	-17.88	
3.500 M	7.500 M	1.00 M	717.370192 M	-25.28	-46.05	-12.28	

Date: 6.AUG.2020 21:00:51




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

10MHz



Tx Channel				BW_10_MHz_lower UL		
Bandwidth	10 MHz		Power	21.06 dBm		
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-6.000 M	1.00 M	697.942308 M	-26.68	-47.75	-13.68
-6.000 M	-5.000 M	100.00 k	698.951923 M	-32.97	-54.03	-19.97
5.000 M	15.000 M	100.00 k	709.000000 M	-31.90	-52.97	-331.90


Date: 6.AUG.2020 21:04:02



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32



Center 711 MHz 3 MHz/ Span 30 MHz

Tx Channel				BW_10_MHz_higher UL		
Bandwidth		10 MHz	Power			21.07 dBm
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-5.000 M	100.00 k	705.951923 M	-32.54	-53.61	-332.54
5.000 M	6.000 M	100.00 k	716.000000 M	-32.43	-53.51	-19.43
6.000 M	15.000 M	1.00 M	717.057692 M	-26.78	-47.85	-13.78

Date: 6.AUG.2020 21:09:00




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

1RB

1.4MHz




Tx Channel				BW 1.4 MHz_lower UL		
Bandwidth		1.4 MHz	Power		22.02 dBm	
Start	Stop	RBW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-2.500 M	-1.700 M	1.00 M	697.913141 M	-34.35	-56.37	-21.35
-1.700 M	-700.000 k	20.00 k	698.994872 M	-26.56	-48.58	-13.56
700.000 k	2.500 M	100.00 k	701.014103 M	-40.08	-62.11	-340.08

Date: 6.AUG.2020 20:29:44



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247
 FCC ID: GX9MOBLIR32



Tx Channel				BW 1.4 MHz higher UL		
Bandwidth		1.4 MHz		Power		22.05 dBm
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-2.500 M	-700.000 k	100.00 k	713.905769 M	-35.88	-57.93	-335.88
700.000 k	1.700 M	20.00 k	716.000000 M	-15.60	-37.65	-2.60
1.700 M	2.500 M	1.00 M	717.046795 M	-35.06	-57.11	-22.06

Date: 6.AUG.2020 20:48:47




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247


FCC ID: GX9MOBLIR32

3MHz




Tx Channel				BW_3_MHz_lower UL		
Bandwidth		3 MHz	Power		22.14 dBm	
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]
-5.000 M	-2.500 M	1.00 M	697.983974 M	-34.51	-56.64	-21.51
-2.500 M	-1.500 M	30.00 k	698.977564 M	-24.69	-46.82	-11.69
1.500 M	5.000 M	100.00 k	703.096154 M	-41.67	-63.80	-341.67

Date: 6.AUG.2020 20:52:41



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247
 FCC ID: GX9MOBLIR32



Center 714.5 MHz 1 MHz/ Span 10 MHz

Tx Channel				BW 3 MHz higher UL		
Bandwidth	3 MHz	Power	21.99 dBm			
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-5.000 M	-1.500 M	100.00 k	710.701923 M	-33.42	-55.41	-333.42
1.500 M	2.500 M	30.00 k	716.006410 M	-23.67	-45.66	-10.67
2.500 M	5.000 M	1.00 M	717.048077 M	-35.71	-57.70	-22.71

Date: 6.AUG.2020 20:55:02




Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

5MHz




Date: 6.AUG.2020 20:57:04



Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32



Tx Channel		5 MHz		Power		BW 5 MHz higher UL	
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-7.500 M	-2.500 M	100.00 k	707.009615 M	-32.74	-54.55	-332.74	
2.500 M	3.500 M	50.00 k	716.000000 M	-25.84	-47.65	-12.84	
3.500 M	7.500 M	1.00 M	717.153846 M	-35.53	-57.34	-22.53	21.81 dBm

Date: 6.AUG.2020 21:01:16




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

10MHz




Date: 6.AUG.2020 21:04:26



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32



Tx Channel				BW_10_MHz_higher UL		
Bandwidth	10 MHz	Power	21.89 dBm			
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-5.000 M	100.00 k	697.778846 M	-39.29	-61.19	-339.29
5.000 M	6.000 M	100.00 k	716.000000 M	-35.93	-57.82	-22.93
6.000 M	15.000 M	1.00 M	717.201923 M	-36.07	-57.96	-23.07


Date: 6.AUG.2020 21:08:35




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247
 FCC ID: GX9MOBLIR32

Band XIII
 16QAM
 1RB
 5MHz




Date: 6.AUG.2020 21:11:46



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32



Tx Channel		5 MHz		Power		BW 5 MHz higher UL	
Start	Stop	REW	Freq	PwrAbs	PwrRel	Δ Limit	
[Hz]	[Hz]	[Hz]	[Hz]	[dBm]	[dBc]	[dB]	
-7.500 M	-2.500 M	100.00 k	778.009615 M	-36.89	-57.27	-336.89	
2.500 M	3.500 M	50.00 k	787.000000 M	-27.52	-47.90	-14.52	
3.500 M	7.500 M	1.00 M	788.033654 M	-35.50	-55.89	-22.50	

Date: 6.AUG.2020 21:14:12




Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

10MHz




Date: 6.AUG.2020 21:18:51



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32



Tx Channel				BW 5 MHz higher UL		
Bandwidth	5 MHz	Power	20.72 dBm			
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-2.500 M	100.00 k	781.975962 M	-29.17	-49.89	-329.17
2.500 M	3.500 M	50.00 k	787.000000 M	-31.78	-52.50	-18.78
3.500 M	7.500 M	1.00 M	788.105769 M	-27.19	-47.90	-14.19


Date: 6.AUG.2020 21:13:27



Report Number: W6R22202-21609-P-247


FCC ID: GX9MOBLIR32

10MHz



Tx Channel				BW_10_MHz_higher UL		
Bandwidth		10 MHz	Power			
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-5.000 M	100.00 k	776.951923 M	-35.16	-55.87	-335.16
5.000 M	6.000 M	100.00 k	787.000000 M	-32.74	-53.45	-19.74
6.000 M	15.000 M	1.00 M	788.105769 M	-27.62	-48.33	-14.62


Date: 6.AUG.2020 21:19:29



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32



Tx Channel				BW 10 MHz_lower UL		
Bandwidth		10 MHz		Power		20.68 dBm
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-15.000 M	-6.000 M	1.00 M	775.942308 M	-33.65	-54.33	-20.65
-6.000 M	-5.000 M	100.00 k	776.951923 M	-35.20	-55.88	-22.20
5.000 M	15.000 M	100.00 k	787.000000 M	-32.65	-53.33	-332.65

Date: 6.AUG.2020 21:15:50




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247


FCC ID: GX9MOBLIR32

1RB
5MHz




Tx Channel				BW 5_MHz_lower UL		
Bandwidth		5 MHz	Power	21.53 dBm		
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-3.500 M	1.00 M	775.942308 M	-36.50	-58.03	-23.50
-3.500 M	-2.500 M	50.00 k	776.975962 M	-26.18	-47.71	-13.18
2.500 M	7.500 M	100.00 k	785.966346 M	-34.98	-56.51	-334.98

Date: 6.AUG.2020 21:12:10



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247
 FCC ID: GX9MOBLIR32



Tx Channel				BW 5 MHz higher UL		
Bandwidth		5 MHz		Power		21.64 dBm
Start [Hz]	Stop [Hz]	REW [Hz]	Freq [Hz]	PwrAbs [dBm]	PwrRel [dBc]	Δ Limit [dB]
-7.500 M	-2.500 M	100.00 k	778.033654 M	-36.56	-58.20	-336.56
2.500 M	3.500 M	50.00 k	787.000000 M	-25.97	-47.61	-12.97
3.500 M	7.500 M	1.00 M	788.105769 M	-35.08	-56.72	-22.08

Date: 6.AUG.2020 21:13:51




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

10MHz




Date: 6.AUG.2020 21:19:12



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32



Date: 6.AUG.2020 21:17:40

Test equipment: ETSTW-RE 055, ETSTW-GSM 002, ETSTW-GSM 023, ETSTW-GSM 004

Report Number: W6R22202-21609-P-247


FCC ID: GX9MOBLIR32


9. Frequency Stability

The frequency stability shall be measured by variation of ambient temperature and variation of primary supply voltage to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintain within $\pm 0.00025\%$ (± 2.5 ppm) of the center frequency.

9.1 Test procedure

- The equipment under test was supplied with rated power supply and the RF output was connected to a frequency counter via feed through attenuators. The EUT was placed inside the temperature chamber. The DC leads and RF output cable, exited the chamber through an opening made for that purpose. After the temperature stabilized the frequency output was recorded from the counter.
- An external variable power supply was used to supply nominal voltage and 85% to 115% of nominal voltage to the EUT under room temperature. Record the frequencies measured from the counter.
- End point voltage: For hand carried, battery powered equipment, reduce primary supply voltage to the battery operating end point which shall be specified by the manufacturer. Then record the frequencies measured from the counter.





Report Number: W6R22202-21609-P-247
 FCC ID: GX9MOBLIR32

9.2 Test Results

9.2.1 Frequency Stability vs. Temperature

Test date: August 13, 2020

Temperature: 24.5 °C

Humidity: 48.6 %

Tester: Kent

WCDMA BAND II					WCDMA BAND IV				
CH9262	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH1312	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	11.13	0.006	±2.5		-30	10.22	0.006	±2.5
	-20	-8.33	-0.004			-20	-8.96	-0.005	
	-10	6.55	0.004			-10	6.55	0.004	
	0	-7.43	-0.004			0	5.98	0.003	
	10	3.42	0.002			10	2.93	0.002	
	20	-1.92	-0.001			20	-5.13	-0.003	
	30	4.73	0.003			30	3.99	0.002	
	40	6.51	0.004			40	-4.55	-0.003	
	50	-8.33	-0.004			50	-6.39	-0.004	
132Vac	25	-3.35	-0.002	132Vac	25	-4.25	-0.002		
108Vac	25	-3.74	-0.002	108Vac	25	-1.52	-0.001		
CH9400	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH1412	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	-9.55	-0.005	±2.5		-30	-10.13	-0.006	±2.5
	-20	8.41	0.004			-20	8.95	0.005	
	-10	8.44	0.004			-10	-7.44	-0.004	
	0	-6.41	-0.003			0	-7.48	-0.004	
	10	-1.31	-0.001			10	5.35	0.003	
	20	2.55	0.001			20	-2.05	-0.001	
	30	4.85	0.003			30	-5.31	-0.003	
	40	-3.04	-0.002			40	-6.15	-0.004	
	50	7.63	0.004			50	7.12	0.004	
132Vac	25	-5.71	-0.003	132Vac	25	-4.07	-0.002		
108Vac	25	-4.28	-0.002	108Vac	25	-4.16	-0.002		
CH9538	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH1513	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	-9.75	-0.005	±2.5		-30	7.41	0.004	±2.5
	-20	4.43	0.002			-20	8.55	0.005	
	-10	6.18	0.003			-10	6.73	0.004	
	0	-5.29	-0.003			0	-7.42	-0.004	
	10	5.29	0.003			10	5.73	0.003	
	20	-4.32	-0.002			20	-3.16	-0.002	
	30	4.66	0.002			30	3.55	0.002	
	40	5.31	0.003			40	-4.82	-0.003	
	50	-5.98	-0.003			50	6.61	0.004	
132Vac	25	-3.55	-0.002	132Vac	25	-3.93	-0.002		
108Vac	25	-3.60	-0.002	108Vac	25	-3.97	-0.002		



Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

WCDMA BAND V				
CH4132	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	-11.23	-0.014	±2.5
	-20	9.33	0.011	
	-10	7.54	0.009	
	0	-8.43	-0.010	
	10	-4.93	-0.006	
	20	3.13	0.004	
	30	5.49	0.007	
	40	-6.11	-0.007	
	50	7.19	0.009	
132Vac	25	1.42	0.002	
108Vac	25	-2.33	-0.003	
CH4183	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	9.14	0.011	±2.5
	-20	-5.77	-0.007	
	-10	-6.39	-0.008	
	0	-7.43	-0.009	
	10	-3.75	-0.004	
	20	4.74	0.006	
	30	4.65	0.006	
	40	5.22	0.006	
	50	7.88	0.009	
132Vac	25	2.93	0.004	
108Vac	25	-5.51	-0.007	
CH4233	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	-9.93	-0.012	±2.5
	-20	-7.78	-0.009	
	-10	8.63	0.010	
	0	-6.16	-0.007	
	10	5.74	0.007	
	20	2.74	0.003	
	30	5.31	0.006	
	40	6.21	0.007	
	50	8.21	0.010	
132Vac	25	-3.33	-0.004	
108Vac	25	-2.87	-0.003	



Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247
 FCC ID: GX9MOBLIR32

LTE BAND II QPSK 10MHz FRB					LTE BAND IV QPSK 10MHz FRB				
CH18900	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH20175	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	-11.43	-0.006	±2.5		-30	9.95	0.006	±2.5
	-20	7.48	0.004			-20	-3.98	-0.002	
	-10	-8.93	-0.005			-10	-7.41	-0.004	
	0	-9.21	-0.005			0	-8.92	-0.005	
	10	-8.74	-0.005			10	7.06	0.004	
	20	-5.04	-0.003			20	-2.29	-0.001	
	30	6.89	0.004			30	-3.41	-0.002	
	40	-8.44	-0.004			40	7.45	0.004	
	50	8.56	0.005			50	9.87	0.006	
132Vac	25	-6.51	-0.003	132Vac	25	2.86	0.002		
108Vac	25	-5.58	-0.003	108Vac	25	-3.02	-0.002		

LTE BAND V QPSK 10MHz FRB					LTE BAND XII QPSK 10MHz FRB				
CH20525	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH23095	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	9.12	0.011	±2.5		-30	8.99	0.013	±2.5
	-20	-8.79	-0.011			-20	-7.41	-0.010	
	-10	5.99	0.007			-10	-5.14	-0.007	
	0	-8.21	-0.010			0	-6.88	-0.010	
	10	7.18	0.009			10	5.48	0.008	
	20	1.85	0.002			20	-2.66	-0.004	
	30	7.44	0.009			30	-4.56	-0.006	
	40	6.35	0.008			40	6.55	0.009	
	50	8.98	0.011			50	7.98	0.011	
132Vac	25	-2.31	-0.003	132Vac	25	-2.03	-0.003		
108Vac	25	-2.55	-0.003	108Vac	25	-2.73	-0.004		

LTE BAND XIII QPSK 10MHz FRB				
CH23230	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	-10.31	-0.013	±2.5
	-20	-8.44	-0.011	
	-10	5.89	0.008	
	0	7.40	0.009	
	10	-6.84	-0.009	
	20	-2.60	-0.003	
	30	7.44	0.010	
	40	-8.66	-0.011	
	50	11.85	0.015	
132Vac	25	1.30	0.002	
108Vac	25	2.70	0.003	

Test equipment: ETSTW-CE 009, ETSTW-GSM 002, ETSTW-GSM 004



Report Number: W6R22202-21609-P-247
 FCC ID: GX9MOBLIR32

10 Maximum Permissible Exposure

10.1 Exemption Limits for Routine Evaluation according to 47 CFR FCC Part 2 Subpart J, section 2.1091

FCC OET Bulletin 65 Edition 97.01 determines the equations for predicting RF fields and applicable limits.

The prediction for power density in the far-field but will over-predict power density in the near field, where it could be used for walking a “worst case” or conservative prediction.

Systems operating under the provisions of this section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy levels in excess limit for maximum permissible exposure. In accordance with 47 CFR FCC Part 2 Subpart J, section 2.1091 this device has been defined as a mobile device whereby a distance of 20 cm normally can be maintained between the user and the device.

MPE Calculation Method

(A) Limits for Occupational/Controlled Exposure

Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/cm ²)	Averaging Time E ² , H ² or S (minutes)
0.3-3.0	614	1.63	(100)*	6
3.0-30	1842/f	4.89/f	(900/f ²)*	6
30-300	61.4	0.163	1.0	6
300-1500	--	--	f/300	6
1500-100,000	--	--	5	6

(B) Limits for General Population/Uncontrolled Exposure

Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/cm ²)	Averaging Time E ² , H ² or S (minutes)
0.3-1.34	614	1.63	(100)*	30
1.34-30	824/f	2.19/f	(180/f ²)*	30
30-300	27.5	0.073	0.2	30
300-1500	--	--	f/1500	30
1500-100,000	--	--	1.0	30


f = frequency in MHz

*Plane-wave equivalent power density

E = Electric field (V/m) P = output power (W) G = EUT Antenna numeric gain (numeric)
 d = Separation distance between radiator and human body (m)

$$Pd = \frac{30 \times P \times G}{377 \times d^2}$$

The formula can be changed to mW/cm².




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6R22202-21609-P-247

FCC ID: GX9MOBLIR32

Frequency	Max output power		Antenna Gain	Power Density(S) (mW/cm ²)	Limit of Power Density (S) (mW/cm ²)	Test Result
	(dBm)	(W)				
WCDMA Band II	--	--	--	--	--	--
WCDMA Band IV	--	--	--	--	--	--
WCDMA Band V	--	--	--	--	--	--
LTE Band II	--	--	--	--	--	--
LTE Band IV	--	--	--	--	--	--
LTE Band V	--	--	--	--	--	--
LTE Band XII	--	--	--	--	--	--
LTE Band XIII	--	--	--	--	--	--

Explanation: Please refer to SAR report.



Report Number: W6R22202-21609-P-247
FCC ID: GX9MOBLIR32

Appendix

Measurement diagrams

Filed Strength of Spurious Emission



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 03:49:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	56.9138	-94.82	peak	24.60	-70.22	-13.00	150	175	-57.22	
*	90.9820	-89.04	peak	23.88	-65.16	-13.00	150	105	-52.16	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 03:53:22

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	55.5511	-90.24	peak	22.76	-67.48	-13.00	150	315	-54.48	
*	87.2345	-82.49	peak	22.85	-59.64	-13.00	150	250	-46.64	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 02:37:41

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	759.5190	-69.32	peak	-2.80	-72.12	-13.00	150	175	-59.12	
	799.5992	-72.27	peak	-1.42	-73.69	-13.00	150	105	-60.69	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 02:41:48

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	762.7255	-68.73	peak	-2.00	-70.73	-13.00	150	255	-57.73	
*	956.7134	-68.49	peak	-0.88	-69.37	-13.00	150	195	-56.37	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 11:28:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3759.519	-52.47	peak	7.21	-45.26	-13.00	150	150	-32.26	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 11:32:23

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3759.519	-51.46	peak	10.13	-41.33	-13.00	150	290	-28.33	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 11:28:49

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5635.270	-56.54	peak	10.40	-46.14	-13.00	150	115	-33.14	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 11:33:01

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5635.270	-58.25	peak	12.18	-46.07	-13.00	150	245	-33.07	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 11:29:31

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 11:33:43

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

Polarization: **Vertical**

EUT : W6R22202-21609

Power : 3.7 Vd.c.

M/N:

Distance: 3m

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 11:29:44

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

Polarization: *Horizontal*

EUT : W6R22202-21609

Power : 3.7 Vd.c.

M/N:

Distance: 3m

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 11:33:55

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

Polarization: **Vertical**

EUT : W6R22202-21609

Power : 3.7 Vd.c.

M/N:

Distance: 3m

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 11:29:55

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 11:34:07

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND2-QPSK-1.4M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 03:50:39

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	57.5952	-96.14	peak	24.63	-71.51	-13.00	150	145	-58.51	
*	89.9600	-87.18	peak	24.01	-63.17	-13.00	150	105	-50.17	



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 03:52:20

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	56.9138	-88.84	peak	22.74	-66.10	-13.00	150	245	-53.10	
*	84.5090	-83.42	peak	22.97	-60.45	-13.00	150	330	-47.45	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 02:38:58

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	799.5992	-70.15	peak	-1.42	-71.57	-13.00	150	135	-58.57	
	934.2685	-74.37	peak	-0.95	-75.32	-13.00	150	140	-62.32	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 02:40:27

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	762.7255	-69.58	peak	-2.00	-71.58	-13.00	150	225	-58.58	
	956.7134	-70.81	peak	-0.88	-71.69	-13.00	150	305	-58.69	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 01:52:33

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3741.483	-45.43	peak	7.14	-38.29	-13.00	150	105	-25.29	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 01:58:23

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3747.495	-50.48	peak	10.14	-40.34	-13.00	150	195	-27.34	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 01:53:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5611.222	-52.89	peak	10.28	-42.61	-13.00	150	270	-29.61	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 01:59:01

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

Polarization: **Vertical**

EUT : W6R22202-21609

Power : 3.7 Vd.c.

M/N:

Distance: 3m

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5611.222	-59.29	peak	12.12	-47.17	-13.00	150	255	-34.17	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 01:54:03

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 01:59:49

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 01:54:15

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 02:00:02

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

Polarization: **Vertical**

EUT : W6R22202-21609

Power : 3.7 Vd.c.

M/N:

Distance: 3m

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 01:54:27

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

Polarization: *Horizontal*

EUT : W6R22202-21609

Power : 3.7 Vd.c.

M/N:

Distance: 3m

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 02:00:14

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND2-QPSK-20M-1RB-CH18900

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 03:47:00

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	56.2325	-98.58	peak	24.56	-74.02	-13.00	150	165	-61.02	
*	93.0261	-89.70	peak	23.61	-66.09	-13.00	150	115	-53.09	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 03:54:37

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	69.5190	-88.89	peak	23.68	-65.21	-13.00	150	245	-52.21	
*	78.3768	-82.70	peak	23.26	-59.44	-13.00	150	280	-46.44	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 02:44:14

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	761.1221	-70.35	peak	-2.75	-73.10	-13.00	150	155	-60.10	
	799.5992	-72.06	peak	-1.42	-73.48	-13.00	150	105	-60.48	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 02:48:37

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Vertical*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	762.7255	-68.39	peak	-2.00	-70.39	-13.00	150	235	-57.39	
*	956.7134	-68.18	peak	-0.88	-69.06	-13.00	150	330	-56.06	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 02:11:42

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1937.876	-48.49	peak	5.94	-42.55	-13.00	150	315	-29.55	
*	3464.930	-47.58	peak	6.14	-41.44	-13.00	150	175	-28.44	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 02:16:06

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1943.888	-49.92	peak	9.90	-40.02	-13.00	150	330	-27.02	
*	3464.930	-48.82	peak	10.38	-38.44	-13.00	150	245	-25.44	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 02:12:39

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 02:16:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 02:13:21

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 02:17:29

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Vertical*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 02:13:33

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

Polarization: *Horizontal*

EUT : W6R22202-21609

Power : 3.7 Vd.c.

M/N:

Distance: 3m

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 02:17:42

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

Polarization: *Vertical*

EUT : W6R22202-21609

Power : 3.7 Vd.c.

M/N:

Distance: 3m

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 02:13:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 02:17:53

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND4-QPSK-1.4M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 03:48:13

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	52.4850	-97.39	peak	24.37	-73.02	-13.00	150	175	-60.02	
*	90.3006	-89.38	peak	23.97	-65.41	-13.00	150	120	-52.41	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 03:55:43

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	55.8918	-88.24	peak	22.76	-65.48	-13.00	150	245	-52.48	
*	85.8717	-80.45	peak	22.91	-57.54	-13.00	150	290	-44.54	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 02:45:40

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	799.5992	-70.38	peak	-1.42	-71.80	-13.00	150	175	-58.80	
	913.4270	-74.24	peak	0.11	-74.13	-13.00	150	90	-61.13	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :2

Data :#2

Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 02:47:22

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	762.7255	-68.24	peak	-2.00	-70.24	-13.00	150	280	-57.24	
	956.7134	-69.36	peak	-0.88	-70.24	-13.00	150	165	-57.24	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 02:22:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1937.876	-47.37	peak	5.94	-41.43	-13.00	150	335	-28.43	
	3446.894	-51.31	peak	6.11	-45.20	-13.00	150	150	-32.20	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 02:27:34

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1949.900	-42.87	peak	9.96	-32.91	-13.00	150	75	-19.91	
	3446.894	-52.51	peak	10.35	-42.16	-13.00	150	260	-29.16	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 02:23:41

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 02:28:11

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Vertical*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 02:24:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 02:29:28

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 02:25:04

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

Polarization: *Horizontal*

EUT : W6R22202-21609

Power : 3.7 Vd.c.

M/N:

Distance: 3m

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 02:29:40

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 02:25:16

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 02:29:53

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND4-QPSK-20M-1RB-CH20175

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 03:43:51

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	89.9600	-91.85	peak	24.01	-67.84	-13.00	150	85	-54.84	
	103.5872	-94.25	peak	22.52	-71.73	-13.00	150	95	-58.73	



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 03:56:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	56.9138	-88.46	peak	22.74	-65.72	-13.00	150	275	-52.72	
*	81.4430	-82.45	peak	23.11	-59.34	-13.00	150	305	-46.34	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 02:53:21

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	801.2024	-68.75	peak	-1.35	-70.10	-13.00	150	165	-57.10	
*	882.9660	-61.86	peak	0.94	-60.92	-13.00	150	215	-47.92	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 02:55:33

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	882.9660	-48.08	peak	-0.48	-48.56	-13.00	150	275	-35.56	
	956.7134	-67.24	peak	-0.88	-68.12	-13.00	150	220	-55.12	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 08:41:31

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1673.347	-48.91	peak	5.79	-43.12	-13.00	150	155	-30.12	
	2509.018	-55.66	peak	3.15	-52.51	-13.00	150	100	-39.51	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 09:47:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1673.347	-49.30	peak	7.31	-41.99	-13.00	150	255	-28.99	
	2509.018	-58.88	peak	8.33	-50.55	-13.00	150	310	-37.55	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 08:42:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 09:48:18

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 08:43:04

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 09:49:01

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND5-QPSK-1.4M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 03:45:04

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	55.8918	-97.43	peak	24.55	-72.88	-13.00	150	135	-59.88	
*	92.6854	-88.18	peak	23.66	-64.52	-13.00	150	95	-51.52	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 03:58:03

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	57.9360	-88.71	peak	22.72	-65.99	-13.00	150	270	-52.99	
*	83.8277	-84.02	peak	23.00	-61.02	-13.00	150	300	-48.02	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 02:59:56

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	799.5992	-67.69	peak	-1.42	-69.11	-13.00	150	175	-56.11	
*	879.7595	-62.22	peak	0.97	-61.25	-13.00	150	115	-48.25	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 03:01:33

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	882.9660	-47.86	peak	-0.48	-48.34	-13.00	150	275	-35.34	
	956.7134	-66.89	peak	-0.88	-67.77	-13.00	150	80	-54.77	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 08:51:00

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1661.322	-54.22	peak	5.79	-48.43	-13.00	150	95	-35.43	
	2496.994	-53.71	peak	3.13	-50.58	-13.00	150	150	-37.58	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 08:56:56

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1661.322	-53.15	peak	7.20	-45.95	-13.00	150	245	-32.95	
	2496.994	-57.35	peak	8.32	-49.03	-13.00	150	330	-36.03	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 08:51:39

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 09:02:17

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Vertical*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 08:52:23

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 09:03:02

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND5-QPSK-10M-1RB-CH20525

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 03:42:23

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	53.5070	-97.81	peak	24.42	-73.39	-13.00	150	165	-60.39	
*	90.3006	-89.54	peak	23.97	-65.57	-13.00	150	105	-52.57	



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 03:59:12

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	47.7154	-88.77	peak	22.98	-65.79	-13.00	150	255	-52.79	
*	81.1022	-84.28	peak	23.12	-61.16	-13.00	150	280	-48.16	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 03:09:11

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	737.0741	-62.60	peak	-2.49	-65.09	-13.00	150	135	-52.09	
	799.5992	-69.48	peak	-1.42	-70.90	-13.00	150	90	-57.90	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 03:21:46

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	738.6774	-49.55	peak	-2.08	-51.63	-13.00	150	245	-38.63	
	956.7134	-68.82	peak	-0.88	-69.70	-13.00	150	315	-56.70	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 10:06:16

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1408.818	-57.36	peak	5.72	-51.64	-13.00	150	165	-38.64	
	2436.874	-59.80	peak	3.47	-56.33	-13.00	150	95	-43.33	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 10:19:13

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1414.830	-56.58	peak	5.64	-50.94	-13.00	150	310	-37.94	
*	2118.236	-59.61	peak	9.94	-49.67	-13.00	150	240	-36.67	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 10:06:54

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 10:20:18

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Polarization: *Vertical*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 10:07:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

Polarization: *Horizontal*

EUT : W6R22202-21609

Power : 3.7 Vd.c.

M/N:

Distance: 3m

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 10:21:30

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

Polarization: **Vertical**

EUT : W6R22202-21609

Power : 3.7 Vd.c.

M/N:

Distance: 3m

Test Mode : BAND12-QPSK-1.4M-1RB-CH23095

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 03:41:07

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	54.5291	-97.61	peak	24.48	-73.13	-13.00	150	135	-60.13	
*	91.6633	-87.70	peak	23.79	-63.91	-13.00	150	90	-50.91	



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 04:00:11

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	46.0120	-87.71	peak	23.09	-64.62	-13.00	150	270	-51.62	
*	86.8938	-83.02	peak	22.87	-60.15	-13.00	150	305	-47.15	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 03:05:37

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	737.0741	-61.64	peak	-2.49	-64.13	-13.00	150	165	-51.13	
	799.5992	-69.63	peak	-1.42	-71.05	-13.00	150	105	-58.05	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 03:04:05

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	733.8677	-48.76	peak	-2.04	-50.80	-13.00	150	315	-37.80	
	956.7134	-67.89	peak	-0.88	-68.77	-13.00	150	155	-55.77	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 10:09:48

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1402.805	-57.89	peak	5.72	-52.17	-13.00	150	140	-39.17	
	2436.874	-58.93	peak	3.47	-55.46	-13.00	150	110	-42.46	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 10:14:03

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1402.805	-58.01	peak	5.64	-52.37	-13.00	150	255	-39.37	
*	2436.874	-59.48	peak	8.58	-50.90	-13.00	150	45	-37.90	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 10:11:15

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 10:15:16

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: *Vertical*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 10:12:25

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 10:16:14

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND12-QPSK-10M-1RB-CH23095

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 03:37:27

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	56.5731	-97.88	peak	24.58	-73.30	-13.00	150	135	-60.30	
*	89.9600	-90.20	peak	24.01	-66.19	-13.00	150	185	-53.19	



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 04:01:13

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	46.6934	-87.06	peak	23.05	-64.01	-13.00	150	305	-51.01	
*	79.0581	-82.13	peak	23.22	-58.91	-13.00	150	285	-45.91	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 03:26:28

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	753.1062	-62.72	peak	-3.02	-65.74	-13.00	150	115	-52.74	
	953.5070	-71.66	peak	-1.67	-73.33	-13.00	150	190	-60.33	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 03:24:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	751.5030	-49.08	peak	-2.16	-51.24	-13.00	150	225	-38.24	
	956.7134	-68.04	peak	-0.88	-68.92	-13.00	150	80	-55.92	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 11:01:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2340.681	-55.11	peak	4.02	-51.09	-13.00	150	95	-38.09	
	2436.874	-57.36	peak	3.47	-53.89	-13.00	150	140	-40.89	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 11:06:49

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1559.118	-54.37	peak	6.22	-48.15	-13.00	150	180	-35.15	
*	2340.681	-52.07	peak	8.99	-43.08	-13.00	150	315	-30.08	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 11:02:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 11:07:27

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: *Vertical*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 11:03:22

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 11:08:22

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND13-QPSK-5M-1RB-CH23230

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 03:38:33

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	56.2325	-99.32	peak	24.56	-74.76	-13.00	150	165	-61.76	
*	88.2565	-88.98	peak	23.92	-65.06	-13.00	150	110	-52.06	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 04:02:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	57.5952	-88.76	peak	22.73	-66.03	-13.00	150	275	-53.03	
*	87.2345	-81.33	peak	22.85	-58.48	-13.00	150	225	-45.48	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 03:27:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	753.1062	-61.97	peak	-3.02	-64.99	-13.00	150	140	-51.99	
	953.5070	-70.42	peak	-1.67	-72.09	-13.00	150	95	-59.09	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 下午 03:29:32

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	754.7093	-49.15	peak	-2.11	-51.26	-13.00	150	315	-38.26	
	956.7134	-68.50	peak	-0.88	-69.38	-13.00	150	265	-56.38	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 11:10:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: **Horizontal**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1937.876	-56.06	peak	5.94	-50.12	-13.00	150	275	-37.12	
	2334.669	-57.26	peak	4.06	-53.20	-13.00	150	160	-40.20	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 11:13:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1553.106	-56.42	peak	6.16	-50.26	-13.00	150	195	-37.26	
*	2334.669	-53.82	peak	9.01	-44.81	-13.00	150	290	-31.81	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 11:11:28

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 11:14:26

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: *Vertical*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 11:12:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2022/2/20

Temperature:24 °C

0.0 dBm

Time: 上午 11:15:09

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : BAND13-QPSK-10M-1RB-CH23230

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2022/2/28

Temperature:24 °C

0.0 dBm

Time: 上午 10:48:37

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	81.1022	-92.69	peak	23.55	-69.14	-13.00	150	245	-56.14	
*	90.9820	-90.39	peak	23.88	-66.51	-13.00	150	115	-53.51	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2022/2/28

Temperature:24 °C

0.0 dBm

Time: 上午 11:07:32

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	76.3327	-89.50	peak	23.38	-66.12	-13.00	150	245	-53.12	
*	90.9820	-84.66	peak	22.90	-61.76	-13.00	150	310	-48.76	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2022/2/28

Temperature:24 °C

0.0 dBm

Time: 上午 10:33:07

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	778.7575	-71.16	peak	-2.14	-73.30	-13.00	150	125	-60.30	
	897.3948	-75.30	peak	0.82	-74.48	-13.00	150	105	-61.48	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2022/2/28

Temperature:24 °C

0.0 dBm

Time: 上午 10:45:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	777.1543	-73.26	peak	-1.79	-75.05	-13.00	150	245	-62.05	
*	956.7134	-67.19	peak	-0.88	-68.07	-13.00	150	295	-55.07	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2022/2/28

Temperature:24 °C

0.0 dBm

Time: 上午 08:22:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3711.423	-61.52	peak	7.02	-54.50	-13.00	150	140	-41.50	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2022/2/28

Temperature:24 °C

0.0 dBm

Time: 上午 08:44:31

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2022/2/28

Temperature:24 °C

0.0 dBm

Time: 上午 08:45:18

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5210.421	-60.90	peak	8.81	-52.09	-13.00	150	330	-39.09	
	5555.110	-64.99	peak	11.97	-53.02	-13.00	150	245	-40.02	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2022/2/28

Temperature:24 °C

0.0 dBm

Time: 上午 08:23:24

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5555.110	-64.85	peak	9.98	-54.87	-13.00	150	175	-41.87	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2022/2/28

Temperature:24 °C

0.0 dBm

Time: 上午 08:24:08

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2022/2/28

Temperature:24 °C

0.0 dBm

Time: 上午 08:46:15

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2022/2/28

Temperature:24 °C

0.0 dBm

Time: 上午 08:24:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2022/2/28

Temperature:24 °C

0.0 dBm

Time: 上午 08:46:27

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

Polarization: **Vertical**

EUT : W6R22202-21609

Power : 3.7 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA-Band2-CH9262

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2022/2/28

Temperature:24 °C

0.0 dBm

Time: 上午 08:24:31

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10


Date: 2022/2/28

Temperature:24 °C

0.0 dBm

Time: 上午 08:46:39

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9262

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2022/2/28

Temperature:24 °C

0.0 dBm

Time: 上午 10:49:41

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	91.6633	-87.00	peak	23.79	-63.21	-13.00	150	145	-50.21	
	104.2685	-94.10	peak	22.48	-71.62	-13.00	150	115	-58.62	



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2022/2/28

Temperature:24 °C

0.0 dBm

Time: 上午 11:06:03

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	80.7615	-87.81	peak	23.14	-64.67	-13.00	150	315	-51.67	
*	90.3006	-81.17	peak	22.78	-58.39	-13.00	150	285	-45.39	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2022/2/28

Temperature:24 °C

0.0 dBm

Time: 上午 10:34:21

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	777.1543	-69.07	peak	-2.20	-71.27	-13.00	150	175	-58.27	
	852.5050	-75.42	peak	1.20	-74.22	-13.00	150	50	-61.22	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2022/2/28

Temperature:24 °C

0.0 dBm

Time: 上午 10:44:57

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: **Vertical**

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	777.1543	-72.92	peak	-1.79	-74.71	-13.00	150	255	-61.71	
*	956.7134	-67.57	peak	-0.88	-68.45	-13.00	150	330	-55.45	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2022/2/28

Temperature:24 °C

0.0 dBm

Time: 上午 08:27:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

EUT : W6R22202-21609

M/N:

Test Mode : WCDMA-Band2-CH9400

Note :

Polarization: *Horizontal*

Power : 3.7 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2022/2/28

Temperature:24 °C

0.0 dBm

Time: 上午 08:40:04

Humidity:60 %



Site : Chamber

Condition : FCC_part 22/24/27

Polarization: **Vertical**

EUT : W6R22202-21609

Power : 3.7 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA-Band2-CH9400

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin