





Registration number: W6M22407-23595-C-247
 FCC ID: GX9MOBLIR35



Date: 11.JUL.2024 09:36:54



Date: 11.JUL.2024 09:35:22




Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M22407-23595-C-247


FCC ID: GX9MOBLIR35

5 MHz

16QAM




Date: 11.JUL.2024 09:44:43



Date: 11.JUL.2024 09:45:08




Registration number: W6M22407-23595-C-247
 FCC ID: GX9MOBLIR35



Date: 11.JUL.2024 09:44:24

10 MHz
 16QAM




Date: 11.JUL.2024 09:41:09




Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 11.JUL.2024 09:40:38



Date: 11.JUL.2024 09:41:52




Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M22407-23595-C-247


FCC ID: GX9MOBLIR35

15 MHz

16QAM




Date: 11.JUL.2024 09:39:12



Date: 11.JUL.2024 09:39:49




Registration number: W6M22407-23595-C-247
 FCC ID: GX9MOBLIR35



Date: 11.JUL.2024 09:38:53

20 MHz
 16QAM




Date: 11.JUL.2024 09:34:31




Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M22407-23595-C-247
 FCC ID: GX9MOBLIR35



Date: 11.JUL.2024 09:34:12



Date: 11.JUL.2024 09:34:59



Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35

7.3 Explanation of test result

All factors like cable loss and external attenuation etc. are already included in the provided measurement results. This is done by using validated test software and calibrated test system according to the accreditation requirements.

7.4 Calculation of Limit for Spurious at Antenna Terminals

Compliance with § 22.917, §24.238, §27.53 requires that any emission be attenuated below the transmitter power at least $43 + 10 \log P$ (P = transmitter power in Watts).

Limit for Spurious Emissions at Antenna Terminals: $L=P-A=-13\text{dBm}$



Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35

8 Field Strength of Spurious Radiation

8.1 Test procedure

The test procedure for filed strength measurement is same as radiated power except for a notch filter or band pass filter is used to avoid the influence of fundamental to the pre-amplifier. The measurements below 1GHz were performed with a measurement bandwidth of 100kHz, above 1GHz with a bandwidth of 1 MHz.

8.2 Test Results

The measurements of the spurious emission are at the upper, center and lower channel.

Model: Mobile Lite R35-C Date:
 Mode: -- Temperature: -- °C Engineer: --
 Polarization: Horizontal Humidity: -- %

Frequency (MHz)	Reading (dBm) Peak	Factor (dB) Corr.	Result (dBm)	Limit (dBm)	Margin (dB)	Table Degree (Deg.)	Ant. High (cm)
--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--

Polarization: Vertical

Frequency (MHz)	Reading (dBm) Peak	Factor (dB) Corr.	Result (dBm)	Limit (dBm)	Margin (dB)	Table Degree (Deg.)	Ant. High (cm)
--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--

- Note**
- 1. Correction Factor = Antenna factor + Cable loss - Preamplifier**
 - 2. The formula of measured value as: Test Result = Reading + Correction Factor**
 - 3. Detector function in the form: PK = Peak, QP = Quasi Peak, AV = Average**
 - 4. All not in the table noted test results are more than 20 dB below the relevant limits.**
 - 5. See attached diagrams in appendix.**

8.3 Explanation of test result

Result Level = Reading Level + Corrected Factor
 Corrected Factor = SG level – Received level-Cable loss + substitution antenna gain

8.4 Calculation of Limit for Field Strength of Spurious

Compliance with § 22.917, § 24.238, § 27.53 requires that any emission be attenuated below the transmitter power at least 43 + 10 log P (P = transmitter power in Watts).
 Limit for Spurious Emissions at Antenna Terminals: L=P-A=-13dBm



Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35

8.5 Test result of band edge emissions

Test date: July 10, 2024

Temperature: 26.7 °C

Humidity: 57.5 %

Tester: Sora


LTE

Band 2

1.4 MHz

QPSK

FRB




Date: 10.JUL.2024 13:44:50




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 13:44:02

1RB




Date: 10.JUL.2024 13:45:12




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 13:43:38

16QAM
1RB




Date: 10.JUL.2024 13:45:33




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 13:43:14

3 MHz
QPSK
FRB




Date: 10.JUL.2024 13:50:08




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 13:50:46

1RB




Date: 10.JUL.2024 13:49:50




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 13:51:06

16QAM
1RB




Date: 10.JUL.2024 13:49:33




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 13:51:23

5 MHz
QPSK
FRB




Date: 10.JUL.2024 14:13:55



Registration number: W6M22407-23595-C-247


FCC ID: GX9MOBLIR35

1RB



Date: 10.JUL.2024 14:15:42

1RB




Date: 10.JUL.2024 14:14:15




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 14:15:23

16QAM
1RB




Date: 10.JUL.2024 14:14:34




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 14:15:05

10 MHz
QPSK
FRB




Date: 10.JUL.2024 14:25:12



Registration number: W6M22407-23595-C-247


FCC ID: GX9MOBLIR35

1RB



Date: 10.JUL.2024 14:25:50


1RB



Date: 10.JUL.2024 14:24:38




Registration number: W6M22407-23595-C-247
 FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 14:26:09

16QAM
 1RB




Date: 10.JUL.2024 14:24:23




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 14:26:29

15 MHz
QPSK
FRB




Date: 10.JUL.2024 14:27:54




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 14:28:29

1RB




Date: 10.JUL.2024 14:27:33




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 14:33:07


16QAM
1RB



Date: 10.JUL.2024 14:27:13




Registration number: W6M22407-23595-C-247
 FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 14:33:22

20 MHz
 QPSK
 FRB




Date: 10.JUL.2024 14:34:48



Registration number: W6M22407-23595-C-247


FCC ID: GX9MOBLIR35

1RB



Date: 10.JUL.2024 14:35:18

1RB




Date: 10.JUL.2024 14:34:28




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 14:35:35

16QAM
1RB




Date: 10.JUL.2024 14:34:04




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 14:35:53

Band 4
1.4 MHz
QPSK
FRB




Date: 10.JUL.2024 13:34:27




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 13:35:03

1RB




Date: 10.JUL.2024 13:34:06




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 13:35:25

16QAM
1RB




Date: 10.JUL.2024 13:33:44




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 13:35:46

3 MHz
QPSK
FRB




Date: 10.JUL.2024 13:53:57




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 13:53:24

1RB




Date: 10.JUL.2024 13:54:16




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 13:53:04

16QAM
1RB




Date: 10.JUL.2024 13:54:44




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 13:52:45

5 MHz
QPSK
FRB




Date: 10.JUL.2024 14:16:56




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 14:18:39

1RB




Date: 10.JUL.2024 14:17:14




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 14:18:20

16QAM
1RB




Date: 10.JUL.2024 14:17:27




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 14:18:03

10 MHz
QPSK
FRB




Date: 10.JUL.2024 14:56:46



Registration number: W6M22407-23595-C-247


FCC ID: GX9MOBLIR35

1RB



Date: 10.JUL.2024 14:57:19

1RB




Date: 10.JUL.2024 14:56:22




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 14:57:41

16QAM
1RB




Date: 10.JUL.2024 14:56:05




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 14:58:00

15 MHz
QPSK
FRB




Date: 10.JUL.2024 14:47:40




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 14:47:03

1RB




Date: 10.JUL.2024 14:47:58




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 14:46:43

16QAM
1RB




Date: 10.JUL.2024 14:48:14




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 14:46:27

20MHz
QPSK
FRB




Date: 10.JUL.2024 14:45:14



Registration number: W6M22407-23595-C-247


FCC ID: GX9MOBLIR35

1RB



Date: 10.JUL.2024 14:44:39

1RB




Date: 10.JUL.2024 14:45:33




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 14:44:20

16QAM
1RB




Date: 10.JUL.2024 14:45:52




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 14:44:04

Band 5
1.4 MHz
QPSK
FRB




Date: 10.JUL.2024 13:32:34




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 13:31:52

1RB




Date: 10.JUL.2024 13:32:55




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 13:31:30

16QAM
1RB




Date: 10.JUL.2024 13:33:14




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 13:31:11

3 MHz
QPSK
FRB




Date: 10.JUL.2024 14:03:34




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 14:04:14


1RB



Date: 10.JUL.2024 14:03:16




Registration number: W6M22407-23595-C-247
 FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 14:04:35

16QAM
1RB




Date: 10.JUL.2024 14:02:57




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 14:04:55

5 MHz
QPSK
FRB




Date: 10.JUL.2024 15:04:33




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 15:06:12

1RB




Date: 10.JUL.2024 15:04:47




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 15:05:54


16QAM
1RB



Date: 10.JUL.2024 15:05:03




Registration number: W6M22407-23595-C-247
 FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 15:05:38

10 MHz
 QPSK
 FRB




Date: 10.JUL.2024 15:03:12




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 15:02:28

1RB




Date: 10.JUL.2024 15:03:35




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 15:02:04


16QAM
1RB



Date: 10.JUL.2024 15:03:54




Registration number: W6M22407-23595-C-247
 FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 15:01:48

Band 12
 1.4 MHz
 QPSK
 FRB




Date: 10.JUL.2024 13:26:11




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 13:26:56

1RB




Date: 10.JUL.2024 13:25:47




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 13:27:27

16QAM
1RB




Date: 10.JUL.2024 13:25:22




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 13:27:51

3 MHz
QPSK
FRB




Date: 10.JUL.2024 14:07:27




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 14:06:56


1RB



Date: 10.JUL.2024 14:07:45




Registration number: W6M22407-23595-C-247
 FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 14:06:37

16QAM
 1RB




Date: 10.JUL.2024 14:08:02




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 14:06:18

5 MHz
QPSK
FRB




Date: 10.JUL.2024 15:16:33




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 15:15:41

1RB




Date: 10.JUL.2024 15:16:48




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 15:15:24

16QAM
1RB




Date: 10.JUL.2024 15:17:07




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 15:15:06

10 MHz
QPSK
FRB




Date: 10.JUL.2024 15:18:22




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 15:18:59

1RB




Date: 10.JUL.2024 15:18:04




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 15:19:18

16QAM
1RB




Date: 10.JUL.2024 15:17:48




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 15:19:53

Band 13
5 MHz
QPSK
FRB




Date: 10.JUL.2024 15:29:36




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 15:30:15

1RB




Date: 10.JUL.2024 15:29:15




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 15:30:33

16QAM
1RB




Date: 10.JUL.2024 15:28:57



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 15:30:52

10 MHz
QPSK
FRB




Date: 10.JUL.2024 15:21:05



Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35


1RB



Date: 10.JUL.2024 15:21:25

1RB

1RB




Date: 10.JUL.2024 15:20:48




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 15:21:45

16QAM
1RB




Date: 10.JUL.2024 15:20:29




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 15:22:02

Band 66
1.4 MHz
QPSK
FRB




Date: 10.JUL.2024 13:18:47




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 13:18:05

1RB




Date: 10.JUL.2024 13:19:14




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 13:17:38

16QAM
1RB




Date: 10.JUL.2024 13:19:39




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 13:17:13

3 MHz
QPSK
FRB




Date: 10.JUL.2024 13:11:13




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 13:12:09


1RB



Date: 10.JUL.2024 13:10:50




Registration number: W6M22407-23595-C-247
 FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 13:12:31

16QAM
1RB




Date: 10.JUL.2024 13:10:27




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 13:12:50

5 MHz
QPSK
FRB




Date: 10.JUL.2024 15:33:43




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 15:33:05


1RB



Date: 10.JUL.2024 15:34:05




Registration number: W6M22407-23595-C-247
 FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 15:32:41

16QAM
 1RB




Date: 10.JUL.2024 15:34:21



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 15:32:20

10 MHz
QPSK
FRB




Date: 10.JUL.2024 15:42:28




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 15:43:50

1RB




Date: 10.JUL.2024 15:41:38




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 15:44:23

16QAM
1RB




Date: 10.JUL.2024 15:41:08




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 15:44:48

15 MHz
QPSK
FRB




Date: 10.JUL.2024 15:46:34




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 15:47:14

1RB




Date: 10.JUL.2024 15:46:07




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 15:47:38

16QAM
1RB




Date: 10.JUL.2024 15:45:44




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 15:48:22

20MHz
QPSK
FRB




Date: 10.JUL.2024 15:50:07



Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35


1RB



Date: 10.JUL.2024 15:50:40

1RB


1RB



Date: 10.JUL.2024 15:49:42




Registration number: W6M22407-23595-C-247
 FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 15:51:06

16QAM
 1RB




Date: 10.JUL.2024 15:49:21




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 15:51:32

Band 71
5 MHz
QPSK
FRB




Date: 10.JUL.2024 16:06:36




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 16:07:13

1RB




Date: 10.JUL.2024 16:06:12




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 16:07:39

16QAM
1RB




Date: 10.JUL.2024 16:05:50




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 16:08:05

10 MHz
QPSK
FRB




Date: 10.JUL.2024 16:04:19




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 16:03:47

1RB




Date: 10.JUL.2024 16:04:41




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 16:03:25

16QAM
1RB




Date: 10.JUL.2024 16:05:08



Worldwide Testing Services(Taiwan) Co., Ltd.


Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 16:03:02

15 MHz
QPSK
FRB




Date: 10.JUL.2024 16:01:03




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 16:01:36

1RB




Date: 10.JUL.2024 16:00:39




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 16:02:00

16QAM
1RB




Date: 10.JUL.2024 16:00:14




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 16:02:24

20MHz
QPSK
FRB




Date: 10.JUL.2024 15:58:52




Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 15:58:16


1RB



Date: 10.JUL.2024 15:59:13




Registration number: W6M22407-23595-C-247
 FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 15:57:43


16QAM
 1RB



Date: 10.JUL.2024 15:59:34



Registration number: W6M22407-23595-C-247
 FCC ID: GX9MOBLIR35



Date: 10.JUL.2024 15:57:22

Registration number: W6M22407-23595-C-247


FCC ID: GX9MOBLIR35

9 Frequency Stability

The frequency stability shall be measured by variation of ambient temperature and variation of primary supply voltage to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintain within $\pm 0.00025\%$ (± 2.5 ppm) of the center frequency.

9.1 Test procedure

- The equipment under test was supplied with rated power supply and the RF output was connected to a frequency counter via feed through attenuators. The EUT was placed inside the temperature chamber. The DC leads and RF output cable, exited the chamber through an opening made for that purpose.
After the temperature stabilized the frequency output was recorded from the counter.
- An external variable power supply was used to supply nominal voltage and 85% to 115% of nominal voltage to the EUT under room temperature. Record the frequencies measured from the counter.
- End point voltage: For hand carried, battery powered equipment, reduce primary supply voltage to the battery operating end point which shall be specified by the manufacturer. Then record the frequencies measured from the counter.





Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35

9.2 Test Results

Test date: July 11, 2024

Temperature: 25.8 °C

Humidity: 54.6 %

Tester: Sora

9.2.1 Frequency Stability vs. Temperature

LTE BAND2 QPSK 10MHz FRB				
CH18900	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	-6.09	-0.003	±2.5
	-20	-2.22	-0.001	
	-10	3.98	0.002	
	0	2.15	0.001	
	10	-3.15	-0.002	
	20	-2.07	-0.001	
	30	-1.92	-0.001	
	40	-2.92	-0.001	
	50	1.60	0.001	
132Vac	25	-3.46	-0.002	
108Vac	25	-2.84	-0.001	

LTE BAND4 QPSK 10MHz FRB				
CH20175	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	-3.42	-0.002	±2.5
	-20	-2.16	-0.001	
	-10	1.63	0.001	
	0	1.12	0.001	
	10	-1.53	-0.001	
	20	-4.71	-0.003	
	30	2.45	0.001	
	40	-5.85	-0.003	
	50	-4.44	-0.003	
132Vac	25	-2.15	-0.001	
108Vac	25	-3.48	-0.002	



Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35

LTE BAND5 QPSK 10MHz FRB				
CH20525	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	1.00	0.001	±2.5
	-20	2.55	0.003	
	-10	3.48	0.004	
	0	-1.53	-0.002	
	10	2.29	0.003	
	20	3.37	0.004	
	30	-0.37	0.000	
	40	0.87	0.001	
	50	1.97	0.002	
132Vac	25	1.67	0.002	
108Vac	25	-1.68	-0.002	

LTE BAND12 QPSK 10MHz FRB				
CH23095	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	-2.69	-0.004	±2.5
	-20	-1.85	-0.003	
	-10	1.16	0.002	
	0	0.84	0.001	
	10	-1.92	-0.003	
	20	2.15	0.003	
	30	-1.13	-0.002	
	40	-1.32	-0.002	
	50	2.18	0.003	
132Vac	25	0.68	0.001	
108Vac	25	-1.67	-0.002	

LTE BAND13 QPSK 10MHz FRB				
CH23230	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	-2.66	-0.003	±2.5
	-20	-1.45	-0.002	
	-10	-1.62	-0.002	
	0	-0.27	0.000	
	10	1.33	0.002	
	20	-2.17	-0.003	
	30	1.43	0.002	
	40	-2.45	-0.003	
	50	-1.77	-0.002	
132Vac	25	1.83	0.002	
108Vac	25	-2.50	-0.003	



Registration number: W6M22407-23595-C-247

FCC ID: GX9MOBLIR35

LTE BAND66 QPSK 10MHz FRB				
CH132322	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	-7.22	-0.004	±2.5
	-20	-5.12	-0.003	
	-10	-7.79	-0.004	
	0	-4.58	-0.003	
	10	-3.85	-0.002	
	20	-5.58	-0.003	
	30	-3.85	-0.002	
	40	2.15	0.001	
	50	-1.84	-0.001	
132Vac	25	-2.05	-0.001	
108Vac	25	-2.84	-0.002	

LTE BAND71 QPSK 10MHz FRB				
CH133297	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
	-30	-3.25	-0.005	±2.5
	-20	-1.68	-0.002	
	-10	-2.26	-0.003	
	0	-1.24	-0.002	
	10	2.88	0.004	
	20	-2.46	-0.004	
	30	-3.36	-0.005	
	40	-0.45	-0.001	
	50	-1.89	-0.003	
132Vac	25	-2.12	-0.003	
108Vac	25	-1.33	-0.002	



Registration number: W6M22407-23595-C-247
FCC ID: GX9MOBLIR35

Appendix

Measurement diagrams

Filed Strength of Spurious Emission



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2024/7/14

Temperature:22 °C

0.0 dBm

Time: 上午 10:04:28

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band2 -1.4M-QPSK-1RB-CH18900 Activ

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	93.3667	-93.50	peak	23.57	-69.93	-13.00	150	160	-56.93	
*	151.6232	-92.84	peak	23.41	-69.43	-13.00	150	205	-56.43	



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 10:38:11

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band2 -1.4M-QPSK-1RB-CH18900 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	70.8818	-91.59	peak	23.68	-67.91	-13.00	150	290	-54.91	
*	87.2345	-86.24	peak	22.85	-63.39	-13.00	150	305	-50.39	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1

Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 09:44:29

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band2 -1.4M-QPSK-1RB-CH18900 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	765.9320	-64.58	peak	-2.58	-67.16	-13.00	150	165	-54.16	
	830.0601	-68.78	peak	0.17	-68.61	-13.00	150	215	-55.61	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 10:00:40

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band2 -1.4M-QPSK-1RB-CH18900 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	236.8737	-58.84	peak	-11.48	-70.32	-13.00	150	355	-57.32	
*	318.6373	-60.27	peak	-7.53	-67.80	-13.00	150	280	-54.80	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 08:18:48

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band2 -1.4M-QPSK-1RB-CH18900 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3765.531	-54.53	peak	7.23	-47.30	-13.00	150	110	-34.30	

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 08:29:28

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

Polarization: **Vertical**

EUT : W6M22407-23595

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band2 -1.4M-QPSK-1RB-CH18900 Activ

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3765.531	-58.28	peak	10.12	-48.16	-13.00	150	310	-35.16	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 08:19:32

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band2 -1.4M-QPSK-1RB-CH18900 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5643.287	-67.05	peak	10.44	-56.61	-13.00	150	125	-43.61	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 08:34:10

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band2 -1.4M-QPSK-1RB-CH18900 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5643.287	-67.00	peak	12.20	-54.80	-13.00	150	255	-41.80	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 08:20:16

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band2 -1.4M-QPSK-1RB-CH18900 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 08:34:56

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band2 -1.4M-QPSK-1RB-CH18900 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 08:20:28

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band2 -1.4M-QPSK-1RB-CH18900 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 08:35:08

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band2 -1.4M-QPSK-1RB-CH18900 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 08:20:40

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band2 -1.4M-QPSK-1RB-CH18900 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10

Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 08:35:20

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band2 -1.4M-QPSK-1RB-CH18900 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 10:05:59

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band2 -20M-QPSK-1RB-CH18900 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	68.4970	-97.51	peak	24.26	-73.25	-13.00	150	150	-60.25	
*	109.3788	-91.94	peak	22.22	-69.72	-13.00	150	75	-56.72	



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 10:37:03

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band2 -20M-QPSK-1RB-CH18900 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	71.5631	-90.83	peak	23.64	-67.19	-13.00	150	60	-54.19	
	80.0802	-90.42	peak	23.17	-67.25	-13.00	150	90	-54.25	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1

Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 09:45:39

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band2 -20M-QPSK-1RB-CH18900 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	360.3206	-54.91	peak	-8.07	-62.98	-13.00	150	165	-49.98	
	764.3287	-61.77	peak	-2.64	-64.41	-13.00	150	220	-51.41	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 09:59:37

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band2 -20M-QPSK-1RB-CH18900 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	257.7154	-54.00	peak	-10.56	-64.56	-13.00	150	285	-51.56	
	320.2405	-58.96	peak	-7.58	-66.54	-13.00	150	330	-53.54	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 07:47:49

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

Polarization: *Horizontal*

EUT : W6M22407-23595

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band2 -20M-QPSK-1RB-CH18900 Activ

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3759.519	-55.62	peak	7.21	-48.41	-13.00	150	140	-35.41	

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 07:51:53

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band2 -20M-QPSK-1RB-CH18900 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3765.531	-57.55	peak	10.12	-47.43	-13.00	150	215	-34.43	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 07:48:27

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band2 -20M-QPSK-1RB-CH18900 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5643.287	-67.80	peak	10.44	-57.36	-13.00	150	105	-44.36	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 08:05:58

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band2 -20M-QPSK-1RB-CH18900 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5643.287	-68.64	peak	12.20	-56.44	-13.00	150	340	-43.44	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 07:49:36

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band2 -20M-QPSK-1RB-CH18900 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 08:07:00

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band2 -20M-QPSK-1RB-CH18900 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 07:49:48

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band2 -20M-QPSK-1RB-CH18900 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 08:07:12

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band2 -20M-QPSK-1RB-CH18900 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 07:50:00

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band2 -20M-QPSK-1RB-CH18900 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10

Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 08:07:24

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band2 -20M-QPSK-1RB-CH18900 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 10:08:10

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band4 -1.4M-QPSK-1RB-CH20175 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	70.8818	-96.29	peak	24.11	-72.18	-13.00	150	155	-59.18	
	129.4790	-96.56	peak	22.10	-74.46	-13.00	150	220	-61.46	



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 10:36:03

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band4 -1.4M-QPSK-1RB-CH20175 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	71.5631	-89.80	peak	23.64	-66.16	-13.00	150	305	-53.16	
	89.2786	-89.85	peak	22.76	-67.09	-13.00	150	225	-54.09	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1

Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 09:48:00

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band4 -1.4M-QPSK-1RB-CH20175 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	655.3106	-67.97	peak	0.57	-67.40	-13.00	150	245	-54.40	
*	764.3287	-63.87	peak	-2.64	-66.51	-13.00	150	190	-53.51	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 09:58:29

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band4 -1.4M-QPSK-1RB-CH20175 Activ

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	781.9640	-68.98	peak	-1.73	-70.71	-13.00	150	245	-57.71	
*	924.6493	-67.02	peak	-0.57	-67.59	-13.00	150	300	-54.59	

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 06:16:08

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band4 -1.4M-QPSK-1RB-CH20175 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3422.846	-54.49	peak	6.06	-48.43	-13.00	150	240	-35.43	

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 06:30:03

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

Polarization: **Vertical**

EUT : W6M22407-23595

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band4 -1.4M-QPSK-1RB-CH20175 Activ

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3434.870	-57.00	peak	10.33	-46.67	-13.00	150	330	-33.67	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 06:23:27

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band4 -1.4M-QPSK-1RB-CH20175 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5202.405	-53.14	peak	7.86	-45.28	-13.00	150	125	-32.28	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 06:30:42

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band4 -1.4M-QPSK-1RB-CH20175 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5202.405	-54.33	peak	8.73	-45.60	-13.00	150	285	-32.60	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 06:24:11

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band4 -1.4M-QPSK-1RB-CH20175 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 06:31:31

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band4 -1.4M-QPSK-1RB-CH20175 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 06:24:23

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band4 -1.4M-QPSK-1RB-CH20175 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 06:31:43

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

Polarization: **Vertical**

EUT : W6M22407-23595

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band4 -1.4M-QPSK-1RB-CH20175 Activ

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5

Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 06:24:34

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band4 -1.4M-QPSK-1RB-CH20175 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :3

Data :#10


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 06:31:55

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band4 -1.4M-QPSK-1RB-CH20175 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 10:07:11

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band4 -20M-QPSK-1RB-CH20175 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	68.1563	-97.06	peak	24.28	-72.78	-13.00	150	160	-59.78	
	84.5090	-100.19	peak	23.72	-76.47	-13.00	150	115	-63.47	



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 10:34:33

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band4 -20M-QPSK-1RB-CH20175 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	70.8818	-90.50	peak	23.68	-66.82	-13.00	150	45	-53.82	
	80.4208	-90.86	peak	23.15	-67.71	-13.00	150	250	-54.71	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 09:49:33

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band4 -20M-QPSK-1RB-CH20175 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	655.3106	-64.76	peak	0.57	-64.19	-13.00	150	135	-51.19	
	764.3287	-62.85	peak	-2.64	-65.49	-13.00	150	185	-52.49	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 09:57:22

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band4 -20M-QPSK-1RB-CH20175 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	291.3828	-53.51	peak	-7.06	-60.57	-13.00	150	285	-47.57	
	921.4430	-63.99	peak	-0.50	-64.49	-13.00	150	65	-51.49	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 05:47:46

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band4 -20M-QPSK-1RB-CH20175 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3494.990	-60.67	peak	6.19	-54.48	-13.00	150	150	-41.48	

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 06:06:10

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band4 -20M-QPSK-1RB-CH20175 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3464.930	-59.81	peak	10.38	-49.43	-13.00	150	175	-36.43	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 05:53:58

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band4 -20M-QPSK-1RB-CH20175 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5202.405	-53.40	peak	7.86	-45.54	-13.00	150	150	-32.54	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 06:06:48

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band4 -20M-QPSK-1RB-CH20175 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5202.405	-52.97	peak	8.73	-44.24	-13.00	150	225	-31.24	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 05:54:42

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band4 -20M-QPSK-1RB-CH20175 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 06:07:33

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band4 -20M-QPSK-1RB-CH20175 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 05:54:54

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band4 -20M-QPSK-1RB-CH20175 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#9


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 06:07:45

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band4 -20M-QPSK-1RB-CH20175 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :3

Data :#5

Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 05:55:06

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band4 -20M-QPSK-1RB-CH20175 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#10

Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 06:07:57

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band4 -20M-QPSK-1RB-CH20175 Activ

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 10:09:23

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band5 -1.4M-QPSK-1RB-CH20525 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	33.7475	-90.30	peak	22.78	-67.52	-13.00	150	45	-54.52	
	70.8818	-96.57	peak	21.96	-74.61	-13.00	150	165	-61.61	



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 10:31:10

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band5 -1.4M-QPSK-1RB-CH20525 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	72.2445	-90.24	peak	21.45	-68.79	-13.00	150	285	-55.79	
	86.2124	-90.92	peak	20.75	-70.17	-13.00	150	255	-57.17	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1

Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 09:36:44

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band5 -1.4M-QPSK-1RB-CH20525 Active

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	440.4810	-54.13	peak	-8.96	-63.09	-13.00	150	175	-50.09	
	765.9320	-64.18	peak	-4.73	-68.91	-13.00	150	205	-55.91	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 09:37:46

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band5 -1.4M-QPSK-1RB-CH20525 Active

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	902.2043	-67.96	peak	-2.21	-70.17	-13.00	150	75	-57.17	
	943.8877	-67.75	peak	-3.16	-70.91	-13.00	150	90	-57.91	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 01:55:24

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band5 -1.4M-QPSK-1RB-CH20525 Active

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1673.347	-60.05	peak	3.64	-56.41	-13.00	150	225	-43.41	
*	2454.910	-53.50	peak	1.22	-52.28	-13.00	150	135	-39.28	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 02:00:18

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band5 -1.4M-QPSK-1RB-CH20525 Active

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1673.347	-59.13	peak	5.16	-53.97	-13.00	150	330	-40.97	
*	2521.042	-57.89	peak	6.22	-51.67	-13.00	150	245	-38.67	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 01:56:36

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band5 -1.4M-QPSK-1RB-CH20525 Active

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 02:02:03

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band5 -1.4M-QPSK-1RB-CH20525 Active

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 01:57:32

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band5 -1.4M-QPSK-1RB-CH20525 Active

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 02:03:07

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band5 -1.4M-QPSK-1RB-CH20525 Active

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1

Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 10:10:58

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band5 -10M-QPSK-1RB-CH20525 Activ

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	71.9038	-95.61	peak	21.89	-73.72	-13.00	150	175	-60.72	
	88.2565	-98.95	peak	21.77	-77.18	-13.00	150	110	-64.18	



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 10:29:49

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band5 -10M-QPSK-1RB-CH20525 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	72.2445	-89.70	peak	21.45	-68.25	-13.00	150	90	-55.25	
*	87.5752	-87.85	peak	20.69	-67.16	-13.00	150	240	-54.16	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 09:39:42

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band5 -10M-QPSK-1RB-CH20525 Active

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	450.1002	-57.95	peak	-8.79	-66.74	-13.00	150	165	-53.74	
	777.1543	-65.06	peak	-4.35	-69.41	-13.00	150	220	-56.41	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 09:38:32

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band5 -10M-QPSK-1RB-CH20525 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	430.8616	-58.95	peak	-10.69	-69.64	-13.00	150	260	-56.64	
*	535.0701	-62.71	peak	-6.84	-69.55	-13.00	150	305	-56.55	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 02:06:28

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band5 -10M-QPSK-1RB-CH20525 Active

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1673.347	-60.55	peak	3.64	-56.91	-13.00	150	145	-43.91	
*	1949.900	-54.34	peak	3.79	-50.55	-13.00	150	185	-37.55	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 02:10:27

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band5 -10M-QPSK-1RB-CH20525 Active

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1354.709	-57.73	peak	3.49	-54.24	-13.00	150	335	-41.24	
*	1805.611	-56.45	peak	6.43	-50.02	-13.00	150	85	-37.02	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 02:07:08

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band5 -10M-QPSK-1RB-CH20525 Active

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 02:11:20

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band5 -10M-QPSK-1RB-CH20525 Active

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 02:08:23

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band5 -10M-QPSK-1RB-CH20525 Active

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 02:12:12

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band5 -10M-QPSK-1RB-CH20525 Active

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 10:39:45

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band12 -1.4M-QPSK-1RB-CH23095 Active

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	71.9038	-94.86	peak	21.89	-72.97	-13.00	150	185	-59.97	
*	156.0520	-88.18	peak	21.58	-66.60	-13.00	150	120	-53.60	



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 10:27:42

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band12 -1.4M-QPSK-1RB-CH23095 Active

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	69.8597	-91.32	peak	21.57	-69.75	-13.00	150	105	-56.75	
*	88.9380	-88.50	peak	20.63	-67.87	-13.00	150	85	-54.87	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 09:24:39

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band12 -1.4M-QPSK-1RB-CH23095 Active

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	551.1022	-66.38	peak	-7.02	-73.40	-13.00	150	160	-60.40	
*	765.9320	-63.22	peak	-4.73	-67.95	-13.00	150	350	-54.95	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2024/7/14

Temperature:22 °C

0.0 dBm

Time: 上午 09:23:17

Humidity:55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band12 -1.4M-QPSK-1RB-CH23095 Active

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	307.4148	-63.80	peak	-9.33	-73.13	-13.00	150	265	-60.13	
*	900.6011	-66.81	peak	-2.17	-68.98	-13.00	150	110	-55.98	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 02:52:04

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band12 -1.4M-QPSK-1RB-CH23095 Active

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1414.830	-44.41	peak	3.57	-40.84	-13.00	150	185	-27.84	
*	2124.249	-34.06	peak	3.11	-30.95	-13.00	150	110	-17.95	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 03:03:25

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band12 -1.4M-QPSK-1RB-CH23095 Active

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1414.830	-56.38	peak	3.49	-52.89	-13.00	150	355	-39.89	
*	3482.966	-60.64	peak	8.26	-52.38	-13.00	150	285	-39.38	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 02:52:43

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band12 -1.4M-QPSK-1RB-CH23095 Active

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 03:04:04

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band12 -1.4M-QPSK-1RB-CH23095 Active

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 02:53:25

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band12 -1.4M-QPSK-1RB-CH23095 Active

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 03:04:47

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band12 -1.4M-QPSK-1RB-CH23095 Active

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 10:12:04

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band12 -10M-QPSK-1RB-CH23095 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	114.8297	-86.26	peak	19.79	-66.47	-13.00	150	255	-53.47	
*	154.3487	-86.60	peak	21.46	-65.14	-13.00	150	215	-52.14	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 10:26:10

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band12 -10M-QPSK-1RB-CH23095 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	70.8818	-89.76	peak	21.53	-68.23	-13.00	150	85	-55.23	
*	154.0080	-86.84	peak	22.20	-64.64	-13.00	150	245	-51.64	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 09:21:16

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band12 -10M-QPSK-1RB-CH23095 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	219.2384	-51.21	peak	-17.20	-68.41	-13.00	150	135	-55.41	
	777.1543	-65.88	peak	-4.35	-70.23	-13.00	150	205	-57.23	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 09:22:18

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band12 -10M-QPSK-1RB-CH23095 Active

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	371.5430	-56.61	peak	-11.36	-67.97	-13.00	150	285	-54.97	
	419.6392	-57.72	peak	-11.26	-68.98	-13.00	150	330	-55.98	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 02:36:25

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band12 -10M-QPSK-1RB-CH23095 Active

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2124.249	-33.64	peak	3.11	-30.53	-13.00	150	155	-17.53	
	2833.667	-55.05	peak	2.43	-52.62	-13.00	150	185	-39.62	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 02:40:23

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band12 -10M-QPSK-1RB-CH23095 Active

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2124.249	-41.13	peak	7.76	-33.37	-13.00	150	265	-20.37	
	2833.667	-57.19	peak	7.04	-50.15	-13.00	150	290	-37.15	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 02:37:04

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band12 -10M-QPSK-1RB-CH23095 Active

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 02:41:06

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band12 -10M-QPSK-1RB-CH23095 Active

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 02:37:55

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band12 -10M-QPSK-1RB-CH23095 Active

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 02:42:41

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band12 -10M-QPSK-1RB-CH23095 Active

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 10:13:24

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band13 -5M-QPSK-1RB-CH23230 Activ

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	90.3006	-96.11	peak	21.82	-74.29	-13.00	150	165	-61.29	
*	156.7335	-93.34	peak	21.63	-71.71	-13.00	150	85	-58.71	



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 10:24:37

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band13 -5M-QPSK-1RB-CH23230 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	71.2224	-89.83	peak	21.51	-68.32	-13.00	150	95	-55.32	
*	157.0741	-88.21	peak	22.62	-65.59	-13.00	150	285	-52.59	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 09:04:33

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band13 -5M-QPSK-1RB-CH23230 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	442.0842	-59.85	peak	-8.93	-68.78	-13.00	150	65	-55.78	
*	644.0882	-62.60	peak	-1.99	-64.59	-13.00	150	210	-51.59	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 09:05:51

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band13 -5M-QPSK-1RB-CH23230 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	389.1784	-57.69	peak	-11.92	-69.61	-13.00	150	115	-56.61	
	924.6493	-68.45	peak	-2.72	-71.17	-13.00	150	310	-58.17	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 03:18:09

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band13 -5M-QPSK-1RB-CH23230 Active

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1565.130	-57.14	peak	3.59	-53.55	-13.00	150	195	-40.55	
*	2346.693	-44.67	peak	1.84	-42.83	-13.00	150	145	-29.83	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 03:21:06

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band13 -5M-QPSK-1RB-CH23230 Active

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1565.130	-54.99	peak	4.12	-50.87	-13.00	150	355	-37.87	
*	2346.693	-47.96	peak	6.81	-41.15	-13.00	150	285	-28.15	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 03:18:47

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band13 -5M-QPSK-1RB-CH23230 Active

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2024/7/12

Temperature: 22 °C

Time: 下午 03:21:43

Humidity: 55 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band13 -5M-QPSK-1RB-CH23230 Active

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 03:19:29

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band13 -5M-QPSK-1RB-CH23230 Active

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 03:22:40

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band13 -5M-QPSK-1RB-CH23230 Active

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :1

Data :#1


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 10:14:43

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band13 -10M-QPSK-1RB-CH23230 Activ

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	100.8617	-85.99	peak	20.51	-65.48	-13.00	150	275	-52.48	
	108.0160	-86.82	peak	20.14	-66.68	-13.00	150	290	-53.68	



Radiated Emission Measurement

Operator: Sora

File :1

Data :#2

Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 10:23:37

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band13 -10M-QPSK-1RB-CH23230 Activ

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	31.7034	-85.35	peak	21.29	-64.06	-13.00	150	210	-51.06	
	71.5631	-90.47	peak	21.49	-68.98	-13.00	150	105	-55.98	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#1


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 09:07:51

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band13 -10M-QPSK-1RB-CH23230 Activ

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	381.1623	-55.51	peak	-9.93	-65.44	-13.00	150	275	-52.44	
	464.5291	-59.33	peak	-8.54	-67.87	-13.00	150	220	-54.87	



Radiated Emission Measurement

Operator: Sora

File :2

Data :#2


Date: 2024/7/14

Temperature: 22 °C

0.0 dBm

Time: 上午 09:06:46

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band13 -10M-QPSK-1RB-CH23230 Activ

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	491.7835	-64.91	peak	-7.60	-72.51	-13.00	150	335	-59.51	
*	943.8877	-67.73	peak	-3.16	-70.89	-13.00	150	165	-57.89	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 03:35:59

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band13 -10M-QPSK-1RB-CH23230 Active

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1565.130	-55.29	peak	3.59	-51.70	-13.00	150	225	-38.70	
*	2346.693	-43.81	peak	1.84	-41.97	-13.00	150	105	-28.97	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 03:38:52

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band13 -10M-QPSK-1RB-CH23230 Active

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1565.130	-55.52	peak	4.12	-51.40	-13.00	150	290	-38.40	
*	2346.693	-51.44	peak	6.81	-44.63	-13.00	150	45	-31.63	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 03:36:36

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band13 -10M-QPSK-1RB-CH23230 Active

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 03:39:29

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band13 -10M-QPSK-1RB-CH23230 Active

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2024/7/12

Temperature: 22 °C

0.0 dBm

Time: 下午 03:37:19

Humidity: 55 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22407-23595

M/N:

Test Mode : LTE Band13 -10M-QPSK-1RB-CH23230 Active

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin