



CCS WUGU Antenna Pattern

Application: LITE-ON Technology Corp.

Model: SD-9080

Antenna Type: Chip Antenna

Antenna Gain:-10.28 dBi


Job No.:T100514003-光寶-2403-E

Date:2010/5/24

Time:下午 04:32

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 2403

Polarization : E Plane

Max gain(dBi):-11.76

Min gain(dBi):-43.25

Avg gain(dBi):-16.03



CCS WUGU Antenna Pattern


Job No.:T100514003-光寶-2403-H

Date:2010/5/24

Time:下午 04:34

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 2403

Polarization : H Plane

Max gain(dBi):-17.30

Min gain(dBi):-36.89

Avg gain(dBi):-22.71



CCS WUGU Antenna Pattern


Job No.:T100514003-光寶-2440-E

Date:2010/5/24

Time:下午 04:38

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 2440

Polarization : E Plane

Max gain(dBi):-12.08

Min gain(dBi):-45.59

Avg gain(dBi):-16.52



CCS WUGU Antenna Pattern


Job No.:T100514003-光寶-2440-H

Date:2010/5/24

Time:下午 04:35

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 2440

Polarization : H Plane

Max gain(dBi):-19.26

Min gain(dBi):-38.83

Avg gain(dBi):-23.58



CCS WUGU Antenna Pattern


Job No.:T100514003-光寶-2480-E

Date:2010/5/24

Time:下午 04:39

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 2480

Polarization : E Plane

Max gain(dBi):-10.28

Min gain(dBi):-45.41

Avg gain(dBi):-15.18



CCS WUGU Antenna Pattern


Job No.:T100514003-光寶-2480-H

Date:2010/5/24

Time:下午 04:42

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 2480

Polarization : H Plane

Max gain(dBi):-19.02

Min gain(dBi):-63.27

Avg gain(dBi):-22.68