



CCS WUGU Antenna Pattern

Application: LITE-ON Technology Corp.

Model: SM-9060

Antenna Type: PCB Antenna

Antenna Gain:-2.82 dB


Job No.:T100514001-光寶-2403-E

Date:2010/5/24

Time:下午 04:09

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 2403

Polarization : E Plane

Max gain(dBi):-2.82

Min gain(dBi):-24.79

Avg gain(dBi):-6.21



CCS WUGU Antenna Pattern


Job No.:T100514001-光寶-2403-H

Date:2010/5/24

Time:下午 04:12

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 2403

Polarization : H Plane

Max gain(dBi):-6.31

Min gain(dBi):-22.59

Avg gain(dBi):-9.78



CCS WUGU Antenna Pattern


Job No.:T100514001-光寶-2440-E

Date:2010/5/24

Time:下午 04:20

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 2440

Polarization : E Plane

Max gain(dBi):-4.01

Min gain(dBi):-23.25

Avg gain(dBi):-6.87



CCS WUGU Antenna Pattern


Job No.:T100514001-光寶-2440-H

Date:2010/5/24

Time:下午 04:22

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 2440

Polarization : H Plane

Max gain(dBi):-7.14


Min gain(dBi):-19.33

Avg gain(dBi):-9.84



CCS WUGU Antenna Pattern

Job No.:T100514001-光寶-2480-E
Date:2010/5/24 Time:下午 04:27 Temp.()/Hum.(%):25 /80%
Tested by:



Center freq.(MHz): 2480

Polarization : E Plane

Max gain(dBi):-5.18

Min gain(dBi):-25.32

Avg gain(dBi):-7.94



CCS WUGU Antenna Pattern


Job No.:T100514001-光寶-2480-H

Date:2010/5/24

Time:下午 04:24

Temp.()/Hum.(%):25 /80%

Tested by:



Center freq.(MHz): 2480

Polarization : H Plane

Max gain(dBi):-7.15

Min gain(dBi):-19.38

Avg gain(dBi):-10.79