## Advance Security Inc. 3F, 48 Ta-An Street, Hsi-Chih Taipei Hsien, Taiwan R.O.C.

Federal Communications Commission Authorization and Evaluation Division Equipment Authorization Branch 7435 Oakland Mills Road Columbia, MD 21046

## **Applicant's declaration concerning RF Radiation Exposure**

We hereby indicate that the product Product description: Remote Control

Model No: TRC966A

The equipment complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. The integral antennas used for this transmitter must not be co-located or operating in conjunction with any other antenna or transmitter within the host device.

A safety statement concerning minimum separation distances from enclosure of the Product : Remote Control

will be integrated in the user's manual to provide end-users with transmitter operating conditions for satisfying RF exposure compliance.

The appropriate information can be drawn from the test report no: W6M21306-13260-C-1 and the accompanying calculations.

Company: Advance Security Inc.

Address: 3F, 48 Ta-An Street, Hsi-Chih Taipei Hsien, Taiwan R.O.C.

the -

Date: 2013-07-03

Signature

Maximum peak output power at antenna input terminal:	15.83(dBm)
Maximum peak output power at antenna input terminal:	38.3 (mW)
Antenna gain(maximal):	6 (dBi)
Prediction distance:	20 (cm)
Prediction frequency:	908.3 (MHz)
MPE limit for uncontrolled exposure at prediction frequency:	$1.0~(\text{mW/cm}^2)$
Power density at prediction frequency:	0.03(mW/cm <sup>2</sup> )

The manual instruct the user to install and operate the device in a minimum distance of 20 cm between antenna and the user's body.