

ANNEX 2A - PLOTS OF MEASUREMENTS

PLOT # 1




KAVAL WIRELESS TECHNOLOGIES INC.
LINKNET LNKC 1900 RF 1900 MHz PCS MODULE
Intermodulation with 1 RF Input Signals in 1850 - 1910 MHz

KTC-16P2
Date: May 19 2001
Tested by: Hung Trinh

1857.5 MHz
RF IN: -45 dBm

Plot # 1



ANNEX 2A - PLOTS OF MEASUREMENTS


PLOT # 2



KAVAL WIRELESS TECHNOLOGIES INC.
 LINKNET LNKC 1900 RF 1900 MHz PCS MODULE
 Intermodulation with 2 RF Input Signals in 1850 - 1910 MHz
1857.5 & 1857.7 MHz

Date: May 20 2001
 Tested by: Hung Trinh

Plot #2



RF INPUT
 ① = 68.6 dBm
 ② = -68.8 dBm

*** Multi Marker List ***


No.	Frequency (GHz)	Power (dBm)	Label
No. 1:	1.857497	24.63	A
No. 2:	1.857697	24.63	A
No. 3:	1.857297	-13.00	A
No. 4:			
No. 5:			
No. 6:			
No. 7:			
No. 8:			
Δ:			



KAVAL WIRELESS TECHNOLOGIES INC.
 LINKNET LNKC 1900 RF 1900 MHz PCS MODULE
 Intermodulation with 9 RF Input Signals in 1850 - 1910 MHz
 1857.5, 1857.7 & 1857.9 MHz

Date: May 20 2001
 Tested by: Hung Trinh

Plot #3



RF INPUT:
 ① = -68.7 dBm
 ② = -69.1 dBm
 ③ = -69.2 dBm

*** Multi Marker List ***

No.	Frequency (GHz)	Power (dBm)	Marker
No. 1:	1.857497	22.19	A
No. 2:	1.857697	22.25	A
No. 3:	1.857900	22.03	A
No. 4:	1.857297	-13.06	A
No. 5:	1.857097	-18.28	A
No. 6:			
No. 7:			
No. 8:			
Δ:			




KAVAL WIRELESS TECHNOLOGIES INC.
LINKNET LNKC 1900 RF 1900 MHz PCS MODULE
Intermodulation with 1 RF Input Signals in 1850 - 1910 MHz

Date: May 19 2001
Tested by: Hung Trinh

1880 MHz
RF IN: -45 dBm

Plot # 4






KAVAL WIRELESS TECHNOLOGIES INC.
 LINKNET LNKC 1900 RF 1900 MHz PCS MODULE
 Intermodulation with 2 RF Input Signals in 1850 - 1910 MHz
 1880 & 1890.8 MHz

Date: May 20 2001
 Tested by: Hung Trinh

Plot # 5



RF INPUT:
 ① = -69.0 dBm
 ② = -68.9 dBm

*** Multi Marker List ***


No.	Frequency (GHz)	Power (dBm)	Marker
No.1:	1.880000	24.41	A
No.2:	1.880197	24.47	A
No.3:	1.879800	-13.09	A
No.4:			
No.5:			
No.6:			
No.7:			
No.8:			
Δ:			



KAVAL WIRELESS TECHNOLOGIES INC.
 LINKNET LNKC 1900 RF 1900 MHz PCS MODULE
 Intermodulation with 3 RF Input Signals in 1850 - 1910 MHz
 1879.8, 1880 & 1880.2 MHz

Date: May 20 2001
 Tested by: Hung Trinh

Plot #6



RF INPUT :
 ① = -70.9 dBm
 ② = -69.9 dBm
 ③ = -69.6 dBm

*** Multi Marker List ***


No.	Frequency (GHz)	Power (dBm)	Marker
No. 1:	1.879797	22.25	A
No. 2:	1.879997	22.25	A
No. 3:	1.880197	22.28	A
No. 4:	1.880400	-13.50	A
No. 5:	1.880600	-20.22	A
No. 6:			
No. 7:			
No. 8:			
Δ:			



KAVAL WIRELESS TECHNOLOGIES INC.
LINKNET LNKC 1900 RF 1900 MHz PCS MODULE
Intermodulation with 1 RF Input Signals in 1850 - 1910 MHz

Date: May 19 2001
Tested by: Hung Trinh

Plot #7






KAVAL WIRELESS TECHNOLOGIES INC.
 LINKNET LNKC 1900 RF 1900 MHz PCS MODULE
 Intermodulation with 2 RF Input Signals in 1850 - 1910 MHz
 1902.3 & 1902.5 MHz

Date: May 30 2001
 Tested by: Hung Trinh

Plot #8



RF INPUT :

① = -68.7 dBm
 ② = -68.5 dBm

*** Multi Marker List ***

No. 1:	1.902297 GHz	24.47 dBm	A
No. 2:	1.902500 GHz	24.44 dBm	A
No. 3:	1.902097 GHz	-13.16 dBm	A
No. 4:			
No. 5:			
No. 6:			
No. 7:			
No. 8:			
Δ:			