





KAVAL WIRELESS TECHNOLOGIES INC.
 Linknet LNKF 800 RF Repeater Modules, 896-901 MHz
 Tx Freq: 896.0425 MHz, RF Output: 37 dBm
 Max. RF Input -30 dBm @ 896.0425 MHz
 Mod: FM Modulation with 2.5 kHz Sine wave signal, Freq. Dev: 2.5 kHz
99 % OBW

Date: Oct. 30 2001
 Tested by: Hung Trinh
 PLOT #1





PLOT #1



KAVAL WIRELESS TECHNOLOGIES INC.
Linknet LNKF 800 RF Repeater Modules, 896-901 MHz
Tx Freq: 900.9875 MHz, RF Output: 26.8 dBm
Max. RF input -30 dBm @ 900.9875 MHz
Mod.: FM Modulation with 2.5 kHz Sine wave signal, Freq. Dev.: 0.5 kHz
99 % OBW

Date: Oct. 30 2001
Tested by: Hung Trinh

PLOT # 2





PLOT # 2



KAVAL WIRELESS TECHNOLOGIES INC.
 Linknet LNK8 800 RF Repeater Modules, 935-940 MHz
 Tx Freq: 935.0135 MHz, RF Output: 27.2 dBm
 Max. RF Input -30 dBm @ 935.0135 MHz
 Mod.: FM Modulation with 2.5 kHz Sine wave signal, Freq. Dev.: 0.5 kHz
99 % OBW

Date: Oct. 30 2001
 Tested by: Hung Trinh

PLOT # 3





PLOT # 3



KAVAL WIRELESS TECHNOLOGIES INC.
 Linknet LNKF 800 RF Repeater Modules, 935-940 MHz
 Tx Freq.: 939.9875 MHz, RF Output: 27.0 dBm
 Max. RF input -30 dBm @ 939.9875 MHz
 Mod.: FM Modulation with 2.5 kHz Sine wave signal, Freq. Dev. 2.5 kHz
99 % OBW

Date: Oct 30 2001
 Tested by: Hung Trinh

PLOT #4





PLOT #4



KAVAL TELECOM INC.
Linknet LNKF 800 RF Repeater Modules, 896-901 MHz
Tx Freq: 896.01367 MHz, RF Output: 37 dBm
Max. RF input: -30 dBm @ 896.01367 MHz
Mod.: FM Modulation with an external 9600 b/s random data, Freq. Dev.: 3.5 kHz
99 % OBW

Date: Oct. 30 2001
Tested by: Hung Trinh

Plot #5





Plot #5



KAVAL TELECOM INC.
 Linknet LNKF 800 RF Repeater Modules, 870-901 MHz
 Tx Freq: 900.9875 MHz, RF Output: 23.8 dBm
 Max. RF input -30 dBm @ 900.9875 MHz
 Mod.: FM Modulation with an external 9600 bits random data, Freq. Dev.: 0.5 kHz
99 % OBW

Date: Oct. 30 2001
 Tested by: Hung Trinh

Plot # 6





Plot # 6



KAVAL TELECOM INC.
Linknet LNKF 800 RF Repeater Modules, 935-0440 MHz
Tx Freq.: 935.0435 MHz, RF Output: 27.3 dBm
Max. RF input -30 dBm @ 935.0135 MHz
Mod.: FM Modulation with an external 9600 b/s random data, Freq. Dev.: 2.5 kHz
99 % OBW

Date: Oct. 30, 2001
Tested by: Hung Trinh

Plot #7





Plot #7



KAVAL TELECOM INC.
 Linknet LNKF 800 RF Repeater Modules, 932-240 MHz
 Tx Freq: 939.9575 MHz, RF Output: 27.2 dBm
 Max. RF input -30 dBm @ 939.9575 MHz
 Mod: FM Modulation with an external 9600 b/s random data, Freq. Dev.: 10.2 KHz
99 % OBW

Date: Oct. 27 2001
 Tested by: Hung Trinh

PLOT # 5



PLOT # 5