




SPURIOUS/HARMONIC CONDUCTED EMISSIONS - FM Modulation with Random Data @ 9600 b/s




SPURIOUS/HARMONIC CONDUCTED EMISSIONS - FM Modulation with Random Data @ 9600 b/s




SPURIOUS/HARMONIC CONDUCTED EMISSIONS - FM Modulation with Random Data @ 9600 b/s




SPURIOUS/HARMONIC CONDUCTED EMISSIONS - FM Modulation with Random Data @ 9600 b/s



SPURIOUS/HARMONIC CONDUCTED EMISSIONS - FM Modulation with Random Data @ 9600 b/s



SPURIOUS/HARMONIC CONDUCTED EMISSIONS - FM Modulation with Random Data @ 9600 b/s






SPURIOUS/HARMONIC CONDUCTED EMISSIONS - FM Modulation with Random Data @ 9600 b/s



KAVAL TELECOM INC.  
Linknet LNKF 800 RF Repeater Modules, 935-940 MHz  
Tx Freq.: 939.9875 MHz, RF Output: 37.2 dBm  
Max. RF input -30 dBm @ 939.9875 MHz  
Mod.: FM Modulation with an external 9600 b/s random data, Freq. Dev.: kHz  
**TRANSMITTER ANTENNA POWER CONDUCTED EMISSIONS**

Date: Oct 31 2001  
Tested by: Hung Trinh

Plot # 39



SPURIOUS/HARMONIC CONDUCTED EMISSIONS - FM Modulation with Random Data @ 9600 b/s

