


Plat # 21

934.499, 934.447, 934.508, 934.551 MHz




\*\*\* Multi Marker List \*\*\*

No.	Freq (MHz)	Power (dBm)	Label
1	934.399	18.41	A
2	934.447	18.41	A
3	934.499	18.84	A
4	934.549	18.44	A
5	934.599	-13.22	A
6	934.649	-14.53	A
7	934.699	-19.06	A
8	934.749	-26.13	A

*Plot # 22*

*940.95 & 941 MHz*




\*\*\* Multi Marker List \*\*\*

No.	Marker	List	***
1	940.9500 MHz	22.69 dBm	A
2	940.9993 MHz	22.44 dBm	A
3	941.0493 MHz	-13.38 dBm	A
4	941.0979 MHz	-42.59 dBm	A

- No. 1: Δ
- No. 2: Δ
- No. 3: Δ
- No. 4: Δ
- No. 5: Δ
- No. 6: Δ
- No. 7: Δ
- No. 8: Δ

Plot # 23

940.9, 940.95 & 941 MHz



No.	Multi	Marker	List	***
1:	940.8990	MHZ	19.84	dBm
2:	940.9490	MHZ	19.91	dBm
3:	940.9990	MHZ	19.53	dBm
4:	941.0490	MHZ	-13.69	dBm
5:	941.1000	MHZ	-20.59	dBm
6:	941.1490	MHZ	-36.22	dBm
7:	941.2000	MHZ	-43.78	dBm
8:	941.2490	MHZ	-49.84	dBm



**UltraTech**  
Engineering Labs Inc.

**KAVAL WIRELESS TECHNOLOGIES INC.**  
**SATELLINK RF - FIBER INTERFACE MODULES, MODEL LNKFIB-R01**  
Intermodulation with 4 RF input signals in Paging 928 - 941 MHz band  
*940.85, 940.90, 940.95 & 941 MHz*


Date: May 13, 2001  
Tested by: Hung Trinh

*Plot # 24*

REF 30.0 dBm  
10dB/

MKR  
941.250 MHz

RBW 1 kHz  
VBW 1 kHz  
SWP 2.0 S



CENTER 941.000 MHz


SPAN 1.000 MHz

No. 1:  
No. 2:  
No. 3:  
No. 4:  
No. 5:  
No. 6:  
No. 7:  
No. 8:  
Δ:

*** Multi Marker List ***		
Frequency (MHz)	Power (dBm)	Label
940.849	18.88	A
940.897	19.09	A
940.949	18.91	A
940.999	18.84	A
941.049	-13.50	A
941.149	-17.56	A
941.201	-26.94	A
941.250	-27.56	A

Plot # 25

851 & 851.95 MHz



No.	Multi Marker	List	xxx
1:	851.0000 MHz	23.88	dBm
2:	851.0500 MHz	23.41	dBm
3:	851.1000 MHz	-13.19	dBm
4:	851.1500 MHz	-41.91	dBm

No. 1:  
 No. 2:  
 No. 3:  
 No. 4:  
 No. 5:  
 No. 6:  
 No. 7:  
 No. 8:  
 Δ:



**UltraTech**  
Engineering Labs Inc.

KAVAL WIRELESS TECHNOLOGIES INC.  
SATELLINK RF - FIBER INTERFACE MODULES, MODEL LNKFIB-R01  
Intermodulation with 3 RF input signals in Trunking 851 - 866 MHz band

Date: May 13, 2001  
Tested by: Hung Trinh


*Plot # 26*

*851, 851.05 & 851.10 MHz*

REF 30.0 dBm  
10dB/

MARKER  
850.9990 MHz

RBW 1 KHZ  
VBW 1 KHZ  
SWP 1.4 S



CENTER 851.0000 MHz

SPAN 700 KHZ

\*\*\* Multi Marker List \*\*\*

No.	Multi Marker	dBm	A
1:	850.9990 MHz	21.13	A
2:	851.0490 MHz	21.66	A
3:	851.0980 MHz	20.38	A
4:	851.1480 MHz	-13.28	A
5:	851.1980 MHz	-20.34	A
6:	851.2480 MHz	-41.88	A
7:	851.2980 MHz	-46.72	A

No. 1:  
No. 2:  
No. 3:  
No. 4:  
No. 5:  
No. 6:  
No. 7:  
No. 8:  
No. Δ:


Plot # 27

851, 851.05, 851.10, 851.15 MHz

REF 30.0 dBm  
10dB/

MKR  
851.350 MHz

RBW 1 kHz  
VBW 1 kHz  
SMP 2.0 s



CENTER 851.000 MHz

SPAN 1.000 MHz


\*\*\* Multi Marker List \*\*\*

No.	Marker	List	***
1	850.999 MHz	20.38 dBm	A
2	851.047 MHz	20.84 dBm	A
3	851.100 MHz	20.03 dBm	A
4	851.150 MHz	20.09 dBm	A
5	851.199 MHz	-14.19 dBm	A
6	851.250 MHz	-14.69 dBm	A
7	851.301 MHz	-22.50 dBm	A
8	851.350 MHz	-35.50 dBm	A

No. 1:  
No. 2:  
No. 3:  
No. 4:  
No. 5:  
No. 6:  
No. 7:  
No. 8:  
Δ:

*Plot # 28*

*858.475 & 858.525*



\*\*\* Multi Marker List \*\*\*

No.	Marker	List	***
1	858.4750 MHz	23.91 dBm	A
2	858.5250 MHz	24.00 dBm	A
3	858.5743 MHz	-13.13 dBm	A
4	858.6243 MHz	-39.56 dBm	A

- No. 1:
- No. 2:
- No. 3:
- No. 4:
- No. 5:
- No. 6:
- No. 7:
- No. 8:
- Δ:






**UltraTech**  
Engineering Labs Inc.

KAVAL WIRELESS TECHNOLOGIES INC.  
SATELLINK RF - FIBER INTERFACE MODULES, MODEL LNKFIB-R01  
Intermodulation with 3 RF input signals in Trunking 851 - 866 MHz band

*858.445, 858.50 & 858.55 MHz*

Date: May 13 2001  
Tested by: Hung Trinh

*Plot # 29*



CENTER 858.5000 MHz

SPAN 700 kHz

No. 1:  
No. 2:  
No. 3:  
No. 4:  
No. 5:  
No. 6:  
No. 7:  
No. 8:  
Δ:

\*\*\* Multi Marker List \*\*\*

Multi Marker	Marker List	***
858.4490 MHz	21.97 dBm	A
858.5010 MHz	22.09 dBm	A
858.5490 MHz	21.94 dBm	A
858.6010 MHz	-13.44 dBm	A
858.6500 MHz	-21.09 dBm	A
858.7000 MHz	-37.78 dBm	A
858.7490 MHz	-43.19 dBm	A



**UltraTech**  
Engineering Labs Inc.

**KAVAL WIRELESS TECHNOLOGIES INC.**  
**SATELLINK RF - FIBER INTERFACE MODULES, MODEL LNKFIB-R01**  
Intermodulation with 4 RF input signals in Trunking 851 - 866 MHz band

*858.440, 858.445, 858.500 & 858.550 MHz*


Date: May 13, 2001  
Tested by: Hung Trinh

*Plot # 30*

REF 30.0 dBm  
10dB/

MKR 858.749 MHz

RBW 1 KHZ  
VBW 1 KHZ  
SWP 2.0 S



CENTER 858.500 MHz

SPAN 1.000 MHz

\*\*\* Multi Marker List \*\*\*

No.	Freq (MHz)	Level (dBm)	Marker
1:	858.399	20.38	A
2:	858.447	20.88	A
3:	858.499	20.53	A
4:	858.549	20.94	A
5:	858.599	-13.34	A
6:	858.649	-14.56	A
7:	858.699	-19.75	A
8:	858.749	-32.94	A