





Date: Oct 9 2001
 Tested by: Hung Trinh

KAVAL TELECOM INC.
 SATELLINK RF-FIBER INTERFACE MODULES, MODEL LNKFIB-R01
 Frequency: 1931 MHz
 COMA
 99% OBW





Date: Oct 9 2001
 Tested by: Hung Trinh

KAVAL TELECOM INC.
 SATELLINK RF-FIBER INTERFACE MODULES, MODEL LNKFIB-R01
 Frequency: 1.960 MHz
 CDMA
 99.0% OBW





Date: Oct. 9, 2001
Tested by: Hung Trinh

KAVAL TELECOM INC.
SATELLINK RF-FIBER INTERFACE MODULES, MODEL LNKFIB-R01
Frequency: 1.9890 MHz
CDMA
99% OBW





Date: Oct 9 2001
 Tested by: Hung Trinh

KAVAL TELECOM INC.
 SATELLINK RF-FIBER INTERFACE MODULES, MODEL LNKFIB-R01
 Frequency: 19.31 MHz
 99% OBW



Date: Oct. 9, 2001
 Tested by: Hung Trinh

KAVAL TELECOM INC.
 SATELLINK RF-FIBER INTERFACE MODULES, MODEL LNKFIB-R01
 Frequency: 1.960 GHz
 99% OBW



Date: Oct. 2001
Tested by: Hung Trinh

KAVAL TELECOM INC.
SATELLINK RF-FIBER INTERFACE MODULES, MODEL LNKFB-R01
Frequency: 19.800 MHz
4.5M
99% OBW

