




KAVAL TELECOM INC.
LINKnet OFR RF Modules, 403 - 430 MHz
RF In at level of -30 dBm @ 406.1244 MHz, 25 kHz Channel Spacing
Mod: FM Modulation with 2.5 kHz Sine wave signal, Freq. Dev.: 5 kHz
EMISSION MASK B

Date: Jan. 14, 2001
Tested by: Hung Trinh

PLOT #13






KAVAL TELECOM INC.
LINKnet OFR RF Modules, 403 - 430 MHz
Tx Freq: 406.125 MHz, RF Output: 38.4 dBm, 25 kHz Channel Spacing
RF In at level of -30 dBm @ 406.125 MHz
Mod.: FM Modulation with 2.5 kHz Sine wave signal, Freq. Dev.: 4.5 kHz
EMISSION MASK B

Date: Jan 14 2001
Tested by: Hung Trinh

PLOT # 14






KAVAL TELECOM INC.
LINKnet OFR RF Modules, 403 - 430 MHz
RF In at level of -30 dBm @ 417.9994 MHz, 25 kHz Channel Spacing
Mod.: FM Modulation with 2.5 kHz Sine wave signal, Freq. Dev. 4.5 kHz
EMISSION MASK B

Date Jan 14 2001
Tested by: Hung Trinh

Plot #15

RF IN SIGNAL FITTED IN MASK B







KAVAL TELECOM INC.
LINKnet OFR RF Modules, 403 - 430 MHz
Tx Freq: 417.994 MHz, RF Output: 38.4 dBm, 25 kHz Channel Spacing
RF In at level of -30 dBm @ 417.994 MHz
Mod.: FM Modulation with 2.5 kHz Sine wave signal, Freq. Dev.: 4.5 kHz
EMISSION MASK B

Date: Jan 14, 2001
Tested by: Hung Trinh

PLOT #16








KAVAL TELECOM INC.
LINKnet OFR RF Modules, 403 - 430 MHz
Tx Freq: 430 MHz, RF Output: 38.4 dBm, 25 kHz Channel Spacing
RF In at level of -30 dBm @ 430 MHz
Mod: FM Modulation with 2.5 kHz Sine wave signal, Freq. Dev. 4.5 kHz
EMISSION MASK B

Date: Jan 14 2001
Tested by: Hung Trinh

PLOT # 18






KAVAL TELECOM INC.
LINKnet OFR RF Modules, 403 - 430 MHz
RF In at level of -30 dBm @ 406.125 MHz, 25 kHz Channel Spacing
Mod: FM Modulation with an external 9600 bits random data, Freq. Dev. 4.5 kHz
EMISSION MASK C

Date: Jan. 14, 2001
Tested by: Hung Trinh

Plot # 19



UltraTech
Engineering Labs Inc.

KAVAL TELECOM INC.
LINKnet OFR RF Modules, 403 - 430 MHz
Tx Freq: 406.1244 MHz, RF Output: 38.4 dBm, 25 kHz Channel Spacing
RF In at level of -30 dBm @ 406.1244 MHz
Mod.: FM Modulation with an external 9600 b/s random data, Freq. Dev: 4.5 kHz
EMISSION MASK C

Date: Jan. 14, 2001
Tested by: Hung Trinh

PLOT# 20

