


Exhibit 9 - Plot # 50

Date: April 08 2000  
 Tested by: Hung Trach

PLOT # 49


**KAVAL TELECOM INC.**  
 LINKnet OFR800 RF Modules, 800 - 881 MHz  
 Tx Freq: 800.0185 MHz, RF Output: 29 Watts  
 RF In at level of -30 dBm @ 800.0185 MHz  
 Mod: FM Modulated with 2.5 kHz Sine Wave signal. Freq: 1.2 kHz

**Transmitter Antenna Power Conducted Emissions**



\*\*\* Multi Marker List \*\*\*

No.	Freq	Power	Unit
No. 1:	81 MHz	-32.56	dBm A
No. 2:	559 MHz	-34.94	dBm A
No. 3:	844 MHz	-29.44	dBm A
No. 4:	716 MHz	-21.69	dBm A
No. 5:	801 MHz	37.25	dBm A
No. 6:	887 MHz	-15.47	dBm A
No. 7:	1.607 GHz	-15.66	dBm A
No. 8:	4.023 GHz	-31.94	dBm A




# Exhibit 9 - Plot # 51

Date: April 06, 2000  
 Tested by: Hung Trinh


PLOT # 50

**KAVAL TELECOM INC.**  
**LINKnet OFR800 RF Modules, 800-821 MHz**  
 TX Freq.: 800.025 MHz, RF Output: 7.9 Watts  
 RF In at level of -30.0 dBm @ 800.025 MHz  
 Mod. FM Modulated with an external 5600 b/s random data, Freq. Dev.: kHz  
**Transmitter Antenna Power Conducted Emissions**



\*\*\* Multi Marker List \*\*\*

No.	Freq	Power	Label
No. 1:	81 MHz	-33.28 dBm	A
No. 2:	559 MHz	-35.00 dBm	A
No. 3:	644 MHz	-29.22 dBm	A
No. 4:	716 MHz	-22.75 dBm	A
No. 5:	801 MHz	37.00 dBm	A
No. 6:	887 MHz	-17.69 dBm	A
No. 7:	1.607 GHz	-17.34 dBm	A
No. 8:	4.023 GHz	-33.31 dBm	A




# Exhibit 9 - Plot # 52

Date: April 08, 2000  
 Tested by: Hung Trinh

Plot # 51

**KAVAL TELECOM INC.**  
 LINKnet OFR800 RF Modules, 806 - 821 MHz  
 Tx Freq. 813.025 MHz, RF Output, 8 Watt  
 RF In at level of -5.0 dBm @ 813.025 MHz  
 Mod: FM Modulated with 2.5 kHz Sine wave signal, Freq. Dev: 2.2 kHz  
**Transmitter Antenna Power Conducted Emissions**



\*\*\* Multi Marker List \*\*\*

No.	Freq	Power	Unit
1	88 MHz	-35.53	dBm
2	473 MHz	-36.94	dBm
3	659 MHz	-28.88	dBm
4	718 MHz	-22.34	dBm
5	808 MHz	35.75	dBm
6	908 MHz	-22.56	dBm
7	985 MHz	-33.63	dBm
8	1.621 GHz	-17.63	dBm





Exhibit 9 - Plot # 53

Date: April 06 2000  
 Tested by: Hung Trinh  
 PLOT # 52

KAVAL TELECOM INC.  
 LINKnet OFR800 RF Modules, 800 - 851 MHz  
 Tx Freq.: 813.0435 MHz, RF Output 80W Watts  
 RF in at level of -30 dBm @ 813.0435 MHz  
 Mod.: FM Modulated with an external 9600 bis random data, Freq. Dev.: 2 kHz  
 Transmitter Antenna Power Conducted Emissions



\*\*\* Multi Marker List \*\*\*

Freq	Power	Marker
238 MHz	-35.84 dBm	A
659 MHz	-34.75 dBm	A
716 MHz	-29.94 dBm	A
808 MHz	35.34 dBm	A
901 MHz	-23.00 dBm	A
1.621 GHz	-20.72 dBm	A





Exhibit 9 - Plot # 54

Date: April 06 2000  
 Tested by: Hung Trinh

PLOT # 53

**KAVAL TELECOM INC.**  
**LINKnet OFR800 RF Modules, 806 - 821 MHz**  
 Tx Freq: 800.875 MHz, RF Output: 2.42 Watts  
 RF In at level of -30 dBm @ 820.875 MHz  
 Mod: FM Modulated with 2.5 kHz Sine Wave signal Freq. Dev.: \_\_\_\_ kHz  
**Transmitter Antenna Power Conducted Emissions**



\*\*\* Multi Marker List \*\*\*

No.	Freq	Power	Unit
No. 1:	238 MHz	-38.06	dBm
No. 2:	566 MHz	-37.66	dBm
No. 3:	666 MHz	-38.06	dBm
No. 4:	723 MHz	-37.56	dBm
No. 5:	808 MHz	34.25	dBm
No. 6:	901 MHz	-25.75	dBm
No. 7:	1.621 GHz	-20.13	dBm
No. 8:	808 MHz	34.25	dBm





Exhibit 9 - Plot # 55

Date: April 06, 2000  
 Tested by: Hung Trank  
 PLOT # 54

**KAVAL TELECOM INC.**  
 LINKnet OFR800 RF Modules, 800 - 821 MHz  
 Tx Freq: 820.985 MHz, RF Output: 8.2 Watts  
 RF in at level of -30 dBm @ 820.985 MHz  
 Mod: FM Modulated with an external 9600 b/s random data, Freq. Dev.: kHz  
**Transmitter Antenna Power Conducted Emissions**



\*\*\* Multi Marker List \*\*\*

No.	Freq	Power	Label
No. 1:	566 MHz	-39.00 dBm	A
No. 2:	788 MHz	-30.16 dBm	A
No. 3:	816 MHz	34.50 dBm	A
No. 4:	901 MHz	-25.41 dBm	A
No. 5:	1.621 GHz	-22.59 dBm	A




Exhibit 9 - Plot # 56

Date: April 1, 2000  
 Tested by: Hung Trinh

Plot # 55

KAVAL TELECOM INC.


LINKnet OFR800 RF Modules, 851 - 866 MHz

Tx Freq: 851.0185 MHz - z. RF Output: 7.3 Watts

RF In at level of -30 dBm @ 851.0185 MHz

Mod: FM Modulated with 2.5 kHz Sine Wave signal Freq Dev: 2 kHz

Transmitter Antenna Power Conducted Emissions



\*\*\* Multi Marker List \*\*\*

No.	Freq	Power	Marker
No. 1:	217 MHz	-38.34 dBm	A
No. 2:	609 MHz	-37.59 dBm	A
No. 3:	801 MHz	-31.19 dBm	A
No. 4:	851 MHz	-36.88 dBm	A
No. 5:	1.899 GHz	-19.59 dBm	A
No. 6:			
No. 7:			
No. 8:			
A:			





Exhibit 9 - Plot # 57

Date: April 07, 2000  
 Tested by: Hung Trinh

PLOT # 56

**KAVAL TELECOM INC.**  
**LINKnet OFR800 RF Modules, 857-826 MHz**  
 Tx Freq: 857.0125 MHz, RF Output: 7.3 Watts  
 RF In at level of -30 dBm @ 857.0125 MHz  
 Mod: FM Modulated with an external 9600 bps random data. F rec. Dev.: 9 KHz

**Transmitter Antenna Power Conducted Emissions**



\*\*\* Multi Marker List \*\*\*

No.	Freq	Level	Unit
1	217 MHz	-38.50	dBm
2	609 MHz	-39.44	dBm
3	801 MHz	-31.88	dBm
4	844 MHz	34.38	dBm
5	1.707 GHz	-21.03	dBm







Exhibit 9 - Plot # 58

Date: April 01 2000  
 Tested by: Hung Trinh

PLOT # 57

**KAVAL TELECOM INC.**  
**LINKnet OFR800 RF Modules, 857 - 866 MHz**  
 Tx Freq: 858.0185 MHz, RF Output: 2.0 Watts  
 RF In at level of -30 dBm @ 857.0185 MHz  
 Mod: FM Modulated with 2.5 kHz Sine Wave signal, Freq Dev: 2 kHz  
**Transmitter Antenna Power Conducted Emissions**



\*\*\* Multi Marker List \*\*\*

No.	Freq	Power	Label
No. 1:	816 MHz	-28.41 dBm	A
No. 2:	851 MHz	35.44 dBm	A
No. 3:	1.714 GHz	-20.41 dBm	A




Exhibit 9 - Plot # 59

Date: April 01, 2000  
 Tested by: Hung Trinh

PLOT # 58

KAVAL TELECOM INC.


LINKnet OFR800 RF Modules, 857-886 MHz

Tx Freq: 858.0185 MHz, RF Output: 26 Watts

RF In at level of -32 dBm @ 857.0185 MHz


Mod FM Modulated with an external 9600 b/s random data, Freq. Dev. 2.4 kHz

Transmitter Antenna Power Conducted Emissions



\*\*\* Multi Marker List \*\*\*

No.	Freq	Power	Label
No. 1:	816 MHz	-26.69 dBm	A
No. 2:	851 MHz	36.25 dBm	A
No. 3:	1.714 GHz	-20.44 dBm	A
No. 4:			
No. 5:			
No. 6:			
No. 7:			
No. 8:			
A:			




# Exhibit 9 - Plot # 60

Date: April 1, 2000  
 Tested by: Hung Trinh


PLOT # 59

**KAVAL TELECOM INC.**  
 LINKnet OFR800 RF Modules, 8.57-8.96 MHz  
 Tx Freq: 8.57-8.96 MHz, RF Output: 2.2 Watts  
 RF Ir at level of -30 dBm @ 8.57-8.96 MHz  
 Mod. FM Modulated with 2.5 kHz Sine Wave signal, Freq Dev: 2 kHz  
**Transmitter Antenna Power Conducted Emissions**



\*\*\* Multi Marker List \*\*\*

No.	Freq	Power	Unit
No. 1:	217 MHz	-36.56	dBm
No. 2:	630 MHz	-36.97	dBm
No. 3:	816 MHz	-20.25	dBm
No. 4:	858 MHz	-34.59	dBm
No. 5:	1.728 GHz	-21.75	dBm



# Exhibit 9 - Plot # 61

Date: April 01, 2000  
 Tested by: Hung Trinh

Plot #60

## KAVAL TELECOM INC.


LINKnet OFR800 RF Modules, 857 - 865 MHz

Tx Freq: 857.9875 MHz, RF Output: 7.2 Watts

RF in at level of -30 dBm @ 857.0125 MHz

Mod: FM Modulated with an external 9600 b/s random data, Freq. Dev: 2.2 kHz

## Transmitter Antenna Power Conducted Emissions



\*\*\* Multi Marker List \*\*\*

No.	Freq	Power	Label
No. 1	217 MHz	-38.41 dBm	A
No. 2	823 MHz	-35.72 dBm	A
No. 3	816 MHz	-20.84 dBm	A
No. 4	858 MHz	36.50 dBm	A
No. 5	1.728 GHz	-20.58 dBm	A





Exhibit 9 - Plot # 62

Date: April 14, 2000  
 Tested by: Hung Trinh


PLOT # 61

**KAVAL TELECOM INC.**  
**LINKnet OFR800 RF Modules, BRL-8004 MHz**  
 TX Freq.: BRL-0.025 MHz, RF Output: B.4 Watts  
 RF In at level of -30 dBm @ BRL-0.025 MHz  
 Mod: FM Modulated with 2.5 kHz Sine Wave signal, Freq Dev: kHz  
**Transmitter Antenna Power Conducted Emissions**



\*\*\* Multi Marker List \*\*\*

No.	Freq	Level	Label
No. 1:	99.1 MHz	-35.94 dBm	A
No. 2:	239.1 MHz	-34.63 dBm	A
No. 3:	339.5 MHz	-36.47 dBm	A
No. 4:	479.5 MHz	-33.72 dBm	A
No. 5:	680.4 MHz	-30.31 dBm	A
No. 6:	720.0 MHz	-31.44 dBm	A
No. 7:	775.1 MHz	-27.19 dBm	A
No. 8:	920.8 MHz	-25.31 dBm	A



\*\*\* Multi Marker List \*\*\*


No.	Freq	Level	Label
No. 1:	1.051 GHz	-44.44 dBm	A
No. 2:	1.630 GHz	-22.84 dBm	A
No. 3:	4.060 GHz	-44.66 dBm	A

# Exhibit 9 - Plot # 63

Date: April 14, 2000  
 Tested by: Hung Trinh


*Plot #62*

**KAVAL TELECOM INC.**  
**LINKnet OFRR00 RF Modules, 881 - 824 MHz**  
 TX Freq.: 881.025 MHz, RF Output: 8.24 Watts  
 RF In at level of -30 dBm @ 881.025 MHz  
 Mod: FM Modulated with an external 9600 b/s random data, Freq. Dev.: \_\_\_\_\_ kHz  
**Transmitter Antenna Power Conducted Emissions**



\*\*\* Multi Marker List \*\*\*

No.	Freq	Level	Unit	Att
No. 1:	100.5 MHz	-36.81	dBm	A
No. 2:	299.1 MHz	-35.08	dBm	A
No. 3:	399.5 MHz	-35.41	dBm	A
No. 4:	479.5 MHz	-33.47	dBm	A
No. 5:	680.4 MHz	-34.00	dBm	A
No. 6:	720.0 MHz	-30.81	dBm	A
No. 7:	775.1 MHz	-23.34	dBm	A
No. 8:	920.8 MHz	-25.59	dBm	A



\*\*\* Multi Marker List \*\*\*


No.	Freq	Level	Unit	Att
No. 1:	1.051 GHz	-43.25	dBm	A
No. 2:	1.630 GHz	-21.00	dBm	A
No. 3:	4.099 GHz	-37.15	dBm	A
No. 4:	4.934 GHz	-49.25	dBm	A
No. 5:				
No. 6:				
No. 7:				
No. 8:				
A:				

Exhibit 9 - Plot # 64

Date: April 14, 2000  
 Tested by: Hung Trinh


PLOT # 64

**KAVAL TELECOM INC.**  
**LINKnet OFR800 RF Modules, S.31 - 824 MHz**  
 Tx Freq.: 824.0 MHz, RF Output: 5.4 Watts  
 RF In at level of -30 dBm @ 824.025 MHz  
 Mod: FM Modulated with an external 9600 b/s random data, Freq. Dev.: \_\_\_\_\_ kHz  
**Transmitter Antenna Power Conducted Emissions**



\*\*\* Multi Marker List \*\*\*

No.	Freq (MHz)	Power (dBm)	Marker
No. 1:	100.5	-36.94	A
No. 2:	240.5	-42.09	A
No. 3:	340.0	-35.47	A
No. 4:	479.5	-36.13	A
No. 5:	684.8	-34.91	A
No. 6:	778.0	-25.75	A
No. 7:	821.8	38.56	A
No. 8:	923.6	-28.06	A



\*\*\* Multi Marker List \*\*\*

No.	Freq (GHz)	Power (dBm)	Marker
No. 1:	1.051	-43.31	A
No. 2:	1.630	-21.38	A
No. 3:	4.099	-38.88	A
No. 4:	4.921	-48.06	A

Exhibit 9 - Plot # 65

Date: April 11, 2009  
 Tested by: Hung Trinh

Plot # 65

**KAVAL TELECOM INC.**


**LINKnet OFR800 RF Modules, 821-834 MHz**

Tx Freq.: 823.9875 MHz, RF Output 8.3 Watts

RF In at level of -30 dBm @ 823.9875 MHz


Mod: FM Modulated with 2.5 kHz Sine Wave signal, Freq. Dev.: kHz

**Transmitter Antenna Power Conducted Emissions**



\*\*\* Multi Marker List \*\*\*

No.	Freq (MHz)	Power (dBm)	Label
No. 1:	219.9 MHz	-35.53 dBm	A
No. 2:	239.1 MHz	-38.16 dBm	A
No. 3:	342.4 MHz	-35.19 dBm	A
No. 4:	479.5 MHz	-38.38 dBm	A
No. 5:	582.8 MHz	-35.34 dBm	A
No. 6:	778.0 MHz	-21.97 dBm	A
No. 7:	823.9 MHz	36.22 dBm	A
No. 8:	926.5 MHz	-32.19 dBm	A



\*\*\* Multi Marker List \*\*\*


No.	Freq (GHz)	Power (dBm)	Label
No. 1:	1.051 GHz	-45.84 dBm	A
No. 2:	1.643 GHz	-21.34 dBm	A
No. 3:	4.111 GHz	-39.72 dBm	A
No. 4:	4.934 GHz	-47.63 dBm	A



# Exhibit 9 - Plot # 66


Date: April 14, 2000  
 Tested by: Hung Trinh  
 PLOT # 66

**KAVAL TELECOM INC.**  
**LINKnet CFR800 RF Modules, 881-884 MHz**  
 Tx Freq: 882.98 MHz, RF Output: 8.3 Watts  
 RF In at level of -70 dBm @ 882.98 MHz  
 Mod: FM Modulated with an external 9600 b/s random data, Freq. Dev.: \_\_\_\_\_ kHz  
**Transmitter Antenna Power Conducted Emissions**



\*\*\* Multi Marker List \*\*\*

No.	Freq	Level	Marker
No. 1:	239.1 MHz	-36.53 dBm	A
No. 2:	342.4 MHz	-35.78 dBm	A
No. 3:	479.5 MHz	-34.34 dBm	A
No. 4:	582.8 MHz	-35.16 dBm	A
No. 5:	686.0 MHz	-29.58 dBm	A
No. 6:	778.0 MHz	-21.88 dBm	A
No. 7:	823.2 MHz	37.81 dBm	A
No. 8:	926.5 MHz	-27.47 dBm	A



\*\*\* Multi Marker List \*\*\*


No.	Freq	Level	Marker
No. 1:	1.064 GHz	-45.72 dBm	A
No. 2:	1.649 GHz	-21.53 dBm	A
No. 3:	4.124 GHz	-36.09 dBm	A
No. 4:	4.934 GHz	-46.69 dBm	A

Exhibit 9 - Plot # 67

Date: May 23, 2000  
 Tested by: Hung Trinh


PLOT # 67

**KAVAL TELECOM INC.**  
 LINKnet OFR800 RF Modules, 866 - 869 MHz  
 Tx Freq: 866.0125 MHz RF Output: 9.9 Watts  
 RF in at level of -30 dBm @ 866.0125 MHz  
 Mod: FM Modulated with 2.5 kHz Sine Wave signal, Freq. Dev.: kHz  
**Transmitter Antenna Power Conducted Emissions**



\*\*\* Multi Marker List \*\*\*

No.	Freq	Level	Unit
No. 1:	720.0 MHz	-36.06	dBm
No. 2:	770.9 MHz	-31.94	dBm
No. 3:	820.4 MHz	-19.19	dBm
No. 4:	865.6 MHz	38.13	dBm
No. 5:	889.7 MHz	-33.78	dBm
No. 6:	909.5 MHz	-33.44	dBm
No. 7:	961.8 MHz	-39.34	dBm



\*\*\* Multi Marker List \*\*\*


No.	Freq	Level	Unit
No. 1:	1.000 GHz	-37.39	dBm
No. 2:	1.720 GHz	-24.89	dBm
No. 3:	2.607 GHz	-44.89	dBm
No. 4:	4.317 GHz	-55.73	dBm
No. 5:	5.191 GHz	-49.04	dBm

Exhibit 9 - Plot # 68

Date: May 03, 2000  
 Tested by: Hung Trinh


*Plot # 68*

**KAVAL TELECOM INC.**  
 LINKnet OFR800 RF Modules, 866 - 869 MHz  
 Tx Freq.: 866.025 MHz, RF Output: 9.9 Watts  
 RF In at level of 30 dBm @ 866.025 MHz  
 Mod: FM Modulated with an external 9600 bits random data 1 req. Dev.: \_\_\_\_\_ kHz  
**Transmitter Antenna Power Conducted Emissions**



\*\*\* Multi Marker List \*\*\*

No. 1:	720.0 MHz	-34.38 dBm	A
No. 2:	769.5 MHz	-29.00 dBm	A
No. 3:	820.4 MHz	-23.44 dBm	A
No. 4:	865.6 MHz	38.88 dBm	A
No. 5:	889.7 MHz	-33.75 dBm	A
No. 6:	909.5 MHz	-30.16 dBm	A
No. 7:	960.4 MHz	-33.16 dBm	A
No. 8:			A



\*\*\* Multi Marker List \*\*\*


No. 1:	1.000 GHz	-34.58 dBm	A
No. 2:	1.720 GHz	-23.20 dBm	A
No. 3:	2.607 GHz	-43.73 dBm	A
No. 4:	4.917 GHz	-50.73 dBm	A
No. 5:	5.191 GHz	-51.61 dBm	A
No. 6:			A
No. 7:			A
No. 8:			A

Exhibit 9 - Plot # 69

Date: May 08, 2010  
 Tested by: Hung Trinh


PLOT # 69

**KAVAL TELECOM INC.**  
 LINKnet OFR800 RF Modules, 866 - 869 MHz  
 Tx Freq: 867.0185 MHz, RF Output: 9.7 Watts  
 RF In at level of -30 dBm @ 867.0185 MHz  
 Mod: FM Modulated with 2.5 kHz Sine Wave signal, Freq. Dev.: \_\_\_\_\_ kHz  
**Transmitter Antenna Power Conducted Emissions**



\*\*\* Multi Marker List \*\*\*

No.	Freq (MHz)	Level (dBm)	Unit
No. 1:	625.2	-36.59	dBm
No. 2:	718.6	-36.47	dBm
No. 3:	773.7	-30.88	dBm
No. 4:	821.8	-18.47	dBm
No. 5:	865.6	38.84	dBm
No. 6:	886.0	-31.83	dBm
No. 7:	910.0	-29.50	dBm
No. 8:	959.0	-36.06	dBm



\*\*\* Multi Marker List \*\*\*

No.	Freq (GHz)	Level (dBm)	Unit
No. 1:	1.000	-34.83	dBm
No. 2:	1.720	-23.79	dBm
No. 3:	2.594	-42.86	dBm
No. 4:	4.330	-57.76	dBm
No. 5:	5.191	-48.89	dBm




# Exhibit 9 - Plot # 70

Date: May 23 2000  
 Tested by: Hung Trinh


Plot # 70

**KAVAL TELECOM INC.**  
 LINKnet OFR800 RF Modules, 866 - 869 MHz  
 Tx Freq.: 867.0 MHz, RF Output: 9.7 Watts  
 RF In at level of -20 dBm @ 867.0 MHz  
 Mod: FM Modulated with an external 9600 b/s random data, Freq. Dev.: \_\_\_\_\_ kHz  
**Transmitter Antenna Power Conducted Emissions**



\*\*\* Multi Marker List \*\*\*

No.	Freq.	Power	Unit
No. 1:	718.6 MHz	-34.06	dBm
No. 2:	773.7 MHz	-28.84	dBm
No. 3:	821.8 MHz	-23.41	dBm
No. 4:	844.4 MHz	-36.78	dBm
No. 5:	866.6 MHz	39.03	dBm
No. 6:	886.0 MHz	-32.50	dBm
No. 7:	910.0 MHz	-29.31	dBm
No. 8:	958.0 MHz	-33.75	dBm



\*\*\* Multi Marker List \*\*\*

No.	Freq.	Power	Unit
No. 1:	1.000 GHz	-32.70	dBm
No. 2:	1.720 GHz	-22.89	dBm
No. 3:	2.894 GHz	-41.98	dBm
No. 4:	4.330 GHz	-51.48	dBm
No. 5:	5.191 GHz	-48.23	dBm

Exhibit 9 - Plot # 71

Date: May 20, 2000  
 Tested by: Hung Trinh

PLOT # 71

KAVAL TELECOM INC.


LINKnet OFR800 RF Modules, 866 - 869 MHz

1x Freq: 868.9875 MHz, RF Output: 0.1 Watts

RF In at level of -30 dBm @ 868.9875 MHz


Mod: FM Modulated with 2.5 kHz Sine Wave signal, Freq. Dev. <math>\mu</math>Hz

Transmitter Antenna Power Conducted Emissions



\*\*\* Multi Marker List \*\*\*

No.	Freq (MHz)	Power (dBm)	Label
No. 1:	628.0	-34.13	A
No. 2:	720.0	-34.81	A
No. 3:	776.5	-28.69	A
No. 4:	824.6	-17.72	A
No. 5:	868.5	38.69	A
No. 6:	868.9	-31.19	A
No. 7:	912.3	-28.16	A
No. 8:	960.4	-36.06	A



\*\*\* Multi Marker List \*\*\*

No.	Freq (GHz)	Power (dBm)	Label
No. 1:	1.013	-34.51	A
No. 2:	1.746	-24.17	A
No. 3:	2.594	-41.83	A
No. 4:	4.343	-55.89	A
No. 5:	5.217	-49.39	A
No. 6:			
No. 7:			
No. 8:			
A:			




# Exhibit 9 - Plot # 72

Date: May 23 2008  
 Tested by: Hung Trinh


PCOT # 72

**KAVAL TELECOM INC.**  
 LINKnet ODR800 RF Modules, 866 - 869 MHz  
 Tx Freq. 868.869 MHz, RF Output: 9.1 Watts  
 RF In at level of -30 dBm @ 869.869 MHz  
 Mod FM Modulated with an external 9600 b/s random data. Freq. Dev. \_\_\_\_\_ kHz  
**Transmitter Antenna Power Conducted Emissions**



\*\*\* Multi Marker List \*\*\*

No.	Freq (MHz)	Power (dBm)	Label
No. 1:	720.0	-33.00	A
No. 2:	776.5	-27.41	A
No. 3:	823.2	-19.41	A
No. 4:	848.7	-35.41	A
No. 5:	869.9	38.56	A
No. 6:	886.9	-30.78	A
No. 7:	912.3	-27.97	A
No. 8:	960.4	-31.66	A



\*\*\* Multi Marker List \*\*\*

No.	Freq (GHz)	Power (dBm)	Label
No. 1:	1.013	-32.51	A
No. 2:	1.733	-22.84	A
No. 3:	2.607	-40.58	A
No. 4:	4.330	-50.23	A
No. 5:	5.204	-47.54	A
No. 6:			
No. 7:			
No. 8:			