

Annex 1 - Transmitter Conducted Emissions (Multiple Channel Inputs/Outputs)
In Uplink Band 1850 & Downlink Band 1930 – 1990 MHz
Kaval RF Fiber Interface Module, Model US1900P

Photo # 59

FCC ID: H6M-US1900P

Fc: 1931 & 1931.2 MHz, Modulation: unmodulated

hp

MARKER
1.933 GHz
17.00 dBm


ACTV DET: PEAK
MEAS DET: PEAK QP AVG
MKR 1.933 GHz
17.00 dBm

No user
Menu

REF OFFST 11.3 dB
REF 20.0 dBm

LOG 10
dB/
ATN 20 dB

VA SB
SC FC
CORR



START 10 MHz STOP 2.700 GHz
#IF BW 100 kHz #AVG BW 300 kHz #SWP 10.00 sec

Annex 1 - Transmitter Conducted Emissions (Multiple Channel Inputs/Outputs)
In Uplink Band 1850 & Downlink Band 1930 – 1990 MHz
Kaval RF Fiber Interface Module, Model US1900P

Photo # 60
FCC ID: H6M-US1900P

Fc: 1931 & 1931.2 MHz, Modulation: unmodulated

hp

MARKER
5.75 GHz
-35.48 dBm


ACTV DET: PEAK
MEAS DET: PEAK QP AVG
MKR 5.75 GHz
-35.48 dBm

No user
Menu

REF OFFST 11.3 dB
REF -10.0 dBm

LOG 10
dB/
#ATN 0 dB

VA SB
SC FC
CORR



START 2.68 GHz STOP 20.00 GHz
#IF BW 100 kHz #AVG BW 300 kHz #SWP 10.00 sec

Annex 1 - Transmitter Conducted Emissions (Multiple Channel Inputs/Outputs)
In Uplink Band 1850 & Downlink Band 1930 – 1990 MHz
Kaval RF Fiber Interface Module, Model US1900P

Photo # 61

FCC ID: H6M-US1900P

Fc: 1930.8, 1931 & 1931.2 MHz, Modulation: unmodulated

hp

REF LEVEL
20.0 dBm

ACTV DET: PEAK
MEAS DET: PEAK QP AVG
MKR 1.933 GHz
15.98 dBm


No user
Menu

REF OFFST 11.3 dB
LOG REF 20.0 dBm

LOG
10
dB/

ATN
20 dB

VA SB
SC FC
CORR



START 10 MHz

STOP 2.700 GHz

#IF BW 100 kHz

#AVG BW 300 kHz

#SWP 10.00 sec

Annex 1 - Transmitter Conducted Emissions (Multiple Channel Inputs/Outputs)
In Uplink Band 1850 & Downlink Band 1930 – 1990 MHz
Kaval RF Fiber Interface Module, Model US1900P


Photo # 62

FCC ID: H6M-US1900P

Fc: 1930.8, 1931 & 1931.2 MHz, Modulation: unmodulated

- (1) 3.85 GHz, -61.77 dBm
- (2) 5.75 GHz, -30.52 dBm

hp



Fc: 1960 & 1960.2 MHz, Modulation: unmodulated

hp

MARKER
1.987 GHz
16.97 dBm


ACTV DET: PEAK
MEAS DET: PEAK QP AVG
MKR 1.987 GHz
16.97 dBm

No user
Menu

REF OFFST 11.3 dB
LOG REF 20.0 dBm

LOG
10
dB/
ATN
20 dB

VA SB
SC FC
CORR



START 10 MHz STOP 2.700 GHz
#IF BW 100 kHz #AVG BW 300 kHz #SWP 10.00 sec

Annex 1 - Transmitter Conducted Emissions (Multiple Channel Inputs/Outputs)
In Uplink Band 1850 & Downlink Band 1930 – 1990 MHz
Kaval RF Fiber Interface Module, Model US1900P

Photo # 65

FCC ID: H6M-US1900P

Fc: 1959.8, 1960 & 1960.2 MHz, Modulation: unmodulated

hp

REF LEVEL
20.0 dBm


ACTV DET: PEAK
MEAS DET: PEAK QP AVG
MKR 1.960 GHz
16.71 dBm

No user
Menu

REF OFFST 11.3 dB
LOG REF 20.0 dBm

LOG
10
dB/
ATN
20 dB

VA SB
SC FC
CORR



START 10 MHz STOP 2.700 GHz
#IF BW 100 kHz #AVG BW 300 kHz #SWP 10.00 sec

Annex 1 - Transmitter Conducted Emissions (Multiple Channel Inputs/Outputs)
In Uplink Band 1850 & Downlink Band 1930 – 1990 MHz
Kaval RF Fiber Interface Module, Model US1900P

Photo # 66

FCC ID: H6M-US1900P

Fc: 1959.8, 1960 & 1960.2 MHz, Modulation: unmodulated

- (1) 3.89 GHz, -57.69 dBm
- (2) 5.84 GHz, -33.99 dBm

hp

MARKER
3.89 GHz
-57.69 dBm


ACTV DET: PEAK
MEAS DET: PEAK QP AVG
MKR 3.89 GHz
-57.69 dBm

No user
Menu

REF OFFST 11.3 dB
LOG REF -10.0 dBm

LOG 10
dB/
#ATN 0 dB

VA SB
SC FC
CORR



START 2.68 GHz STOP 20.00 GHz
#IF BW 100 kHz #AVG BW 300 kHz #SWP 10.00 sec

Annex 1 - Transmitter Conducted Emissions (Multiple Channel Inputs/Outputs)
In Uplink Band 1850 & Downlink Band 1930 – 1990 MHz
Kaval RF Fiber Interface Module, Model US1900P

Photo # 67
FCC ID: H6M-US1900P


Fc: 1989 & 1989.2 MHz, Modulation: unmodulated

hp

MARKER
1.987 GHz
16.97 dBm

ACTV DET: PEAK
MEAS DET: PEAK QP AVG
MKR 1.987 GHz
16.97 dBm

No user
Menu



Annex 1 - Transmitter Conducted Emissions (Multiple Channel Inputs/Outputs)
In Uplink Band 1850 & Downlink Band 1930 – 1990 MHz
Kaval RF Fiber Interface Module, Model US1900P

Photo # 68

FCC ID: H6M-US1900P

Fc: 1989 & 1989.2 MHz, Modulation: unmodulated

- (1) 3.93 GHz, -59.45 dBm
- (2) 5.93 GHz, -42.97 dBm

hp

MARKER
5.93 GHz
-42.97 dBm


ACTV DET: PEAK
MEAS DET: PEAK QP AVG
MKR 5.93 GHz
-42.97 dBm

No user
Menu

REF OFFST 11.3 dB
LOG REF -10.0 dB

LOG 10
dB/
#ATN 0 dB

VA SB
SC FC
CORR




START 2.68 GHz STOP 20.00 GHz
#IF BW 100 kHz #AVG BW 300 kHz #SWP 10.00 sec

Annex 1 - Transmitter Conducted Emissions (Multiple Channel Inputs/Outputs)
In Uplink Band 1850 & Downlink Band 1930 – 1990 MHz
Kaval RF Fiber Interface Module, Model US1900P

Photo # 69
FCC ID: H6M-US1900P

Fc: 1988.8, 1989 & 1989.2 MHz, Modulation: unmodulated

hp



Annex 1 - Transmitter Conducted Emissions (Multiple Channel Inputs/Outputs)
In Uplink Band 1850 & Downlink Band 1930 – 1990 MHz
Kaval RF Fiber Interface Module, Model US1900P

Photo # 70

FCC ID: H6M-US1900P

Fc: 1988.8, 1989 & 1989.2 MHz, Modulation: unmodulated

- (1) 3.93 GHz, -58.31 dBm
- (2) 5.93 GHz, -27.95 dBm

hp

