


# Appendix C: Test Results of Radiated Spurious Emissions & Conducted Emissions on a.c. mains port Test

## Band Edges, 5.46GHz ~ 7.250GHz

### U-NII-5




802.11ax HE20

CH01 (Horizontal) RMS

CH01 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5921.28	52.88	59.51	-6.63	68.20	-15.32	110	296 RMS	Horizontal
2	5955.88	102.38	109.88	-5.70	68.20	34.10	110	296 RMS	Horizontal
3	7186.81	49.99	55.60	-5.61	68.20	-18.21	110	296 RMS	Horizontal



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5922.72	54.43	61.87	-6.64	68.20	-13.77	184	287 RMS	Vertical
2	5955.88	102.68	109.38	-5.70	68.20	34.48	184	287 RMS	Vertical
3	7202.83	49.93	55.53	-5.60	68.20	-18.27	184	287 RMS	Vertical


802.11ax HE20

CH45 (Horizontal) Peak

CH45 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenbiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
Level	Level	Level
Factor	Factor	Factor
Line	Line	Line
Limit	Limit	Limit
Over	Over	Over
APos	APos	APos
TPos	TPos	TPos
Remark	Remark	Remark
Pol/Phase	Pol/Phase	Pol/Phase
Note	Note	Note
5818.36	68.60	67.55
-6.95	88.20	-27.60
100	294	294
Peak	Peak	Peak
Horizontal	Horizontal	Horizontal
6175.00	112.00	110.27
-6.27	88.20	23.80
100	294	294
Peak	Peak	Peak
Horizontal	Horizontal	Horizontal
7227.45	61.48	67.01
-5.53	88.20	-26.72
100	294	294
Peak	Peak	Peak
Horizontal	Horizontal	Horizontal



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenbiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
Level	Level	Level
Factor	Factor	Factor
Line	Line	Line
Limit	Limit	Limit
Over	Over	Over
APos	APos	APos
TPos	TPos	TPos
Remark	Remark	Remark
Pol/Phase	Pol/Phase	Pol/Phase
Note	Note	Note
5897.30	60.24	66.85
-6.61	88.20	-27.96
257	122	122
Peak	Peak	Peak
Vertical	Vertical	Vertical
6175.00	111.17	117.44
-6.27	88.20	22.97
257	122	122
Peak	Peak	Peak
Vertical	Vertical	Vertical
7144.57	62.07	67.70
-5.63	88.20	-26.13
257	122	122
Peak	Peak	Peak
Vertical	Vertical	Vertical


802.11ax HE20

CH45 (Horizontal) RMS

CH45 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3								
Level	Level	Level								
Factor	Factor	Factor								
Line	Line	Line								
Limit	Limit	Limit								
Over	Over	Over								
APos	APos	APos								
TPos	TPos	TPos								
Remark	Remark	Remark								
Pol/Phase	Pol/Phase	Pol/Phase								
Note	Note	Note								
Freq	Level	Read								
MHz	dBuV/m	Level								
		Factor								
		dB/m								
		dB/m								
		dB								
		cm								
		deg								
5899.89	48.96	55.56	-6.60	68.20	-19.24	100	294	RHS	Horizontal	
6175.00	102.24	100.50	-6.26	68.20	34.04	100	294	RHS	Horizontal	
7198.99	50.01	55.61	-5.60	68.20	-18.19	100	294	RHS	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3								
Level	Level	Level								
Factor	Factor	Factor								
Line	Line	Line								
Limit	Limit	Limit								
Over	Over	Over								
APos	APos	APos								
TPos	TPos	TPos								
Remark	Remark	Remark								
Pol/Phase	Pol/Phase	Pol/Phase								
Note	Note	Note								
Freq	Level	Read								
MHz	dBuV/m	Level								
		Factor								
		dB/m								
		dB/m								
		dB								
		cm								
		deg								
5787.75	48.68	55.60	-6.92	68.20	-19.52	257	122	RHS	Vertical	
6175.00	102.05	100.31	-6.26	68.20	33.85	257	122	RHS	Vertical	
7203.28	50.14	55.73	-5.59	68.20	-18.06	257	122	RHS	Vertical	


802.11ax HE20

CH93 (Horizontal) Peak

CH93 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5917.17	68.48	67.67	-7.27	88.28	-27.88	268		116 Peak	Horizontal	
2 *	6415.00	107.51	114.48	-6.89	88.28	19.31	268		116 Peak	Horizontal	
3	7285.97	62.02	68.25	-6.23	88.28	-26.18	268		116 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5796.52	61.83	68.56	-7.53	88.28	-27.17	189		118 Peak	Vertical	
2 *	6415.00	109.39	115.38	-6.89	88.28	21.19	189		118 Peak	Vertical	
3	7199.88	61.65	67.89	-6.24	88.28	-26.55	189		118 Peak	Vertical	


802.11ax HE20

CH93 (Horizontal) RMS

CH93 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
5761.79	48.16	55.68	-7.52	68.20	-20.04	268	116	RMS	Horizontal		
6415.08	97.83	104.72	-6.89	68.20	29.63	268	116	RMS	Horizontal		
7283.18	48.99	55.22	-6.23	68.20	-19.21	268	116	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
5759.29	48.01	55.34	-7.33	68.20	-20.19	189	118	RMS	Vertical		
6415.08	108.16	107.05	-5.89	68.20	11.96	189	118	RMS	Vertical		
7213.84	48.96	55.16	-6.20	68.20	-19.24	189	118	RMS	Vertical		


802.11ax HE40

CH03 (Horizontal) Peak

CH03 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dB/m	dBuV/m	dB	cm	deg			
5923.25	66.97	73.61	-6.64	88.20	-21.23	100	295	Peak	Horizontal		
5965.08	118.81	117.52	-6.71	88.20	22.61	100	295	Peak	Horizontal		
7227.89	62.56	68.88	-5.52	88.20	-25.64	100	295	Peak	Horizontal		



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dB/m	dBuV/m	dB	cm	deg			
5924.33	71.95	78.59	-6.64	88.20	-16.25	179	290	Peak	Vertical		
5965.08	118.45	117.16	-6.71	88.20	22.25	179	298	Peak	Vertical		
7142.24	62.35	67.98	-5.63	88.20	-25.85	179	290	Peak	Vertical		


802.11ax HE40

CH03 (Horizontal) RMS

CH03 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
5923.43	53.73	60.37	-6.64	68.20	-14.47	100	295	RMS	Horizontal		
5965.00	101.38	100.10	-6.72	68.20	33.18	100	295	RMS	Horizontal		
7213.84	50.13	55.69	-5.56	68.20	-18.07	100	295	RMS	Horizontal		



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
5925.04	61.07	67.71	-6.64	68.20	-7.13	179	290	RMS	Vertical		
5965.00	101.21	107.93	-6.72	68.20	33.01	179	290	RMS	Vertical		
7216.53	49.99	55.55	-5.56	68.20	-18.21	179	290	RMS	Vertical		




802.11ax HE40

CH43 (Horizontal) Peak

CH43 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5919.67	68.78	67.41	-6.63	88.20	-27.42	100	294 Peak	Horizontal	
2 *	6185.00	118.01	117.39	-5.29	88.20	22.71	100	294 Peak	Horizontal	
3	7185.02	62.19	67.80	-5.61	88.20	-26.01	100	294 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5541.09	61.82	69.88	-7.26	88.20	-26.38	244	123 Peak	Vertical	
2 *	6185.00	118.21	116.58	-5.29	88.20	22.01	244	123 Peak	Vertical	
3	7138.66	61.63	67.27	-5.64	88.20	-26.57	244	123 Peak	Vertical	


802.11ax HE40

CH43 (Horizontal) RMS

CH43 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5898.55	48.80	55.40	-6.60	68.20	-19.40	100	294 R/MS	Horizontal
2 *	6155.00	101.66	107.94	-6.28	68.20	33.46	100	294 R/MS	Horizontal
3	7178.40	50.08	55.69	-5.61	68.20	-18.12	100	294 R/MS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5769.67	48.80	55.73	-6.93	68.20	-19.40	244	123 R/MS	Vertical
2 *	6155.00	101.32	107.60	-6.28	68.20	33.12	244	123 R/MS	Vertical
3	7216.71	49.95	55.51	-5.56	68.20	-18.25	244	123 R/MS	Vertical


802.11ax HE40

CH91 (Horizontal) Peak

CH91 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
Level	Level	Level
Factor	Factor	Factor
Line	Line	Line
Limit	Limit	Limit
Over	Over	Over
Apos	Apos	Apos
TPos	TPos	TPos
Remark	Remark	Remark
Pol/Phase	Pol/Phase	Pol/Phase
Note	Note	Note
5755.37	6485.00	7152.65
61.04	106.49	61.15
68.57	113.38	67.41
-7.53	-5.89	-6.26
88.20	88.20	88.20
-27.16	18.29	-27.05
100	100	100
116 Peak	116 Peak	116 Peak
Horizontal	Horizontal	Horizontal



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
Level	Level	Level
Factor	Factor	Factor
Line	Line	Line
Limit	Limit	Limit
Over	Over	Over
Apos	Apos	Apos
TPos	TPos	TPos
Remark	Remark	Remark
Pol/Phase	Pol/Phase	Pol/Phase
Note	Note	Note
5484.34	6485.00	7232.82
60.52	107.92	60.93
68.26	114.81	67.09
-7.74	-5.89	-6.16
88.20	88.20	88.20
-27.68	19.72	-27.27
221	231	221
218 Peak	218 Peak	218 Peak
Vertical	Vertical	Vertical


802.11ax HE40

CH91 (Horizontal) RMS

CH91 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
5905.83	6485.80	7282.39
MHz	MHz	MHz
48.53	95.43	49.32
56.87	182.32	55.56
Factor	Factor	Factor
-7.54	-6.89	-6.24
dB/m	dB/m	dB/m
68.20	68.20	68.20
Limit	Limit	Limit
-19.67	7.23	-18.88
dB	dB	dB
100	100	100
APos	APos	APos
116	116	116
RMS	RMS	RMS
Horizontal	Horizontal	Horizontal
Remark	Remark	Remark
Pol/Phase	Pol/Phase	Pol/Phase
Note	Note	Note



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
5900.34	6485.80	7214.56
MHz	MHz	MHz
48.67	99.43	49.49
55.91	186.32	55.69
Factor	Factor	Factor
-7.24	-6.89	-6.20
dB/m	dB/m	dB/m
68.20	68.20	68.20
Limit	Limit	Limit
-19.53	13.23	-18.71
dB	dB	dB
221	231	221
APos	APos	APos
218	218	218
RMS	RMS	RMS
Vertical	Vertical	Vertical
Remark	Remark	Remark
Pol/Phase	Pol/Phase	Pol/Phase
Note	Note	Note


802.11ax HE80

CH07 (Horizontal) Peak

CH07 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5912.15	67.55	74.16	-6.61	88.20	-20.65	106	295	Peak	Horizontal	
2	5985.00	109.82	116.56	-6.74	88.20	21.62	106	295	Peak	Horizontal	
3	7284.00	62.50	68.89	-5.59	88.20	-25.70	106	295	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5923.25	72.83	79.47	-6.64	88.20	-15.37	181	290	Peak	Vertical	
2	5985.00	110.53	117.27	-6.74	88.20	22.33	181	290	Peak	Vertical	
3	7135.08	62.67	68.31	-5.64	88.20	-25.53	181	290	Peak	Vertical	


802.11ax HE80

CH07 (Horizontal) RMS

CH07 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
5911.88	56.02	62.63	-6.61	68.20	-12.18	106	295	RMS	Horizontal		
5985.88	89.57	106.32	-6.75	68.20	31.37	106	295	RMS	Horizontal		
7227.27	50.09	55.62	-5.53	68.20	-18.11	106	295	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
5924.86	60.45	67.09	-6.64	68.20	-7.75	181	290	RMS	Vertical		
5985.88	100.23	106.95	-6.72	68.20	32.03	181	290	RMS	Vertical		
7207.40	50.02	55.60	-5.58	68.20	-18.18	181	290	RMS	Vertical		


802.11ax HE80

CH39 (Horizontal) Peak

CH39 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note																																																																																										
Freq	Level	Factor	Line	Limit	cm	deg																																																																																													
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	deg																																																																																													
5753.92	68.67	68.19	-7.52	88.20	-27.53	189	294 Peak	Horizontal																																																																																											
6145.88	103.01	110.01	-7.00	88.20	14.81	189	294 Peak	Horizontal																																																																																											
7189.58	68.44	66.69	-6.25	88.20	-27.76	189	294 Peak	Horizontal																																																																																											



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note																																																																																										
Freq	Level	Factor	Line	Limit	cm	deg																																																																																													
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	deg																																																																																													
5911.88	68.78	67.96	-7.26	88.20	-27.50	171	271 Peak	Vertical																																																																																											
6145.88	105.86	112.86	-7.00	88.20	17.66	171	271 Peak	Vertical																																																																																											
7247.85	62.17	68.28	-6.11	88.20	-26.03	171	271 Peak	Vertical																																																																																											


802.11ax HE80

CH39 (Horizontal) RMS

CH39 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5787.21	49.07	56.60	-7.53	68.20	-19.13	189	294 RMS	Horizontal
2	6145.00	93.99	100.99	-7.00	89.29	5.79	189	294 RMS	Horizontal
3	7189.50	49.95	56.20	-6.25	68.20	-18.25	189	294 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5887.09	48.74	56.08	-7.34	68.20	-19.46	171	271 RMS	Vertical
2	6145.00	95.45	102.45	-7.00	89.28	7.25	171	271 RMS	Vertical
3	7248.57	50.07	56.18	-6.11	68.20	-18.13	171	271 RMS	Vertical




802.11ax HE80

CH87 (Horizontal) Peak

CH87 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5516.21	68.63	68.37	-7.74	88.20	-27.57	195	293	Peak	Horizontal	
2 *	6385.00	102.13	109.82	-6.89	88.20	13.93	195	293	Peak	Horizontal	
3	7188.78	68.52	66.77	-6.25	88.20	-27.68	195	293	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5627.54	61.55	69.37	-7.82	88.20	-26.65	273	217	Peak	Vertical	
2 *	6385.00	105.53	112.42	-6.89	88.20	17.33	273	217	Peak	Vertical	
3	7214.20	61.97	68.17	-6.20	88.20	-26.23	273	217	Peak	Vertical	


802.11ax HE80

CH87 (Horizontal) RMS

CH87 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5896.18	48.85	56.38	-7.53	68.20	-19.35	195	293 RMS	Horizontal
2	6385.88	92.70	99.59	-6.89	89.29	4.50	195	293 RMS	Horizontal
3	7219.21	50.07	56.26	-6.19	68.20	-18.13	195	293 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5774.68	48.93	56.45	-7.52	68.20	-19.27	273	217 RMS	Vertical
2	6385.88	96.68	103.49	-6.89	89.28	8.40	273	217 RMS	Vertical
3	7225.38	49.92	56.10	-6.18	68.20	-18.28	273	217 RMS	Vertical


802.11ax HE160

CH15 (Horizontal) Peak

CH15 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5989.29	69.21	75.82	-6.61	88.20	-18.99	317	85	Peak	Horizontal	
2	6925.89	107.19	113.89	-6.61	88.20	18.99	317	85	Peak	Horizontal	
3	7186.46	61.76	67.37	-5.61	88.20	-26.44	317	85	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5920.57	67.58	74.21	-6.63	88.20	-20.62	100	140	Peak	Vertical	
2	6925.89	107.79	114.39	-6.61	88.20	19.58	100	140	Peak	Vertical	
3	7221.18	61.83	67.37	-5.54	88.20	-26.37	100	140	Peak	Vertical	


802.11ax HE160

CH15 (Horizontal) RMS

CH15 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dB/m	dB	dB	cm	deg			
5918.19	56.37	62.98	-6.61	68.20	-11.83	317	85	RMS	Horizontal		
6925.09	97.67	104.13	-6.46	68.20	29.47	317	85	RMS	Horizontal		
7217.78	50.11	55.66	-5.55	68.20	-18.09	317	85	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dB/m	dB	dB	cm	deg			
5921.28	56.06	62.69	-6.63	68.20	-12.14	100	140	RMS	Vertical		
6925.09	97.53	103.98	-6.45	68.20	29.33	100	140	RMS	Vertical		
7213.31	50.16	55.72	-5.56	68.20	-18.04	100	140	RMS	Vertical		


802.11ax HE160

CH47 (Horizontal) Peak

CH47 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenbiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
5836.71	6185.09	7227.98
Level	Level	Level
61.41	106.21	62.82
Factor	Factor	Factor
-6.97	-5.24	-5.52
Limit	Limit	Limit
88.20	88.20	88.20
Over	Over	Over
-26.79	20.01	-25.38
APos	APos	APos
194	194	194
TPos	TPos	TPos
292	292	292
Remark	Remark	Remark
Horizontal	Horizontal	Horizontal
Pol/Phase	Pol/Phase	Pol/Phase
Note	Note	Note



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenbiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
5924.51	6185.09	7189.68
Level	Level	Level
61.57	106.63	61.84
Factor	Factor	Factor
-6.64	-5.24	-5.61
Limit	Limit	Limit
88.20	88.20	88.20
Over	Over	Over
-26.63	21.43	-26.36
APos	APos	APos
177	177	177
TPos	TPos	TPos
287	287	287
Remark	Remark	Remark
Vertical	Vertical	Vertical
Pol/Phase	Pol/Phase	Pol/Phase
Note	Note	Note


802.11ax HE160

CH47 (Horizontal) RMS

CH47 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
5911.44	50.43	57.04	-6.61	68.20	-17.77	194	292	RHS	Horizontal		
6185.00	99.19	105.43	-6.24	88.20	18.09	194	292	RHS	Horizontal		
7284.36	51.40	56.99	-5.59	68.20	-16.80	194	292	RHS	Horizontal		



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
5924.15	51.48	58.12	-6.64	68.20	-16.72	177	287	RHS	Vertical		
6185.00	101.18	107.42	-6.24	88.20	19.26	177	287	RHS	Vertical		
7210.26	51.81	57.38	-5.57	68.20	-16.39	177	287	RHS	Vertical		


802.11ax HE160

CH79 (Horizontal) Peak

CH79 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5985.71	68.65	67.90	-7.25	88.20	-27.55	100	293	Peak	Horizontal	
2 *	6345.00	101.20	100.19	-0.91	88.20	13.08	100	293	Peak	Horizontal	
3	7243.56	61.27	67.40	-6.13	88.20	-26.93	100	293	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5882.00	69.74	68.12	-7.38	88.20	-27.46	152	219	Peak	Vertical	
2 *	6345.00	103.56	119.47	-5.91	88.20	15.36	152	219	Peak	Vertical	
3	7215.99	62.18	68.38	-6.20	88.20	-26.02	152	219	Peak	Vertical	


802.11ax HE160

CH79 (Horizontal) RMS

CH79 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5894.61	49.36	56.63	-7.27	68.20	-18.84	100	293 RMS	Horizontal
2	6345.88	98.91	97.82	+1.09	88.20	2.71	100	293 RMS	Horizontal
3	7168.86	50.25	56.51	-6.26	68.20	-17.95	100	293 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5795.89	49.36	56.89	-7.53	68.20	-18.84	152	219 RMS	Vertical
2	6345.88	95.84	101.95	-6.11	88.20	6.84	152	219 RMS	Vertical
3	7286.83	50.21	56.42	-6.21	68.20	-17.99	152	219 RMS	Vertical



U-NII-6


802.11ax HE20

CH97 (Horizontal) Peak

CH97 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5888.33	68.18	67.65	-7.55	88.20	-28.10	100	117	Peak	Horizontal	
2	6435.88	106.65	113.52	-6.87	88.20	18.45	100	117	Peak	Horizontal	
3	7179.83	68.21	66.47	-6.26	88.20	-27.99	100	117	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5595.68	68.35	68.16	-7.81	88.20	-27.85	238	218	Peak	Vertical	
2	6435.88	109.69	116.56	-6.87	88.20	21.49	238	218	Peak	Vertical	
3	7241.05	61.65	67.79	-6.14	88.20	-26.55	238	218	Peak	Vertical	


802.11ax HE20

CH97 (Horizontal) RMS

CH97 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5899.85	48.97	55.62	-7.55	68.20	-20.13	100	117 RMS	Horizontal
2	6435.88	97.47	104.34	-6.87	89.29	9.27	100	117 RMS	Horizontal
3	7196.93	48.97	55.22	-6.25	68.20	-19.23	100	117 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5786.58	48.27	55.88	-7.53	68.20	-19.93	238	218 RMS	Vertical
2	6435.88	100.88	106.95	-6.07	89.28	13.88	238	218 RMS	Vertical
3	7205.61	48.92	55.15	-6.23	68.20	-19.28	238	218 RMS	Vertical


802.11ax HE20

CH105 (Horizontal) Peak

CH105 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dB/m	dBuV/m	dB	cm	deg			
5911.08	59.68	66.94	-7.26	88.20	-28.52	142	329	Peak	Horizontal		
6475.00	107.07	113.83	-6.76	88.20	25.63	142	329	Peak	Horizontal		
7148.09	68.25	66.52	-6.27	88.20	-27.95	142	329	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dB/m	dBuV/m	dB	cm	deg			
5904.28	61.10	68.35	-7.25	88.20	-27.10	194	117	Peak	Vertical		
6475.00	109.12	115.88	-6.76	88.20	27.68	194	117	Peak	Vertical		
7166.59	69.41	66.67	-6.26	88.20	-27.79	194	117	Peak	Vertical		


802.11ax HE20

CH105 (Horizontal) RMS

CH105 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5725.99	48.05	55.82	-7.77	68.20	-20.15	142	329 RMS	Horizontal
2 *	6475.00	98.41	105.17	-6.76	88.20	10.21	142	329 RMS	Horizontal
3	7220.64	48.98	55.16	-6.18	68.20	-19.22	142	329 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5872.06	48.01	55.47	-7.46	68.20	-20.19	194	117 RMS	Vertical
2 *	6475.00	108.35	107.11	-6.78	88.20	12.15	194	117 RMS	Vertical
3	7237.11	48.89	55.04	-6.15	68.20	-19.31	194	117 RMS	Vertical


802.11ax HE20

CH113 (Horizontal) Peak

CH113 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dBuV	dB/m	dBuV/m	dB	cm	deg		
59.69	-7.61	88.20	-28.51	242	113 Peak	Horizontal	
108.08	-5.64	88.20	19.88	242	113 Peak	Horizontal	
68.78	-6.15	88.20	-27.42	242	113 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dBuV	dB/m	dBuV/m	dB	cm	deg		
69.44	-7.38	88.20	-27.76	186	117 Peak	Vertical	
109.85	-5.64	88.20	21.65	186	117 Peak	Vertical	
68.32	-6.24	88.20	-27.88	186	117 Peak	Vertical	


802.11ax HE20

CH113 (Horizontal) RMS

CH113 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
48.25	55.78	-7.53	68.20	-19.95	242	113 RMS	Horizontal
98.87	105.51	-6.64	88.20	18.67	242	113 RMS	Horizontal
48.89	55.86	-6.17	68.20	-19.31	242	113 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
48.24	55.77	-7.53	68.20	-19.96	186	117 RMS	Vertical
98.85	107.38	-5.64	88.20	12.46	186	117 RMS	Vertical
48.81	55.85	-6.24	68.20	-19.39	186	117 RMS	Vertical


802.11ax HE40

CH99 (Horizontal) Peak

CH99 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5663.78	68.43	68.29	-7.86	88.20	-27.77	100	116	Peak	Horizontal	
2	6445.08	103.52	110.39	-6.87	88.20	15.12	100	116	Peak	Horizontal	
3	7213.13	61.53	67.73	-6.20	88.20	-26.67	100	116	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5815.49	68.81	68.38	-7.57	88.20	-27.39	100	116	Peak	Vertical	
2	6445.08	108.83	114.98	-6.87	88.20	19.83	100	116	Peak	Vertical	
3	7190.21	68.61	66.86	-6.25	88.20	-27.59	100	116	Peak	Vertical	






802.11ax HE40

CH107 (Horizontal) Peak

CH107 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5751.08	59.67	67.20	-7.53	88.20	-28.53	100	117	Peak	Horizontal
2	6485.08	105.61	112.32	-6.71	88.20	24.12	100	117	Peak	Horizontal
3	7242.12	68.44	66.58	-1.86	88.20	-21.62	100	117	Peak	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5919.67	60.56	67.84	-7.28	88.20	-27.64	100	116	Peak	Vertical
2	6485.08	108.81	115.52	-6.71	88.20	27.32	100	116	Peak	Vertical
3	7192.36	61.07	67.32	-6.25	88.20	-27.13	100	116	Peak	Vertical


802.11ax HE40

CH107 (Horizontal) RMS

CH107 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5792.22	48.48	56.81	-7.53	68.20	-19.72	100	117 RMS	Horizontal
2	6485.00	96.01	102.72	-6.71	89.29	7.81	100	117 RMS	Horizontal
3	7214.20	49.47	55.67	-6.20	68.20	-18.73	100	117 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5747.12	48.57	56.13	-7.56	68.20	-19.63	100	116 RMS	Vertical
2	6485.00	99.74	106.45	-6.71	89.28	11.54	100	116 RMS	Vertical
3	7228.16	49.38	55.47	-6.17	68.20	-18.90	100	116 RMS	Vertical


802.11ax HE40

CH115 (Horizontal) Peak

CH115 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5873.85	68.53	67.97	-7.44	88.20	-27.67	313	119 Peak	Horizontal	
2 *	6525.88	105.58	112.22	-6.64	88.20	17.38	313	119 Peak	Horizontal	
3	7195.94	59.84	66.88	-6.24	88.20	-28.36	313	119 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5775.75	68.16	67.69	-7.53	88.20	-28.04	182	118 Peak	Vertical	
2 *	6525.88	108.24	114.88	-6.64	88.20	28.04	182	118 Peak	Vertical	
3	7245.35	68.73	66.86	-6.13	88.20	-27.47	182	118 Peak	Vertical	


802.11ax HE40

CH115 (Horizontal) RMS

CH115 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5781.84	48.49	56.82	-7.53	68.20	-19.71	313	119 RMS	Horizontal
2	6525.80	95.95	102.49	-6.54	89.29	7.85	313	119 RMS	Horizontal
3	7228.88	49.27	55.44	-6.17	68.20	-18.93	313	119 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5778.74	48.44	55.97	-7.53	68.20	-19.76	182	118 RMS	Vertical
2	6525.80	99.29	105.93	-6.64	89.29	11.09	182	118 RMS	Vertical
3	7228.16	49.35	55.52	-6.17	68.20	-18.85	182	118 RMS	Vertical


802.11ax HE80

CH103 (Horizontal) Peak

CH103 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5687.85	68.21	68.82	-7.81	88.20	-27.99	480	117	Peak	Horizontal	
2	6485.88	102.07	108.88	-6.81	88.20	13.87	480	117	Peak	Horizontal	
3	7229.59	68.51	66.68	-6.17	88.20	-27.69	480	117	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5787.93	59.75	67.28	-7.53	88.20	-28.45	247	217	Peak	Vertical	
2	6485.88	105.51	112.32	-6.81	88.20	17.31	247	217	Peak	Vertical	
3	7224.58	61.12	67.29	-6.17	88.20	-27.08	247	217	Peak	Vertical	


802.11ax HE80

CH103 (Horizontal) RMS

CH103 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5770.83	48.82	56.35	-7.53	68.20	-19.38	400	117 RMS	Horizontal
2	6465.88	93.17	99.98	-6.81	89.29	4.97	400	117 RMS	Horizontal
3	7227.45	49.88	56.86	-6.18	68.20	-18.32	400	117 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5887.89	48.75	56.89	-7.34	68.20	-19.45	247	217 RMS	Vertical
2	6465.88	96.41	103.22	-6.81	89.29	8.21	247	217 RMS	Vertical
3	7233.53	49.71	55.86	-6.15	68.20	-18.49	247	217 RMS	Vertical


802.11ax HE80

CH119 (Horizontal) Peak

CH119 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5617.52	68.13	67.94	-7.81	88.20	-28.07	391	113 Peak	Horizontal	
2 *	6545.00	103.88	110.50	-6.62	88.20	15.68	391	113 Peak	Horizontal	
3	7238.99	68.50	66.64	-6.14	88.20	-27.70	391	113 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5915.73	68.72	68.00	-7.28	88.20	-27.48	173	118 Peak	Vertical	
2 *	6545.00	106.68	113.30	-6.62	88.20	18.48	173	118 Peak	Vertical	
3	7189.86	68.75	67.00	-6.25	88.20	-27.45	173	118 Peak	Vertical	


802.11ax HE80

CH119 (Horizontal) RMS

CH119 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5752.84	48.86	56.38	-7.52	68.20	-19.34	391	113 RMS	Horizontal
2	6545.88	94.19	100.81	-6.62	89.29	5.99	391	113 RMS	Horizontal
3	7229.59	49.58	55.75	-6.17	68.20	-18.62	391	113 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5734.23	48.82	56.58	-7.68	68.20	-19.38	173	118 RMS	Vertical
2	6545.88	97.28	103.98	-6.62	89.28	9.68	173	118 RMS	Vertical
3	7229.59	49.61	55.78	-6.17	68.20	-18.59	173	118 RMS	Vertical




802.11ax HE160

CH111 (Horizontal) Peak

CH111 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5869.55	59.72	67.20	-7.48	88.20	-28.48	315	116	Peak	Horizontal	
2	6585.08	99.79	106.44	-6.65	88.20	11.59	315	116	Peak	Horizontal	
3	7166.94	60.08	66.33	-6.25	88.20	-28.12	315	116	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5729.57	60.31	68.03	-7.72	88.20	-27.89	189	119	Peak	Vertical	
2	6585.08	103.95	110.60	-6.65	88.20	15.75	189	119	Peak	Vertical	
3	7203.10	60.15	66.38	-6.23	88.20	-28.05	189	119	Peak	Vertical	


802.11ax HE160

CH111 (Horizontal) RMS

CH111 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5876.71	49.19	56.62	-7.43	68.20	-19.01	315	116 RMS	Horizontal
2	6585.08	98.65	97.38	-1.27	89.29	2.45	315	116 RMS	Horizontal
3	7221.72	49.98	56.16	-6.18	68.20	-18.22	315	116 RMS	Horizontal



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5839.48	49.39	57.00	-7.61	68.20	-18.81	189	119 RMS	Vertical
2	6585.08	95.89	101.74	-5.85	89.28	6.89	189	119 RMS	Vertical
3	7227.45	50.03	56.21	-6.18	68.20	-18.17	189	119 RMS	Vertical

U-NII-7


802.11ax HE20

CH117 (Horizontal) Peak

CH117 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note			
Level	Line	Limit								
dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5872.42	68.39	67.84	-7.45	88.20	-27.81	229	112 Peak	Horizontal	
2 *	6535.88	107.81	114.44	-6.63	89.29	19.61	229	112 Peak	Horizontal	
3	7222.43	61.83	67.21	-6.18	88.20	-27.17	229	112 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note			
Level	Line	Limit								
dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5895.47	69.29	67.84	-7.55	88.20	-27.91	177	119 Peak	Vertical	
2 *	6535.88	118.18	116.81	-5.63	89.29	21.98	177	119 Peak	Vertical	
3	7195.58	68.69	66.93	-6.24	88.20	-27.51	177	119 Peak	Vertical	


802.11ax HE20

CH117 (Horizontal) RMS

CH117 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5782.92	48.12	55.65	-7.53	68.20	-20.08	229	112 RMS	Horizontal
2 *	6535.00	98.33	104.96	-6.63	89.29	18.13	229	112 RMS	Horizontal
3	7197.02	48.76	55.00	-6.24	68.20	-19.44	229	112 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5883.51	48.10	55.46	-7.36	68.20	-20.10	177	119 RMS	Vertical
2 *	6535.00	100.22	106.85	-6.63	89.28	12.02	177	119 RMS	Vertical
3	7213.84	48.86	55.06	-6.20	68.20	-19.34	177	119 RMS	Vertical


802.11ax HE20

CH149 (Horizontal) Peak

CH149 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5793.66	68.46	67.99	-7.53	88.20	-27.74	232	113	Peak	Horizontal	
2	6695.88	108.07	114.97	-6.90	88.20	19.87	232	113	Peak	Horizontal	
3	7241.05	68.92	67.86	-6.14	88.20	-27.28	232	113	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5719.19	68.38	68.21	-7.83	88.20	-27.82	172	119	Peak	Vertical	
2	6695.88	108.94	115.84	-6.90	88.20	28.74	172	119	Peak	Vertical	
3	7243.20	61.68	67.73	-6.13	88.20	-26.60	172	119	Peak	Vertical	


802.11ax HE20

CH149 (Horizontal) RMS

CH149 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5770.74	48.16	55.69	-7.53	68.20	-20.04	232	113 RMS	Horizontal
2	6695.08	97.99	104.89	-6.90	89.29	9.79	232	113 RMS	Horizontal
3	7246.42	48.83	54.96	-6.13	68.20	-19.37	232	113 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5774.68	48.11	55.63	-7.52	68.20	-20.09	172	119 RMS	Vertical
2	6695.08	99.87	106.77	-6.90	89.28	11.67	172	119 RMS	Vertical
3	7189.86	48.93	55.18	-6.25	68.20	-19.27	172	119 RMS	Vertical


802.11ax HE20

CH181 (Horizontal) Peak

CH181 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5854.16	68.20	67.80	-7.60	88.20	-20.00	400	109	Peak	Horizontal	
2 *	6855.00	107.60	114.86	-5.46	88.20	19.40	400	109	Peak	Horizontal	
3	7180.55	62.02	68.27	-6.25	88.20	-26.18	400	109	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5530.53	60.39	68.15	-7.76	88.20	-27.81	258	147	Peak	Vertical	
2 *	6855.00	109.02	115.48	-5.46	88.20	20.82	258	147	Peak	Vertical	
3	7217.42	61.51	67.71	-6.20	88.20	-26.69	258	147	Peak	Vertical	


802.11ax HE20

CH181 (Horizontal) RMS

CH181 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dB/m	dB	cm	deg			
5775.06	68.20	-7.53	68.20	-20.00	400	109 RMS	Horizontal
7222.79	89.23	185.69	-5.46	89.23	11.83	400	109 RMS
7222.79	48.86	55.83	-6.17	68.20	-19.34	400	109 RMS



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dB/m	dB	cm	deg			
5737.81	48.33	55.98	-7.65	68.20	-19.87	258	147 RMS
7219.21	100.16	186.62	-5.46	89.28	13.96	358	147 RMS
7219.21	49.23	55.42	-6.19	68.20	-18.97	258	147 RMS




802.11ax HE20

CH185 (Horizontal) Peak

CH185 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5982.13	68.43	67.67	-7.24	88.20	-27.77	133	336	Peak	Horizontal	
2 *	6875.88	106.34	112.86	-6.52	88.20	18.24	133	336	Peak	Horizontal	
3	7238.99	68.49	66.63	-6.14	88.20	-27.71	133	336	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5659.05	59.88	67.74	-7.86	88.20	-28.32	274	149	Peak	Vertical	
2 *	6875.88	109.33	115.85	-6.52	88.20	21.13	274	149	Peak	Vertical	
3	7232.46	61.19	67.36	-6.17	88.20	-27.01	274	149	Peak	Vertical	


802.11ax HE20

CH185 (Horizontal) RMS

CH185 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5773.61	48.20	55.72	-7.52	68.20	-20.00	133	336 RMS	Horizontal
2	6875.00	97.33	103.85	-6.52	89.20	9.13	133	336 RMS	Horizontal
3	7286.68	48.92	55.14	-6.22	68.20	-19.28	133	336 RMS	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5748.55	47.96	55.50	-7.54	68.20	-20.24	274	149 RMS	Vertical
2	6875.00	100.00	106.51	-6.52	89.20	11.09	274	149 RMS	Vertical
3	7212.05	48.79	55.00	-6.21	68.20	-19.41	274	149 RMS	Vertical


802.11ax HE40

CH123 (Horizontal) Peak

CH123 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5652.68	68.62	68.44	-7.82	88.20	-27.58	388	112	Peak	Horizontal	
2	6565.88	106.42	113.89	-6.57	88.20	18.22	388	112	Peak	Horizontal	
3	7231.03	62.89	69.86	-6.17	88.20	-25.31	388	112	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5818.84	68.83	67.58	-7.55	88.20	-28.17	186	118	Peak	Vertical	
2	6565.88	109.52	116.19	-6.67	88.20	21.32	186	118	Peak	Vertical	
3	7207.40	68.11	66.33	-6.22	88.20	-28.89	186	118	Peak	Vertical	


802.11ax HE40

CH123 (Horizontal) RMS

CH123 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
5771.82	6565.00	7211.34
48.96	96.34	48.97
55.59	103.01	55.18
-7.53	-5.67	-6.21
68.20	89.29	68.20
-20.14	8.14	-19.23
388	388	388
112 RMS	112 RMS	112 RMS
Horizontal	Horizontal	Horizontal



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
5782.56	6565.00	7233.17
48.02	98.99	49.00
55.55	105.66	55.16
-7.53	-5.67	-6.16
68.20	89.29	68.20
-20.18	18.79	-19.20
186	186	186
118 RMS	118 RMS	118 RMS
Vertical	Vertical	Vertical


802.11ax HE40

CH155 (Horizontal) Peak

CH155 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5511.55	59.97	67.69	-7.72	88.20	-28.23	388	120	Peak	Horizontal	
2	6725.00	106.48	113.24	-6.76	88.20	18.28	388	120	Peak	Horizontal	
3	7176.97	59.90	66.16	-6.26	88.20	-28.30	388	120	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Penfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5552.35	60.90	68.70	-7.80	88.20	-27.30	148	198	Peak	Vertical	
2	6725.00	106.73	113.49	-6.76	88.20	18.53	148	198	Peak	Vertical	
3	7149.04	61.74	68.01	-6.27	88.20	-26.46	148	198	Peak	Vertical	