


802.11ax HE40

CH155 (Horizontal) RMS

CH155 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Limit  | Over   | APos  | TPos   | Remark | Pol/Phase | Note       |
|------|---------|-------|--------|--------|-------|--------|--------|-----------|------------|
| MHz  | dBuV/m  | dBuV  | dB/m   | dBuV/m | dB    | cm     | deg    |           |            |
| 1    | 5898.01 | 48.51 | 55.76  | -7.25  | 68.20 | -19.69 | 388    | 120 RMS   | Horizontal |
| 2    | 6725.00 | 98.36 | 104.15 | -5.76  | 88.20 | 18.16  | 388    | 120 RMS   | Horizontal |
| 3    | 7230.31 | 49.27 | 55.44  | -6.17  | 68.20 | -18.93 | 388    | 120 RMS   | Horizontal |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Limit  | Over   | APos  | TPos   | Remark | Pol/Phase | Note     |
|------|---------|-------|--------|--------|-------|--------|--------|-----------|----------|
| MHz  | dBuV/m  | dBuV  | dB/m   | dBuV/m | dB    | cm     | deg    |           |          |
| 1    | 5756.78 | 48.07 | 55.69  | -7.53  | 68.20 | -20.13 | 148    | 198 RMS   | Vertical |
| 2    | 6725.00 | 97.30 | 104.15 | -5.76  | 88.20 | 9.19   | 148    | 198 RMS   | Vertical |
| 3    | 7224.94 | 49.03 | 55.20  | -6.17  | 68.20 | -19.17 | 148    | 198 RMS   | Vertical |


802.11ax HE40

CH179 (Horizontal) Peak

CH179 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read   | Limit | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|--------|-------|--------|------|------|--------|------------|------|
| Level  | Line  | Limit  |      |      |        |            |      |
| Factor |       |        |      |      |        |            |      |
| dB/m   | dB/m  | dB     | cm   | deg  |        |            |      |
| 59.74  | 88.20 | -28.46 | 400  | 110  | Peak   | Horizontal |      |
| 105.56 | 88.20 | 17.36  | 400  | 110  | Peak   | Horizontal |      |
| 68.69  | 72.29 | -27.51 | 400  | 110  | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read   | Limit | Over   | APos | TPos | Remark | Pol/Phase | Note |
|--------|-------|--------|------|------|--------|-----------|------|
| Level  | Line  | Limit  |      |      |        |           |      |
| Factor |       |        |      |      |        |           |      |
| dB/m   | dB/m  | dB     | cm   | deg  |        |           |      |
| 60.84  | 88.20 | -27.36 | 252  | 198  | Peak   | Vertical  |      |
| 106.21 | 88.20 | 18.01  | 252  | 198  | Peak   | Vertical  |      |
| 61.05  | 72.29 | -27.15 | 252  | 198  | Peak   | Vertical  |      |


802.11ax HE40

CH179 (Horizontal) RMS

CH179 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1          | 2          | 3          |
|------------|------------|------------|
| 5898.19    | 6845.00    | 7215.63    |
| Level      | Level      | Level      |
| 47.99      | 96.40      | 48.84      |
| Factor     | Factor     | Factor     |
| 55.24      | 182.84     | 55.84      |
| Limit      | Limit      | Limit      |
| 7.25       | -5.44      | -6.20      |
| Over       | Over       | Over       |
| 68.20      | 89.29      | 68.20      |
| Limit      | Limit      | Limit      |
| -20.21     | 8.20       | -19.36     |
| APos       | APos       | APos       |
| 400        | 400        | 400        |
| TPos       | TPos       | TPos       |
| 110        | 110        | 110        |
| Remark     | Remark     | Remark     |
| RMS        | RMS        | RMS        |
| Horizontal | Horizontal | Horizontal |
| Pol/Phase  | Pol/Phase  | Pol/Phase  |
| Note       | Note       | Note       |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1         | 2         | 3         |
|-----------|-----------|-----------|
| 5793.66   | 6845.00   | 7221.00   |
| Level     | Level     | Level     |
| 48.00     | 97.35     | 48.94     |
| Factor    | Factor    | Factor    |
| 55.61     | 183.79    | 55.12     |
| Limit     | Limit     | Limit     |
| -7.53     | -5.44     | -6.18     |
| Over      | Over      | Over      |
| 68.20     | 89.29     | 68.20     |
| Limit     | Limit     | Limit     |
| -20.12    | 9.15      | -19.26    |
| APos      | APos      | APos      |
| 252       | 252       | 252       |
| TPos      | TPos      | TPos      |
| 198       | 198       | 198       |
| Remark    | Remark    | Remark    |
| RMS       | RMS       | RMS       |
| Vertical  | Vertical  | Vertical  |
| Pol/Phase | Pol/Phase | Pol/Phase |
| Note      | Note      | Note      |


802.11ax HE40

CH187 (Horizontal) Peak

CH187 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq    | Level  | Read   | Limit | Over   | APos   | TPos | Remark   | Pol/Phase  | Note |
|------|---------|--------|--------|-------|--------|--------|------|----------|------------|------|
|      | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | cm   | deg      |            |      |
| 1    | 5839.12 | 68.95  | 67.66  | -7.61 | 88.20  | -28.15 | 182  | 183 Peak | Horizontal |      |
| 2 *  | 6885.80 | 106.93 | 112.59 | -6.56 | 88.20  | 17.83  | 182  | 183 Peak | Horizontal |      |
| 3    | 7281.31 | 61.93  | 68.17  | -6.24 | 88.20  | -26.27 | 182  | 183 Peak | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq    | Level  | Read   | Limit | Over   | APos   | TPos | Remark   | Pol/Phase | Note |
|------|---------|--------|--------|-------|--------|--------|------|----------|-----------|------|
|      | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | cm   | deg      |           |      |
| 1    | 5483.27 | 59.84  | 67.59  | -7.75 | 88.20  | -28.36 | 245  | 149 Peak | Vertical  |      |
| 2 *  | 6885.80 | 107.89 | 113.65 | -6.56 | 88.20  | 18.89  | 245  | 149 Peak | Vertical  |      |
| 3    | 7149.76 | 61.38  | 67.57  | -6.27 | 88.20  | -26.90 | 245  | 149 Peak | Vertical  |      |


802.11ax HE40

CH187 (Horizontal) RMS

CH187 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read   | Limit | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|--------|-------|--------|------|------|--------|------------|------|
| Level  | Line  | Limit  |      |      |        |            |      |
| Factor |       |        |      |      |        |            |      |
| dB/m   | dB/m  | dB     | cm   | deg  |        |            |      |
| 48.54  | 68.20 | -19.66 | 182  | 183  | RMS    | Horizontal |      |
| 95.48  | 89.29 | 7.28   | 182  | 183  | RMS    | Horizontal |      |
| 49.39  | 68.20 | -18.81 | 182  | 183  | RMS    | Horizontal |      |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read   | Limit | Over   | APos | TPos | Remark | Pol/Phase | Note |
|--------|-------|--------|------|------|--------|-----------|------|
| Level  | Line  | Limit  |      |      |        |           |      |
| Factor |       |        |      |      |        |           |      |
| dB/m   | dB/m  | dB     | cm   | deg  |        |           |      |
| 48.46  | 68.20 | -19.74 | 245  | 149  | RMS    | Vertical  |      |
| 98.98  | 89.28 | 18.78  | 245  | 149  | RMS    | Vertical  |      |
| 49.53  | 68.20 | -18.67 | 245  | 149  | RMS    | Vertical  |      |


802.11ax HE80

CH135 (Horizontal) Peak

CH135 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1       | 2      | 3      | 4     | 5      | 6      | 7    | 8        | 9          | 10   | 11 | 12 | 13 | 14 | 15 |
|---------|--------|--------|-------|--------|--------|------|----------|------------|------|----|----|----|----|----|
| Read    | Level  | Factor | Limit | Over   | APos   | TPos | Remark   | Pol/Phase  | Note |    |    |    |    |    |
| Freq    | Level  | Level  | Line  | Limit  | APos   | TPos | Remark   | Pol/Phase  | Note |    |    |    |    |    |
| MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | cm   | deg      |            |      |    |    |    |    |    |
| 5627.96 | 68.61  | 68.42  | -7.81 | 88.20  | -27.59 | 321  | 115 Peak | Horizontal |      |    |    |    |    |    |
| 6625.88 | 105.74 | 110.47 | -6.73 | 88.20  | 15.54  | 321  | 115 Peak | Horizontal |      |    |    |    |    |    |
| 7152.27 | 68.69  | 66.96  | -6.27 | 88.20  | -27.51 | 321  | 115 Peak | Horizontal |      |    |    |    |    |    |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1       | 2      | 3      | 4     | 5      | 6      | 7    | 8        | 9         | 10   | 11 | 12 | 13 | 14 | 15 |
|---------|--------|--------|-------|--------|--------|------|----------|-----------|------|----|----|----|----|----|
| Read    | Level  | Factor | Limit | Over   | APos   | TPos | Remark   | Pol/Phase | Note |    |    |    |    |    |
| Freq    | Level  | Level  | Line  | Limit  | APos   | TPos | Remark   | Pol/Phase | Note |    |    |    |    |    |
| MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | cm   | deg      |           |      |    |    |    |    |    |
| 5643.65 | 68.13  | 67.94  | -7.81 | 88.20  | -28.07 | 179  | 121 Peak | Vertical  |      |    |    |    |    |    |
| 6625.88 | 105.84 | 112.27 | -6.73 | 88.20  | 17.34  | 179  | 121 Peak | Vertical  |      |    |    |    |    |    |
| 7239.26 | 68.02  | 66.16  | -6.14 | 88.20  | -28.18 | 179  | 121 Peak | Vertical  |      |    |    |    |    |    |


802.11ax HE80

CH135 (Horizontal) RMS

CH135 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read   | Limit   | Over  | APos   | TPos  | Remark | Pol/Phase | Note |         |            |  |
|--------|---------|-------|--------|-------|--------|-----------|------|---------|------------|--|
| Level  | Line    | Limit |        |       |        |           |      |         |            |  |
| dBuV/m | dBuV    | dB/m  | dBuV/m | dB    | cm     | deg       |      |         |            |  |
| 1      | 5859.17 | 48.74 | 56.31  | -7.57 | 68.20  | -19.46    | 321  | 115 RMS | Horizontal |  |
| 2      | 6625.08 | 94.30 | 101.03 | -6.73 | 89.20  | 6.10      | 321  | 115 RMS | Horizontal |  |
| 3      | 7224.22 | 49.68 | 55.85  | -6.17 | 68.20  | -18.52    | 321  | 115 RMS | Horizontal |  |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read   | Limit   | Over  | APos   | TPos  | Remark | Pol/Phase | Note |         |          |  |
|--------|---------|-------|--------|-------|--------|-----------|------|---------|----------|--|
| Level  | Line    | Limit |        |       |        |           |      |         |          |  |
| dBuV/m | dBuV    | dB/m  | dBuV/m | dB    | cm     | deg       |      |         |          |  |
| 1      | 5787.93 | 48.86 | 56.39  | -7.53 | 68.20  | -19.34    | 179  | 121 RMS | Vertical |  |
| 2      | 6625.08 | 96.97 | 103.78 | -6.73 | 89.20  | 8.77      | 179  | 121 RMS | Vertical |  |
| 3      | 7217.78 | 49.74 | 55.93  | -6.19 | 68.20  | -18.46    | 179  | 121 RMS | Vertical |  |


802.11ax HE80

CH151 (Horizontal) Peak

CH151 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq    | Level  | Read   | Limit | Over   | APos   | TPos | Remark | Pol/Phase | Note       |
|------|---------|--------|--------|-------|--------|--------|------|--------|-----------|------------|
|      | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | cm   | deg    |           |            |
| 1    | 5558.09 | 60.33  | 60.14  | -7.81 | 88.20  | -27.87 | 400  | 113    | Peak      | Horizontal |
| 2    | 6795.00 | 105.68 | 112.58 | -6.90 | 88.20  | 17.48  | 400  | 113    | Peak      | Horizontal |
| 3    | 7237.11 | 61.46  | 67.61  | -6.15 | 88.20  | -26.74 | 400  | 113    | Peak      | Horizontal |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq    | Level  | Read   | Limit | Over   | APos   | TPos | Remark | Pol/Phase | Note     |
|------|---------|--------|--------|-------|--------|--------|------|--------|-----------|----------|
|      | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | cm   | deg    |           |          |
| 1    | 5848.79 | 60.67  | 68.31  | -7.64 | 88.20  | -27.53 | 188  | 121    | Peak      | Vertical |
| 2    | 6795.00 | 105.72 | 112.62 | -6.90 | 88.20  | 17.52  | 188  | 121    | Peak      | Vertical |
| 3    | 7232.82 | 60.85  | 67.01  | -6.16 | 88.20  | -27.35 | 188  | 121    | Peak      | Vertical |




802.11ax HE80

CH151 (Horizontal) RMS

CH151 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1          | 2          | 3          |
|------------|------------|------------|
| 5758.78    | 6785.88    | 7282.74    |
| 49.28      | 94.25      | 49.59      |
| 56.72      | 101.15     | 55.82      |
| -7.52      | -5.98      | -6.23      |
| 68.28      | 88.28      | 68.28      |
| -19.08     | 6.85       | -18.61     |
| 488        | 488        | 488        |
| 113        | 113        | 113        |
| RMS        | RMS        | RMS        |
| Horizontal | Horizontal | Horizontal |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1        | 2        | 3        |
|----------|----------|----------|
| 5794.73  | 6785.88  | 7223.87  |
| 48.83    | 96.72    | 49.61    |
| 56.35    | 103.62   | 55.78    |
| -7.52    | -5.98    | -6.17    |
| 68.28    | 88.28    | 68.28    |
| -19.37   | 8.52     | -18.59   |
| 188      | 188      | 188      |
| 121      | 121      | 121      |
| RMS      | RMS      | RMS      |
| Vertical | Vertical | Vertical |


802.11ax HE80

CH167 (Horizontal) Peak

CH167 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, FenHiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Factor (dB/m) | Limit Line (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase  | Note |
|------|------------|----------------|-------------------|---------------|---------------------|-----------------|-----------|------------|--------|------------|------|
| 1    | 5863.11    | 68.52          | 68.05             | -7.53         | 88.20               | -27.68          | 391       | 113        | Peak   | Horizontal |      |
| 2    | 6785.08    | 102.78         | 109.21            | -6.51         | 88.20               | 14.58           | 391       | 113        | Peak   | Horizontal |      |
| 3    | 7183.05    | 59.89          | 66.14             | -6.25         | 88.20               | -28.31          | 391       | 113        | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, FenHiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Factor (dB/m) | Limit Line (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase | Note |
|------|------------|----------------|-------------------|---------------|---------------------|-----------------|-----------|------------|--------|-----------|------|
| 1    | 5745.68    | 61.17          | 68.74             | -7.57         | 88.20               | -27.03          | 238       | 202        | Peak   | Vertical  |      |
| 2    | 6785.08    | 104.98         | 111.49            | -6.51         | 88.20               | 16.78           | 238       | 202        | Peak   | Vertical  |      |
| 3    | 7209.98    | 61.34          | 67.55             | -6.21         | 88.20               | -26.86          | 238       | 202        | Peak   | Vertical  |      |


802.11ax HE80

CH167 (Horizontal) RMS

CH167 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1          | 2          | 3          |
|------------|------------|------------|
| 5768.24    | 6785.00    | 7225.66    |
| 49.03      | 94.31      | 49.69      |
| 56.56      | 100.82     | 55.87      |
| -7.53      | -6.51      | -6.18      |
| 68.20      | 68.20      | 68.20      |
| -19.17     | 6.11       | -18.51     |
| 391        | 391        | 391        |
| 113        | 113        | 113        |
| RMS        | RMS        | RMS        |
| Horizontal | Horizontal | Horizontal |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1        | 2        | 3        |
|----------|----------|----------|
| 5843.78  | 6785.00  | 7201.67  |
| 48.81    | 95.35    | 49.55    |
| 56.43    | 101.86   | 55.79    |
| -7.62    | -6.51    | -6.24    |
| 68.20    | 68.20    | 68.20    |
| -19.39   | 7.15     | -18.65   |
| 238      | 238      | 238      |
| 202      | 202      | 202      |
| RMS      | RMS      | RMS      |
| Vertical | Vertical | Vertical |


802.11ax HE80

CH183 (Horizontal) Peak

CH183 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read   | Limit   | Over   | APos   | TPos  | Remark | Pol/Phase | Note |          |            |
|--------|---------|--------|--------|-------|--------|-----------|------|----------|------------|
| Level  | Line    | Limit  | cm     | deg   |        |           |      |          |            |
| dBuV/m | dBuV    | dB/m   | dBuV/m | dB    | cm     | deg       |      |          |            |
| 1      | 5573.49 | 68.02  | 67.82  | -7.88 | 88.20  | -28.18    | 197  | 104 Peak | Horizontal |
| 2      | 6865.08 | 101.79 | 105.28 | -5.49 | 88.20  | 13.59     | 197  | 104 Peak | Horizontal |
| 3      | 7242.48 | 61.02  | 67.16  | -6.14 | 88.20  | -27.18    | 197  | 104 Peak | Horizontal |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read   | Limit   | Over   | APos   | TPos  | Remark | Pol/Phase | Note |          |          |
|--------|---------|--------|--------|-------|--------|-----------|------|----------|----------|
| Level  | Line    | Limit  | cm     | deg   |        |           |      |          |          |
| dBuV/m | dBuV    | dB/m   | dBuV/m | dB    | cm     | deg       |      |          |          |
| 1      | 5773.25 | 62.11  | 69.63  | -7.52 | 88.20  | -26.09    | 263  | 200 Peak | Vertical |
| 2      | 6865.08 | 105.39 | 111.88 | -5.49 | 88.20  | 17.19     | 263  | 200 Peak | Vertical |
| 3      | 7204.89 | 61.50  | 67.73  | -6.23 | 88.20  | -26.70    | 263  | 200 Peak | Vertical |


802.11ax HE80

CH183 (Horizontal) RMS

CH183 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Limit | Over   | APos  | TPos   | Remark | Pol/Phase | Note       |
|------|---------|-------|-------|--------|-------|--------|--------|-----------|------------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg    |           |            |
| 1    | 5896.48 | 48.76 | 56.83 | -7.27  | 68.20 | -19.44 | 197    | 104 RMS   | Horizontal |
| 2    | 6865.00 | 92.88 | 99.37 | -6.49  | 89.29 | 4.68   | 197    | 104 RMS   | Horizontal |
| 3    | 7190.93 | 49.47 | 55.72 | -6.25  | 68.20 | -18.73 | 197    | 104 RMS   | Horizontal |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Limit  | Over   | APos  | TPos   | Remark | Pol/Phase | Note     |
|------|---------|-------|--------|--------|-------|--------|--------|-----------|----------|
| MHz  | dBuV/m  | dBuV  | dB/m   | dBuV/m | dB    | cm     | deg    |           |          |
| 1    | 5757.14 | 48.94 | 56.47  | -7.53  | 68.20 | -19.26 | 263    | 200 RMS   | Vertical |
| 2    | 6865.00 | 95.87 | 102.36 | -6.49  | 89.29 | 7.67   | 263    | 200 RMS   | Vertical |
| 3    | 7231.38 | 49.67 | 55.84  | -6.17  | 68.20 | -18.53 | 263    | 200 RMS   | Vertical |


802.11ax HE160

CH143 (Horizontal) Peak

CH143 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1       | 2          | 3          |
|---------|------------|------------|
| 5982.49 | 6665.88    | 7189.14    |
| MHz     | dBuV/m     | dBuV       |
| 5982.49 | 68.79      | 68.83      |
| 6665.88 | 101.11     | 107.85     |
| 7189.14 | 61.35      | 67.60      |
|         | dB/m       | dB/m       |
|         | -7.24      | -5.74      |
|         | -6.25      | -6.25      |
|         | 88.20      | 88.20      |
|         | -27.41     | -26.85     |
|         | 374        | 374        |
|         | 115        | 115        |
|         | Peak       | Peak       |
|         | Horizontal | Horizontal |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1       | 2        | 3        |
|---------|----------|----------|
| 5763.58 | 6665.88  | 7206.68  |
| MHz     | dBuV/m   | dBuV     |
| 5763.58 | 59.87    | 67.39    |
| 6665.88 | 103.84   | 110.58   |
| 7206.68 | 61.38    | 67.60    |
|         | dB/m     | dB/m     |
|         | -7.52    | -5.74    |
|         | -6.22    | -6.22    |
|         | 88.20    | 88.20    |
|         | -28.33   | -26.82   |
|         | 186      | 186      |
|         | 117      | 117      |
|         | Peak     | Peak     |
|         | Vertical | Vertical |


802.11ax HE160

CH143 (Horizontal) RMS

CH143 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read   | Limit | Over  | APos   | TPos | Remark  | Pol/Phase  | Note |
|--------|-------|-------|--------|------|---------|------------|------|
| Level  | Line  | Limit |        |      |         |            |      |
| Factor |       |       |        |      |         |            |      |
| dB/m   | dB/m  | dB    | cm     | deg  |         |            |      |
| 49.64  | 7.53  | 68.20 | -18.56 | 374  | 115 RMS | Horizontal |      |
| 90.54  | -5.74 | 88.20 | 3.70   | 374  | 115 RMS | Horizontal |      |
| 50.15  | -6.11 | 68.20 | -18.05 | 374  | 115 RMS | Horizontal |      |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read   | Limit | Over  | APos   | TPos | Remark  | Pol/Phase | Note |
|--------|-------|-------|--------|------|---------|-----------|------|
| Level  | Line  | Limit |        |      |         |           |      |
| Factor |       |       |        |      |         |           |      |
| dB/m   | dB/m  | dB    | cm     | deg  |         |           |      |
| 49.37  | 7.53  | 68.20 | -18.83 | 186  | 117 RMS | Vertical  |      |
| 95.18  | -5.74 | 88.20 | 6.98   | 186  | 117 RMS | Vertical  |      |
| 51.11  | -6.17 | 68.20 | -17.09 | 186  | 117 RMS | Vertical  |      |


802.11ax HE160

CH175 (Horizontal) Peak

CH175 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Factor (dB/m) | Limit (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase  | Note |
|------|------------|----------------|-------------------|---------------|----------------|-----------------|-----------|------------|--------|------------|------|
| 1    | 5896.46    | 69.38          | 67.91             | -7.53         | 88.20          | -27.82          | 164       | 331        | Peak   | Horizontal |      |
| 2    | 6825.89    | 108.26         | 106.72            | -5.46         | 88.20          | 12.06           | 164       | 331        | Peak   | Horizontal |      |
| 3    | 7283.18    | 61.25          | 67.48             | -6.23         | 88.20          | -26.95          | 164       | 331        | Peak   | Horizontal |      |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Factor (dB/m) | Limit (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase | Note |
|------|------------|----------------|-------------------|---------------|----------------|-----------------|-----------|------------|--------|-----------|------|
| 1    | 5768.09    | 61.19          | 68.72             | -7.53         | 88.20          | -27.01          | 296       | 204        | Peak   | Vertical  |      |
| 2    | 6825.89    | 103.88         | 110.34            | -5.46         | 88.20          | 15.68           | 296       | 204        | Peak   | Vertical  |      |
| 3    | 7190.93    | 60.61          | 66.86             | -6.25         | 88.20          | -27.59          | 296       | 204        | Peak   | Vertical  |      |




802.11ax HE160

CH175 (Horizontal) RMS

CH175 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Limit | Over   | APos  | TPos   | Remark | Pol/Phase | Note       |
|------|---------|-------|-------|--------|-------|--------|--------|-----------|------------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg    |           |            |
| 1    | 5757.14 | 49.37 | 56.90 | -7.53  | 68.20 | -18.83 | 164    | 331 RMS   | Horizontal |
| 2    | 6825.00 | 90.54 | 97.00 | -6.46  | 89.20 | 2.34   | 164    | 331 RMS   | Horizontal |
| 3    | 7214.20 | 50.05 | 56.25 | -6.20  | 68.20 | -18.15 | 164    | 331 RMS   | Horizontal |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Limit  | Over   | APos  | TPos   | Remark | Pol/Phase | Note     |
|------|---------|-------|--------|--------|-------|--------|--------|-----------|----------|
| MHz  | dBuV/m  | dBuV  | dB/m   | dBuV/m | dB    | cm     | deg    |           |          |
| 1    | 5901.41 | 49.62 | 56.86  | -7.24  | 68.20 | -18.58 | 296    | 204 RMS   | Vertical |
| 2    | 6825.00 | 93.50 | 100.95 | -7.45  | 89.20 | 5.39   | 296    | 204 RMS   | Vertical |
| 3    | 7228.52 | 50.23 | 56.40  | -6.17  | 68.20 | -17.97 | 296    | 204 RMS   | Vertical |

U-NII-8


802.11ax HE20

CH189 (Horizontal) Peak

CH189 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Factor (dB/m) | Limit (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase  | Note |
|------|------------|----------------|-------------------|---------------|----------------|-----------------|-----------|------------|--------|------------|------|
| 1    | 5748.19    | 61.97          | 68.62             | -7.55         | 88.20          | -27.13          | 100       | 216        | Peak   | Horizontal |      |
| 2    | 6985.00    | 106.88         | 112.79            | -5.91         | 88.20          | 18.68           | 100       | 216        | Peak   | Horizontal |      |
| 3    | 7168.02    | 61.44          | 67.69             | -6.25         | 88.20          | -26.76          | 100       | 216        | Peak   | Horizontal |      |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Factor (dB/m) | Limit (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase | Note |
|------|------------|----------------|-------------------|---------------|----------------|-----------------|-----------|------------|--------|-----------|------|
| 1    | 5811.56    | 60.54          | 68.09             | -7.55         | 88.20          | -27.66          | 253       | 150        | Peak   | Vertical  |      |
| 2    | 6985.00    | 109.73         | 115.64            | -5.91         | 88.20          | 23.53           | 253       | 150        | Peak   | Vertical  |      |
| 3    | 7129.35    | 61.91          | 68.19             | -6.28         | 88.20          | -26.29          | 253       | 150        | Peak   | Vertical  |      |


802.11ax HE20

CH189 (Horizontal) RMS

CH189 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Limit  | Over   | APos  | TPos   | Remark | Pol/Phase | Note       |
|------|---------|-------|--------|--------|-------|--------|--------|-----------|------------|
| MHz  | dBuV/m  | dBuV  | dB/m   | dBuV/m | dB    | cm     | deg    |           |            |
| 1    | 5758.93 | 48.20 | 55.73  | -7.53  | 68.20 | -20.00 | 100    | 216 RMS   | Horizontal |
| 2    | 6985.00 | 96.04 | 102.85 | -5.91  | 68.20 | 8.74   | 100    | 216 RMS   | Horizontal |
| 3    | 7210.26 | 49.01 | 55.22  | -6.21  | 68.20 | -19.19 | 100    | 216 RMS   | Horizontal |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Limit  | Over   | APos  | TPos   | Remark | Pol/Phase | Note     |
|------|---------|-------|--------|--------|-------|--------|--------|-----------|----------|
| MHz  | dBuV/m  | dBuV  | dB/m   | dBuV/m | dB    | cm     | deg    |           |          |
| 1    | 5773.97 | 48.18 | 55.79  | -7.52  | 68.20 | -20.02 | 253    | 150 RMS   | Vertical |
| 2    | 6985.00 | 99.75 | 105.56 | -5.91  | 68.20 | 11.55  | 253    | 150 RMS   | Vertical |
| 3    | 7233.17 | 48.93 | 55.09  | -6.16  | 68.20 | -19.27 | 253    | 150 RMS   | Vertical |


802.11ax HE20

CH209 (Horizontal) Peak

CH209 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq    | Level  | Read   | Limit | Over   | APos   | TPos | Remark  | Pol/Phase  | Note |
|------|---------|--------|--------|-------|--------|--------|------|---------|------------|------|
|      | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | cm   | deg     |            |      |
| 1    | 5589.40 | 61.27  | 68.99  | -7.72 | 88.20  | -26.93 | 261  | 99 Peak | Horizontal |      |
| 2 *  | 6995.00 | 100.53 | 114.33 | -5.80 | 88.20  | 26.13  | 261  | 99 Peak | Horizontal |      |
| 3    | 7235.68 | 61.03  | 67.18  | -6.15 | 88.20  | -27.17 | 261  | 99 Peak | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq    | Level  | Read   | Limit | Over   | APos   | TPos | Remark   | Pol/Phase | Note |
|------|---------|--------|--------|-------|--------|--------|------|----------|-----------|------|
|      | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | cm   | deg      |           |      |
| 1    | 5615.01 | 60.68  | 68.50  | -7.82 | 88.20  | -27.52 | 243  | 198 Peak | Vertical  |      |
| 2 *  | 6995.00 | 110.39 | 115.19 | -5.80 | 88.20  | 22.19  | 243  | 198 Peak | Vertical  |      |
| 3    | 7221.00 | 61.17  | 67.35  | -6.18 | 88.20  | -27.03 | 243  | 198 Peak | Vertical  |      |


802.11ax HE20

CH209 (Horizontal) RMS

CH209 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Limit  | Over   | APos  | TPos   | Remark | Pol/Phase | Note       |
|------|---------|-------|--------|--------|-------|--------|--------|-----------|------------|
| MHz  | dBuV/m  | dBuV  | dB/m   | dBuV/m | dB    | cm     | deg    |           |            |
| 1    | 5812.99 | 48.34 | 55.90  | -7.56  | 68.20 | -19.86 | 261    | 99 RMS    | Horizontal |
| 2 *  | 6995.00 | 98.42 | 104.22 | -5.80  | 89.20 | 10.22  | 261    | 99 RMS    | Horizontal |
| 3    | 7230.67 | 48.87 | 55.04  | -6.17  | 68.20 | -19.33 | 261    | 99 RMS    | Horizontal |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read   | Limit  | Over   | APos  | TPos   | Remark | Pol/Phase | Note     |
|------|---------|--------|--------|--------|-------|--------|--------|-----------|----------|
| MHz  | dBuV/m  | dBuV   | dB/m   | dBuV/m | dB    | cm     | deg    |           |          |
| 1    | 5784.71 | 48.15  | 55.67  | -7.52  | 68.20 | -20.05 | 243    | 198 RMS   | Vertical |
| 2 *  | 6995.00 | 100.87 | 106.67 | -5.80  | 89.20 | 12.67  | 243    | 198 RMS   | Vertical |
| 3    | 7223.15 | 49.09  | 55.26  | -6.17  | 68.20 | -19.11 | 243    | 198 RMS   | Vertical |


802.11ax HE20

CH233 (Horizontal) Peak

CH233 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Factor (dB/m) | Limit (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase  | Note |
|------|------------|----------------|-------------------|---------------|----------------|-----------------|-----------|------------|--------|------------|------|
| 1    | 5753.02    | 60.74          | 67.67             | -6.93         | 88.20          | -27.46          | 188       | 83         | Peak   | Horizontal |      |
| 2    | 7115.00    | 106.91         | 112.56            | -5.65         | 88.20          | 18.71           | 188       | 83         | Peak   | Horizontal |      |
| 3    | 7125.00    | 80.52          | 86.17             | -5.65         | 88.20          | -7.68           | 188       | 83         | Peak   | Horizontal |      |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Factor (dB/m) | Limit (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase | Note |
|------|------------|----------------|-------------------|---------------|----------------|-----------------|-----------|------------|--------|-----------|------|
| 1    | 5831.07    | 60.51          | 67.48             | -6.97         | 88.20          | -27.69          | 229       | 206        | Peak   | Vertical  |      |
| 2    | 7115.00    | 107.00         | 112.74            | -5.65         | 88.20          | 18.89           | 229       | 206        | Peak   | Vertical  |      |
| 3    | 7125.00    | 78.51          | 84.16             | -5.65         | 88.20          | -9.69           | 229       | 206        | Peak   | Vertical  |      |


802.11ax HE20

CH233 (Horizontal) RMS

CH233 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level     | Read  | Limit  | Over   | APos  | TPos   | Remark | Pol/Phase | Note       |
|------|-----------|-------|--------|--------|-------|--------|--------|-----------|------------|
| MHz  | dBuV/m    | dBuV  | dB/m   | dBuV/m | dB    | cm     | deg    |           |            |
| 1    | 5851.83   | 48.64 | 55.63  | -6.99  | 68.20 | -19.56 | 188    | 83 RMS    | Horizontal |
| 2    | * 7115.00 | 96.74 | 102.39 | -5.65  | 68.20 | 28.54  | 188    | 83 RMS    | Horizontal |
| 3    | ! 7125.00 | 67.54 | 73.19  | -5.65  | 68.20 | -0.66  | 188    | 83 RMS    | Horizontal |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level     | Read  | Limit  | Over   | APos  | TPos   | Remark | Pol/Phase | Note     |
|------|-----------|-------|--------|--------|-------|--------|--------|-----------|----------|
| MHz  | dBuV/m    | dBuV  | dB/m   | dBuV/m | dB    | cm     | deg    |           |          |
| 1    | 5785.42   | 48.69 | 55.61  | -6.92  | 68.20 | -19.51 | 229    | 206 RMS   | Vertical |
| 2    | * 7115.00 | 96.99 | 102.64 | -5.65  | 68.20 | 28.79  | 229    | 206 RMS   | Vertical |
| 3    | ! 7125.00 | 66.61 | 72.26  | -5.65  | 68.20 | -1.59  | 229    | 206 RMS   | Vertical |


802.11ax HE40

CH195 (Horizontal) Peak

CH195 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq    | Level  | Read   | Limit | Over   | APos   | TPos | Remark   | Pol/Phase  | Note |
|------|---------|--------|--------|-------|--------|--------|------|----------|------------|------|
|      | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | cm   | deg      |            |      |
| 1    | 5862.75 | 68.06  | 67.59  | -7.53 | 88.20  | -28.14 | 188  | 104 Peak | Horizontal |      |
| 2    | 6918.49 | 105.41 | 111.98 | -6.49 | 88.20  | 17.21  | 188  | 104 Peak | Horizontal |      |
| 3    | 7135.44 | 61.18  | 67.46  | -6.28 | 88.20  | -27.02 | 188  | 104 Peak | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq    | Level  | Read   | Limit | Over   | APos   | TPos | Remark   | Pol/Phase | Note |
|------|---------|--------|--------|-------|--------|--------|------|----------|-----------|------|
|      | MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | cm   | deg      |           |      |
| 1    | 5491.86 | 60.52  | 68.25  | -7.73 | 88.20  | -27.68 | 238  | 201 Peak | Vertical  |      |
| 2    | 6925.88 | 106.73 | 113.18 | -6.45 | 88.20  | 18.53  | 238  | 201 Peak | Vertical  |      |
| 3    | 7192.72 | 61.22  | 67.47  | -6.25 | 88.20  | -26.98 | 238  | 201 Peak | Vertical  |      |




802.11ax HE40

CH195 (Horizontal) RMS

CH195 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Limit  | Over   | APos  | TPos   | Remark | Pol/Phase | Note       |
|------|---------|-------|--------|--------|-------|--------|--------|-----------|------------|
| MHz  | dBuV/m  | dBuV  | dB/m   | dBuV/m | dB    | cm     | deg    |           |            |
| 1    | 5894.75 | 48.40 | 55.94  | -7.54  | 68.20 | -19.80 | 188    | 104 RMS   | Horizontal |
| 2 *  | 6925.00 | 96.07 | 102.52 | -6.45  | 68.20 | 7.87   | 188    | 104 RMS   | Horizontal |
| 3    | 7189.50 | 49.30 | 55.55  | -6.25  | 68.20 | -18.90 | 188    | 104 RMS   | Horizontal |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Limit  | Over   | APos  | TPos   | Remark | Pol/Phase | Note     |
|------|---------|-------|--------|--------|-------|--------|--------|-----------|----------|
| MHz  | dBuV/m  | dBuV  | dB/m   | dBuV/m | dB    | cm     | deg    |           |          |
| 1    | 5899.96 | 48.54 | 55.96  | -7.32  | 68.20 | -19.66 | 238    | 201 RMS   | Vertical |
| 2 *  | 6925.00 | 98.55 | 105.00 | -6.45  | 68.20 | 10.35  | 238    | 201 RMS   | Vertical |
| 3    | 7209.19 | 49.29 | 55.50  | -6.21  | 68.20 | -18.91 | 238    | 201 RMS   | Vertical |


802.11ax HE40

CH211 (Horizontal) Peak

CH211 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Factor (dB/m) | Limit (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase  | Note |
|------|------------|----------------|-------------------|---------------|----------------|-----------------|-----------|------------|--------|------------|------|
| 1    | 5820.86    | 68.17          | 67.74             | -7.57         | 88.20          | -28.83          | 400       | 103        | Peak   | Horizontal |      |
| 2 *  | 7005.00    | 106.96         | 112.79            | -5.83         | 88.20          | 18.76           | 400       | 103        | Peak   | Horizontal |      |
| 3    | 7227.09    | 61.74          | 67.92             | -6.18         | 88.20          | -26.46          | 400       | 103        | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Factor (dB/m) | Limit (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase  | Note |
|------|------------|----------------|-------------------|---------------|----------------|-----------------|-----------|------------|--------|------------|------|
| 1    | 5915.73    | 59.36          | 66.64             | -7.28         | 88.20          | -28.84          | 400       | 104        | Peak   | Horizontal |      |
| 2 *  | 7005.00    | 107.37         | 113.20            | -5.83         | 88.20          | 19.17           | 400       | 104        | Peak   | Horizontal |      |
| 3    | 7153.34    | 61.15          | 67.41             | -6.26         | 88.20          | -27.05          | 400       | 104        | Peak   | Horizontal |      |


802.11ax HE40

CH211 (Horizontal) RMS

CH211 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read        | Limit | Over   | APos  | TPos  | Remark | Pol/Phase | Note               |
|-------------|-------|--------|-------|-------|--------|-----------|--------------------|
| Level       | Line  | Limit  |       |       |        |           |                    |
| dBuV/m      | dBm   | dB     | cm    | deg   |        |           |                    |
| 1 5748.01   | 48.56 | 56.10  | -7.54 | 68.20 | -19.64 | 400       | 103 RMS Horizontal |
| 2 * 7005.00 | 96.87 | 102.70 | -5.83 | 89.20 | 8.67   | 400       | 103 RMS Horizontal |
| 3 7207.04   | 49.44 | 55.66  | -6.22 | 68.20 | -18.76 | 400       | 103 RMS Horizontal |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read        | Limit | Over   | APos  | TPos  | Remark | Pol/Phase | Note               |
|-------------|-------|--------|-------|-------|--------|-----------|--------------------|
| Level       | Line  | Limit  |       |       |        |           |                    |
| dBuV/m      | dBm   | dB     | cm    | deg   |        |           |                    |
| 1 5896.76   | 48.56 | 55.83  | -7.27 | 68.20 | -19.64 | 400       | 104 RMS Horizontal |
| 2 * 7005.00 | 97.27 | 103.10 | -5.83 | 89.20 | 9.07   | 400       | 104 RMS Horizontal |
| 3 7176.61   | 49.20 | 55.46  | -6.26 | 68.20 | -19.00 | 400       | 104 RMS Horizontal |


802.11ax HE40

CH227 (Horizontal) Peak

CH227 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Factor (dB/m) | Limit (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase  | Note |
|------|------------|----------------|-------------------|---------------|----------------|-----------------|-----------|------------|--------|------------|------|
| 1    | 5549.86    | 59.73          | 67.54             | -7.81         | 88.20          | -28.47          | 391       | 183        | Peak   | Horizontal |      |
| 2    | 7985.89    | 106.74         | 113.11            | -6.37         | 88.20          | 18.54           | 391       | 183        | Peak   | Horizontal |      |
| 3    | 7226.73    | 61.42          | 67.60             | -6.18         | 88.20          | -26.78          | 391       | 183        | Peak   | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Factor (dB/m) | Limit (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase  | Note |
|------|------------|----------------|-------------------|---------------|----------------|-----------------|-----------|------------|--------|------------|------|
| 1    | 5751.79    | 61.45          | 68.97             | -7.52         | 88.20          | -26.75          | 238       | 198        | Peak   | Horizontal |      |
| 2    | 7985.89    | 107.79         | 114.16            | -6.37         | 88.20          | 19.59           | 238       | 198        | Peak   | Horizontal |      |
| 3    | 7125.42    | 60.72          | 67.01             | -6.29         | 88.20          | -27.48          | 238       | 198        | Peak   | Horizontal |      |


802.11ax HE40

CH227 (Horizontal) RMS

CH227 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Limit  | Over   | APos  | TPos   | Remark | Pol/Phase | Note       |
|------|---------|-------|--------|--------|-------|--------|--------|-----------|------------|
| MHz  | dBuV/m  | dBuV  | dB/m   | dBuV/m | dB    | cm     | deg    |           |            |
| 1    | 5752.49 | 48.45 | 55.97  | -7.52  | 68.20 | -19.75 | 391    | 103 RMS   | Horizontal |
| 2    | 7085.09 | 97.47 | 103.84 | -6.37  | 89.29 | 9.27   | 391    | 103 RMS   | Horizontal |
| 3    | 7126.13 | 49.45 | 55.74  | -6.29  | 68.20 | -18.75 | 391    | 103 RMS   | Horizontal |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Limit  | Over   | APos  | TPos   | Remark | Pol/Phase | Note       |
|------|---------|-------|--------|--------|-------|--------|--------|-----------|------------|
| MHz  | dBuV/m  | dBuV  | dB/m   | dBuV/m | dB    | cm     | deg    |           |            |
| 1    | 5746.04 | 48.52 | 56.09  | -7.57  | 68.20 | -19.68 | 238    | 198 RMS   | Horizontal |
| 2    | 7085.09 | 99.29 | 105.62 | -6.37  | 89.28 | 11.05  | 238    | 198 RMS   | Horizontal |
| 3    | 7125.77 | 50.12 | 56.41  | -6.29  | 68.20 | -18.08 | 238    | 198 RMS   | Horizontal |


802.11ax HE80

CH199 (Horizontal) Peak

CH199 (Vertical) Peak




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Factor (dB/m) | Limit Line (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase  | Note |
|------|------------|----------------|-------------------|---------------|---------------------|-----------------|-----------|------------|--------|------------|------|
| 1    | 5785.42    | 68.62          | 68.15             | -7.53         | 88.20               | -27.58          | 100       | 103        | Peak   | Horizontal |      |
| 2    | 6945.08    | 101.73         | 100.04            | -6.31         | 88.20               | 13.53           | 100       | 103        | Peak   | Horizontal |      |
| 3    | 7234.96    | 68.77          | 66.92             | -6.15         | 88.20               | -27.43          | 100       | 103        | Peak   | Horizontal |      |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Factor (dB/m) | Limit Line (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase | Note |
|------|------------|----------------|-------------------|---------------|---------------------|-----------------|-----------|------------|--------|-----------|------|
| 1    | 5724.92    | 62.14          | 69.91             | -7.77         | 88.20               | -26.06          | 100       | 202        | Peak   | Vertical  |      |
| 2    | 6945.08    | 103.78         | 110.09            | -6.31         | 88.20               | 15.58           | 100       | 202        | Peak   | Vertical  |      |
| 3    | 7155.85    | 68.31          | 66.57             | -6.26         | 88.20               | -27.89          | 100       | 202        | Peak   | Vertical  |      |


802.11ax HE80

CH199 (Horizontal) RMS

CH199 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1          | 2          | 3          |
|------------|------------|------------|
| 5825.16    | 6945.88    | 7221.36    |
| 48.85      | 92.25      | 49.64      |
| 56.44      | 99.56      | 55.82      |
| -7.59      | -9.31      | -6.18      |
| 68.20      | 89.28      | 68.20      |
| -19.35     | 4.85       | -18.56     |
| 100        | 100        | 100        |
| 103        | 103        | 103        |
| RMS        | RMS        | RMS        |
| Horizontal | Horizontal | Horizontal |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1        | 2        | 3        |
|----------|----------|----------|
| 5897.48  | 6945.88  | 7232.82  |
| 48.74    | 95.76    | 49.58    |
| 56.00    | 102.97   | 55.74    |
| -7.26    | -5.33    | -6.16    |
| 68.20    | 89.28    | 68.20    |
| -19.46   | 7.56     | -18.62   |
| 100      | 100      | 100      |
| 202      | 202      | 202      |
| RMS      | RMS      | RMS      |
| Vertical | Vertical | Vertical |


802.11ax HE80

CH215 (Horizontal) Peak

CH215 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1         | 2         | 3         |       |       |        |     |          |            |  |
|-----------|-----------|-----------|-------|-------|--------|-----|----------|------------|--|
| Level     | Level     | Level     |       |       |        |     |          |            |  |
| Factor    | Factor    | Factor    |       |       |        |     |          |            |  |
| Line      | Line      | Line      |       |       |        |     |          |            |  |
| Limit     | Limit     | Limit     |       |       |        |     |          |            |  |
| Over      | Over      | Over      |       |       |        |     |          |            |  |
| Apos      | Apos      | Apos      |       |       |        |     |          |            |  |
| TPos      | TPos      | TPos      |       |       |        |     |          |            |  |
| Remark    | Remark    | Remark    |       |       |        |     |          |            |  |
| Pol/Phase | Pol/Phase | Pol/Phase |       |       |        |     |          |            |  |
| Note      | Note      | Note      |       |       |        |     |          |            |  |
| 5743.54   | 60.29     | 67.87     | -7.58 | 88.20 | -27.91 | 219 | 198 Peak | Horizontal |  |
| 7025.00   | 99.77     | 105.91    | -6.14 | 88.20 | 11.57  | 219 | 198 Peak | Horizontal |  |
| 7215.63   | 61.14     | 67.34     | -6.20 | 88.20 | -27.06 | 219 | 198 Peak | Horizontal |  |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1         | 2         | 3         |       |       |        |     |          |          |  |
|-----------|-----------|-----------|-------|-------|--------|-----|----------|----------|--|
| Level     | Level     | Level     |       |       |        |     |          |          |  |
| Factor    | Factor    | Factor    |       |       |        |     |          |          |  |
| Line      | Line      | Line      |       |       |        |     |          |          |  |
| Limit     | Limit     | Limit     |       |       |        |     |          |          |  |
| Over      | Over      | Over      |       |       |        |     |          |          |  |
| Apos      | Apos      | Apos      |       |       |        |     |          |          |  |
| TPos      | TPos      | TPos      |       |       |        |     |          |          |  |
| Remark    | Remark    | Remark    |       |       |        |     |          |          |  |
| Pol/Phase | Pol/Phase | Pol/Phase |       |       |        |     |          |          |  |
| Note      | Note      | Note      |       |       |        |     |          |          |  |
| 5776.47   | 60.39     | 67.92     | -7.53 | 88.20 | -27.81 | 237 | 201 Peak | Vertical |  |
| 7025.00   | 106.38    | 112.52    | -6.14 | 88.20 | 18.18  | 237 | 201 Peak | Vertical |  |
| 7204.18   | 60.73     | 66.96     | -6.23 | 88.20 | -27.47 | 237 | 201 Peak | Vertical |  |




802.11ax HE80

CH215 (Horizontal) RMS

CH215 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Limit | Over   | APos  | TPos   | Remark | Pol/Phase | Note       |
|------|---------|-------|-------|--------|-------|--------|--------|-----------|------------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg    |           |            |
| 1    | 5756.42 | 48.87 | 56.40 | -7.53  | 68.20 | -19.33 | 219    | 198 RMS   | Horizontal |
| 2    | 7025.00 | 88.52 | 94.56 | -6.04  | 89.29 | 0.32   | 219    | 198 RMS   | Horizontal |
| 3    | 7289.19 | 49.67 | 55.88 | -6.21  | 68.20 | -18.53 | 219    | 198 RMS   | Horizontal |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Limit  | Over   | APos  | TPos   | Remark | Pol/Phase | Note     |
|------|---------|-------|--------|--------|-------|--------|--------|-----------|----------|
| MHz  | dBuV/m  | dBuV  | dB/m   | dBuV/m | dB    | cm     | deg    |           |          |
| 1    | 5787.93 | 48.96 | 56.49  | -7.53  | 68.20 | -19.24 | 237    | 201 RMS   | Vertical |
| 2    | 7025.00 | 96.51 | 102.55 | -6.04  | 89.29 | 0.31   | 237    | 201 RMS   | Vertical |
| 3    | 7237.83 | 49.60 | 55.74  | -6.14  | 68.20 | -18.60 | 237    | 201 RMS   | Vertical |


802.11ax HE160

CH207 (Horizontal) Peak

CH207 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1       | 2      | 3      |       |        |        |      |          |            |      |
|---------|--------|--------|-------|--------|--------|------|----------|------------|------|
| Freq    | Level  | Read   | Limit | Over   | APos   | TPos | Remark   | Pol/Phase  | Note |
| MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | cm   | deg      |            |      |
| 5828.02 | 68.28  | 67.87  | -7.59 | 88.20  | -27.92 | 100  | 103 Peak | Horizontal |      |
| 6985.00 | 100.70 | 106.61 | -5.91 | 88.20  | 12.50  | 100  | 103 Peak | Horizontal |      |
| 7214.92 | 62.13  | 68.33  | -6.20 | 88.20  | -26.07 | 100  | 103 Peak | Horizontal |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1       | 2      | 3      |       |        |        |      |          |           |      |
|---------|--------|--------|-------|--------|--------|------|----------|-----------|------|
| Freq    | Level  | Read   | Limit | Over   | APos   | TPos | Remark   | Pol/Phase | Note |
| MHz     | dBuV/m | dBuV   | dB/m  | dBuV/m | dB     | cm   | deg      |           |      |
| 5900.34 | 60.50  | 67.74  | -7.24 | 88.20  | -27.70 | 210  | 196 Peak | Vertical  |      |
| 6985.00 | 103.69 | 109.60 | -5.91 | 88.20  | 15.40  | 210  | 196 Peak | Vertical  |      |
| 7228.52 | 61.18  | 67.35  | -6.17 | 88.20  | -27.02 | 210  | 196 Peak | Vertical  |      |


802.11ax HE160

CH207 (Horizontal) RMS

CH207 (Vertical) RMS




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Limit | Over   | APos  | TPos   | Remark | Pol/Phase | Note       |
|------|---------|-------|-------|--------|-------|--------|--------|-----------|------------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg    |           |            |
| 1    | 5763.94 | 49.52 | 57.04 | -7.52  | 68.20 | -18.68 | 100    | 103 RMS   | Horizontal |
| 2    | 6985.00 | 98.51 | 96.42 | -5.91  | 89.20 | 2.31   | 100    | 103 RMS   | Horizontal |
| 3    | 7214.92 | 50.35 | 56.55 | -6.20  | 68.20 | -17.85 | 100    | 103 RMS   | Horizontal |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level   | Read  | Limit | Over   | APos  | TPos   | Remark | Pol/Phase | Note     |
|------|---------|-------|-------|--------|-------|--------|--------|-----------|----------|
| MHz  | dBuV/m  | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg    |           |          |
| 1    | 5765.06 | 49.92 | 57.45 | -7.53  | 68.20 | -18.28 | 210    | 196 RMS   | Vertical |
| 2    | 6985.00 | 93.88 | 99.79 | -5.91  | 89.20 | 5.68   | 210    | 196 RMS   | Vertical |
| 3    | 7228.52 | 50.29 | 56.46 | -6.17  | 68.20 | -17.91 | 210    | 196 RMS   | Vertical |

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


802.11ax HE20

CH233 Channel 9kHz~150kHz(Open)

CH233 Channel 150kHz~30MHz(Open)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Factor (dB/m) | Limit Line (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase | Note |
|------|------------|----------------|-------------------|---------------|---------------------|-----------------|-----------|------------|--------|-----------|------|
| 1    | 0.01       | 68.06          | 42.34             | 17.72         | 127.68              | -67.54          | 100       | 73         | Peak   | Open      |      |
| 2    | 0.03       | 62.29          | 43.35             | 18.94         | 119.18              | -56.89          | 100       | 154        | Peak   | Open      |      |
| 3    | 0.04       | 65.24          | 46.10             | 19.14         | 114.79              | -49.55          | 100       | 249        | Peak   | Open      |      |
| 4    | 0.06       | 63.80          | 44.81             | 18.99         | 112.75              | -48.95          | 100       | 248        | Peak   | Open      |      |
| 5    | 0.09       | 47.94          | 29.73             | 18.21         | 108.71              | -60.77          | 100       | 249        | Peak   | Open      |      |
| 6    | 0.13       | 36.31          | 18.26             | 18.05         | 105.16              | -68.85          | 100       | 249        | Peak   | Open      |      |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Factor (dB/m) | Limit Line (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase | Note |
|------|------------|----------------|-------------------|---------------|---------------------|-----------------|-----------|------------|--------|-----------|------|
| 1    | 0.21       | 48.43          | 30.06             | 18.37         | 101.17              | -52.74          | 100       | 240        | Peak   | Open      |      |
| 2    | 5.88       | 32.40          | 12.68             | 19.80         | 69.50               | -37.10          | 100       | 239        | Peak   | Open      |      |
| 3    | 10.63      | 34.67          | 13.13             | 21.54         | 69.50               | -34.83          | 100       | 331        | Peak   | Open      |      |
| 4    | 14.30      | 34.47          | 12.69             | 21.78         | 69.50               | -35.03          | 100       | 83         | Peak   | Open      |      |
| 5    | 18.87      | 34.63          | 12.54             | 22.09         | 69.50               | -34.87          | 100       | 33         | Peak   | Open      |      |
| 6    | 26.78      | 36.36          | 14.15             | 22.21         | 69.50               | -33.14          | 100       | 62         | Peak   | Open      |      |

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


802.11ax HE20

CH233 Channel (Horizontal)

CH233 Channel (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq   | Level  | Read  | Limit  | Over   | APos   | TPos | Remark   | Pol/Phase  | Note |
|------|--------|--------|-------|--------|--------|--------|------|----------|------------|------|
|      | MHz    | dBuV/m | dBuV  | dB/m   | dBuV/m | dB     | cm   | deg      |            |      |
| 1    | 94.99  | 33.32  | 45.46 | -12.14 | 43.50  | -10.18 | 200  | 288 Peak | Horizontal |      |
| 2    | 287.51 | 31.27  | 39.37 | -8.10  | 43.50  | -12.23 | 100  | 249 Peak | Horizontal |      |
| 3    | 301.60 | 30.18  | 34.80 | -4.62  | 46.00  | -15.82 | 100  | 311 Peak | Horizontal |      |
| 4    | 441.28 | 29.30  | 31.35 | -2.05  | 46.00  | -16.70 | 300  | 218 Peak | Horizontal |      |
| 5    | 769.14 | 33.25  | 30.27 | 2.98   | 46.00  | -12.75 | 300  | 172 Peak | Horizontal |      |
| 6    | 919.49 | 34.34  | 29.19 | 5.15   | 46.00  | -11.66 | 100  | 120 Peak | Horizontal |      |




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq   | Level  | Read  | Limit | Over   | APos   | TPos | Remark   | Pol/Phase | Note |
|------|--------|--------|-------|-------|--------|--------|------|----------|-----------|------|
|      | MHz    | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg      |           |      |
| 1    | 33.88  | 37.74  | 44.97 | -7.23 | 40.00  | -2.26  | 100  | 225 Peak | Vertical  |      |
| 2    | 33.88  | 32.48  | 39.71 | -7.23 | 40.00  | -7.52  | 100  | 225 GP   | Vertical  |      |
| 3    | 207.51 | 29.91  | 38.01 | -8.10 | 43.50  | -13.59 | 100  | 225 Peak | Vertical  |      |
| 4    | 296.75 | 33.05  | 38.58 | -4.73 | 46.00  | -12.15 | 100  | 220 Peak | Vertical  |      |
| 5    | 423.82 | 31.02  | 33.50 | -2.48 | 46.00  | -14.98 | 100  | 182 Peak | Vertical  |      |
| 6    | 676.99 | 31.27  | 29.92 | 1.35  | 46.00  | -14.73 | 200  | 120 Peak | Vertical  |      |
| 7    | 845.77 | 35.56  | 31.44 | 4.12  | 46.00  | -10.44 | 400  | 283 Peak | Vertical  |      |

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz  
U-NII-5




802.11ax HE20

CH45 (Horizontal)

CH45 (Vertical)




TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read         | Limit  | Over  | APos  | TPos  | Remark | Pol/Phase | Note                |
|--------------|--------|-------|-------|-------|--------|-----------|---------------------|
| Level        | Line   | Limit | cm    | deg   |        |           |                     |
| dBuV/m       | dBuV/m | dB    | cm    | deg   |        |           |                     |
| 1   12350.00 | 50.17  | 47.91 | 2.26  | 54.00 | -3.83  | 100       | 43 RMS Horizontal   |
| 2   12350.00 | 51.93  | 49.67 | 2.26  | 74.00 | -22.07 | 100       | 43 Peak Horizontal  |
| 3   18525.00 | 39.11  | 39.51 | -0.40 | 54.00 | -14.89 | 200       | 253 RMS Horizontal  |
| 4   18525.00 | 47.35  | 47.75 | -0.40 | 74.00 | -26.65 | 200       | 253 Peak Horizontal |



TÜV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read         | Limit  | Over  | APos  | TPos  | Remark | Pol/Phase | Note              |
|--------------|--------|-------|-------|-------|--------|-----------|-------------------|
| Level        | Line   | Limit | cm    | deg   |        |           |                   |
| dBuV/m       | dBuV/m | dB    | cm    | deg   |        |           |                   |
| 1   12350.00 | 53.02  | 50.76 | 2.26  | 54.00 | -0.98  | 100       | 55 RMS Vertical   |
| 2   12350.00 | 53.36  | 51.10 | 2.26  | 74.00 | -20.64 | 100       | 55 Peak Vertical  |
| 3   18525.00 | 42.09  | 42.49 | -0.40 | 54.00 | -11.91 | 200       | 272 RMS Vertical  |
| 4   18525.00 | 51.11  | 51.51 | -0.40 | 74.00 | -22.89 | 200       | 272 Peak Vertical |


802.11ax HE20

CH93 (Horizontal)

CH93 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Line | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark   | Pol/Phase  | Note |
|------|----------|--------|-------|-------|--------|--------|------|----------|------------|------|
|      | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg      |            |      |
| 1    | 12830.00 | 51.24  | 49.21 | 2.03  | 68.20  | -36.96 | 100  | 225 Peak | Horizontal |      |
| 2    | 12830.00 | 45.69  | 43.66 | 2.03  | 68.20  | -22.51 | 100  | 225 RMS  | Horizontal |      |
| 3    | 25660.00 | 51.14  | 45.85 | 5.29  | 68.20  | -37.06 | 100  | 320 Peak | Horizontal |      |
| 4    | 25660.00 | 49.74  | 44.45 | 5.29  | 68.20  | -18.46 | 100  | 320 RMS  | Horizontal |      |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Line | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark   | Pol/Phase | Note |
|------|----------|--------|-------|-------|--------|--------|------|----------|-----------|------|
|      | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg      |           |      |
| 1    | 12830.00 | 53.78  | 51.75 | 2.03  | 68.20  | -34.42 | 100  | 61 Peak  | Vertical  |      |
| 2    | 12830.00 | 49.99  | 47.96 | 2.03  | 68.20  | -18.21 | 100  | 61 RMS   | Vertical  |      |
| 3    | 25660.00 | 52.21  | 46.92 | 5.29  | 68.20  | -35.99 | 100  | 267 Peak | Vertical  |      |
| 4    | 25660.00 | 52.09  | 46.80 | 5.29  | 68.20  | -16.11 | 100  | 267 RMS  | Vertical  |      |



802.11ax HE40

CH03 (Horizontal)



CH03 (Vertical)



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Line | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark   | Pol/Phase  | Note |
|------|----------|--------|-------|-------|--------|--------|------|----------|------------|------|
|      | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg      |            |      |
| 1    | 11930.00 | 38.24  | 36.73 | 1.51  | 54.00  | -15.76 | 200  | 315 RMS  | Horizontal |      |
| 2    | 11930.00 | 48.11  | 46.68 | 1.51  | 74.00  | -25.89 | 200  | 315 Peak | Horizontal |      |
| 3    | 23860.00 | 41.87  | 37.26 | 4.61  | 54.00  | -12.13 | 100  | 360 RMS  | Horizontal |      |
| 4    | 23860.00 | 47.29  | 42.68 | 4.61  | 74.00  | -26.71 | 100  | 360 Peak | Horizontal |      |

| Line | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark   | Pol/Phase | Note |
|------|----------|--------|-------|-------|--------|--------|------|----------|-----------|------|
|      | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg      |           |      |
| 1    | 11930.00 | 39.89  | 38.38 | 1.51  | 54.00  | -14.11 | 100  | 273 RMS  | Vertical  |      |
| 2    | 11930.00 | 47.99  | 46.48 | 1.51  | 74.00  | -26.01 | 100  | 273 Peak | Vertical  |      |
| 3    | 23860.00 | 40.74  | 36.13 | 4.61  | 54.00  | -13.26 | 100  | 129 RMS  | Vertical  |      |
| 4    | 23860.00 | 46.42  | 41.81 | 4.61  | 74.00  | -27.58 | 100  | 129 Peak | Vertical  |      |


802.11ax HE40

CH43 (Horizontal)

CH43 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read   | Limit | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|--------|-------|--------|------|------|--------|------------|------|
| Level  | Line  | Limit  |      |      |        |            |      |
| dBuV/m | dBm   | dBuV/m | cm   | deg  |        |            |      |
| 49.89  | 74.00 | -4.11  | 100  | 221  | RMS    | Horizontal |      |
| 54.54  | 54.00 | -19.46 | 100  | 221  | Peak   | Horizontal |      |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read   | Limit | Over   | APos | TPos | Remark | Pol/Phase | Note |
|--------|-------|--------|------|------|--------|-----------|------|
| Level  | Line  | Limit  |      |      |        |           |      |
| dBuV/m | dBm   | dBuV/m | cm   | deg  |        |           |      |
| 53.61  | 74.00 | -0.39  | 100  | 51   | RMS    | Vertical  |      |
| 54.43  | 54.00 | -19.57 | 100  | 51   | Peak   | Vertical  |      |


802.11ax HE40

CH91 (Horizontal)

CH91 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Line | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Factor (dB/m) | Limit Line (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark   | Pol/Phase  | Note |
|------|------------|----------------|-------------------|---------------|---------------------|-----------------|-----------|------------|----------|------------|------|
| 1    | 12810.00   | 50.10          | 48.04             | 2.06          | 88.20               | -38.10          | 100       |            | 223 Peak | Horizontal |      |
| 2    | 12810.00   | 44.62          | 42.56             | 2.06          | 88.20               | -23.58          | 100       |            | 223 RMS  | Horizontal |      |
| 3    | 25620.00   | 50.44          | 45.15             | 5.29          | 88.20               | -37.76          | 100       |            | 332 Peak | Horizontal |      |
| 4    | 25620.00   | 49.63          | 44.34             | 5.29          | 88.20               | -18.57          | 100       |            | 332 RMS  | Horizontal |      |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Line | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Factor (dB/m) | Limit Line (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark  | Pol/Phase | Note |
|------|------------|----------------|-------------------|---------------|---------------------|-----------------|-----------|------------|---------|-----------|------|
| 1    | 12810.00   | 52.66          | 50.60             | 2.06          | 88.20               | -35.54          | 100       |            | 55 Peak | Vertical  |      |
| 2    | 12810.00   | 49.22          | 47.16             | 2.06          | 88.20               | -18.98          | 100       |            | 55 RMS  | Vertical  |      |
| 3    | 25620.00   | 52.22          | 46.93             | 5.29          | 88.20               | -35.98          | 100       |            | 97 Peak | Vertical  |      |
| 4    | 25620.00   | 52.12          | 46.83             | 5.29          | 88.20               | -16.08          | 100       |            | 97 RMS  | Vertical  |      |


802.11ax HE80

CH07 (Horizontal)

CH07 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit    | Over  | APos   | TPos   | Remark | Pol/Phase | Note |          |            |
|------|----------|-------|--------|--------|--------|-----------|------|----------|------------|
| Freq | Level    | Level | Factor | Line   | Limit  |           |      |          |            |
| MHz  | dBuV/m   | dBuV  | dB/m   | dBuV/m | dB     | cm        | deg  |          |            |
| 1    | 11970.00 | 36.61 | 35.09  | 1.52   | 54.00  | -17.39    | 147  | 360 RMS  | Horizontal |
| 2    | 11970.00 | 45.07 | 43.55  | 1.52   | 74.00  | -28.93    | 147  | 360 Peak | Horizontal |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit    | Over  | APos   | TPos   | Remark | Pol/Phase | Note |          |          |
|------|----------|-------|--------|--------|--------|-----------|------|----------|----------|
| Freq | Level    | Level | Factor | Line   | Limit  |           |      |          |          |
| MHz  | dBuV/m   | dBuV  | dB/m   | dBuV/m | dB     | cm        | deg  |          |          |
| 1    | 11970.00 | 41.58 | 40.06  | 1.52   | 54.00  | -12.42    | 200  | 211 RMS  | Vertical |
| 2    | 11970.00 | 45.64 | 44.12  | 1.52   | 74.00  | -28.36    | 200  | 211 Peak | Vertical |

802.11ax HE80

CH39 (Horizontal)



CH39 (Vertical)



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Line | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase  | Note |
|------|----------|--------|-------|-------|--------|--------|------|-------------|------------|------|
|      | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |            |      |
| 1    | 12298.00 | 49.18  | 47.64 | 1.46  | 54.00  | -4.00  | 100  | 223 Average | Horizontal |      |
| 2    | 12298.00 | 48.74  | 47.28 | 1.46  | 74.00  | -25.26 | 100  | 223 Peak    | Horizontal |      |
| 3    | 24588.00 | 52.37  | 47.75 | 4.62  | 88.20  | -35.83 | 100  | 350 Peak    | Horizontal |      |
| 4    | 24588.00 | 50.67  | 46.05 | 4.62  | 68.20  | -17.53 | 100  | 350 RMS     | Horizontal |      |

| Line | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase | Note |
|------|----------|--------|-------|-------|--------|--------|------|-------------|-----------|------|
|      | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |           |      |
| 1    | 12298.00 | 51.65  | 50.19 | 1.46  | 54.00  | -2.35  | 100  | 293 Average | Vertical  |      |
| 2    | 12298.00 | 50.88  | 49.42 | 1.46  | 74.00  | -23.12 | 100  | 293 Peak    | Vertical  |      |
| 3    | 24588.00 | 53.35  | 48.73 | 4.62  | 88.20  | -34.85 | 100  | 313 Peak    | Vertical  |      |
| 4    | 24588.00 | 53.69  | 49.07 | 4.62  | 68.20  | -14.51 | 100  | 313 RMS     | Vertical  |      |


802.11ax HE80

CH87 (Horizontal)

CH87 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read   | Limit  | Over   | APos | TPos | Remark | Pol/Phase  | Note |
|--------|--------|--------|------|------|--------|------------|------|
| Level  | Line   | Limit  | cm   | deg  |        |            |      |
| dBuV/m | dBuV/m | dB     | cm   | deg  |        |            |      |
| 47.54  | 88.20  | -40.66 | 100  | 217  | Peak   | Horizontal |      |
| 45.69  | 88.20  | -22.51 | 100  | 217  | RMS    | Horizontal |      |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read   | Limit  | Over   | APos | TPos | Remark | Pol/Phase | Note |
|--------|--------|--------|------|------|--------|-----------|------|
| Level  | Line   | Limit  | cm   | deg  |        |           |      |
| dBuV/m | dBuV/m | dB     | cm   | deg  |        |           |      |
| 50.90  | 88.20  | -37.30 | 100  | 53   | Peak   | Vertical  |      |
| 50.26  | 88.20  | -17.94 | 100  | 53   | RMS    | Vertical  |      |


802.11ax HE160

CH15 (Horizontal)

CH15 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1        | 2      | Read Level | Read Level Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase  | Note |
|----------|--------|------------|-------------------|------------|------------|------|------|--------|------------|------|
| MHz      | dBuV/m | dBuV       | dB/m              | dBuV/m     | dB         | cm   | deg  |        |            |      |
| 12850.00 | 34.94  | 33.19      | 1.65              | 54.00      | -19.16     | 300  | 135  | RMS    | Horizontal |      |
| 12850.00 | 43.71  | 42.06      | 1.65              | 74.00      | -30.29     | 300  | 135  | Peak   | Horizontal |      |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1        | 2      | Read Level | Read Level Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|----------|--------|------------|-------------------|------------|------------|------|------|--------|-----------|------|
| MHz      | dBuV/m | dBuV       | dB/m              | dBuV/m     | dB         | cm   | deg  |        |           |      |
| 12850.00 | 42.69  | 41.04      | 1.65              | 54.00      | -11.31     | 100  | 108  | RMS    | Vertical  |      |
| 12850.00 | 46.95  | 45.30      | 1.65              | 74.00      | -27.05     | 100  | 108  | Peak   | Vertical  |      |


802.11ax HE160

CH47 (Horizontal)

CH47 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|      | Read     | Limit | Over  | APos   | TPos  | Remark | Pol/Phase | Note                   |
|------|----------|-------|-------|--------|-------|--------|-----------|------------------------|
| Freq | Level    | Line  | Limit |        |       |        |           |                        |
| MHz  | dBuV/m   | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg       |                        |
| 1    | 12370.00 | 45.10 | 43.55 | 1.55   | 54.00 | -8.00  | 100       | 262 Average Horizontal |
| 2    | 12370.00 | 46.93 | 45.38 | 1.55   | 74.00 | -27.07 | 100       | 262 Peak Horizontal    |
| 3    | 24740.00 | 53.62 | 48.79 | 4.83   | 88.20 | -34.58 | 109       | 360 Peak Horizontal    |
| 4    | 24740.00 | 51.01 | 46.18 | 4.83   | 68.20 | -17.19 | 109       | 360 RMS Horizontal     |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|      | Read     | Limit | Over  | APos   | TPos  | Remark | Pol/Phase | Note                 |
|------|----------|-------|-------|--------|-------|--------|-----------|----------------------|
| Freq | Level    | Line  | Limit |        |       |        |           |                      |
| MHz  | dBuV/m   | dBuV  | dB/m  | dBuV/m | dB    | cm     | deg       |                      |
| 1    | 12370.00 | 50.31 | 48.76 | 1.55   | 54.00 | -3.69  | 100       | 291 Average Vertical |
| 2    | 12370.00 | 49.89 | 47.54 | 1.55   | 74.00 | -24.91 | 100       | 291 Peak Vertical    |
| 3    | 24740.00 | 52.29 | 47.46 | 4.83   | 88.20 | -35.91 | 109       | 311 Peak Vertical    |
| 4    | 24740.00 | 53.96 | 49.13 | 4.83   | 68.20 | -14.24 | 109       | 311 RMS Vertical     |




802.11ax HE160

CH79 (Horizontal)

CH79 (Vertical)



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322




| 1     | 2      | 3     | 4      |
|-------|--------|-------|--------|
| Level | Read   | Limit | Over   |
| Line  | Factor | Line  | Limit  |
| dB    | dB/m   | dB    | dB     |
| 70    | 44.96  | 70    | -25.04 |
| 40    | 41.46  | 40    | -1.54  |

| 1        | 2      | 3     | 4     | 5      | 6      | 7    | 8           | 9          | 10   |
|----------|--------|-------|-------|--------|--------|------|-------------|------------|------|
| Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark      | Pol/Phase  | Note |
| MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg         |            |      |
| 12690.00 | 46.06  | 44.96 | 1.90  | 54.00  | -7.14  | 100  | 226 Average | Horizontal |      |
| 12690.00 | 47.28  | 45.38 | 1.90  | 74.00  | -26.72 | 100  | 226 Peak    | Horizontal |      |
| 25380.00 | 50.14  | 44.91 | 5.23  | 88.20  | -38.06 | 196  | 360 Peak    | Horizontal |      |
| 25380.00 | 46.69  | 41.46 | 5.23  | 88.20  | -41.51 | 196  | 360 RMS     | Horizontal |      |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| 1     | 2      | 3     | 4      |
|-------|--------|-------|--------|
| Level | Read   | Limit | Over   |
| Line  | Factor | Line  | Limit  |
| dB    | dB/m   | dB    | dB     |
| 70    | 48.57  | 70    | -21.43 |
| 40    | 47.68  | 40    | -7.32  |

| 1        | 2      | 3     | 4     | 5      | 6      | 7    | 8          | 9         | 10   |
|----------|--------|-------|-------|--------|--------|------|------------|-----------|------|
| Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark     | Pol/Phase | Note |
| MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg        |           |      |
| 12690.00 | 50.47  | 48.57 | 1.90  | 54.00  | -3.53  | 100  | 48 Average | Vertical  |      |
| 12690.00 | 50.91  | 49.01 | 1.90  | 74.00  | -23.09 | 100  | 48 Peak    | Vertical  |      |
| 25380.00 | 53.80  | 48.57 | 5.23  | 88.20  | -34.40 | 100  | 267 Peak   | Vertical  |      |
| 25380.00 | 52.91  | 47.68 | 5.23  | 88.20  | -15.29 | 100  | 267 RMS    | Vertical  |      |

U-NII-6


802.11ax HE20

CH97 (Horizontal)

CH97 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Line | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Factor (dB/m) | Limit Line (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark   | Pol/Phase  | Note |
|------|------------|----------------|-------------------|---------------|---------------------|-----------------|-----------|------------|----------|------------|------|
| 1    | 12870.00   | 53.03          | 51.05             | 1.98          | 88.20               | -35.17          | 100       |            | 223 Peak | Horizontal |      |
| 2    | 12870.00   | 46.39          | 44.41             | 1.98          | 68.20               | -21.81          | 100       |            | 223 RMS  | Horizontal |      |
| 3    | 25740.00   | 50.24          | 44.95             | 5.29          | 88.20               | -37.96          | 100       |            | 319 Peak | Horizontal |      |
| 4    | 25740.00   | 49.91          | 44.62             | 5.29          | 68.20               | -18.29          | 100       |            | 319 RMS  | Horizontal |      |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



| Line | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Factor (dB/m) | Limit Line (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase | Note |
|------|------------|----------------|-------------------|---------------|---------------------|-----------------|-----------|------------|--------|-----------|------|
| 1    | 12870.00   | 54.61          | 52.63             | 1.98          | 88.20               | -33.59          | 100       | 62         | Peak   | Vertical  |      |
| 2    | 12870.00   | 51.33          | 49.35             | 1.98          | 68.20               | -16.87          | 100       | 62         | RMS    | Vertical  |      |
| 3    | 25740.00   | 51.96          | 46.67             | 5.29          | 88.20               | -36.24          | 100       | 93         | Peak   | Vertical  |      |
| 4    | 25740.00   | 52.76          | 47.47             | 5.29          | 68.20               | -15.44          | 100       | 93         | RMS    | Vertical  |      |


802.11ax HE20

CH105 (Horizontal)

CH105 (Vertical)




TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark   | Pol/Phase  | Note |
|---|----------|--------|-------|-------|--------|--------|------|----------|------------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg      |            |      |
| 1 | 12950.00 | 51.27  | 49.40 | 1.87  | 88.20  | -36.93 | 100  | 224 Peak | Horizontal |      |
| 2 | 12950.00 | 45.99  | 44.12 | 1.87  | 68.20  | -22.21 | 100  | 224 RMS  | Horizontal |      |
| 3 | 25900.00 | 51.49  | 46.19 | 5.30  | 88.20  | -36.71 | 100  | 331 Peak | Horizontal |      |
| 4 | 25900.00 | 49.50  | 44.20 | 5.30  | 68.20  | -18.70 | 100  | 331 RMS  | Horizontal |      |



TUV Rheinland Taiwan Ltd.  
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)  
Tel: +886-2172-1000 Fax: +886-2172-1322



|   | Freq     | Level  | Read  | Limit | Over   | APos   | TPos | Remark   | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|----------|-----------|------|
|   | MHz      | dBuV/m | dBuV  | dB/m  | dBuV/m | dB     | cm   | deg      |           |      |
| 1 | 12950.00 | 52.47  | 50.60 | 1.87  | 88.20  | -35.73 | 100  | 64 Peak  | Vertical  |      |
| 2 | 12950.00 | 51.44  | 49.57 | 1.87  | 68.20  | -16.76 | 100  | 64 RMS   | Vertical  |      |
| 3 | 25900.00 | 52.80  | 47.50 | 5.30  | 88.20  | -35.40 | 100  | 264 Peak | Vertical  |      |
| 4 | 25900.00 | 52.61  | 47.31 | 5.30  | 68.20  | -15.59 | 100  | 264 RMS  | Vertical  |      |