


802.11ax HE20

CH113 (Horizontal)

CH113 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	13830.00	48.12	46.30	1.82	88.20	-40.08	100	224	Peak	Horizontal	
2	13830.00	45.81	43.99	1.82	68.20	-22.39	100	224	RMS	Horizontal	
3	26860.00	50.51	45.16	5.35	88.20	-37.69	100	144	Peak	Horizontal	
4	26860.00	47.41	42.06	5.35	68.20	-20.79	100	144	RMS	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	13830.00	54.71	52.89	1.82	88.20	-33.49	100	62	Peak	Vertical	
2	13830.00	51.89	50.07	1.82	68.20	-16.31	100	62	RMS	Vertical	
3	26860.00	52.44	47.09	5.35	88.20	-35.76	100	238	Peak	Vertical	
4	26860.00	51.08	46.45	5.35	68.20	-16.40	100	238	RMS	Vertical	


802.11ax HE40

CH99 (Horizontal)

CH99 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12896.00	50.22	48.27	1.95	88.20	-37.98	100	225 Peak	Horizontal	
2	12896.00	45.54	43.59	1.95	68.20	-22.66	100	225 RMS	Horizontal	
3	25780.00	49.88	44.58	5.30	88.20	-38.32	100	335 Peak	Horizontal	
4	25780.00	49.91	44.61	5.30	68.20	-18.29	100	335 RMS	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12896.00	53.42	51.47	1.95	88.20	-34.78	100	53 Peak	Vertical	
2	12896.00	49.98	48.03	1.95	68.20	-18.22	100	53 RMS	Vertical	
3	25780.00	53.81	48.51	5.30	88.20	-34.39	100	98 Peak	Vertical	
4	25780.00	53.15	47.85	5.30	68.20	-15.05	100	98 RMS	Vertical	


802.11ax HE40

CH107 (Horizontal)

CH107 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	12970.00	48.91	47.87	1.84	88.20	-39.29	100		226 Peak	Horizontal	
2	12970.00	42.80	40.96	1.84	68.20	-25.40	100		226 RMS	Horizontal	
3	25940.00	51.30	46.81	5.29	88.20	-36.90	100		330 Peak	Horizontal	
4	25940.00	49.06	43.77	5.29	68.20	-19.14	100		330 RMS	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	12970.00	53.28	51.44	1.84	88.20	-34.92	100		294 Peak	Vertical	
2	12970.00	50.15	48.31	1.84	68.20	-18.05	100		294 RMS	Vertical	
3	25940.00	52.28	46.99	5.29	88.20	-35.92	100		306 Peak	Vertical	
4	25940.00	52.71	47.42	5.29	68.20	-15.49	100		306 RMS	Vertical	


802.11ax HE40

CH115 (Horizontal)

CH115 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	13850.00	58.85	49.82	1.83	88.20	-37.35	100		222 Peak	Horizontal	
2	13850.00	46.04	44.21	1.83	68.20	-22.16	100		222 RMS	Horizontal	
3	26100.00	58.56	45.18	5.38	88.20	-37.64	100		324 Peak	Horizontal	
4	26100.00	47.88	41.78	5.38	68.20	-21.12	100		324 RMS	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	13850.00	53.64	51.81	1.83	88.20	-34.56	100		61 Peak	Vertical	
2	13850.00	50.74	48.91	1.83	68.20	-17.46	100		61 RMS	Vertical	
3	26100.00	51.98	46.60	5.38	88.20	-36.22	100		308 Peak	Vertical	
4	26100.00	51.22	45.84	5.38	68.20	-16.98	100		308 RMS	Vertical	


802.11ax HE80

CH103 (Horizontal)

CH103 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12930.00	44.73	42.83	1.90	88.20	-43.47	100	175 Peak	Horizontal	
2	12930.00	44.70	42.88	1.90	88.20	-23.50	100	175 RMS	Horizontal	
3	25860.00	49.90	44.60	5.30	88.20	-38.30	100	330 Peak	Horizontal	
4	25860.00	50.42	45.12	5.30	88.20	-17.78	100	330 RMS	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12930.00	49.34	47.44	1.90	88.20	-38.86	100	46 Peak	Vertical	
2	12930.00	49.36	47.46	1.90	88.20	-18.84	100	46 RMS	Vertical	
3	25860.00	53.26	47.96	5.30	88.20	-34.94	100	97 Peak	Vertical	
4	25860.00	52.61	47.31	5.30	88.20	-35.59	100	97 RMS	Vertical	


802.11ax HE80

CH119 (Horizontal)

CH119 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13898.00	45.74	44.89	1.85	88.20	-41.46	100	269	Peak	Horizontal	
2	13898.00	43.13	41.28	1.85	88.20	-25.07	100	269	RMS	Horizontal	
3	26188.00	50.61	45.17	5.44	88.20	-37.59	100	327	Peak	Horizontal	
4	26188.00	47.18	41.74	5.44	88.20	-21.02	100	327	RMS	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13898.00	51.00	49.15	1.85	88.20	-37.20	100	56	Peak	Vertical	
2	13898.00	51.92	50.07	1.85	88.20	-16.28	100	56	RMS	Vertical	
3	26188.00	51.70	46.26	5.44	88.20	-36.50	100	295	Peak	Vertical	
4	26188.00	50.98	45.54	5.44	88.20	-17.22	100	295	RMS	Vertical	


802.11ax HE160

CH111 (Horizontal)

CH111 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	13818.00	45.86	44.85	1.81	88.20	-42.34	100		217 Peak	Horizontal	
2	13818.00	43.44	41.63	1.81	88.20	-24.76	100		217 RMS	Horizontal	
3	26828.00	52.28	46.96	5.32	88.20	-35.92	100		330 Peak	Horizontal	
4	26828.00	49.28	43.96	5.32	88.20	-18.92	100		330 RMS	Horizontal	




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	13818.00	50.90	49.09	1.81	88.20	-37.30	100		58 Peak	Vertical	
2	13818.00	50.33	48.52	1.81	88.20	-17.87	100		58 RMS	Vertical	
3	26828.00	52.23	46.91	5.32	88.20	-35.97	100		306 Peak	Vertical	
4	26828.00	51.32	46.00	5.32	88.20	-16.88	100		306 RMS	Vertical	

U-NII-7




802.11ax HE20

CH149 (Horizontal)

CH149 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13398.00	45.41	43.47	1.94	54.00	-8.59	100	225	Average	Horizontal
2	13398.00	58.59	48.65	1.94	74.00	-23.41	100	225	Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13398.00	53.00	51.06	1.94	54.00	-1.00	100	297	Average	Vertical
2	13398.00	55.76	53.82	1.94	74.00	-18.24	100	297	Peak	Vertical


802.11ax HE20

CH181 (Horizontal)

CH181 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13710.00	50.04	47.89	2.15	68.20	-38.16	100	173	Peak	Horizontal
2	13710.00	43.18	41.03	2.15	68.20	-25.02	100	173	RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13710.00	56.83	54.68	2.15	68.20	-31.37	100	296	Peak	Vertical
2	13710.00	54.10	51.95	2.15	68.20	-14.10	100	296	RMS	Vertical


802.11ax HE20

CH185 (Horizontal)

CH185 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
Freq	Level	Line	Limit						
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13750.00	44.51	42.33	2.18	88.20	-43.69	100	172 Peak	Horizontal
2	13750.00	41.29	39.11	2.18	68.20	-26.91	100	172 RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
Freq	Level	Line	Limit						
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13750.00	55.37	53.19	2.18	88.20	-32.83	100	296 Peak	Vertical
2	13750.00	52.35	50.17	2.18	68.20	-15.85	100	296 RMS	Vertical


802.11ax HE40

CH123 (Horizontal)

CH123 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	13130.00	50.00	40.15	1.85	88.20	-38.20	100	196	Peak	Horizontal	
2	13130.00	45.51	43.66	1.85	68.20	-22.69	100	196	RMS	Horizontal	
3	26260.00	50.25	44.75	5.50	88.20	-37.95	100	323	Peak	Horizontal	
4	26260.00	46.00	40.50	5.50	88.20	-42.20	100	323	RMS	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	13130.00	54.14	52.29	1.85	88.20	-34.06	100	62	Peak	Vertical	
2	13130.00	51.90	50.95	1.85	68.20	-16.30	100	62	RMS	Vertical	
3	26260.00	52.07	46.57	5.50	88.20	-36.13	100	302	Peak	Vertical	
4	26260.00	50.64	45.14	5.50	68.20	-17.56	100	302	RMS	Vertical	


802.11ax HE40

CH155 (Horizontal)

CH155 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13450.00	48.98	47.07	1.91	68.20	-39.22	100	224 Peak	Horizontal	
2	13450.00	43.25	41.34	1.91	68.20	-24.95	100	224 RMS	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13450.00	52.55	50.64	1.91	68.20	-35.65	100	61 Peak	Vertical	
2	13450.00	48.68	46.77	1.91	68.20	-19.52	100	61 RMS	Vertical	


802.11ax HE40

CH179 (Horizontal)

CH179 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13690.00	48.73	46.59	2.14	88.20	-39.47	100	171	Peak	Horizontal
2	13690.00	41.28	39.14	2.14	68.20	-26.92	100	171	RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13690.00	55.59	53.45	2.14	88.20	-32.61	110	295	Peak	Vertical
2	13690.00	52.92	50.78	2.14	68.20	-15.28	110	295	RMS	Vertical


802.11ax HE40

CH187 (Horizontal)

CH187 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level	Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13770.00	48.44	46.24	2.20	68.20	-39.76	100	170 Peak	Horizontal
2	13770.00	41.14	38.94	2.20	68.20	-27.06	100	170 RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level	Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13770.00	54.82	52.62	2.20	68.20	-33.38	100	296 Peak	Vertical
2	13770.00	51.91	49.71	2.20	68.20	-16.29	100	296 RMS	Vertical


802.11ax HE80

CH135 (Horizontal)

CH135 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13250.00	43.11	41.21	1.90	54.00	-10.89	300	33	Average	Horizontal
2	13250.00	43.74	41.84	1.90	74.00	-30.26	300	33	Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13250.00	51.99	50.09	1.90	54.00	-2.01	100	293	Average	Vertical
2	13250.00	50.05	48.15	1.90	74.00	-23.95	100	293	Peak	Vertical


802.11ax HE80

CH151 (Horizontal)

CH151 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13410.00	45.13	43.20	1.93	88.20	-43.07	213	360 Peak	Horizontal	
2	13410.00	36.94	35.81	1.93	88.20	-51.26	213	360 RMS	Horizontal	
3	26820.00	48.66	42.49	6.17	88.20	-39.54	100	206 Peak	Horizontal	
4	26820.00	45.09	38.92	6.17	68.20	-23.11	100	206 RMS	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13410.00	52.28	50.35	1.93	88.20	-35.92	100	291 Peak	Vertical	
2	13410.00	50.79	48.86	1.93	68.20	-17.41	100	291 RMS	Vertical	
3	26820.00	52.54	46.37	6.17	88.20	-35.66	100	308 Peak	Vertical	
4	26820.00	53.92	47.75	6.17	68.20	-14.28	100	308 RMS	Vertical	


802.11ax HE80

CH167 (Horizontal)

CH167 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13570.00	45.75	43.74	2.01	88.20	-42.45	100	188 Peak	Horizontal	
2	13570.00	41.38	39.37	2.01	68.20	-26.82	100	188 RMS	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13570.00	51.41	49.40	2.01	88.20	-36.79	100	296 Peak	Vertical	
2	13570.00	50.64	48.63	2.01	68.20	-17.56	100	296 RMS	Vertical	


802.11ax HE80

CH183 (Horizontal)

CH183 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit	cm	deg			
dBuV/m	dBuV/m	dB	cm	deg			
42.19	68.20	-46.01	300	274	Peak	Horizontal	
38.50	68.20	-29.70	300	274	RMS	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit	cm	deg			
dBuV/m	dBuV/m	dB	cm	deg			
46.93	68.20	-41.27	100	305	Peak	Vertical	
46.35	68.20	-21.85	100	305	RMS	Vertical	


802.11ax HE160

CH143 (Horizontal)

CH143 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13330.00	39.93	37.97	1.96	54.00	-14.07	100	360	Average	Horizontal
2	13330.00	44.45	42.49	1.96	74.00	-29.55	100	360	Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13330.00	51.93	49.97	1.96	54.00	-2.07	100	66	Average	Vertical
2	13330.00	48.36	46.40	1.96	74.00	-25.64	100	66	Peak	Vertical


802.11ax HE160

CH175 (Horizontal)

CH175 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13650.00	42.07	39.96	2.11	68.20	-46.13	100	311	Peak	Horizontal
2	13650.00	41.86	39.75	2.11	68.20	-26.34	100	311	RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13650.00	49.83	47.72	2.11	68.20	-38.37	100	299	Peak	Vertical
2	13650.00	51.45	49.34	2.11	68.20	-16.75	100	299	RMS	Vertical

U-NII-8


802.11ax HE20

CH189 (Horizontal)

CH189 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13790.00	48.34	46.12	2.22	68.20	-39.86	100	195 Peak	Horizontal	
2	13790.00	48.99	38.77	2.22	68.20	-27.21	100	195 RMS	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13790.00	55.85	53.63	2.22	68.20	-32.35	100	295 Peak	Vertical	
2	13790.00	53.03	50.81	2.22	68.20	-15.17	100	295 RMS	Vertical	


802.11ax HE20

CH209 (Horizontal)

CH209 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13790.00	48.34	46.12	2.22	68.20	-39.86	100	195 Peak	Horizontal	
2	13790.00	48.99	38.77	2.22	68.20	-27.21	100	195 RMS	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13790.00	55.85	53.63	2.22	68.20	-32.35	100	295 Peak	Vertical	
2	13790.00	53.03	50.81	2.22	68.20	-15.17	100	295 RMS	Vertical	


802.11ax HE20

CH233 (Horizontal)

CH233 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	14230.00	49.86	46.33	3.53	68.20	-38.34	100	301 Peak	Horizontal	
2	14230.00	43.02	39.49	3.53	68.20	-25.18	100	301 RMS	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	14230.00	55.12	51.59	3.53	68.20	-33.08	100	296 Peak	Vertical	
2	14230.00	51.65	48.12	3.53	68.20	-16.55	100	296 RMS	Vertical	


802.11ax HE40

CH195 (Horizontal)

CH195 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level	Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13850.00	47.86	45.45	2.41	88.20	-40.34	100	206 Peak	Horizontal
2	13850.00	48.90	38.49	2.41	68.20	-27.30	100	206 RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level	Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13850.00	54.53	52.12	2.41	88.20	-33.67	100	296 Peak	Vertical
2	13850.00	51.84	49.43	2.41	68.20	-16.36	100	296 RMS	Vertical


802.11ax HE40

CH211 (Horizontal)

CH211 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level	Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	14810.00	44.66	41.73	2.93	68.20	-43.54	100	212 Peak	Horizontal
2	14810.00	43.33	40.48	2.93	68.20	-24.87	100	212 RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level	Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	14810.00	49.81	46.88	2.93	68.20	-38.39	100	305 Peak	Vertical
2	14810.00	52.83	49.90	2.93	68.20	-15.37	100	305 RMS	Vertical


802.11ax HE40

CH227 (Horizontal)

CH227 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level	Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	14170.00	44.87	41.42	3.45	88.20	-43.33	300	209 Peak	Horizontal
2	14170.00	44.67	41.22	3.45	88.20	-23.53	300	209 RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level	Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	14170.00	51.44	47.99	3.45	88.20	-36.76	100	297 Peak	Vertical
2	14170.00	51.60	48.15	3.45	88.20	-16.60	100	297 RMS	Vertical


802.11ax HE80

CH199 (Horizontal)

CH199 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13896.00	44.64	42.87	2.57	68.20	-43.56	100	212 Peak	Horizontal	
2	13896.00	43.16	40.59	2.57	68.20	-25.04	100	212 RMS	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13896.00	50.00	47.43	2.57	68.20	-38.20	100	305 Peak	Vertical	
2	13896.00	48.76	46.19	2.57	68.20	-19.44	100	305 RMS	Vertical	


802.11ax HE80

CH215 (Horizontal)

CH215 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level	Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	14850.00	44.52	41.39	3.13	68.20	-43.68	300	360 Peak	Horizontal
2	14850.00	41.88	38.75	3.13	68.20	-26.32	300	360 RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level	Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	14850.00	50.54	47.41	3.13	68.20	-37.66	100	294 Peak	Vertical
2	14850.00	51.07	47.94	3.13	68.20	-17.13	100	294 RMS	Vertical


802.11ax HE160

CH207 (Horizontal)

CH207 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Level Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level Factor	Line	Limit	cm	deg			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13970.00	44.11	41.32	2.79	88.20	-44.09	100	204 Peak	Horizontal
2	13970.00	43.51	40.72	2.79	68.28	-24.69	100	204 RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Level Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level Factor	Line	Limit	cm	deg			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13970.00	50.48	47.69	2.79	88.20	-37.72	100	299 Peak	Vertical
2	13970.00	51.33	48.54	2.79	68.28	-16.87	100	299 RMS	Vertical

Conducted Emissions on a.c. mains port, 150kHz ~ 30MHz

LE 2480 MHz, IEEE 802.11ax HE20 2412 MHz, IEEE 802.11a 5475 MHz
and IEEE 802.11ax HE20 5955 MHz

(Line)


(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 45B-10, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




TÜV Rheinland Taiwan Ltd.
No. 45B-10, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

Line	Freq	Level	Read Level	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.16	30.89	21.27	9.62	55.59	-24.70	Average	line1	
2	0.16	51.38	41.76	9.62	65.59	-14.21	QP	line1	
3	0.24	22.35	12.74	9.62	52.15	-29.79	Average	line1	
4	0.24	38.77	29.15	9.62	62.15	-23.38	QP	line1	
5	0.37	19.03	9.40	9.63	48.47	-29.44	Average	line1	
6	0.37	30.49	20.86	9.63	58.47	-27.98	QP	line1	
7	2.33	13.41	3.75	9.66	46.00	-32.59	Average	line1	
8	2.33	20.89	11.23	9.66	56.00	-35.11	QP	line1	
9	7.39	19.83	10.10	9.73	50.00	-30.17	Average	line1	
10	7.39	25.85	16.12	9.73	60.00	-34.15	QP	line1	
11	19.25	20.99	11.22	9.77	50.00	-29.01	Average	line1	
12	19.25	25.98	16.21	9.77	60.00	-34.02	QP	line1	



Trace: 1

Line	Freq	Level	Read Level	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.16	29.62	20.00	9.62	55.46	-25.84	Average	neutral	
2	0.16	49.87	40.25	9.62	65.46	-15.59	QP	neutral	
3	0.17	28.37	18.75	9.62	54.84	-26.47	Average	neutral	
4	0.17	47.44	37.82	9.62	64.84	-17.40	QP	neutral	
5	1.52	11.95	2.29	9.66	46.00	-34.05	Average	neutral	
6	1.52	17.48	7.82	9.66	56.00	-38.52	QP	neutral	
7	3.81	17.02	7.33	9.69	46.00	-28.98	Average	neutral	
8	3.81	23.55	13.86	9.69	56.00	-32.45	QP	neutral	
9	7.25	18.58	8.83	9.75	50.00	-31.42	Average	neutral	
10	7.25	24.16	14.41	9.75	60.00	-35.84	QP	neutral	
11	19.25	23.59	13.73	9.86	50.00	-26.41	Average	neutral	
12	19.25	28.76	18.90	9.86	60.00	-31.24	QP	neutral	