

Report No.: ZEWM2306000856RG02

Page: 1 of 53

TEST REPORT

Application No.: ZEWM2306000856RG

Applicant: Askey Computer Corporation

Address of Applicant: 10F, No. 119, Jiankang Rd., Zhonghe Dist., New Taipei City, Taiwan

Manufacturer: Askey Computer Corporation

Address of Manufacturer: 10F, No. 119, Jiankang Rd., Zhonghe Dist., New Taipei City, Taiwan

EUT Description: 5G NR Sub 6 WiFi 7 Router

Model No.: ASK-NCM1100E

Trade Mark: Verizon

FCC ID: H8N-ASK-NCM1100E

Standards: 47 CFR Part 2

47 CFR Part 22 47 CFR Part 24 47 CFR Part 27 47 CFR Part 96

Date of Receipt: 2023/06/28 (for original report ZEWM2306000857RG02)

2023/06/28 (for new report ZEWM2306000856RG02)

Date of Test: 2023/07/09 to 2023/12/01 (for original report ZEWM2306000857RG02)

2023/10/08 to 2023/12/05 (for new report ZEWM2306000856RG02)

Date of Issue: 2023/12/05

Test Result: PASS *

Authorized Signature:

Keny Xu Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sport responsibility is to its Client and this document does not excented parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, foregrey or falsification of the content or appearance of this document is unlauf and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

to the fullest extent or the ram, which was sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, occasile // Descheck/Mess, com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057

(86-755) 26012053 sgs.cnina@s(

^{*} In the configuration tested, the EUT detailed in this report complied with the standards specified above.



Report No.: ZEWM2306000856RG02

Page: 2 of 53

Version

Revision Record					
Version	Chapter	Date	Modifier	Remark	
01		2023/12/05		Original	

Prepared By	Jaul Huany (Jack Huang) / Test Engineer
Checked By	Flora Wang (Flora Wang) / Reviewer



Report No.: ZEWM2306000856RG02

Page: 3 of 53

Content

1	Vers	sion	2
2	Tes	t Summary	5
	2.1	NR Band n5	5
	2.2	NR Band n2	6
	2.3	NR Band n66	7
	2.4	NR Band n48	8
	2.5	NR Band n77	.10
	2.6	NR CA_n5B	.12
	2.7	NR CA_n48B	.13
	2.8	NR CA_n66B	.14
	2.9	NR CA_n77C	.15
3	Gen	eral Information	.16
	3.1	Client Information	.18
	3.2	Test Location	
	3.3	Test Facility	.19
	3.4	General Description of EUT	.20
	3.5	Test Mode	
	3.6	Test Environment	.23
	3.7	Description of Support Units	.23
	3.8	Technical Specification	.24
	3.9	Test Frequencies	.29
4	Des	cription of Tests	.37
	4.1	Conducted Output Power	.37
	4.2	Effective (Isotropic) Radiated Power of Transmitter	.38
	4.3	Occupied Bandwidth	.39
	4.4	Band Edge at Antenna Terminals	.40
	4.5	Spurious And Harmonic Emissions at Antenna Terminal	.41
	4.6	Peak-Average Ratio	.42
	4.7	Field Strength of Spurious Radiation	.43



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from excising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document to unique and printeders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@sos.com"

OF CHAIR IN LOCATION CONTROL OF CHAIR IN AUGUST AND CONTROL

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: ZEWM2306000856RG02

Page: 4 of 53

4	4.8	Frequency Stability / Temperature Variation	44
4	4.9	Test Setups	45
		Test Conditions	
5	Mai	in Test Instruments	49
6	Mea	asurement Uncertainty	52
7	App	pendixes	53



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from excising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CVD.Doccheck@sos.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053

Report No.: ZEWM2306000856RG02

Page: 5 of 53

Test Summary

2.1 NR Band n5

				Lab ^[1]
§2.1046, §22.913(a)(5)	FCC: ERP ≤ 7 W	Section 1 of Appendix B.10	Pass	В
§22.913(d)	Limit≤13 dB	Section 2 of Appendix B.10	Pass	В
§2.1049	OBW: No limit. EBW: No limit.	Section 3 of Appendix B.10	Pass	В
§2.1051, §22.917(a)	≤ -13 dBm/1%*EBW, in 1 MHz bands immediately outside and adjacent to the frequency block.	Section 4 of Appendix B.10	Pass	В
§2.1051, §22.917(a)	FCC: ≤ -13 dBm/100 kHz, from 9 kHz to 10th harmonics but outside authorized operating frequency ranges.	Section 5 of Appendix B.10	Pass	В
§2.1053, §22.917(a)	FCC: ≤ -13 dBm/100 kHz.	Section 6 of Appendix B.10	Pass	В
§2.1055(a)(1)(b) §2.1055(d)(1) §22.355	±2.5ppm.	Section 7 of Appendix B.10	Pass	В
	\$2.1049 \$2.1051, \$22.917(a) \$2.1051, \$22.917(a) \$2.1053, \$22.917(a) \$2.1055(a)(1)(b) \$2.1055(d)(1) \$22.355	§2.1049 S2.1049 S2.1051, §22.917(a) S2.1051, §22.917(a) S2.1051, §22.917(a) S2.1051, §22.917(a) S2.1051, §22.917(a) S2.1053, §22.917(a) S2.1053, §22.917(a) S2.1055(a)(1)(b) §2.1055(d)(1) S2.1055(d)(1) S2.1055(d)(1)	§22.913(d) Limit≤13 dB Appendix B.10 §2.1049 OBW: No limit. EBW: No limit. Section 3 of Appendix B.10 §2.1051, §22.917(a) ≤ -13 dBm/1%*EBW, in 1 MHz bands immediately outside and adjacent to the frequency block. Section 4 of Appendix B.10 §2.1051, §22.917(a) FCC: ≤ -13 dBm/100 kHz, from 9 kHz to 10th harmonics but outside authorized operating frequency ranges. Section 5 of Appendix B.10 §2.1053, §22.917(a) FCC: ≤ -13 dBm/100 kHz. Section 6 of Appendix B.10 §2.1055(a)(1)(b) §2.1055(d)(1) §22.355 ±2.5ppm. Section 7 of Appendix B.10	§22.913(d) Limits 13 dB Appendix B.10 Pass §2.1049 OBW: No limit. EBW: No limit. Section 3 of Appendix B.10 Pass §2.1051, §22.917(a) ≤ -13 dBm/10**EBW, in 1 MHz bands immediately outside and adjacent to the frequency block. Section 4 of Appendix B.10 Pass §2.1051, §22.917(a) FCC: ≤ -13 dBm/100 kHz, from 9 kHz to 10th harmonics but outside authorized operating frequency ranges. Section 5 of Appendix B.10 Pass §2.1053, §22.917(a) FCC: ≤ -13 dBm/100 kHz. Section 6 of Appendix B.10 Pass §2.1055(a)(1)(b) §2.1055(d)(1) §2.355 ±2.5ppm. Section 7 of Appendix B.10 Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from excising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document to unique and printeders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@sos.com"

sgs.china@sgs.com



Report No.: ZEWM2306000856RG02

Page: 6 of 53

2.2 NR Band n2

Test Item	FCC Rule No.	Requirements	Test Result	Verdict	Test Lab ^[1]
Effective (Isotropic) Radiated Power Output Data	§2.1046, §24.232(c)	EIRP ≤ 2 W	Section 1 of Appendix B.9	Pass	В
Peak-Average Ratio	§24.232(d)	Limit≤13 dB	Section 2 of Appendix B.9	Pass	В
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Section 3 of Appendix B.9	Pass	В
Band Edges Compliance	§2.1051, §24.238(a)	≤ -13 dBm/1%*EBW, in 1 MHz bands immediately outside and adjacent to the frequency block.	Section 4 of Appendix B.9	Pass	В
Spurious Emission at Antenna Terminals	§2.1051, §24.238(a)	≤ -13 dBm/1 MHz, from 9 kHz to 10 th harmonics but outside authorized operating frequency ranges.	Section 5 of Appendix B.9	Pass	В
Field Strength of Spurious Radiation	§2.1053, §24.238(a)	≤ -13 dBm/1 MHz.	Section 6 of Appendix B.9	Pass	В
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d)(1) §24.235	Within authorized bands of operation/frequency block.	Section 7 of Appendix B.9	Pass	В
Remark: 1. Lab B SGS-CS	STC Standards Technical	Services (Suzhou) Co., Ltd.			



邮编: 518057

中国・广东・深圳市南山区科技园中区M-10栋1号厂房

sgs.china@sgs.com



Report No.: ZEWM2306000856RG02

Page: 7 of 53

2.3 NR Band n66

Test Item	FCC Rule No.	Requirements	Test Result	Verdict	Test Lab ^[1]
Effective (Isotropic) Radiated Power Output Data	§2.1046, §27.50(d)(4)	EIRP ≤ 1 W	Section 1 of Appendix B.12	Pass	В
Peak-Average Ratio	§27.50(d)(5)	Limit≤13 dB	Section 2 of Appendix B.12	Pass	В
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Section 3 of Appendix B.12	Pass	В
Band Edges Compliance	§2.1051, §27.53(h)	≤ -13 dBm/1%*EBW, in 1 MHz bands immediately outside and adjacent to the frequency block.	Section 4 of Appendix B.12	Pass	В
Spurious Emission at Antenna Terminals	§2.1051, §27.53(h)	≤ -13 dBm/1 MHz, from 9 kHz to 10 th harmonics but outside authorized operating frequency ranges.	Section 5 of Appendix B.12	Pass	В
Field Strength of Spurious Radiation	§2.1053, §27.53(h)	≤ -13 dBm/1 MHz.	Section 6 of Appendix B.12	Pass	В
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d)(1) §27.54	Within authorized bands of operation/frequency block.	Section 7 of Appendix B.12	Pass	В
Remark:	STC Standards Technica	Services (Suzhou) Co., Ltd.			

1. Lab B SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.



邮编: 518057



Report No.: ZEWM2306000856RG02

Page: 8 of 53

2.4 NR Band n48

Test Item	FCC Rule No.	Requirements	Test Result	Verdict	Test Lab ^[1]
Effective (Isotropic) Radiated Power Output Data	§2.1046, §96.41	EIRP ≤ 23dBm/10MHz	Section 1 of Appendix B.11	Pass	В
Peak- Average Ratio	§96.41	FCC: Limit≤13 dB	Section 2 of Appendix B.11	Pass	В
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Section 3 of Appendix B.11	Pass	В
Adjacent Channel Leakage Ratio	§96.41	the Adjacent Channel Leakage Ratio for End User Devices shall be at least 30 dB.	Section 4 of Appendix B.11	Pass	В
Band Edges Compliance	§2.1051, §96.41	for channel and frequency assignments made by a CBSD to End User Devices, the conducted power of any End User Device emission outside the fundamental emission (whether in or outside of the authorized band) shall not exceed -13 dBm/MHz within 0 to B megahertz (where B is the bandwidth in megahertz of the assigned channel or multiple contiguous channels of the End User Device) above the upper CBSD-assigned channel edge and within 0 to B megahertz below the lower CBSD-assigned channel edge.	Section 5 of Appendix B.11	Pass	В
Spurious Emission at Antenna Terminals	§2.1051, §96.41	for channel and frequency assignments made by a CBSD to End User Devices, the conducted power of any End User Device emission outside the fundamental emission (whether in or outside of the authorized band) shall not exceed -13 dBm/MHz within 0 to B megahertz (where B is the bandwidth in megahertz of the assigned channel or multiple contiguous channels of the End User Device) above the upper CBSD-assigned channel edge and within 0 to B megahertz below the lower CBSD-assigned channel edge. At all frequencies greater than B megahertz above the upper CBSD assigned channel edge and less than B megahertz below the lower CBSD-assigned channel edge, the conducted power of any End User Device emission shall not exceed -25 dBm/MHz.	Section 6 of Appendix B.11	Pass	В



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from excising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document to unique and printeders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@sos.com"

Net Workshop, No.I Middle Section, Science & Technology Part, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.cn 中国・广东・深圳市南山区科技園中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZEWM2306000856RG02

Page: 9 of 53

Field Strength of Spurious Radiation	§2.1053, §96.41	Notwithstanding paragraph (e)(1) of this section, for CBSDs and End User Devices, the conducted power of emissions below 3540 MHz or above 3710 MHz shall not exceed -25 dBm/MHz, and the conducted power of emissions below 3530 MHz or above 3720 MHz shall not exceed -40dBm/MHz. for channel and frequency assignments made by a CBSD to End User Devices, the conducted power of any End User Device emission outside the fundamental emission (whether in or outside of the authorized band) shall not exceed -13 dBm/MHz within 0 to B megahertz (where B is the bandwidth in megahertz of the assigned channel or multiple contiguous channels of the End User Device) above the upper CBSD-assigned channel edge and within 0 to B megahertz below the lower CBSD-assigned channel edge. At all frequencies greater than B megahertz above the upper CBSD assigned channel edge and less than B megahertz below the lower CBSD-assigned channel edge, the conducted power of any End User Device emission shall not exceed -25 dBm/MHz. (2) Additional protection levels. Notwithstanding paragraph (e)(1) of this section, for CBSDs and End User Devices, the conducted power of emissions below 3540 MHz or above 3710 MHz shall not exceed -25 dBm/MHz, and the conducted power of emissions below 3530 MHz or above 3720 MHz shall not exceed	Section 7 of Appendix B.11	Pass	В
Frequency Stability	§2.1055, §96.41	-40dBm/MHz. Within authorized bands of operation/ frequency block.	Section 8 of Appendix B.11	Pass	В



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from excising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document to unique and printeders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@sos.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057

sgs.china@sgs.com



Report No.: ZEWM2306000856RG02

Page: 10 of 53

2.5 NR Band n77

3450-3550MHz:

Test Item	FCC Rule No.	Requirements	Test Result	Verdict	Test Lab ^[1]
Effective (Isotropic) Radiated Power Output Data	§2.1046, §27.50(k)(3)	EIRP ≤ 30dBm	Section 1 of Appendix B.13	Pass	В
Peak- Average Ratio	§27.50(k)(4)	FCC: Limit≤13 dB	Section 2 of Appendix B.13	Pass	В
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Section 3 of Appendix B.13	Pass	В
Band Edges Compliance	§2.1051, §27.50(n)(2)	For mobile operations in the 3450-3550 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed -13 dBm/MHz.	Section 4 of Appendix B.13	Pass	В
Spurious Emission at Antenna Terminals	§2.1051, §27.50(n)(2)	For mobile operations in the 3450-3550 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed -13 dBm/MHz.	Section 5 of Appendix B.13	Pass	В
Field Strength of Spurious Radiation	§2.1053, §27.50(n)(2)	For mobile operations in the 3450-3550 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed -13 dBm/MHz.	Section 6 of Appendix B.13	Pass	В
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d)(1) §27.54	Within authorized bands of operation/ frequency block.	Section 7 of Appendix B.13	Pass	В
Remark: 1. Lab B SGS-	CSTC Standards Techr	nical Services (Suzhou) Co., Ltd.			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from excising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CVD.Doccheck@sos.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 www.sgsgroup.com.cn

sgs.china@sgs.com



Report No.: ZEWM2306000856RG02

Page: 11 of 53

3700-3980MHz:

Test Item	FCC Rule No.	Requirements	Test Result	Verdict	Test Lab ^[1]
Effective (Isotropic) Radiated Power Output Data	§2.1046, §27.50(j)(3)	EIRP ≤ 1W	Section 1 of Appendix B.14	Pass	В
Peak-Average Ratio		≤13 dB	Section 2 of Appendix B.14	Pass	В
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Section 3 of Appendix B.14	Pass	В
Band Edges Compliance	§2.1051, §27.53(I)(2)	(2) For mobile operations in the 3700-3980 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed -13 dBm/MHz. Compliance with this paragraph (I)(2) is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, the minimum resolution bandwidth for the measurement shall be either one percent of the emission bandwidth of the fundamental emission of the transmitter or 350 kHz. In the bands between 1 and 5 MHz removed from the licensee's frequency block, the minimum resolution bandwidth for the measurement shall be 500 kHz.	Section 4 of Appendix B.14	Pass	В
Spurious Emission at Antenna Terminals	§2.1051, §27.53(I)(2)	not exceed -13 dBm/MHz.	Section 5 of Appendix B.14	Pass	В
Field Strength of Spurious Radiation	§2.1053, §27.53(I)(2)	not exceed -13 dBm/MHz	Section 6 of Appendix B.14	Pass	В
Frequency Stability	§2.1055(a)(1)(b) §2.1055(d)(1) §27.54	Within authorized bands of operation/frequency block.	Section 7 of Appendix B.14	Pass	В

1. Lab B SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from excising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document to unique and printeders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@sos.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057



Report No.: ZEWM2306000856RG02

Page: 12 of 53

2.6 NR CA n5B

Test Item	FCC Rule No.	Requirements	Test Result	Verdict	Test Lab ^[1]
Effective (Isotropic) Radiated Power Output Data	§2.1046, §22.913(a)(5)	FCC: ERP ≤ 7 W	Section 1 of Appendix B.15	Pass	Α
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Section 2 of Appendix B.15	Pass	Α
Field Strength of Spurious Radiation	§2.1053, §22.917(a)	FCC: ≤ -13 dBm/100 kHz.	Section 3 of Appendix B.15	Pass	В



sgs.china@sgs.com

^{1.} Lab A SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Lab B SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.



Report No.: ZEWM2306000856RG02

Page: 13 of 53

2.7 NR CA n48B

Test Item	FCC Rule No.	Requirements	Test Result	Verdict	Test Lab ^[1]
Effective (Isotropic) Radiated Power Output Data	§2.1046, §96.41	EIRP ≤ 23dBm/10MHz	Section 1 of Appendix B.16	Pass	A
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Section 2 of Appendix B.16	Pass	Α
Field Strength of Spurious Radiation	§2.1053, §96.41	for channel and frequency assignments made by a CBSD to End User Devices, the conducted power of any End User Device emission outside the fundamental emission (whether in or outside of the authorized band) shall not exceed –13 dBm/MHz within 0 to B megahertz (where B is the bandwidth in megahertz of the assigned channel or multiple contiguous channels of the End User Device) above the upper CBSD-assigned channel edge and within 0 to B megahertz below the lower CBSD-assigned channel edge. At all frequencies greater than B megahertz above the upper CBSD assigned channel edge and less than B megahertz below the lower CBSD-assigned channel edge, the conducted power of any End User Device emission shall not exceed –25 dBm/MHz. (2) Additional protection levels. Notwithstanding paragraph (e)(1) of this section, for CBSDs and End User Devices, the conducted power of emissions below 3540 MHz or above 3710 MHz shall not exceed –25 dBm/MHz, and the conducted power of emissions below 3530 MHz or above 3720 MHz shall not exceed –40dBm/MHz.	Section 3 of Appendix B.16	Pass	В

1. Lab A SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Lab B SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that Information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from execting all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, foregrey or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CAD Doccheck@sus.com"

t (86-755) 26012053 www.sgsgroup.com.cn

sgs.china@sgs.com



Report No.: ZEWM2306000856RG02

Page: 14 of 53

2.8 NR CA n66B

Test Item	FCC Rule No.	Requirements	Test Result	Verdict	Test Lab ^[1]
Effective (Isotropic) Radiated Power Output Data	§2.1046, §27.50(d)(4)	EIRP ≤ 1 W	Section 1 of Appendix B.17	Pass	A
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Section 2 of Appendix B.17	Pass	Α
Field Strength of Spurious Radiation	§2.1053, §27.53(h)	≤ -13 dBm/1 MHz.	Section 3 of Appendix B.17	Pass	В

Remark:



邮编: 518057

中国・广东・深圳市南山区科技园中区M-10栋1号厂房

sgs.china@sgs.com

^{1.} Lab A SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Lab B SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: ZEWM2306000856RG02

Page: 15 of 53

2.9 NR CA n77C

3450-3550MHz:

Test Item	FCC Rule No.	Requirements	Test Result	Verdict	Test Lab ^[1]
Effective (Isotropic) Radiated Power Output Data	§2.1046, §27.50(k)(3)	EIRP ≤ 30dBm	Section 1 of Appendix B.18	Pass	А
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Section 2 of Appendix B.18	Pass	Α
Field Strength of Spurious Radiation	§2.1053, §27.50(n)(2)	For mobile operations in the 3450-3550 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed -13 dBm/MHz.	Section 3 of Appendix B.18	Pass	В

3700-3980MHz:

Test Item	FCC Rule No.	Requirements	Test Result	Verdict	Test Lab ^[1]
Effective (Isotropic) Radiated Power Output Data	§2.1046, §27.50(j)(3)	EIRP ≤ 1W	Section 1 of Appendix B.19	Pass	Α
Bandwidth	§2.1049	OBW: No limit. EBW: No limit.	Section 2 of Appendix B.19	Pass	Α
Field Strength of Spurious Radiation	§2.1053, §27.53(I)(2)	not exceed -13 dBm/MHz	Section 3 of Appendix B.19	Pass	В

Remark:



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercing all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlaw and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@sas.com"

t (86-755) 26012053

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057

^{1.} Lab A SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Lab B SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

^{1.} Lab A SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch Lab B SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: ZEWM2306000856RG02

Page: 16 of 53

Remark for report ZEWM2306000856RG02 issue on 2023/12/05:

This test report (Report No.: ZEWM2306000856RG02 issue on 2023/12/05) is based on the original test report (Report No.: ZEWM2306000857RG02 issue on 2023/12/05).

Review this report and original report, this report just changing the parts according to the declaration letter from client.

Considering to the difference, pre-scan were performed on the sample in this report to find the items which can be influential to the result in the original test report for fully retest.

Therefore in this report the Field Strength of Spurious Radiation were tested, and the items of Power were performed based on the worst case of the original report with report number ZEWM2306000857RG02 issue on 2023/12/05 and other test data in this report are based on the previous report with report number ZEWM2306000857RG02 (FCC ID: H8N-ASK-NCM1100) issue on 2023/12/05.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excented parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, foregrey or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Report No.: ZEWM2306000856RG02

Page: 17 of 53

Summary of the Spot check:

The items of Power test against the variant model based on the worst-case condition from the original model was performed in this filing and the verification test results similar to the original FCC ID. All tests meet FCC technical limits. Detail sport check test result can be found in the variant model report.

	Test Item		Variant FCC ID: H8N-ASK- NCM1100E (dBm)	*Difference . (%)<=25%
	NR Band n2	(dBm) 23.84	23.74	2%
			-	
	NR Band n5	24.06	23.86	5%
	NR Band n48	25.76	25.18	13%
	NR Band n66	24.1	24.07	1%
	NR Band n77(3450-3550)	27.42	27.27	3%
	NR Band n77(3700-3980)	26.64	26.22	9%
	NR CA_n5B	23.19	23.19	0%
	NR CA_n48B	21.47	21.3	4%
Power	NR CA_n66B	22.34	22.41	2%
	NR CA_n77C(3450-3550)	21.63	21.61	0%
	NR CA_n77C(3700-3980)	21.48	21.45	1%
	NR Band n2 (MIMO)	23.8	23.75	1%
	NR Band n48 (MIMO)	24.47	23.71	16%
	NR Band n66 (MIMO)	23.9	23.65	6%
	NR Band n77(3450-3550) (MIMO)	29.24	28.76	10%
	NR Band n77(3700-3980) (MIMO)	29.16	28.11	21%

^{*}Difference: converted the data into linear unit to calculate difference.



邮编: 518057

Report No.: ZEWM2306000856RG02

Page: 18 of 53

3 **General Information**

3.1 Client Information

Applicant:	Askey Computer Corporation
Address of Applicant:	10F, No. 119, Jiankang Rd., Zhonghe Dist., New Taipei City, Taiwan
Manufacturer:	Askey Computer Corporation
Address of Manufacturer:	10F, No. 119, Jiankang Rd., Zhonghe Dist., New Taipei City, Taiwan

3.2 Test Location

Lab A:	
Company:	SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
Address:	No. 1 Workshop, M-10, Middle section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China
Post code:	518057
Test engineer:	Ruby Huang
Lab B:	
Company:	SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Address:	South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone
Post code:	215000
Test engineer:	King-p Li, Levi Li



sgs.china@sgs.com

Report No.: ZEWM2306000856RG02

Page: 19 of 53

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

Lab A:

A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

VCCI

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

Innovation, Science and Economic Development Canada

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0006.

IC#: 4620C.

FCC –Designation Number: CN1336

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch has been recognized as an accredited testing laboratory.

Designation Number: CN1336.

Test Firm Registration Number: 787754

Lab B:

A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

• Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• FCC -Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an

accredited testing laboratory. Designation Number: CN1312.

Test Firm Registration Number: 717327



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sport responsibility is to its Client and this document does not excented parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, foregrey or falsification of the content or appearance of this document is unlauf and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Report No.: ZEWM2306000856RG02

Page: 20 of 53

3.4 General Description of EUT

EUT Description:	5G NR Sub 6 WiFi 7	5G NR Sub 6 WiFi 7 Router				
Model No.:	ASK-NCM1100E					
Trade Mark:	Verizon					
Hardware Version:	Rev4					
Software Version:	SDK 2.0.6	SDK 2.0.6				
Power Supply:	input 100~120V output:12V	•				
IMEI:	RF Conducted	aducted 358664490000883				
IIVI⊏I.	RSE		358664490004440			
Feature:	UL 2*2 MIMO: NR Band n2; NR Ba	and n4	8; NR Band n66; NR Band ı	n77;		
Power Class:	Class 1.5: NR Band	n77; l	NR CA_n77C			
Antenna Type:	Dipole Antenna					
	NR Band n2:	3.5dE	Bi (Ant3); 3.5dBi (Ant7)			
	NR Band n5:	3.4dE	Bi (Ant3); 3.4dBi (Ant7)			
	NR Band n48:	NR Band n48: -2.3dBi (Ant3); -2.3dBi (Ant8)				
	NR Band n66:	NR Band n66: 3.6dBi (Ant3); 3.6dBi (Ant7)				
	NR Band n77: -2.3dBi (Ant3); -2.3dBi (Ant8)					
Antenna Gain:	NR CA_n5B:	NR CA_n5B: 3.4dBi (Ant3); 3.4dBi (Ant7)				
	NR CA_n48B:	-2.3d	Bi (Ant3); -2.3dBi (Ant8)			
	NR CA_n66B:	3.6dE	Bi (Ant3); 3.6dBi (Ant7)			
	NR CA_n77C:	-2.3d	Bi (Ant3); -2.3dBi (Ant8)			
	Note: The antenna gain ar manufacturer.	re deri	ved from the gain informatio	on report provided by the		
	Lab A:					
	9kHz ~ 30MHz (0.3dB)	:	30MHz ~ 1000MHz (0.6dB)	1000MHz ~ 2000MHz (0.8dB)		
RF Cable:	2000MHz ~ 4000M (1.1dB)	ЛHz	4000MHz ~ 6000MHz (1.8dB)	6000MHz ~ 12750MHz (2.6dB)		
	Above 12750MHz (3	3.5dB)				
	Lab B:					
	0.8dB(Below 1GHz))	1.0dB(1.0~2.4GHz)	1.2dB(2.4~3.4GHz)		
1.5dB(Above 3.4GHz)						



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from excising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document to unique and printeders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@sos.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057



Report No.: ZEWM2306000856RG02

Page: 21 of 53

Note:

1. All antennas of EIRP & RSE are tested, and only the worst data is presented.

2. As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that Information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from execting all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, foregrey or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CAD Doccheck@sus.com"



Report No.: ZEWM2306000856RG02

Page: 22 of 53

MIMO Model:

FCC KDB 662911 D01 Multiple Transmitter Output v02r01 If all antennas have the same gain, G_{ANT} , Directional gain = G_{ANT} + Array Gain, where Array Gain is as

• For power measurements on IEEE 802.11 devices:

Array Gain = 0 dB (i.e., no array gain) for $N_{ANT} \le 4$;

Array Gain = 0 dB (i.e., no array gain) for channel widths \geq 40 MHz for any N_{ANT} ;

Array Gain = $5 \log(N_{ANT}/N_{SS}=1)$ dB or 3 dB, whichever is less, for 20-MHz channel widths with $N_{ANT} \ge 5$.

Unequal antenna gains, with equal transmit powers. For antenna gains given by G1, G2, ..., GN dBi

• If transmit signals are correlated, then Directional gain = $10 \log[(10^{G1/20} + 10^{G2/20} + ... + 10^{GN/20})^2]/N_{ANT}$ dBi [Note the "20"s in the denominator of each exponent and the square of the sum of terms; the object is to combine the signal levels coherently.]

• If all transmit signals are completely uncorrelated, then Directional gain = $10 \log[(10^{G1/10} + 10^{G2/10} + ... + 10^{GN/10})/N_{ANT}] dBi$

Band	ANT Gain3 (dBi)	ANT Gain7 (dBi)	Directional gain (dBi)
NR Band n2:	3.5	3.5	3.5
NR Band n66:	3.6	3.6	3.6
Band	ANT Gain3 (dBi)	ANT Gain8 (dBi)	Directional gain (dBi)
NR Band n48:	-2.3	-2.3	-2.3
NR Band n77:	-2.3	-2.3	-2.3



邮编: 518057

Report No.: ZEWM2306000856RG02

Page: 23 of 53

3.5 Test Mode

Test Mode	Test Modes Description
NR/TM1	NR system, DFT-s-Pi/2-BPSK modulation
NR/TM2	NR system, DFT-s-QPSK modulation
NR/TM3	NR system, DFT-s-16QAM modulation
NR/TM4	NR system, DFT-s-64QAM modulation
NR/TM5	NR system, DFT-s-256QAM modulation
NR/TM6	NR system, CP-QPSK modulation
NR/TM7	NR system, CP-16QAM modulation
NR/TM8	NR system, CP-64QAM modulation
NR/TM9	NR system, CP-256QAM modulation
Remark: The test mode(s)	are selected according to relevant radio technology specifications.

3.6 Test Environment

Environment Parameter		101 kPa Selected Values During Tests		
Relative Humidity		44-60 % RH Ambient		
Value		Temperature(°C)	Voltage(V)	
NTNV		22~25	12	
LTLV		-30	11.4	
LTHV		-30	12.6	
HTLV		50	11.4	
HTHV		50	12.6	
Remark:				
NV: Normal Voltage	LV: Low	Extreme Test Voltage	HV: High Extreme Test Voltage	
NT: Normal Temperature	LT: Low	Extreme Test Temperature	HT: High Extreme Test Temperature	

3.7 Description of Support Units

The EUT has been tested as an independent unit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that Information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from execting all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, foregrey or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CAD Doccheck@sus.com"

or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057

中国・广东・深圳市南山区科技园中区M-10栋1号厂房

t (86–755) 26012053 t (86–755) 26012053

Report No.: ZEWM2306000856RG02

Page: 24 of 53

3.8 Technical Specification

	Description				
Radio System Type	⊠ SA ⊠ NSA				
	Band	TX		RX	
	NR Band n2	1850 to 1910 MHz		1930 to 1990 MHz	
	NR Band n5	824 to 849 N	ИНz	869 to 894 M	lHz
	NR Band n48	3550 to 3700 MHz		3550 to 3700 MHz	
	NR Band n66	1710 to 1780	MHz	2110 to 2200) MHz
	NR Band n77	3700 to 3980	MHz	3700 to 3980) MHz
	INK Ballu III I	3450 to 3550	MHz	3450 to 3550) MHz
Range	CA_n2A-n66A; CA_CA_n5A-n48A; CA_EN_DC: DC_13A_n2A; DC_DC_5A_n2A; DC_5C_2A_n77A; DC_DC_48A_n66A; DC_Remark: 1、ENDC& NR CA_2、DFT of NR CA_DFT mode.	n5A-n66A; CA 13A_n66A; DC A_n66A; DC_6 48A_n77A; DC _48A_n2A; only test RSE,	_n5A-n77A; C ;_2A_n5A; DC_ ;6A_n2A; DC_ ;_5A_n77A; DC report only sho	A_n66A-n77A _2A_n66A; DC_ 66A_n5A; DC_ C_66A_n77A; C	_48A_n5A; 13A_n77A; 0C_13A_n5A,
					asured using
		SCS 15kHz:			asured using
	NR Band n2	SCS 15kHz: ⊠5 MHz	⊠10 MHz	⊠15 MHz	asured using
	NR Band n2		⊠10 MHz	⊠15 MHz	
	NR Band n2	⊠5 MHz	⊠10 MHz ⊠15 MHz	⊠15 MHz ⊠20 MHz	
	NR Band n2	SCS 30kHz: SCS 15kHz: SCS 15kHz:	⊠15 MHz	⊠20 MHz	⊠20 MHz
Supported Channel	NR Band n2	⊠5 MHz SCS 30kHz: ⊠10 MHz			
Supported Channel Bandwidth		SCS 30kHz: SCS 30kHz: SCS 15kHz: SCS 15kHz: SCS 30kHz:	⊠15 MHz	⊠20 MHz	⊠20 MHz
• •		SCS 30kHz: SCS 30kHz: ⊠10 MHz SCS 15kHz: ⊠5 MHz	⊠15 MHz	⊠20 MHz	⊠20 MHz
• •		SCS 30kHz: SCS 30kHz: SCS 15kHz: SCS 15kHz: SCS 30kHz: SCS 30kHz: SCS 15kHz:	⊠15 MHz ⊠10 MHz ⊠15 MHz	≥20 MHz ≥15 MHz ≥20 MHz	⊠20 MHz
• •		SCS 30kHz: SCS 10 MHz SCS 15kHz: SCS 15kHz: SCS 30kHz SCS 30kHz: SCS 30kHz:	⊠15 MHz ⊠10 MHz	⊠20 MHz ⊠15 MHz	⊠20 MHz
• •		SCS 30kHz: SCS 30kHz: SCS 15kHz: SCS 15kHz: SCS 30kHz: SCS 30kHz: SCS 15kHz:	⊠15 MHz ⊠10 MHz ⊠15 MHz	≥20 MHz ≥15 MHz ≥20 MHz	⊠20 MHz
• •	NR Band n5	SCS 30kHz: SCS 30kHz: SCS 15kHz: SCS 15kHz: SCS 30kHz: SCS 30kHz: SCS 15kHz: SCS 15kHz: SCS 15kHz:		≥20 MHz ≥15 MHz ≥20 MHz	⊠20 MHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from excising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document to unique and printeders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@sos.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 www.sgsgroup.com.cn

sgs.china@sgs.com



Report No.: ZEWM2306000856RG02

Page: 25 of 53

				_ <u>_</u>	
		⊠50 MHz	⊠60 MHz	⊠80 MHz	⊠90 MHz
		⊠100 MHz			
		SCS 15kHz:			
		⊠5 MHz	⊠10 MHz	⊠15 MHz	⊠20 MHz
	NR Band n66	⊠25 MHz	⊠30 MHz	⊠40 MHz	
	THE Band noo	SCS 30kHz:			
		⊠10 MHz	⊠15 MHz	⊠20 MHz	⊠25 MHz
		⊠30 MHz	⊠40 MHz		
		SCS 15kHz			
		⊠10 MHz	⊠15 MHz	⊠20 MHz	⊠30 MHz
		⊠40 MHz	⊠50 MHz		
	NR Band n77	SCS 30kHz			
		⊠10 MHz	⊠15 MHz	⊠20 MHz	⊠30 MHz
		⊠40 MHz	⊠50 MHz	⊠60 MHz	⊠80 MHz
		⊠90 MHz	⊠100 MHz		
		DFT-s-Pi/2- BPSK	CP-16QAM		
		SCS 15kHz:			
	NR Band n2	4M48G7D	4M46W7D		
		8M92G7D	9M30W7D		
		13M4G7D	14M1W7D		
Designation of Emissions		17M9G7D	18M9W7D		
(Remark: the necessary		SCS 15kHz:			
bandwidth of which is		4M46G7D	4M47W7D		
the worst value from	NR Band n5	8M91G7D	9M26W7D		
the measured occupied bandwidths for each		13M4G7D	14M1W7D		
type of channel		17M9G7D	18M9W7D		
bandwidth		SCS 30kHz:			
configuration.)		8M92G7D	9M29W7D		
		13M3G7D	14M1W7D		
	NR Band n48	17M8G7D	18M9W7D		
		38M5G7D	38M6W7D		
		48M3G7D	48M2W7D		
		57M9G7D	57M7W7D		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from excising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CVD.Doccheck@sos.com"

www.sgsgroup.com.cn

sgs.china@sgs.com



Report No.: ZEWM2306000856RG02

Page: 26 of 53

77M0G7D 77M4W7D
85M8G7D 87M2W7D
96M1G7D 97M1W7D
SCS 15kHz:
4M47G7D 4M48W7D
8M90G7D 9M28W7D
13M4G7D 14M1W7D
17M9G7D 18M9W7D
22M8G7D 23M8W7D
28M6G7D 28M6W7D
38M5G7D 38M5W7D
SCS 30kHz:
8M93G7D 9M29W7D
13M4G7D 14M1W7D
17M8G7D 18M9W7D
28M7G7D 28M6W7D
0 38M8G7D 38M6W7D
45M8G7D 47M4W7D
57M8G7D 57M8W7D
77M0G7D 77M4W7D
85M7G7D 87M4W7D
96M0G7D 97M4W7D
SCS 30kHz:
8M93G7D 9M28W7D
13M4G7D 14M1W7D
17M9G7D 18M9W7D
7 28M6G7D 28M6W7D
38M5G7D 38M6W7D
45M7G7D 47M5W7D
57M7G7D 57M7W7D
77M1G7D 77M2W7D
85M8G7D 87M5W7D
96M1G7D 97M3W7D
DFT-QPSK



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from excising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document to unique and printeders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@sos.com"



Report No.: ZEWM2306000856RG02

Page: 27 of 53

5MHz+10MHz:
13M6G7D
5MHz+15MHz:
18M4G7D
5MHz+20MHz:
22M8G7D
10MHz+10MHz:
18M7G7D
10MHz+15MHz:
22M9G7D
10MHz+20MHz:
27M6G7D
10MHz+30MHz:
39M2G7D
10MHz+40MHz:
45M2G7D
10MHz+50MHz:
55M4G7D
10MHz+60MHz:
66M8G7D
10MHz+70MHz:
73M3G7D
10MHz+80MHz:
87M0G7D
10MHz+90MHz:
92M0G7D
15MHz+20MHz:
32M2G7D
15MHz+30MHz:
41M6G7D
15MHz+40MHz:
50M2G7D
15MHz+50MHz:
60M2G7D



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from excising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CVD.Doccheck@sos.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057



Report No.: ZEWM2306000856RG02

Page: 28 of 53

	Ţ
	15MHz+60MHz:
	71M6G7D
	15MHz+70MHz:
	78M3G7D
	15MHz+80MHz:
	91M8G7D
	5MHz+20MHz:
	22M6G7D
	5MHz+40MHz:
	43M3G7D
NR CA_n66B	10MHz+20MHz:
NK CA_1100B	27M3G7D
	10MHz+40MHz:
	48M0G7D
	15MHz+20MHz:
	32M4G7D
NR CA_n77C	40MHz+60MHz:
(3450-3550)	97M2G7D
	100MHz+80MHz:
NR CA n77C	175M9G7D
(3700-3980)	100MHz+90MHz:
	185M8G7D
NR CA_n77C	100MHz+80MHz: 175M9G7D 100MHz+90MHz:



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from excising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CVD.Doccheck@sos.com"

Attention: 10 check the autenticity of testing /inspection report & certificate, please contact us attelephone: [86-75] 830/144 or email: CN_Doccheck@sgs.com

[No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057



Report No.: ZEWM2306000856RG02

Page: 29 of 53

3.9 Test Frequencies

Reference test frequencies for NR operating band n2

3.9.1.1 Test frequencies for NR operating band n2 and SCS 15 kHz

3.9.1.1 Test frequencies for the operating band fiz and 303 13 kHz						
CBW [MHz]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]	
		Low	1932.5	386500		
	Downlink	Mid	1960	392000	15	
5		High	1987.5	397500		
5		Low	1852.5	370500		
	Uplink	Mid	1880	376000	-	
		High	1907.5	381500		
		Low	1935	387000		
	Downlink	Mid	1960	392000	15	
10		High	1985	397000		
10		Low	1855	371000		
	Uplink	Mid	1880	376000	-	
		High	1905	381000		
		Low	1937.5	387500		
	Downlink	Mid	1960	392000	15	
15		High	1982.5	396500		
15		Low	1857.5	371500		
	Uplink	Mid	1880	376000	-	
		High	1902.5	380500		
		Low	1940	388000		
20	Downlink	Mid	1960	392000	15	
		High	1980	396000	1	
20		Low	1860	372000		
	Uplink	Mid	1880	376000	1 -	
		High	1900	380000		

3 9 1 2 Test frequencies for NR operating band n2 and SCS 30 kHz

CBW [MHz]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
		Low	1935	387000	
	Downlink	Mid	1960	392000	15
10		High	1985	397000	1
10	10 Uplink	Low	1855	371000	
		Mid	1880	376000] -
		High	1905	381000	1
		Low	1937.5	387500	
	Downlink	Mid	1960	392000	15
15		High	1982.5	396500	
13		Low	1857.5	371500	
	Uplink	Mid	1880	376000] -
		High	1902.5	380500	
		Low	1940	388000	
	Downlink	Mid	1960	392000	15
20		High	1980	396000	
		Low	1860	372000	
	Uplink	Mid	1880	376000] -
	,	High	1900	380000]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from excising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CVD.Doccheck@sos.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 中国・广东・深圳市南山区科技园中区M-10栋1号厂房

邮编: 518057 t (86-755) 26012053



Report No.: ZEWM2306000856RG02

Page: 30 of 53

Reference test frequencies for NR operating band n5 3.9.2.1 Test frequencies for NR operating band n5 and SCS 15 kHz

J.3.2.1 Test frequencies for the operating band no and 505 15 kHz						
CBW	Range		Carrier centre	Carrier centre	SS block SCS	
[MHz]			[MHz]	[ARFCN]	[kHz]	
		Low	871.5	174300	15	
	Downlink	Mid	881.5	176300		
5		High	891.5	178300		
3		Low	826.5	165300		
	Uplink	Mid	836.5	167300	-	
		High	846.5	169300		
		Low	874	174800		
	Downlink	Mid	881.5	176300	15	
10		High	889	177800		
10		Low	829	165800	-	
	Uplink	Mid	836.5	167300		
		High	844	168800		
		Low	876.5	175300		
	Downlink	Mid	881.5	176300	15	
15		High	886.5	177300		
15		Low	831.5	166300		
	Uplink	Mid	836.5	167300	-	
		High	841.5	168300		
		Low	879	175800		
20 —	Downlink	Mid	881.5	176300	15	
		High	884	176800	1	
		Low	834	166800		
	Uplink	Mid	836.5	167300	-	
	·	High	839	167800		

3.0.2.2 Tost frequencies for NP enerating hand nF and SCS 30 kHz

Bandwidth	requencies for NR		Carrier centre	Carrier centre	SS block SCS
[MHz]	Range		[MHz]	[ARFCN]	[kHz]
	Downlink	Low	874	174800	
		Mid	881.5	176300	30
10		High	889	177800	
10	Uplink	Low	829	165800	
		Mid	836.5	167300	-
		High	844	168800	
	Downlink	Low	876.5	175300	
		Mid	881.5	176300	30
15		High	886.5	177300	
15	Uplink	Low	831.5	166300	
		Mid	836.5	167300	-
		High	841.5	168300	
	Downlink	Low	879	175800	
		Mid	881.5	176300	30
20		High	884	176800	
20	Uplink	Low	834	166800	
		Mid	836.5	167300	_
		High	839	167800	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from excising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document to unique and printeders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@sos.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057

t (86-755) 26012053

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: ZEWM2306000856RG02

Page: 31 of 53

Reference test frequencies for NR operating band n48 3.9.3 3.9.3.1 Test frequencies for NR operating band n48 and SCS 15 kHz

Bandwidth [MHz]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
	Downlink	Low	3552.51	636834	
5	&	Mid	3625.005	641667	30
	Uplink	High	3697.5	646500	
	Downlink	Low	3555	637000	
10	&	Mid	3624.99	641666	30
	Uplink	High	3694.98	646332	
	Downlink	Low	3557.52	637168	
15	&	Mid	3624.99	641666	30
	Uplink	High	3692.49	646166	
	Downlink	Low	3560.01	637334	
20	&	Mid	3624.99	641666	30
	Uplink	High	3690	646000	
	Downlink	Low	3570	638000	
40	&	Mid	3624.99	641666	30
	Uplink	High	3679.98	645332	
50	Downlink	Low	3575.01	638334	·
	&	Mid	3624.99	641666	30
	Uplink	High	3675	645000	

3.9.3.2 Test frequencies for NR operating band n48 and SCS 30 kHz

CBW [MHz]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
	Downlink	Low	3555	637000	
10	&	Mid	3624.99	641666	30
	Uplink	High	3694.98	646332	
	Downlink	Low	3557.52	637168	
15	&	Mid	3624.99	641666	30
	Uplink	High	3692.49	646166	
	Downlink	Low	3560.01	637334	
20	&	Mid	3624.99	641666	30
	Uplink	High	3690	646000	
	Downlink	Low	3570	638000	30
40	&	Mid	3624.99	641666	
	Uplink	High	3679.98	645332	
	Downlink	Low	3575.01	638334	30
50	&	Mid	3624.99	641666	
	Uplink	High	3675	645000	
	Downlink	Low	3580.02	638668	
60	&	Mid	3624.99	641666	30
	Uplink	High	3669.99	644666	
	Downlink	Low	3590.01	639334	
80	&	Mid	3624.99	641666	30
	Uplink	High	3660	644000	
	Downlink	Low	3595.02	639668	
90	&	Mid	3624.99	641666	30
	Uplink	High	3654.99	643666	
	Downlink	Low	3600	640000	
100	&	Mid	3624.99	641666	30
	Uplink	High	3649.98	643332	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from excising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document to unique and printeders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@sos.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 www.sgsgroup.com.cn



Report No.: ZEWM2306000856RG02

Page: 32 of 53

3.9.4 Reference test frequencies for NR operating band n66 3.9.4.1 Test frequencies for NR operating band n66 and SCS 15 kHz

CBW CBW	Range	. • p• · · · · · · · · · · ·	Carrier centre	Carrier centre	SS block SCS
[MHz]	Range		[MHz]	[ARFCN]	[kHz]
[101112]		Low	2112.5	422500	[2]
	Downlink	Mid	2155	431000	15
_		High	2197.5	439500	1
5		Low	1712.5	342500	
	Uplink	Mid	1745	349000	-
	-1	High	1777.5	355500	
		Low	2115	423000	
	Downlink	Mid	2155	431000	15
40		High	2195	439000	
10		Low	1715	343000	
	Uplink	Mid	1745	349000	-
	·	High	1775	355000	
		Low	2117.5	423500	
	Downlink	Mid	2155	431000	15
4.5		High	2192.5	438500	
15		Low	1717.5	343500	-
	Uplink	Mid	1745	349000	
		High	1772.5	354500	
		Low	2120	424000	
	Downlink	Mid	2155	431000	15
20		High	2190	438000	
20		Low	1720	344000	
	Uplink	Mid	1745	349000	-
		High	1770	354000	
		Low	2122.5	424500	
	Downlink	Mid	2155	431000	15
25		High	2187.5	437500	
25		Low	1722.5	344500	
	Uplink	Mid	1745	349000	-
		High	1767.5	353500	
		Low	2125	425000	
	Downlink	Mid	2155	431000	15
30		High	2185	437000	
30		Low	1725	345000	
	Uplink	Mid	1745	349000	-
		High	1765	353000	
		Low	2130	426000	_
	Downlink	Mid	2155	431000	15
40		High	2180	436000	
40		Low	1730	346000	
	Uplink	Mid	1745	349000	-
	•	High	1760	352000	7



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from excising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document to unique and printeders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@sos.com"

邮编: 518057

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 中国・广东・深圳市南山区科技园中区M-10栋1号厂房

www.sgsgroup.com.cn

sgs.china@sgs.com



Report No.: ZEWM2306000856RG02

Page: 33 of 53

3.9.4.2 Test frequencies for NR operating band n66 and SCS 30 kHz

CBW [MHz]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
		Low	2115	423000	
	Downlink	Mid	2155	431000	15
10		High	2195	439000	
		Low	1715	343000	
	Uplink	Mid	1745	349000	-
		High	1775	355000	
		Low	2117.5	423500	
	Downlink	Mid	2155	431000	15
15		High	2192.5	438500	
15		Low	1717.5	343500	
	Uplink	Mid	1745	349000	-
		High	1772.5	354500	
		Low	2120	424000	
	Downlink	Mid	2155	431000	15
20		High	2190	438000	
20		Low	1720	344000	
	Uplink	Mid	1745	349000	-
		High	1770	354000	
		Low	2122.5	424500	
	Downlink	Mid	2155	431000	15
25		High	2187.5	437500	
25		Low	1722.5	344500	
	Uplink	Mid	1745	349000	-
		High	1767.5	353500	
		Low	2125	425000	
	Downlink	Mid	2155	431000	15
30		High	2185	437000	
30		Low	1725	345000	
	Uplink	Mid	1745	349000	-
		High	1765	353000	
	<u> </u>	Low	2130	426000	
40	Downlink	Mid	2155	431000	15
		High	2180	436000	
40		Low	1730	346000	
	Uplink	Mid	1745	349000	_
	-1	High	1760	352000	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from excising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document to unique and printeders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@sos.com"

邮编: 518057

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 中国・广东・深圳市南山区科技园中区M-10栋1号厂房



Report No.: ZEWM2306000856RG02

Page: 34 of 53

Reference test frequencies for NR operating band n77 3.9.5.1 Test frequencies for NR operating band n77 and SCS 15 kHz

3700-3980:

CBW [MHz]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
	Downlink	Low	3705	647000	
10	&	Mid	3840	656000	15
	Uplink	High	3975	665000	1
	Downlink	Low	3707.52	647168	15
15	&	Mid	3840	656000	
	Uplink	High	3972.48	664832	
	Downlink	Low	3710.01	647334	15
20	&	Mid	3840	656000	
	Uplink	High	3969.99	664666	1
	Downlink	Low	3714.99	647666	
30	&	Mid	3840	656000	15
	Uplink	High	3965.01	664334	
	Downlink	Low	3720	648000	15
40	&	Mid	3840	656000	
	Uplink	High	3960	664000	
	Downlink	Low	3725.01	648334	
50	&	Mid	3840	656000	15
	Uplink	High	3954.99	663666	1

3450-3550

CBW [MHz]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
	Downlink	Low	3455.01	630334	
10	&	Mid	3500.01	633334	15
	Uplink	High	3545.01	636334	
	Downlink	Low	3457.5	630500	
15	&	Mid	3500.01	633334	15
	Uplink	High	3542.49	636166	1
	Downlink	Low	3460.02	630668	15
20	&	Mid	3500.01	633334	
	Uplink	High	3540	636000	1
	Downlink	Low	3465	631000	
30	&	Mid	3500.01	633334	15
	Uplink	High	3534.99	635666	
	Downlink	Low	3470.01	631334	15
40	&	Mid	3500.01	633334	
	Uplink	High	3530.01	635334	
	Downlink	Low	3475.02	631668	15
50	&	Mid	3500.01	633334	
	Uplink	High	3525	635000	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from excising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document to unique and printeders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@sos.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 www.sgsgroup.com.cn



Report No.: ZEWM2306000856RG02

Page: 35 of 53

3.9.5.2 Test frequencies for NR operating band n77 and SCS 30 kHz

3700-3980:

CBW [MHz]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
	Downlink	Low	3705	647000	
10	&	Mid	3840	656000	30
	Uplink	High	3975	665000	
	Downlink	Low	3707.52	647168	30
15	&	Mid	3840	656000	
	Uplink	High	3972.48	664832	1
	Downlink	Low	3710.01	647334	
20	&	Mid	3840	656000	30
	Uplink	High	3969.99	664666	
	Downlink	Low	3714.99	647666	
30	&	Mid	3840	656000	30
	Uplink	High	3965.01	664334	
	Downlink	Low	3720	648000	30
40	&	Mid	3840	656000	
	Uplink	High	3960	664000	
	Downlink	Low	3725.01	648334	
50	&	Mid	3840	656000	30
	Uplink	High	3954.99	663666	1
	Downlink	Low	3730.02	648668	30
60	&	Mid	3840	656000	
	Uplink	High	3949.98	663332	
	Downlink	Low	3740.01	649334	30
80	&	Mid	3840	656000	
	Uplink	High	3939.99	662666	
	Downlink	Low	3745.02	649668	30
90	&	Mid	3840	656000	
	Uplink	High	3934.98	662332	1
	Downlink	Low	3750	650000	30
100	&	Mid	3840	656000	
	Uplink	High	3930	662000	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from excising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document to unique and printeders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@sos.com"



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZEWM2306000856RG02

Page: 36 of 53

3450-3550:

CBW [MHz]	Range		Carrier centre [MHz]	Carrier centre [ARFCN]	SS block SCS [kHz]
	Downlink	Low	3455.01	630334	
10	&	Mid	3500.01	633334	30
	Uplink	High	3545.01	636334	1
	Downlink	Low	3457.5	630500	30
15	&	Mid	3500.01	633334	
	Uplink	High	3542.49	636166	1
	Downlink	Low	3460.02	630668	
20	&	Mid	3500.01	633334	30
	Uplink	High	3540	636000	1
	Downlink	Low	3465	631000	
30	&	Mid	3500.01	633334	30
	Uplink	High	3534.99	635666	1
	Downlink	Low	3470.01	631334	30
40	&	Mid	3500.01	633334	
	Uplink	High	3530.01	635334	1
	Downlink	Low	3475.02	631668	30
50	&	Mid	3500.01	633334	
	Uplink	High	3525	635000	1
	Downlink	Low	3480	632000	30
60	&	Mid	3500.01	633334	
	Uplink	High	3519.99	634666	
	Downlink	Low	3490.02	632668	30
80	&	Mid	3500.01	633334	
	Uplink	High	3510	634000	
	Downlink	Low	3495	633000	30
90	&	Mid	3500.01	633334	
	Uplink	High	3504.99	633666	
	Downlink	Low	\	\	30
100	&	Mid	3500.01	633334	
	Uplink	High	\	\	1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from excising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document to unique and printeders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@sos.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 www.sgsgroup.com.cn 邮编: 518057 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 t (86-755) 26012053 sgs.china@sgs.com

Report No.: ZEWM2306000856RG02

Page: 37 of 53

4 Description of Tests

4.1 Conducted Output Power

Measurement Procedure: FCC KDB 971168 D01 V03r01 Section 5.2.1

The transmitter output was connected to a calibrated coaxial cable, attenuator and power meter, the other end of which was connected to a Base Station Simulator. The Base Station Simulator was set to force the EUT to its maximum power setting. The power output at the transmitter antenna port was determined by adding the value of the cable insertion loss to the power reading. The tests were performed at three frequencies (low channel, middle channel and high channel) and on the highest power levels, which can be setup on the transmitters.

Remark: Reference test setup 1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excented parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, foregrey or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

to the fullest extent of the law. Unless outcome was a sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN. Doccheck@ags.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 中国・广东・深圳市南山区科技园中区M-10株1号厂房 邮编: 518057

Report No.: ZEWM2306000856RG02

Page: 38 of 53

4.2 Effective (Isotropic) Radiated Power of Transmitter

Measurement Procedure: FCC KDB 971168 D01 V03r01 Section 5.8.4

Calculate power in dBm by the following formula:

ERP (dBm) = Conducted Power (dBm) + antenna gain (dBd) EIRP(dBm) = Conducted Power (dBm) + antenna gain (dBi)

EIRP=ERP+2.15dB



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excented parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, foregrey or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

to the fullest extent or me law. Unless outs miss class the fullest extent or me law. Unless outs miss class ample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us attelephone: (86-755) 8307 1443, or email: CN. Doccheck@sgs.com

| No.1 Workshop, M-IQ, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.cn

中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057

t (86–755) 26012053

www.sgsgroup.com.cn sgs.china@sgs.com

Report No.: ZEWM2306000856RG02

Page: 39 of 53

4.3 Occupied Bandwidth

Measurement Procedure: FCC KDB 971168 D01 V03r01 Section 4.2 & 4.3

The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission shall be measured. The transmitter output was connected to a calibrated coaxial cable, attenuator and Spectrum analyser, the other end of which was connected to a Base Station Simulator. The Base Station Simulator was set to force the EUT to its maximum power setting. The tests were performed at three frequencies (low channel, middle channel and high channel). The span of the analyzer shall be set to capture all products of the modulation process, including the emission skirts. The resolution bandwidth shall be set to as close to 1 percent of the selected span as is possible without being below 1 percent. The video bandwidth shall be set to 3 times the resolution bandwidth. Video averaging is not permitted. Where practical, a sampling detector shall be used since a peak or, peak hold, may produce a wider bandwidth than actual. The trace data points are recovered and are directly summed in linear terms. The recovered amplitude data points, beginning at the lowest frequency, are placed in a running sum until 0.5 percent of the total is reached and that frequency recorded. The process is repeated for the highest frequency data points. This frequency is recorded. The span between the two recorded frequencies is the occupied bandwidth.

Remark: Reference test setup 1

Test Settings

- The signal analyzer's automatic bandwidth measurement capability was used to perform the 99% occupied bandwidth and the 26dB bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
- 2. RBW = 1 5% of the expected OBW
- VBW ≥ 3 x RBW
- Detector = Peak
- Trace mode = max hold
- Sweep = auto couple
- 7. The trace was allowed to stabilize
- 8. If necessary, steps 2 7 were repeated after changing the RBW such that it would be within
 - 1 5% of the 99% occupied bandwidth observed in Step 7



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.
Indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, foregrey or falsification of the content or appearance of this document is unally and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

ZEWM2306000856RG02 Report No.:

Page: 40 of 53

4.4 Band Edge at Antenna Terminals

Measurement Procedure: FCC KDB 971168 D01 V03r01 Section 6.0

The transmitter output was connected to a calibrated coaxial cable, attenuator and Spectrum analyser. the other end of which was connected to a Base Station Simulator. The Base Station Simulator was set to force the EUT to its maximum power setting. The tests were performed at two frequencies (low channel and high channel).in the 1MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of 100kHz or 1% of the emission bandwidth of the fundamental emission of the transmitter may be employed. The EUT emission bandwidth is measured as the width of the signal between two points, outside of which all emission are attenuated at least 26dB below the transmitter power. The video bandwidth of the spectrum analyzer was set at thrice the resolution bandwidth. Detector Mode was set to peak or peak hold

Remark: Reference test setup 1

Test Settings

- 1. Start and stop frequency were set such that the band edge would be placed in the center of the plot
- 2. Span was set large enough so as to capture all out of band emissions near the band edge
- 3. RBW > 1% of the emission bandwidth
- VBW > 3 x RBW
- Detector = RMS
- Number of sweep points ≥ 2 x Span/RBW
- Trace mode = trace average for continuous emissions, max hold for pulse emissions
- 8. Sweep time = auto couple
- The trace was allowed to stabilize



邮编: 518057

中国・广东・深圳市南山区科技园中区M-10栋1号厂房

www.sgsgroup.com.cn

Report No.: ZEWM2306000856RG02

Page: 41 of 53

4.5 Spurious And Harmonic Emissions at Antenna Terminal

Measurement Procedure: FCC KDB 971168 D01 V03r01 Section 6.0

The transmitter output was connected to a calibrated coaxial cable, attenuator and Spectrum analyzer, the other end of which was connected to a Base Station Simulator. The Base Station Simulator was set to force the EUT to its maximum power setting. The tests were performed at three frequencies (low channel and high channel). The level of the carrier and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10th harmonic. On any frequency outside a licensee's frequency block, the power of any emission shall be attenuated below the transmitter power (P) by at least 43 + 10 log(P) dB. Compliance with these provisions is based on the use of measurement instrumentation employing a resolution bandwidth of 1 MHz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.

Remark: Reference test setup 1

Test Settings

- 1. Start frequency was set to 9kHz and stop frequency was set to at least 10* the fundamental frequency(Separated into at least two plots per channel)
- 2. Detector = RMS
- 3. Trace mode = trace average for continuous emissinos, max hold for pulse emissions
- 4. Sweep time = auto couple
- 5. The trace was allowed to stabilize
- 6. Please see test notes below for RBW and VBW settings



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excented parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, foregrey or falsification of the content or appearance of this document is unlauf and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

邮编: 518057

Report No.: ZEWM2306000856RG02

Page: 42 of 53

4.6 Peak-Average Ratio

Measurement Procedure: FCC KDB 971168 D01 V03r01 Section 5.7.2

A peak to average ratio measurement is performed at the conducted port of the EUT. For WCDMA signals, the spectrum analyzers Complementary Cumulative Distribution Function (CCDF) measurement profile is used to determine the largest deviation between the average and the peak power of the EUT in a given bandwidth. The CCDF curve shows how much time the peak waveform spends at or above a given average power level. The percent of time the signal spends at or above the level defines the probability for that particular power level. For GSM signals, an average and a peak trace are used on a spectrum analyzer to determine the largest deviation between the average and the peak power of the EUT in a bandwidth greater than the emission bandwidth. The traces are generated with the spectrum analyzer set to zero span mode.

Remark: Reference test setup 1

Test Settings

- 1. The signal analyzer's CCDF measurement profile is enabled
- 2. Frequency = carrier center frequency
- Measurement BW > Emission bandwidth of signal
- 4. The signal analyzer was set to collect one million samples to generate the CCDF curve
- 5. The measurement interval was set depending on the type of signal analyzed. For continuous signals (>98% duty cycle), the measurement interval was set to 1ms. For burst transmissions, the spectrum analyzer is set to use an internal "RF Burst" trigger that is synced with an incoming pulse and the measurement interval is set to less than the duration of the "on time" of one burst to ensure that energy is only captured during a time in which the transmitter is operating at maximum power



ZEWM2306000856RG02 Report No.:

43 of 53 Page:

4.7 Field Strength of Spurious Radiation

Measurement Procedure: FCC KDB 971168 D01 V03r01 Section 5.8

Below 1GHz test procedure as below:

- 1). The EUT was powered ON and placed on a 80cm high table in the chamber. The antenna of the transmitter was extended to its maximum length.
- 2). The disturbance of the transmitter was maximized on the test receiver display by raising and lowering from 1m to 4m (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) the receive antenna and by rotating through 360° the turntable. After the fundamental emission was maximized, a field strength measurement was made.
- 3). Steps 1) and 2) were performed with the EUT and the receive antenna in both vertical and horizontal polarization.
- 4). Test the EUT in the lowest channel, the middle channel, the Highest channel.
- 5). The radiation measurements are performed in X, Y, Z axis positioning. And found the X axis positioning which it is worse case, Only the test worst case mode is recorded in the report.
- 6). Repeat above procedures until all frequencies measured was complete.

E (dBμV/m) = Measured amplitude level (dBμV) + (Cable Loss (dB) + Antenna Factor (dB/m) – AMP(dB)) EIRP (dBm) = E (dB μ V/m) + 20 log D - 104.8; where D is the measurement distance in meters

Above 1GHz test procedure as below:

- 1) Different between above is the test site, change from Semi- Anechoic Chamber to fully Anechoic Chamber
- 2) Calculate power in dBm by the following formula:

E (dBμV/m) = Measured amplitude level (dBμV) + (Cable Loss (dB) + Antenna Factor (dB/m) – AMP(dB)) EIRP (dBm) = E (dBμV/m) + 20 log D - 104.8; where D is the measurement distance in meters

- 3). Test the EUT in the lowest channel, the middle channel the Highest channel
- 4). The radiation measurements are performed in X, Y, Z axis positioning. And found the X axis positioning which it is worse case, Only the test worst case mode is recorded in the report.
- 5). Repeat above procedures until all frequencies measured was complete

Remark1: Reference test setup 2

Remark2: The emission below 18G were measured at a 3m test distance, while emissions above 18GHz were measured at a 1m test distance. At a measurement distance of 1 meter the limit line was increased by 20*LOG(3/1) = 9.54 dB.

Remark: Reference test setup 2

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit - Level

2) Scan from 9kHz to 40GHz, The disturbance between 9KHz to 30MHz and 18GHz to 40GHz was very low, and the harmonics were the highest point could be found when testing, so only the harmonics had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.

3) All modes have been tested, but only the worst case data displayed in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, foregrey or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. to the fullest extent of the law. Online was a sample(s) are retained for 3 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057

t (86-755) 26012053

t (86-755) 26012053

www.sgsgroup.com.cn

Report No.: ZEWM2306000856RG02

Page: 44 of 53

4.8 Frequency Stability / Temperature Variation

Measurement Procedure:

Frequency stability testing is performed in accordance with the guidelines of FCC KDB 971168 D01 V03r01 Section 9

The frequency stability of the transmitter is measured by:

- a.) **Temperature:** The temperature is varied from -30°C to +50°C in 10°C increments using an environmental chamber.
- b.) **Primary Supply Voltage:** The primary supply voltage is varied from 85% to 115% of the nominal value for non hand-carried battery and AC powered equipment. For hand-carried, battery-powered equipment, primary supply voltage is reduced to the battery operating end point which shall be specified by the manufacturer.

Specification – The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintained within $\pm 0.00025\%$ (± 2.5 ppm) of the center frequency.

Time Period and Procedure:

- 1. The carrier frequency of the transmitter is measured at room temperature (20°C to provide a reference).
- 2. The equipment is turned on in a "standby" condition for fifteen minutes before applying power to the transmitter. Measurement of the carrier frequency of the transmitter is made within one minute after applying power to the transmitter.
- 3. Frequency measurements are made at 10°C intervals ranging from -30°C to +50°C. A period of at least one half-hour is provided to allow stabilization of the equipment at each temperature level.

Remark: Reference test setup 3



邮编: 518057

中国・广东・深圳市南山区科技园中区M-10栋1号厂房

t (86-755) 26012053




Report No.: ZEWM2306000856RG02


Page: 45 of 53

4.9 Test Setups

4.9.1 **Test Setup 1**



Test Setup 2 4.9.2





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that Information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from execting all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, foregrey or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CAD Doccheck@sus.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 www.sgsgroup.com.cn


中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057



Report No.: ZEWM2306000856RG02

Page: 46 of 53

4.9.3 **Test Setup 3**





邮编: 518057

中国・广东・深圳市南山区科技园中区M-10栋1号厂房

sgs.china@sgs.com

t (86-755) 26012053

Report No.: ZEWM2306000856RG02

Page: 47 of 53

4.10 Test Conditions

Transmit Output Power Data - Average Power, Total			
Test Case	Test Conditions		
Test Environment	Ambient Climate & Rated Voltage		
Test Setup	Test Setup 1		
RF Channels (TX)	L, M, H (L= low channel, M= middle channel, H= high channel)		
Test Mode	NR/TM1; NR/TM2; NR/TM3; NR/TM4; NR/TM5		
	Peak-to-Average Ratio		
Test Case	Test Conditions		
Test Environment	Ambient Climate & Rated Voltage		
Test Setup	Test Setup 1		
RF Channels (TX)	L, M, H (L= low channel, M= middle channel, H= high channel)		
Test Mode	NR/TM5; NR/TM9		
	Bandwidth - Occupied Bandwidth		
Test Case	Test Conditions		
Test Environment	Ambient Climate & Rated Voltage		
Test Setup	Test Setup 1		
RF Channels (TX)	M (M= middle channel)		
Test Mode	NR/TM1; NR/TM2; NR/TM3; NR/TM4; NR/TM5; NR/TM6; NR/TM7; NR/TM8; NR/TM9		
	Bandwidth - Emission Bandwidth		
Test Case	Test Conditions		
Test Environment	Ambient Climate & Rated Voltage		
Test Setup	Test Setup 1		
RF Channels (TX)	M (M= middle channel)		
Test Mode	NR/TM1; NR/TM2; NR/TM3; NR/TM4; NR/TM5; NR/TM6; NR/TM7; NR/TM8; NR/TM9		
Adjacent Channel Leakage Ratio			
Test Case	Test Conditions		
Test Environment	Ambient Climate & Rated Voltage		
Test Setup	Test Setup 1		
RF Channels (TX)	L, M, H (L= low channel, M= middle channel, H= high channel)		
Test Mode	NR/TM1		
	Band Edges Compliance		
Test Case	Test Conditions		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from excising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CVD.Doccheck@sos.com"

or email: <u>VRJOPERCHECK@3Gs.com</u> MRJ (Workshop, MJO<u>L</u>) (Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZEWM2306000856RG02

Page: 48 of 53

Test Environment	Ambient Climate & Rated Voltage				
	Test Setup 1				
Test Setup	·				
RF Channels (TX)	L, H (L= low channel, H= high channel)				
Test Mode	NR/TM1; NR/TM6				
	Spurious Emission at Antenna Terminals				
Test Case	Test Conditions				
Test Environment	Ambient Climate & Rated Voltage				
Test Setup	Test Setup 1				
RF Channels (TX)	L, M, H (L= low channel, M= middle channel, H= high channel)				
Test Mode	NR/TM1				
	Field Strength of Spurious Radiation				
Test Case	Test Conditions				
Test Environment	Ambient Climate & Rated Voltage				
Test Setup	Test Setup 2				
RF Channels (TX)	L, M, H (L= low channel, M= middle channel, H= high channel)				
Test Mode	NR/TM1 Remark: All bandwidth and modulation of NR have been pre tested, and only the worst results are reflected in the report.				
	Frequency Stability				
Test Case	Test Conditions				
T4 Fi	(1) -30 °C to +50 °C with step 10 °C at Rated Voltage				
Test Environment	(2) VL, VN and VH of Rated Voltage at Ambient Climate.				
Test Setup	Test Setup 3				
RF Channels (TX)	M (M= middle channel)				
Test Mode	NR/TM1; NR/TM6				
i est iviode	The report only show the bandwidth with the worst case.				



邮编: 518057



Report No.: ZEWM2306000856RG02

Page: 49 of 53

Main Test Instruments 5

Lab A:

RF conducted test					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)
Cootman Analyzar	Keysight	N9020A	SZ-WRG-M-004	2022/09/22	2023/09/21
Spectrum Analyzer				2023/09/14	2024/09/13
Radio		C7 MDC M 044	2022/09/22	2023/09/21	
Communication Tester	Anritsu	MT8821C SZ	SZ-WRG-M-014	2023/09/14	2024/09/13
Radio Communication	Anritsu	MT8000A SZ-WRG-M-013	2022/09/22	2023/09/21	
Tester	Aiiiisu ii		2023/09/14	2024/09/13	
DC power supply	HYELEC	HY3005B	SZ-WRG-M-024	2022/09/22	2023/09/21
				2023/09/14	2024/09/13



邮编: 518057

中国・广东・深圳市南山区科技园中区M-10栋1号厂房

sgs.china@sgs.com

t (86-755) 26012053



Report No.: ZEWM2306000856RG02

Page: 50 of 53

Lab B:

RF conducted test					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)
Shielding Room	Brilliant-emc	N/A	SUWI-04-01-06	2021/05/08	2024/05/07
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-07	2023/02/06	2024/02/05
Signal Analyzer	ROHDE&SCHWARZ	FSV3030	SUWI-01-02-02	2023/05/11	2024/05/10
Measurement Software	Tonscend	JS1120-3 Test System V 2.6.88.0336	SUWI-02-09-09	NCR	NCR
Radio Communication	Anritsu	MT8821C	SUWI-01-26-03	2022/11/23	2023/11/22
Analyzer				2023/11/21	2024/11/20
Wideband Radio Communication Tester	ROHDE&SCHWARZ	CMW500	SUWI-01-16-05	2023/02/06	2024/02/05
DC Power Supply	HYELEC	HY3005B	SUWI-01-18-01	2023/02/06	2024/02/05
Temperature Chamber	ESPEC	SU-242	SUWI-01-13-01	2023/02/06	2024/02/05
Wideband Radio	A	MTOOOA	01 114/1 04 04 00	2022/09/16	2023/09/15
Communication Test Ststion	Anritsu	MT8000A	SUWI-01-34-02	2023/09/12	2024/09/11
Signal Analyzer	ROHDE&SCHWARZ	FSW43	SUWI-01-02-04	2023/05/11	2024/05/10



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from excising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document to unique and printeders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@sos.com"

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86–755) 26012053 www.sgsgroup.com.cn



Report No.: ZEWM2306000856RG02

51 of 53 Page:

RSE Test System					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)
Semi-Anechoic Chamber	Brilliant-emc	N/A	SUWI-04-02-01	2021/05/08	2024/05/07
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-05	2023/02/07	2024/02/06
Signal Analyzer*	KEYSIGHT	N9020A	SUWI-01-02-05	2022/11/23	2023/11/22
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2023/02/08	2024/02/07
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	VULB 9163	SUWI-01-11-01	2023/05/13	2024/05/12
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	BBHA 9120D	SUWI-01-11-02	2023/05/13	2024/05/12
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	BBHA 9170	SUWI-01-11-03	2023/05/12	2024/05/11
Active Loop Antenna	SCHWRZBECK MESS- ELEKTRONIK	FMZB 1519B	SUWI-01-21-01	2023/05/13	2024/05/12
Amplifier	Tonscend	TAP9K3G40	SUWI-01-14-01	2023/02/06	2024/02/05
Amplifier	Tonscend	TAP01018050	SUWI-01-14-02	2023/02/06	2024/02/05
Wideband Radio Communication Tester*	Anritsu	MT8821C	SUWI-01-26-03	2022/11/23	2023/11/22
UXM 5G Wireless Test Platform	KEYSIGHT	E7515B	SUWI-01-04-01	2023/02/06	2024/02/05
Measurement Software	Tonscend	JS32-RE 4.0.0.0	SUWI-02-09-04	NCR	NCR

Note*: The equipment will not be used after 2023/11/22.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from excising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document to unique and printeders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@sos.com"

邮编: 518057

sgs.china@sgs.com

Report No.: ZEWM2306000856RG02

Page: 52 of 53

6 Measurement Uncertainty

For a 95% confidence level (k = 2), the measurement expanded uncertainties for defined systems, in accordance with the recommendations of ISO 17025 as following:

Lab A:

No.	Item	Measurement Uncertainty
1	Radio Frequency	± 9.84Hz
2	Duty cycle	± 0.185%
3	Occupied Bandwidth	± 0.20%
4	RF conducted power ± 0.42dB	
5	RF power density	± 1.97dB
6	Conducted Spurious emissions	± 0.42dB

Remark:

The U_{lab} (lab Uncertainty) is less than U_{cispr/ETSI} (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;
- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.

Lab B:

No.	Item	Measurement Uncertainty
1	Total RF power, conducted	±0.54dB
2	RF power density, conducted	±1.03dB
3	Spurious emissions, conducted	±0.54dB
4	Radio Frequency	±1.0 %
5	Duty Cycle	±0.37%
6	Occupied Bandwidth	±1.0 %
		± 3.13dB (9k -30MHz)
7	Radiated Emission	± 4.8dB (30M -1GHz)
,		± 4.8dB (1GHz to 18GHz)
		± 4.80dB (Above 18GHz)

Remark:

The U_{lab} (lab Uncertainty) is less than U_{cispr/ETSI} (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;
- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excented parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, foregrey or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

to the fullest extent of the law. Unless unless to the full sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or small-CN Poscheck@ss.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 中国・广东・深圳市南山区科技园中区M-10栋1号厂房 邮编:518057

t (86–755) 26012053 www.sgsgroup.com.cn t (86–755) 26012053 sgs.china@sgs.com

Report No.: ZEWM2306000856RG02

Page: 53 of 53

Appendixes

Appendix A.1	WWAN Setup Photos
Appendix B.9	NR Band n2
Appendix B.10	NR Band n5
Appendix B.11	NR Band n48
Appendix B.12	NR Band n66
Appendix B.13	NR Band n77(3450-3550)
Appendix B.14	NR Band n77(3700-3980)
Appendix B.15	NR CA_n5B
Appendix B.16	NR CA_n48B
Appendix B.17	NR CA_n66B
Appendix B.18	NR CA_n77C(3450-3550)
Appendix B.19	NR CA_n77C(3700-3980)

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from excising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CVD.Doccheck@sos.com"

sgs.china@sgs.com