

ELECTROMAGNETIC EMISSIONS **COMPLIANCE REPORT**



Applicant:	Askey Computer Corporation 10F, No. 119, Jiankang Rd., Zhonghe Dist., New Taipei City, Taiwan
Manufacturer:	Askey Computer Corporation 10F, No. 119, Jiankang Rd., Zhonghe Dist., New Taipei City, Taiwan
Product Name:	5G NR Sub 6 WiFi 7 Router
Brand Name:	Verizon
Model No.:	ASK-NCM1100E
Model Difference:	N/A
Report Number:	TERF2310002502E2
FCC ID	H8N-ASK-NCM1100E
Date of EUT Received:	October 4, 2023
Date of Test:	October 4, 2023 \sim Decmeber 4, 2023
Issue Date:	January 12, 2024

Approved By

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Central RF Lab The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT comply with FCC rule part §15.407.

The results of this report relate only to the sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



Revision History						
Report Number	Revision	Description	Issue Date	Revised By	Remark	
TERF2310002502E2	00	Original.	December 13, 2023	Susan Lin		
TERF2310002502E2	01	Update beamforming radiated bandedge data	January 12, 2024	Susan Lin	*	

Note:

1 . The remark "*" indicates modification of the report upon requests from certification body.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Contents

GENERAL INFORMATION	4
SYSTEM TEST CONFIGURATION	11
SUMMARY OF TEST RESULT	15
DESCRIPTION OF TEST MODES	16
MEASUREMENT UNCERTAINTY	26
MEASUREMENT EQUIPMENT USED	27
CONDUCTED EMISSION TEST	30
EMISSION BANDWIDTH MEASUREMENT	36
MAXIMUM CONDUCTED OUTPUT POWER MEASUREMENT	117
MAXIMUM POWER SPECTRAL DENSITY	133
UNDESIRABLE RADIATED EMISSION MEASUREMENT	193
TRANSMISSION IN THE ABSENCE OF DATA	687
ANTENNA REQUIREMENT	688
	GENERAL INFORMATION

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

```
www.sgs.com.tw
```



GENERAL INFORMATION 1

1.1 **Product Description**

Product Name:	5G NR Sub 6 WiFi 7 Router
Brand Name:	Verizon
Model No.:	ASK-NCM1100E
Model Difference:	N/A
Hardware Version:	Rev4
Firmware Version:	SDK 2.0.6
EUT Series No.:	ACC33200089
Power Supply:	12V
Test Software (Name/Version)	MT7990 QA 0.0.2.99

1.2 **Modulation & Data Rate**

	64QAM, 16QAM, QPSK, BPSK for OFDM in 802.11a,11n		
	256QAM, 64QAM, 16QAM, QPSK, BPSK		
	for OFDM in 802.11ac		
Modulation type:	1024QAM, 256QAM, 64QAM, 16QAM, QPSK, BPSK		
	for OFDMA in 802.11ax		
	4096QAM, 1024QAM, 256QAM, 64QAM, 16QAM,		
	QPSK, BPSK for OFDMA in 802.11be		
	802.11 a: 6 - 54 Mbps		
	802.11 n_20MHz: up to 288.8 Mbps		
	802.11 n_40MHz: up to 600 Mbps		
	802.11 ac_20MHz: up to 346.8 Mbps		
	802.11 ac_40MHz: up to 800 Mbps		
	802.11 ac_80MHz: up to 1733.2 Mbps		
	802.11 ac_160MHz: up to 3466.8 Mbps		
Transition Rate:	802.11 ax_20MHz: up to 573.6 Mbps		
	802.11 ax_40MHz: up to 1147.2 Mbps		
	802.11 ax_80MHz: up to 2402 Mbps		
	802.11 ax_160MHz: up to 4804 Mbps		
	802.11 be_20MHz: up to 688.2 Mbps		
	802.11 be_40MHz: up to 1376.5 Mbps		
	802.11 be_80MHz: up to 2882.4 Mbps		
	802.11 be_160MHz: up to 5764.8 Mbps		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their fights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



Mode: CDD

	64QAM, 16QAM, QPSK, BPSK for OFDM in 802.11a,11n
	256QAM, 64QAM, 16QAM, QPSK, BPSK
	for OFDM in 802.11ac
Modulation type:	1024QAM, 256QAM, 64QAM, 16QAM, QPSK, BPSK
	for OFDMA in 802.11ax
	4096QAM, 1024QAM, 256QAM, 64QAM, 16QAM,
	QPSK, BPSK for OFDMA in 802.11be
	802.11 a: 6 - 54 Mbps
	802.11 n_20MHz: up to 288.8 Mbps
	802.11 n_40MHz: up to 600 Mbps
	802.11 ac_20MHz: up to 346.8 Mbps
	802.11 ac_40MHz: up to 800 Mbps
	802.11 ac_80MHz: up to 1733.2 Mbps
	802.11 ac_160MHz: up to 3466.8 Mbps
Transition Rate:	802.11 ax_20MHz: up to 573.6 Mbps
	802.11 ax_40MHz: up to 1147.2 Mbps
	802.11 ax_80MHz: up to 2402 Mbps
	802.11 ax_160MHz: up to 4804 Mbps
	802.11 be_20MHz: up to 688.2 Mbps
	802.11 be_40MHz: up to 1376.5 Mbps
	802.11 be_80MHz: up to 2882.4 Mbps
	802.11 be_160MHz: up to 5764.8 Mbps

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sqs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sqs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their fights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



1.3 Antenna Designation

Antenna Type	Antenna No.	Freq. (MHz)	Peak Antenna Gain (dBi)	Directional Gain (dBi)
		5150~5250	3.12	6.00
	Antonno 11	5250~5350	4.73	6.42
	Antenna 11	5470~5725	2.94	6.99
		5725~5850	1.09	6.30
		5150~5250	3.69	6.00
	Antonno 10	5250~5350	3.33	6.42
	Antenna 12	5470~5725	3.35	6.99
РСВ		5725~5850	3.51	6.30
FCB	Antenna 13	5150~5250	2.82	6.00
		5250~5350	3.32	6.42
		5470~5725	2.19	6.99
		5725~5850	2.36	6.30
		5150~5250	4.06	6.00
	Antonno 14	5250~5350	3.43	6.42
	Antenna 14	5470~5725	2.98	6.99
		5725~5850	2.89	6.30

Note:

- 1. Pre-scanned was done on the above antennas, measurements were demonstrated by using the antenna with the highest gain as the worst case scenarios.
- 2. Antenna information is provided by the applicant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Mode: CDD

Wi-Fi	Frequency Range	Channels	Rated Power(Avg) (dBm) (Worst Case)	Modulation Technology
а	5180~5240	4	29.82 dBm	OFDM
n_HT	5260~5320	4	23.36 dBm	OFDMA
be_EHT 20M	5500~5720	12	22.85 dBm	OFDMA
20101	5745-5825	5	29.97 dBm	OFDMA
	5190~5230	2	29.97 dBm	OFDMA
n_HT be_EHT	5270~5310	2	23.97 dBm	OFDM
40M	5510~5710	6	23.93 dBm	OFDMA
	5755-5795	2	29.99 dBm	OFDMA
	5210	1	26.68 dBm	OFDMA
ac_VHT be_EHT	5290	1	23.86 dBm	OFDMA
80M	5530~5690	3	23.92 dBm	OFDM
	5775	1	29.13 dBm	OFDM
ac_VHT be_EHT	5250	1	23.85 dBm	OFDM
160M	5570	1	23.97 dBm	OFDM

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their fights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

www.sgs.com.tw



Mode: Beamforming

Wi-Fi	Frequency Range	Channels	Rated Power(Avg) (dBm) (Worst Case)	Modulation Technology
	5180~5240	4	29.71 dBm	OFDMA
n_HT	5260~5320	4	23.01 dBm	OFDMA
be_EHT 20M	5500~5720	12	22.58 dBm	OFDMA
	5745-5825	5	29.51 dBm	OFDM
	5190~5230	2	29.84 dBm	OFDMA
n_HT	5270~5310	2	23.50 dBm	OFDM
be_EHT 40M	5510~5710	6	22.93 dBm	OFDMA
	5755-5795	2	29.63 dBm	OFDM
	5210	1	26.67 dBm	OFDMA
ac_VHT be_EHT	5290	1	23.20 dBm	OFDM
80M	5530~5690	3	22.96 dBm	OFDMA
	5775	1	29.01 dBm	OFDM
ac_VHT be_EHT	5250	1	23.50 dBm	OFDMA
160M	5570	1	22.95 dBm	OFDMA

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their fights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

```
www.sgs.com.tw
```



Spot Check Mode: CDD

Wi-Fi	Frequency Range	Channels	Rated Power(Avg) (dBm) (Worst Case)	Modulation Technology
а	5180~5240	4	29.74 dBm	OFDM
n_HT	5260~5320	4	23.31 dBm	OFDMA
be_EHT 20M	5500~5720	12	22.83 dBm	OFDMA
20101	5745-5825	5	29.94 dBm	OFDMA
	5190~5230	2	29.87 dBm	OFDMA
n_HT	5270~5310	2	23.96 dBm	OFDM
be_EHT 40M	5510~5710	6	23.84 dBm	OFDM
	5755-5795	2	29.90 dBm	OFDMA
	5210	1	26.67 dBm	OFDMA
ac_VHT	5290	1	23.84 dBm	OFDMA
be_EHT 80M	5530~5690	3	23.90 dBm	OFDM
	5775	1	29.08 dBm	OFDM
ac_VHT	5250	1	23.81 dBm	OFDM
be_EHT 160M	5570	1	23.91 dBm	OFDM

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279



1.5 **Test Methodology of Applied Standards**

FCC Part 15, Subpart E §15.407 FCC KDB 789033 D02 General UNII Test Procedures New Rules v02r01 FCC KDB 662911 D01 Multiple Transmitter Output v02r01 FCC KDB 291074 D02 EMC Measurement v01 ANSI C63.10:2013

1.6 **Test Facility**

Laboratory	Test Site Address	Test Site Name	FCC Designa- tion number	IC CAB identifier
		SAC 1		
		SAC 2		
		SAC 3		
	No 124 Wu Kung Bood Now Toingi	Conduction 1		
	No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New	Conducted 1	TW0027	
	Taipei City, Taiwan.	Conducted 2	100027	
	Taiper City, Taiwan.	Conducted 3		TW3702
		Conducted 4	-	
		Conducted 5		
SGS Taiwan Ltd.		Conducted 6		
Central RF Lab.	No.2, Keji 1st Rd., Guishan District,	Conduction C	-	
(TAF code 3702)		SAC C		
		SAC D		
		SAC G		
		Conducted A		
	Taoyuan City, Taiwan 333	Conducted B	TW0028	
	labydan Oky, Talwan 555	Conducted C		
		Conducted D		
		Conducted E		
		Conducted F]	
		Conducted G		

1.7 **Special Accessories**

There are no special accessories used while test was conducted.

1.8 **Equipment Modifications**

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



SYSTEM TEST CONFIGURATION 2

2.1 **EUT Configuration**

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 **EUT Exercise**

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

2.3 **Test Procedure**

2.3.1 **Conducted Emissions**

The EUT is a placed on a table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz. The CISPR Quasi-Peak and Average detector mode is employed. The two LISNs provide 50uH/50 ohm of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

2.3.2 Conducted Test (RF)

The active antenna port of the unlicensed wireless device is connected to the spectrum analyzer with attenuator to protect the instrumentation. If a second antenna port is available, it is tested at one operating frequency, with other port(s) appropriately terminated, to verify it has similar output characteristics as the fully tested port.

2.3.3 **Radiated Emissions**

The EUT is a placed on a turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plane. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



2.4 Measurement Results Explanation Example

2.4.1Radiated Emission Test Sites For Measurements From 9 kHz To 30 MHz


Radiated emission below 30MHz is measured in a 9m*6m*6m semi-anechoic chamber, the measurements correspond to those obtained at an open-field test site.

There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.

2.4.2 For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

2.5 **Test Configuration**




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


t (886-2) 2299-3279





Spot Check





2.6 Control Unit(s)

Conducted Emission Test Site: Conducted F							
EQUIPMENT TYPE	MFR MODEL NUMBER SERIAL NUMBER LAST CAL. CAL DUE.						
Notebook	Lenovo	L480	P0002332	N/A	N/A		
	Radiated Emission Test Site: SAC G						
EQUIPMENT TYPE MFR MODEL NUMBER SERIAL NUMBER LAST CAL. CAL DUE.							
Adapter	MASS POWER	S065-1B120500VU	N/A	N/A	N/A		
Notebook	Lenovo	Т440р	P0000665	N/A	N/A		

	AC Power-Line Conducted Emission Test Site: Conduction C						
EQUIPMENT TYPE	EQUIPMENT TYPE MFR MODEL NUMBER SERIAL NUMBER LAST CAL. CAL DUE.						
Notebook	Lenovo	T470	P0001293	N/A	N/A		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

```
www.sgs.com.tw
```



Spot Check

	Conducted Emission Test Site: Conducted F						
EQUIPMENT TYPE MFR MODEL NUMBER SERIAL NUMBER LAST CAL. CAL DUE.							
Notebook Lenovo L480 P0002332 N/A N/A							

	AC Power-Line Conducted Emission Test Site: Conduction C						
EQUIPMENT TYPE	MFR MODEL NUMBER SERIAL NUMBER LAST CAL. CAL DUE.				CAL DUE.		
Notebook Lenovo L480 P0002332 N/A N/A				N/A			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their fights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



SUMMARY OF TEST RESULT 3

FCC Rules	Description Of Test	Result	Note
§15.207	AC Power Line Conducted Emission	Compliant	S
§15.407(e)	Emission Bandwidth	Compliant	
§15.407(a)	Maximum Conducted Output Power	Compliant	S
§15.407(a)	Power Spectral Density	Compliant	
§15.205 §15.209 §15.407(b)	Undesirable Radiated Emissions	Compliant	S
§15.407(c)	Transmission in case of Absence of Information	Compliant	
§15.203	Antenna Requirement	Compliant	

Note

1. N/S Indicates whether item(s) being newly tested [N] or spot checked [S].

- 2. Items other than newly tested [N] are leveraged from test report TERF2308001923E2, FCC ID: H8N-ASK-NCM1100.
- Summary of the spot check: З.

Frequency Bnad	Original FCC ID: H8N-ASK-NCM1100 (dBm)	Variant FCC ID: H8N-ASK-NCM1100E (dBm)	Deviation <=25%
WIFI 5G NII1(5150-5250)	29.97	29.74	-5%
WIFI 5G NII2A(5250-5350)	23.97	23.96	0%
WIFI 5G NII2C(5470-5725)	23.93	23.90	-1%
WIFI 5G NII3(5725-5850)	29.99	29.90	-2%

Frequency	Standard Limit (CdB)	Ref max data (RdB)	Var max data (VdB)	Comparison deviation (DdB)	DdB Threshold
5180 a	54	-0.15	-2.97	-2.82	<5.7075 or not exceed 6
5320 a	54	-7.15	-7.23	-0.08	<6.0575 or not exceed 6
5500 a	54	-6.97	-7.31	-0.34	<6.0485 or not exceed 6
5700a	68.2	-4.74	-8.9	-4.16	<6.647 or not exceed 6
5745a	68.2	-7.33	-7.43	-0.1	<6.7765 or not exceed 6
5825a	68.2	-10.39	-10.77	-0.38	<6.9295 or not exceed 6
5250 be160 (L)	54	-1.07	-1.55	-0.48	<5.7535 or not exceed 6
5250 be160 (H)	54	-1.85	-0.82	1.03	<5.7925 or not exceed 6
5570 be160 (L)	54	-0.87	-1.44	-0.57	<5.7435 or not exceed 6
5570 be160 (H)	68.2	-7.21	-5.52	1.69	<6.7705 or not exceed 6

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.

f (886-2) 2298-0488



DESCRIPTION OF TEST MODES 4

40MHz

40MHz

Freq.

(MHz)

5510

5550 5590

5630

5670

5710

4.1 Operating Frequencies

UNII-1 5150 MHz ~ 5250MHz				
20	OMHz		4(DM
СН	Freq.		СН	
	(MHz)		GH	
36	5180		38	
40	5200		46	
44	5220			
48	5240			

1Hz	80MHz		
Freq.		СН	Freq.
(MHz)		GH	(MHz)
5190		42	5210
5230			

UNII-2A 5250 MHz ~ 5350N				
20MHz			40	
СН	Freq. (MHz)		СН	
52	5260		54	
56	5280		62	

5300

5320

5350MHz			
40MHz			
СН	Freq.		
	(MHz)		
54	5270		
62	5310		

8	0MHz
СН	Freq. (MHz)
58	5290

160MHz		
СН	Freq.	
	(MHz)	
50	5250	

UNII-2	C 5470 MH	łz ~	- 5725	٨Hz
20	OMHz		4(ЭМН
СН	Freq.		СН	F
	(MHz)			(M
100	5500		102	5
104	5520		110	5
108	5540		118	5
112	5560		126	5
116	5580		134	5
120	5600		142	5
124	5620			
128	5640			
132	5660			
136	5680			
140	5700			
144	5720			

	8	OMHz
	СН	Freq.
		(MHz)
	106	5530
	122	5610
	138	5690
		-

160MHz

CH

114

Freq.

(MHz)

5570

СН	⊢req.
	(MHz)
149	5745
153	5765
157	5785
161	5805
165	5825

60

64

UNII-3	UNII-3 5725 MHz ~ 5850MHz											
2	0MHz		40MHz									
СН	Freq. (MHz)		СН	Freq. (MHz)								
149	5745		151	5755								
153	5765		159	5795								
457	E 7 0 E											

8	0MHz
СН	Freq.
	(MHz)
155	5775

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

www.sqs.com.tw



4.2 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Test program used to control the EUT for staying in continuous transmitting mode is programmed.
- 3. Investigation has been done on all the possible configurations for searching the worst case. The given UE is pre-scanned among below modes.

Mode: CDD

Modulation			Transmission Chain								Single Transmission Spatial		Multiple Transmission Spatial	
v	802.11 a	v	Ch0	۷	Ch1	v	Ch2	۷	Ch3		1TX	۷	4TX	
v	802.11 n	v	Ch0	v	Ch1	v	Ch2	۷	Ch3		1TX	۷	4TX	
v	802.11 ac	v	Ch0	v	Ch1	v	Ch2	۷	Ch3		1TX	۷	4TX	
v	802.11 ax	v	Ch0	v	Ch1	v	Ch2	۷	Ch3		1TX	۷	4TX	
v	802.11 be	v	Ch0	v	Ch1	v	Ch2	۷	Ch3		1TX	۷	4TX	

Mode: Beamforming

Modulation			Transmission Chain								Single Transmission Spatial		Multiple Transmission Spatial	
	802.11 a		Ch0		Ch1		Ch2		Ch3		1TX		4TX	
v	802.11 n	v	Ch0	v	Ch1	۷	Ch2	۷	Ch3		1TX	۷	4TX	
v	802.11 ac	۷	Ch0	v	Ch1	۷	Ch2	۷	Ch3		1TX	۷	4TX	
v	802.11 ax	v	Ch0	v	Ch1	۷	Ch2	۷	Ch3		1TX	v	4TX	
v	802.11 be	۷	Ch0	v	Ch1	۷	Ch2	۷	Ch3		1TX	۷	4TX	

Spot Check

Mode: CDD

N	<i>l</i> odulation	Transmission Chain								Single Transmission Spatial		Multiple Transmission Spatial	
v	802.11 a	۷	Ch0	۷	Ch1	۷	Ch2	۷	Ch3		1TX	۷	4TX
v	802.11 n	۷	Ch0	v	Ch1	v	Ch2	v	Ch3		1TX	۷	4TX
v	802.11 ac	v	Ch0	۷	Ch1	۷	Ch2	۷	Ch3		1TX	۷	4TX
v	802.11 ax	v	Ch0	۷	Ch1	۷	Ch2	۷	Ch3		1TX	۷	4TX
v	802.11 be	۷	Ch0	۷	Ch1	۷	Ch2	۷	Ch3		1TX	۷	4TX

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

Member of SGS Group

www.sqs.com.tw



4. Therefore, below summary is the modes of test configuration that yield the highest reading and generate the highest emission chosen to carry out the relevantly mandatory test items.

Mode: CDD

			COND	OUCTED TEST			
MODE	FREQUENCY	AVAILABLE	TESTED	MODULATION	DATA RATE	ANTENNA	
WIODE	BAND (MHz)	CHANNEL	CHANNEL	WODULATION	(Mbps)	PORT	
	5180~5240	36 to 48	36,44,48				
802.11a	5260~5320	52 to 64	52,60,64	OFDM	6	4TX	
002.11a	5500~5720	100 to 144	100,116,140,144		0	41A	
	5745~5825	149 to 165	149,157,165				
	5180~5240	36 to 48	36,44,48				
802.11n_HT20	5260~5320	52 to 64	52,60,64	OFDM	MCS0	4TX	
002.11N_H120	5500~5720	100 to 144	100,116,140,144		MCSU		
	5745~5825	149 to 165	149,157,165				
	5190~5230	38 to 46	38,46				
802.11n HT40	5270~5310	54 to 62	54,62	05014	MCS0	4TX	
0U2.11II_H14U	5510~5710	102 to 142	102,110,134,142	OFDM		41X	
	5755~5795	151 to 159	151,159				
	5210	42	42				
900 11aa \///T90	5290	58	58	OFDM	MCCO	4TX	
802.11ac_VHT80	5530~5690	106 to 138	106,122,138	OFDIM	MCS0	41X	
	5775	155	155				
000 44 1417400	5250	50	50	05014	MOOD	4TX	
802.11ac_VHT160	5570	114	114	OFDM	MCS0		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

```
www.sqs.com.tw
```



	• 		COND	UCTED TEST	·			
MODE	FREQUENCY	AVAILABLE	TESTED	MODULATION	RU	DATA RATE	ANTENNA	
MODE	BAND (MHz)	CHANNEL	CHANNEL	MODOLIANON	CONFIGURATION	(Mbps)	PORT	
	5180~5240	36 to 48	36,44,48					
802.11be_EHT20	5260~5320	52 to 64	52,60,64	OFDMA	FULL RU	MCS0	4TX	
002.1100_E11120	5500~5720	100 to 144	100,116,140,144		T OLL NO		ΨIX	
	5745~5825	149 to 165	149,157,165					
	5190~5230	38 to 46	38,46					
802.11be_EHT40	5270~5310	54 to 62	54,62	OFDMA	FULL RU	MCS0	4TX	
002.110e_L11140	5510~5710	102 to 142	102,110,134,142		TOLENO	mood	417	
	5755~5795	151 to 159	151,159					
	5210	42	42		FULL RU			
802.11be_EHT80	5290	58	58	OFDMA		MCS0	4TX	
002.11De_EH100	5530~5690	106 to 138	106,122,138	OFDIVIA	FULL KU	WIC30	41A	
	5775	155	155					
802.11be_EHT160	5250	50	50	OFDMA	FULL RU	MCS0	4TX	
002.1106_E111100	5570	114	114		TOLENO	WOOD		

	TRANSMIT RADIATED EMISSION TEST (BELOW 1 GHz)										
MODE	FREQUENCY	AVAILABLE	TESTED	MODULATION	DATA RATE	ANTENNA					
MODE	BAND (MHz)	CHANNEL	CHANNEL	WODULATION	(Mbps)	PORT					
	5180~5240	36 to 48	44								
802.11a	5260~5320	52 to 64	60	OFDM	6	4TX					
002.118	5500~5720	100 to 144	140	OFDIVI	6	41A					
	5745~5825	149 to 165	157								
802.11be EHT160	5250	50	50	OFDMA	MCS0	4TX					
002.1106_EFT1100	5570	144	144		WCSU	417					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their fights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



		TRANSMI	T RADIATED E	EMISSION TES	ST (ABOVE 1 GHz)	
MODE	FREQUENCY	AVAILABLE	TESTED	MODULATION	DATA RATE	ANTENNA
MODE	BAND (MHz)	CHANNEL	CHANNEL	WODULATION	(Mbps)	PORT
	5180~5240	36 to 48	36,44,48			
802.11a	5260~5320	52 to 64	52,60,64	OFDM	6	4TX
002.11a	5500~5720	100 to 144	100,116,140,144	OFDIVI	0	41
	5745~5825	149 to 165	149,157,165			
	5180~5240	36 to 48	36,44,48			
802.11n_HT20	5260~5320	52 to 64	52,60,64	OFDM	MCS0	4TX
002.11II_H120	5500~5720	100 to 144	100,116,140,144		MCSU	417
	5745~5825	149 to 165	149,157,165			
	5190~5230	38 to 46	38,46			
802.11n HT40	5270~5310	54 to 62	54,62	OFDM	MCS0	4TX
оuz.нп_н140	5510~5710	102 to 142	102,110,134,142	OFDIM		41X
	5755~5795	151 to 159	151,159			
	5210	42	42			
	5290	58	58	OFDM	MCS0	4TX
802.11ac_VHT80	5530~5690	106 to 138	106,122,138	OFDIVI	MCSU	41
	5775	155	155			
902 11aa V/UT160	5250	50	50	OFDM	MCS0	4TX
802.11ac_VHT160	5570	114	114	OFDIM	WICSU	41

	TRANSMIT RADIATED EMISSION TEST (ABOVE 1 GHz)									
MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	RU CONFIGURATION	DATA RATE (Mbps)	ANTENNA PORT			
	5180~5240	36 to 48	36,44,48							
902 11ba EUT20	5260~5320	52 to 64	52,60,64	OFDMA	FULL RU	MCS0	4TX			
802.11be_EHT20	5500~5720	100 to 144	100,116,140,144		FULL KU	WC30	417			
	5745~5825	149 to 165	149,157,165				l			
802.11be_EHT40	5190~5230	38 to 46	38,46							
	5270~5310	54 to 62	54,62	OFDMA	FULL RU	MCS0	4TX			
	5510~5710	102 to 142	102,110,134,142	OI DIMA	TOLENO	MOOD				
	5755~5795	151 to 159	151,159							
	5210	42	42		FULL RU	MCS0				
802.11be_EHT80	5290	58	58	OFDMA			4TX			
002.1100_011100	5530~5690	106 to 138	106,122,138	OIDMA			417			
	5775	155	155							
802.11be_EHT160	5250	50	50	OFDMA	FULL RU		4TX			
	5570	114	114	OFDIMA	FULL KU	MCS0				

Note:

The field strength of radiated emission was measured as the EUT positioned in different orthogonal planes (E1/E2/H) based on actual usage of the EUT to pre-scan the emissions for determining the worst case scenario.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Mode: Beamforming

CONDUCTED TEST									
MODE	FREQUENCY	AVAILABLE	TESTED	MODULATION	DATA RATE		ANTENNA		
WODE	BAND (MHz)	CHANNEL	CHANNEL	WODULATION	(Mbps)		PORT		
	5180~5240	36 to 48	36,44,48						
802.11n_HT20	5260~5320	52 to 64	52,60,64	OFDM	MCS0		4TX		
002.1111_1120	5500~5720	100 to 144	100,116,140,144	OFDIVI	MCS0		41A		
	5745~5825	149 to 165	149,157,165						
	5190~5230	38 to 46	38,46						
900 11a UT40	5270~5310	54 to 62	54,62		MCCO				
802.11n_HT40	5510~5710	102 to 142	102,110,134,142	OFDM	MCS0		4TX		
	5755~5795	151 to 159	151,159						
	5210	42	42						
	5290	58	58	05014	11000		473/		
802.11ac_VHT80	5530~5690	106 to 138	106,122,138	OFDM	MCS0		4TX		
-	5775	155	155						
	5250	50	50	05014	11000		47)/		
802.11ac_VHT160	5570	114	114	OFDM	MCS0		4TX		
CONDUCTED TEST									
MODE	FREQUENCY	AVAILABLE	TESTED		RU	DATA RATE	ANTENNA		
	BAND (MHz)	CHANNEL	CHANNEL	MODULATION	CONFIGURATION	(Mbps)	PORT		
	5180~5240	36 to 48	36,44,48						
802.11be_EHT20	5260~5320	52 to 64	52,60,64	OFDMA	FULL RU	MCS0	4TX		
	5500~5720	100 to 144	100,116,140,144						
	5745~5825	149 to 165	149,157,165						
	5190~5230	38 to 46	38,46						
	5270~5310	54 to 62	54,62	050144		MOOD			
802.11be_EHT40	5510~5710	102 to 142	102,110,134,142	OFDMA	FULL RU	MCS0	4TX		
	5755~5795	151 to 159	151,159						
	5210	42	42						
	5290	58	58	05014		11000			
802.11be_EHT80	5530~5690	106 to 138	106,122,138	OFDMA	FULL RU	MCS0	4TX		
	5775	155	155						
802.11be_EHT160	5250	50	50	OFDMA	FULL RU	MCS0	4TX		
002.1106_ETT100	5570	114	114		T OLE NO	WCOU	41A		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their fights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



TRANSMIT RADIATED EMISSION TEST (BELOW 1 GHz)									
MODE	FREQUENCY	AVAILABLE	TESTED	MODULATION	DATA RATE	ANTENNA			
WIODE	BAND (MHz)	CHANNEL	CHANNEL	WODULATION	(Mbps)	PORT			
	5180~5240	36 to 48	36,44,48						
802.11n_HT20	5260~5320	52 to 64	52,60,64	OFDM	MCS0	4TX			
002.1111_F1120	5500~5720	100 to 144	100,116,140,144	OFDIVI	MC30	417			
	5745~5825	149 to 165	149,157,165						
802.11be_EHT160	5250	50	50	OFDMA	MCS0	4TX			
002.11De_EH1100	5570	144	144	OFDIMA	WCSU	41			
TRANSMIT RADIATED EMISSION TEST (ABOVE 1 GHz)									
MODE	FREQUENCY	AVAILABLE	TESTED	MODULATION	DATA RATE	ANTENNA			
	BAND (MHz)	CHANNEL	CHANNEL	WODULATION	(Mbps)	PORT			
	5180~5240	36 to 48	36,44,48	- OFDM					
802.11n_HT20	5260~5320	52 to 64	52,60,64		MCS0	4TX			
002.1111_11120	5500~5720	100 to 144	100,116,140,144		WCCO				
	5745~5825	149 to 165	149,157,165						
	5190~5230	38 to 46	38,46						
802.11n_HT40	5270~5310	54 to 62	54,62	OFDM	MCS0	4TX			
002.1111_11140	5510~5710	102 to 142	102,110,134,142		MCSU	417			
	5755~5795	151 to 159	151,159						
	5210	42	42						
802.11ac VHT80	5290	58	58	OFDM	MCS0	4TX			
002.11dC_V11100	5530~5690	106 to 138	106,122,138	OFDM	WOOD	717			
	5775	155	155						
802.11ac_VHT160	5250	50	50	OFDM	MCS0	4TX			
002.11d0_0111100	5570	114	114						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their fights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



	TRANSMIT RADIATED EMISSION TEST (ABOVE 1 GHz)									
MODE	FREQUENCY	AVAILABLE	TESTED	MODULATION	RU	DATA RATE	ANTENNA			
MODE	BAND (MHz)	CHANNEL	CHANNEL	MODULATION	CONFIGURATION	(Mbps)	PORT			
	5180~5240	36 to 48	36,44,48							
802.11be_EHT20	5260~5320	52 to 64	52,60,64	OFDMA	FULL RU	MCS0	4TX			
002.1106_L11120	5500~5720	100 to 144	100,116,140,144	-	I OLL NO	WC30	417			
	5745~5825	149 to 165	149,157,165							
	5190~5230	38 to 46	38,46							
802.11be_EHT40	5270~5310	54 to 62	54,62	OFDMA	FULL RU	MCS0	4TX			
002.1106_011140	5510~5710	102 to 142	102,110,134,142		TOLLING	10000	417			
	5755~5795	151 to 159	151,159							
	5210	42	42		FULL RU	MCS0	4TX			
802.11be_EHT80	5290	58	58	OFDMA						
002.1100_E11100	5530~5690	106 to 138	106,122,138		TOLLING					
	5775	155	155							
902 11ba EUT160	5250	50	50	OFDMA			4TX			
802.11be_EHT160	5570	114	114		FULL RU	MCS0				

Note:

The field strength of radiated emission was measured as the EUT positioned in different orthogonal planes (E1/E2/H) based on actual usage of the EUT to pre-scan the emissions for determining the worst case scenario.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Mode: CDD

CONDUCTED TEST									
MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT			
	5180~5240	36 to 48	36,44,48						
802.11a	5260~5320	52 to 64	52,60,64	OFDM	6	4TX			
002.118	5500~5720	100 to 144	100,116,140,144	OFDIVI	0	41			
	5745~5825	149 to 165	149,157,165						
	5180~5240	36 to 48	36,44,48						
	5260~5320	52 to 64	52,60,64	OFDM	MCS0	4TX			
	5500~5720	100 to 144	100,116,140,144			417			
	5745~5825	149 to 165	149,157,165						
	5190~5230	38 to 46	38,46		MCS0	4TX			
802.11n_HT40	5270~5310	54 to 62	54,62	OFDM					
002.11II_H140	5510~5710	102 to 142	102,110,134,142	OFDIVI		417			
	5755~5795	151 to 159	151,159						
	5210	42	42						
802.11ac_VHT80	5290	58	58	OFDM	MCS0	4TX			
002.1180_011100	5530~5690	106 to 138	106,122,138		WCSU	417			
	5775	155	155						
802 11ac VHT160	5250	50	50	OFDM	MCS0	4TX			
02.11ac_VHT160	5570	114	114		INIC SU	41X			

	CONDUCTED TEST									
MODE	FREQUENCY BAND (MHz)	AVAILABLE	TESTED	MODULATION	RU CONFIGURATION	DATA RATE	ANTENNA			
	. ,	CHANNEL	CHANNEL		CONTIONATION	(Mbps)	PORT			
	5180~5240	36 to 48	36,44,48							
802.11be_EHT20	5260~5320	52 to 64	52,60,64	OFDMA	FULL RU	MCS0	4TX			
002.1156_L11120	5500~5720	100 to 144	100,116,140,144		FULL KU	MOOD	TIX			
	5745~5825	149 to 165	149,157,165							
	5190~5230	38 to 46	38,46	- OFDMA	FULL RU					
802.11be EHT40	5270~5310	54 to 62	54,62			MCS0	4TX			
002.11D6_L11140	5510~5710	102 to 142	102,110,134,142			Mooo	-17			
	5755~5795	151 to 159	151,159							
	5210	42	42							
802.11be EHT80	5290	58	58	OFDMA	FULL RU	MCS0	4TX			
002.11be_E11100	5530~5690	106 to 138	106,122,138		TOLL NO	MCGO				
	5775	155	155							
802.11be EHT160	5250	50	50	OFDMA	FULL RU	MCS0	4TX			
002.11be_L111100	5570	114	114		I OLL RO	WOOU				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their fights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

```
www.sgs.com.tw
```



TRANSMIT RADIATED EMISSION TEST (ABOVE 1 GHz)									
MODE	FREQUENCY	AVAILABLE	TESTED	MODULATION	DATA RATE		ANTENNA		
	BAND (MHz)	CHANNEL	CHANNEL	MODULATION	(Mbps)		PORT		
	5180~5240	36 to 48	36		6				
802.11a	5260~5320	52 to 64	64	OFDM			4TX		
002.118	5500~5720	100 to 144	100,140	OFDIM			41A		
	5745~5825	149 to 165	149,165						
902 11bo EUT160	5250	50	50	OFDMA	FULL RU	MCS0	4TX		
802.11be_EHT160	5570	114	114	OFDIVIA	FULL RU	WIC30	41A		

Note:

The field strength of radiated emission was measured as the EUT positioned in different orthogonal planes (E1/E2/H) based on actual usage of the EUT to pre-scan the emissions for determining the worst case scenario.

Mode: Beamforming

TRANSMIT RADIATED EMISSION TEST (ABOVE 1 GHz)								
MODE	FREQUENCY	AVAILABLE	TESTED	MODULATION	DATA RATE	ANTENNA		
	BAND (MHz)	CHANNEL	CHANNEL	MODULATION	(Mbps)	PORT		
802.11n_HT20	5745~5825	149 to 165	165	OFDM	MCS0	4TX		
802.11n_HT40	5510~5710	102 to 142	142	OFDM	MCS0	4TX		

TRANSMIT RADIATED EMISSION TEST (ABOVE 1 GHz)									
MODE	FREQUENCY	AVAILABLE	TESTED	MODULATION	RU	DATA RATE	ANTENNA		
	BAND (MHz)	CHANNEL	CHANNEL	MODULATION	CONFIGURATION	(Mbps)	PORT		
902 11ha EUT20	5180~5240	36 to 48	44	OFDMA	FULL RU	MCS0	4TX		
802.11be_EHT20	5260~5320	52 to 64	52	OFDIVIA	FULL RU	NIC SU	41A		

Note:

The field strength of radiated emission was measured as the EUT positioned in different orthogonal planes (E1/E2/H) based on actual usage of the EUT to pre-scan the emissions for determining the worst case scenario.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



MEASUREMENT UNCERTAINTY 5

Test Items	Uncertainty			
AC Power Line Conducted Emission	+/-	2.32	dB	
Output Power measurement	+/-	1	dB	
Emission Bandwidth	+/-	1.53	Hz	
Undesignable radiated emission measure- ment	+/-	1.68	dB	
Peak Power Density	+/-	2.16	dB	
Temperature	+/-	0.7	°C	
Humidity	+/-	3	%	
DC / AC Power Source	+/-	1	%	

Radiated Spurious Emission Measurement Uncertainty							
	+/-	2.8	dB	9kHz~30MHz			
Polarization: Vertical	+/-	4.82	dB	30MHz - 1000MHz			
Polarization: vertical	+/-	4.37	dB	1GHz - 18GHz			
	+/-	4.21	dB	18GHz - 40GHz			
	+/-	2.8	dB	9kHz~30MHz			
Polarization: Horizontal	+/-	4.54	dB	30MHz - 1000MHz			
Folarization: Horizontal	+/-	4.37	dB	1GHz - 18GHz			
	+/-	4.21	dB	18GHz - 40GHz			

Note:

- 1. This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.
- 2. The conformity assessment statement in this report is based solely on the test results, measurement uncertainty is excluded.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

```
www.sqs.com.tw
```



MEASUREMENT EQUIPMENT USED 6

6.1 Emission from AC power line

AC Power-Line Conducted Emission Test Site: Conduction C								
EQUIPMENT TYPE	YPE MFR MODEL NUMBER SERIAL NUMBER				CAL DUE.			
LISN	SCHWARZBECK Mess-Elektronik	NSLK8127	974	06/19/2023	06/18/2024			
EMI Test Receiver	R&S	ESCI	101342	04/24/2023	04/23/2024			
Coaxial Cable	EC Lab	RF-HY-CAB-250	RF-HY-CAB-250-01	03/27/2023	03/26/2024			
Pulse Limiter	EC Lab	VTSD 9561F-N	485	03/27/2023	03/26/2024			
Test Software	audix	e3	E3 20923 SGS Ver.9 (C)	N.C.R	N.C.R			

Spot Check

AC Power-Line Conducted Emission Test Site: Conduction C							
EQUIPMENT TYPE	MFR MODEL NUMBER SERIAL NUMBER LAST CAL. CAL DUE.						
LISN	SCHWARZBECK Mess-Elektronik	NSLK8127	974	06/19/2023	06/18/2024		
EMI Test Receiver	R&S	ESCI	101342	04/24/2023	04/23/2024		
Coaxial Cable	EC Lab	RF-HY-CAB-250	RF-HY-CAB-250-01	03/27/2023	03/26/2024		
Pulse Limiter	EC Lab	VTSD 9561F-N	485	03/27/2023	03/26/2024		
Test Software	audix	e3	E3 20923 SGS Ver.9 (C)	N.C.R	N.C.R		

6.2 **Condcuted Measurement**

Conducted Emission Test Site: Conducted F					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Spectrum Analyzer	KEYSIGHT	N9010B	MY59071574	06/29/2023	06/28/2024
Power Meter	Anritsu	ML2496A	1804001	03/16/2023	03/15/2024
Power Sensor	Anritsu	MA2411B	1726104	03/16/2023	03/15/2024
Power Sensor	Anritsu	MA2411B	1726107	03/16/2023	03/15/2024
Power Meter	Anritsu	ML2496A	1804002	04/26/2023	04/25/2024
Power Sensor	Anritsu	MA2411B	1726105	04/26/2023	04/25/2024
Power Sensor	Anritsu	MA2411B	1726106	04/26/2023	04/25/2024
Test Software	SGS Taiwan	Radio Test Software	Ver.21	N.C.R	N.C.R
Attenuator	Marvelous	MVE2213-10	RF06	11/16/2022	11/15/2023
Attenuator	Woken	WATT-218FS-10	RF16	11/16/2022	11/15/2023
Attenuator	Woken	WATT-218FS-10	RF22	11/16/2022	11/15/2023
Attenuator	Woken	WATT-218FS-10	RF23	11/16/2022	11/15/2023
DC Block	PASTERNACK	PE8210	RF153	11/16/2022	11/15/2023
Coaxial Cables	Woken	00100A1F2A196C	RF53	11/16/2022	11/15/2023

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their fights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488

www.sqs.com.tw



Spot Check

Conducted Emission Test Site: Conducted F					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Spectrum Analyzer	KEYSIGHT	N9010B	MY59071574	06/29/2023	06/28/2024
Power Meter	Anritsu	ML2496A	1804002	04/26/2023	04/25/2024
Power Sensor	Anritsu	MA2411B	1726105	04/26/2023	04/25/2024
Power Sensor	Anritsu	MA2411B	1726106	04/26/2023	04/25/2024
Power Meter	Anritsu	ML2496A	1326001	08/22/2023	08/21/2024
Power Sensor	Anritsu	MA2411B	1315048	08/22/2023	08/21/2024
Power Sensor	Anritsu	MA2411B	1315049	08/22/2023	08/21/2024
Test Software	SGS Taiwan	Radio Test Software	Ver.21	N.C.R	N.C.R
Attenuator	Marvelous	MVE2213-10	RF06	11/15/2023	11/14/2024
Attenuator	Marvelous	MVE2213-10	RF12	11/15/2023	11/14/2024
Attenuator	Woken	WATT-218FS-10	RF22	11/15/2023	11/14/2024
Attenuator	Woken	WATT-218FS-10	RF23	11/15/2023	11/14/2024
DC Block	PASTERNACK	PE8210	RF153	11/15/2023	11/14/2024

6.3 **Radiated Measurement**

Radiated Emission Test Site:					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Broadband Antenna	SCHWARZBECK	VULB 9168	1206	01/17/2023	01/16/2024
Horn Antenna	Schwarzbeck	BBHA9170	185	08/21/2023	08/20/2024
Horn Antenna	RF SPIN	DRH18-E	210105A18E	04/18/2023	04/17/2024
Loop Antenna	ETS.LINDGREN	6502	14303	05/23/2023	05/22/2024
3m Site NSA	SGS	966 chamber G	N/A	03/30/2023	03/29/2024
Spectrum Analyzer	KEYSIGHT	N9010A	MY51440113	07/17/2023	07/16/2024
Pre-Amplifier	EMC Instruments	EMC330N	980781	03/15/2023	03/14/2024
Pre-Amplifier	EMC Instruments	EMC118A45SE	980815	03/15/2023	03/14/2024
Coaxial Cable	EMC Instruments	EMCCFD400-NM- NM-8000-5000- 2000	210216 \ 210217 \ 210218	03/15/2023	03/14/2024
Coaxial Cable	EMC Instruments	EMC104-SM-SM- 8000-5000-5000	210219 \ 210220 \ 210221	03/15/2023	03/14/2024

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their fights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



Spot Check

Radiated Emission Test Site: SAC G						
EQUIPMENT TYPE MFR MODEL NUMBER SERIAL NUMBER LAST CAL. CAL D						
Horn Antenna	Schwarzbeck	BBHA9170	184	12/30/2022	12/29/2023	
Horn Antenna	RF SPIN	DRH18-E	210105A18E	04/18/2023	04/17/2024	
3m Site NSA	SGS	966 chamber G	N/A	03/30/2023	03/29/2024	
Spectrum Analyzer	KEYSIGHT	N9010A	MY51440113	07/17/2023	07/16/2024	
Pre-Amplifier	EMC Instruments	EMC118A45SE	980815	03/15/2023	03/14/2024	
Pre-Amplifier	EMC Instruments	EMC184945SEE	980938	11/15/2023	11/14/2024	
Coaxial Cable	EMC Instruments	EMC104-SM-SM- 8000-5000-5000	210219 \ 210220 \ 210221	03/15/2023	03/14/2024	

NOTE: N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their fights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



CONDUCTED EMISSION TEST 7

7.1 Standard Applicable

Frequency range within 150 kHz to 30 MHz shall not exceed the Limit table as below.


Frequency range	Limits (dBuV)			
MHz	Quasi-peak	Average		
0.15 to 0.50	66 to 56	56 to 46		
0.50 to 5	56	46		
5 to 30	60	50		
Note				

1. The lower limit shall apply at the transition frequencies

7.2 EUT Setup:

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI C63.10:2013.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
- 3. The LISN was connected with 120Vac/60Hz power source.

Test SET-UP 7.3



7.4 **Measurement Procedure**

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- Repeat above procedures until all phases of power being supplied by given UE are completed.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

^{2.} The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

Report No.: TERF2310002502E2 Page: 31 of 688



7.5 **Measurement Result**

Note: Refer to next page for measurement data and plots. Note2: The * reveals the worst-case results that closest to the limit.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their fights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

```
www.sqs.com.tw
```



AC POWER LINE CONDUCTED EMISSION TEST DATA



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

f (886-2) 2298-0488



Report Number Test Mode Power Probe	:TERF2308001923E2 :5G :120V60Hz :N	Test Site Test Date Temp./Humi. Engineer	:Conduction :2023-10-11 :22.5℃/54% :Temo Chen)	
80 Level (dBuV)				
70.0					
60.0					
50.0	5				
40.0	₽ 1				
30.0	May My Au		e and the destination of	m l	
20.0 10.0	" " "Wyrypolin	and the second	MAR AND COMMANY	and the second s	
0.15	0.5 1 Frequen	2 5 1cy (MHz)	10	20 30	
Freq.	Detector Spectrum	Factor A	ctual	Limit	Margin
MHz	Mode Reading Level PK/QP/AV dBµV	dB d	FS ΙΒμV	dBµV	dB
0.175	Average 21.30		1.95	54.73	-22.78
0.175	QP 39.70		0.35	64.73	-14.38
0.197	Average 18.90		9.55	53.74	-24.19
0.197	QP 36.80		7.45	63.74	-16.29
0.227	Peak 35.81		6.45	62.54	-16.09
0.256	Peak 31.75		2.39	61.56 56.00	-19.17
0.614 16.699	Peak 26.49 Peak 20.39		67.11 61.49	56.00 60.00	-18.89 -28.51
10.099	reak 20.39	11.11 3	1.49	00.00	-20.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sqs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sqs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sqs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their fights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Spot Check

Report Number	:TERF2310002502E2	Test Site	:Conduction C
Test Mode	:5G	Test Date	:2023-12-04
Power	:120/60Hz	Temp./Humi.	:22.6/70
Probe	:L1	Engineer	:Temo Chen



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

24.86

22.92

Peak

Peak

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

10.31

10.77

35.17

33.69

0.445

18.178

t (886-2) 2299-3279

```
f (886-2) 2298-0488
```

56.97

60.00

-21.81 -26.31



Report Number Test Mode Power Probe	:TERF2310002502E2 :5G :120/60Hz :N	Test Site Test Date Temp./Humi. Engineer	:Conduction :2023-12-04 :22.6/70 :Temo Cher		
80 Level (dBuV)				
70.0					
60.0					
50.0 M					
40.0	Мил. с			7	
30.0	" Mylongoloffor "higher work"	his and had been all for an	Anton and some shapp	$\left \frac{1}{2} \right $	
20.0				W	
10.0					
0.15	0.5 1 2	2 5	10	20 30	
	Freque	ncy (MHz)			
Freq.	Detector Spectrum Mode Reading Level	Factor A	Actual FS	Limit	Margin
MHz	PK/QP/AV dBµV	dB c	dBμV	dBµV	dB
0.170	Average 19.90		30.19	54.94	-24.76
0.170	QP 34.20		14.49	64.94	-20.46
0.199	Peak 37.26		47.54	63.67	-16.13
0.220	Peak 35.85		46.13	62.83	-16.70
0.231	Peak 33.02		43.30	62.40	-19.10
0.594 17.571	Peak 25.33 Peak 24.20		35.64 34.96	56.00 60.00	-20.36 -25.04
17.571		10.70	JT.JU	00.00	-20.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their fights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

```
www.sgs.com.tw
```




EMISSION BANDWIDTH MEASUREMENT 8

8.1 Standard Applicable

There is no limit bandwidth for U-NII-1, U-NII-2-A and U-NII-2-C. The minimum of 6dB Bandwidth measurement is 0.5 MHz for U-NII-3.

8.2 Test Setup



8.3 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the Antenna port to the spectrum analyzer.
 - 3.a. 26dB Band width Measurement: Set the spectrum analyzer as 1% of emission BW Sweep=auto,
 - Detector = Peak,

Trace Mode = Max Hold.

Manually readjust RBW until the RBW/EBW ratio is 1% based on EBW as observed on the result of pre-sequence measurement.

- 3.b. Mark the peak frequency and –26dB (upper and lower) frequency.
- 4. Repeat the procedures as list above until all test default channels (low, middle, and high) are completed.
- 5. Minimum Emission Bandwidth for the band 5.725-5.850GHz. a. Set the spectrum analyzer as RBW = 100 kHz, VBW = 3*RBWSpan = large enough to capture all products of the modulation process, Detector=Peak. Sweep=auto b. Mark the peak frequency and -6dB (upper and lower) frequency.
- 6. Repeat above procedures until all frequency of interest measured was complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



8.4 **Measurement Result**

8.4.1 FCC Occupied Bandwidth

Mode: CDD

802.11a_Ch0

Freq. (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5180	20.97	13.220
5220	18.37	12.640
5240	18.49	12.670
5260	18.41	12.650
5300	20.11	13.030
5320	18.14	12.590
5500	21.57	13.340
5580	18.26	12.620
5700	19.33	12.860
5720(U-NII 2C)	14.56	11.630
5720(U-NII 3)	4.56	6.590

802.11a_Ch0

Freq. (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5745	15.29	11.840
5785	16.42	12.150
5825	15.70	11.960

802.11a_Ch0

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5240	5248.123199	< 5250
5745	5736.766176	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their fights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



802.11a_Ch1

Freq. (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5180	21.23	13.270
5220	18.18	12.600
5240	18.34	12.630
5260	18.32	12.630
5300	18.20	12.600
5320	18.95	12.780
5500	19.73	12.950
5580	20.42	13.100
5700	18.25	12.610
5720(U-NII 2C)	19.86	12.980
5720(U-NII 3)	9.86	9.940

802.11a_Ch1

Freq. (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5745	16.34	12.130
5785	16.38	12.140
5825	16.33	12.130

802.11a_Ch1

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5240	5248.135845	< 5250
5745	5736.659702	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



802.11a_Ch2

Freq. (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5180	19.66	12.940
5220	18.53	12.680
5240	18.14	12.590
5260	18.24	12.610
5300	22.00	13.420
5320	19.66	12.940
5500	18.47	12.660
5580	18.31	12.630
5700	21.36	13.300
5720(U-NII 2C)	16.48	12.170
5720(U-NII 3)	6.48	8.120

802.11a_Ch2

Freq. (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5745	16.30	12.120
5785	16.37	12.140
5825	15.63	11.940

802.11a_Ch2

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5240	5248.124470	< 5250
5745	5736.363215	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



802.11a_Ch3

Freq. (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5180	21.83	13.390
5220	18.20	12.600
5240	18.26	12.620
5260	18.11	12.580
5300	18.41	12.650
5320	18.39	12.650
5500	18.20	12.600
5580	18.22	12.610
5700	20.01	13.010
5720(U-NII 2C)	14.90	11.730
5720(U-NII 3)	4.90	6.900

802.11a_Ch3

Freq. (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5745	15.92	12.020
5785	16.36	12.140
5825	15.51	11.910

802.11a_Ch3

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5240	5248.116342	< 5250
5745	5736.735301	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their fights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



Freq. (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5180	19.58	12.920
5220	18.93	12.770
5240	18.96	12.780
5260	18.91	12.770
5300	20.56	13.130
5320	21.01	13.220
5500	21.64	13.350
5580	18.83	12.750
5700	19.11	12.810
5720(U-NII 2C)	16.48	12.170
5720(U-NII 3)	6.48	8.120

802.11n_HT20_Ch0

Freq. (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5745	16.91	12.280
5785	17.63	12.460
5825	17.62	12.460

802.11n_HT20_Ch0

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5240	5248.706573	< 5250
5745	5736.169240	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their fights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Freq. (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5180	18.87	12.760
5220	18.82	12.750
5240	18.91	12.770
5260	18.87	12.760
5300	18.83	12.750
5320	18.81	12.740
5500	20.33	13.080
5580	19.03	12.790
5700	18.90	12.760
5720(U-NII 2C)	19.93	13.000
5720(U-NII 3)	9.93	9.970

802.11n_HT20_Ch1

Freq. (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5745	17.57	12.450
5785	17.63	12.460
5825	17.58	12.450

802.11n_HT20_Ch1

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5240	5248.714156	< 5250
5745	5735.977337	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



Freq. (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5180	18.90	12.760
5220	18.98	12.780
5240	18.83	12.750
5260	18.88	12.760
5300	20.14	13.040
5320	19.06	12.800
5500	18.97	12.780
5580	18.94	12.770
5700	21.22	13.270
5720(U-NII 2C)	18.27	12.620
5720(U-NII 3)	8.27	9.170

802.11n_HT20_Ch2

Freq. (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5745	17.18	12.350
5785	17.68	12.470
5825	17.63	12.460

802.11n_HT20_Ch2

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5240	5248.718049	< 5250
5745	5736.095331	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their fights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Freq. (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5180	19.13	12.820
5220	18.88	12.760
5240	18.90	12.760
5260	18.83	12.750
5300	20.64	13.150
5320	19.26	12.850
5500	18.96	12.780
5580	18.97	12.780
5700	22.58	13.540
5720(U-NII 2C)	14.48	11.610
5720(U-NII 3)	4.48	6.510

802.11n_HT20_Ch3

Freq. (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5745	17.19	12.350
5785	17.61	12.460
5825	17.61	12.460

802.11n_HT20_Ch3

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5240	5248.700817	< 5250
5745	5736.185905	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their fights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Freq. (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5190	38.30	15.830
5230	38.24	15.830
5270	38.47	15.850
5310	38.20	15.820
5510	41.81	16.210
5550	38.17	15.820
5670	38.29	15.830
5710(U-NII 2C)	34.83	15.420
5710(U-NII 3)	4.83	6.840

802.11n_HT40_Ch0

Freq. (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5755	35.11	15.450
5795	36.33	15.600

802.11n_HT40_Ch0

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5230	5247.850882	< 5250
5755	5736.987902	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their fights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

Member of SGS Group



Freq. (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5190	37.99	15.800
5230	37.99	15.800
5270	38.07	15.810
5310	37.91	15.790
5510	38.16	15.820
5550	44.13	16.450
5670	41.94	16.230
5710(U-NII 2C)	43.73	16.410
5710(U-NII 3)	13.73	11.380

802.11n_HT40_Ch1

Freq. (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5755	34.46	15.370
5795	36.40	15.610

802.11n_HT40_Ch1

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5230	5247.882401	< 5250
5755	5736.935738	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their fights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No.: TERF2310002502E2 Page: 47 of 688



802.11n_HT40_Ch2

Freq. (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5190	38.29	15.830
5230	37.89	15.790
5270	37.94	15.790
5310	38.19	15.820
5510	38.25	15.830
5550	38.07	15.810
5670	39.07	15.920
5710(U-NII 2C)	34.19	15.340
5710(U-NII 3)	4.19	6.220

802.11n_HT40_Ch2

Freq. (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5755	33.85	15.300
5795	36.00	15.560

802.11n_HT40_Ch2

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5230	5247.874075	< 5250
5755	5737.051710	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Freq. (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5190	38.08	15.810
5230	38.02	15.800
5270	38.04	15.800
5310	38.20	15.820
5510	38.61	15.870
5550	37.97	15.790
5670	38.33	15.840
5710(U-NII 2C)	34.06	15.320
5710(U-NII 3)	4.06	6.080

802.11n_HT40_Ch3

Freq. (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5755	34.67	15.400
5795	36.38	15.610

802.11n_HT40_Ch3

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5230	5247.864961	< 5250
5755	5737.113175	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No.: TERF2310002502E2 Page: 49 of 688



802.11ac_VHT80_Ch0

Freq. (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5210	85.55	19.320
5290	93.00	19.680
5530	93.53	19.710
5610	78.68	18.960
5690(U-NII 2C)	74.46	18.720
5690(U-NII 3)	4.46	6.490

802.11ac_VHT80_Ch0

Freq. (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5775	75.13	18.760

802.11ac_VHT80_Ch0

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5210	5247.695451	< 5250
5775	5737.376791	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

```
www.sgs.com.tw
```



802.11ac_VHT80_Ch1

Freq. (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5210	86.77	19.380
5290	93.75	19.720
5530	94.23	19.740
5610	78.57	18.950
5690(U-NII 2C)	74.26	18.710
5690(U-NII 3)	4.26	6.290

802.11ac_VHT80_Ch1

Freq. (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5775	75.18	18.760

802.11ac_VHT80_Ch1

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5210	5247.608433	< 5250
5775	5737.252745	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No.: TERF2310002502E2 Page: 51 of 688



802.11ac_VHT80_Ch2

Freq. (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5210	80.68	19.070
5290	94.24	19.740
5530	84.31	19.260
5610	78.68	18.960
5690(U-NII 2C)	74.27	18.710
5690(U-NII 3)	4.27	6.310

802.11ac_VHT80_Ch2

Freq. (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5775	70.03	18.450

802.11ac_VHT80_Ch2

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5210	5247.682539	< 5250
5775	5737.318081	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責、同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



802.11ac_VHT80_Ch3

Freq. (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5210	87.50	19.420
5290	94.23	19.740
5530	84.93	19.290
5610	78.59	18.950
5690(U-NII 2C)	74.35	18.710
5690(U-NII 3)	4.35	6.390

802.11ac_VHT80_Ch3

Freq. (MHz)	6dB BW (MHz)	10 Log (B) (dB)
5775	73.87	18.680

802.11ac_VHT80_Ch3

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5210	5247.828747	< 5250
5775	5737.301461	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責、同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No.: TERF2310002502E2 Page: 53 of 688



802.11ac_VHT160_Ch0

Freq. (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5250	165.30	22.180
5570	165.30	22.180

802.11ac_VHT160_Ch1

Freq. (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5250	164.70	22.170
5570	164.00	22.150

802.11ac_VHT160_Ch2

Freq. (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5250	164.60	22.160
5570	168.50	22.270

802.11ac_VHT160_Ch3

Freq. (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5250	164.50	22.160
5570	166.50	22.210

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Freq. (MHz)	RU config	26dB BW (MHz)	10 Log (B) (dB)
5180	full	19.73	12.950
5220	full	19.73	12.950
5240	full	19.72	12.950
5260	full	19.82	12.970
5300	full	19.74	12.950
5320	full	19.86	12.980
5500	full	19.74	12.950
5580	full	19.75	12.960
5700	full	19.80	12.970
5720 (U-NII 2C)	full	15.68	11.950
5720 (U-NII 3)	full	5.68	7.540

802.11be_EHT20_Ch0

Freq. (MHz)	RU config	6dB BW (MHz)	10 Log (B) (dB)
5745	full	18.07	12.570
5785	full	18.57	12.690
5825	full	18.78	12.740

802.11be_EHT20_Ch0

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5240	5249.347672	< 5250
5745	5735.490886	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Freq. (MHz)	RU config	26dB BW (MHz)	10 Log (B) (dB)
5180	full	19.63	12.930
5220	full	19.76	12.960
5240	full	19.80	12.970
5260	full	19.86	12.980
5300	full	19.88	12.980
5320	full	19.80	12.970
5500	full	20.17	13.050
5580	full	19.70	12.940
5700	full	19.71	12.950
5720 (U-NII 2C)	full	18.84	12.750
5720 (U-NII 3)	full	8.84	9.460

802.11be_EHT20_Ch1

Freq. (MHz)	RU config	6dB BW (MHz)	10 Log (B) (dB)
5745	full	16.18	12.090
5785	full	16.69	12.220
5825	full	19.08	12.810

802.11be_EHT20_Ch1

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5240	5249.378057	< 5250
5745	5735.316649	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Freq. (MHz)	RU config	26dB BW (MHz)	10 Log (B) (dB)
5180	full	19.80	12.970
5220	full	19.76	12.960
5240	full	19.78	12.960
5260	full	19.75	12.960
5300	full	19.83	12.970
5320	full	19.84	12.980
5500	full	19.75	12.960
5580	full	19.80	12.970
5700	full	19.75	12.960
5720 (U-NII 2C)	full	15.82	11.990
5720 (U-NII 3)	full	5.82	7.650

802.11be_EHT20_Ch2

Freq. (MHz)	RU config	6dB BW (MHz)	10 Log (B) (dB)
5745	full	16.83	12.260
5785	full	17.88	12.520
5825	full	19.05	12.800

802.11be_EHT20_Ch2

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5240	5249.363032	< 5250
5745	5735.477853	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Freq. (MHz)	RU config	26dB BW (MHz)	10 Log (B) (dB)
5180	full	19.77	12.960
5220	full	19.76	12.960
5240	full	19.72	12.950
5260	full	19.70	12.940
5300	full	20.00	13.010
5320	full	19.83	12.970
5500	full	19.97	13.000
5580	full	19.73	12.950
5700	full	19.75	12.960
5720 (U-NII 2C)	full	14.86	11.720
5720 (U-NII 3)	full	4.86	6.870

802.11be_EHT20_Ch3

Freq. (MHz)	RU config	6dB BW (MHz)	10 Log (B) (dB)
5745	full	17.53	12.440
5785	full	18.15	12.590
5825	full	17.83	12.510

802.11be_EHT20_Ch3

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5240	5249.359259	< 5250
5745	5735.530775	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Freq. (MHz)	RU config	26dB BW (MHz)	10 Log (B) (dB)
5190	full	42.70	16.300
5230	full	39.50	15.970
5270	full	39.24	15.940
5310	full	42.61	16.300
5510	full	43.84	16.420
5550	full	39.33	15.950
5670	full	39.31	15.950
5710 (U-NII 2C)	full	36.97	15.680
5710 (U-NII 3)	full	6.97	8.430

802.11be_EHT40_Ch0

Freq. (MHz)	RU config	6dB BW (MHz)	10 Log (B) (dB)
5755	full	34.01	15.320
5795	full	38.07	15.810

802.11be_EHT40_Ch0

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5230	5248.786088	< 5250
5755	5736.151462	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their fights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Freq. (MHz)	RU config	26dB BW (MHz)	10 Log (B) (dB)
5190	full	40.43	16.070
5230	full	39.22	15.940
5270	full	39.14	15.930
5310	full	44.67	16.500
5510	full	39.19	15.930
5550	full	39.27	15.940
5670	full	42.81	16.320
5710 (U-NII 2C)	full	39.63	15.980
5710 (U-NII 3)	full	9.63	9.840

802.11be_EHT40_Ch1

Freq. (MHz)	RU config	6dB BW (MHz)	10 Log (B) (dB)
5755	full	35.32	15.480
5795	full	37.94	15.790

802.11be_EHT40_Ch1

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5230	5248.702261	< 5250
5755	5736.172355	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their fights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No.: TERF2310002502E2 Page: 60 of 688



802.11be_EHT40_Ch2

Freq. (MHz)	RU config	26dB BW (MHz)	10 Log (B) (dB)
5190	full	40.75	16.100
5230	full	39.26	15.940
5270	full	39.34	15.950
5310	full	42.96	16.330
5510	full	40.74	16.100
5550	full	39.30	15.940
5670	full	40.67	16.090
5710 (U-NII 2C)	full	35.88	15.550
5710 (U-NII 3)	full	5.88	7.690

802.11be_EHT40_Ch2

Freq. (MHz)	RU config	6dB BW (MHz)	10 Log (B) (dB)
5755	full	35.83	15.540
5795	full	37.92	15.790

802.11be_EHT40_Ch2

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5230	5248.748914	< 5250
5755	5736.200654	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their fights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

Report No.: TERF2310002502E2 Page: 61 of 688



802.11be_EHT40_Ch3

Freq. (MHz)	RU config	26dB BW (MHz)	10 Log (B) (dB)
5190	full	41.34	16.160
5230	full	39.29	15.940
5270	full	39.14	15.930
5310	full	41.51	16.180
5510	full	39.93	16.010
5550	full	39.22	15.940
5670	full	39.22	15.940
5710 (U-NII 2C)	full	34.65	15.400
5710 (U-NII 3)	full	4.65	6.670

802.11be_EHT40_Ch3

Freq. (MHz)	RU config	6dB BW (MHz)	10 Log (B) (dB)
5755	full	35.05	15.450
5795	full	37.94	15.790

802.11be_EHT40_Ch3

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5230	5248.727527	< 5250
5755	5736.212345	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Freq. (MHz)	RU config	26dB BW (MHz)	10 Log (B) (dB)	
5210	full	79.71	19.020	
5290	full	80.80	19.070	
5530	full	91.99	19.640	
5610	full	79.54	19.010	
5690 (U-NII 2C)	full	74.85	18.740	
5690 (U-NII 3)	full	4.85	6.860	
802.11be_EHT80_Ch0				

Freq. (MHz)	RU config	6dB BW (MHz)	10 Log (B) (dB)
5775	full	75.18	18.760

802.11be_EHT80_Ch0

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5210	5248.473866	< 5250
5775	5736.606423	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their fights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No.: TERF2310002502E2 Page: 63 of 688



802.11be_EHT80_Ch1

Freq. (MHz)	RU config	26dB BW (MHz)	10 Log (B) (dB)	
5210	full	80.46	19.060	
5290	full	81.67	19.120	
5530	full	87.38	19.410	
5610	full	79.56	19.010	
5690 (U-NII 2C)	full	77.72	18.910	
5690 (U-NII 3)	full	7.72	8.870	
802.11be_EHT80_Ch1				

Freq. (MHz)	RU config	6dB BW (MHz)	10 Log (B) (dB)
5775	full	74.48	18.720

802.11be_EHT80_Ch1

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5210	5248.446145	< 5250
5775	5736.405766	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their fights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No.: TERF2310002502E2 Page: 64 of 688



802.11be_EHT80_Ch2

Freq. (MHz)	RU config	26dB BW (MHz)	10 Log (B) (dB)	
5210	full	80.50	19.060	
5290	full	80.76	19.070	
5530	full	80.81	19.070	
5610	full	79.64	19.010	
5690 (U-NII 2C)	full	74.92	18.750	
5690 (U-NII 3)	full	4.92	6.920	
802.11be EHT80 Ch2				

Freq. (MHz)	RU config	6dB BW (MHz)	10 Log (B) (dB)
5775	full	70.06	18.450

802.11be_EHT80_Ch2

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5210	5248.506511	< 5250
5775	5736.521944	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their fights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No.: TERF2310002502E2 Page: 65 of 688



802.11be_EHT80_Ch3

Freq. (MHz)	RU config	26dB BW (MHz)	10 Log (B) (dB)		
5210	full	80.96	19.080		
5290	full	80.01	19.030		
5530	full	85.32	19.310		
5610	full	80.13	19.040		
5690 (U-NII 2C)	full	74.86	18.740		
5690 (U-NII 3)	full	4.86	6.870		
802.11be EHT80 Ch3					

Freq. (MHz)	RU config	6dB BW (MHz)	10 Log (B) (dB)
5775	full	75.11	18.760

802.11be_EHT80_Ch3

Freq. (MHz)	Measured Freq. (MHz)	Limit (MHz)
5210	5248.507899	< 5250
5775	5736.528816	> 5725

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their fights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No.: TERF2310002502E2 Page: 66 of 688



802.11be_EHT160_Ch0

Freq. (MHz)	RU config	26dB BW (MHz)	10 Log (B) (dB)				
5250	full	163.30	22.130				
5570	full	162.51	22.110				
802.11be_EHT160_Ch1							
Freq. (MHz)	RU config	26dB BW (MHz)	10 Log (B) (dB)				

5250 166.41 22.210 full 5570 full 164.46 22.160

802.11be_EHT160_Ch2

Freq. (MHz)	RU config	26dB BW (MHz)	10 Log (B) (dB)
5250	full	162.28	22.100
5570	full	163.33	22.130

802.11be_EHT160_Ch3


Freq. (MHz)	RU config	RU config BW (MHz)	
5250	full	163.55	22.140
5570	full	163.45	22.130


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No.: TERF2310002502E2 Page: 67 of 688






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488

Report No.: TERF2310002502E2 Page: 68 of 688





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488


www.sqs.com.tw


Member of SGS Group

Report No.: TERF2310002502E2 Page: 69 of 688



802.11a 20MHz Chain0 5825MHz





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.


```
www.sqs.com.tw
```

Report No.: TERF2310002502E2 Page: 70 of 688



802.11a 20MHz Chain1 5320MHz






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488

Report No.: TERF2310002502E2 Page: 71 of 688





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488


www.sqs.com.tw


Member of SGS Group

Report No.: TERF2310002502E2 Page: 72 of 688



802.11a 20MHz Chain2 5300MHz





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

Report No.: TERF2310002502E2 Page: 73 of 688



802.11a 20MHz Chain2 5745MHz






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488

Report No.: TERF2310002502E2 Page: 74 of 688





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488

www.sqs.com.tw

Member of SGS Group

Report No.: TERF2310002502E2 Page: 75 of 688



802.11a_20MHz_Chain3_5745MHz

Frequency v

Settings

Ö

5 72000000 GH

30 000 MH

CF Step 3.000000 MHz

Auto Man

Freq Offse 0 Hz

Span 30 MHz eep 1.00 ms (1001 pts)

24.2 dBm

99.00 % -26.00 dB

.# 💽 🗄 🗙



802.11a_20MHz_Chain3_5785MHz

Spectrum Occupied	n Analyzer 1 🕴 🕇	F				¢	Frequency	
1	GHT Input: RF Coupling: DC Align: Off	Input Z: 50 Ω Corrections: Off Freq Ref: Int (S)	Atten: 30 dB	Trig: Free Run Gate: Off #IF Gain: Low	Center Freq: 5.785000000 GHz Avg Hold:>10/10 Radio Std: None		ter Frequency 85000000 GHz	Settings
Graph	v 10.0 dB		ef Lvi Offset 12 ef Value 30.00 c			Spa 30.	n 000 MHz	
cale/DI .og 20.0	IV 10.0 dB			IBM			DOODO MHZ	
0.00	and maker on a low of the	and and a second se	same ha	an arabitan an an an Ard	Mulliman		Auto Man	
20.0 +++ 30.0	and the second					0 H	l Offset z	
-50.0								
	5.78500 GHz V 100.00 kHz	*	Video BW 300.0	10 kHz	Span 30 Sweep 2.93 ms (1001			
2 Metrics	•							
	Occupied Bandwidth 16.517	MHz		Total Power	28.4 dBm			
	Transmit Freq Error	13.759 kH	-	% of OBW Pow				
	x dB Bandwidth	16.36 MH		x dB	-6.00 dB			
4	า ศ ∎ ?	Nov 06, 2023 9:12:29 AM	DΔ			<		

802.11a 20MHz Chain3 5825MHz Spectrum Analyzer 1 Occupied BW Frequency • · + Ö Trig: Free Run Gate: Off KEYSIGHT Input: RF rt 7:50 0 Atten: 20 dB Center Fren: 5 82500 Corrections: Off Freq Ref: Int (S) Center Frequency 5.825000000 GHz Settings + " n: Low Span 30.000 MHz 1 Graph Ref Lvi Offset 12.40 di Ref Value 20.00 dBm Scale/Div 10.0 dB CF Step 3.000000 MHz Auto Man Freq Offse 0 Hz Center 5.82500 GHz #Res BW 100.00 kHz #Video BW 300.00 kHz Span 30 MHz veep 2.93 ms (1001 pts) Occupied Bandwidth 16.600 MHz Total Power 28.9 dBm % of OBW Power x dB Transmit Freq Error x dB Bandwidth -21.295 kHz 15.51 MHz 99.00 % -6.00 dB 📢 🎦 🌈 🔳 ? Nov 06, 2023 🗩 .# 💽 🗄 🗙 802.11n_20MHz_Chain0_5180MHz Spectrum Analyzer 1 Occupied BW + Ö Frequency T Center Freq: 5.180000000 GHz Avg[Hold: 10/10 Radio Std: None KEYSIGHT Input RF Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) Atten: 30 dB Trig: Free Run Gate: Off #IF Gain: Low ttings 5.18000000 GHz Align: Auto Ļя 1 Grapi Ref Lvi Offset 12.40 dB 30.000 MHz Scale/Div 10.0 dB CF Step 3.000000 MHz og n n Auto Man Freq Offset 0 Hz Center 5.18000 GHz #Res BW 220.00 kHz Video BW 680.00 kHz Span 30 MHz Sweep 1.00 ms (1001 pts) 2 Metrics Occupied Bandwidth 17.533 MHz Total Power 19.7 dBm % of OBW Power x dB Transmit Freq Error x dB Bandwidth 33.943 kHz 19.58 MHz 99.00 % -26.00 dB 4 1 C I R Aug 14, 2023 HX .# 📎 802.11n 20MHz Chain0 5220MHz Spectrum Analyzer 1 Occupied BW Ö Frequency T · + KEYSIGHT Input: RF Trig: Free Run Gate: Off #IF Gain: Low Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) en: 30 dB Center Freq: 5.2200 Avg[Hold: 10/10 Radio Std: None Frequency Settings Center 5.220 -Align: Auto L)0 . 30.000 MHz Ref Lvi Offset 12.40 dB Ref Value 30.00 dBm Scale/Div 10.0 dl CF Step 3.000000 MHz Auto Man Freq Offse 0 Hz Center 5.22000 GHz #Res BW 220.00 kHz #Video BW 680.00 kHz Span 30 MHz Sweep 1.00 ms (1001 pts) Metrics Occupied Bandwidth 17.486 MHz Total Power 20.2 dBm Transmit Freq Error x dB Bandwidth -18.238 kHz 18.93 MHz % of OBW Power x dB 99.00 % -26.00 dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

4 (1) (2) 🖬 ? Aug 14, 2023 🗩

t (886-2) 2299-3279 台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.sqs.com.tw

Member of SGS Group

.# 🖹 🗄 🗶