



ASKEY COMPUTER CORP.
Ant Part No.: 22-000134
Antenna Type: Printed Antenna
Antenna Gain: -1.31 dBi

Antenna report


2009/1/19




Return loss



SWR





Channel	2400	2450	2500
Ant. Port Input Pwr. (dBm)	0	0	0
Tot. Rad. Pwr. (dBm)	-6.67	-4.7	-9.88
Peak EIRP (dBm)	-3.3	-1.31	-1.66
Directivity (dBi)	3.37	3.39	8.22
Efficiency (dB)	-6.67	-4.7	-9.88
Efficiency (%)	21.52	33.87	10.27
Gain (dBi)	-3.3	-1.31	-1.66
Boresight Phi (°)	60	300	360
Boresight Th. (°)	120	90	120
Maximum Power (dBm)	-3.3	-1.31	-1.66
Minimum Power (dBm)	-27.33	-18.2	-33.51
Average Power (dBm)	-7.17	-5.24	-11.36
Max/Min Ratio (dB)	24.03	16.89	31.85
Max/Avg Ratio (dB)	3.37	3.39	8.22
Min/Avg Ratio (dB)	-20.66	-13.5	-23.62
Average Gain (dB)	-6.67	-4.7	-9.88
Upper Hem. PRP (dBm)	-9.35	-7.01	-15.83
Lower Hem. PRP (dBm)	-10.09	-8.93	-12.07
Efficiency (%)	21.52	33.87	10.27