


802.11ax HE40

CH179 (Horizontal) Peak

CH179 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5635.06	61.33	70.69	-9.36	88.20	-26.87	188	90	Peak	Horizontal	
2	6845.00	107.82	116.22	-8.40	88.20	19.62	188	90	Peak	Horizontal	
3	7168.73	61.26	69.80	-8.54	88.20	-26.94	188	90	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5774.68	61.31	70.38	-9.07	88.20	-26.89	207	32	Peak	Vertical	
2	6845.00	108.13	116.53	-8.40	88.20	19.93	207	32	Peak	Vertical	
3	7180.19	60.76	69.29	-8.53	88.20	-27.44	207	32	Peak	Vertical	


802.11ax HE40

CH179 (Horizontal) RMS

CH179 (Vertical) RMS




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
5779.69	6845.00	7150.12
48.95	99.33	49.18
58.01	107.73	57.73
-9.06	-8.40	-8.55
68.20	68.20	68.20
-19.25	31.13	-19.02
188	188	188
90 RMS	90 RMS	90 RMS
Horizontal	Horizontal	Horizontal




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
5790.43	6845.00	7198.81
48.59	98.79	49.15
57.62	107.19	57.67
-9.03	-8.40	-8.52
68.20	68.20	68.20
-19.61	30.59	-19.05
207	207	207
32 RMS	32 RMS	32 RMS
Vertical	Vertical	Vertical

802.11ax HE40
CH187 (Horizontal) Peak
CH187 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note	
1	5822.36	69.88	69.91	-9.03	88.20	-27.32	189	119 Peak	Horizontal
2 *	6885.00	107.10	115.61	-8.51	88.20	18.90	189	119 Peak	Horizontal
3	7175.54	69.87	69.40	-8.53	88.20	-27.33	189	119 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note	
1	5695.57	61.70	71.19	-9.49	88.20	-26.50	219	36 Peak	Vertical
2 *	6885.00	108.53	117.04	-8.51	88.20	29.33	219 <td>36 Peak <th>Vertical</th> </td>	36 Peak <th>Vertical</th>	Vertical
3	7227.80	69.98	69.49	-8.51	88.20	-27.22	219 <td>36 Peak <th>Vertical</th> </td>	36 Peak <th>Vertical</th>	Vertical


802.11ax HE40

CH187 (Horizontal) RMS

CH187 (Vertical) RMS




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note				
Level	Line	Limit	cm	deg							
Factor	dB/m	dB									
dB/m	dB/m	dB									
1	5779.74	48.81	57.99	-9.09	68.20	-19.39	189	119	RMS	Horizontal	
2	6885.08	97.97	106.48	-8.51	68.20	29.77	189	119	RMS	Horizontal	*
3	7173.75	49.18	57.71	-8.53	68.20	-19.02	189	119	RMS	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note				
Level	Line	Limit	cm	deg							
Factor	dB/m	dB									
dB/m	dB/m	dB									
1	5774.68	48.83	57.99	-9.07	68.20	-19.37	219	36	RMS	Vertical	
2	6885.08	98.56	107.07	-8.51	68.20	39.36	219	36	RMS	Vertical	*
3	7194.87	49.21	57.73	-8.52	68.20	-18.99	219	36	RMS	Vertical	


802.11ax HE80

CH135 (Horizontal) Peak

CH135 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
5798.79	6625.00	7136.16
61.28	107.04	61.94
70.31	115.35	70.50
-9.03	-8.31	-8.56
88.20	88.20	88.20
-26.92	18.84	-26.26
185	185	185
298	298	298
Peak	Peak	Peak
Horizontal	Horizontal	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
5669.84	6625.00	7147.25
61.22	108.83	60.99
70.53	117.14	69.54
-9.31	-8.31	-8.55
88.20	88.20	88.20
-26.98	20.63	-27.21
298	298	298
22 Peak	22 Peak	22 Peak
Vertical	Vertical	Vertical


802.11ax HE80

CH135 (Horizontal) RMS

CH135 (Vertical) RMS




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5885.38	49.15	58.21	-9.06	68.20	-19.05	185	298 RMS	Horizontal
2	6625.08	97.79	108.10	-8.31	68.20	29.59	185	298 RMS	Horizontal
3	7191.29	49.61	58.13	-8.52	68.20	-18.59	185	298 RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5859.22	49.03	58.11	-9.08	68.20	-19.17	298	22 RMS	Vertical
2	6625.08	99.79	108.10	-8.31	68.20	31.59	298	22 RMS	Vertical
3	7200.60	49.58	58.10	-8.52	68.20	-18.62	298	22 RMS	Vertical


802.11ax HE80

CH151 (Horizontal) Peak

CH151 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
Read	Level	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note																																																																																									
Level	Factor	Line	Limit	Limit	cm	deg																																																																																													
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg																																																																																												
5818.36	61.28	70.31	-9.03	88.20	-26.92	100	246	Peak	Horizontal																																																																																										
6705.00	108.20	116.52	-8.32	88.20	29.00	100	246	Peak	Horizontal																																																																																										
7127.92	61.47	70.03	-8.56	88.20	-26.73	100	246	Peak	Horizontal																																																																																										



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
Read	Level	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note																																																																																									
Level	Factor	Line	Limit	Limit	cm	deg																																																																																													
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg																																																																																												
5859.94	61.98	71.06	-9.08	88.20	-26.22	297	21	Peak	Vertical																																																																																										
6705.00	108.31	116.63	-8.32	88.20	29.11	297	21	Peak	Vertical																																																																																										
7180.55	62.30	70.83	-8.53	88.20	-25.90	297	21	Peak	Vertical																																																																																										


802.11ax HE80

CH151 (Horizontal) RMS

CH151 (Vertical) RMS




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
5781.84	6795.08	7198.81
49.26	98.07	49.81
58.32	106.39	58.33
-9.06	-8.32	-8.52
68.20	68.20	68.20
-18.94	29.87	-18.39
100	100	100
246	246	246
RMS	RMS	RMS
Horizontal	Horizontal	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
5796.16	6795.08	7188.07
49.13	98.07	49.55
58.15	107.92	58.07
-9.02	-8.32	-8.52
68.20	68.20	68.20
-19.07	31.40	-18.65
297	297	297
21	21	21
RMS	RMS	RMS
Vertical	Vertical	Vertical


802.11ax HE80

CH167 (Horizontal) Peak

CH167 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5819.12	63.05	72.07	-9.02	88.20	-25.15	100	299	Peak	Horizontal	
2 *	6785.00	107.87	116.20	-8.33	88.20	19.67	100	299	Peak	Horizontal	
3	7147.25	63.75	72.30	-8.55	88.20	-24.45	100	299	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5555.59	61.35	70.61	-9.46	88.20	-26.85	287	22	Peak	Vertical	
2 *	6785.00	109.07	117.40	-8.33	88.20	29.87	287	22	Peak	Vertical	
3	7135.44	61.89	70.45	-8.56	88.20	-26.31	287	22	Peak	Vertical	


802.11ax HE80

CH167 (Horizontal) RMS

CH167 (Vertical) RMS




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
5923.97	6785.00	7199.16
49.31	97.16	49.87
58.24	105.49	58.39
-8.93	-8.33	-8.52
68.20	68.20	68.20
-16.89	26.96	-16.33
100	100	100
299	299	299
RMS	RMS	RMS
Horizontal	Horizontal	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
5739.24	6785.00	7196.66
49.19	99.67	49.68
58.37	108.00	58.20
-9.18	-8.33	-8.52
68.20	68.20	68.20
-19.01	31.47	-18.52
287	287	287
22	22	22
RMS	RMS	RMS
Vertical	Vertical	Vertical


802.11ax HE80

CH183 (Horizontal) Peak

CH183 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5798.31	62.07	71.08	-9.01	88.20	-26.13	100	247	Peak	Horizontal	
2 *	6865.00	107.22	115.68	-8.46	88.20	19.02	100	247	Peak	Horizontal	
3	7126.49	62.07	70.63	-8.56	88.20	-26.13	100	247	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5830.17	61.76	70.81	-9.05	88.20	-26.44	219	36	Peak	Vertical	
2 *	6865.00	107.56	116.02	-8.46	88.20	19.36	219	36	Peak	Vertical	
3	7165.87	62.03	70.57	-8.54	88.20	-26.17	219	36	Peak	Vertical	


802.11ax HE80

CH183 (Horizontal) RMS

CH183 (Vertical) RMS




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5783.27	49.13	58.18	-9.05	68.20	-19.07	100	247 RMS	Horizontal	
2	6865.00	96.91	105.37	-8.46	68.20	28.71	100	247 RMS	Horizontal	
3	7199.52	49.69	58.21	-8.52	68.20	-18.51	100	247 RMS	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5728.50	49.23	58.46	-9.23	68.20	-18.97	219	36 RMS	Vertical	
2	6865.00	98.70	107.16	-8.46	68.20	39.50	219	36 RMS	Vertical	
3	7190.93	49.67	58.19	-8.52	68.20	-18.53	219	36 RMS	Vertical	


802.11ax HE160

CH143 (Horizontal) Peak

CH143 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
5915.02	6665.00	7199.88
61.43	106.91	62.11
70.41	115.26	70.63
-8.98	-8.35	-8.52
88.20	88.20	88.20
-26.77	18.71	-26.09
100	100	100
296	296	296
Peak	Peak	Peak
Horizontal	Horizontal	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
5659.05	6665.00	7144.03
62.07	107.76	62.13
71.38	116.13	70.68
-9.31	-8.35	-8.55
88.20	88.20	88.20
-26.13	19.58	-26.07
258	258	258
12	12	12
Peak	Peak	Peak
Vertical	Vertical	Vertical


802.11ax HE160

CH143 (Horizontal) RMS

CH143 (Vertical) RMS




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5991.06	49.22	58.27	-9.05	68.28	-18.08	100	296 RMS	Horizontal
2	6665.08	98.95	99.28	-3.35	68.28	22.65	198	296 RMS	Horizontal
3	7157.99	49.85	58.39	-8.54	68.28	-18.35	100	296 RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5642.58	49.15	58.47	-9.32	68.28	-19.05	258	12 RMS	Vertical
2	6665.08	92.81	101.16	-8.35	68.28	24.61	258	12 RMS	Vertical
3	7157.64	49.99	58.53	-8.54	68.28	-18.21	258	12 RMS	Vertical


802.11ax HE160

CH175 (Horizontal) Peak

CH175 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5754.99	62.75	71.88	-9.13	88.20	-25.45	100	233	Peak	Horizontal	
2	6825.00	106.88	115.23	-8.35	88.20	18.62	100	233	Peak	Horizontal	
3	7176.61	62.26	70.79	-8.53	88.20	-25.94	100	233	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5732.08	61.71	70.92	-9.21	88.20	-26.49	288	15	Peak	Vertical	
2	6825.00	108.22	116.57	-8.35	88.20	28.92	288	15	Peak	Vertical	
3	7127.21	61.92	70.48	-8.56	88.20	-26.28	288	15	Peak	Vertical	


802.11ax HE160

CH175 (Horizontal) RMS

CH175 (Vertical) RMS




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3								
Read Level	Read Level	Read Level								
Factor	Factor	Factor								
Limit Line	Limit Line	Limit Line								
Over Limit	Over Limit	Over Limit								
APos	APos	APos								
TPos	TPos	TPos								
Remark	Remark	Remark								
Pol/Phase	Pol/Phase	Pol/Phase								
Note	Note	Note								
MHz	dBuV/m	dBuV/m								
dB/m	dB/m	dB/m								
dB	dB	dB								
cm	deg	deg								
5753.28	49.24	58.37	-9.13	68.28	-18.96	100	233	RMS	Horizontal	
6825.08	98.85	98.48	-8.35	68.28	21.85	188	233	RMS	Horizontal	
7159.07	50.31	58.85	-8.54	68.28	-17.89	100	233	RMS	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3								
Read Level	Read Level	Read Level								
Factor	Factor	Factor								
Limit Line	Limit Line	Limit Line								
Over Limit	Over Limit	Over Limit								
APos	APos	APos								
TPos	TPos	TPos								
Remark	Remark	Remark								
Pol/Phase	Pol/Phase	Pol/Phase								
Note	Note	Note								
MHz	dBuV/m	dBuV/m								
dB/m	dB/m	dB/m								
dB	dB	dB								
cm	deg	deg								
5654.39	49.01	58.32	-9.31	68.28	-19.19	288	15	RMS	Vertical	
6825.08	92.61	100.96	-8.35	68.28	24.41	288	15	RMS	Vertical	
7151.19	50.07	58.62	-8.55	68.28	-18.13	288	15	RMS	Vertical	

U-NII-8


802.11ax HE20

CH189 (Horizontal) Peak

CH189 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5787.57	61.33	70.36	-9.03	88.20	-26.87	190	245	Peak	Horizontal	
2 *	6895.00	108.11	116.65	-8.54	88.20	19.91	190	245	Peak	Horizontal	
3	7169.45	61.65	70.18	-8.53	88.20	-26.55	190	245	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5466.00	61.23	70.73	-9.50	88.20	-26.97	218	36	Peak	Vertical	
2 *	6895.00	108.09	117.23	-8.54	88.20	29.49	218	36	Peak	Vertical	
3	7162.65	61.77	70.31	-8.54	88.20	-26.43	218	36	Peak	Vertical	


802.11ax HE20

CH189 (Horizontal) RMS

CH189 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5795.45	48.95	57.97	-9.02	68.20	-19.25	190	245 RMS	Horizontal	
2	6895.00	98.24	106.78	-8.54	68.20	39.04	190	245 RMS	Horizontal	
3	7192.00	49.62	58.14	-8.52	68.20	-18.58	190	245 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5785.42	48.91	57.96	-9.05	68.20	-19.29	218	36 RMS	Vertical	
2	6895.00	99.25	107.79	-8.54	68.20	31.85	218	36 RMS	Vertical	
3	7197.73	49.47	57.99	-8.52	68.20	-18.73	218	36 RMS	Vertical	


802.11ax HE20

CH209 (Horizontal) Peak

CH209 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3								
Read Level	Read Level	Read Level								
Factor	Factor	Factor								
Limit	Limit	Limit								
Over	Over	Over								
Line	Line	Line								
Limit	Limit	Limit								
Apos	Apos	Apos								
TPos	TPos	TPos								
Remark	Remark	Remark								
Pol/Phase	Pol/Phase	Pol/Phase								
Note	Note	Note								
MHz	dBuV/m	dBuV/m								
dB/m	dB/m	dB/m								
dB	dB	dB								
cm	cm	cm								
deg	deg	deg								
5749.98	69.89	70.82	-9.13	88.20	-27.31	190	247	Peak	Horizontal	
6995.08	108.87	116.67	-8.69	88.20	19.87	190	247	Peak	Horizontal	
7224.58	61.57	70.88	-8.51	88.20	-26.63	190	247	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3								
Read Level	Read Level	Read Level								
Factor	Factor	Factor								
Limit	Limit	Limit								
Over	Over	Over								
Line	Line	Line								
Limit	Limit	Limit								
Apos	Apos	Apos								
TPos	TPos	TPos								
Remark	Remark	Remark								
Pol/Phase	Pol/Phase	Pol/Phase								
Note	Note	Note								
MHz	dBuV/m	dBuV/m								
dB/m	dB/m	dB/m								
dB	dB	dB								
cm	cm	cm								
deg	deg	deg								
5558.45	61.09	70.56	-9.47	88.20	-27.11	100	34	Peak	Vertical	
6995.08	107.87	116.47	-8.60	88.20	19.67	100	34	Peak	Vertical	
7138.66	62.54	71.09	-8.55	88.20	-25.66	100	34	Peak	Vertical	


802.11ax HE20

CH209 (Horizontal) RMS

CH209 (Vertical) RMS




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5891.17	48.93	57.94	-9.01	68.20	-19.27	190	247 RMS	Horizontal
2	6995.08	98.10	106.78	-8.68	68.20	29.90	190	247 RMS	Horizontal
3	7198.57	49.63	58.15	-8.52	68.20	-18.57	190	247 RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5778.62	48.99	58.05	-9.06	68.20	-19.21	100	34 RMS	Vertical
2	6995.08	99.12	107.72	-8.60	68.20	30.92	100	34 RMS	Vertical
3	7215.99	49.54	58.06	-8.52	68.20	-18.66	100	34 RMS	Vertical


802.11ax HE20

CH233 (Horizontal) Peak

CH233 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5777.34	63.43	72.50	-9.07	88.20	-24.77	200	240	Peak	Horizontal	
2	7115.00	108.37	116.93	-8.56	88.20	28.73	200	240	Peak	Horizontal	
3	7125.00	75.84	84.39	-8.55	88.20	-12.36	200	240	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5740.00	62.22	71.40	-9.18	88.20	-25.98	221	22	Peak	Vertical	
2	7115.00	110.05	118.61	-8.56	88.20	30.41	221	22	Peak	Vertical	
3	7125.00	80.46	89.01	-8.55	88.20	-7.74	221	22	Peak	Vertical	


802.11ax HE20

CH233 (Horizontal) RMS

CH233 (Vertical) RMS




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5859.24	58.69	59.77	-9.08	68.28	-17.51	200	240 RMS	Horizontal
2 *	7115.00	96.62	105.18	-8.56	68.28	28.42	200	240 RMS	Horizontal
3 !	7125.00	63.25	71.80	-8.55	68.28	-4.95	200	240 RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5859.24	58.75	59.83	-9.08	68.28	-17.45	221	22 RMS	Vertical
2 *	7115.00	99.48	107.96	-8.58	68.28	31.28	221	22 RMS	Vertical
3 !	7125.00	68.03	76.58	-8.55	68.28	-8.17	221	22 RMS	Vertical


802.11ax HE40

CH195 (Horizontal) Peak

CH195 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5672.29	62.56	71.88	-9.32	88.20	-25.64	196	289	Peak	Horizontal	
2	6925.00	107.35	115.87	-8.52	88.20	19.15	196	289	Peak	Horizontal	
3	7195.23	61.01	69.53	-8.52	88.20	-27.19	196	289	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5804.40	60.95	69.96	-9.01	88.20	-27.25	225	36	Peak	Vertical	
2	6925.00	108.04	117.46	-9.52	88.20	29.74	225	36	Peak	Vertical	
3	7129.71	61.12	69.68	-8.56	88.20	-27.08	225	36	Peak	Vertical	


802.11ax HE40

CH195 (Horizontal) RMS

CH195 (Vertical) RMS




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5822.36	48.75	57.78	-9.03	68.20	-19.45	196	289 RMS	Horizontal
2	6925.00	97.15	105.67	-8.52	68.20	26.95	196	289 RMS	Horizontal
3	7154.06	49.24	57.78	-8.54	68.20	-18.96	196	289 RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5877.07	48.75	57.81	-9.06	68.20	-19.45	225	36 RMS	Vertical
2	6925.00	99.22	107.74	-8.52	68.20	31.02	225	36 RMS	Vertical
3	7199.88	49.32	57.84	-8.52	68.20	-18.88	225	36 RMS	Vertical


802.11ax HE40

CH211 (Horizontal) Peak

CH211 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5896.76	61.15	70.20	-9.05	88.20	-27.05	223	242	Peak	Horizontal	
2	7005.00	108.36	116.97	-8.61	88.20	20.16	223	242	Peak	Horizontal	
3	7174.10	62.30	70.83	-8.53	88.20	-25.90	223	242	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5828.02	61.11	70.16	-9.05	88.20	-27.09	212	32	Peak	Vertical	
2	7005.00	108.06	116.67	-8.61	88.20	19.86	212	32	Peak	Vertical	
3	7217.06	60.98	69.42	-8.52	88.20	-27.30	212	32	Peak	Vertical	


802.11ax HE40

CH211 (Horizontal) RMS

CH211 (Vertical) RMS




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5737.45	48.83	58.02	-9.19	68.20	-19.37	223	242 RMS	Horizontal	
2	7985.00	97.69	186.39	-8.61	68.20	29.49	223	242 RMS	Horizontal	
3	7153.34	49.44	57.98	-8.54	68.20	-18.76	223	242 RMS	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5773.97	48.83	57.90	-9.07	68.20	-19.37	212	32 RMS	Vertical	
2	7985.00	98.08	187.69	-8.61	68.20	30.88	212	32 RMS	Vertical	
3	7189.50	49.17	57.69	-8.52	68.20	-19.03	212	32 RMS	Vertical	


802.11ax HE40

CH227 (Horizontal) Peak

CH227 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5643.65	61.02	70.34	-9.32	88.20	-27.18	228	242	Peak	Horizontal	
2	7985.00	109.40	118.03	-8.55	88.20	21.20	228	242	Peak	Horizontal	
3	7127.21	74.50	83.06	-8.56	88.20	-13.70	228	242	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5841.27	61.16	70.22	-9.06	88.20	-27.04	218	10	Peak	Vertical	
2	7985.00	109.17	117.72	-8.55	88.20	20.97	218	10	Peak	Vertical	
3	7130.79	80.64	89.20	-8.56	88.20	-7.56	218	10	Peak	Vertical	


802.11ax HE40

CH227 (Horizontal) RMS

CH227 (Vertical) RMS




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5749.26	48.82	57.95	-9.13	68.20	-19.38	228	242 RMS	Horizontal
2	7885.88	97.72	186.27	-8.55	68.20	29.52	228	242 RMS	Horizontal
3	7126.13	61.33	69.89	-8.56	68.20	-6.87	228	242 RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5778.26	48.71	57.77	-9.06	68.20	-19.49	218	10 RMS	Vertical
2	7885.88	98.95	187.58	-8.55	68.20	38.75	218	10 RMS	Vertical
3	7125.77	67.08	75.64	-8.56	68.20	-1.12	218	10 RMS	Vertical


802.11ax HE80

CH199 (Horizontal) Peak

CH199 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



1	2	3									
Level	Level	Level									
Factor	Factor	Factor									
Line	Line	Line									
Limit	Limit	Limit									
Over	Over	Over									
APos	APos	APos									
TPos	TPos	TPos									
Remark	Remark	Remark									
Pol/Phase	Pol/Phase	Pol/Phase									
Note	Note	Note									
Freq	Freq	Freq									
MHz	MHz	MHz									
Level	Level	Level									
dBuV/m	dBuV/m	dBuV/m									
Factor	Factor	Factor									
dB/m	dB/m	dB/m									
Limit	Limit	Limit									
dB	dB	dB									
Over	Over	Over									
dB	dB	dB									
APos	APos	APos									
cm	cm	cm									
TPos	TPos	TPos									
deg	deg	deg									
Remark	Remark	Remark									
Pol/Phase	Pol/Phase	Pol/Phase									
Note	Note	Note									
1	5775.04	61.26	70.33	-9.07	88.20	-26.94	196	244	Peak	Horizontal	
2	6945.00	106.47	114.97	-8.50	88.20	18.27	196	244	Peak	Horizontal	
3	7126.85	61.86	70.42	-8.56	88.20	-26.34	196	244	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



1	2	3									
Level	Level	Level									
Factor	Factor	Factor									
Line	Line	Line									
Limit	Limit	Limit									
Over	Over	Over									
APos	APos	APos									
TPos	TPos	TPos									
Remark	Remark	Remark									
Pol/Phase	Pol/Phase	Pol/Phase									
Note	Note	Note									
Freq	Freq	Freq									
MHz	MHz	MHz									
Level	Level	Level									
dBuV/m	dBuV/m	dBuV/m									
Factor	Factor	Factor									
dB/m	dB/m	dB/m									
Limit	Limit	Limit									
dB	dB	dB									
Over	Over	Over									
dB	dB	dB									
APos	APos	APos									
cm	cm	cm									
TPos	TPos	TPos									
deg	deg	deg									
Remark	Remark	Remark									
Pol/Phase	Pol/Phase	Pol/Phase									
Note	Note	Note									
1	5775.47	61.42	70.49	-9.07	88.20	-26.78	100	35	Peak	Vertical	
2	6945.00	108.51	117.01	-8.50	88.20	20.31	100	35	Peak	Vertical	
3	7141.53	61.42	69.97	-8.55	88.20	-26.78	100	35	Peak	Vertical	


802.11ax HE80

CH199 (Horizontal) RMS

CH199 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5775.04	49.15	58.22	-9.07	68.20	-19.05	196	244 RMS	Horizontal	
2 *	6945.00	96.98	105.48	-8.50	68.20	28.78	196	244 RMS	Horizontal	
3	7133.65	49.81	58.37	-8.56	68.20	-18.39	196	244 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5725.99	49.13	58.38	-9.25	68.20	-19.07	100	35 RMS	Vertical	
2 *	6945.00	99.00	107.58	-8.58	68.20	39.88	100	35 RMS	Vertical	
3	7125.42	50.31	58.87	-8.56	68.20	-17.89	100	35 RMS	Vertical	


802.11ax HE80

CH215 (Horizontal) Peak

CH215 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5782.92	63.20	72.25	-9.05	88.20	-25.00	192	246	Peak	Horizontal	
2 *	7025.00	106.13	114.68	-8.55	88.20	17.93	192	246	Peak	Horizontal	
3	7125.77	67.70	76.26	-8.56	88.20	-20.50	192	246	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5869.55	69.99	70.06	-9.07	88.20	-27.21	203	34	Peak	Vertical	
2 *	7025.00	108.91	117.46	-8.55	88.20	29.71	203	34	Peak	Vertical	
3	7128.64	71.16	79.72	-8.56	88.20	-17.04	203	34	Peak	Vertical	


802.11ax HE80

CH215 (Horizontal) RMS

CH215 (Vertical) RMS




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
NHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5665.49	49.14	58.46	-9.32	68.20	-19.06	192	246 RMS	Horizontal	
2	7825.00	97.11	105.66	-8.55	68.20	28.91	192	246 RMS	Horizontal	
3	7125.42	57.47	66.03	-8.56	68.20	-10.73	192	246 RMS	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
NHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5757.50	49.23	58.35	-9.12	68.20	-18.97	203	34 RMS	Vertical	
2	7825.00	99.11	107.66	-8.55	68.20	39.91	203	34 RMS	Vertical	
3	7128.20	60.62	69.18	-8.56	68.20	-7.58	203	34 RMS	Vertical	


802.11ax HE160

CH207 (Horizontal) Peak

CH207 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Level Factor (dBuV)	Limit Line (dBm)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5783.99	61.56	70.61	-9.05	88.20	-26.64	224	103 Peak	Horizontal	
2	6985.00	106.40	114.98	-8.58	88.20	18.20	224	103 Peak	Horizontal	
3	7129.35	78.02	86.58	-8.56	88.20	-10.18	224	103 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Level Factor (dBuV)	Limit Line (dBm)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5749.67	60.98	70.16	-9.18	88.20	-27.22	218	31 Peak	Vertical	
2	6985.00	107.99	116.57	-8.58	88.20	19.79	218	31 Peak	Vertical	
3	7131.50	80.60	89.16	-8.56	88.20	-7.60	218	31 Peak	Vertical	


802.11ax HE160

CH207 (Horizontal) RMS

CH207 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5853.44	49.19	58.27	-9.08	68.20	-19.01	224	103 RMS	Horizontal	
2 *	6985.08	91.26	99.84	-8.58	88.28	3.06	224	103 RMS	Horizontal	
3 !	7137.95	62.31	70.86	-8.55	68.20	-5.89	224	103 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5781.13	49.13	58.19	-9.06	68.20	-19.07	218	31 RMS	Vertical	
2 *	6985.08	92.38	100.96	-8.58	88.28	4.18	218	31 RMS	Vertical	
3 !	7129.71	66.22	74.78	-8.56	68.20	-1.98	218	31 RMS	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


802.11ax HE20

CH233 Channel 9kHz~150kHz(Open)

CH233 Channel 150kHz~30MHz(Open)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	0.03	68.80	41.68	19.12	118.42	-57.62	100	258	Peak	Open	
2	0.04	57.56	38.39	19.17	116.21	-58.65	100	251	Peak	Open	
3	0.06	49.42	30.65	18.77	111.40	-61.98	100	269	Peak	Open	
4	0.07	46.50	27.94	18.56	110.29	-63.79	100	249	Peak	Open	
5	0.09	38.39	20.30	18.09	108.22	-69.83	100	264	Peak	Open	
6	0.12	37.57	19.54	18.03	105.74	-66.17	100	268	Peak	Open	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	4.72	32.38	12.87	19.51	69.50	-37.12	100	169	Peak	Open	
2	8.54	33.98	13.82	20.96	69.50	-35.52	100	298	Peak	Open	
3	11.88	35.84	14.15	21.69	69.50	-33.66	100	238	Peak	Open	
4	15.73	34.93	12.98	21.95	69.50	-34.57	100	96	Peak	Open	
5	22.51	35.85	13.59	22.26	69.50	-33.65	100	317	Peak	Open	
6	25.82	35.56	13.27	22.29	69.50	-33.94	100	2	Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


802.11ax HE20

CH233 Channel (Horizontal)

CH233 Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	78.74	27.24	37.27	-10.03	40.00	-12.76	390	275	Peak	Horizontal	
2	154.16	23.01	30.45	-7.44	43.50	-20.49	290	182	Peak	Horizontal	
3	384.05	41.31	46.07	-4.76	46.00	-4.69	100	88	Peak	Horizontal	
4	460.68	38.11	41.36	-3.25	46.00	-7.89	203	360	Peak	Horizontal	
5	661.47	34.63	34.16	0.47	46.00	-11.37	100	341	Peak	Horizontal	
6	768.17	38.37	35.98	2.39	46.00	-7.63	100	302	Peak	Horizontal	




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	46.49	36.15	43.37	-7.22	40.00	-3.85	100	167	QP	Vertical	
2	115.36	29.07	39.45	-10.38	43.50	-14.43	100	136	Peak	Vertical	
3	194.90	27.24	37.15	-9.91	43.50	-16.26	100	307	Peak	Vertical	
4	384.05	41.73	46.49	-4.76	46.00	-4.27	200	95	Peak	Vertical	
5	539.25	39.62	41.66	-2.04	46.00	-6.38	100	126	Peak	Vertical	
6	576.11	38.94	40.01	-1.07	46.00	-7.06	100	319	Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz
U-NII-5




802.11ax HE20

CH93 (Horizontal)

CH93 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	12830.00	48.50	49.56	-1.06	88.20	-39.70	153	360	Peak	Horizontal
2	12830.00	35.70	36.76	-1.06	68.20	-32.50	153	360	RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	12830.00	49.03	50.09	-1.06	88.20	-39.17	300	222	Peak	Vertical
2	12830.00	40.45	41.51	-1.06	68.20	-27.75	300	222	RMS	Vertical


802.11ax HE40

CH03 (Horizontal)

CH03 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2
11930.00	11930.00
38.29	50.28
40.16	52.67
-1.87	-1.87
54.00	74.00
-15.71	-23.60
114	114
154	154
Average	Peak
Horizontal	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2
11930.00	11930.00
38.40	52.65
40.27	54.52
-1.87	-1.87
54.00	74.00
-15.60	-21.35
396	396
143	143
Average	Peak
Vertical	Vertical


802.11ax HE40

CH43 (Horizontal)

CH43 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12330.00	39.40	40.73	-1.33	54.00	-14.60	190	293 Average	Horizontal
2	12330.00	46.28	49.53	-1.33	74.00	-25.80	188	293 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12330.00	36.37	37.70	-1.33	54.00	-17.63	188	195 Average	Vertical
2	12330.00	47.83	46.36	-1.33	74.00	-26.97	188	195 Peak	Vertical


802.11ax HE40

CH91 (Horizontal)

CH91 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 12810.00	46.31	47.33	-1.02	88.20	-41.89	118	192 Peak	Horizontal	
2 12810.00	39.84	40.86	-1.02	68.20	-28.36	118	192 RMS	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 12810.00	46.25	47.27	-1.02	88.20	-41.95	100	198 Peak	Vertical	
2 12810.00	38.64	39.66	-1.02	68.20	-29.56	100	198 RMS	Vertical	


802.11ax HE80

CH39 (Horizontal)

CH39 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	12290.00	39.28	40.61	-1.33	54.00	-14.72	290	183	Average	Horizontal
2	12290.00	46.24	49.57	-1.33	74.00	-25.76	280	183	Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	12290.00	37.57	38.90	-1.33	54.00	-16.43	400	97	Average	Vertical
2	12290.00	45.86	47.21	-1.33	74.00	-28.12	400	97	Peak	Vertical


802.11ax HE80

CH87 (Horizontal)

CH87 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 12778.00	45.21	46.20	-0.99	88.20	-42.99	390	246 Peak	Horizontal	
2 12778.00	38.81	39.80	-0.99	68.20	-29.39	300	246 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 12778.00	45.82	46.81	-0.99	88.20	-42.38	100	189 Peak	Vertical	
2 12778.00	37.74	38.73	-0.99	68.20	-30.46	100	189 RMS	Vertical	


802.11ax HE160

CH15 (Horizontal)

CH15 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12850.00	48.04	41.65	-1.62	54.00	-13.96	120	153 Average	Horizontal
2	12850.00	47.38	49.00	-1.62	74.00	-26.62	120	153 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	12850.00	36.76	38.38	-1.62	54.00	-17.24	100	316 Average	Vertical
2	12850.00	45.46	47.08	-1.62	74.00	-28.54	100	316 Peak	Vertical


802.11ax HE160

CH47 (Horizontal)

CH47 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2
12370.00	12370.00
39.55	46.98
40.99	50.33
-1.35	-1.35
54.00	74.00
-14.45	-25.02
490	490
138 Average	138 Peak
Horizontal	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2
12370.00	12370.00
36.81	47.62
38.16	48.97
-1.35	-1.35
54.00	74.00
-17.19	-26.38
490	490
32 Average	32 Peak
Vertical	Vertical


802.11ax HE160

CH79 (Horizontal)

CH79 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



1	12699.00	35.54	36.51	-0.97	54.00	-18.46	390	206	Average	Horizontal
2	12699.00	47.66	48.63	-0.97	74.00	-26.34	390	206	Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



1	12699.00	36.77	37.74	-0.97	54.00	-17.23	100	115	Average	Vertical
2	12699.00	47.51	48.48	-0.97	74.00	-26.49	100	115	Peak	Vertical

U-NII-6


802.11ax HE20

CH97 (Horizontal)

CH97 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2
12870.00	12870.00
48.31	35.30
49.47	36.46
-1.16	-1.16
88.20	68.20
-39.89	-32.90
300	300
293 Peak	293 RPS
Horizontal	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2
12870.00	12870.00
47.33	35.75
48.49	36.91
-1.16	-1.16
88.20	68.20
-48.87	-32.45
300	300
219 Peak	219 RPS
Vertical	Vertical


802.11ax HE20

CH105 (Horizontal)

CH105 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	12950.00	46.92	48.21	-1.29	88.20	-41.28	300	182	Peak	Horizontal
2	12950.00	34.66	35.95	-1.29	68.20	-33.54	300	182	RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	12950.00	46.74	48.03	-1.29	88.20	-41.46	300	227	Peak	Vertical
2	12950.00	32.83	34.12	-1.29	68.20	-35.37	300	227	RMS	Vertical


802.11ax HE20

CH113 (Horizontal)

CH113 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13839.00	47.10	48.47	-1.37	88.20	-41.10	400	235 Peak	Horizontal
2	13839.00	36.94	38.32	-1.38	68.20	-31.26	400	235 RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13839.00	47.01	48.38	-1.37	88.20	-41.10	400	252 Peak	Vertical
2	13839.00	36.10	37.48	-1.38	68.20	-32.10	400	252 RMS	Vertical


802.11ax HE40

CH99 (Horizontal)

CH99 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



1	2	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
12898.00	45.04	46.24	-1.20	88.20	-43.16	100	192	Peak	Horizontal	
12898.00	38.17	39.37	-1.20	68.28	-30.63	100	192	RMS	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



1	2	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
12898.00	44.78	45.98	-1.20	88.20	-43.42	300	77	Peak	Vertical	
12898.00	37.57	38.77	-1.20	68.28	-30.63	300	77	RMS	Vertical	


802.11ax HE40

CH107 (Horizontal)

CH107 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 12978.00	44.42	45.74	-1.32	88.28	-43.78	190	315 Peak	Horizontal	
2 12978.00	38.48	39.72	-1.32	68.28	-29.80	188	315 RMS	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 12978.00	44.50	45.82	-1.32	88.28	-43.78	308	226 Peak	Vertical	
2 12978.00	39.04	40.36	-1.32	68.28	-29.16	308	226 RMS	Vertical	


802.11ax HE40

CH115 (Horizontal)

CH115 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13959.00	45.72	47.11	-1.39	88.28	-42.48	100	301	Peak	Horizontal
2	13959.00	38.74	40.13	-1.39	68.28	-29.46	100	301	RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13959.00	43.53	44.92	-1.39	88.28	-44.67	100	48	Peak	Vertical
2	13959.00	37.22	38.61	-1.39	68.28	-30.98	100	48	RMS	Vertical