


802.11ax HE80

CH103 (Horizontal)

CH103 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2
12930.00	12930.00
47.32	39.83
48.58	41.09
-1.26	-1.26
88.20	68.20
-49.88	-28.37
290	290
51 Peak	51 RMS
Horizontal	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2
12930.00	12930.00
44.38	37.42
45.64	38.68
-1.26	-1.26
88.20	68.20
-43.82	-30.78
100	100
219 Peak	219 RMS
Vertical	Vertical


802.11ax HE80

CH119 (Horizontal)

CH119 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13099.00	44.55	45.95	-1.40	88.20	-43.65	196	360	Peak	Horizontal
2	13099.00	41.83	43.23	-1.40	68.20	-26.37	196	360	RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13099.00	44.00	45.40	-1.40	88.20	-44.20	300	262	Peak	Vertical
2	13099.00	40.83	42.23	-1.40	68.20	-27.37	300	262	RMS	Vertical


802.11ax HE160

CH111 (Horizontal)

CH111 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Line	Limit	cm	deg			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB				
1	13810.00	46.44	47.80	-1.36	88.20	-41.76	400	342 Peak	Horizontal
2	13810.00	35.63	36.99	-1.36	68.20	-32.57	400	342 RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Line	Limit	cm	deg			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB				
1	13810.00	45.53	47.80	-1.36	88.20	-41.67	100	198 Peak	Vertical
2	13810.00	34.94	36.30	-1.36	68.20	-33.26	100	198 RMS	Vertical

U-NII-7


802.11ax HE20

CH117 (Horizontal)

CH117 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Read	Level	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note									
Level	Line	Limit																	
dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg													
45.88	47.27	-1.39	88.28	-42.32	400	334	Peak	Horizontal											
34.94	36.33	-1.39	68.28	-33.26	400	334	RMS	Horizontal											



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Read	Level	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note									
Level	Line	Limit																	
dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg													
47.06	48.45	-1.39	88.28	-41.14	200	78	Peak	Vertical											
35.08	36.47	-1.39	68.28	-33.12	200	78	RMS	Vertical											


802.11ax HE20

CH149 (Horizontal)

CH149 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13398.00	39.12	40.88	-0.96	54.00	-14.88	319	360	Average	Horizontal
2	13398.00	47.81	48.77	-0.96	74.00	-26.19	319	360	Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13398.00	35.26	36.22	-0.96	54.00	-18.74	400	325	Average	Vertical
2	13398.00	48.11	49.07	-0.96	74.00	-25.89	400	325	Peak	Vertical


802.11ax HE20

CH181 (Horizontal)

CH181 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 13718.00	46.13	47.03	-0.90	88.20	-42.07	369	360 Peak	Horizontal	
2 13718.00	36.03	36.93	-0.90	68.20	-32.17	369	360 RMS	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 13718.00	48.68	49.58	-0.90	88.20	-39.52	400	137 Peak	Vertical	
2 13718.00	34.16	35.06	-0.90	68.20	-34.04	400	137 RMS	Vertical	


802.11ax HE20

CH185 (Horizontal)

CH185 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13750.00	48.61	49.44	-0.83	88.20	-39.59	490	202 Peak	Horizontal
2	13750.00	39.28	40.11	-0.83	68.20	-28.92	400	202 RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13750.00	49.07	49.90	-0.83	88.20	-39.13	300	234 Peak	Vertical
2	13750.00	41.54	42.37	-0.83	68.20	-26.66	300	234 RMS	Vertical


802.11ax HE40

CH123 (Horizontal)

CH123 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	13130.00	44.55	45.89	-1.34	88.20	-43.65	162	301	Peak	Horizontal	
2	13130.00	40.28	41.62	-1.34	68.20	-27.92	162	301	RMS	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	13130.00	43.55	44.89	-1.34	88.20	-44.65	100	273	Peak	Vertical	
2	13130.00	39.04	40.38	-1.34	68.20	-29.16	100	273	RMS	Vertical	


802.11ax HE40

CH155 (Horizontal)

CH155 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 13450.00	45.39	46.27	-0.88	88.20	-42.81	190	25 Peak	Horizontal	
2 13450.00	39.37	40.26	-0.89	68.20	-28.83	180	25 RPS	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 13450.00	47.19	48.07	-0.88	88.20	-41.01	267	172 Peak	Vertical	
2 13450.00	40.81	41.70	-0.89	68.20	-27.39	267	172 RPS	Vertical	


802.11ax HE40

CH179 (Horizontal)

CH179 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13699.00	45.42	46.31	-0.89	88.29	-42.78	190	392 Peak	Horizontal
2	13699.00	39.49	40.38	-0.89	68.28	-28.71	188	392 RPS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13699.00	47.03	47.92	-0.89	88.29	-41.17	190	172 Peak	Vertical
2	13699.00	37.66	38.55	-0.89	68.28	-30.54	188	172 RPS	Vertical


802.11ax HE40

CH187 (Horizontal)

CH187 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13779.00	43.89	44.68	-0.79	88.29	-44.31	190	115 Peak	Horizontal
2	13779.00	39.29	40.08	-0.79	68.28	-28.91	188	115 RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13779.00	43.51	44.39	-0.79	88.29	-44.69	308	102 Peak	Vertical
2	13779.00	38.84	39.63	-0.79	68.28	-29.36	308	102 RMS	Vertical


802.11ax HE80

CH135 (Horizontal)

CH135 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13250.00	39.23	40.26	-1.03	54.00	-14.77	190	360	Average	Horizontal
2	13250.00	42.82	43.85	-1.03	74.00	-31.18	180	360	Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13250.00	38.67	39.70	-1.03	54.00	-15.33	200	254	Average	Vertical
2	13250.00	42.80	43.83	-1.03	74.00	-31.20	200	254	Peak	Vertical


802.11ax HE80

CH151 (Horizontal)

CH151 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13410.00	45.66	46.69	-0.94	88.20	-42.54	190	21	Peak	Horizontal
2	13410.00	41.03	41.97	-0.94	68.20	-27.17	100	21	RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13410.00	46.07	47.01	-0.94	88.20	-42.13	400	238	Peak	Vertical
2	13410.00	42.47	43.41	-0.94	68.20	-25.73	400	238	RMS	Vertical


802.11ax HE80

CH167 (Horizontal)

CH167 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13578.00	48.56	49.33	-0.77	88.28	-39.64	100	22	Peak	Horizontal
2	13578.00	40.57	41.34	-0.77	68.28	-27.63	100	22	RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13578.00	49.97	50.74	-0.77	88.28	-38.23	300	234	Peak	Vertical
2	13578.00	45.19	45.96	-0.77	68.28	-23.01	300	234	RMS	Vertical


802.11ax HE80

CH183 (Horizontal)

CH183 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13730.00	46.08	46.95	-0.87	88.20	-42.12	100	44 Peak	Horizontal
2	13730.00	35.96	36.83	-0.87	68.20	-32.24	100	44 RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13730.00	45.91	46.78	-0.87	88.20	-42.29	200	128 Peak	Vertical
2	13730.00	33.27	34.14	-0.87	68.20	-34.93	200	128 RMS	Vertical


802.11ax HE160

CH143 (Horizontal)

CH143 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13338.00	38.81	39.73	-0.92	54.00	-15.19	157	360	Average	Horizontal
2	13338.00	47.24	48.16	-0.92	74.00	-26.76	157	360	Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13338.00	41.94	42.86	-0.92	54.00	-12.06	300	235	Average	Vertical
2	13338.00	48.40	49.32	-0.92	74.00	-25.60	300	235	Peak	Vertical


802.11ax HE160

CH175 (Horizontal)

CH175 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13659.00	47.38	48.21	-0.83	88.20	-49.82	490	205 Peak	Horizontal
2	13659.00	38.03	38.66	-0.63	68.20	-30.17	400	205 RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13659.00	47.62	48.45	-0.83	88.20	-49.58	200	240 Peak	Vertical
2	13659.00	37.32	38.15	-0.83	68.20	-30.88	200	240 RMS	Vertical

U-NII-8


802.11ax HE20

CH189 (Horizontal)

CH189 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



1	13798.00	47.43	48.19	-0.76	88.20	-40.77	100	33	Peak	Horizontal
2	13798.00	38.15	38.92	-0.77	68.20	-30.05	100	33	RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



1	13798.00	47.65	48.41	-0.76	88.20	-40.55	400	48	Peak	Vertical
2	13798.00	37.61	38.38	-0.77	68.20	-30.53	400	48	RMS	Vertical


802.11ax HE20

CH209 (Horizontal)

CH209 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 13998.00	48.53	48.61	-0.08	88.20	-39.67	100	38	Peak	Horizontal	
2 13998.00	35.01	35.09	-0.08	68.20	-33.19	100	38	RMS	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 13998.00	51.62	51.70	-0.08	88.20	-36.58	100	92	Peak	Vertical	
2 13998.00	38.25	38.33	-0.08	68.20	-29.95	100	92	RMS	Vertical	


802.11ax HE20

CH233 (Horizontal)

CH233 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 14239.00	45.24	44.73	0.51	88.20	-42.96	290	311 Peak	Horizontal	
2 14239.00	40.67	40.16	0.51	68.20	-27.53	280	311 RMS	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 14239.00	46.42	45.91	0.51	88.20	-41.78	100	252 Peak	Vertical	
2 14239.00	39.42	38.91	0.51	68.20	-28.78	180	252 RMS	Vertical	


802.11ax HE40

CH195 (Horizontal)

CH195 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13859.00	43.55	44.12	-0.57	88.20	-44.65	390	322 Peak	Horizontal
2	13859.00	38.24	38.81	-0.57	68.20	-29.96	308	322 RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13859.00	44.45	45.02	-0.57	88.20	-43.75	308	244 Peak	Vertical
2	13859.00	40.65	41.22	-0.57	68.20	-27.55	308	244 RMS	Vertical


802.11ax HE40

CH211 (Horizontal)

CH211 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 14819.00	45.35	45.38	-0.03	88.20	-42.85	400	80	Peak	Horizontal	
2 14819.00	40.10	40.13	-0.03	68.20	-28.10	400	80	RMS	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 14819.00	44.27	44.30	-0.03	88.20	-43.93	300	36	Peak	Vertical	
2 14819.00	39.33	39.36	-0.03	68.20	-28.87	300	36	RMS	Vertical	


802.11ax HE40

CH227 (Horizontal)

CH227 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit	cm	deg			
dBuV/m	dBuV/m	dB	cm	deg			
43.41	40.00	3.41	343	360	Peak	Horizontal	
39.19	60.00	-20.81	343	360	RMS	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit	cm	deg			
dBuV/m	dBuV/m	dB	cm	deg			
44.49	40.00	4.49	308	236	Peak	Vertical	
40.39	60.00	-19.61	308	236	RMS	Vertical	


802.11ax HE80

CH199 (Horizontal)

CH199 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



1	13898.00	47.70	48.14	-0.44	88.28	-40.50	285	12	Peak	Horizontal
2	13898.00	39.17	39.61	-0.44	68.28	-29.83	285	12	RMS	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



1	13898.00	47.81	48.25	-0.44	88.28	-40.39	498	49	Peak	Vertical
2	13898.00	37.86	37.58	-0.44	68.28	-31.14	498	49	RMS	Vertical


802.11ax HE80

CH215 (Horizontal)

CH215 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 14950.00	45.84	45.77	0.07	88.20	-42.36	290	352	Peak	Horizontal	
2 14950.00	32.07	31.11	0.96	68.20	-36.13	280	352	RPS	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 14950.00	45.34	45.27	0.07	88.20	-42.86	100	55	Peak	Vertical	
2 14950.00	32.07	32.00	0.07	68.20	-36.13	180	55	RPS	Vertical	


802.11ax HE160

CH207 (Horizontal)

CH207 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 13979.00	48.94	49.10	-0.16	88.20	-39.26	109	360	Peak	Horizontal	
2 13979.00	39.69	39.85	-0.16	68.20	-28.51	109	360	RMS	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 13979.00	47.08	47.24	-0.16	88.20	-41.12	174	360	Peak	Vertical	
2 13979.00	34.07	34.23	-0.16	68.20	-34.13	174	360	RMS	Vertical	

Conducted Emissions on a.c. mains port, 150kHz ~ 30MHz

IEEE 802.11ax HE40 2452 MHz, IEEE 802.11ax HE160 5250 MHz
and IEEE 802.11ax HE20 7115 MHz

(Line)


(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 45B-10, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




TÜV Rheinland Taiwan Ltd.
No. 45B-10, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

Line	Freq	Level	Read Level	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.15	31.29	21.60	9.69	55.83	-24.54	Average	line1	
2	0.15	45.97	36.28	9.69	65.83	-19.86	QP	line1	
3	0.19	25.56	15.88	9.68	53.93	-28.37	Average	line1	
4	0.19	38.87	29.19	9.68	63.93	-25.06	QP	line1	
5	0.28	26.92	17.24	9.68	58.95	-24.03	Average	line1	
6	0.28	35.20	25.52	9.68	68.95	-25.75	QP	line1	
7	0.94	12.27	2.58	9.69	46.00	-33.73	Average	line1	
8	0.94	17.93	8.24	9.69	56.00	-38.07	QP	line1	
9	10.91	21.32	11.51	9.81	50.00	-28.68	Average	line1	
10	10.91	27.00	17.19	9.81	60.00	-33.00	QP	line1	
11	19.74	18.68	8.87	9.81	50.00	-31.32	Average	line1	
12	19.74	24.31	14.50	9.81	60.00	-35.69	QP	line1	



Trace: 1

Line	Freq	Level	Read Level	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.15	29.96	20.29	9.67	55.75	-25.79	Average	neutral	
2	0.15	45.35	35.68	9.67	65.75	-20.40	QP	neutral	
3	0.32	12.77	3.12	9.65	49.71	-36.94	Average	neutral	
4	0.32	27.45	17.80	9.65	59.71	-32.26	QP	neutral	
5	0.40	10.76	1.10	9.66	47.93	-37.17	Average	neutral	
6	0.40	21.43	11.77	9.66	57.93	-36.50	QP	neutral	
7	5.16	11.32	1.58	9.74	50.00	-38.68	Average	neutral	
8	5.16	17.63	7.89	9.74	60.00	-42.37	QP	neutral	
9	5.97	13.44	3.69	9.75	50.00	-36.56	Average	neutral	
10	5.97	19.22	9.47	9.75	60.00	-40.78	QP	neutral	
11	10.12	18.75	8.96	9.79	50.00	-31.25	Average	neutral	
12	10.12	23.63	13.84	9.79	60.00	-36.37	QP	neutral	