



WHA YU INDUSTRIAL CO., LTD.(HEAD OFFICE)

DONGGUAN AEON TECH CO.,LTD.(CHINA)

SPECIFICATION FOR APPROVAL

CUSTOMER: ASKEY COMPUTER CORPORATION

PART NAME: RF Antenna Assembly

PART NO.:

REVISION:

W. Y. P/NO.: C407-511064-A(SZ2312-032)

REV.: XI

	MANUFACTURER SIGNATURE	CUSTOMER SIGNATURE
APPROVED BY :	<i>Don Z...</i> <i>12/19/05</i>	
DATE :	<i>12/19/05</i>	

WHA YU GROUP

WHA YU INDUSTRIAL CO., LTD.(HEAD OFFICE)

Address: No. 326,Sec. 2,Kung Tao 5 Road, Hsin Chu City, Taiwan, R.O.C.

Tel:+886-3-5714225(REP.)

Fax:+ 886-3-5713853 · + 886-3-5723600

DONGGUAN AEON TECH CO.,LTD.(CHINA)

Address:Hupan Industrial District,Tai Ling Shan Town,Dong Guan City,Guangdong,China

Tel:+86-769-85655858

Fax:+86-769-85655258

Contents

<i>Item</i>	<i>Description</i>	<i>Page</i>
1.	Specification 1
2.	Product Drawing 2
3.	Test Report 3~14

RF Antenna Assembly

Specification

1. Electrical Properties :



- 1.1 Frequency Range..... 902~928 MHz
- 1.2 Impedance 50Ω Nominal
- 1.3 VSWR 2.0:1 Max.
- 1.4 Return Loss 9.54 dB Min.
- 1.5 Peak Gain 2.0 dBi Max.
- 1.6 Radiation Omni-directional
- 1.7 Admitted Power..... 1 W
- 1.8 Polarization..... Linear
- 1.9 Cable..... RG-178 Cable
- 1.10 Connector..... SMA Straight Plug Reverse

2. Physical Properties :


- 2.1 Operating Temp. -20 ~ +60 °C
- 2.2 Storage Temp. -20 ~ +60 °C

CG-

REV	DATE	DESCRIPTION
X1	12/19-2023	New Issue



熱封不留氣孔



Label

Packing : 10 pcs/bag

備註:防水等級IP66

NO	DESCRIPTION	Q'TY	REMARK
6	Cable	RG-178 Cable	1
5	Connector	SMA Straight Plug Reverse;抗UV	1
4	Rivet	POM,Color:White[白色]	2
3	Antenna Base	(CD-1649)PC+PBT,抗UV;Color:White[白色]	1
2	Antenna Base	(CD-384)PC,抗UV;Color:White[白色]	1
1	Antenna Body	(CD-383)TPE,抗UV;Color:White[白色]	1

CUSTOMER'S SIGNATURE	XXX.	±5.0	APPROVED	CUSTOMER:	亞旭		
	XX.	±3.0	CHECKED	PART NO :			
	X.	±1.0		DRAWING	PART NAME:	RF Antenna Assembly	
	.X	±0.5	W.Y P/NO :		C407-511064-A		
	.XX	±0.2		REV	UNIT	FILE	: S22312-032
	⊕	↙		X1	mm	SHEET	: 1/1

M.gear Wha Yu Group

THIS DRAWING, AND ITS INHERANT DESIGN CONCEPTS, ARE THE PROPERTY OF WHA YU AND AS SUCH MAY NOT BE COPIED, REPRODUCED, OR GIVEN TO THIRD PARTIES WITHOUT THE WRITTEN CONSENT OF WHA YU.

TNP-22014

Antenna Test Report

Version: V 1.01

Released Date: 2022/10/27

Prepared By: Xiao dong

Reviewed By: Daniel



WHA YU INDUSTRIAL CO., LTD.
TEL : 886-3-5714225 FAX : 886-3-5713853 / 5723600¹
Website : www.whayu.com
E-mail : market@whayu.com

Contents

- Revised History
- Conclusion & Comments
- Specification
- Antenna Placement & Solution
- Test Setup for S-parameter Measurement
- Return Loss Results
- Isolation Results
- Test Setup for Radiation Pattern Measurement
- 2D Radiation Pattern Results
- Results Summary (return loss, isolation, peak gain, efficiency)



WHA YU INDUSTRIAL CO., LTD.
TEL : 886-3-5714225 FAX : 886-3-5713853 / 5723602
Website : www.whayu.com
E-mail : market@whayu.com

Revision History

Released Date	Version	Record
2022/10/12	1.00	Antenna Testing Report New Project
2022/10/27	1.01	Optimized Antenna Gain



WHA YU INDUSTRIAL CO., LTD.
TEL : 886-3-5714225 FAX : 886-3-5713853 / 5723603
Website : www.whayu.com
E-mail : market@whayu.com

Specification

Requirements of Antenna Design

RF Function	Number of ANT	Frequency Band	Remark
Lora	1	902~928 MHz	

Requirements of Measurement

Test Item	Specification	Remark
VSWR	≤ 2.0	
Peak gain	≤ 2.0 dBi	
Efficiency	> 75 %	



WHA YU INDUSTRIAL CO., LTD.
TEL : 886-3-5714225 FAX : 886-3-5713853 / 5723604
Website : www.whayu.com
E-mail : market@whayu.com

Antenna Placement & Solution




Antenna

Antenna	ANT Type	Size (L * W * H)	Cable Length (mm)	Cable Type
Lora	Dipole	NA	NA	NA



WHA YU INDUSTRIAL CO., LTD.
TEL : 886-3-5714225 FAX : 886-3-5713853 / 5723605
Website : www.whayu.com
E-mail : market@whayu.com

Test Setup for S-parameter Measurement




Equipment	Brand	Model	S/N
Network Analyzer	Keysight	E5071C	MY46107744



WHA YU INDUSTRIAL CO., LTD.
TEL : 886-3-5714225 FAX : 886-3-5713853 / 5723606
Website : www.whayu.com
E-mail : market@whayu.com



VSWR Results

Antenna (902~928 MHz)



WHA YU INDUSTRIAL CO., LTD.
TEL : 886-3-5714225 FAX : 886-3-5713853 / 5723607
Website : www.whayu.com
E-mail : market@whayu.com

Chamber Information





Chamber	Brand	Model	Location
SATIMO	SATIMO	SG-24	Suzhou TLSZ

	θ	ϕ
Total angle	175°	360°
How many angle scan one point	5°	5°
Total scan point	36	73










WHA YU INDUSTRIAL CO., LTD.
 TEL : 886-3-5714225 FAX : 886-3-5713853 / 5723608
 Website : www.whayu.com
 E-mail : market@whayu.com

Test Setup for Radiation Pattern Measurement



WHA YU INDUSTRIAL CO., LTD.
TEL : 886-3-5714225 FAX : 886-3-5713853 / 5723609
Website : www.whayu.com
E-mail : market@whayu.com

2D Radiation Pattern Results



WHA YU INDUSTRIAL CO., LTD.
TEL : 886-3-5714225 FAX : 886-3-5713853 / 5723611
Website : www.whayu.com
E-mail : market@whayu.com

Results Summary

VSWR

Frequency	Antenna
902 MHz	1.38
928 MHz	1.32



WHA YU INDUSTRIAL CO., LTD.
TEL : 886-3-5714225 FAX : 886-3-5713853 / 5723610
Website : www.whayu.com
E-mail : market@whayu.com

Results Summary

Peak gain & Efficiency –Antenna

Frequency	Peak Gain (dBi)	Efficiency (%)
902MHz	1.11	76
904MHz	1.22	76
906MHz	1.30	77
908MHz	1.40	77
910MHz	1.48	78
912MHz	1.54	79
914MHz	1.57	80
916MHz	1.57	80
918MHz	1.57	80
920MHz	1.55	80
922MHz	1.50	80
924MHz	1.43	80
926MHz	1.39	79
928MHz	1.30	79



WHA YU INDUSTRIAL CO., LTD.
TEL : 886-3-5714225 FAX : 886-3-5713853 / 5723611
Website : www.whayu.com
E-mail : market@whayu.com