


802.11ax HEW40_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.134G	48.91	54.00	-5.09	5.98	3	Horizontal	230	1.80	-	42.93	31.70	8.51	34.23
AV	5.1948G	103.46	Inf	-Inf	5.85	3	Horizontal	230	1.80	-	97.61	31.52	8.57	34.24
PK	5.1344G	63.97	74.00	-10.03	5.98	3	Horizontal	230	1.80	-	57.99	31.70	8.51	34.23
PK	5.1944G	115.83	Inf	-Inf	5.84	3	Horizontal	230	1.80	-	109.99	31.52	8.56	34.24

802.11ax HEW40_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55G	46.78	54.00	-7.22	18.37	3	Vertical	222	1.48	-	28.41	38.15	14.61	34.39
PK	10.37982G	58.14	68.20	-10.06	16.97	3	Vertical	273	1.60	-	41.17	39.44	12.19	34.66
PK	15.55336G	60.74	74.00	-13.26	18.35	3	Vertical	222	1.48	-	42.39	38.13	14.61	34.39

802.11ax HEW40_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55G	46.72	54.00	-7.28	18.37	3	Horizontal	360	1.48	-	28.35	38.15	14.61	34.39
PK	10.37986G	60.87	68.20	-7.33	16.97	3	Horizontal	221	2.42	-	43.90	39.44	12.19	34.66
PK	15.55128G	59.93	74.00	-14.07	18.36	3	Horizontal	360	1.48	-	41.57	38.14	14.61	34.39

802.11ax HEW40_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	53.25	54.00	-0.75	5.99	3	Vertical	249	1.81	-	47.26	31.70	8.52	34.23
AV	5.2248G	108.09	Inf	-Inf	5.68	3	Vertical	249	1.81	-	102.41	31.35	8.57	34.24
PK	5.1436G	68.12	74.00	-5.88	5.99	3	Vertical	249	1.81	-	62.13	31.70	8.52	34.23
PK	5.2252G	120.95	Inf	-Inf	5.69	3	Vertical	249	1.81	-	115.26	31.35	8.58	34.24

802.11ax HEW40_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1352G	49.03	54.00	-4.97	5.98	3	Horizontal	228	1.65	-	43.05	31.70	8.51	34.23
AV	5.2348G	106.78	Inf	-Inf	5.63	3	Horizontal	228	1.65	-	101.15	31.29	8.58	34.24
PK	5.1348G	64.42	74.00	-9.58	5.98	3	Horizontal	228	1.65	-	58.44	31.70	8.51	34.23
PK	5.2348G	120.06	Inf	-Inf	5.63	3	Horizontal	228	1.65	-	114.43	31.29	8.58	34.24

802.11ax HEW40_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69264G	47.40	54.00	-6.60	18.11	3	Vertical	24	1.78	-	29.29	37.99	14.64	34.52
PK	10.45992G	56.49	68.20	-11.71	17.25	3	Vertical	273	1.52	-	39.24	39.62	12.23	34.60
PK	15.6944G	61.32	74.00	-12.68	18.12	3	Vertical	24	1.78	-	43.20	37.99	14.65	34.52

802.11ax HEW40_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68704G	46.77	54.00	-7.23	18.10	3	Horizontal	317	1.35	-	28.67	37.97	14.64	34.51
PK	10.45992G	60.27	68.20	-7.93	17.25	3	Horizontal	219	2.33	-	43.02	39.62	12.23	34.60
PK	15.70792G	60.14	74.00	-13.86	18.09	3	Horizontal	317	1.35	-	42.05	37.97	14.65	34.53

802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7514G	104.96	Inf	-Inf	6.75	3	Vertical	130	1.85	-	98.21	32.00	9.04	34.29
PK	5.6566G	71.97	73.08	-1.11	6.38	3	Vertical	130	1.85	-	65.59	31.71	8.95	34.28
PK	5.7514G	117.59	Inf	-Inf	6.75	3	Vertical	130	1.85	-	110.84	32.00	9.04	34.29
PK	5.9938G	58.00	68.20	-10.20	7.25	3	Vertical	130	1.85	-	50.75	32.39	9.17	34.31

802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7442G	105.82	Inf	-Inf	6.73	3	Horizontal	62	1.86	-	99.09	31.98	9.03	34.28
PK	5.653G	69.59	70.42	-0.83	6.38	3	Horizontal	62	1.86	-	63.21	31.71	8.95	34.28
PK	5.7538G	116.57	Inf	-Inf	6.75	3	Horizontal	62	1.86	-	109.82	32.00	9.04	34.29
PK	5.9362G	58.09	68.20	-10.11	7.14	3	Horizontal	62	1.86	-	50.95	32.30	9.14	34.30

802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50997G	43.66	54.00	-10.34	18.59	3	Vertical	156	1.33	-	25.07	39.99	12.76	34.16
PK	11.50998G	55.89	74.00	-18.11	18.59	3	Vertical	156	1.33	-	37.30	39.99	12.76	34.16
PK	17.26972G	62.43	68.20	-5.77	21.48	3	Vertical	317	1.50	-	40.95	39.71	15.04	33.27

802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51G	46.16	54.00	-7.84	18.59	3	Horizontal	116	1.65	-	27.57	39.99	12.76	34.16
PK	11.51006G	57.37	74.00	-16.63	18.59	3	Horizontal	116	1.65	-	38.78	39.99	12.76	34.16
PK	17.267G	62.97	68.20	-5.23	21.47	3	Horizontal	355	1.50	-	41.50	39.70	15.04	33.27

802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7914G	105.96	Inf	-Inf	6.78	3	Vertical	131	1.93	-	99.18	32.00	9.07	34.29
PK	5.651G	63.82	68.94	-5.12	6.37	3	Vertical	131	1.93	-	57.45	31.70	8.95	34.28
PK	5.7926G	117.55	Inf	-Inf	6.78	3	Vertical	131	1.93	-	110.77	32.00	9.07	34.29
PK	5.927G	67.68	68.20	-0.52	7.14	3	Vertical	131	1.93	-	60.54	32.30	9.14	34.30

802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7938G	106.96	Inf	-Inf	6.78	3	Horizontal	62	1.77	-	100.18	32.00	9.07	34.29
PK	5.6438G	64.64	68.20	-3.56	6.36	3	Horizontal	62	1.77	-	58.28	31.69	8.94	34.27
PK	5.7938G	118.74	Inf	-Inf	6.78	3	Horizontal	62	1.77	-	111.96	32.00	9.07	34.29
PK	5.927G	67.49	68.20	-0.71	7.14	3	Horizontal	62	1.77	-	60.35	32.30	9.14	34.30

802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58996G	43.95	54.00	-10.05	18.51	3	Vertical	156	1.49	-	25.44	39.91	12.80	34.20
PK	11.59G	57.44	74.00	-16.56	18.51	3	Vertical	156	1.49	-	38.93	39.91	12.80	34.20
PK	17.3926G	63.34	68.20	-4.86	22.39	3	Vertical	283	2.81	-	40.95	40.54	15.08	33.23

802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59G	45.32	54.00	-8.68	18.51	3	Horizontal	113	1.68	-	26.81	39.91	12.80	34.20
PK	11.59002G	56.94	74.00	-17.06	18.51	3	Horizontal	113	1.68	-	38.43	39.91	12.80	34.20
PK	17.39588G	63.50	68.20	-4.70	22.42	3	Horizontal	26	1.48	-	41.08	40.57	15.08	33.23

802.11ax HEW80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	53.62	54.00	-0.38	5.99	3	Vertical	252	1.80	-	47.63	31.70	8.52	34.23
AV	5.224G	100.95	Inf	-Inf	5.69	3	Vertical	252	1.80	-	95.26	31.36	8.57	34.24
AV	5.364G	44.44	54.00	-9.56	5.43	3	Vertical	252	1.80	-	39.01	31.08	8.60	34.25
PK	5.144G	65.77	74.00	-8.23	5.99	3	Vertical	252	1.80	-	59.78	31.70	8.52	34.23
PK	5.204G	112.33	Inf	-Inf	5.81	3	Vertical	252	1.80	-	106.52	31.48	8.57	34.24
PK	5.367G	57.20	74.00	-16.80	5.45	3	Vertical	252	1.80	-	51.75	31.10	8.60	34.25

802.11ax HEW80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.135G	51.08	54.00	-2.92	5.98	3	Horizontal	229	1.70	-	45.10	31.70	8.51	34.23
AV	5.215G	99.27	Inf	-Inf	5.74	3	Horizontal	229	1.70	-	93.53	31.41	8.57	34.24
AV	5.357G	44.13	54.00	-9.87	5.39	3	Horizontal	229	1.70	-	38.74	31.04	8.60	34.25
PK	5.135G	63.09	74.00	-10.91	5.98	3	Horizontal	229	1.70	-	57.11	31.70	8.51	34.23
PK	5.213G	111.29	Inf	-Inf	5.75	3	Horizontal	229	1.70	-	105.54	31.42	8.57	34.24
PK	5.412G	56.73	74.00	-17.27	5.75	3	Horizontal	229	1.70	-	50.98	31.37	8.63	34.25

802.11ax HEW80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.61536G	45.61	54.00	-8.39	18.01	3	Vertical	219	2.54	-	27.60	37.83	14.63	34.45
PK	10.41978G	56.54	68.20	-11.66	17.12	3	Vertical	272	1.49	-	39.42	39.54	12.21	34.63
PK	15.64552G	58.72	74.00	-15.28	18.05	3	Vertical	219	2.54	-	40.67	37.89	14.63	34.47

802.11ax HEW80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.61576G	45.77	54.00	-8.23	18.01	3	Horizontal	220	1.48	-	27.76	37.83	14.63	34.45
PK	10.41984G	60.76	68.20	-7.44	17.12	3	Horizontal	217	2.41	-	43.64	39.54	12.21	34.63
PK	15.6364G	58.84	74.00	-15.16	18.03	3	Horizontal	220	1.48	-	40.81	37.87	14.63	34.47

802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7606G	98.64	Inf	-Inf	6.75	3	Vertical	128	1.80	-	91.89	32.00	9.04	34.29
PK	5.6502G	65.81	68.35	-2.54	6.37	3	Vertical	128	1.80	-	59.44	31.70	8.95	34.28
PK	5.7606G	110.67	Inf	-Inf	6.75	3	Vertical	128	1.80	-	103.92	32.00	9.04	34.29
PK	5.9286G	61.71	68.20	-6.49	7.14	3	Vertical	128	1.80	-	54.57	32.30	9.14	34.30

802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	99.51	Inf	-Inf	6.73	3	Horizontal	64	1.75	-	92.78	31.98	9.03	34.28
PK	5.6502G	68.09	68.35	-0.26	6.37	3	Horizontal	64	1.75	-	61.72	31.70	8.95	34.28
PK	5.7438G	111.82	Inf	-Inf	6.73	3	Horizontal	64	1.75	-	105.09	31.98	9.03	34.28
PK	5.9274G	61.98	68.20	-6.22	7.14	3	Horizontal	64	1.75	-	54.84	32.30	9.14	34.30

802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55002G	44.34	54.00	-9.66	18.55	3	Vertical	154	1.18	-	25.79	39.95	12.78	34.18
PK	11.5499G	56.78	74.00	-17.22	18.55	3	Vertical	154	1.18	-	38.23	39.95	12.78	34.18
PK	17.335G	62.83	68.20	-5.37	21.89	3	Vertical	205	1.38	-	40.94	40.08	15.06	33.25

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54992G	45.41	54.00	-8.59	18.55	3	Horizontal	109	1.64	-	26.86	39.95	12.78	34.18
PK	11.54976G	56.70	74.00	-17.30	18.55	3	Horizontal	109	1.64	-	38.15	39.95	12.78	34.18
PK	17.34028G	62.81	68.20	-5.39	21.94	3	Horizontal	223	1.49	-	40.87	40.12	15.06	33.24



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	934.04M	42.86	46.00	-3.14	3	Vertical	0	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	57.16M	35.73	40.00	-4.27	3	Vertical	0	1.00	-
5775MHz	Pass	PK	125.06M	36.42	43.50	-7.08	3	Vertical	0	1.00	-
5775MHz	Pass	PK	371.44M	33.69	46.00	-12.31	3	Vertical	0	1.00	-
5775MHz	Pass	PK	763.32M	41.97	46.00	-4.03	3	Vertical	0	1.00	-
5775MHz	Pass	PK	934.04M	42.86	46.00	-3.14	3	Vertical	0	1.00	-
5775MHz	Pass	QP	43.58M	33.83	40.00	-6.17	3	Vertical	25	1.00	-
5775MHz	Pass	PK	39.7M	31.18	40.00	-8.82	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	121.18M	31.03	43.50	-12.47	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	249.22M	32.01	46.00	-13.99	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	371.44M	34.82	46.00	-11.18	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	763.32M	42.43	46.00	-3.57	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	935.98M	42.64	46.00	-3.36	3	Horizontal	360	1.00	-

802.11ax HEW80_Nss1,(MCS0)_2TX

12/10/2020

5775MHz_Adapter




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	57.16M	35.73	40.00	-4.27	-14.91	3	Vertical	0	1.00	-	50.64	11.84	1.04	27.79
PK	125.06M	36.42	43.50	-7.08	-8.75	3	Vertical	0	1.00	-	45.17	17.31	1.63	27.69
PK	371.44M	33.69	46.00	-12.31	-4.58	3	Vertical	0	1.00	-	38.27	20.03	2.89	27.50
PK	763.32M	41.97	46.00	-4.03	1.41	3	Vertical	0	1.00	-	40.56	25.00	4.35	27.94
PK	934.04M	42.86	46.00	-3.14	3.41	3	Vertical	0	1.00	-	39.45	25.84	4.87	27.30
QP	43.58M	33.83	40.00	-6.17	-10.84	3	Vertical	25	1.00	-	44.67	15.79	0.90	27.53

802.11ax HEW80_Nss1,(MCS0)_2TX

12/10/2020

5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	39.7M	31.18	40.00	-8.82	-8.55	3	Horizontal	360	1.00	-	39.73	17.89	0.89	27.33
PK	121.18M	31.03	43.50	-12.47	-8.66	3	Horizontal	360	1.00	-	39.69	17.43	1.61	27.70
PK	249.22M	32.01	46.00	-13.99	-7.20	3	Horizontal	360	1.00	-	39.21	17.45	2.40	27.05
PK	371.44M	34.82	46.00	-11.18	-4.58	3	Horizontal	360	1.00	-	39.40	20.03	2.89	27.50
PK	763.32M	42.43	46.00	-3.57	1.41	3	Horizontal	360	1.00	-	41.02	25.00	4.35	27.94
PK	935.98M	42.64	46.00	-3.36	3.43	3	Horizontal	360	1.00	-	39.21	25.85	4.87	27.29



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	5.1456G	73.26	74.00	-0.74	3	Horizontal	307	1.84	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.1464G	72.57	74.00	-1.43	3	Vertical	199	1.57	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.143G	52.52	54.00	-1.48	3	Vertical	213	1.48	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	PK	5.6418G	67.20	68.20	-1.00	3	Horizontal	247	1.57	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.6426G	67.58	68.20	-0.62	3	Horizontal	94	2.75	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	PK	5.6502G	63.19	68.35	-5.16	3	Horizontal	63	1.77	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1498G	52.74	54.00	-1.26	3	Vertical	215	1.75	-
5180MHz	Pass	AV	5.1886G	111.03	Inf	-Inf	3	Vertical	215	1.75	-
5180MHz	Pass	PK	5.1492G	72.99	74.00	-1.01	3	Vertical	215	1.75	-
5180MHz	Pass	PK	5.1874G	122.47	Inf	-Inf	3	Vertical	215	1.75	-
5180MHz	Pass	AV	5.15G	49.80	54.00	-4.20	3	Horizontal	307	1.84	-
5180MHz	Pass	AV	5.1844G	108.73	Inf	-Inf	3	Horizontal	307	1.84	-
5180MHz	Pass	PK	5.1456G	73.26	74.00	-0.74	3	Horizontal	307	1.84	-
5180MHz	Pass	PK	5.1844G	118.82	Inf	-Inf	3	Horizontal	307	1.84	-
5180MHz	Pass	PK	10.35982G	58.26	68.20	-9.94	3	Vertical	223	3.00	-
5180MHz	Pass	PK	10.35989G	60.93	68.20	-7.27	3	Horizontal	217	2.83	-
5200MHz	Pass	AV	5.15G	51.83	54.00	-2.17	3	Vertical	220	2.07	-
5200MHz	Pass	AV	5.2072G	113.55	Inf	-Inf	3	Vertical	220	2.07	-
5200MHz	Pass	PK	5.1484G	71.35	74.00	-2.65	3	Vertical	220	2.07	-
5200MHz	Pass	PK	5.1956G	124.60	Inf	-Inf	3	Vertical	220	2.07	-
5200MHz	Pass	AV	5.15G	50.57	54.00	-3.43	3	Horizontal	314	1.63	-
5200MHz	Pass	AV	5.2028G	110.58	Inf	-Inf	3	Horizontal	314	1.63	-
5200MHz	Pass	PK	5.1456G	69.97	74.00	-4.03	3	Horizontal	314	1.63	-
5200MHz	Pass	PK	5.2016G	121.49	Inf	-Inf	3	Horizontal	314	1.63	-
5200MHz	Pass	PK	10.40014G	57.18	68.20	-11.02	3	Vertical	275	1.66	-
5200MHz	Pass	PK	10.39987G	60.78	68.20	-7.42	3	Horizontal	219	2.33	-
5240MHz	Pass	AV	5.15G	49.89	54.00	-4.11	3	Vertical	213	1.52	-
5240MHz	Pass	AV	5.2316G	114.48	Inf	-Inf	3	Vertical	213	1.52	-
5240MHz	Pass	AV	5.35G	46.87	54.00	-7.13	3	Vertical	213	1.52	-
5240MHz	Pass	PK	5.1446G	65.95	74.00	-8.05	3	Vertical	213	1.52	-
5240MHz	Pass	PK	5.2316G	126.28	Inf	-Inf	3	Vertical	213	1.52	-
5240MHz	Pass	PK	5.3522G	63.32	74.00	-10.68	3	Vertical	213	1.52	-
5240MHz	Pass	AV	5.15G	49.24	54.00	-4.76	3	Horizontal	177	2.02	-
5240MHz	Pass	AV	5.231G	111.06	Inf	-Inf	3	Horizontal	177	2.02	-
5240MHz	Pass	AV	5.3624G	45.50	54.00	-8.50	3	Horizontal	177	2.02	-
5240MHz	Pass	PK	5.1458G	67.19	74.00	-6.81	3	Horizontal	177	2.02	-
5240MHz	Pass	PK	5.231G	121.54	Inf	-Inf	3	Horizontal	177	2.02	-
5240MHz	Pass	PK	5.3594G	57.70	74.00	-16.30	3	Horizontal	177	2.02	-
5240MHz	Pass	PK	10.47986G	57.88	68.20	-10.32	3	Vertical	279	1.60	-
5240MHz	Pass	PK	10.4799G	62.33	68.20	-5.87	3	Horizontal	223	2.43	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5745MHz	Pass	AV	5.7426G	106.01	Inf	-Inf	3	Vertical	147	1.77	-
5745MHz	Pass	PK	5.6478G	66.47	68.20	-1.73	3	Vertical	147	1.77	-
5745MHz	Pass	PK	5.7534G	119.93	Inf	-Inf	3	Vertical	147	1.77	-
5745MHz	Pass	PK	5.949G	57.73	68.20	-10.47	3	Vertical	147	1.77	-
5745MHz	Pass	AV	5.739G	108.08	Inf	-Inf	3	Horizontal	247	1.57	-
5745MHz	Pass	PK	5.6418G	67.20	68.20	-1.00	3	Horizontal	247	1.57	-
5745MHz	Pass	PK	5.739G	118.43	Inf	-Inf	3	Horizontal	247	1.57	-
5745MHz	Pass	PK	6.0306G	57.67	68.20	-10.53	3	Horizontal	247	1.57	-
5745MHz	Pass	AV	11.48984G	44.16	54.00	-9.84	3	Vertical	167	1.16	-
5745MHz	Pass	PK	11.48926G	56.22	74.00	-17.78	3	Vertical	167	1.16	-
5745MHz	Pass	AV	11.48994G	46.33	54.00	-7.67	3	Horizontal	130	3.00	-
5745MHz	Pass	PK	11.48996G	57.49	74.00	-16.51	3	Horizontal	130	3.00	-
5785MHz	Pass	AV	5.7778G	103.10	Inf	-Inf	3	Vertical	152	2.42	-
5785MHz	Pass	PK	5.6338G	57.44	68.20	-10.76	3	Vertical	152	2.42	-
5785MHz	Pass	PK	5.7778G	117.17	Inf	-Inf	3	Vertical	152	2.42	-
5785MHz	Pass	PK	6.0178G	58.73	68.20	-9.47	3	Vertical	152	2.42	-
5785MHz	Pass	AV	5.7802G	103.67	Inf	-Inf	3	Horizontal	99	2.99	-
5785MHz	Pass	PK	5.5834G	57.61	68.20	-10.59	3	Horizontal	99	2.99	-
5785MHz	Pass	PK	5.779G	116.25	Inf	-Inf	3	Horizontal	99	2.99	-
5785MHz	Pass	PK	6.0214G	59.00	68.20	-9.20	3	Horizontal	99	2.99	-
5785MHz	Pass	AV	11.56985G	43.81	54.00	-10.19	3	Vertical	171	1.35	-
5785MHz	Pass	PK	11.57046G	57.12	74.00	-16.88	3	Vertical	171	1.35	-
5785MHz	Pass	AV	11.56996G	46.06	54.00	-7.94	3	Horizontal	121	1.67	-
5785MHz	Pass	PK	11.56974G	56.80	74.00	-17.20	3	Horizontal	121	1.67	-
5825MHz	Pass	AV	5.819G	102.61	Inf	-Inf	3	Vertical	0	2.90	-



RSE TX above 1GHz_Beamforming

Appendix E.4


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5825MHz	Pass	PK	5.5334G	57.05	68.20	-11.15	3	Vertical	0	2.90	-
5825MHz	Pass	PK	5.8322G	117.91	Inf	-Inf	3	Vertical	0	2.90	-
5825MHz	Pass	PK	5.9426G	63.17	68.20	-5.03	3	Vertical	0	2.90	-
5825MHz	Pass	AV	5.8262G	103.78	Inf	-Inf	3	Horizontal	100	1.87	-
5825MHz	Pass	PK	5.627G	57.61	68.20	-10.59	3	Horizontal	100	1.87	-
5825MHz	Pass	PK	5.819G	116.58	Inf	-Inf	3	Horizontal	100	1.87	-
5825MHz	Pass	PK	5.9258G	63.61	68.20	-4.59	3	Horizontal	100	1.87	-
5825MHz	Pass	AV	11.64975G	43.10	54.00	-10.90	3	Vertical	168	2.99	-
5825MHz	Pass	PK	11.65019G	57.09	74.00	-16.91	3	Vertical	168	2.99	-
5825MHz	Pass	AV	11.64983G	44.44	54.00	-9.56	3	Horizontal	109	1.54	-
5825MHz	Pass	PK	11.64986G	55.91	74.00	-18.09	3	Horizontal	109	1.54	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.146G	48.12	54.00	-5.88	3	Vertical	199	1.57	-
5190MHz	Pass	AV	5.1796G	103.05	Inf	-Inf	3	Vertical	199	1.57	-
5190MHz	Pass	PK	5.1464G	72.57	74.00	-1.43	3	Vertical	199	1.57	-
5190MHz	Pass	PK	5.1776G	113.73	Inf	-Inf	3	Vertical	199	1.57	-
5190MHz	Pass	AV	5.15G	50.41	54.00	-3.59	3	Horizontal	210	1.84	-
5190MHz	Pass	AV	5.1996G	100.45	Inf	-Inf	3	Horizontal	210	1.84	-
5190MHz	Pass	PK	5.1464G	70.04	74.00	-3.96	3	Horizontal	210	1.84	-
5190MHz	Pass	PK	5.2016G	112.07	Inf	-Inf	3	Horizontal	210	1.84	-
5190MHz	Pass	PK	10.37974G	57.24	68.20	-10.96	3	Vertical	226	1.27	-
5190MHz	Pass	PK	10.37996G	61.34	68.20	-6.86	3	Horizontal	219	2.37	-
5230MHz	Pass	AV	5.1496G	52.12	54.00	-1.88	3	Vertical	333	1.49	-
5230MHz	Pass	AV	5.24G	107.51	Inf	-Inf	3	Vertical	333	1.49	-
5230MHz	Pass	PK	5.1388G	72.39	74.00	-1.61	3	Vertical	333	1.49	-
5230MHz	Pass	PK	5.2432G	119.39	Inf	-Inf	3	Vertical	333	1.49	-
5230MHz	Pass	AV	5.15G	51.33	54.00	-2.67	3	Horizontal	314	1.89	-
5230MHz	Pass	AV	5.2356G	103.57	Inf	-Inf	3	Horizontal	314	1.89	-
5230MHz	Pass	PK	5.15G	70.54	74.00	-3.46	3	Horizontal	314	1.89	-
5230MHz	Pass	PK	5.2172G	114.57	Inf	-Inf	3	Horizontal	314	1.89	-
5230MHz	Pass	PK	10.45981G	57.24	68.20	-10.96	3	Vertical	210	1.48	-
5230MHz	Pass	PK	10.45988G	61.05	68.20	-7.15	3	Horizontal	220	2.82	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5755MHz	Pass	AV	5.743G	105.18	Inf	-Inf	3	Vertical	165	2.72	-
5755MHz	Pass	PK	5.6422G	65.76	68.20	-2.44	3	Vertical	165	2.72	-
5755MHz	Pass	PK	5.7574G	113.85	Inf	-Inf	3	Vertical	165	2.72	-
5755MHz	Pass	PK	5.9842G	58.28	68.20	-9.92	3	Vertical	165	2.72	-
5755MHz	Pass	AV	5.7442G	102.36	Inf	-Inf	3	Horizontal	84	2.98	-
5755MHz	Pass	PK	5.6422G	66.21	68.20	-1.99	3	Horizontal	84	2.98	-
5755MHz	Pass	PK	5.7646G	114.28	Inf	-Inf	3	Horizontal	84	2.98	-
5755MHz	Pass	PK	6.0442G	57.71	68.20	-10.49	3	Horizontal	84	2.98	-
5755MHz	Pass	AV	11.50988G	44.02	54.00	-9.98	3	Vertical	85	1.50	-
5755MHz	Pass	PK	11.50983G	56.99	74.00	-17.01	3	Vertical	85	1.50	-
5755MHz	Pass	AV	11.50986G	46.04	54.00	-7.96	3	Horizontal	111	1.69	-
5755MHz	Pass	PK	11.51014G	57.35	74.00	-16.65	3	Horizontal	111	1.69	-
5795MHz	Pass	AV	5.7818G	104.26	Inf	-Inf	3	Vertical	22	2.77	-
5795MHz	Pass	PK	5.6474G	64.52	68.20	-3.68	3	Vertical	22	2.77	-
5795MHz	Pass	PK	5.789G	114.75	Inf	-Inf	3	Vertical	22	2.77	-
5795MHz	Pass	PK	5.9318G	67.43	68.20	-0.77	3	Vertical	22	2.77	-
5795MHz	Pass	AV	5.777G	107.01	Inf	-Inf	3	Horizontal	94	2.75	-
5795MHz	Pass	PK	5.6426G	67.58	68.20	-0.62	3	Horizontal	94	2.75	-
5795MHz	Pass	PK	5.7794G	117.98	Inf	-Inf	3	Horizontal	94	2.75	-
5795MHz	Pass	PK	5.9354G	66.87	68.20	-1.33	3	Horizontal	94	2.75	-
5795MHz	Pass	AV	11.58978G	43.69	54.00	-10.31	3	Vertical	83	2.93	-
5795MHz	Pass	PK	11.58934G	56.13	74.00	-17.87	3	Vertical	83	2.93	-
5795MHz	Pass	AV	11.58983G	45.61	54.00	-8.39	3	Horizontal	122	1.64	-
5795MHz	Pass	PK	11.59006G	56.87	74.00	-17.13	3	Horizontal	122	1.64	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.143G	52.52	54.00	-1.48	3	Vertical	213	1.48	-
5210MHz	Pass	AV	5.198G	103.30	Inf	-Inf	3	Vertical	213	1.48	-
5210MHz	Pass	AV	5.353G	44.52	54.00	-9.48	3	Vertical	213	1.48	-
5210MHz	Pass	PK	5.139G	70.56	74.00	-3.44	3	Vertical	213	1.48	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5210MHz	Pass	PK	5.196G	115.41	Inf	-Inf	3	Vertical	213	1.48	-
5210MHz	Pass	PK	5.397G	56.66	74.00	-17.34	3	Vertical	213	1.48	-
5210MHz	Pass	AV	5.147G	47.26	54.00	-6.74	3	Horizontal	218	1.70	-
5210MHz	Pass	AV	5.197G	101.13	Inf	-Inf	3	Horizontal	218	1.70	-
5210MHz	Pass	AV	5.43G	44.13	54.00	-9.87	3	Horizontal	218	1.70	-
5210MHz	Pass	PK	5.142G	61.19	74.00	-12.81	3	Horizontal	218	1.70	-
5210MHz	Pass	PK	5.197G	111.05	Inf	-Inf	3	Horizontal	218	1.70	-
5210MHz	Pass	PK	5.383G	56.50	74.00	-17.50	3	Horizontal	218	1.70	-
5210MHz	Pass	PK	10.41981G	57.53	68.20	-10.67	3	Vertical	224	1.33	-
5210MHz	Pass	PK	10.41995G	60.75	68.20	-7.45	3	Horizontal	218	2.76	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	AV	5.739G	102.15	Inf	-Inf	3	Vertical	155	2.28	-
5775MHz	Pass	PK	5.6466G	61.94	68.20	-6.26	3	Vertical	155	2.28	-
5775MHz	Pass	PK	5.739G	110.77	Inf	-Inf	3	Vertical	155	2.28	-
5775MHz	Pass	PK	5.9238G	60.07	69.09	-9.02	3	Vertical	155	2.28	-
5775MHz	Pass	AV	5.745G	98.28	Inf	-Inf	3	Horizontal	63	1.77	-
5775MHz	Pass	PK	5.6502G	63.19	68.35	-5.16	3	Horizontal	63	1.77	-
5775MHz	Pass	PK	5.739G	110.61	Inf	-Inf	3	Horizontal	63	1.77	-
5775MHz	Pass	PK	5.9274G	59.10	68.20	-9.10	3	Horizontal	63	1.77	-
5775MHz	Pass	AV	11.54989G	43.92	54.00	-10.08	3	Vertical	74	2.74	-
5775MHz	Pass	PK	11.54982G	57.62	74.00	-16.38	3	Vertical	74	2.74	-
5775MHz	Pass	AV	11.54984G	45.81	54.00	-8.19	3	Horizontal	112	1.62	-
5775MHz	Pass	PK	11.54992G	57.14	74.00	-16.86	3	Horizontal	112	1.62	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	52.74	54.00	-1.26	5.99	3	Vertical	215	1.75	-	46.75	31.70	8.52	34.23
AV	5.1886G	111.03	Inf	-Inf	5.87	3	Vertical	215	1.75	-	105.16	31.55	8.56	34.24
PK	5.1492G	72.99	74.00	-1.01	5.99	3	Vertical	215	1.75	-	67.00	31.70	8.52	34.23
PK	5.1874G	122.47	Inf	-Inf	5.88	3	Vertical	215	1.75	-	116.59	31.55	8.56	34.23

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.80	54.00	-4.20	5.99	3	Horizontal	307	1.84	-	43.81	31.70	8.52	34.23
AV	5.1844G	108.73	Inf	-Inf	5.89	3	Horizontal	307	1.84	-	102.84	31.56	8.56	34.23
PK	5.1456G	73.26	74.00	-0.74	5.99	3	Horizontal	307	1.84	-	67.27	31.70	8.52	34.23
PK	5.1844G	118.82	Inf	-Inf	5.89	3	Horizontal	307	1.84	-	112.93	31.56	8.56	34.23

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35982G	58.26	68.20	-9.94	16.88	3	Vertical	223	3.00	-	41.38	39.38	12.18	34.68

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.35989G	60.93	68.20	-7.27	16.88	3	Horizontal	217	2.83	-	44.05	39.38	12.18	34.68

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.83	54.00	-2.17	5.99	3	Vertical	220	2.07	-	45.84	31.70	8.52	34.23
AV	5.2072G	113.55	Inf	-Inf	5.79	3	Vertical	220	2.07	-	107.76	31.46	8.57	34.24
PK	5.1484G	71.35	74.00	-2.65	5.99	3	Vertical	220	2.07	-	65.36	31.70	8.52	34.23
PK	5.1956G	124.60	Inf	-Inf	5.85	3	Vertical	220	2.07	-	118.75	31.52	8.57	34.24

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.57	54.00	-3.43	5.99	3	Horizontal	314	1.63	-	44.58	31.70	8.52	34.23
AV	5.2028G	110.58	Inf	-Inf	5.81	3	Horizontal	314	1.63	-	104.77	31.48	8.57	34.24
PK	5.1456G	69.97	74.00	-4.03	5.99	3	Horizontal	314	1.63	-	63.98	31.70	8.52	34.23
PK	5.2016G	121.49	Inf	-Inf	5.82	3	Horizontal	314	1.63	-	115.67	31.49	8.57	34.24

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.40014G	57.18	68.20	-11.02	17.05	3	Vertical	275	1.66	-	40.13	39.50	12.20	34.65

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.39987G	60.78	68.20	-7.42	17.05	3	Horizontal	219	2.33	-	43.73	39.50	12.20	34.65

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.89	54.00	-4.11	5.99	3	Vertical	213	1.52	-	43.90	31.70	8.52	34.23
AV	5.2316G	114.48	Inf	-Inf	5.65	3	Vertical	213	1.52	-	108.83	31.31	8.58	34.24
AV	5.35G	46.87	54.00	-7.13	5.35	3	Vertical	213	1.52	-	41.52	31.00	8.60	34.25
PK	5.1446G	65.95	74.00	-8.05	5.99	3	Vertical	213	1.52	-	59.96	31.70	8.52	34.23
PK	5.2316G	126.28	Inf	-Inf	5.65	3	Vertical	213	1.52	-	120.63	31.31	8.58	34.24
PK	5.3522G	63.32	74.00	-10.68	5.36	3	Vertical	213	1.52	-	57.96	31.01	8.60	34.25

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.24	54.00	-4.76	5.99	3	Horizontal	177	2.02	-	43.25	31.70	8.52	34.23
AV	5.231G	111.06	Inf	-Inf	5.65	3	Horizontal	177	2.02	-	105.41	31.31	8.58	34.24
AV	5.3624G	45.50	54.00	-8.50	5.42	3	Horizontal	177	2.02	-	40.08	31.07	8.60	34.25
PK	5.1458G	67.19	74.00	-6.81	5.99	3	Horizontal	177	2.02	-	61.20	31.70	8.52	34.23
PK	5.231G	121.54	Inf	-Inf	5.65	3	Horizontal	177	2.02	-	115.89	31.31	8.58	34.24
PK	5.3594G	57.70	74.00	-16.30	5.41	3	Horizontal	177	2.02	-	52.29	31.06	8.60	34.25

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.479866	57.88	68.20	-10.32	17.31	3	Vertical	279	1.60	-	40.57	39.66	12.24	34.59

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4799G	62.33	68.20	-5.87	17.31	3	Horizontal	223	2.43	-	45.02	39.66	12.24	34.59

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	106.01	Inf	-Inf	6.72	3	Vertical	147	1.77	-	99.29	31.97	9.03	34.28
PK	5.6478G	66.47	68.20	-1.73	6.37	3	Vertical	147	1.77	-	60.10	31.70	8.94	34.27
PK	5.7534G	119.93	Inf	-Inf	6.75	3	Vertical	147	1.77	-	113.18	32.00	9.04	34.29
PK	5.949G	57.73	68.20	-10.47	7.15	3	Vertical	147	1.77	-	50.58	32.30	9.15	34.30

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.739G	108.08	Inf	-Inf	6.71	3	Horizontal	247	1.57	-	101.37	31.96	9.03	34.28
PK	5.6418G	67.20	68.20	-1.00	6.35	3	Horizontal	247	1.57	-	60.85	31.68	8.94	34.27
PK	5.739G	118.43	Inf	-Inf	6.71	3	Horizontal	247	1.57	-	111.72	31.96	9.03	34.28
PK	6.0306G	57.67	68.20	-10.53	7.22	3	Horizontal	247	1.57	-	50.45	32.34	9.19	34.31

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48984G	44.16	54.00	-9.84	18.57	3	Vertical	167	1.16	-	25.59	39.98	12.75	34.16
PK	11.48926G	56.22	74.00	-17.78	18.57	3	Vertical	167	1.16	-	37.65	39.98	12.75	34.16

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48994G	46.33	54.00	-7.67	18.57	3	Horizontal	130	3.00	-	27.76	39.98	12.75	34.16
PK	11.48996G	57.49	74.00	-16.51	18.57	3	Horizontal	130	3.00	-	38.92	39.98	12.75	34.16

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7778G	103.10	Inf	-Inf	6.77	3	Vertical	152	2.42	-	96.33	32.00	9.06	34.29
PK	5.6338G	57.44	68.20	-10.76	6.33	3	Vertical	152	2.42	-	51.11	31.67	8.93	34.27
PK	5.7778G	117.17	Inf	-Inf	6.77	3	Vertical	152	2.42	-	110.40	32.00	9.06	34.29
PK	6.0178G	58.73	68.20	-9.47	7.23	3	Vertical	152	2.42	-	51.50	32.36	9.18	34.31

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7802G	103.67	Inf	-Inf	6.77	3	Horizontal	99	2.99	-	96.90	32.00	9.06	34.29
PK	5.5834G	57.61	68.20	-10.59	6.21	3	Horizontal	99	2.99	-	51.40	31.60	8.88	34.27
PK	5.779G	116.25	Inf	-Inf	6.77	3	Horizontal	99	2.99	-	109.48	32.00	9.06	34.29
PK	6.0214G	59.00	68.20	-9.20	7.24	3	Horizontal	99	2.99	-	51.76	32.36	9.19	34.31

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56985G	43.81	54.00	-10.19	18.53	3	Vertical	171	1.35	-	25.28	39.93	12.79	34.19
PK	11.57046G	57.12	74.00	-16.88	18.53	3	Vertical	171	1.35	-	38.59	39.93	12.79	34.19

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56996G	46.06	54.00	-7.94	18.53	3	Horizontal	121	1.67	-	27.53	39.93	12.79	34.19
PK	11.56974G	56.80	74.00	-17.20	18.53	3	Horizontal	121	1.67	-	38.27	39.93	12.79	34.19

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.819G	102.61	Inf	-Inf	6.88	3	Vertical	0	2.90	-	95.73	32.08	9.09	34.29
PK	5.832G	117.91	Inf	-Inf	6.93	3	Vertical	0	2.90	-	110.98	32.13	9.09	34.29
PK	5.942G	63.17	68.20	-5.03	7.14	3	Vertical	0	2.90	-	56.03	32.30	9.14	34.30

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	103.78	Inf	-Inf	6.90	3	Horizontal	100	1.87	-	96.88	32.10	9.09	34.29
PK	5.627G	57.61	68.20	-10.59	6.30	3	Horizontal	100	1.87	-	51.31	31.65	8.92	34.27
PK	5.819G	116.58	Inf	-Inf	6.88	3	Horizontal	100	1.87	-	109.70	32.08	9.09	34.29
PK	5.9258G	63.61	68.20	-4.59	7.14	3	Horizontal	100	1.87	-	56.47	32.30	9.14	34.30

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64975G	43.10	54.00	-10.90	18.15	3	Vertical	168	2.99	-	24.95	39.55	12.83	34.23
PK	11.65019G	57.09	74.00	-16.91	18.15	3	Vertical	168	2.99	-	38.94	39.55	12.83	34.23

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64983G	44.44	54.00	-9.56	18.15	3	Horizontal	109	1.54	-	26.29	39.55	12.83	34.23
PK	11.64986G	55.91	74.00	-18.09	18.15	3	Horizontal	109	1.54	-	37.76	39.55	12.83	34.23

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	48.12	54.00	-5.88	5.99	3	Vertical	199	1.57	-	42.13	31.70	8.52	34.23
AV	5.1796G	103.05	Inf	-Inf	5.90	3	Vertical	199	1.57	-	97.15	31.58	8.55	34.23
PK	5.1464G	72.57	74.00	-1.43	5.99	3	Vertical	199	1.57	-	66.58	31.70	8.52	34.23
PK	5.1776G	113.73	Inf	-Inf	5.91	3	Vertical	199	1.57	-	107.82	31.59	8.55	34.23

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.41	54.00	-3.59	5.99	3	Horizontal	210	1.84	-	44.42	31.70	8.52	34.23
AV	5.1996G	100.45	Inf	-Inf	5.83	3	Horizontal	210	1.84	-	94.62	31.50	8.57	34.24
PK	5.1464G	70.04	74.00	-3.96	5.99	3	Horizontal	210	1.84	-	64.05	31.70	8.52	34.23
PK	5.2016G	112.07	Inf	-Inf	5.82	3	Horizontal	210	1.84	-	106.25	31.49	8.57	34.24

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.37974G	57.24	68.20	-10.96	16.97	3	Vertical	226	1.27	-	40.27	39.44	12.19	34.66

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.37996G	61.34	68.20	-6.86	16.97	3	Horizontal	219	2.37	-	44.37	39.44	12.19	34.66

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	52.12	54.00	-1.88	5.99	3	Vertical	333	1.49	-	46.13	31.70	8.52	34.23
AV	5.24G	107.51	Inf	-Inf	5.60	3	Vertical	333	1.49	-	101.91	31.26	8.58	34.24
PK	5.1388G	72.39	74.00	-1.61	5.98	3	Vertical	333	1.49	-	66.41	31.70	8.51	34.23
PK	5.2432G	119.39	Inf	-Inf	5.58	3	Vertical	333	1.49	-	113.81	31.24	8.58	34.24

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.33	54.00	-2.67	5.99	3	Horizontal	314	1.89	-	45.34	31.70	8.52	34.23
AV	5.2356G	103.57	Inf	-Inf	5.63	3	Horizontal	314	1.89	-	97.94	31.29	8.58	34.24
PK	5.15G	70.54	74.00	-3.46	5.99	3	Horizontal	314	1.89	-	64.55	31.70	8.52	34.23
PK	5.2172G	114.57	Inf	-Inf	5.73	3	Horizontal	314	1.89	-	108.84	31.40	8.57	34.24

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.45981G	57.24	68.20	-10.96	17.25	3	Vertical	210	1.48	-	39.99	39.62	12.23	34.60

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.45988G	61.05	68.20	-7.15	17.25	3	Horizontal	220	2.82	-	43.80	39.62	12.23	34.60

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.743G	105.18	Inf	-Inf	6.72	3	Vertical	165	2.72	-	98.46	31.97	9.03	34.28
PK	5.6422G	65.76	68.20	-2.44	6.35	3	Vertical	165	2.72	-	59.41	31.68	8.94	34.27
PK	5.7574G	113.85	Inf	-Inf	6.75	3	Vertical	165	2.72	-	107.10	32.00	9.04	34.29
PK	5.9842G	58.28	68.20	-9.92	7.22	3	Vertical	165	2.72	-	51.06	32.37	9.16	34.31

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7442G	102.36	Inf	-Inf	6.73	3	Horizontal	84	2.98	-	95.63	31.98	9.03	34.28
PK	5.6422G	66.21	68.20	-1.99	6.35	3	Horizontal	84	2.98	-	59.86	31.68	8.94	34.27
PK	5.7646G	114.28	Inf	-Inf	6.76	3	Horizontal	84	2.98	-	107.52	32.00	9.05	34.29
PK	6.0442G	57.71	68.20	-10.49	7.21	3	Horizontal	84	2.98	-	50.50	32.31	9.21	34.31

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50988G	44.02	54.00	-9.98	18.59	3	Vertical	85	1.50	-	25.43	39.99	12.76	34.16
PK	11.50983G	56.99	74.00	-17.01	18.59	3	Vertical	85	1.50	-	38.40	39.99	12.76	34.16

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50986G	46.04	54.00	-7.96	18.59	3	Horizontal	111	1.69	-	27.45	39.99	12.76	34.16
PK	11.51014G	57.35	74.00	-16.65	18.59	3	Horizontal	111	1.69	-	38.76	39.99	12.76	34.16

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7818G	104.26	Inf	-Inf	6.77	3	Vertical	22	2.77	-	97.49	32.00	9.06	34.29
PK	5.6474G	64.52	68.20	-3.68	6.36	3	Vertical	22	2.77	-	58.16	31.69	8.94	34.27
PK	5.789G	114.75	Inf	-Inf	6.78	3	Vertical	22	2.77	-	107.97	32.00	9.07	34.29
PK	5.9318G	67.43	68.20	-0.77	7.14	3	Vertical	22	2.77	-	60.29	32.30	9.14	34.30

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.777G	107.01	Inf	-Inf	6.77	3	Horizontal	94	2.75	-	100.24	32.00	9.06	34.29
PK	5.6426G	67.58	68.20	-0.62	6.36	3	Horizontal	94	2.75	-	61.22	31.69	8.94	34.27
PK	5.7794G	117.98	Inf	-Inf	6.77	3	Horizontal	94	2.75	-	111.21	32.00	9.06	34.29
PK	5.9354G	66.87	68.20	-1.33	7.14	3	Horizontal	94	2.75	-	59.73	32.30	9.14	34.30

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58978G	43.69	54.00	-10.31	18.51	3	Vertical	83	2.93	-	25.18	39.91	12.80	34.20
PK	11.58934G	56.13	74.00	-17.87	18.51	3	Vertical	83	2.93	-	37.62	39.91	12.80	34.20

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58983G	45.61	54.00	-8.39	18.51	3	Horizontal	122	1.64	-	27.10	39.91	12.80	34.20
PK	11.59006G	56.87	74.00	-17.13	18.51	3	Horizontal	122	1.64	-	38.36	39.91	12.80	34.20

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.143G	52.52	54.00	-1.48	5.99	3	Vertical	213	1.48	-	46.53	31.70	8.52	34.23
AV	5.198G	103.30	Inf	-Inf	5.84	3	Vertical	213	1.48	-	97.46	31.51	8.57	34.24
AV	5.353G	44.52	54.00	-9.48	5.37	3	Vertical	213	1.48	-	39.15	31.02	8.60	34.25
PK	5.139G	70.56	74.00	-3.44	5.98	3	Vertical	213	1.48	-	64.58	31.70	8.51	34.23
PK	5.196G	115.41	Inf	-Inf	5.85	3	Vertical	213	1.48	-	109.56	31.52	8.57	34.24
PK	5.397G	56.66	74.00	-17.34	5.64	3	Vertical	213	1.48	-	51.02	31.28	8.61	34.25

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	47.26	54.00	-6.74	5.99	3	Horizontal	218	1.70	-	41.27	31.70	8.52	34.23
AV	5.197G	101.13	Inf	-Inf	5.84	3	Horizontal	218	1.70	-	95.29	31.51	8.57	34.24
AV	5.43G	44.13	54.00	-9.87	5.88	3	Horizontal	218	1.70	-	38.25	31.48	8.65	34.25
PK	5.142G	61.19	74.00	-12.81	5.98	3	Horizontal	218	1.70	-	55.21	31.70	8.51	34.23
PK	5.197G	111.05	Inf	-Inf	5.84	3	Horizontal	218	1.70	-	105.21	31.51	8.57	34.24
PK	5.383G	56.50	74.00	-17.50	5.56	3	Horizontal	218	1.70	-	50.94	31.20	8.61	34.25

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.41981G	57.53	68.20	-10.67	17.12	3	Vertical	224	1.33	-	40.41	39.54	12.21	34.63

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (*)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.41995G	60.75	68.20	-7.45	17.12	3	Horizontal	218	2.76	-	43.63	39.54	12.21	34.63

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.739G	102.15	Inf	-Inf	6.71	3	Vertical	155	2.28	-	95.44	31.96	9.03	34.28
PK	5.6466G	61.94	68.20	-6.26	6.36	3	Vertical	155	2.28	-	55.58	31.69	8.94	34.27
PK	5.739G	110.77	Inf	-Inf	6.71	3	Vertical	155	2.28	-	104.06	31.96	9.03	34.28
PK	5.9238G	60.07	69.09	-9.02	7.14	3	Vertical	155	2.28	-	52.93	32.30	9.14	34.30

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.745G	98.28	Inf	-Inf	6.73	3	Horizontal	63	1.77	-	91.55	31.98	9.03	34.28
PK	5.6502G	63.19	68.35	-5.16	6.37	3	Horizontal	63	1.77	-	56.82	31.70	8.95	34.28
PK	5.739G	110.61	Inf	-Inf	6.71	3	Horizontal	63	1.77	-	103.90	31.96	9.03	34.28
PK	5.9274G	59.10	68.20	-9.10	7.14	3	Horizontal	63	1.77	-	51.96	32.30	9.14	34.30

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54989G	43.92	54.00	-10.08	18.55	3	Vertical	74	2.74	-	25.37	39.95	12.78	34.18
PK	11.54982G	57.62	74.00	-16.38	18.55	3	Vertical	74	2.74	-	39.07	39.95	12.78	34.18

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54984G	45.81	54.00	-8.19	18.55	3	Horizontal	112	1.62	-	27.26	39.95	12.78	34.18
PK	11.54992G	57.14	74.00	-16.86	18.55	3	Horizontal	112	1.62	-	38.59	39.95	12.78	34.18




Summary





Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	11.64992G	45.03	54.00	-8.97	Vertical

Mode Configure

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	4.87393G	40.55	54.00	-13.45	3	Vertical	347	1.50	-
Mode 1	Pass	AV	11.64992G	45.03	54.00	-8.97	3	Vertical	326	1.62	-
Mode 1	Pass	PK	4.87393G	49.32	74.00	-24.68	3	Vertical	347	1.50	-
Mode 1	Pass	PK	11.65344G	58.28	74.00	-15.72	3	Vertical	326	1.62	-
Mode 1	Pass	AV	4.87393G	41.63	54.00	-12.37	3	Horizontal	68	1.90	-
Mode 1	Pass	AV	11.64996G	45.02	54.00	-8.98	3	Horizontal	275	1.59	-
Mode 1	Pass	PK	4.87403G	49.92	74.00	-24.08	3	Horizontal	68	1.90	-
Mode 1	Pass	PK	11.64976G	58.32	74.00	-15.68	3	Horizontal	275	1.59	-

Mode 1




Lim.PK 
 PK 
 Lim.AV 
 AV 

18/12/2020

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87393G	40.55	54.00	-13.45	8.46	3	Vertical	347	1.50	-	32.09	31.10	6.57	29.21
AV	11.64992G	45.03	54.00	-8.97	18.81	3	Vertical	326	1.62	-	26.22	39.60	9.54	30.33
PK	4.87393G	49.32	74.00	-24.68	8.46	3	Vertical	347	1.50	-	40.86	31.10	6.57	29.21
PK	11.65344G	58.28	74.00	-15.72	18.79	3	Vertical	326	1.62	-	39.49	39.58	9.54	30.33

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87393G	41.63	54.00	-12.37	8.46	3	Horizontal	68	1.90	-	33.17	31.10	6.57	29.21
AV	11.64996G	45.02	54.00	-8.98	18.81	3	Horizontal	275	1.59	-	26.21	39.60	9.54	30.33
PK	4.87403G	49.92	74.00	-24.08	8.46	3	Horizontal	68	1.90	-	41.46	31.10	6.57	29.21
PK	11.64976G	58.32	74.00	-15.68	18.81	3	Horizontal	275	1.59	-	39.51	39.60	9.54	30.33