



RSE TX above 1GHz\_5150-5850(MHz)\_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5745MHz	Pass	PK	5.7474G	113.57	Inf	-Inf	3	Vertical	324	1.50
5745MHz	Pass	PK	5.991G	58.21	68.20	-9.99	3	Vertical	324	1.50
5745MHz	Pass	AV	5.4522G	44.09	54.00	-9.91	3	Horizontal	311	1.45
5745MHz	Pass	AV	5.7426G	107.32	Inf	-Inf	3	Horizontal	311	1.45
5745MHz	Pass	PK	5.649G	57.70	68.20	-10.50	3	Horizontal	311	1.45
5745MHz	Pass	PK	5.7414G	119.75	Inf	-Inf	3	Horizontal	311	1.45
5745MHz	Pass	PK	5.9994G	57.95	68.20	-10.25	3	Horizontal	311	1.45
5745MHz	Pass	AV	11.48298G	43.36	54.00	-10.64	3	Vertical	351	1.50
5745MHz	Pass	AV	22.98G	45.43	54.00	-8.57	3	Vertical	202	1.66
5745MHz	Pass	PK	11.48424G	57.36	74.00	-16.64	3	Vertical	351	1.50
5745MHz	Pass	PK	17.23314G	63.50	68.20	-4.70	3	Vertical	277	1.42
5745MHz	Pass	PK	22.98G	50.71	74.00	-23.29	3	Vertical	202	1.66
5745MHz	Pass	PK	28.722G	45.28	68.20	-22.92	3	Vertical	346	1.50
5745MHz	Pass	AV	11.49312G	45.07	54.00	-8.93	3	Horizontal	306	1.49
5745MHz	Pass	AV	22.98G	46.28	54.00	-7.72	3	Horizontal	241	1.66
5745MHz	Pass	PK	11.49336G	59.33	74.00	-14.67	3	Horizontal	306	1.49
5745MHz	Pass	PK	17.23612G	66.92	68.20	-1.28	3	Horizontal	309	1.93
5745MHz	Pass	PK	22.9884G	56.25	74.00	-17.75	3	Horizontal	241	1.66
5745MHz	Pass	PK	28.71408G	47.45	68.20	-20.75	3	Horizontal	291	1.59
5785MHz	Pass	AV	5.7874G	101.29	Inf	-Inf	3	Vertical	324	1.40
5785MHz	Pass	PK	5.5366G	56.66	68.20	-11.54	3	Vertical	324	1.40
5785MHz	Pass	PK	5.7874G	113.58	Inf	-Inf	3	Vertical	324	1.40
5785MHz	Pass	PK	5.9866G	58.11	68.20	-10.09	3	Vertical	324	1.40
5785MHz	Pass	AV	5.7814G	107.70	Inf	-Inf	3	Horizontal	309	1.26
5785MHz	Pass	PK	5.6134G	57.68	68.20	-10.52	3	Horizontal	309	1.26
5785MHz	Pass	PK	5.7826G	119.35	Inf	-Inf	3	Horizontal	309	1.26
5785MHz	Pass	PK	5.9734G	58.33	68.20	-9.87	3	Horizontal	309	1.26
5785MHz	Pass	AV	11.57684G	43.56	54.00	-10.44	3	Vertical	17	1.00
5785MHz	Pass	PK	11.57726G	57.87	74.00	-16.13	3	Vertical	17	1.00
5785MHz	Pass	PK	17.35404G	65.21	68.20	-2.99	3	Vertical	298	1.50
5785MHz	Pass	PK	23.16532G	47.92	68.20	-20.28	3	Vertical	203	1.50
5785MHz	Pass	PK	28.9094G	46.19	68.20	-22.01	3	Vertical	282	1.59
5785MHz	Pass	AV	11.56676G	44.61	54.00	-9.39	3	Horizontal	76	1.50
5785MHz	Pass	PK	11.56568G	58.87	74.00	-15.13	3	Horizontal	76	1.50
5785MHz	Pass	PK	17.35252G	68.16	68.20	-0.04	3	Horizontal	326	1.35
5785MHz	Pass	PK	23.16544G	48.21	68.20	-19.99	3	Horizontal	322	1.50
5785MHz	Pass	PK	28.93184G	46.00	68.20	-22.20	3	Horizontal	250	1.50
5825MHz	Pass	AV	5.8202G	100.34	Inf	-Inf	3	Vertical	307	1.68
5825MHz	Pass	PK	5.615G	56.54	68.20	-11.66	3	Vertical	307	1.68
5825MHz	Pass	PK	5.8202G	113.29	Inf	-Inf	3	Vertical	307	1.68
5825MHz	Pass	PK	5.963G	59.82	68.20	-8.38	3	Vertical	307	1.68
5825MHz	Pass	AV	5.8226G	106.63	Inf	-Inf	3	Horizontal	310	1.26
5825MHz	Pass	PK	5.5394G	57.10	68.20	-11.10	3	Horizontal	310	1.26
5825MHz	Pass	PK	5.8226G	118.77	Inf	-Inf	3	Horizontal	310	1.26
5825MHz	Pass	PK	6.0758G	58.22	68.20	-9.98	3	Horizontal	310	1.26
5825MHz	Pass	AV	11.65234G	45.54	54.00	-8.46	3	Vertical	329	1.65
5825MHz	Pass	PK	11.65246G	59.52	74.00	-14.48	3	Vertical	329	1.65
5825MHz	Pass	PK	17.4741G	60.90	68.20	-7.30	3	Vertical	278	1.74
5825MHz	Pass	PK	23.3G	50.68	68.20	-17.52	3	Vertical	167	1.52
5825MHz	Pass	PK	29.11816G	47.49	68.20	-20.71	3	Vertical	263	1.50
5825MHz	Pass	AV	11.647G	44.69	54.00	-9.31	3	Horizontal	82	1.50
5825MHz	Pass	PK	11.64736G	58.93	74.00	-15.07	3	Horizontal	82	1.50
5825MHz	Pass	PK	17.47444G	67.69	68.20	-0.51	3	Horizontal	312	1.80
5825MHz	Pass	PK	23.2946G	62.89	68.20	-5.31	3	Horizontal	307	1.48
5825MHz	Pass	PK	29.13088G	49.75	68.20	-18.45	3	Horizontal	299	1.63
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1496G	53.10	54.00	-0.90	3	Vertical	323	3.00
5190MHz	Pass	AV	5.188G	99.18	Inf	-Inf	3	Vertical	323	3.00
5190MHz	Pass	PK	5.1488G	68.17	74.00	-5.83	3	Vertical	323	3.00
5190MHz	Pass	PK	5.1884G	111.95	Inf	-Inf	3	Vertical	323	3.00
5190MHz	Pass	AV	5.15G	53.17	54.00	-0.83	3	Horizontal	319	1.59
5190MHz	Pass	AV	5.1936G	105.92	Inf	-Inf	3	Horizontal	319	1.59



RSE TX above 1GHz\_5150-5850(MHz)\_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5190MHz	Pass	PK	5.15G	67.46	74.00	-6.54	3	Horizontal	319	1.59
5190MHz	Pass	PK	5.1936G	117.89	Inf	-Inf	3	Horizontal	319	1.59
5190MHz	Pass	AV	15.56976G	42.33	54.00	-11.67	3	Vertical	166	1.76
5190MHz	Pass	AV	20.76G	34.36	54.00	-19.64	3	Vertical	141	1.43
5190MHz	Pass	PK	10.36782G	58.85	68.20	-9.35	3	Vertical	26	1.50
5190MHz	Pass	PK	15.58224G	56.61	74.00	-17.39	3	Vertical	166	1.76
5190MHz	Pass	PK	20.74512G	45.70	74.00	-28.30	3	Vertical	141	1.43
5190MHz	Pass	PK	25.9374G	43.38	68.20	-24.82	3	Vertical	158	1.09
5190MHz	Pass	AV	15.57G	43.25	54.00	-10.75	3	Horizontal	243	1.50
5190MHz	Pass	AV	20.74464G	33.70	54.00	-20.30	3	Horizontal	176	1.93
5190MHz	Pass	PK	10.38228G	59.02	68.20	-9.18	3	Horizontal	331	2.01
5190MHz	Pass	PK	15.57012G	56.36	74.00	-17.64	3	Horizontal	243	1.50
5190MHz	Pass	PK	20.75556G	46.01	74.00	-27.99	3	Horizontal	176	1.93
5190MHz	Pass	PK	25.96044G	43.55	68.20	-24.65	3	Horizontal	190	1.43
5230MHz	Pass	AV	5.1492G	51.49	54.00	-2.51	3	Vertical	331	2.96
5230MHz	Pass	AV	5.2292G	104.42	Inf	-Inf	3	Vertical	331	2.96
5230MHz	Pass	PK	5.148G	66.43	74.00	-7.57	3	Vertical	331	2.96
5230MHz	Pass	PK	5.2288G	116.21	Inf	-Inf	3	Vertical	331	2.96
5230MHz	Pass	AV	5.15G	53.21	54.00	-0.79	3	Horizontal	322	1.54
5230MHz	Pass	AV	5.2336G	111.27	Inf	-Inf	3	Horizontal	322	1.54
5230MHz	Pass	PK	5.1344G	68.84	74.00	-5.16	3	Horizontal	322	1.54
5230MHz	Pass	PK	5.2328G	123.56	Inf	-Inf	3	Horizontal	322	1.54
5230MHz	Pass	AV	15.67256G	42.49	54.00	-11.51	3	Vertical	294	1.80
5230MHz	Pass	AV	20.91808G	38.80	54.00	-15.20	3	Vertical	315	1.54
5230MHz	Pass	PK	10.46968G	62.54	68.20	-5.66	3	Vertical	28	1.58
5230MHz	Pass	PK	15.6864G	56.70	74.00	-17.30	3	Vertical	294	1.80
5230MHz	Pass	PK	20.89672G	50.12	74.00	-23.88	3	Vertical	315	1.54
5230MHz	Pass	PK	26.16584G	45.32	68.20	-22.88	3	Vertical	83	1.52
5230MHz	Pass	AV	15.68992G	43.05	54.00	-10.95	3	Horizontal	245	2.70
5230MHz	Pass	AV	20.91784G	43.51	54.00	-10.49	3	Horizontal	307	1.49
5230MHz	Pass	PK	10.45296G	63.55	68.20	-4.65	3	Horizontal	313	1.64
5230MHz	Pass	PK	15.6868G	56.44	74.00	-17.56	3	Horizontal	245	2.70
5230MHz	Pass	PK	20.89672G	55.42	74.00	-18.58	3	Horizontal	307	1.49
5230MHz	Pass	PK	26.14016G	45.64	68.20	-22.56	3	Horizontal	262	1.69
5270MHz	Pass	AV	5.2684G	101.93	Inf	-Inf	3	Vertical	331	2.91
5270MHz	Pass	AV	5.3572G	46.00	54.00	-8.00	3	Vertical	331	2.91
5270MHz	Pass	PK	5.268G	114.82	Inf	-Inf	3	Vertical	331	2.91
5270MHz	Pass	PK	5.356G	59.94	74.00	-14.06	3	Vertical	331	2.91
5270MHz	Pass	AV	5.2736G	110.56	Inf	-Inf	3	Horizontal	318	1.57
5270MHz	Pass	AV	5.3528G	52.45	54.00	-1.55	3	Horizontal	318	1.57
5270MHz	Pass	PK	5.2732G	123.86	Inf	-Inf	3	Horizontal	318	1.57
5270MHz	Pass	PK	5.3508G	68.31	74.00	-5.69	3	Horizontal	318	1.57
5270MHz	Pass	AV	15.82064G	42.39	54.00	-11.61	3	Vertical	193	2.31
5270MHz	Pass	AV	21.08G	42.60	54.00	-11.40	3	Vertical	180	1.56
5270MHz	Pass	PK	10.54568G	60.48	68.20	-7.72	3	Vertical	10	1.20
5270MHz	Pass	PK	15.82224G	56.60	74.00	-17.40	3	Vertical	193	2.31
5270MHz	Pass	PK	21.07976G	48.65	74.00	-25.35	3	Vertical	180	1.56
5270MHz	Pass	PK	26.3656G	46.83	68.20	-21.37	3	Vertical	278	1.50
5270MHz	Pass	AV	15.81G	42.87	54.00	-11.13	3	Horizontal	240	2.00
5270MHz	Pass	AV	21.08G	46.50	54.00	-7.50	3	Horizontal	222	1.68
5270MHz	Pass	PK	10.53848G	61.78	68.20	-6.42	3	Horizontal	306	1.70
5270MHz	Pass	PK	15.80344G	56.38	74.00	-17.62	3	Horizontal	240	2.00
5270MHz	Pass	PK	21.08G	51.05	74.00	-22.95	3	Horizontal	222	1.68
5270MHz	Pass	PK	26.35552G	49.83	68.20	-18.37	3	Horizontal	294	1.61
5310MHz	Pass	AV	5.3148G	94.25	Inf	-Inf	3	Vertical	316	2.95
5310MHz	Pass	AV	5.3544G	45.46	54.00	-8.54	3	Vertical	316	2.95
5310MHz	Pass	PK	5.3152G	107.37	Inf	-Inf	3	Vertical	316	2.95
5310MHz	Pass	PK	5.3552G	58.75	74.00	-15.25	3	Vertical	316	2.95
5310MHz	Pass	AV	5.3132G	103.49	Inf	-Inf	3	Horizontal	321	1.47
5310MHz	Pass	AV	5.352G	53.50	54.00	-0.50	3	Horizontal	321	1.47
5310MHz	Pass	PK	5.3136G	116.84	Inf	-Inf	3	Horizontal	321	1.47
5310MHz	Pass	PK	5.3516G	68.37	74.00	-5.63	3	Horizontal	321	1.47



RSE TX above 1GHz\_5150-5850(MHz)\_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5310MHz	Pass	AV	10.61992G	41.24	54.00	-12.76	3	Vertical	163	1.45
5310MHz	Pass	AV	15.93128G	42.46	54.00	-11.54	3	Vertical	126	1.50
5310MHz	Pass	AV	21.26376G	35.03	54.00	-18.97	3	Vertical	225	1.76
5310MHz	Pass	PK	10.60832G	53.94	74.00	-20.06	3	Vertical	163	1.45
5310MHz	Pass	PK	15.92232G	56.13	74.00	-17.87	3	Vertical	126	1.50
5310MHz	Pass	PK	21.2334G	46.65	74.00	-27.35	3	Vertical	225	1.76
5310MHz	Pass	PK	26.53176G	47.62	68.20	-20.58	3	Vertical	317	1.37
5310MHz	Pass	AV	10.62024G	42.03	54.00	-11.97	3	Horizontal	314	1.71
5310MHz	Pass	AV	15.92216G	42.42	54.00	-11.58	3	Horizontal	157	1.00
5310MHz	Pass	AV	21.25608G	35.04	54.00	-18.96	3	Horizontal	131	1.87
5310MHz	Pass	PK	10.61816G	55.96	74.00	-18.04	3	Horizontal	314	1.71
5310MHz	Pass	PK	15.93312G	56.88	74.00	-17.12	3	Horizontal	157	1.00
5310MHz	Pass	PK	21.23748G	46.88	74.00	-27.12	3	Horizontal	131	1.87
5310MHz	Pass	PK	26.54016G	47.31	68.20	-20.89	3	Horizontal	74	2.70
5510MHz	Pass	AV	5.458G	44.43	54.00	-9.57	3	Vertical	334	3.00
5510MHz	Pass	AV	5.518G	97.47	Inf	-Inf	3	Vertical	334	3.00
5510MHz	Pass	PK	5.458G	58.74	74.00	-15.26	3	Vertical	334	3.00
5510MHz	Pass	PK	5.4664G	61.03	68.20	-7.17	3	Vertical	334	3.00
5510MHz	Pass	PK	5.5164G	109.92	Inf	-Inf	3	Vertical	334	3.00
5510MHz	Pass	AV	5.46G	45.47	54.00	-8.53	3	Horizontal	324	1.55
5510MHz	Pass	AV	5.514G	104.24	Inf	-Inf	3	Horizontal	324	1.55
5510MHz	Pass	PK	5.4544G	58.40	74.00	-15.60	3	Horizontal	324	1.55
5510MHz	Pass	PK	5.47G	67.55	68.20	-0.65	3	Horizontal	324	1.55
5510MHz	Pass	PK	5.5136G	116.35	Inf	-Inf	3	Horizontal	324	1.55
5510MHz	Pass	AV	11.02496G	41.10	54.00	-12.90	3	Vertical	347	1.01
5510MHz	Pass	AV	22.06844G	35.32	54.00	-18.68	3	Vertical	315	2.33
5510MHz	Pass	PK	11.0308G	54.78	74.00	-19.22	3	Vertical	347	1.01
5510MHz	Pass	PK	16.512G	56.87	68.20	-11.33	3	Vertical	259	2.61
5510MHz	Pass	PK	22.0352G	47.23	74.00	-26.77	3	Vertical	315	2.33
5510MHz	Pass	PK	27.57604G	48.25	68.20	-19.95	3	Vertical	325	2.66
5510MHz	Pass	AV	11.02928G	40.80	54.00	-13.20	3	Horizontal	65	1.50
5510MHz	Pass	AV	22.06796G	35.26	54.00	-18.74	3	Horizontal	300	2.34
5510MHz	Pass	PK	11.02272G	55.50	74.00	-18.50	3	Horizontal	65	1.50
5510MHz	Pass	PK	16.53816G	57.33	68.20	-10.87	3	Horizontal	284	2.88
5510MHz	Pass	PK	22.01336G	47.43	74.00	-26.57	3	Horizontal	300	2.34
5510MHz	Pass	PK	27.57568G	48.15	68.20	-20.05	3	Horizontal	312	2.20
5550MHz	Pass	AV	5.4588G	45.47	54.00	-8.53	3	Vertical	332	2.98
5550MHz	Pass	AV	5.5576G	101.77	Inf	-Inf	3	Vertical	332	2.98
5550MHz	Pass	PK	5.4584G	59.37	74.00	-14.63	3	Vertical	332	2.98
5550MHz	Pass	PK	5.4668G	61.28	68.20	-6.92	3	Vertical	332	2.98
5550MHz	Pass	PK	5.5576G	113.95	Inf	-Inf	3	Vertical	332	2.98
5550MHz	Pass	AV	5.4528G	48.47	54.00	-5.53	3	Horizontal	327	1.50
5550MHz	Pass	AV	5.554G	108.79	Inf	-Inf	3	Horizontal	327	1.50
5550MHz	Pass	PK	5.4528G	65.00	74.00	-9.00	3	Horizontal	327	1.50
5550MHz	Pass	PK	5.47G	67.59	68.20	-0.61	3	Horizontal	327	1.50
5550MHz	Pass	PK	5.5536G	122.12	Inf	-Inf	3	Horizontal	327	1.50
5550MHz	Pass	AV	11.10832G	44.66	54.00	-9.34	3	Vertical	333	1.00
5550MHz	Pass	AV	22.2G	43.13	54.00	-10.87	3	Vertical	178	1.52
5550MHz	Pass	PK	11.1092G	57.80	74.00	-16.20	3	Vertical	333	1.00
5550MHz	Pass	PK	16.63616G	57.29	68.20	-10.91	3	Vertical	263	1.50
5550MHz	Pass	PK	22.19976G	50.06	74.00	-23.94	3	Vertical	178	1.52
5550MHz	Pass	PK	27.69384G	48.66	68.20	-19.54	3	Vertical	286	1.50
5550MHz	Pass	AV	11.09744G	44.72	54.00	-9.28	3	Horizontal	320	1.48
5550MHz	Pass	AV	22.2G	47.77	54.00	-6.23	3	Horizontal	81	1.51
5550MHz	Pass	PK	11.09728G	58.38	74.00	-15.62	3	Horizontal	320	1.48
5550MHz	Pass	PK	16.64536G	59.52	68.20	-8.68	3	Horizontal	299	1.72
5550MHz	Pass	PK	22.2G	51.83	74.00	-22.17	3	Horizontal	81	1.51
5550MHz	Pass	PK	27.70944G	52.29	68.20	-15.91	3	Horizontal	300	1.50
5670MHz	Pass	AV	5.6652G	96.32	Inf	-Inf	3	Vertical	313	1.50
5670MHz	Pass	PK	5.6652G	108.16	Inf	-Inf	3	Vertical	313	1.50
5670MHz	Pass	PK	5.7258G	64.45	68.20	-3.75	3	Vertical	313	1.50
5670MHz	Pass	AV	5.6748G	104.38	Inf	-Inf	3	Horizontal	331	1.52



RSE TX above 1GHz\_5150-5850(MHz)\_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5670MHz	Pass	PK	5.6748G	116.73	Inf	-Inf	3	Horizontal	331	1.52
5670MHz	Pass	PK	5.7342G	68.15	68.20	-0.05	3	Horizontal	331	1.52
5670MHz	Pass	AV	11.34091G	43.94	54.00	-10.06	3	Vertical	259	2.03
5670MHz	Pass	AV	22.68G	45.47	54.00	-8.53	3	Vertical	192	1.64
5670MHz	Pass	PK	11.34G	56.92	74.00	-17.08	3	Vertical	259	2.03
5670MHz	Pass	PK	17.00968G	56.79	68.20	-11.41	3	Vertical	128	1.67
5670MHz	Pass	PK	22.68G	51.07	74.00	-22.93	3	Vertical	192	1.64
5670MHz	Pass	PK	28.32816G	47.46	68.20	-20.74	3	Vertical	212	1.50
5670MHz	Pass	AV	11.34016G	44.05	54.00	-9.95	3	Horizontal	339	2.30
5670MHz	Pass	AV	22.68G	45.13	54.00	-8.87	3	Horizontal	184	1.52
5670MHz	Pass	PK	11.3404G	57.25	74.00	-16.75	3	Horizontal	339	2.30
5670MHz	Pass	PK	17.00608G	60.48	68.20	-7.72	3	Horizontal	301	1.48
5670MHz	Pass	PK	22.68G	51.49	74.00	-22.51	3	Horizontal	184	1.52
5670MHz	Pass	PK	28.31064G	47.35	68.20	-20.85	3	Horizontal	44	1.18
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4184G	43.77	54.00	-10.23	3	Vertical	316	1.55
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7052G	100.05	Inf	-Inf	3	Vertical	316	1.55
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4292G	56.29	74.00	-17.71	3	Vertical	316	1.55
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4604G	55.42	68.20	-12.78	3	Vertical	316	1.55
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7052G	112.46	Inf	-Inf	3	Vertical	316	1.55
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8504G	58.00	68.20	-10.20	3	Vertical	316	1.55
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4256G	44.16	54.00	-9.84	3	Horizontal	331	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7148G	106.79	Inf	-Inf	3	Horizontal	331	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4304G	57.56	74.00	-16.44	3	Horizontal	331	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4628G	56.50	68.20	-11.70	3	Horizontal	331	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7148G	118.11	Inf	-Inf	3	Horizontal	331	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8504G	60.09	68.20	-8.11	3	Horizontal	331	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42928G	44.63	54.00	-9.37	3	Vertical	350	1.21
5710MHz Straddle 5.47-5.725GHz	Pass	AV	22.84096G	44.76	54.00	-9.24	3	Vertical	319	1.56
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42976G	58.24	74.00	-15.76	3	Vertical	350	1.21
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12712G	62.50	68.20	-5.70	3	Vertical	282	1.66
5710MHz Straddle 5.47-5.725GHz	Pass	PK	22.84216G	57.36	74.00	-16.64	3	Vertical	319	1.56
5710MHz Straddle 5.47-5.725GHz	Pass	PK	28.50368G	46.47	68.20	-21.73	3	Vertical	3	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42288G	45.19	54.00	-8.81	3	Horizontal	302	1.62
5710MHz Straddle 5.47-5.725GHz	Pass	AV	22.83736G	49.81	54.00	-4.19	3	Horizontal	303	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42288G	58.11	74.00	-15.89	3	Horizontal	302	1.62
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13008G	67.15	68.20	-1.05	3	Horizontal	304	1.49
5710MHz Straddle 5.47-5.725GHz	Pass	PK	22.83784G	64.06	74.00	-9.94	3	Horizontal	303	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	28.53752G	52.11	68.20	-16.09	3	Horizontal	299	1.50
5755MHz	Pass	AV	5.455G	43.57	54.00	-10.43	3	Vertical	315	1.60
5755MHz	Pass	AV	5.7502G	98.79	Inf	-Inf	3	Vertical	315	1.60
5755MHz	Pass	PK	5.5138G	57.31	68.20	-10.89	3	Vertical	315	1.60
5755MHz	Pass	PK	5.7502G	110.50	Inf	-Inf	3	Vertical	315	1.60
5755MHz	Pass	PK	6.0046G	58.07	68.20	-10.13	3	Vertical	315	1.60
5755MHz	Pass	AV	5.455G	43.85	54.00	-10.15	3	Horizontal	304	1.33
5755MHz	Pass	AV	5.749G	104.34	Inf	-Inf	3	Horizontal	304	1.33
5755MHz	Pass	PK	5.6494G	58.99	68.20	-9.21	3	Horizontal	304	1.33
5755MHz	Pass	PK	5.7502G	116.41	Inf	-Inf	3	Horizontal	304	1.33
5755MHz	Pass	PK	6.037G	57.95	68.20	-10.25	3	Horizontal	304	1.33
5755MHz	Pass	AV	11.5G	43.16	54.00	-10.84	3	Vertical	24	1.00
5755MHz	Pass	AV	23.02G	44.40	54.00	-9.60	3	Vertical	208	1.69
5755MHz	Pass	AV	23.02G	43.89	54.00	-10.11	3	Vertical	193	1.69
5755MHz	Pass	PK	11.49832G	56.46	74.00	-17.54	3	Vertical	24	1.00
5755MHz	Pass	PK	17.26388G	61.49	68.20	-6.71	3	Vertical	282	1.68
5755MHz	Pass	PK	23.02G	49.79	74.00	-24.21	3	Vertical	193	1.69
5755MHz	Pass	PK	28.79468G	45.37	68.20	-22.83	3	Vertical	314	1.50
5755MHz	Pass	AV	11.51176G	44.12	54.00	-9.88	3	Horizontal	299	1.57
5755MHz	Pass	AV	23.02G	46.04	54.00	-7.96	3	Horizontal	239	1.67
5755MHz	Pass	AV	23.02G	45.42	54.00	-8.58	3	Horizontal	225	1.65
5755MHz	Pass	PK	11.51176G	57.34	74.00	-16.66	3	Horizontal	299	1.57
5755MHz	Pass	PK	17.26516G	65.76	68.20	-2.44	3	Horizontal	335	1.78
5755MHz	Pass	PK	23.01976G	51.03	74.00	-22.97	3	Horizontal	225	1.65
5755MHz	Pass	PK	28.76132G	47.01	68.20	-21.19	3	Horizontal	296	1.65



RSE TX above 1GHz\_5150-5850(MHz)\_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5795MHz	Pass	AV	5.7938G	100.51	Inf	-Inf	3	Vertical	314	2.06
5795MHz	Pass	PK	5.6498G	60.61	68.20	-7.59	3	Vertical	314	2.06
5795MHz	Pass	PK	5.7938G	112.06	Inf	-Inf	3	Vertical	314	2.06
5795MHz	Pass	PK	5.9306G	58.49	68.20	-9.71	3	Vertical	314	2.06
5795MHz	Pass	AV	5.7926G	107.28	Inf	-Inf	3	Horizontal	318	1.42
5795MHz	Pass	PK	5.6474G	66.88	68.20	-1.32	3	Horizontal	318	1.42
5795MHz	Pass	PK	5.7938G	119.04	Inf	-Inf	3	Horizontal	318	1.42
5795MHz	Pass	PK	5.9282G	66.81	68.20	-1.39	3	Horizontal	318	1.42
5795MHz	Pass	AV	11.58556G	43.08	54.00	-10.92	3	Vertical	338	1.87
5795MHz	Pass	PK	11.58544G	56.00	74.00	-18.00	3	Vertical	338	1.87
5795MHz	Pass	PK	17.38428G	62.05	68.20	-6.15	3	Vertical	308	1.50
5795MHz	Pass	PK	23.16056G	63.54	68.20	-4.66	3	Vertical	316	1.62
5795MHz	Pass	PK	28.98292G	48.73	68.20	-19.47	3	Vertical	347	1.52
5795MHz	Pass	AV	11.5864G	44.51	54.00	-9.49	3	Horizontal	83	1.47
5795MHz	Pass	PK	11.58628G	57.25	74.00	-16.75	3	Horizontal	83	1.47
5795MHz	Pass	PK	17.37636G	65.46	68.20	-2.74	3	Horizontal	318	2.90
5795MHz	Pass	PK	23.19296G	67.98	68.20	-0.22	3	Horizontal	306	1.48
5795MHz	Pass	PK	28.98172G	57.18	68.20	-11.02	3	Horizontal	294	1.59
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.149G	50.43	54.00	-3.57	3	Vertical	329	2.93
5210MHz	Pass	AV	5.208G	95.66	Inf	-Inf	3	Vertical	329	2.93
5210MHz	Pass	AV	5.399G	43.85	54.00	-10.15	3	Vertical	329	2.93
5210MHz	Pass	PK	5.15G	62.60	74.00	-11.40	3	Vertical	329	2.93
5210MHz	Pass	PK	5.209G	107.67	Inf	-Inf	3	Vertical	329	2.93
5210MHz	Pass	PK	5.412G	56.99	74.00	-17.01	3	Vertical	329	2.93
5210MHz	Pass	AV	5.135G	53.37	54.00	-0.63	3	Horizontal	318	1.70
5210MHz	Pass	AV	5.214G	102.67	Inf	-Inf	3	Horizontal	318	1.70
5210MHz	Pass	AV	5.376G	44.55	54.00	-9.45	3	Horizontal	318	1.70
5210MHz	Pass	PK	5.135G	67.16	74.00	-6.84	3	Horizontal	318	1.70
5210MHz	Pass	PK	5.234G	114.37	Inf	-Inf	3	Horizontal	318	1.70
5210MHz	Pass	PK	5.416G	57.81	74.00	-16.19	3	Horizontal	318	1.70
5210MHz	Pass	AV	15.65448G	42.46	54.00	-11.54	3	Vertical	139	2.99
5210MHz	Pass	AV	20.85296G	33.38	54.00	-20.62	3	Vertical	106	2.99
5210MHz	Pass	PK	10.4408G	53.63	68.20	-14.57	3	Vertical	212	1.21
5210MHz	Pass	PK	15.61704G	56.43	74.00	-17.57	3	Vertical	139	2.99
5210MHz	Pass	PK	20.84336G	45.15	74.00	-28.85	3	Vertical	106	2.99
5210MHz	Pass	PK	26.0446G	43.59	68.20	-24.61	3	Vertical	77	1.61
5210MHz	Pass	AV	15.63G	43.71	54.00	-10.29	3	Horizontal	242	1.56
5210MHz	Pass	AV	20.85152G	33.46	54.00	-20.54	3	Horizontal	118	2.03
5210MHz	Pass	PK	10.41264G	55.17	68.20	-13.03	3	Horizontal	312	1.57
5210MHz	Pass	PK	15.66312G	56.12	74.00	-17.88	3	Horizontal	242	1.56
5210MHz	Pass	PK	20.82356G	44.64	74.00	-29.36	3	Horizontal	118	2.03
5210MHz	Pass	PK	26.05408G	43.63	68.20	-24.57	3	Horizontal	308	1.67
5290MHz	Pass	AV	5.149G	43.93	54.00	-10.07	3	Vertical	324	3.00
5290MHz	Pass	AV	5.296G	90.00	Inf	-Inf	3	Vertical	324	3.00
5290MHz	Pass	AV	5.356G	47.08	54.00	-6.92	3	Vertical	324	3.00
5290MHz	Pass	PK	5.094G	57.17	74.00	-16.83	3	Vertical	324	3.00
5290MHz	Pass	PK	5.269G	101.98	Inf	-Inf	3	Vertical	324	3.00
5290MHz	Pass	PK	5.354G	59.93	74.00	-14.07	3	Vertical	324	3.00
5290MHz	Pass	PK	5.48G	56.20	68.20	-12.00	3	Vertical	324	3.00
5290MHz	Pass	AV	5.148G	44.16	54.00	-9.84	3	Horizontal	321	1.49
5290MHz	Pass	AV	5.293G	99.43	Inf	-Inf	3	Horizontal	321	1.49
5290MHz	Pass	AV	5.353G	53.57	54.00	-0.43	3	Horizontal	321	1.49
5290MHz	Pass	PK	5.096G	56.59	74.00	-17.41	3	Horizontal	321	1.49
5290MHz	Pass	PK	5.294G	110.81	Inf	-Inf	3	Horizontal	321	1.49
5290MHz	Pass	PK	5.353G	65.71	74.00	-8.29	3	Horizontal	321	1.49
5290MHz	Pass	PK	5.474G	56.89	68.20	-11.31	3	Horizontal	321	1.49
5290MHz	Pass	AV	15.86184G	42.52	54.00	-11.48	3	Vertical	284	1.50
5290MHz	Pass	AV	21.17176G	34.45	54.00	-19.55	3	Vertical	324	2.70
5290MHz	Pass	PK	10.60528G	54.56	74.00	-19.44	3	Vertical	206	1.00
5290MHz	Pass	PK	15.88552G	55.98	74.00	-18.02	3	Vertical	284	1.50
5290MHz	Pass	PK	21.17248G	46.92	74.00	-27.08	3	Vertical	324	2.70



RSE TX above 1GHz\_5150-5850(MHz)\_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz	Pass	PK	26.44268G	46.44	68.20	-21.76	3	Vertical	83	2.02
5290MHz	Pass	AV	15.87G	42.80	54.00	-11.20	3	Horizontal	238	2.37
5290MHz	Pass	AV	21.13936G	34.50	54.00	-19.50	3	Horizontal	271	2.51
5290MHz	Pass	PK	10.58304G	53.57	68.20	-14.63	3	Horizontal	339	1.50
5290MHz	Pass	PK	15.84296G	56.68	74.00	-17.32	3	Horizontal	238	2.37
5290MHz	Pass	PK	21.1726G	46.01	74.00	-27.99	3	Horizontal	271	2.51
5290MHz	Pass	PK	26.447G	46.52	68.20	-21.68	3	Horizontal	330	1.12
5530MHz	Pass	AV	5.35G	43.73	54.00	-10.27	3	Vertical	329	2.95
5530MHz	Pass	AV	5.456G	48.57	54.00	-5.43	3	Vertical	329	2.95
5530MHz	Pass	AV	5.537G	94.66	Inf	-Inf	3	Vertical	329	2.95
5530MHz	Pass	PK	5.309G	56.31	68.20	-11.89	3	Vertical	329	2.95
5530MHz	Pass	PK	5.456G	60.32	74.00	-13.68	3	Vertical	329	2.95
5530MHz	Pass	PK	5.466G	62.51	68.20	-5.69	3	Vertical	329	2.95
5530MHz	Pass	PK	5.516G	107.39	Inf	-Inf	3	Vertical	329	2.95
5530MHz	Pass	PK	5.756G	57.24	68.20	-10.96	3	Vertical	329	2.95
5530MHz	Pass	AV	5.35G	44.28	54.00	-9.72	3	Horizontal	328	1.59
5530MHz	Pass	AV	5.453G	53.81	54.00	-0.19	3	Horizontal	328	1.59
5530MHz	Pass	AV	5.514G	102.19	Inf	-Inf	3	Horizontal	328	1.59
5530MHz	Pass	PK	5.311G	57.09	68.20	-11.11	3	Horizontal	328	1.59
5530MHz	Pass	PK	5.454G	66.36	74.00	-7.64	3	Horizontal	328	1.59
5530MHz	Pass	PK	5.47G	67.44	68.20	-0.76	3	Horizontal	328	1.59
5530MHz	Pass	PK	5.534G	113.76	Inf	-Inf	3	Horizontal	328	1.59
5530MHz	Pass	PK	5.732G	58.22	68.20	-9.98	3	Horizontal	328	1.59
5530MHz	Pass	AV	11.06G	41.56	54.00	-12.44	3	Vertical	193	1.50
5530MHz	Pass	AV	22.12G	44.05	54.00	-9.95	3	Vertical	180	1.79
5530MHz	Pass	PK	11.07952G	53.85	74.00	-20.15	3	Vertical	193	1.50
5530MHz	Pass	PK	16.58136G	56.59	68.20	-11.61	3	Vertical	171	1.50
5530MHz	Pass	PK	22.12G	49.16	74.00	-24.84	3	Vertical	180	1.79
5530MHz	Pass	PK	27.61832G	47.95	68.20	-20.25	3	Vertical	158	1.45
5530MHz	Pass	AV	11.06G	41.77	54.00	-12.23	3	Horizontal	221	1.15
5530MHz	Pass	AV	22.12G	49.71	54.00	-4.29	3	Horizontal	244	1.67
5530MHz	Pass	PK	11.11984G	54.05	74.00	-19.95	3	Horizontal	221	1.15
5530MHz	Pass	PK	16.55512G	57.29	68.20	-10.91	3	Horizontal	205	1.50
5530MHz	Pass	PK	22.12G	52.26	74.00	-21.74	3	Horizontal	244	1.67
5530MHz	Pass	PK	27.59816G	47.85	68.20	-20.35	3	Horizontal	187	1.50
5610MHz	Pass	AV	5.457G	44.42	54.00	-9.58	3	Vertical	344	2.92
5610MHz	Pass	AV	5.609G	98.66	Inf	-Inf	3	Vertical	344	2.92
5610MHz	Pass	PK	5.368G	56.44	74.00	-17.56	3	Vertical	344	2.92
5610MHz	Pass	PK	5.466G	57.67	68.20	-10.53	3	Vertical	344	2.92
5610MHz	Pass	PK	5.609G	110.53	Inf	-Inf	3	Vertical	344	2.92
5610MHz	Pass	PK	5.729G	65.71	68.20	-2.49	3	Vertical	344	2.92
5610MHz	Pass	AV	5.453G	47.39	54.00	-6.61	3	Horizontal	329	1.68
5610MHz	Pass	AV	5.595G	103.97	Inf	-Inf	3	Horizontal	329	1.68
5610MHz	Pass	PK	5.453G	60.09	74.00	-13.91	3	Horizontal	329	1.68
5610MHz	Pass	PK	5.47G	62.04	68.20	-6.16	3	Horizontal	329	1.68
5610MHz	Pass	PK	5.614G	116.16	Inf	-Inf	3	Horizontal	329	1.68
5610MHz	Pass	PK	5.734G	67.36	68.20	-0.84	3	Horizontal	329	1.68
5610MHz	Pass	AV	11.22192G	41.93	54.00	-12.07	3	Vertical	333	1.58
5610MHz	Pass	AV	22.44G	43.43	54.00	-10.57	3	Vertical	175	1.70
5610MHz	Pass	PK	11.22128G	54.42	74.00	-19.58	3	Vertical	333	1.58
5610MHz	Pass	PK	16.886G	56.81	68.20	-11.39	3	Vertical	360	2.33
5610MHz	Pass	PK	22.44G	48.33	74.00	-25.67	3	Vertical	175	1.70
5610MHz	Pass	PK	28.04776G	48.44	68.20	-19.76	3	Vertical	350	1.50
5610MHz	Pass	AV	11.2168G	42.50	54.00	-11.50	3	Horizontal	331	2.18
5610MHz	Pass	AV	22.44G	47.64	54.00	-6.36	3	Horizontal	83	1.68
5610MHz	Pass	PK	11.19824G	56.01	74.00	-17.99	3	Horizontal	331	2.18
5610MHz	Pass	PK	16.87672G	56.59	68.20	-11.61	3	Horizontal	289	1.88
5610MHz	Pass	PK	22.44G	51.46	74.00	-22.54	3	Horizontal	83	1.68
5610MHz	Pass	PK	28.1188G	47.32	68.20	-20.88	3	Horizontal	300	1.64
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4464G	43.92	54.00	-10.08	3	Vertical	311	1.65
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7056G	97.24	Inf	-Inf	3	Vertical	311	1.65
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4212G	56.28	74.00	-17.72	3	Vertical	311	1.65



RSE TX above 1GHz\_5150-5850(MHz)\_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	55.77	68.20	-12.43	3	Vertical	311	1.65
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7056G	109.40	Inf	-Inf	3	Vertical	311	1.65
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8628G	59.42	68.20	-8.78	3	Vertical	311	1.65
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4524G	45.40	54.00	-8.60	3	Horizontal	331	1.34
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6936G	104.17	Inf	-Inf	3	Horizontal	331	1.34
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4332G	57.36	74.00	-16.64	3	Horizontal	331	1.34
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	56.88	68.20	-11.32	3	Horizontal	331	1.34
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6936G	116.64	Inf	-Inf	3	Horizontal	331	1.34
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8532G	66.99	68.20	-1.21	3	Horizontal	331	1.34
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3688G	42.59	54.00	-11.41	3	Vertical	346	1.24
5690MHz Straddle 5.47-5.725GHz	Pass	AV	22.76G	45.71	54.00	-8.29	3	Vertical	202	1.75
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3688G	55.37	74.00	-18.63	3	Vertical	346	1.24
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.04888G	60.29	68.20	-7.91	3	Vertical	277	1.49
5690MHz Straddle 5.47-5.725GHz	Pass	PK	22.75988G	50.54	74.00	-23.46	3	Vertical	202	1.75
5690MHz Straddle 5.47-5.725GHz	Pass	PK	28.41512G	46.94	68.20	-21.26	3	Vertical	59	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.4024G	42.54	54.00	-11.46	3	Horizontal	298	1.54
5690MHz Straddle 5.47-5.725GHz	Pass	AV	22.76G	45.46	54.00	-8.54	3	Horizontal	183	1.51
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.42192G	54.93	74.00	-19.07	3	Horizontal	298	1.54
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.04952G	61.67	68.20	-6.53	3	Horizontal	302	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	22.76G	50.48	74.00	-23.52	3	Horizontal	183	1.51
5690MHz Straddle 5.47-5.725GHz	Pass	PK	28.39784G	48.90	68.20	-19.30	3	Horizontal	299	1.50
5775MHz	Pass	AV	5.7702G	95.69	Inf	-Inf	3	Vertical	314	1.68
5775MHz	Pass	PK	5.6502G	60.54	68.35	-7.81	3	Vertical	314	1.68
5775MHz	Pass	PK	5.7702G	107.13	Inf	-Inf	3	Vertical	314	1.68
5775MHz	Pass	PK	5.925G	58.00	68.20	-10.20	3	Vertical	314	1.68
5775MHz	Pass	AV	5.7726G	101.76	Inf	-Inf	3	Horizontal	316	1.40
5775MHz	Pass	PK	5.655G	70.21	71.90	-1.69	3	Horizontal	316	1.40
5775MHz	Pass	PK	5.7522G	113.37	Inf	-Inf	3	Horizontal	316	1.40
5775MHz	Pass	PK	5.9298G	59.75	68.20	-8.45	3	Horizontal	316	1.40
5775MHz	Pass	AV	11.5468G	40.96	54.00	-13.04	3	Vertical	340	1.96
5775MHz	Pass	AV	23.1G	45.48	54.00	-8.52	3	Vertical	206	1.69
5775MHz	Pass	PK	11.52984G	54.29	74.00	-19.71	3	Vertical	340	1.96
5775MHz	Pass	PK	17.34196G	58.81	68.20	-9.39	3	Vertical	280	1.83
5775MHz	Pass	PK	23.1G	49.80	74.00	-24.20	3	Vertical	206	1.69
5775MHz	Pass	PK	28.86732G	46.34	68.20	-21.86	3	Vertical	23	1.16
5775MHz	Pass	AV	11.55G	42.17	54.00	-11.83	3	Horizontal	54	1.46
5775MHz	Pass	AV	23.1G	46.01	54.00	-7.99	3	Horizontal	240	1.50
5775MHz	Pass	PK	11.51064G	54.54	74.00	-19.46	3	Horizontal	54	1.46
5775MHz	Pass	PK	17.35348G	60.53	68.20	-7.67	3	Horizontal	338	2.00
5775MHz	Pass	PK	23.10032G	50.90	74.00	-23.10	3	Horizontal	240	1.50
5775MHz	Pass	PK	28.83244G	45.63	68.20	-22.57	3	Horizontal	290	1.50
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.148G	45.06	54.00	-8.94	3	Vertical	330	2.94
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2092G	89.17	Inf	-Inf	3	Vertical	330	2.94
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3556G	46.85	54.00	-7.15	3	Vertical	330	2.94
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.148G	57.15	74.00	-16.85	3	Vertical	330	2.94
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2476G	99.64	Inf	-Inf	3	Vertical	330	2.94
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4192G	58.36	74.00	-15.64	3	Vertical	330	2.94
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.5224G	56.50	68.20	-11.70	3	Vertical	330	2.94
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	47.95	54.00	-6.05	3	Horizontal	319	1.56
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2536G	97.22	Inf	-Inf	3	Horizontal	319	1.56
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3532G	53.70	54.00	-0.30	3	Horizontal	319	1.56
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1324G	60.05	74.00	-13.95	3	Horizontal	319	1.56
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.292G	108.57	Inf	-Inf	3	Horizontal	319	1.56
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3532G	64.60	74.00	-9.40	3	Horizontal	319	1.56
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.5488G	56.63	68.20	-11.57	3	Horizontal	319	1.56
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.7418G	42.09	54.00	-11.91	3	Vertical	169	2.59
5250MHz Straddle 5.25-5.35GHz	Pass	AV	21.01104G	33.69	54.00	-20.31	3	Vertical	328	1.28
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.49596G	55.14	68.20	-13.06	3	Vertical	181	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.74452G	55.19	74.00	-18.81	3	Vertical	169	2.59
5250MHz Straddle 5.25-5.35GHz	Pass	PK	21.02244G	45.16	74.00	-28.84	3	Vertical	328	1.28
5250MHz Straddle 5.25-5.35GHz	Pass	PK	26.27616G	44.47	68.20	-23.73	3	Vertical	162	1.87





RSE TX above 1GHz\_5150-5850(MHz)\_Non-Beamforming

Appendix E.2


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.74936G	42.20	54.00	-11.80	3	Horizontal	197	2.25
5250MHz Straddle 5.25-5.35GHz	Pass	AV	21.015G	33.68	54.00	-20.32	3	Horizontal	140	1.03
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.5046G	53.89	68.20	-14.31	3	Horizontal	193	1.57
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.7406G	55.60	74.00	-18.40	3	Horizontal	197	2.25
5250MHz Straddle 5.25-5.35GHz	Pass	PK	21.00444G	45.21	74.00	-28.79	3	Horizontal	140	1.03
5250MHz Straddle 5.25-5.35GHz	Pass	PK	26.27928G	44.52	68.20	-23.68	3	Horizontal	119	1.81
5570MHz	Pass	AV	5.4488G	47.07	54.00	-6.93	3	Vertical	347	3.00
5570MHz	Pass	AV	5.6096G	90.82	Inf	-Inf	3	Vertical	347	3.00
5570MHz	Pass	PK	5.3288G	56.77	68.20	-11.43	3	Vertical	347	3.00
5570MHz	Pass	PK	5.4284G	58.93	74.00	-15.07	3	Vertical	347	3.00
5570MHz	Pass	PK	5.468G	60.50	68.20	-7.70	3	Vertical	347	3.00
5570MHz	Pass	PK	5.612G	103.72	Inf	-Inf	3	Vertical	347	3.00
5570MHz	Pass	PK	5.7296G	62.08	68.20	-6.12	3	Vertical	347	3.00
5570MHz	Pass	AV	5.4536G	53.58	54.00	-0.42	3	Horizontal	328	1.67
5570MHz	Pass	AV	5.5544G	97.82	Inf	-Inf	3	Horizontal	328	1.67
5570MHz	Pass	PK	5.3336G	57.65	68.20	-10.55	3	Horizontal	328	1.67
5570MHz	Pass	PK	5.4548G	65.85	74.00	-8.15	3	Horizontal	328	1.67
5570MHz	Pass	PK	5.4656G	64.40	68.20	-3.80	3	Horizontal	328	1.67
5570MHz	Pass	PK	5.5544G	109.22	Inf	-Inf	3	Horizontal	328	1.67
5570MHz	Pass	PK	5.7344G	63.96	68.20	-4.24	3	Horizontal	328	1.67
5570MHz	Pass	AV	11.13992G	41.68	54.00	-12.32	3	Vertical	194	1.58
5570MHz	Pass	AV	22.29872G	34.82	54.00	-19.18	3	Vertical	20	1.04
5570MHz	Pass	PK	11.14416G	54.03	74.00	-19.97	3	Vertical	194	1.58
5570MHz	Pass	PK	16.71056G	57.59	68.20	-10.61	3	Vertical	164	1.47
5570MHz	Pass	PK	22.2596G	46.78	74.00	-27.22	3	Vertical	20	1.04
5570MHz	Pass	PK	27.86488G	46.07	68.20	-22.13	3	Vertical	72	2.48
5570MHz	Pass	AV	11.14G	41.21	54.00	-12.79	3	Horizontal	222	1.49
5570MHz	Pass	AV	22.253G	34.78	54.00	-19.22	3	Horizontal	144	1.98
5570MHz	Pass	PK	11.07376G	54.21	74.00	-19.79	3	Horizontal	222	1.49
5570MHz	Pass	PK	16.66296G	57.59	68.20	-10.61	3	Horizontal	25	1.50
5570MHz	Pass	PK	22.29512G	46.32	74.00	-27.68	3	Horizontal	144	1.98
5570MHz	Pass	PK	27.84256G	46.12	68.20	-22.08	3	Horizontal	208	1.63





5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	48.14	54.00	-5.86	6.15	3	Vertical	17	1.08	41.99	33.20	7.21	34.26
AV	5.1876G	99.75	Inf	-Inf	6.23	3	Vertical	17	1.08	93.52	33.20	7.29	34.26
PK	5.1498G	63.69	74.00	-10.31	6.15	3	Vertical	17	1.08	57.54	33.20	7.21	34.26
PK	5.1876G	110.97	Inf	-Inf	6.23	3	Vertical	17	1.08	104.74	33.20	7.29	34.26

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.96	54.00	-1.04	6.15	3	Horizontal	303	1.91	46.81	33.20	7.21	34.26
AV	5.183G	108.45	Inf	-Inf	6.22	3	Horizontal	303	1.91	102.23	33.20	7.28	34.26
PK	5.1498G	68.87	74.00	-5.13	6.15	3	Horizontal	303	1.91	62.72	33.20	7.21	34.26
PK	5.1828G	121.86	Inf	-Inf	6.22	3	Horizontal	303	1.91	115.64	33.20	7.28	34.26



5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5367G	42.18	54.00	-11.82	17.10	3	Vertical	305	2.10	25.08	38.76	12.52	34.18
AV	20.72G	39.46	54.00	-14.54	-9.43	3	Vertical	196	1.54	48.89	38.34	14.90	53.13
PK	10.36144G	62.60	68.20	-5.60	14.38	3	Vertical	29	1.40	48.22	38.96	10.33	34.91
PK	15.5496G	55.91	74.00	-18.09	17.10	3	Vertical	305	2.10	38.81	38.75	12.53	34.18
PK	20.71988G	47.49	74.00	-26.51	-9.43	3	Vertical	196	1.54	56.92	38.34	14.90	53.13
PK	25.8856G	42.50	68.20	-25.70	-9.21	3	Vertical	44	2.32	51.71	39.50	17.45	56.62

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54G	43.29	54.00	-10.71	17.10	3	Horizontal	232	2.42	26.19	38.76	12.52	34.18
AV	20.72G	44.59	54.00	-9.41	-9.43	3	Horizontal	299	1.60	54.02	38.34	14.90	53.13
PK	10.36282G	64.77	68.20	-3.43	14.38	3	Horizontal	307	1.49	50.39	38.96	10.33	34.91
PK	15.5514G	56.49	74.00	-17.51	17.10	3	Horizontal	232	2.42	39.39	38.75	12.53	34.18
PK	20.71988G	56.38	74.00	-17.62	-9.43	3	Horizontal	299	1.60	65.81	38.34	14.90	53.13
PK	25.89484G	46.71	68.20	-21.49	-9.21	3	Horizontal	303	1.68	55.92	39.50	17.46	56.63



5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	46.19	54.00	-7.81	6.15	3	Vertical	9	1.59	40.04	33.20	7.21	34.26
AV	5.2032G	101.57	Inf	-Inf	6.24	3	Vertical	9	1.59	95.33	33.19	7.31	34.26
PK	5.1476G	63.26	74.00	-10.74	6.15	3	Vertical	9	1.59	57.11	33.20	7.21	34.26
PK	5.2024G	112.51	Inf	-Inf	6.25	3	Vertical	9	1.59	106.26	33.20	7.31	34.26

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	53.32	54.00	-0.68	6.13	3	Horizontal	302	1.82	47.19	33.19	7.20	34.26
AV	5.2032G	113.86	Inf	-Inf	6.24	3	Horizontal	302	1.82	107.62	33.19	7.31	34.26
PK	5.1476G	73.25	74.00	-0.75	6.15	3	Horizontal	302	1.82	67.10	33.20	7.21	34.26
PK	5.2032G	125.53	Inf	-Inf	6.24	3	Horizontal	302	1.82	119.29	33.19	7.31	34.26



5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60144G	43.44	54.00	-10.56	17.07	3	Vertical	307	1.72	26.37	38.70	12.55	34.18
AV	20.79748G	42.54	54.00	-11.46	-9.31	3	Vertical	311	1.50	51.85	38.48	14.93	53.18
PK	10.40056G	64.14	68.20	-4.06	14.46	3	Vertical	32	1.18	49.68	39.00	10.35	34.89
PK	15.60054G	57.51	74.00	-16.49	17.07	3	Vertical	307	1.72	40.44	38.70	12.55	34.18
PK	20.79796G	54.57	74.00	-19.43	-9.31	3	Vertical	311	1.50	63.88	38.48	14.93	53.18
PK	26.02544G	45.36	68.20	-22.84	-9.27	3	Vertical	31	1.50	54.63	39.47	17.58	56.78

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60786G	45.16	54.00	-8.84	17.04	3	Horizontal	317	1.50	28.12	38.68	12.55	34.19
AV	20.79976G	48.19	54.00	-5.81	-9.31	3	Horizontal	299	1.54	57.50	38.48	14.93	53.18
PK	10.40492G	65.10	68.20	-3.10	14.47	3	Horizontal	307	1.70	50.63	39.00	10.35	34.88
PK	15.60762G	59.81	74.00	-14.19	17.04	3	Horizontal	317	1.50	42.77	38.68	12.55	34.19
PK	20.79964G	60.74	74.00	-13.26	-9.31	3	Horizontal	299	1.54	70.05	38.48	14.93	53.18
PK	25.99256G	51.24	68.20	-16.96	-9.30	3	Horizontal	293	1.65	60.54	39.50	17.53	56.79



5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1434G	45.48	54.00	-8.52	6.13	3	Vertical	10	1.65	39.35	33.19	7.20	34.26
AV	5.2436G	105.15	Inf	-Inf	6.14	3	Vertical	10	1.65	99.01	33.11	7.29	34.26
AV	5.35G	44.03	54.00	-9.97	5.89	3	Vertical	10	1.65	38.14	32.90	7.24	34.25
PK	5.1428G	60.77	74.00	-13.23	6.13	3	Vertical	10	1.65	54.64	33.19	7.20	34.26
PK	5.243G	117.02	Inf	-Inf	6.14	3	Vertical	10	1.65	110.88	33.11	7.29	34.26
PK	5.3594G	56.14	74.00	-17.86	5.91	3	Vertical	10	1.65	50.23	32.92	7.24	34.25

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.97	54.00	-2.03	6.15	3	Horizontal	309	1.94	45.82	33.20	7.21	34.26
AV	5.243G	116.16	Inf	-Inf	6.14	3	Horizontal	309	1.94	110.02	33.11	7.29	34.26
AV	5.35G	48.63	54.00	-5.37	5.89	3	Horizontal	309	1.94	42.74	32.90	7.24	34.25
PK	5.15G	69.24	74.00	-4.76	6.15	3	Horizontal	309	1.94	63.09	33.20	7.21	34.26
PK	5.243G	127.00	Inf	-Inf	6.14	3	Horizontal	309	1.94	120.86	33.11	7.29	34.26
PK	5.3588G	63.01	74.00	-10.99	5.91	3	Horizontal	309	1.94	57.10	32.92	7.24	34.25



5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72408G	46.66	54.00	-7.34	16.81	3	Vertical	315	2.49	29.85	38.40	12.61	34.20
AV	20.96G	47.89	54.00	-6.11	-9.09	3	Vertical	311	1.53	56.98	38.74	14.99	53.28
PK	10.4756G	64.99	68.20	-3.21	14.54	3	Vertical	26	1.56	50.45	39.00	10.38	34.84
PK	15.72348G	60.95	74.00	-13.05	16.81	3	Vertical	315	2.49	44.14	38.40	12.61	34.20
PK	20.95964G	60.56	74.00	-13.44	-9.09	3	Vertical	311	1.53	69.65	38.74	14.99	53.28
PK	26.20036G	52.69	68.20	-15.51	-9.10	3	Vertical	279	1.53	61.79	39.26	17.86	56.68

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71436G	49.25	54.00	-4.75	16.80	3	Horizontal	316	1.50	32.45	38.40	12.60	34.20
AV	20.96168G	53.86	54.00	-0.14	-9.09	3	Horizontal	306	1.54	62.95	38.74	14.99	53.28
PK	10.48076G	66.71	68.20	-1.49	14.54	3	Horizontal	325	2.17	52.17	39.00	10.38	34.84
PK	15.71496G	65.33	74.00	-8.67	16.80	3	Horizontal	316	1.50	48.53	38.40	12.60	34.20
PK	20.96036G	65.32	74.00	-8.68	-9.09	3	Horizontal	306	1.54	74.41	38.74	14.99	53.28
PK	26.20468G	56.91	68.20	-11.29	-9.10	3	Horizontal	258	1.50	66.01	39.25	17.87	56.68



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1232G	47.17	54.00	-6.83	6.05	3	Vertical	329	2.96	41.12	33.15	7.16	34.26
AV	5.2588G	109.85	Inf	-Inf	6.11	3	Vertical	329	2.96	103.74	33.08	7.28	34.25
AV	5.3506G	47.49	54.00	-6.51	5.89	3	Vertical	329	2.96	41.60	32.90	7.24	34.25
PK	5.1232G	59.36	74.00	-14.64	6.05	3	Vertical	329	2.96	53.31	33.15	7.16	34.26
PK	5.2582G	118.68	Inf	-Inf	6.11	3	Vertical	329	2.96	112.57	33.08	7.28	34.25
PK	5.3638G	59.51	74.00	-14.49	5.92	3	Vertical	329	2.96	53.59	32.93	7.24	34.25

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	47.65	54.00	-6.35	6.15	3	Horizontal	305	1.74	41.50	33.20	7.21	34.26
AV	5.263G	118.49	Inf	-Inf	6.10	3	Horizontal	305	1.74	112.39	33.07	7.28	34.25
AV	5.3596G	48.40	54.00	-5.60	5.91	3	Horizontal	305	1.74	42.49	32.92	7.24	34.25
PK	5.1388G	60.02	74.00	-13.98	6.11	3	Horizontal	305	1.74	53.91	33.18	7.19	34.26
PK	5.263G	127.77	Inf	-Inf	6.10	3	Horizontal	305	1.74	121.67	33.07	7.28	34.25
PK	5.4058G	61.81	74.00	-12.19	5.98	3	Horizontal	305	1.74	55.83	33.00	7.23	34.25





5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78336G	48.49	54.00	-5.51	16.83	3	Vertical	333	3.00	31.66	38.40	12.64	34.21
AV	21.0394G	48.15	54.00	-5.85	-8.99	3	Vertical	314	1.57	57.14	38.86	15.02	53.33
PK	10.5143G	60.71	68.20	-7.49	14.57	3	Vertical	0	1.50	46.14	39.00	10.39	34.82
PK	15.78348G	61.76	74.00	-12.24	16.83	3	Vertical	333	3.00	44.93	38.40	12.64	34.21
PK	21.03952G	60.77	74.00	-13.23	-8.99	3	Vertical	314	1.57	69.76	38.86	15.02	53.33
PK	26.30024G	51.82	68.20	-16.38	-8.88	3	Vertical	279	1.53	60.70	39.26	18.02	56.62

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77526G	50.23	54.00	-3.77	16.82	3	Horizontal	316	1.50	33.41	38.40	12.63	34.21
AV	21.04G	52.90	54.00	-1.10	-8.99	3	Horizontal	308	1.60	61.89	38.86	15.02	53.33
PK	10.52066G	63.13	68.20	-5.07	14.58	3	Horizontal	324	2.33	48.55	39.00	10.40	34.82
PK	15.7749G	65.18	74.00	-8.82	16.82	3	Horizontal	316	1.50	48.36	38.40	12.63	34.21
PK	21.04024G	64.81	74.00	-9.19	-8.99	3	Horizontal	308	1.60	73.80	38.86	15.02	53.33
PK	26.30864G	55.74	68.20	-12.46	-8.85	3	Horizontal	257	1.50	64.59	39.27	18.03	56.61

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3028G	102.83	Inf	-Inf	6.00	3	Vertical	12	1.71	96.83	32.99	7.26	34.25
AV	5.35G	45.37	54.00	-8.63	5.89	3	Vertical	12	1.71	39.48	32.90	7.24	34.25
PK	5.304G	114.27	Inf	-Inf	6.00	3	Vertical	12	1.71	108.27	32.99	7.26	34.25
PK	5.35G	59.30	74.00	-14.70	5.89	3	Vertical	12	1.71	53.41	32.90	7.24	34.25

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3028G	114.66	Inf	-Inf	6.00	3	Horizontal	308	1.92	108.66	32.99	7.26	34.25
AV	5.35G	52.53	54.00	-1.47	5.89	3	Horizontal	308	1.92	46.64	32.90	7.24	34.25
PK	5.3028G	126.17	Inf	-Inf	6.00	3	Horizontal	308	1.92	120.17	32.99	7.26	34.25
PK	5.3628G	67.84	74.00	-6.16	5.92	3	Horizontal	308	1.92	61.92	32.93	7.24	34.25



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90294G	45.01	54.00	-8.99	16.66	3	Vertical	333	2.95	28.35	38.20	12.69	34.23
AV	21.19688G	48.46	54.00	-5.54	-8.80	3	Vertical	314	1.54	57.26	39.12	15.08	53.46
PK	10.59694G	63.76	68.20	-4.44	14.66	3	Vertical	8	1.66	49.10	39.00	10.43	34.77
PK	15.9033G	58.50	74.00	-15.50	16.66	3	Vertical	333	2.95	41.84	38.20	12.69	34.23
PK	21.19568G	60.88	74.00	-13.12	-8.81	3	Vertical	314	1.54	69.69	39.11	15.08	53.46
PK	26.48704G	49.84	68.20	-18.36	-8.25	3	Vertical	282	1.50	58.09	39.48	18.32	56.51

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90024G	48.12	54.00	-5.88	16.66	3	Horizontal	305	2.77	31.46	38.20	12.69	34.23
AV	21.19688G	53.92	54.00	-0.08	-8.80	3	Horizontal	309	1.54	62.72	39.12	15.08	53.46
PK	10.59108G	63.73	68.20	-4.47	14.66	3	Horizontal	320	1.41	49.07	39.00	10.43	34.77
PK	15.89958G	62.12	74.00	-11.88	16.66	3	Horizontal	305	2.77	45.46	38.20	12.69	34.23
PK	21.19676G	65.62	74.00	-8.38	-8.81	3	Horizontal	309	1.54	74.43	39.11	15.08	53.46
PK	26.51284G	56.44	68.20	-11.76	-8.13	3	Horizontal	300	1.60	64.57	39.54	18.36	56.49

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3168G	100.92	Inf	-Inf	5.98	3	Vertical	17	2.77	94.94	32.97	7.26	34.25
AV	5.3502G	46.36	54.00	-7.64	5.89	3	Vertical	17	2.77	40.47	32.90	7.24	34.25
PK	5.3168G	112.12	Inf	-Inf	5.98	3	Vertical	17	2.77	106.14	32.97	7.26	34.25
PK	5.35G	61.58	74.00	-12.42	5.89	3	Vertical	17	2.77	55.69	32.90	7.24	34.25

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3236G	111.59	Inf	-Inf	5.95	3	Horizontal	306	2.00	105.64	32.95	7.25	34.25
AV	5.3502G	52.29	54.00	-1.71	5.89	3	Horizontal	306	2.00	46.40	32.90	7.24	34.25
PK	5.3236G	123.09	Inf	-Inf	5.95	3	Horizontal	306	2.00	117.14	32.95	7.25	34.25
PK	5.3502G	68.40	74.00	-5.60	5.89	3	Horizontal	306	2.00	62.51	32.90	7.24	34.25



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63766G	48.16	54.00	-5.84	14.81	3	Vertical	9	1.71	33.35	39.11	10.44	34.74
AV	15.96234G	42.49	54.00	-11.51	16.63	3	Vertical	231	3.00	25.86	38.14	12.72	34.23
AV	21.27664G	42.99	54.00	-11.01	-8.71	3	Vertical	313	1.53	51.70	39.24	15.11	53.52
PK	10.63754G	61.86	74.00	-12.14	14.81	3	Vertical	9	1.71	47.05	39.11	10.44	34.74
PK	15.95688G	56.26	74.00	-17.74	16.63	3	Vertical	231	3.00	39.63	38.14	12.72	34.23
PK	21.27688G	55.99	74.00	-18.01	-8.71	3	Vertical	313	1.53	64.70	39.24	15.11	53.52
PK	26.60636G	51.22	68.20	-16.98	-7.69	3	Vertical	279	1.50	58.91	39.80	18.51	56.46

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64264G	49.66	54.00	-4.34	14.84	3	Horizontal	322	1.37	34.82	39.13	10.45	34.74
AV	15.9597G	44.35	54.00	-9.65	16.63	3	Horizontal	310	2.74	27.72	38.14	12.72	34.23
AV	21.27592G	47.87	54.00	-6.13	-8.71	3	Horizontal	308	1.54	56.58	39.24	15.11	53.52
PK	10.64288G	63.38	74.00	-10.62	14.84	3	Horizontal	322	1.37	48.54	39.13	10.45	34.74
PK	15.95814G	58.68	74.00	-15.32	16.63	3	Horizontal	310	2.74	42.05	38.14	12.72	34.23
PK	21.27688G	60.64	74.00	-13.36	-8.71	3	Horizontal	308	1.54	69.35	39.24	15.11	53.52
PK	26.61104G	56.79	68.20	-11.41	-7.67	3	Horizontal	295	1.59	64.46	39.81	18.52	56.46

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4576G	43.92	54.00	-10.08	6.04	3	Vertical	314	1.57	37.88	33.00	7.28	34.24
AV	5.4966G	100.99	Inf	-Inf	6.08	3	Vertical	314	1.57	94.91	33.00	7.32	34.24
PK	5.4542G	56.68	74.00	-17.32	6.03	3	Vertical	314	1.57	50.65	33.00	7.27	34.24
PK	5.4698G	58.86	68.20	-9.34	6.05	3	Vertical	314	1.57	52.81	33.00	7.29	34.24
PK	5.4966G	112.67	Inf	-Inf	6.08	3	Vertical	314	1.57	106.59	33.00	7.32	34.24

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.06	54.00	-7.94	6.04	3	Horizontal	309	1.87	40.02	33.00	7.28	34.24
AV	5.5044G	110.45	Inf	-Inf	6.08	3	Horizontal	309	1.87	104.37	33.00	7.32	34.24
PK	5.4588G	59.86	74.00	-14.14	6.04	3	Horizontal	309	1.87	53.82	33.00	7.28	34.24
PK	5.4654G	67.25	68.20	-0.95	6.05	3	Horizontal	309	1.87	61.20	33.00	7.29	34.24
PK	5.503G	121.72	Inf	-Inf	6.08	3	Horizontal	309	1.87	115.64	33.00	7.32	34.24



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00606G	45.04	54.00	-8.96	15.10	3	Vertical	19	1.00	29.94	39.00	10.60	34.50
PK	11.00534G	59.57	74.00	-14.43	15.10	3	Vertical	19	1.00	44.47	39.00	10.60	34.50
PK	16.49886G	56.85	68.20	-11.35	17.88	3	Vertical	109	1.50	38.97	38.50	13.26	33.88
PK	22G	51.68	68.20	-16.52	-8.37	3	Vertical	175	1.50	60.05	40.10	15.37	54.30
PK	27.50636G	51.73	68.20	-16.47	-6.09	3	Vertical	283	1.50	57.82	39.79	19.95	56.29

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00414G	44.74	54.00	-9.26	15.10	3	Horizontal	68	1.66	29.64	39.00	10.60	34.50
PK	11.00474G	59.52	74.00	-14.48	15.10	3	Horizontal	68	1.66	44.42	39.00	10.60	34.50
PK	16.49748G	57.72	68.20	-10.48	17.87	3	Horizontal	67	1.49	39.85	38.49	13.26	33.88
PK	21.99988G	54.33	68.20	-13.87	-8.37	3	Horizontal	75	1.50	62.70	40.10	15.37	54.30
PK	27.49436G	57.57	68.20	-10.63	-6.12	3	Horizontal	318	1.61	63.69	39.79	19.93	56.30



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4432G	43.71	54.00	-10.29	6.02	3	Vertical	319	1.40	37.69	33.00	7.26	34.24
AV	5.583G	104.58	Inf	-Inf	6.21	3	Vertical	319	1.40	98.37	33.07	7.40	34.26
PK	5.4552G	56.46	74.00	-17.54	6.04	3	Vertical	319	1.40	50.42	33.00	7.28	34.24
PK	5.4654G	56.35	68.20	-11.85	6.05	3	Vertical	319	1.40	50.30	33.00	7.29	34.24
PK	5.583G	115.97	Inf	-Inf	6.21	3	Vertical	319	1.40	109.76	33.07	7.40	34.26
PK	5.7282G	56.99	68.20	-11.21	6.95	3	Vertical	319	1.40	50.04	33.81	7.45	34.31

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4444G	45.09	54.00	-8.91	6.02	3	Horizontal	311	1.74	39.07	33.00	7.26	34.24
AV	5.583G	113.43	Inf	-Inf	6.21	3	Horizontal	311	1.74	107.22	33.07	7.40	34.26
PK	5.4378G	58.89	74.00	-15.11	6.02	3	Horizontal	311	1.74	52.87	33.00	7.26	34.24
PK	5.4664G	59.46	68.20	-8.74	6.05	3	Horizontal	311	1.74	53.41	33.00	7.29	34.24
PK	5.583G	125.33	Inf	-Inf	6.21	3	Horizontal	311	1.74	119.12	33.07	7.40	34.26
PK	5.7294G	59.92	68.20	-8.28	6.96	3	Horizontal	311	1.74	52.96	33.82	7.45	34.31



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16204G	48.93	54.00	-5.07	15.16	3	Vertical	339	1.00	33.77	39.00	10.66	34.50
AV	22.32G	46.55	54.00	-7.45	-8.95	3	Vertical	202	1.69	55.50	39.92	15.48	54.81
PK	11.16114G	63.37	74.00	-10.63	15.16	3	Vertical	339	1.00	48.21	39.00	10.66	34.50
PK	16.73712G	61.12	68.20	-7.08	18.40	3	Vertical	289	1.44	42.72	38.46	13.51	33.57
PK	22.31988G	51.68	74.00	-22.32	-8.95	3	Vertical	202	1.69	60.63	39.92	15.48	54.81
PK	27.88212G	51.23	68.20	-16.97	-5.38	3	Vertical	304	1.59	56.61	39.60	20.55	55.99

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16276G	47.18	54.00	-6.82	15.16	3	Horizontal	76	1.63	32.02	39.00	10.66	34.50
AV	22.32804G	52.77	54.00	-1.23	-8.97	3	Horizontal	308	1.61	61.74	39.91	15.48	54.82
PK	11.16288G	61.68	74.00	-12.32	15.16	3	Horizontal	76	1.63	46.52	39.00	10.66	34.50
PK	16.73802G	63.31	68.20	-4.89	18.40	3	Horizontal	301	1.82	44.91	38.46	13.51	33.57
PK	22.3278G	66.71	74.00	-7.29	-8.97	3	Horizontal	308	1.61	75.68	39.91	15.48	54.82
PK	27.89868G	56.25	68.20	-11.95	-5.34	3	Horizontal	300	1.54	61.59	39.60	20.58	55.98



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7036G	100.47	Inf	-Inf	6.86	3	Vertical	319	1.84	93.61	33.71	7.45	34.30
PK	5.7036G	111.56	Inf	-Inf	6.86	3	Vertical	319	1.84	104.70	33.71	7.45	34.30
PK	5.7252G	62.23	68.20	-5.97	6.94	3	Vertical	319	1.84	55.29	33.80	7.45	34.31

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7052G	105.75	Inf	-Inf	6.87	3	Horizontal	316	1.92	98.88	33.72	7.45	34.30
PK	5.706G	116.85	Inf	-Inf	6.87	3	Horizontal	316	1.92	109.98	33.72	7.45	34.30
PK	5.7252G	65.88	68.20	-2.32	6.94	3	Horizontal	316	1.92	58.94	33.80	7.45	34.31



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3982G	42.73	54.00	-11.27	15.47	3	Vertical	341	1.68	27.26	39.20	10.76	34.49
AV	22.79994G	45.85	54.00	-8.15	-9.08	3	Vertical	191	1.53	54.93	39.98	15.64	55.16
PK	11.39832G	56.81	74.00	-17.19	15.47	3	Vertical	341	1.68	41.34	39.20	10.76	34.49
PK	17.10036G	57.82	68.20	-10.38	18.99	3	Vertical	268	1.31	38.83	38.30	13.88	33.19
PK	22.79988G	51.02	74.00	-22.98	-9.08	3	Vertical	191	1.53	60.10	39.98	15.64	55.16
PK	28.50714G	46.88	68.20	-21.32	-4.97	3	Vertical	16	1.50	51.85	39.61	20.65	55.69

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40216G	43.10	54.00	-10.90	15.47	3	Horizontal	289	1.63	27.63	39.20	10.76	34.49
AV	22.79994G	47.67	54.00	-6.33	-9.08	3	Horizontal	241	1.53	56.75	39.98	15.64	55.16
PK	11.40114G	57.63	74.00	-16.37	15.47	3	Horizontal	289	1.63	42.16	39.20	10.76	34.49
PK	17.0985G	58.74	68.20	-9.46	18.99	3	Horizontal	283	1.38	39.75	38.30	13.88	33.19
PK	22.79994G	52.75	74.00	-21.25	-9.08	3	Horizontal	241	1.53	61.83	39.98	15.64	55.16
PK	28.5132G	47.18	68.20	-21.02	-4.96	3	Horizontal	294	1.50	52.14	39.62	20.65	55.69

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4248G	43.61	54.00	-10.39	6.00	3	Vertical	321	1.81	37.61	33.00	7.24	34.24
AV	5.7236G	103.06	Inf	-Inf	6.93	3	Vertical	321	1.81	96.13	33.79	7.45	34.31
PK	5.444G	56.54	74.00	-17.46	6.02	3	Vertical	321	1.81	50.52	33.00	7.26	34.24
PK	5.4668G	55.74	68.20	-12.46	6.05	3	Vertical	321	1.81	49.69	33.00	7.29	34.24
PK	5.7224G	114.22	Inf	-Inf	6.93	3	Vertical	321	1.81	107.29	33.79	7.45	34.31
PK	5.9144G	58.18	68.20	-10.02	7.63	3	Vertical	321	1.81	50.55	34.34	7.65	34.36

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4236G	43.88	54.00	-10.12	6.00	3	Horizontal	280	2.20	37.88	33.00	7.24	34.24
AV	5.7188G	107.08	Inf	-Inf	6.92	3	Horizontal	280	2.20	100.16	33.78	7.45	34.31
PK	5.4512G	55.93	74.00	-18.07	6.03	3	Horizontal	280	2.20	49.90	33.00	7.27	34.24
PK	5.466G	55.52	68.20	-12.68	6.05	3	Horizontal	280	2.20	49.47	33.00	7.29	34.24
PK	5.7188G	118.27	Inf	-Inf	6.92	3	Horizontal	280	2.20	111.35	33.78	7.45	34.31
PK	5.912G	58.11	68.20	-10.09	7.64	3	Horizontal	280	2.20	50.47	34.35	7.65	34.36



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44192G	45.36	54.00	-8.64	15.49	3	Vertical	346	1.22	29.87	39.20	10.78	34.49
AV	22.88G	45.93	54.00	-8.07	-9.10	3	Vertical	200	1.70	55.03	39.95	15.67	55.18
PK	11.44184G	59.20	74.00	-14.80	15.49	3	Vertical	346	1.22	43.71	39.20	10.78	34.49
PK	17.1616G	62.90	68.20	-5.30	19.08	3	Vertical	284	1.67	43.82	38.30	13.95	33.17
PK	22.88G	51.68	74.00	-22.32	-9.10	3	Vertical	200	1.70	60.78	39.95	15.67	55.18
PK	28.60528G	46.04	68.20	-22.16	-4.76	3	Vertical	47	1.55	50.80	39.77	20.63	55.62

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44198G	46.24	54.00	-7.76	15.49	3	Horizontal	293	1.64	30.75	39.20	10.78	34.49
AV	22.88G	48.08	54.00	-5.92	-9.10	3	Horizontal	243	1.63	57.18	39.95	15.67	55.18
PK	11.44294G	60.47	74.00	-13.53	15.49	3	Horizontal	293	1.64	44.98	39.20	10.78	34.49
PK	17.15952G	66.89	68.20	-1.31	19.08	3	Horizontal	299	1.49	47.81	38.30	13.95	33.17
PK	22.89116G	56.21	74.00	-17.79	-9.11	3	Horizontal	243	1.63	65.32	39.94	15.67	55.18
PK	28.59412G	52.73	68.20	-15.47	-4.78	3	Horizontal	310	1.50	57.51	39.75	20.63	55.62



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.445G	43.53	54.00	-10.47	6.02	3	Vertical	322	1.78	37.51	33.00	7.26	34.24
AV	5.7474G	101.96	Inf	-Inf	7.04	3	Vertical	322	1.78	94.92	33.89	7.46	34.31
PK	5.5062G	57.68	68.20	-10.52	6.09	3	Vertical	322	1.78	51.59	33.00	7.33	34.24
PK	5.7474G	113.37	Inf	-Inf	7.04	3	Vertical	322	1.78	106.33	33.89	7.46	34.31
PK	5.9862G	58.76	68.20	-9.44	7.51	3	Vertical	322	1.78	51.25	34.13	7.77	34.39

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.445G	43.98	54.00	-10.02	6.02	3	Horizontal	314	1.80	37.96	33.00	7.26	34.24
AV	5.7498G	106.43	Inf	-Inf	7.05	3	Horizontal	314	1.80	99.38	33.90	7.46	34.31
PK	5.4942G	57.60	68.20	-10.60	6.07	3	Horizontal	314	1.80	51.53	33.00	7.31	34.24
PK	5.7486G	117.34	Inf	-Inf	7.04	3	Horizontal	314	1.80	110.30	33.89	7.46	34.31
PK	5.9814G	58.81	68.20	-9.39	7.52	3	Horizontal	314	1.80	51.29	34.14	7.76	34.38



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4836G	45.39	54.00	-8.61	15.51	3	Vertical	14	1.00	29.88	39.20	10.80	34.49
AV	22.97988G	42.49	54.00	-11.51	-9.13	3	Vertical	188	1.51	51.62	39.91	15.70	55.20
PK	11.48456G	59.85	74.00	-14.15	15.51	3	Vertical	14	1.00	44.34	39.20	10.80	34.49
PK	17.23348G	62.72	68.20	-5.48	19.21	3	Vertical	273	1.40	43.51	38.33	14.02	33.14
PK	22.98G	49.22	74.00	-24.78	-9.13	3	Vertical	188	1.51	58.35	39.91	15.70	55.20
PK	28.71984G	46.69	68.20	-21.51	-4.50	3	Vertical	163	1.50	51.19	39.95	20.61	55.52

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49216G	45.85	54.00	-8.15	15.51	3	Horizontal	293	1.63	30.34	39.20	10.80	34.49
AV	22.98G	38.74	54.00	-15.26	-9.13	3	Horizontal	197	1.49	47.87	39.91	15.70	55.20
PK	11.4928G	60.33	74.00	-13.67	15.51	3	Horizontal	293	1.63	44.82	39.20	10.80	34.49
PK	17.2358G	66.83	68.20	-1.37	19.23	3	Horizontal	308	1.96	47.60	38.34	14.03	33.14
PK	22.971G	48.30	74.00	-25.70	-9.12	3	Horizontal	197	1.49	57.42	39.91	15.70	55.19
PK	28.69824G	45.35	68.20	-22.85	-4.55	3	Horizontal	177	1.50	49.90	39.92	20.61	55.54



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7886G	100.80	Inf	-Inf	7.19	3	Vertical	320	1.74	93.61	34.05	7.47	34.33
PK	5.605G	56.94	68.20	-11.26	6.25	3	Vertical	320	1.74	50.69	33.10	7.42	34.27
PK	5.7874G	112.34	Inf	-Inf	7.19	3	Vertical	320	1.74	105.15	34.05	7.47	34.33
PK	5.9554G	59.53	68.20	-8.67	7.53	3	Vertical	320	1.74	52.00	34.19	7.72	34.38

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	106.43	Inf	-Inf	7.19	3	Horizontal	319	1.49	99.24	34.05	7.47	34.33
PK	5.7886G	57.35	68.20	-10.85	6.20	3	Horizontal	319	1.49	51.15	33.06	7.40	34.26
PK	5.7874G	117.48	Inf	-Inf	7.19	3	Horizontal	319	1.49	110.29	34.05	7.47	34.33
PK	6.0142G	58.28	68.20	-9.92	7.53	3	Horizontal	319	1.49	50.75	34.13	7.80	34.40



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56352G	44.08	54.00	-9.92	15.27	3	Vertical	16	1.00	28.81	38.95	10.83	34.51
PK	11.56448G	58.41	74.00	-15.59	15.26	3	Vertical	16	1.00	43.15	38.94	10.83	34.51
PK	17.3546G	61.28	68.20	-6.92	19.56	3	Vertical	260	1.88	41.72	38.51	14.15	33.10
PK	23.13148G	55.25	68.20	-12.95	-8.93	3	Vertical	223	1.52	64.18	40.06	15.75	55.20
PK	28.91636G	46.48	68.20	-21.72	-4.20	3	Vertical	163	1.50	50.68	40.13	20.58	55.37

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57184G	43.46	54.00	-10.54	15.22	3	Horizontal	303	1.50	28.24	38.91	10.83	34.52
PK	11.57056G	59.38	74.00	-14.62	15.23	3	Horizontal	303	1.50	44.15	38.92	10.83	34.52
PK	17.3546G	67.85	68.20	-0.35	19.56	3	Horizontal	311	1.71	48.29	38.51	14.15	33.10
PK	23.14468G	55.30	68.20	-12.90	-8.91	3	Horizontal	211	1.53	64.21	40.07	15.76	55.20
PK	28.931G	46.72	68.20	-21.48	-4.19	3	Horizontal	154	1.50	50.91	40.14	20.57	55.36



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5825MHz\_TX




24/03/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	100.23	Inf	-Inf	7.28	3	Vertical	322	1.70	92.95	34.10	7.52	34.34
PK	5.645G	56.79	68.20	-11.41	6.25	3	Vertical	322	1.70	50.54	33.10	7.43	34.28
PK	5.8274G	111.08	Inf	-Inf	7.27	3	Vertical	322	1.70	103.81	34.10	7.51	34.34
PK	6.0362G	57.98	68.20	-10.22	7.56	3	Vertical	322	1.70	50.42	34.17	7.80	34.41

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5825MHz\_TX




24/03/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	106.27	Inf	-Inf	7.27	3	Horizontal	322	1.34	99.00	34.10	7.51	34.34
PK	5.555G	57.12	68.20	-11.08	6.12	3	Horizontal	322	1.34	51.00	33.01	7.37	34.26
PK	5.8274G	117.03	Inf	-Inf	7.27	3	Horizontal	322	1.34	109.76	34.10	7.51	34.34
PK	5.9342G	58.17	68.20	-10.03	7.57	3	Horizontal	322	1.34	50.60	34.26	7.68	34.37



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65216G	45.84	54.00	-8.16	15.13	3	Vertical	327	1.72	30.71	38.80	10.87	34.54
PK	11.65288G	60.32	74.00	-13.68	15.12	3	Vertical	327	1.72	45.20	38.80	10.87	34.55
PK	17.47636G	61.69	68.20	-6.51	19.91	3	Vertical	259	1.86	41.78	38.68	14.28	33.05
PK	23.29976G	57.95	68.20	-10.25	-8.71	3	Vertical	223	1.51	66.66	40.22	15.81	55.20
PK	29.12176G	47.42	68.20	-20.78	-4.08	3	Vertical	177	1.50	51.50	40.20	20.54	55.28

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65216G	44.62	54.00	-9.38	15.13	3	Horizontal	51	1.68	29.49	38.80	10.87	34.54
PK	11.65048G	59.38	74.00	-14.62	15.12	3	Horizontal	51	1.68	44.26	38.80	10.86	34.54
PK	17.47684G	67.42	68.20	-0.78	19.91	3	Horizontal	312	1.87	47.51	38.68	14.28	33.05
PK	23.30408G	56.67	68.20	-11.53	-8.71	3	Horizontal	211	1.56	65.38	40.22	15.81	55.20
PK	29.12056G	47.55	68.20	-20.65	-4.08	3	Horizontal	321	1.50	51.63	40.20	20.54	55.28

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1474G	48.05	54.00	-5.95	6.13	3	Vertical	327	3.00	41.92	33.19	7.20	34.26
AV	5.1706G	104.42	Inf	-Inf	6.21	3	Vertical	327	3.00	98.21	33.20	7.27	34.26
PK	5.147G	65.68	74.00	-8.32	6.13	3	Vertical	327	3.00	59.55	33.19	7.20	34.26
PK	5.179G	117.14	Inf	-Inf	6.21	3	Vertical	327	3.00	110.93	33.20	7.27	34.26

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1458G	53.22	54.00	-0.78	6.13	3	Horizontal	324	1.68	47.09	33.19	7.20	34.26
AV	5.1846G	110.74	Inf	-Inf	6.22	3	Horizontal	324	1.68	104.52	33.20	7.28	34.26
PK	5.1464G	69.25	74.00	-4.75	6.13	3	Horizontal	324	1.68	63.12	33.19	7.20	34.26
PK	5.1842G	123.80	Inf	-Inf	6.22	3	Horizontal	324	1.68	117.58	33.20	7.28	34.26



5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53584G	42.53	54.00	-11.47	17.10	3	Vertical	92	1.50	25.43	38.76	12.52	34.18
AV	20.72G	42.73	54.00	-11.27	-9.43	3	Vertical	196	1.50	52.16	38.34	14.90	53.13
PK	10.36288G	63.64	68.20	-4.56	14.38	3	Vertical	11	1.37	49.26	38.96	10.33	34.91
PK	15.53632G	56.80	74.00	-17.20	17.10	3	Vertical	92	1.50	39.70	38.76	12.52	34.18
PK	20.72012G	49.36	74.00	-24.64	-9.43	3	Vertical	196	1.50	58.79	38.34	14.90	53.13
PK	25.93G	43.30	68.20	-24.90	-9.24	3	Vertical	360	1.50	52.54	39.50	17.49	56.69

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54G	43.47	54.00	-10.53	17.10	3	Horizontal	239	1.48	26.37	38.76	12.52	34.18
AV	20.71988G	39.04	54.00	-14.96	-9.43	3	Horizontal	189	1.38	48.47	38.34	14.90	53.13
PK	10.36304G	64.55	68.20	-3.65	14.38	3	Horizontal	326	2.10	50.17	38.96	10.33	34.91
PK	15.5256G	56.11	74.00	-17.89	17.11	3	Horizontal	239	1.48	39.00	38.77	12.51	34.17
PK	20.71988G	47.41	74.00	-26.59	-9.43	3	Horizontal	189	1.38	56.84	38.34	14.90	53.13
PK	25.92916G	43.03	68.20	-25.17	-9.24	3	Horizontal	80	1.50	52.27	39.50	17.49	56.69





5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	49.18	54.00	-4.82	6.15	3	Vertical	324	3.00	43.03	33.20	7.21	34.26
AV	5.1988G	106.99	Inf	-Inf	6.25	3	Vertical	324	3.00	100.74	33.20	7.31	34.26
PK	5.148G	62.50	74.00	-11.50	6.15	3	Vertical	324	3.00	56.35	33.20	7.21	34.26
PK	5.1988G	118.87	Inf	-Inf	6.25	3	Vertical	324	3.00	112.62	33.20	7.31	34.26

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	52.43	54.00	-1.57	6.13	3	Horizontal	325	1.68	46.30	33.19	7.20	34.26
AV	5.2044G	114.14	Inf	-Inf	6.24	3	Horizontal	325	1.68	107.90	33.19	7.31	34.26
PK	5.1476G	69.28	74.00	-4.72	6.15	3	Horizontal	325	1.68	63.13	33.20	7.21	34.26
PK	5.2056G	126.86	Inf	-Inf	6.24	3	Horizontal	325	1.68	120.62	33.19	7.31	34.26



5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60016G	43.09	54.00	-10.91	17.07	3	Vertical	305	2.69	26.02	38.70	12.55	34.18
AV	20.80468G	43.07	54.00	-10.93	-9.30	3	Vertical	153	1.55	52.37	38.49	14.93	53.18
PK	10.40336G	65.55	68.20	-2.65	14.47	3	Vertical	11	1.31	51.08	39.00	10.35	34.88
PK	15.58208G	57.20	74.00	-16.80	17.08	3	Vertical	305	2.69	40.12	38.72	12.54	34.18
PK	20.80408G	55.92	74.00	-18.08	-9.30	3	Vertical	153	1.55	65.22	38.49	14.93	53.18
PK	25.98164G	46.24	68.20	-21.96	-9.28	3	Vertical	194	1.48	55.52	39.50	17.53	56.77

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59576G	44.51	54.00	-9.49	17.07	3	Horizontal	314	1.50	27.44	38.70	12.55	34.18
AV	20.80384G	42.31	54.00	-11.69	-9.30	3	Horizontal	207	1.60	51.61	38.49	14.93	53.18
PK	10.40176G	66.75	68.20	-1.45	14.46	3	Horizontal	323	2.07	52.29	39.00	10.35	34.89
PK	15.59616G	58.56	74.00	-15.44	17.07	3	Horizontal	314	1.50	41.49	38.70	12.55	34.18
PK	20.80516G	55.36	74.00	-18.64	-9.30	3	Horizontal	207	1.60	64.66	38.49	14.93	53.18
PK	26.021G	46.11	68.20	-22.09	-9.29	3	Horizontal	216	1.53	55.40	39.47	17.57	56.79

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.23	54.00	-6.77	6.15	3	Vertical	329	2.95	41.08	33.20	7.21	34.26
AV	5.2388G	109.15	Inf	-Inf	6.15	3	Vertical	329	2.95	103.00	33.12	7.29	34.26
AV	5.3612G	44.44	54.00	-9.56	5.91	3	Vertical	329	2.95	38.53	32.92	7.24	34.25
PK	5.1458G	63.17	74.00	-10.83	6.13	3	Vertical	329	2.95	57.04	33.19	7.20	34.26
PK	5.2394G	120.12	Inf	-Inf	6.15	3	Vertical	329	2.95	113.97	33.12	7.29	34.26
PK	5.3738G	57.39	74.00	-16.61	5.93	3	Vertical	329	2.95	51.46	32.95	7.23	34.25

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	51.12	54.00	-2.88	6.15	3	Horizontal	318	1.50	44.97	33.20	7.21	34.26
AV	5.243G	116.89	Inf	-Inf	6.14	3	Horizontal	318	1.50	110.75	33.11	7.29	34.26
AV	5.35G	47.19	54.00	-6.81	5.89	3	Horizontal	318	1.50	41.30	32.90	7.24	34.25
PK	5.147G	66.13	74.00	-7.87	6.13	3	Horizontal	318	1.50	60.00	33.19	7.20	34.26
PK	5.2424G	127.07	Inf	-Inf	6.15	3	Horizontal	318	1.50	120.92	33.12	7.29	34.26
PK	5.3504G	61.24	74.00	-12.76	5.89	3	Horizontal	318	1.50	55.35	32.90	7.24	34.25



5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72368G	44.21	54.00	-9.79	16.81	3	Vertical	306	1.69	27.40	38.40	12.61	34.20
AV	20.95976G	44.91	54.00	-9.09	-9.09	3	Vertical	317	1.52	54.00	38.74	14.99	53.28
PK	10.4896G	65.51	68.20	-2.69	14.54	3	Vertical	8	1.09	50.97	39.00	10.38	34.84
PK	15.72408G	58.53	74.00	-15.47	16.81	3	Vertical	306	1.69	41.72	38.40	12.61	34.20
PK	20.95928G	57.99	74.00	-16.01	-9.10	3	Vertical	317	1.52	67.09	38.73	14.99	53.28
PK	26.20108G	47.52	68.20	-20.68	-9.10	3	Vertical	281	1.55	56.62	39.26	17.86	56.68

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71616G	46.76	54.00	-7.24	16.81	3	Horizontal	317	1.48	29.95	38.40	12.61	34.20
AV	20.95796G	50.00	54.00	-4.00	-9.09	3	Horizontal	309	1.48	59.09	38.73	14.99	53.27
PK	10.48072G	67.78	68.20	-0.42	14.54	3	Horizontal	324	2.12	53.24	39.00	10.38	34.84
PK	15.71464G	59.95	74.00	-14.05	16.80	3	Horizontal	317	1.48	43.15	38.40	12.60	34.20
PK	20.95856G	61.61	74.00	-12.39	-9.10	3	Horizontal	309	1.48	70.71	38.73	14.99	53.28
PK	26.20828G	53.52	68.20	-14.68	-9.10	3	Horizontal	262	1.72	62.62	39.25	17.87	56.68



5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1364G	44.09	54.00	-9.91	6.09	3	Vertical	332	2.78	38.00	33.17	7.18	34.26
AV	5.2582G	108.11	Inf	-Inf	6.11	3	Vertical	332	2.78	102.00	33.08	7.28	34.25
AV	5.3512G	45.16	54.00	-8.84	5.89	3	Vertical	332	2.78	39.27	32.90	7.24	34.25
PK	5.1136G	56.55	74.00	-17.45	6.01	3	Vertical	332	2.78	50.54	33.13	7.14	34.26
PK	5.2588G	120.30	Inf	-Inf	6.11	3	Vertical	332	2.78	114.19	33.08	7.28	34.25
PK	5.3506G	57.33	74.00	-16.67	5.89	3	Vertical	332	2.78	51.44	32.90	7.24	34.25

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1466G	44.99	54.00	-9.01	6.13	3	Horizontal	316	1.50	38.86	33.19	7.20	34.26
AV	5.263G	116.36	Inf	-Inf	6.10	3	Horizontal	316	1.50	110.26	33.07	7.28	34.25
AV	5.3608G	47.60	54.00	-6.40	5.91	3	Horizontal	316	1.50	41.69	32.92	7.24	34.25
PK	5.1472G	57.95	74.00	-16.05	6.13	3	Horizontal	316	1.50	51.82	33.19	7.20	34.26
PK	5.263G	127.08	Inf	-Inf	6.10	3	Horizontal	316	1.50	120.98	33.07	7.28	34.25
PK	5.3608G	60.74	74.00	-13.26	5.91	3	Horizontal	316	1.50	54.83	32.92	7.24	34.25



5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78312G	44.47	54.00	-9.53	16.83	3	Vertical	308	1.57	27.64	38.40	12.64	34.21
AV	21.03952G	46.06	54.00	-7.94	-8.99	3	Vertical	317	1.50	55.05	38.86	15.02	53.33
PK	10.52024G	65.68	68.20	-2.52	14.58	3	Vertical	14	1.10	51.10	39.00	10.40	34.82
PK	15.78296G	58.62	74.00	-15.38	16.83	3	Vertical	308	1.57	41.79	38.40	12.64	34.21
PK	21.03772G	57.64	74.00	-16.36	-8.99	3	Vertical	317	1.50	66.63	38.86	15.02	53.33
PK	26.29988G	48.02	68.20	-20.18	-8.88	3	Vertical	283	1.52	56.90	39.26	18.02	56.62

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77672G	46.81	54.00	-7.19	16.82	3	Horizontal	319	1.50	29.99	38.40	12.63	34.21
AV	21.03772G	51.97	54.00	-2.03	-8.99	3	Horizontal	307	1.50	60.96	38.86	15.02	53.33
PK	10.522G	67.00	68.20	-1.20	14.58	3	Horizontal	322	2.12	52.42	39.00	10.40	34.82
PK	15.77584G	60.59	74.00	-13.41	16.82	3	Horizontal	319	1.50	43.77	38.40	12.63	34.21
PK	21.03796G	64.14	74.00	-9.86	-8.99	3	Horizontal	307	1.50	73.13	38.86	15.02	53.33
PK	26.30972G	53.58	68.20	-14.62	-8.84	3	Horizontal	298	1.65	62.42	39.27	18.04	56.61



5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3052G	106.10	Inf	-Inf	6.00	3	Vertical	319	3.00	100.10	32.99	7.26	34.25
AV	5.35G	47.18	54.00	-6.82	5.89	3	Vertical	319	3.00	41.29	32.90	7.24	34.25
PK	5.2984G	119.25	Inf	-Inf	6.02	3	Vertical	319	3.00	113.23	33.00	7.27	34.25
PK	5.3508G	61.12	74.00	-12.88	5.89	3	Vertical	319	3.00	55.23	32.90	7.24	34.25

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3032G	115.22	Inf	-Inf	6.00	3	Horizontal	317	1.55	109.22	32.99	7.26	34.25
AV	5.3512G	53.34	54.00	-0.66	5.89	3	Horizontal	317	1.55	47.45	32.90	7.24	34.25
PK	5.3032G	126.90	Inf	-Inf	6.00	3	Horizontal	317	1.55	120.90	32.99	7.26	34.25
PK	5.3516G	68.72	74.00	-5.28	5.89	3	Horizontal	317	1.55	62.83	32.90	7.24	34.25





5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89968G	44.08	54.00	-9.92	16.66	3	Vertical	311	2.52	27.42	38.20	12.69	34.23
AV	21.19748G	45.21	54.00	-8.79	-8.80	3	Vertical	319	1.62	54.01	39.12	15.08	53.46
PK	10.5996G	65.53	68.20	-2.67	14.67	3	Vertical	14	1.00	50.86	39.00	10.43	34.76
PK	15.90088G	57.47	74.00	-16.53	16.66	3	Vertical	311	2.52	40.81	38.20	12.69	34.23
PK	21.197G	58.46	74.00	-15.54	-8.80	3	Vertical	319	1.62	67.26	39.12	15.08	53.46
PK	26.49352G	47.64	68.20	-20.56	-8.22	3	Vertical	281	1.62	55.86	39.49	18.33	56.50

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89688G	45.37	54.00	-8.63	16.67	3	Horizontal	320	1.50	28.70	38.21	12.69	34.23
AV	21.1982G	51.41	54.00	-2.59	-8.80	3	Horizontal	317	1.64	60.21	39.12	15.08	53.46
PK	10.59988G	66.22	68.20	-1.98	14.67	3	Horizontal	302	1.82	51.55	39.00	10.43	34.76
PK	15.896G	58.74	74.00	-15.26	16.67	3	Horizontal	320	1.50	42.07	38.21	12.69	34.23
PK	21.1988G	64.35	74.00	-9.65	-8.80	3	Horizontal	317	1.64	73.15	39.12	15.08	53.46
PK	26.4874G	53.88	68.20	-14.32	-8.25	3	Horizontal	299	1.64	62.13	39.48	18.32	56.51



5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3254G	101.95	Inf	-Inf	5.95	3	Vertical	317	3.00	96.00	32.95	7.25	34.25
AV	5.3514G	46.10	54.00	-7.90	5.89	3	Vertical	317	3.00	40.21	32.90	7.24	34.25
PK	5.325G	114.77	Inf	-Inf	5.95	3	Vertical	317	3.00	108.82	32.95	7.25	34.25
PK	5.3524G	60.81	74.00	-13.19	5.89	3	Vertical	317	3.00	54.92	32.90	7.24	34.25

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.323G	111.56	Inf	-Inf	5.95	3	Horizontal	321	1.47	105.61	32.95	7.25	34.25
AV	5.3508G	52.57	54.00	-1.43	5.89	3	Horizontal	321	1.47	46.68	32.90	7.24	34.25
PK	5.3234G	123.96	Inf	-Inf	5.95	3	Horizontal	321	1.47	118.01	32.95	7.25	34.25
PK	5.351G	67.65	74.00	-6.35	5.89	3	Horizontal	321	1.47	61.76	32.90	7.24	34.25



5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_4TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63964G	46.20	54.00	-7.80	14.83	3	Vertical	16	1.00	31.37	39.12	10.45	34.74
AV	15.95142G	42.49	54.00	-11.51	16.64	3	Vertical	331	1.50	25.85	38.15	12.72	34.23
AV	21.28G	44.04	54.00	-9.96	-8.70	3	Vertical	171	1.47	52.74	39.25	15.11	53.52
PK	10.63772G	60.06	74.00	-13.94	14.81	3	Vertical	16	1.00	45.25	39.11	10.44	34.74
PK	15.95334G	56.52	74.00	-17.48	16.64	3	Vertical	331	1.50	39.88	38.15	12.72	34.23
PK	21.27988G	50.35	74.00	-23.65	-8.70	3	Vertical	171	1.47	59.05	39.25	15.11	53.52
PK	26.59664G	49.31	68.20	-18.89	-7.74	3	Vertical	187	1.50	57.05	39.77	18.49	56.46

5.25-5.35GHz\_802.11ax\_HEW20\_Nss1,(MCS0)\_4TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63946G	47.18	54.00	-6.82	14.83	3	Horizontal	306	1.75	32.35	39.12	10.45	34.74
AV	15.94878G	42.49	54.00	-11.51	16.64	3	Horizontal	130	2.45	25.85	38.15	12.72	34.23
AV	21.27988G	40.57	54.00	-13.43	-8.70	3	Horizontal	165	1.46	49.27	39.25	15.11	53.52
PK	10.64006G	61.23	74.00	-12.77	14.83	3	Horizontal	306	1.75	46.40	39.12	10.45	34.74
PK	15.96348G	56.54	74.00	-17.46	16.63	3	Horizontal	130	2.45	39.91	38.14	12.72	34.23
PK	21.27976G	48.87	74.00	-25.13	-8.70	3	Horizontal	165	1.46	57.57	39.25	15.11	53.52
PK	26.59304G	49.49	68.20	-18.71	-7.75	3	Horizontal	208	1.58	57.24	39.76	18.49	56.46

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	44.08	54.00	-9.92	6.04	3	Vertical	315	3.00	38.04	33.00	7.28	34.24
AV	5.5062G	100.24	Inf	-Inf	6.09	3	Vertical	315	3.00	94.15	33.00	7.33	34.24
PK	5.4594G	55.95	74.00	-18.05	6.04	3	Vertical	315	3.00	49.91	33.00	7.28	34.24
PK	5.4684G	59.97	68.20	-8.23	6.05	3	Vertical	315	3.00	53.92	33.00	7.29	34.24
PK	5.5058G	112.47	Inf	-Inf	6.09	3	Vertical	315	3.00	106.38	33.00	7.33	34.24

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.18	54.00	-7.82	6.04	3	Horizontal	327	1.50	40.14	33.00	7.28	34.24
AV	5.5042G	110.10	Inf	-Inf	6.08	3	Horizontal	327	1.50	104.02	33.00	7.32	34.24
PK	5.4592G	58.64	74.00	-15.36	6.04	3	Horizontal	327	1.50	52.60	33.00	7.28	34.24
PK	5.465G	65.77	68.20	-2.43	6.04	3	Horizontal	327	1.50	59.73	33.00	7.28	34.24
PK	5.5024G	122.68	Inf	-Inf	6.08	3	Horizontal	327	1.50	116.60	33.00	7.32	34.24



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99382G	44.41	54.00	-9.59	15.10	3	Vertical	338	1.41	29.31	39.01	10.59	34.50
PK	10.99328G	58.36	74.00	-15.64	15.10	3	Vertical	338	1.41	43.26	39.01	10.59	34.50
PK	16.5069G	57.09	68.20	-11.11	17.89	3	Vertical	135	2.99	39.20	38.49	13.27	33.87
PK	21.99376G	50.86	68.20	-17.34	-8.34	3	Vertical	156	1.46	59.20	40.12	15.37	54.29
PK	27.50156G	52.61	68.20	-15.59	-6.10	3	Vertical	171	1.50	58.71	39.80	19.94	56.30

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99658G	44.73	54.00	-9.27	15.10	3	Horizontal	310	1.50	29.63	39.01	10.59	34.50
PK	10.99622G	58.71	74.00	-15.29	15.10	3	Horizontal	310	1.50	43.61	39.01	10.59	34.50
PK	16.4871G	59.04	68.20	-9.16	17.81	3	Horizontal	288	1.82	41.23	38.45	13.25	33.89
PK	21.99364G	48.26	68.20	-19.94	-8.34	3	Horizontal	158	1.50	56.60	40.12	15.37	54.29
PK	27.49424G	49.45	68.20	-18.75	-6.12	3	Horizontal	191	1.50	55.57	39.79	19.93	56.30

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	44.45	54.00	-9.55	6.04	3	Vertical	342	3.00	38.41	33.00	7.28	34.24
AV	5.5782G	108.13	Inf	-Inf	6.20	3	Vertical	342	3.00	101.93	33.06	7.40	34.26
PK	5.4588G	57.01	74.00	-16.99	6.04	3	Vertical	342	3.00	50.97	33.00	7.28	34.24
PK	5.4606G	59.24	68.20	-8.96	6.04	3	Vertical	342	3.00	53.20	33.00	7.28	34.24
PK	5.577G	119.70	Inf	-Inf	6.19	3	Vertical	342	3.00	113.51	33.05	7.40	34.26
PK	5.7282G	58.84	68.20	-9.36	6.95	3	Vertical	342	3.00	51.89	33.81	7.45	34.31

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	46.77	54.00	-7.23	6.04	3	Horizontal	329	1.58	40.73	33.00	7.28	34.24
AV	5.5842G	115.03	Inf	-Inf	6.20	3	Horizontal	329	1.58	108.83	33.07	7.40	34.27
PK	5.4588G	59.20	74.00	-14.80	6.04	3	Horizontal	329	1.58	53.16	33.00	7.28	34.24
PK	5.4636G	65.78	68.20	-2.42	6.04	3	Horizontal	329	1.58	59.74	33.00	7.28	34.24
PK	5.5848G	126.67	Inf	-Inf	6.20	3	Horizontal	329	1.58	120.47	33.07	7.40	34.27
PK	5.7264G	60.21	68.20	-7.99	6.95	3	Horizontal	329	1.58	53.26	33.81	7.45	34.31



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15504G	48.36	54.00	-5.64	15.16	3	Vertical	340	1.47	33.20	39.00	10.66	34.50
AV	22.32G	46.59	54.00	-7.41	-8.95	3	Vertical	312	1.57	55.54	39.92	15.48	54.81
PK	11.15408G	61.81	74.00	-12.19	15.16	3	Vertical	340	1.47	46.65	39.00	10.66	34.50
PK	16.75496G	60.47	68.20	-7.73	18.43	3	Vertical	276	1.50	42.04	38.45	13.53	33.55
PK	22.32072G	60.72	74.00	-13.28	-8.95	3	Vertical	312	1.57	69.67	39.92	15.48	54.81
PK	27.89196G	48.32	68.20	-19.88	-5.36	3	Vertical	292	1.58	53.68	39.60	20.57	55.99

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16384G	48.21	54.00	-5.79	15.16	3	Horizontal	75	1.71	33.05	39.00	10.66	34.50
AV	22.31544G	53.00	54.00	-1.00	-8.94	3	Horizontal	304	1.58	61.94	39.92	15.48	54.80
PK	11.15104G	61.42	74.00	-12.58	15.16	3	Horizontal	75	1.71	46.26	39.00	10.66	34.50
PK	16.73488G	63.83	68.20	-4.37	18.40	3	Horizontal	295	1.86	45.43	38.47	13.50	33.57
PK	22.31688G	67.83	74.00	-6.17	-8.95	3	Horizontal	304	1.58	76.78	39.92	15.48	54.81
PK	27.89052G	56.43	68.20	-11.77	-5.37	3	Horizontal	294	1.77	61.80	39.60	20.56	55.99

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6992G	97.61	Inf	-Inf	6.83	3	Vertical	312	2.24	90.78	33.69	7.44	34.30
PK	5.6996G	110.23	Inf	-Inf	6.84	3	Vertical	312	2.24	103.39	33.70	7.44	34.30
PK	5.7296G	59.07	68.20	-9.13	6.96	3	Vertical	312	2.24	52.11	33.82	7.45	34.31

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7032G	105.31	Inf	-Inf	6.86	3	Horizontal	329	1.40	98.45	33.71	7.45	34.30
PK	5.704G	117.15	Inf	-Inf	6.87	3	Horizontal	329	1.40	110.28	33.72	7.45	34.30
PK	5.7252G	65.81	68.20	-2.39	6.94	3	Horizontal	329	1.40	58.87	33.80	7.45	34.31



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39358G	42.52	54.00	-11.48	15.46	3	Vertical	352	1.46	27.06	39.19	10.76	34.49
AV	22.7742G	35.26	54.00	-18.74	-9.07	3	Vertical	178	1.44	44.33	39.99	15.63	55.15
PK	11.39502G	56.97	74.00	-17.03	15.47	3	Vertical	352	1.46	41.50	39.20	10.76	34.49
PK	17.09844G	58.06	68.20	-10.14	18.99	3	Vertical	291	1.40	39.07	38.30	13.88	33.19
PK	22.77168G	47.12	74.00	-26.88	-9.07	3	Vertical	178	1.44	56.19	39.99	15.63	55.15
PK	28.49988G	45.70	68.20	-22.50	-4.99	3	Vertical	353	2.42	50.69	39.60	20.65	55.70

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4021G	43.14	54.00	-10.86	15.47	3	Horizontal	293	1.58	27.67	39.20	10.76	34.49
AV	22.79988G	38.00	54.00	-16.00	-9.08	3	Horizontal	308	2.82	47.08	39.98	15.64	55.16
PK	11.40312G	56.79	74.00	-17.21	15.47	3	Horizontal	293	1.58	41.32	39.20	10.76	34.49
PK	17.1054G	57.26	68.20	-10.94	19.00	3	Horizontal	303	1.87	38.26	38.30	13.89	33.19
PK	22.78656G	47.52	74.00	-26.48	-9.07	3	Horizontal	308	2.82	56.59	39.99	15.64	55.16
PK	28.51248G	46.30	68.20	-21.90	-4.96	3	Horizontal	256	1.21	51.26	39.62	20.65	55.69





5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4404G	43.84	54.00	-10.16	6.02	3	Vertical	339	3.00	37.82	33.00	7.26	34.24
AV	5.7188G	105.26	Inf	-Inf	6.92	3	Vertical	339	3.00	98.34	33.78	7.45	34.31
PK	5.4536G	56.43	74.00	-17.57	6.03	3	Vertical	339	3.00	50.40	33.00	7.27	34.24
PK	5.4608G	55.77	68.20	-12.43	6.04	3	Vertical	339	3.00	49.73	33.00	7.28	34.24
PK	5.7188G	116.62	Inf	-Inf	6.92	3	Vertical	339	3.00	109.70	33.78	7.45	34.31
PK	5.8988G	57.78	68.20	-10.42	7.66	3	Vertical	339	3.00	50.12	34.39	7.63	34.36

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4272G	44.24	54.00	-9.76	6.01	3	Horizontal	311	1.50	38.23	33.00	7.25	34.24
AV	5.7176G	108.07	Inf	-Inf	6.91	3	Horizontal	311	1.50	101.16	33.77	7.45	34.31
PK	5.438G	57.05	74.00	-16.95	6.02	3	Horizontal	311	1.50	51.03	33.00	7.26	34.24
PK	5.4656G	56.91	68.20	-11.29	6.05	3	Horizontal	311	1.50	50.86	33.00	7.29	34.24
PK	5.7176G	119.91	Inf	-Inf	6.91	3	Horizontal	311	1.50	113.00	33.77	7.45	34.31
PK	5.9012G	57.98	68.20	-10.22	7.67	3	Horizontal	311	1.50	50.31	34.40	7.63	34.36



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43384G	44.85	54.00	-9.15	15.49	3	Vertical	352	1.50	29.36	39.20	10.78	34.49
AV	22.87988G	42.62	54.00	-11.38	-9.10	3	Vertical	189	1.51	51.72	39.95	15.67	55.18
PK	11.43256G	58.16	74.00	-15.84	15.48	3	Vertical	352	1.50	42.68	39.20	10.77	34.49
PK	17.1592G	63.99	68.20	-4.21	19.08	3	Vertical	289	1.50	44.91	38.30	13.95	33.17
PK	22.89008G	51.15	74.00	-22.85	-9.11	3	Vertical	189	1.51	60.26	39.94	15.67	55.18
PK	28.59556G	49.66	68.20	-18.54	-4.78	3	Vertical	268	1.56	54.44	39.75	20.63	55.62

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44256G	46.02	54.00	-7.98	15.49	3	Horizontal	292	1.61	30.53	39.20	10.78	34.49
AV	22.8758G	40.98	54.00	-13.02	-9.10	3	Horizontal	207	1.54	50.08	39.95	15.67	55.18
PK	11.44096G	59.17	74.00	-14.83	15.49	3	Horizontal	292	1.61	43.68	39.20	10.78	34.49
PK	17.16184G	68.13	68.20	-0.07	19.08	3	Horizontal	303	2.02	49.05	38.30	13.95	33.17
PK	22.89524G	58.35	74.00	-15.65	-9.11	3	Horizontal	207	1.54	67.46	39.94	15.67	55.18
PK	28.60612G	46.12	68.20	-22.08	-4.76	3	Horizontal	202	1.40	50.88	39.77	20.63	55.62



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4474G	43.76	54.00	-10.24	6.03	3	Vertical	324	1.50	37.73	33.00	7.27	34.24
AV	5.7474G	101.49	Inf	-Inf	7.04	3	Vertical	324	1.50	94.45	33.89	7.46	34.31
PK	5.5506G	56.76	68.20	-11.44	6.11	3	Vertical	324	1.50	50.65	33.00	7.37	34.26
PK	5.7474G	113.57	Inf	-Inf	7.04	3	Vertical	324	1.50	106.53	33.89	7.46	34.31
PK	5.991G	58.21	68.20	-9.99	7.51	3	Vertical	324	1.50	50.70	34.12	7.78	34.39

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4522G	44.09	54.00	-9.91	6.03	3	Horizontal	311	1.45	38.06	33.00	7.27	34.24
AV	5.7426G	107.32	Inf	-Inf	7.02	3	Horizontal	311	1.45	100.30	33.87	7.46	34.31
PK	5.649G	57.70	68.20	-10.50	6.25	3	Horizontal	311	1.45	51.45	33.10	7.43	34.28
PK	5.7414G	119.75	Inf	-Inf	7.02	3	Horizontal	311	1.45	112.73	33.87	7.46	34.31
PK	5.9994G	57.95	68.20	-10.25	7.50	3	Horizontal	311	1.45	50.45	34.10	7.79	34.39



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48298G	43.36	54.00	-10.64	15.51	3	Vertical	351	1.50	27.85	39.20	10.80	34.49
AV	22.98G	45.43	54.00	-8.57	-9.13	3	Vertical	202	1.66	54.56	39.91	15.70	55.20
PK	11.48424G	57.36	74.00	-16.64	15.51	3	Vertical	351	1.50	41.85	39.20	10.80	34.49
PK	17.23314G	63.50	68.20	-4.70	19.21	3	Vertical	277	1.42	44.29	38.33	14.02	33.14
PK	22.98G	50.71	74.00	-23.29	-9.13	3	Vertical	202	1.66	59.84	39.91	15.70	55.20
PK	28.722G	45.28	68.20	-22.92	-4.49	3	Vertical	346	1.50	49.77	39.96	20.61	55.52

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49312G	45.07	54.00	-8.93	15.51	3	Horizontal	306	1.49	29.56	39.20	10.80	34.49
AV	22.98G	46.28	54.00	-7.72	-9.13	3	Horizontal	241	1.66	55.41	39.91	15.70	55.20
PK	11.49336G	59.33	74.00	-14.67	15.51	3	Horizontal	306	1.49	43.82	39.20	10.80	34.49
PK	17.23612G	66.92	68.20	-1.28	19.23	3	Horizontal	309	1.93	47.69	38.34	14.03	33.14
PK	22.9884G	56.25	74.00	-17.75	-9.13	3	Horizontal	241	1.66	65.38	39.90	15.71	55.20
PK	28.71408G	47.45	68.20	-20.75	-4.52	3	Horizontal	291	1.59	51.97	39.94	20.61	55.53



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	101.29	Inf	-Inf	7.19	3	Vertical	324	1.40	94.10	34.05	7.47	34.33
PK	5.5366G	56.66	68.20	-11.54	6.11	3	Vertical	324	1.40	50.55	33.00	7.36	34.25
PK	5.7874G	113.58	Inf	-Inf	7.19	3	Vertical	324	1.40	106.39	34.05	7.47	34.33
PK	5.9866G	58.11	68.20	-10.09	7.51	3	Vertical	324	1.40	50.60	34.13	7.77	34.39

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7814G	107.70	Inf	-Inf	7.18	3	Horizontal	309	1.26	100.52	34.03	7.47	34.32
PK	5.6134G	57.68	68.20	-10.52	6.25	3	Horizontal	309	1.26	51.43	33.10	7.42	34.27
PK	5.7826G	119.35	Inf	-Inf	7.18	3	Horizontal	309	1.26	112.17	34.03	7.47	34.32
PK	5.9734G	58.33	68.20	-9.87	7.52	3	Horizontal	309	1.26	50.81	34.15	7.75	34.38



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57684G	43.56	54.00	-10.44	15.20	3	Vertical	17	1.00	28.36	38.89	10.83	34.52
PK	11.57726G	57.87	74.00	-16.13	15.20	3	Vertical	17	1.00	42.67	38.89	10.83	34.52
PK	17.35404G	65.21	68.20	-2.99	19.56	3	Vertical	298	1.50	45.65	38.51	14.15	33.10
PK	23.16532G	47.92	68.20	-20.28	-8.87	3	Vertical	203	1.50	56.79	40.10	15.77	55.20
PK	28.9094G	46.19	68.20	-22.01	-4.20	3	Vertical	282	1.59	50.39	40.13	20.58	55.37

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56676G	44.61	54.00	-9.39	15.25	3	Horizontal	76	1.50	29.36	38.93	10.83	34.51
PK	11.56568G	58.87	74.00	-15.13	15.26	3	Horizontal	76	1.50	43.61	38.94	10.83	34.51
PK	17.35252G	68.16	68.20	-0.04	19.56	3	Horizontal	326	1.35	48.60	38.51	14.15	33.10
PK	23.16544G	48.21	68.20	-19.99	-8.87	3	Horizontal	322	1.50	57.08	40.10	15.77	55.20
PK	28.93184G	46.00	68.20	-22.20	-4.17	3	Horizontal	250	1.50	50.17	40.15	20.57	55.35



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8202G	100.34	Inf	-Inf	7.26	3	Vertical	307	1.68	93.08	34.10	7.50	34.34
PK	5.615G	56.54	68.20	-11.66	6.25	3	Vertical	307	1.68	50.29	33.10	7.42	34.27
PK	5.8202G	113.29	Inf	-Inf	7.26	3	Vertical	307	1.68	106.03	34.10	7.50	34.34
PK	5.963G	59.82	68.20	-8.38	7.52	3	Vertical	307	1.68	52.30	34.17	7.73	34.38

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	106.63	Inf	-Inf	7.27	3	Horizontal	310	1.26	99.36	34.10	7.51	34.34
PK	5.5394G	57.10	68.20	-11.10	6.11	3	Horizontal	310	1.26	50.99	33.00	7.36	34.25
PK	5.8226G	118.77	Inf	-Inf	7.27	3	Horizontal	310	1.26	111.50	34.10	7.51	34.34
PK	6.0758G	58.22	68.20	-9.98	7.55	3	Horizontal	310	1.26	50.67	34.15	7.82	34.42



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65234G	45.54	54.00	-8.46	15.13	3	Vertical	329	1.65	30.41	38.80	10.87	34.54
PK	11.65246G	59.52	74.00	-14.48	15.13	3	Vertical	329	1.65	44.39	38.80	10.87	34.54
PK	17.4741G	60.90	68.20	-7.30	19.89	3	Vertical	278	1.74	41.01	38.67	14.27	33.05
PK	23.3G	50.68	68.20	-17.52	-8.71	3	Vertical	167	1.52	59.39	40.22	15.81	55.20
PK	29.11816G	47.49	68.20	-20.71	-4.08	3	Vertical	263	1.50	51.57	40.20	20.54	55.28

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.647G	44.69	54.00	-9.31	15.12	3	Horizontal	82	1.50	29.57	38.80	10.86	34.54
PK	11.64736G	58.93	74.00	-15.07	15.12	3	Horizontal	82	1.50	43.81	38.80	10.86	34.54
PK	17.47444G	67.69	68.20	-0.51	19.89	3	Horizontal	312	1.80	47.80	38.67	14.27	33.05
PK	23.2946G	62.89	68.20	-5.31	-8.71	3	Horizontal	307	1.48	71.60	40.22	15.81	55.20
PK	29.13088G	49.75	68.20	-18.45	-4.07	3	Horizontal	299	1.63	53.82	40.20	20.54	55.27





5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.10	54.00	-0.90	6.15	3	Vertical	323	3.00	46.95	33.20	7.21	34.26
AV	5.188G	99.18	Inf	-Inf	6.23	3	Vertical	323	3.00	92.95	33.20	7.29	34.26
PK	5.1488G	68.17	74.00	-5.83	6.15	3	Vertical	323	3.00	62.02	33.20	7.21	34.26
PK	5.1884G	111.95	Inf	-Inf	6.23	3	Vertical	323	3.00	105.72	33.20	7.29	34.26

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.17	54.00	-0.83	6.15	3	Horizontal	319	1.59	47.02	33.20	7.21	34.26
AV	5.1936G	105.92	Inf	-Inf	6.24	3	Horizontal	319	1.59	99.68	33.20	7.30	34.26
PK	5.15G	67.46	74.00	-6.54	6.15	3	Horizontal	319	1.59	61.31	33.20	7.21	34.26
PK	5.1936G	117.89	Inf	-Inf	6.24	3	Horizontal	319	1.59	111.65	33.20	7.30	34.26



5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56976G	42.33	54.00	-11.67	17.09	3	Vertical	166	1.76	25.24	38.73	12.54	34.18
AV	20.76G	34.36	54.00	-19.64	-9.36	3	Vertical	141	1.43	43.72	38.42	14.92	53.16
PK	10.36782G	58.85	68.20	-9.35	14.40	3	Vertical	26	1.50	44.45	38.97	10.33	34.90
PK	15.58224G	56.61	74.00	-17.39	17.08	3	Vertical	166	1.76	39.53	38.72	12.54	34.18
PK	20.74512G	45.70	74.00	-28.30	-9.39	3	Vertical	141	1.43	55.09	38.39	14.91	53.15
PK	25.9374G	43.38	68.20	-24.82	-9.25	3	Vertical	158	1.09	52.63	39.50	17.49	56.70

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57G	43.25	54.00	-10.75	17.09	3	Horizontal	243	1.50	26.16	38.73	12.54	34.18
AV	20.74464G	33.70	54.00	-20.30	-9.39	3	Horizontal	176	1.93	43.09	38.39	14.91	53.15
PK	10.38228G	59.02	68.20	-9.18	14.42	3	Horizontal	331	2.01	44.60	38.98	10.34	34.90
PK	15.57012G	56.36	74.00	-17.64	17.09	3	Horizontal	243	1.50	39.27	38.73	12.54	34.18
PK	20.75556G	46.01	74.00	-27.99	-9.36	3	Horizontal	176	1.93	55.37	38.41	14.92	53.15
PK	25.96044G	43.55	68.20	-24.65	-9.27	3	Horizontal	190	1.43	52.82	39.50	17.51	56.74

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	51.49	54.00	-2.51	6.15	3	Vertical	331	2.96	45.34	33.20	7.21	34.26
AV	5.2292G	104.42	Inf	-Inf	6.18	3	Vertical	331	2.96	98.24	33.14	7.30	34.26
PK	5.148G	66.43	74.00	-7.57	6.15	3	Vertical	331	2.96	60.28	33.20	7.21	34.26
PK	5.2288G	116.21	Inf	-Inf	6.18	3	Vertical	331	2.96	110.03	33.14	7.30	34.26

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.21	54.00	-0.79	6.15	3	Horizontal	322	1.54	47.06	33.20	7.21	34.26
AV	5.2326G	111.27	Inf	-Inf	6.16	3	Horizontal	322	1.54	105.11	33.13	7.29	34.26
PK	5.1344G	68.84	74.00	-5.16	6.09	3	Horizontal	322	1.54	62.75	33.17	7.18	34.26
PK	5.2328G	123.56	Inf	-Inf	6.17	3	Horizontal	322	1.54	117.39	33.13	7.30	34.26



5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.67256G	42.49	54.00	-11.51	16.87	3	Vertical	294	1.80	25.62	38.48	12.58	34.19
AV	20.91808G	38.80	54.00	-15.20	-9.14	3	Vertical	315	1.54	47.94	38.67	14.98	53.25
PK	10.46968G	62.54	68.20	-5.66	14.52	3	Vertical	28	1.58	48.02	39.00	10.37	34.85
PK	15.6864G	56.70	74.00	-17.30	16.83	3	Vertical	294	1.80	39.87	38.44	12.59	34.20
PK	20.89672G	50.12	74.00	-23.88	-9.18	3	Vertical	315	1.54	59.30	38.63	14.97	53.24
PK	26.16584G	45.32	68.20	-22.88	-9.13	3	Vertical	83	1.52	54.45	39.30	17.81	56.70

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68992G	43.05	54.00	-10.95	16.82	3	Horizontal	245	2.70	26.23	38.43	12.59	34.20
AV	20.91784G	43.51	54.00	-10.49	-9.14	3	Horizontal	307	1.49	52.65	38.67	14.98	53.25
PK	10.45296G	63.55	68.20	-4.65	14.51	3	Horizontal	313	1.64	49.04	39.00	10.37	34.86
PK	15.6868G	56.44	74.00	-17.56	16.83	3	Horizontal	245	2.70	39.61	38.44	12.59	34.20
PK	20.89672G	55.42	74.00	-18.58	-9.18	3	Horizontal	307	1.49	64.60	38.63	14.97	53.24
PK	26.14016G	45.64	68.20	-22.56	-9.17	3	Horizontal	262	1.69	54.81	39.33	17.76	56.72



5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2684G	101.93	Inf	-Inf	6.09	3	Vertical	331	2.91	95.84	33.06	7.28	34.25
AV	5.3572G	46.00	54.00	-8.00	5.90	3	Vertical	331	2.91	40.10	32.91	7.24	34.25
PK	5.268G	114.82	Inf	-Inf	6.09	3	Vertical	331	2.91	108.73	33.06	7.28	34.25
PK	5.356G	59.94	74.00	-14.06	5.90	3	Vertical	331	2.91	54.04	32.91	7.24	34.25

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2736G	110.56	Inf	-Inf	6.08	3	Horizontal	318	1.57	104.48	33.05	7.28	34.25
AV	5.3528G	52.45	54.00	-1.55	5.90	3	Horizontal	318	1.57	46.55	32.91	7.24	34.25
PK	5.2732G	123.86	Inf	-Inf	6.08	3	Horizontal	318	1.57	117.78	33.05	7.28	34.25
PK	5.3508G	68.31	74.00	-5.69	5.89	3	Horizontal	318	1.57	62.42	32.90	7.24	34.25



5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.82064G	42.39	54.00	-11.61	16.80	3	Vertical	193	2.31	25.59	38.36	12.65	34.21
AV	21.08G	42.60	54.00	-11.40	-8.94	3	Vertical	180	1.56	51.54	38.93	15.03	53.36
PK	10.54568G	60.48	68.20	-7.72	14.61	3	Vertical	10	1.20	45.87	39.00	10.41	34.80
PK	15.82224G	56.60	74.00	-17.40	16.80	3	Vertical	193	2.31	39.80	38.36	12.66	34.22
PK	21.07976G	48.65	74.00	-25.35	-8.94	3	Vertical	180	1.56	57.59	38.93	15.03	53.36
PK	26.3656G	46.83	68.20	-21.37	-8.66	3	Vertical	278	1.50	55.49	39.34	18.12	56.58

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81G	42.87	54.00	-11.13	16.82	3	Horizontal	240	2.00	26.05	38.38	12.65	34.21
AV	21.08G	46.50	54.00	-7.50	-8.94	3	Horizontal	222	1.68	55.44	38.93	15.03	53.36
PK	10.53848G	61.78	68.20	-6.42	14.60	3	Horizontal	306	1.70	47.18	39.00	10.40	34.80
PK	15.80344G	56.38	74.00	-17.62	16.83	3	Horizontal	240	2.00	39.55	38.39	12.65	34.21
PK	21.08G	51.05	74.00	-22.95	-8.94	3	Horizontal	222	1.68	59.99	38.93	15.03	53.36
PK	26.35552G	49.83	68.20	-18.37	-8.69	3	Horizontal	294	1.61	58.52	39.33	18.11	56.59

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3148G	94.25	Inf	-Inf	5.98	3	Vertical	316	2.95	88.27	32.97	7.26	34.25
AV	5.3544G	45.46	54.00	-8.54	5.90	3	Vertical	316	2.95	39.56	32.91	7.24	34.25
PK	5.3152G	107.37	Inf	-Inf	5.98	3	Vertical	316	2.95	101.39	32.97	7.26	34.25
PK	5.3552G	58.75	74.00	-15.25	5.90	3	Vertical	316	2.95	52.85	32.91	7.24	34.25

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3132G	103.49	Inf	-Inf	5.98	3	Horizontal	321	1.47	97.51	32.97	7.26	34.25
AV	5.352G	53.50	54.00	-0.50	5.89	3	Horizontal	321	1.47	47.61	32.90	7.24	34.25
PK	5.3136G	116.84	Inf	-Inf	5.98	3	Horizontal	321	1.47	110.86	32.97	7.26	34.25
PK	5.3516G	68.37	74.00	-5.63	5.89	3	Horizontal	321	1.47	62.48	32.90	7.24	34.25



5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_4TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61992G	41.24	54.00	-12.76	14.75	3	Vertical	163	1.45	26.49	39.06	10.44	34.75
AV	15.93128G	42.46	54.00	-11.54	16.65	3	Vertical	126	1.50	25.81	38.17	12.71	34.23
AV	21.26376G	35.03	54.00	-18.97	-8.73	3	Vertical	225	1.76	43.76	39.22	15.10	53.51
PK	10.60832G	53.94	74.00	-20.06	14.69	3	Vertical	163	1.45	39.25	39.02	10.43	34.76
PK	15.92232G	56.13	74.00	-17.87	16.65	3	Vertical	126	1.50	39.48	38.18	12.70	34.23
PK	21.2334G	46.65	74.00	-27.35	-8.77	3	Vertical	225	1.76	55.42	39.17	15.09	53.49
PK	26.53176G	47.62	68.20	-20.58	-8.05	3	Vertical	317	1.37	55.67	39.59	18.39	56.49

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_4TX

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62024G	42.03	54.00	-11.97	14.75	3	Horizontal	314	1.71	27.28	39.06	10.44	34.75
AV	15.92216G	42.42	54.00	-11.58	16.65	3	Horizontal	157	1.00	25.77	38.18	12.70	34.23
AV	21.25608G	35.04	54.00	-18.96	-8.73	3	Horizontal	131	1.87	43.77	39.21	15.10	53.50
PK	10.61816G	55.96	74.00	-18.04	14.74	3	Horizontal	314	1.71	41.22	39.05	10.44	34.75
PK	15.93312G	56.88	74.00	-17.12	16.65	3	Horizontal	157	1.00	40.23	38.17	12.71	34.23
PK	21.23748G	46.88	74.00	-27.12	-8.76	3	Horizontal	131	1.87	55.64	39.18	15.09	53.49
PK	26.54016G	47.31	68.20	-20.89	-8.01	3	Horizontal	74	2.70	55.32	39.61	18.40	56.48





5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.450G	44.43	54.00	-9.57	6.04	3	Vertical	334	3.00	38.39	33.00	7.28	34.24
AV	5.518G	97.47	Inf	-Inf	6.09	3	Vertical	334	3.00	91.38	33.00	7.34	34.25
PK	5.450G	58.74	74.00	-15.26	6.04	3	Vertical	334	3.00	52.70	33.00	7.28	34.24
PK	5.4664G	61.03	68.20	-7.17	6.05	3	Vertical	334	3.00	54.98	33.00	7.29	34.24
PK	5.5164G	109.92	Inf	-Inf	6.10	3	Vertical	334	3.00	103.82	33.00	7.34	34.24

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.47	54.00	-8.53	6.04	3	Horizontal	324	1.55	39.43	33.00	7.28	34.24
AV	5.514G	104.24	Inf	-Inf	6.09	3	Horizontal	324	1.55	98.15	33.00	7.33	34.24
PK	5.4544G	58.40	74.00	-15.60	6.03	3	Horizontal	324	1.55	52.37	33.00	7.27	34.24
PK	5.47G	67.55	68.20	-0.65	6.05	3	Horizontal	324	1.55	61.50	33.00	7.29	34.24
PK	5.5136G	116.35	Inf	-Inf	6.09	3	Horizontal	324	1.55	110.26	33.00	7.33	34.24



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02496G	41.10	54.00	-12.90	15.11	3	Vertical	347	1.01	25.99	39.00	10.61	34.50
AV	22.06844G	35.32	54.00	-18.68	-8.49	3	Vertical	315	2.33	43.81	40.07	15.39	54.41
PK	11.0308G	54.78	74.00	-19.22	15.11	3	Vertical	347	1.01	39.67	39.00	10.61	34.50
PK	16.512G	56.87	68.20	-11.33	17.89	3	Vertical	259	2.61	38.98	38.48	13.27	33.86
PK	22.0352G	47.23	74.00	-26.77	-8.43	3	Vertical	315	2.33	55.66	40.09	15.38	54.36
PK	27.57604G	48.25	68.20	-19.95	-5.98	3	Vertical	325	2.66	54.23	39.74	20.06	56.24

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02928G	40.80	54.00	-13.20	15.11	3	Horizontal	65	1.50	25.69	39.00	10.61	34.50
AV	22.06796G	35.26	54.00	-18.74	-8.49	3	Horizontal	300	2.34	43.75	40.07	15.39	54.41
PK	11.02272G	55.50	74.00	-18.50	15.10	3	Horizontal	65	1.50	40.40	39.00	10.60	34.50
PK	16.53816G	57.33	68.20	-10.87	17.89	3	Horizontal	284	2.88	39.44	38.42	13.30	33.83
PK	22.01336G	47.43	74.00	-26.57	-8.40	3	Horizontal	300	2.34	55.83	40.09	15.37	54.32
PK	27.57568G	48.15	68.20	-20.05	-5.98	3	Horizontal	312	2.20	54.13	39.74	20.06	56.24

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	45.47	54.00	-8.53	6.04	3	Vertical	332	2.98	39.43	33.00	7.28	34.24
AV	5.5576G	101.77	Inf	-Inf	6.14	3	Vertical	332	2.98	95.63	33.02	7.38	34.26
PK	5.4584G	59.37	74.00	-14.63	6.04	3	Vertical	332	2.98	53.33	33.00	7.28	34.24
PK	5.4668G	61.28	68.20	-6.92	6.05	3	Vertical	332	2.98	55.23	33.00	7.29	34.24
PK	5.5576G	113.95	Inf	-Inf	6.14	3	Vertical	332	2.98	107.81	33.02	7.38	34.26

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4528G	48.47	54.00	-5.53	6.03	3	Horizontal	327	1.50	42.44	33.00	7.27	34.24
AV	5.554G	108.79	Inf	-Inf	6.12	3	Horizontal	327	1.50	102.67	33.01	7.37	34.26
PK	5.4528G	65.00	74.00	-9.00	6.03	3	Horizontal	327	1.50	58.97	33.00	7.27	34.24
PK	5.47G	67.59	68.20	-0.61	6.05	3	Horizontal	327	1.50	61.54	33.00	7.29	34.24
PK	5.5536G	122.12	Inf	-Inf	6.12	3	Horizontal	327	1.50	116.00	33.01	7.37	34.26



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10832G	44.66	54.00	-9.34	15.14	3	Vertical	333	1.00	29.52	39.00	10.64	34.50
AV	22.2G	43.13	54.00	-10.87	-8.70	3	Vertical	178	1.52	51.83	40.02	15.44	54.62
PK	11.1092G	57.80	74.00	-16.20	15.14	3	Vertical	333	1.00	42.66	39.00	10.64	34.50
PK	16.63616G	57.29	68.20	-10.91	18.07	3	Vertical	263	1.50	39.22	38.37	13.40	33.70
PK	22.19976G	50.06	74.00	-23.94	-8.70	3	Vertical	178	1.52	58.76	40.02	15.44	54.62
PK	27.69384G	48.66	68.20	-19.54	-5.79	3	Vertical	286	1.50	54.45	39.64	20.25	56.14

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09744G	44.72	54.00	-9.28	15.14	3	Horizontal	320	1.48	29.58	39.00	10.64	34.50
AV	22.2G	47.77	54.00	-6.23	-8.70	3	Horizontal	81	1.51	56.47	40.02	15.44	54.62
PK	11.09728G	58.38	74.00	-15.62	15.14	3	Horizontal	320	1.48	43.24	39.00	10.64	34.50
PK	16.64536G	59.52	68.20	-8.68	18.11	3	Horizontal	299	1.72	41.41	38.39	13.41	33.69
PK	22.2G	51.83	74.00	-22.17	-8.70	3	Horizontal	81	1.51	60.53	40.02	15.44	54.62
PK	27.70944G	52.29	68.20	-15.91	-5.76	3	Horizontal	300	1.50	58.05	39.63	20.28	56.13



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6652G	96.32	Inf	-Inf	6.43	3	Vertical	313	1.50	89.89	33.28	7.44	34.29
PK	5.6652G	108.16	Inf	-Inf	6.43	3	Vertical	313	1.50	101.73	33.28	7.44	34.29
PK	5.7258G	64.45	68.20	-3.75	6.94	3	Vertical	313	1.50	57.51	33.80	7.45	34.31

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6748G	104.38	Inf	-Inf	6.55	3	Horizontal	331	1.52	97.83	33.40	7.44	34.29
PK	5.6748G	116.73	Inf	-Inf	6.55	3	Horizontal	331	1.52	110.18	33.40	7.44	34.29
PK	5.7342G	68.15	68.20	-0.05	6.98	3	Horizontal	331	1.52	61.17	33.84	7.45	34.31



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34091G	43.94	54.00	-10.06	15.39	3	Vertical	259	2.03	28.55	39.14	10.74	34.49
AV	22.68G	45.47	54.00	-8.53	-9.16	3	Vertical	192	1.64	54.63	39.92	15.60	55.14
PK	11.34G	56.92	74.00	-17.08	15.39	3	Vertical	259	2.03	41.53	39.14	10.74	34.49
PK	17.00968G	56.79	68.20	-11.41	18.68	3	Vertical	128	1.67	38.11	38.12	13.79	33.23
PK	22.68G	51.07	74.00	-22.93	-9.16	3	Vertical	192	1.64	60.23	39.92	15.60	55.14
PK	28.32816G	47.46	68.20	-20.74	-4.76	3	Vertical	212	1.50	52.22	39.87	20.68	55.77

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34016G	44.05	54.00	-9.95	15.39	3	Horizontal	339	2.30	28.66	39.14	10.74	34.49
AV	22.68G	45.13	54.00	-8.87	-9.16	3	Horizontal	184	1.52	54.29	39.92	15.60	55.14
PK	11.3404G	57.25	74.00	-16.75	15.39	3	Horizontal	339	2.30	41.86	39.14	10.74	34.49
PK	17.00608G	60.48	68.20	-7.72	18.67	3	Horizontal	301	1.48	41.81	38.11	13.79	33.23
PK	22.68G	51.49	74.00	-22.51	-9.16	3	Horizontal	184	1.52	60.65	39.92	15.60	55.14
PK	28.31064G	47.35	68.20	-20.85	-4.74	3	Horizontal	44	1.18	52.09	39.90	20.68	55.78



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4184G	43.77	54.00	-10.23	6.00	3	Vertical	316	1.55	37.77	33.00	7.24	34.24
AV	5.7052G	100.05	Inf	-Inf	6.87	3	Vertical	316	1.55	93.18	33.72	7.45	34.30
PK	5.4292G	56.29	74.00	-17.71	6.01	3	Vertical	316	1.55	50.28	33.00	7.25	34.24
PK	5.4604G	55.42	68.20	-12.78	6.04	3	Vertical	316	1.55	49.38	33.00	7.28	34.24
PK	5.7052G	112.46	Inf	-Inf	6.87	3	Vertical	316	1.55	105.59	33.72	7.45	34.30
PK	5.8504G	58.00	68.20	-10.20	7.30	3	Vertical	316	1.55	50.70	34.10	7.55	34.35

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4256G	44.16	54.00	-9.84	6.01	3	Horizontal	331	1.50	38.15	33.00	7.25	34.24
AV	5.7148G	106.79	Inf	-Inf	6.91	3	Horizontal	331	1.50	99.88	33.76	7.45	34.30
PK	5.4304G	57.56	74.00	-16.44	6.01	3	Horizontal	331	1.50	51.55	33.00	7.25	34.24
PK	5.4628G	56.50	68.20	-11.70	6.04	3	Horizontal	331	1.50	50.46	33.00	7.28	34.24
PK	5.7148G	118.11	Inf	-Inf	6.91	3	Horizontal	331	1.50	111.20	33.76	7.45	34.30
PK	5.8504G	60.09	68.20	-8.11	7.30	3	Horizontal	331	1.50	52.79	34.10	7.55	34.35



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42928G	44.63	54.00	-9.37	15.48	3	Vertical	350	1.21	29.15	39.20	10.77	34.49
AV	22.84096G	44.76	54.00	-9.24	-9.09	3	Vertical	319	1.56	53.85	39.96	15.66	55.17
PK	11.42976G	58.24	74.00	-15.76	15.48	3	Vertical	350	1.21	42.76	39.20	10.77	34.49
PK	17.12712G	62.50	68.20	-5.70	19.03	3	Vertical	282	1.66	43.47	38.30	13.91	33.18
PK	22.84216G	57.36	74.00	-16.64	-9.09	3	Vertical	319	1.56	66.45	39.96	15.66	55.17
PK	28.50368G	46.47	68.20	-21.73	-4.98	3	Vertical	3	1.50	51.45	39.61	20.65	55.70

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42288G	45.19	54.00	-8.81	15.48	3	Horizontal	302	1.62	29.71	39.20	10.77	34.49
AV	22.83736G	49.81	54.00	-4.19	-9.09	3	Horizontal	303	1.50	58.90	39.97	15.65	55.17
PK	11.42288G	58.11	74.00	-15.89	15.48	3	Horizontal	302	1.62	42.63	39.20	10.77	34.49
PK	17.13008G	67.15	68.20	-1.05	19.04	3	Horizontal	304	1.49	48.11	38.30	13.92	33.18
PK	22.83784G	64.06	74.00	-9.94	-9.10	3	Horizontal	303	1.50	73.16	39.96	15.65	55.17
PK	28.53752G	52.11	68.20	-16.09	-4.91	3	Horizontal	299	1.50	57.02	39.66	20.64	55.67





5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	43.57	54.00	-10.43	6.03	3	Vertical	315	1.60	37.54	33.00	7.27	34.24
AV	5.7502G	98.79	Inf	-Inf	7.04	3	Vertical	315	1.60	91.75	33.90	7.46	34.32
PK	5.5138G	57.31	68.20	-10.89	6.09	3	Vertical	315	1.60	51.22	33.00	7.33	34.24
PK	5.7502G	110.50	Inf	-Inf	7.04	3	Vertical	315	1.60	103.46	33.90	7.46	34.32
PK	6.0046G	58.07	68.20	-10.13	7.51	3	Vertical	315	1.60	50.56	34.11	7.79	34.39

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	43.85	54.00	-10.15	6.03	3	Horizontal	304	1.33	37.82	33.00	7.27	34.24
AV	5.749G	104.34	Inf	-Inf	7.05	3	Horizontal	304	1.33	97.29	33.90	7.46	34.31
PK	5.6494G	58.99	68.20	-9.21	6.25	3	Horizontal	304	1.33	52.74	33.10	7.43	34.28
PK	5.7502G	116.41	Inf	-Inf	7.04	3	Horizontal	304	1.33	109.37	33.90	7.46	34.32
PK	6.037G	57.95	68.20	-10.25	7.56	3	Horizontal	304	1.33	50.39	34.17	7.80	34.41



5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5G	43.16	54.00	-10.84	15.51	3	Vertical	24	1.00	27.65	39.20	10.80	34.49
AV	23.02G	44.40	54.00	-9.60	-9.10	3	Vertical	208	1.69	53.50	39.92	15.72	55.20
AV	23.02G	43.89	54.00	-10.11	-9.10	3	Vertical	193	1.69	52.99	39.92	15.72	55.20
PK	11.49832G	56.46	74.00	-17.54	15.51	3	Vertical	24	1.00	40.95	39.20	10.80	34.49
PK	17.26388G	61.49	68.20	-6.71	19.28	3	Vertical	282	1.68	42.21	38.36	14.05	33.13
PK	23.02G	49.79	74.00	-24.21	-9.10	3	Vertical	193	1.69	58.89	39.92	15.72	55.20
PK	28.79468G	45.37	68.20	-22.83	-4.36	3	Vertical	314	1.50	49.73	40.04	20.60	55.46

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51176G	44.12	54.00	-9.88	15.47	3	Horizontal	299	1.57	28.65	39.15	10.81	34.49
AV	23.02G	46.04	54.00	-7.96	-9.10	3	Horizontal	239	1.67	55.14	39.92	15.72	55.20
AV	23.02G	45.42	54.00	-8.58	-9.10	3	Horizontal	225	1.65	54.52	39.92	15.72	55.20
PK	11.51176G	57.34	74.00	-16.66	15.47	3	Horizontal	299	1.57	41.87	39.15	10.81	34.49
PK	17.26516G	65.76	68.20	-2.44	19.30	3	Horizontal	335	1.78	46.46	38.37	14.06	33.13
PK	23.01976G	51.03	74.00	-22.97	-9.10	3	Horizontal	225	1.65	60.13	39.92	15.72	55.20
PK	28.76132G	47.01	68.20	-21.19	-4.42	3	Horizontal	296	1.65	51.43	40.01	20.60	55.49



5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7938G	100.51	Inf	-Inf	7.22	3	Vertical	314	2.06	93.29	34.08	7.47	34.33
PK	5.6498G	60.61	68.20	-7.59	6.25	3	Vertical	314	2.06	54.36	33.10	7.43	34.28
PK	5.7938G	112.06	Inf	-Inf	7.22	3	Vertical	314	2.06	104.84	34.08	7.47	34.33
PK	5.9306G	58.49	68.20	-9.71	7.59	3	Vertical	314	2.06	50.90	34.28	7.68	34.37

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7926G	107.28	Inf	-Inf	7.21	3	Horizontal	318	1.42	100.07	34.07	7.47	34.33
PK	5.6474G	66.88	68.20	-1.32	6.25	3	Horizontal	318	1.42	60.63	33.10	7.43	34.28
PK	5.7938G	119.04	Inf	-Inf	7.22	3	Horizontal	318	1.42	111.82	34.08	7.47	34.33
PK	5.9282G	66.81	68.20	-1.39	7.60	3	Horizontal	318	1.42	59.21	34.29	7.68	34.37



5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58556G	43.08	54.00	-10.92	15.18	3	Vertical	338	1.87	27.90	38.86	10.84	34.52
PK	11.58544G	56.00	74.00	-18.00	15.18	3	Vertical	338	1.87	40.82	38.86	10.84	34.52
PK	17.38428G	62.05	68.20	-6.15	19.67	3	Vertical	308	1.50	42.38	38.57	14.18	33.08
PK	23.16056G	63.54	68.20	-4.66	-8.89	3	Vertical	316	1.62	72.43	40.09	15.76	55.20
PK	28.98292G	48.73	68.20	-19.47	-4.10	3	Vertical	347	1.52	52.83	40.19	20.56	55.31

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5864G	44.51	54.00	-9.49	15.17	3	Horizontal	83	1.47	29.34	38.85	10.84	34.52
PK	11.58628G	57.25	74.00	-16.75	15.17	3	Horizontal	83	1.47	42.08	38.85	10.84	34.52
PK	17.37636G	65.46	68.20	-2.74	19.63	3	Horizontal	318	2.90	45.83	38.55	14.17	33.09
PK	23.19296G	67.98	68.20	-0.22	-8.83	3	Horizontal	306	1.48	76.81	40.13	15.78	55.20
PK	28.98172G	57.18	68.20	-11.02	-4.10	3	Horizontal	294	1.59	61.28	40.19	20.56	55.31



5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	50.43	54.00	-3.57	6.15	3	Vertical	329	2.93	44.28	33.20	7.21	34.26
AV	5.208G	95.66	Inf	-Inf	6.23	3	Vertical	329	2.93	89.43	33.18	7.31	34.26
AV	5.399G	43.85	54.00	-10.15	5.97	3	Vertical	329	2.93	37.88	33.00	7.22	34.25
PK	5.15G	62.60	74.00	-11.40	6.15	3	Vertical	329	2.93	56.45	33.20	7.21	34.26
PK	5.209G	107.67	Inf	-Inf	6.23	3	Vertical	329	2.93	101.44	33.18	7.31	34.26
PK	5.412G	56.99	74.00	-17.01	5.98	3	Vertical	329	2.93	51.01	33.00	7.23	34.25

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.135G	53.37	54.00	-0.63	6.09	3	Horizontal	318	1.70	47.28	33.17	7.18	34.26
AV	5.214G	102.67	Inf	-Inf	6.21	3	Horizontal	318	1.70	96.46	33.17	7.30	34.26
AV	5.376G	44.55	54.00	-9.45	5.93	3	Horizontal	318	1.70	38.62	32.95	7.23	34.25
PK	5.135G	67.16	74.00	-6.84	6.09	3	Horizontal	318	1.70	61.07	33.17	7.18	34.26
PK	5.234G	114.37	Inf	-Inf	6.16	3	Horizontal	318	1.70	108.21	33.13	7.29	34.26
PK	5.416G	57.81	74.00	-16.19	5.99	3	Horizontal	318	1.70	51.82	33.00	7.24	34.25



5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.65448G	42.46	54.00	-11.54	16.93	3	Vertical	139	2.99	25.53	38.54	12.58	34.19
AV	20.85296G	33.38	54.00	-20.62	-9.24	3	Vertical	106	2.99	42.62	38.56	14.95	53.21
PK	10.4408G	53.63	68.20	-14.57	14.50	3	Vertical	212	1.21	39.13	39.00	10.36	34.86
PK	15.61704G	56.43	74.00	-17.57	17.02	3	Vertical	139	2.99	39.41	38.65	12.56	34.19
PK	20.84336G	45.15	74.00	-28.85	-9.25	3	Vertical	106	2.99	54.40	38.55	14.95	53.21
PK	26.0446G	43.59	68.20	-24.61	-9.25	3	Vertical	77	1.61	52.84	39.45	17.61	56.77

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63G	43.71	54.00	-10.29	16.98	3	Horizontal	242	1.56	26.73	38.61	12.56	34.19
AV	20.85152G	33.46	54.00	-20.54	-9.24	3	Horizontal	118	2.03	42.70	38.56	14.95	53.21
PK	10.41264G	55.17	68.20	-13.03	14.47	3	Horizontal	312	1.57	40.70	39.00	10.35	34.88
PK	15.66312G	56.12	74.00	-17.88	16.90	3	Horizontal	242	1.56	39.22	38.51	12.58	34.19
PK	20.82356G	44.64	74.00	-29.36	-9.27	3	Horizontal	118	2.03	53.91	38.52	14.94	53.19
PK	26.05408G	43.63	68.20	-24.57	-9.24	3	Horizontal	308	1.67	52.87	39.44	17.63	56.77



5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_4TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	43.93	54.00	-10.07	6.15	3	Vertical	324	3.00	37.78	33.20	7.21	34.26
AV	5.296G	90.00	Inf	-Inf	6.03	3	Vertical	324	3.00	83.97	33.01	7.27	34.25
AV	5.356G	47.08	54.00	-6.92	5.90	3	Vertical	324	3.00	41.18	32.91	7.24	34.25
PK	5.094G	57.17	74.00	-16.83	5.96	3	Vertical	324	3.00	51.21	33.12	7.10	34.26
PK	5.269G	101.98	Inf	-Inf	6.09	3	Vertical	324	3.00	95.89	33.06	7.28	34.25
PK	5.354G	59.93	74.00	-14.07	5.90	3	Vertical	324	3.00	54.03	32.91	7.24	34.25
PK	5.48G	56.20	68.20	-12.00	6.06	3	Vertical	324	3.00	50.14	33.00	7.30	34.24

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_4TX

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	44.16	54.00	-9.84	6.15	3	Horizontal	321	1.49	38.01	33.20	7.21	34.26
AV	5.293G	99.43	Inf	-Inf	6.03	3	Horizontal	321	1.49	93.40	33.01	7.27	34.25
AV	5.353G	53.57	54.00	-0.43	5.90	3	Horizontal	321	1.49	47.67	32.91	7.24	34.25
PK	5.096G	56.59	74.00	-17.41	5.96	3	Horizontal	321	1.49	50.63	33.12	7.10	34.26
PK	5.294G	110.81	Inf	-Inf	6.03	3	Horizontal	321	1.49	104.78	33.01	7.27	34.25
PK	5.353G	65.71	74.00	-8.29	5.90	3	Horizontal	321	1.49	59.81	32.91	7.24	34.25
PK	5.474G	56.89	68.20	-11.31	6.05	3	Horizontal	321	1.49	50.84	33.00	7.29	34.24



5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.86184G	42.52	54.00	-11.48	16.73	3	Vertical	284	1.50	25.79	38.28	12.67	34.22
AV	21.17176G	34.45	54.00	-19.55	-8.84	3	Vertical	324	2.70	43.29	39.07	15.07	53.44
PK	10.60528G	54.56	74.00	-19.44	14.69	3	Vertical	206	1.00	39.87	39.02	10.43	34.76
PK	15.88552G	55.98	74.00	-18.02	16.70	3	Vertical	284	1.50	39.28	38.23	12.69	34.22
PK	21.17248G	46.92	74.00	-27.08	-8.83	3	Vertical	324	2.70	55.75	39.08	15.07	53.44
PK	26.44268G	46.44	68.20	-21.76	-8.39	3	Vertical	83	2.02	54.83	39.43	18.25	56.53

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87G	42.80	54.00	-11.20	16.72	3	Horizontal	238	2.37	26.08	38.26	12.68	34.22
AV	21.13936G	34.50	54.00	-19.50	-8.87	3	Horizontal	271	2.51	43.37	39.02	15.06	53.41
PK	10.58304G	53.57	68.20	-14.63	14.64	3	Horizontal	339	1.50	38.93	39.00	10.42	34.78
PK	15.84296G	56.68	74.00	-17.32	16.76	3	Horizontal	238	2.37	39.92	38.31	12.67	34.22
PK	21.1726G	46.01	74.00	-27.99	-8.83	3	Horizontal	271	2.51	54.84	39.08	15.07	53.44
PK	26.447G	46.52	68.20	-21.68	-8.37	3	Horizontal	330	1.12	54.89	39.44	18.26	56.53





5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	43.73	54.00	-10.27	5.89	3	Vertical	329	2.95	37.84	32.90	7.24	34.25
AV	5.456G	48.57	54.00	-5.43	6.04	3	Vertical	329	2.95	42.53	33.00	7.28	34.24
AV	5.537G	94.66	Inf	-Inf	6.11	3	Vertical	329	2.95	88.55	33.00	7.36	34.25
PK	5.309G	56.31	68.20	-11.89	5.99	3	Vertical	329	2.95	50.32	32.98	7.26	34.25
PK	5.456G	60.32	74.00	-13.68	6.04	3	Vertical	329	2.95	54.28	33.00	7.28	34.24
PK	5.466G	62.51	68.20	-5.69	6.05	3	Vertical	329	2.95	56.46	33.00	7.29	34.24
PK	5.516G	107.39	Inf	-Inf	6.10	3	Vertical	329	2.95	101.29	33.00	7.34	34.24
PK	5.756G	57.24	68.20	-10.96	7.06	3	Vertical	329	2.95	50.18	33.92	7.46	34.32

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	44.28	54.00	-9.72	5.89	3	Horizontal	328	1.59	38.39	32.90	7.24	34.25
AV	5.453G	53.81	54.00	-0.19	6.03	3	Horizontal	328	1.59	47.78	33.00	7.27	34.24
AV	5.514G	102.19	Inf	-Inf	6.09	3	Horizontal	328	1.59	96.10	33.00	7.33	34.24
PK	5.311G	57.09	68.20	-11.11	5.99	3	Horizontal	328	1.59	51.10	32.98	7.26	34.25
PK	5.454G	66.36	74.00	-7.64	6.03	3	Horizontal	328	1.59	60.33	33.00	7.27	34.24
PK	5.47G	67.44	68.20	-0.76	6.05	3	Horizontal	328	1.59	61.39	33.00	7.29	34.24
PK	5.534G	113.76	Inf	-Inf	6.10	3	Horizontal	328	1.59	107.66	33.00	7.35	34.25
PK	5.732G	58.22	68.20	-9.98	6.97	3	Horizontal	328	1.59	51.25	33.83	7.45	34.31