




5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06G	41.56	54.00	-12.44	15.12	3	Vertical	193	1.50	26.44	39.00	10.62	34.50
AV	22.12G	44.05	54.00	-9.95	-8.57	3	Vertical	180	1.79	52.62	40.05	15.41	54.49
PK	11.07952G	53.85	74.00	-20.15	15.13	3	Vertical	193	1.50	38.72	39.00	10.63	34.50
PK	16.58136G	56.59	68.20	-11.61	17.91	3	Vertical	171	1.50	38.68	38.34	13.34	33.77
PK	22.12G	49.16	74.00	-24.84	-8.57	3	Vertical	180	1.79	57.73	40.05	15.41	54.49
PK	27.61832G	47.95	68.20	-20.25	-5.91	3	Vertical	158	1.45	53.86	39.71	20.13	56.21

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06G	41.77	54.00	-12.23	15.12	3	Horizontal	221	1.15	26.65	39.00	10.62	34.50
AV	22.12G	49.71	54.00	-4.29	-8.57	3	Horizontal	244	1.67	58.28	40.05	15.41	54.49
PK	11.11984G	54.05	74.00	-19.95	15.14	3	Horizontal	221	1.15	38.91	39.00	10.64	34.50
PK	16.55512G	57.29	68.20	-10.91	17.90	3	Horizontal	205	1.50	39.39	38.39	13.32	33.81
PK	22.12G	52.26	74.00	-21.74	-8.57	3	Horizontal	244	1.67	60.83	40.05	15.41	54.49
PK	27.59816G	47.85	68.20	-20.35	-5.94	3	Horizontal	187	1.50	53.79	39.72	20.10	56.22



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	44.42	54.00	-9.58	6.04	3	Vertical	344	2.92	38.38	33.00	7.28	34.24
AV	5.609G	98.66	Inf	-Inf	6.25	3	Vertical	344	2.92	92.41	33.10	7.42	34.27
PK	5.368G	56.44	74.00	-17.56	5.92	3	Vertical	344	2.92	50.52	32.94	7.23	34.25
PK	5.466G	57.67	68.20	-10.53	6.05	3	Vertical	344	2.92	51.62	33.00	7.29	34.24
PK	5.609G	110.53	Inf	-Inf	6.25	3	Vertical	344	2.92	104.28	33.10	7.42	34.27
PK	5.729G	65.71	68.20	-2.49	6.96	3	Vertical	344	2.92	58.75	33.82	7.45	34.31

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.453G	47.39	54.00	-6.61	6.03	3	Horizontal	329	1.68	41.36	33.00	7.27	34.24
AV	5.595G	103.97	Inf	-Inf	6.24	3	Horizontal	329	1.68	97.73	33.09	7.42	34.27
PK	5.453G	60.09	74.00	-13.91	6.03	3	Horizontal	329	1.68	54.06	33.00	7.27	34.24
PK	5.47G	62.04	68.20	-6.16	6.05	3	Horizontal	329	1.68	55.99	33.00	7.29	34.24
PK	5.614G	116.16	Inf	-Inf	6.25	3	Horizontal	329	1.68	109.91	33.10	7.42	34.27
PK	5.734G	67.36	68.20	-0.84	6.98	3	Horizontal	329	1.68	60.38	33.84	7.45	34.31



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22192G	41.93	54.00	-12.07	15.21	3	Vertical	333	1.58	26.72	39.02	10.69	34.50
AV	22.44G	43.43	54.00	-10.57	-9.25	3	Vertical	175	1.70	52.68	39.77	15.52	55.00
PK	11.22128G	54.42	74.00	-19.58	15.21	3	Vertical	333	1.58	39.21	39.02	10.69	34.50
PK	16.886G	56.81	68.20	-11.39	18.51	3	Vertical	360	2.33	38.30	38.23	13.66	33.38
PK	22.44G	48.33	74.00	-25.67	-9.25	3	Vertical	175	1.70	57.58	39.77	15.52	55.00
PK	28.04776G	48.44	68.20	-19.76	-5.01	3	Vertical	350	1.50	53.45	39.68	20.73	55.88

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2168G	42.50	54.00	-11.50	15.20	3	Horizontal	331	2.18	27.30	39.02	10.68	34.50
AV	22.44G	47.64	54.00	-6.36	-9.25	3	Horizontal	83	1.68	56.89	39.77	15.52	55.00
PK	11.19824G	56.01	74.00	-17.99	15.18	3	Horizontal	331	2.18	40.83	39.00	10.68	34.50
PK	16.87672G	56.59	68.20	-11.61	18.51	3	Horizontal	289	1.88	38.08	38.25	13.65	33.39
PK	22.44G	51.46	74.00	-22.54	-9.25	3	Horizontal	83	1.68	60.71	39.77	15.52	55.00
PK	28.1188G	47.32	68.20	-20.88	-4.88	3	Horizontal	300	1.64	52.20	39.79	20.72	55.85



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4464G	43.92	54.00	-10.08	6.03	3	Vertical	311	1.65	37.89	33.00	7.27	34.24
AV	5.7056G	97.24	Inf	-Inf	6.87	3	Vertical	311	1.65	90.37	33.72	7.45	34.30
PK	5.4212G	56.28	74.00	-17.72	6.00	3	Vertical	311	1.65	50.28	33.00	7.24	34.24
PK	5.4692G	55.77	68.20	-12.43	6.05	3	Vertical	311	1.65	49.72	33.00	7.29	34.24
PK	5.7056G	109.40	Inf	-Inf	6.87	3	Vertical	311	1.65	102.53	33.72	7.45	34.30
PK	5.8628G	59.42	68.20	-8.78	7.40	3	Vertical	311	1.65	52.02	34.18	7.57	34.35

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4524G	45.40	54.00	-8.60	6.03	3	Horizontal	331	1.34	39.37	33.00	7.27	34.24
AV	5.6936G	104.17	Inf	-Inf	6.76	3	Horizontal	331	1.34	97.41	33.62	7.44	34.30
PK	5.4332G	57.36	74.00	-16.64	6.01	3	Horizontal	331	1.34	51.35	33.00	7.25	34.24
PK	5.4668G	56.88	68.20	-11.32	6.05	3	Horizontal	331	1.34	50.83	33.00	7.29	34.24
PK	5.6936G	116.64	Inf	-Inf	6.76	3	Horizontal	331	1.34	109.88	33.62	7.44	34.30
PK	5.8532G	66.99	68.20	-1.21	7.33	3	Horizontal	331	1.34	59.66	34.12	7.56	34.35



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3688G	42.59	54.00	-11.41	15.43	3	Vertical	346	1.24	27.16	39.17	10.75	34.49
AV	22.76G	45.71	54.00	-8.29	-9.06	3	Vertical	202	1.75	54.77	40.00	15.63	55.15
PK	11.3688G	55.37	74.00	-18.63	15.43	3	Vertical	346	1.24	39.94	39.17	10.75	34.49
PK	17.04888G	60.29	68.20	-7.91	18.82	3	Vertical	277	1.49	41.47	38.20	13.83	33.21
PK	22.75968G	50.54	74.00	-23.46	-9.06	3	Vertical	202	1.75	59.60	40.00	15.63	55.15
PK	28.41512G	46.94	68.20	-21.26	-4.86	3	Vertical	59	1.50	51.80	39.74	20.67	55.73

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4024G	42.54	54.00	-11.46	15.47	3	Horizontal	298	1.54	27.07	39.20	10.76	34.49
AV	22.76G	45.46	54.00	-8.54	-9.06	3	Horizontal	183	1.51	54.52	40.00	15.63	55.15
PK	11.42192G	54.93	74.00	-19.07	15.48	3	Horizontal	298	1.54	39.45	39.20	10.77	34.49
PK	17.04952G	61.67	68.20	-6.53	18.82	3	Horizontal	302	1.50	42.85	38.20	13.83	33.21
PK	22.76G	50.48	74.00	-23.52	-9.06	3	Horizontal	183	1.51	59.54	40.00	15.63	55.15
PK	28.39784G	48.90	68.20	-19.30	-4.85	3	Horizontal	299	1.50	53.75	39.76	20.67	55.74



5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7702G	95.69	Inf	-Inf	7.12	3	Vertical	314	1.68	88.57	33.98	7.46	34.32
PK	5.6502G	60.54	68.35	-7.81	6.24	3	Vertical	314	1.68	54.30	33.10	7.43	34.29
PK	5.7702G	107.13	Inf	-Inf	7.12	3	Vertical	314	1.68	100.01	33.98	7.46	34.32
PK	5.925G	58.00	68.20	-10.20	7.60	3	Vertical	314	1.68	50.40	34.30	7.67	34.37

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7726G	101.76	Inf	-Inf	7.13	3	Horizontal	316	1.40	94.63	33.99	7.46	34.32
PK	5.655G	70.21	71.90	-1.69	6.30	3	Horizontal	316	1.40	63.91	33.16	7.43	34.29
PK	5.7522G	113.37	Inf	-Inf	7.05	3	Horizontal	316	1.40	106.32	33.91	7.46	34.32
PK	5.9298G	59.75	68.20	-8.45	7.59	3	Horizontal	316	1.40	52.16	34.28	7.68	34.37



5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5468G	40.96	54.00	-13.04	15.32	3	Vertical	340	1.96	25.64	39.01	10.82	34.51
AV	23.1G	45.48	54.00	-8.52	-8.98	3	Vertical	206	1.69	54.46	40.02	15.74	55.20
PK	11.52984G	54.29	74.00	-19.71	15.39	3	Vertical	340	1.96	38.90	39.08	10.81	34.50
PK	17.34196G	58.81	68.20	-9.39	19.52	3	Vertical	280	1.83	39.29	38.48	14.14	33.10
PK	23.1G	49.80	74.00	-24.20	-8.98	3	Vertical	206	1.69	58.78	40.02	15.74	55.20
PK	28.86732G	46.34	68.20	-21.86	-4.28	3	Vertical	23	1.16	50.62	40.09	20.58	55.41

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55G	42.17	54.00	-11.83	15.31	3	Horizontal	54	1.46	26.86	39.00	10.82	34.51
AV	23.1G	46.01	54.00	-7.99	-8.98	3	Horizontal	240	1.50	54.99	40.02	15.74	55.20
PK	11.51064G	54.54	74.00	-19.46	15.48	3	Horizontal	54	1.46	39.06	39.16	10.81	34.49
PK	17.35348G	60.53	68.20	-7.67	19.56	3	Horizontal	338	2.00	40.97	38.51	14.15	33.10
PK	23.10032G	50.90	74.00	-23.10	-8.98	3	Horizontal	240	1.50	59.88	40.02	15.74	55.20
PK	28.83244G	45.63	68.20	-22.57	-4.31	3	Horizontal	290	1.50	49.94	40.07	20.59	55.43



5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	45.06	54.00	-8.94	6.15	3	Vertical	330	2.94	38.91	33.20	7.21	34.26
AV	5.2092G	89.17	Inf	-Inf	6.23	3	Vertical	330	2.94	82.94	33.18	7.31	34.26
AV	5.3556G	46.85	54.00	-7.15	5.90	3	Vertical	330	2.94	40.95	32.91	7.24	34.25
PK	5.148G	57.15	74.00	-16.85	6.15	3	Vertical	330	2.94	51.00	33.20	7.21	34.26
PK	5.2476G	99.64	Inf	-Inf	6.13	3	Vertical	330	2.94	93.51	33.10	7.29	34.26
PK	5.4192G	58.36	74.00	-15.64	6.00	3	Vertical	330	2.94	52.36	33.00	7.24	34.24
PK	5.5224G	56.50	68.20	-11.70	6.09	3	Vertical	330	2.94	50.41	33.00	7.34	34.25

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.95	54.00	-6.05	6.15	3	Horizontal	319	1.56	41.80	33.20	7.21	34.26
AV	5.2536G	97.22	Inf	-Inf	6.13	3	Horizontal	319	1.56	91.09	33.09	7.29	34.25
AV	5.3532G	53.70	54.00	-0.30	5.90	3	Horizontal	319	1.56	47.80	32.91	7.24	34.25
PK	5.1324G	60.05	74.00	-13.95	6.07	3	Horizontal	319	1.56	53.98	33.16	7.17	34.26
PK	5.292G	108.57	Inf	-Inf	6.04	3	Horizontal	319	1.56	102.53	33.02	7.27	34.25
PK	5.3532G	64.60	74.00	-9.40	5.90	3	Horizontal	319	1.56	58.70	32.91	7.24	34.25
PK	5.5488G	56.63	68.20	-11.57	6.12	3	Horizontal	319	1.56	50.51	33.00	7.37	34.25



5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7418G	42.09	54.00	-11.91	16.82	3	Vertical	169	2.59	25.27	38.40	12.62	34.20
AV	21.01104G	33.69	54.00	-20.31	-9.02	3	Vertical	328	1.28	42.71	38.82	15.01	53.31
PK	10.49596G	55.14	68.20	-13.06	14.56	3	Vertical	181	1.50	40.58	39.00	10.39	34.83
PK	15.74452G	55.19	74.00	-18.81	16.82	3	Vertical	169	2.59	38.37	38.40	12.62	34.20
PK	21.02244G	45.16	74.00	-28.84	-9.01	3	Vertical	328	1.28	54.17	38.84	15.01	53.32
PK	26.27616G	44.47	68.20	-23.73	-8.96	3	Vertical	162	1.87	53.43	39.23	17.98	56.63

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.74936G	42.20	54.00	-11.80	16.82	3	Horizontal	197	2.25	25.38	38.40	12.62	34.20
AV	21.015G	33.68	54.00	-20.32	-9.02	3	Horizontal	140	1.03	42.70	38.82	15.01	53.31
PK	10.5046G	53.89	68.20	-14.31	14.56	3	Horizontal	193	1.57	39.33	39.00	10.39	34.83
PK	15.7406G	55.60	74.00	-18.40	16.82	3	Horizontal	197	2.25	38.78	38.40	12.62	34.20
PK	21.00444G	45.21	74.00	-28.79	-9.02	3	Horizontal	140	1.03	54.23	38.81	15.01	53.30
PK	26.27928G	44.52	68.20	-23.68	-8.94	3	Horizontal	119	1.81	53.46	39.24	17.99	56.63



5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4488G	47.07	54.00	-6.93	6.03	3	Vertical	347	3.00	41.04	33.00	7.27	34.24
AV	5.6096G	90.82	Inf	-Inf	6.25	3	Vertical	347	3.00	84.57	33.10	7.42	34.27
PK	5.3288G	56.77	68.20	-11.43	5.94	3	Vertical	347	3.00	50.83	32.94	7.25	34.25
PK	5.4284G	58.93	74.00	-15.07	6.01	3	Vertical	347	3.00	52.92	33.00	7.25	34.24
PK	5.468G	60.50	68.20	-7.70	6.05	3	Vertical	347	3.00	54.45	33.00	7.29	34.24
PK	5.612G	103.72	Inf	-Inf	6.25	3	Vertical	347	3.00	97.47	33.10	7.42	34.27
PK	5.7296G	62.08	68.20	-6.12	6.96	3	Vertical	347	3.00	55.12	33.82	7.45	34.31

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4536G	53.58	54.00	-0.42	6.03	3	Horizontal	328	1.67	47.55	33.00	7.27	34.24
AV	5.5544G	97.82	Inf	-Inf	6.12	3	Horizontal	328	1.67	91.70	33.01	7.37	34.26
PK	5.3336G	57.65	68.20	-10.55	5.93	3	Horizontal	328	1.67	51.72	32.93	7.25	34.25
PK	5.4548G	65.85	74.00	-8.15	6.03	3	Horizontal	328	1.67	59.82	33.00	7.27	34.24
PK	5.4656G	64.40	68.20	-3.80	6.05	3	Horizontal	328	1.67	58.35	33.00	7.29	34.24
PK	5.5544G	109.22	Inf	-Inf	6.12	3	Horizontal	328	1.67	103.10	33.01	7.37	34.26
PK	5.7344G	63.96	68.20	-4.24	6.98	3	Horizontal	328	1.67	56.98	33.84	7.45	34.31



5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.13992G	41.68	54.00	-12.32	15.15	3	Vertical	194	1.58	26.53	39.00	10.65	34.50
AV	22.29872G	34.82	54.00	-19.18	-8.91	3	Vertical	20	1.04	43.73	39.94	15.47	54.78
PK	11.14416G	54.03	74.00	-19.97	15.15	3	Vertical	194	1.58	38.88	39.00	10.65	34.50
PK	16.71056G	57.59	68.20	-10.61	18.36	3	Vertical	164	1.47	39.23	38.49	13.48	33.61
PK	22.2596G	46.78	74.00	-27.22	-8.81	3	Vertical	20	1.04	55.59	39.99	15.46	54.72
PK	27.86488G	46.07	68.20	-22.13	-5.43	3	Vertical	72	2.48	51.50	39.60	20.52	56.01

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14G	41.21	54.00	-12.79	15.15	3	Horizontal	222	1.49	26.06	39.00	10.65	34.50
AV	22.253G	34.78	54.00	-19.22	-8.78	3	Horizontal	144	1.98	43.56	40.00	15.46	54.70
PK	11.07376G	54.21	74.00	-19.79	15.13	3	Horizontal	222	1.49	39.08	39.00	10.63	34.50
PK	16.66296G	57.59	68.20	-10.61	18.19	3	Horizontal	25	1.50	39.40	38.43	13.43	33.67
PK	22.29512G	46.32	74.00	-27.68	-8.89	3	Horizontal	144	1.98	55.21	39.95	15.47	54.77
PK	27.84256G	46.12	68.20	-22.08	-5.48	3	Horizontal	208	1.63	51.60	39.60	20.49	56.03



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.85-5.895GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	PK	30M	32.83	40.00	-7.17	3	Vertical	0	1.00




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5875MHz	Pass	PK	30M	32.83	40.00	-7.17	3	Vertical	0	1.00
5875MHz	Pass	PK	132.28M	33.64	43.50	-9.86	3	Vertical	0	1.00
5875MHz	Pass	PK	275.31M	32.23	46.00	-13.77	3	Vertical	0	1.00
5875MHz	Pass	PK	462.32M	34.32	46.00	-11.68	3	Vertical	0	1.00
5875MHz	Pass	PK	532.44M	35.28	46.00	-10.72	3	Vertical	0	1.00
5875MHz	Pass	PK	722.32M	34.81	46.00	-11.19	3	Vertical	0	1.00
5875MHz	Pass	PK	115.26M	34.28	43.50	-9.22	3	Horizontal	360	1.00
5875MHz	Pass	PK	252.46M	33.32	46.00	-12.68	3	Horizontal	360	1.00
5875MHz	Pass	PK	432.56M	32.12	46.00	-13.88	3	Horizontal	360	1.00
5875MHz	Pass	PK	500.28M	33.28	46.00	-12.72	3	Horizontal	360	1.00
5875MHz	Pass	PK	526.34M	34.74	46.00	-11.26	3	Horizontal	360	1.00
5875MHz	Pass	PK	772.68M	35.62	46.00	-10.38	3	Horizontal	360	1.00



5.85-5.895GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5875MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	30M	32.83	40.00	-7.17	36.29	3	Vertical	0	1.00	-	23.22	0.90	27.58
PK	132.28M	33.64	43.50	-9.86	41.85	3	Vertical	0	1.00	-	17.08	1.93	27.22
PK	275.31M	32.23	46.00	-13.77	38.15	3	Vertical	0	1.00	-	17.90	2.82	26.64
PK	462.32M	34.32	46.00	-11.68	35.78	3	Vertical	0	1.00	-	22.45	3.70	27.61
PK	532.44M	35.28	46.00	-10.72	35.61	3	Vertical	0	1.00	-	23.59	3.99	27.91
PK	722.32M	34.81	46.00	-11.19	33.16	3	Vertical	0	1.00	-	24.79	4.68	27.82

5.85-5.895GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5875MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	115.26M	34.28	43.50	-9.22	42.38	3	Horizontal	360	1.00	-	17.40	1.80	27.30
PK	252.46M	33.32	46.00	-12.68	39.39	3	Horizontal	360	1.00	-	17.92	2.69	26.68
PK	432.56M	32.12	46.00	-13.88	34.20	3	Horizontal	360	1.00	-	21.78	3.57	27.43
PK	500.28M	33.28	46.00	-12.72	34.39	3	Horizontal	360	1.00	-	22.79	3.87	27.77
PK	526.34M	34.74	46.00	-11.26	35.52	3	Horizontal	360	1.00	-	23.14	3.97	27.89
PK	772.68M	35.62	46.00	-10.38	32.98	3	Horizontal	360	1.00	-	25.52	4.89	27.77



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.85-5.895GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	11.76388G	53.31	54.00	-0.69	3	Horizontal	75	1.92
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	11.72628G	51.71	54.00	-2.29	3	Horizontal	78	1.44
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	PK	5.6442G	67.62	68.20	-0.58	3	Horizontal	313	1.50
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	PK	5.6402G	66.36	68.20	-1.84	3	Horizontal	330	1.33
802.11ax HEW160_Nss1,(MCS0)_4TX	Pass	PK	5.6494G	65.82	68.20	-2.38	3	Horizontal	311	1.44



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5845MHz	Pass	AV	5.8486G	107.22	Inf	-Inf	3	Vertical	326	1.91
5845MHz	Pass	AV	5.9242G	54.47	88.79	-34.32	3	Vertical	326	1.91
5845MHz	Pass	PK	5.6146G	59.73	68.20	-8.47	3	Vertical	326	1.91
5845MHz	Pass	PK	5.8486G	116.51	Inf	-Inf	3	Vertical	326	1.91
5845MHz	Pass	PK	5.9242G	66.25	108.79	-42.54	3	Vertical	326	1.91
5845MHz	Pass	AV	5.8462G	113.68	Inf	-Inf	3	Horizontal	321	1.39
5845MHz	Pass	AV	5.9254G	59.86	88.20	-28.34	3	Horizontal	321	1.39
5845MHz	Pass	PK	5.5702G	60.37	68.20	-7.83	3	Horizontal	321	1.39
5845MHz	Pass	PK	5.8462G	123.88	Inf	-Inf	3	Horizontal	321	1.39
5845MHz	Pass	PK	5.9242G	75.00	108.79	-33.79	3	Horizontal	321	1.39
5845MHz	Pass	AV	11.69168G	49.80	54.00	-4.20	3	Vertical	345	2.42
5845MHz	Pass	AV	17.53638G	59.90	88.20	-28.30	3	Vertical	277	1.83
5845MHz	Pass	AV	23.37592G	52.99	88.20	-35.21	3	Vertical	286	1.60
5845MHz	Pass	AV	29.23252G	38.72	88.20	-49.48	3	Vertical	289	1.66
5845MHz	Pass	PK	11.69126G	60.92	74.00	-13.08	3	Vertical	345	2.42
5845MHz	Pass	PK	17.53692G	71.98	108.20	-36.22	3	Vertical	277	1.83
5845MHz	Pass	PK	23.37424G	64.42	108.20	-43.78	3	Vertical	286	1.60
5845MHz	Pass	PK	29.23252G	51.27	108.20	-56.93	3	Vertical	289	1.66
5845MHz	Pass	AV	11.68604G	51.37	54.00	-2.63	3	Horizontal	77	1.96
5845MHz	Pass	AV	17.53506G	64.33	88.20	-23.87	3	Horizontal	304	1.68
5845MHz	Pass	AV	23.38352G	60.71	88.20	-27.49	3	Horizontal	311	1.69
5845MHz	Pass	AV	29.22076G	48.76	88.20	-39.44	3	Horizontal	283	1.65
5845MHz	Pass	PK	11.6843G	63.46	74.00	-10.54	3	Horizontal	77	1.96
5845MHz	Pass	PK	17.53584G	76.17	108.20	-32.03	3	Horizontal	304	1.68
5845MHz	Pass	PK	23.3844G	72.44	108.20	-35.76	3	Horizontal	311	1.69
5845MHz	Pass	PK	29.21884G	60.12	108.20	-48.08	3	Horizontal	283	1.65
5865MHz	Pass	AV	5.8698G	106.42	Inf	-Inf	3	Vertical	327	2.83
5865MHz	Pass	AV	5.9106G	69.46	98.76	-29.30	3	Vertical	327	2.83
5865MHz	Pass	PK	5.6094G	58.77	68.20	-9.43	3	Vertical	327	2.83
5865MHz	Pass	PK	5.8722G	116.12	Inf	-Inf	3	Vertical	327	2.83
5865MHz	Pass	PK	5.9106G	83.99	118.76	-34.77	3	Vertical	327	2.83
5865MHz	Pass	AV	5.8662G	113.50	Inf	-Inf	3	Horizontal	326	1.41
5865MHz	Pass	AV	5.9238G	65.95	89.08	-23.13	3	Horizontal	326	1.41
5865MHz	Pass	PK	5.6478G	59.41	68.20	-8.79	3	Horizontal	326	1.41
5865MHz	Pass	PK	5.8638G	123.04	Inf	-Inf	3	Horizontal	326	1.41
5865MHz	Pass	PK	5.9238G	78.59	109.08	-30.49	3	Horizontal	326	1.41
5865MHz	Pass	AV	11.7213G	50.65	54.00	-3.35	3	Vertical	329	2.42
5865MHz	Pass	AV	17.5953G	58.36	88.20	-29.84	3	Vertical	269	1.84
5865MHz	Pass	AV	23.45448G	51.32	88.20	-36.88	3	Vertical	289	1.60
5865MHz	Pass	AV	29.32401G	33.27	88.20	-54.93	3	Vertical	114	2.50
5865MHz	Pass	PK	11.7216G	63.08	74.00	-10.92	3	Vertical	329	2.42
5865MHz	Pass	PK	17.59554G	70.33	108.20	-37.87	3	Vertical	269	1.84
5865MHz	Pass	PK	23.4524G	63.52	108.20	-44.68	3	Vertical	289	1.60
5865MHz	Pass	PK	29.32584G	44.45	108.20	-63.75	3	Vertical	114	2.50
5865MHz	Pass	AV	11.72364G	52.90	54.00	-1.10	3	Horizontal	74	1.88
5865MHz	Pass	AV	17.59464G	61.83	88.20	-26.37	3	Horizontal	307	1.64
5865MHz	Pass	AV	23.46192G	60.46	88.20	-27.74	3	Horizontal	312	1.67
5865MHz	Pass	AV	29.32403G	40.90	88.20	-47.30	3	Horizontal	259	2.28
5865MHz	Pass	PK	11.72418G	64.63	74.00	-9.37	3	Horizontal	74	1.88
5865MHz	Pass	PK	17.59554G	73.84	108.20	-34.36	3	Horizontal	307	1.64
5865MHz	Pass	PK	23.46264G	71.92	108.20	-36.28	3	Horizontal	312	1.67
5865MHz	Pass	PK	29.32405G	52.84	108.20	-55.36	3	Horizontal	259	2.28
5885MHz	Pass	AV	5.8874G	105.25	Inf	-Inf	3	Vertical	37	2.96
5885MHz	Pass	AV	5.8994G	89.43	106.97	-17.54	3	Vertical	37	2.96
5885MHz	Pass	PK	5.6294G	58.64	68.20	-9.56	3	Vertical	37	2.96
5885MHz	Pass	PK	5.8874G	114.40	Inf	-Inf	3	Vertical	37	2.96
5885MHz	Pass	PK	5.9078G	96.19	120.81	-24.62	3	Vertical	37	2.96
5885MHz	Pass	AV	5.8862G	113.43	Inf	-Inf	3	Horizontal	321	1.50
5885MHz	Pass	AV	5.9066G	91.57	101.69	-10.12	3	Horizontal	321	1.50
5885MHz	Pass	PK	5.6378G	59.26	68.20	-8.94	3	Horizontal	321	1.50



RSE TX above 1GHz_5850-5895(MHz)_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5885MHz	Pass	PK	5.8862G	122.82	Inf	-Inf	3	Horizontal	321	1.50
5885MHz	Pass	PK	5.9054G	106.03	122.57	-16.54	3	Horizontal	321	1.50
5885MHz	Pass	AV	11.76994G	53.02	54.00	-0.98	3	Vertical	340	2.39
5885MHz	Pass	AV	17.65494G	56.25	88.20	-31.95	3	Vertical	274	1.86
5885MHz	Pass	AV	23.54072G	48.05	88.20	-40.15	3	Vertical	341	1.50
5885MHz	Pass	AV	29.42415G	34.87	88.20	-53.33	3	Vertical	40	2.09
5885MHz	Pass	PK	11.77G	64.62	74.00	-9.38	3	Vertical	340	2.39
5885MHz	Pass	PK	17.6556G	68.09	108.20	-40.11	3	Vertical	274	1.86
5885MHz	Pass	PK	23.5404G	59.36	108.20	-48.84	3	Vertical	341	1.50
5885MHz	Pass	PK	29.42581G	46.30	108.20	-61.90	3	Vertical	40	2.09
5885MHz	Pass	AV	11.76388G	53.31	54.00	-0.69	3	Horizontal	75	1.92
5885MHz	Pass	AV	17.65884G	61.10	88.20	-27.10	3	Horizontal	315	3.00
5885MHz	Pass	AV	23.54032G	58.11	88.20	-30.09	3	Horizontal	313	1.67
5885MHz	Pass	AV	29.42402G	39.27	88.20	-48.93	3	Horizontal	284	2.65
5885MHz	Pass	PK	11.76442G	65.51	74.00	-8.49	3	Horizontal	75	1.92
5885MHz	Pass	PK	17.6592G	73.19	108.20	-35.01	3	Horizontal	315	3.00
5885MHz	Pass	PK	23.54032G	69.20	108.20	-39.00	3	Horizontal	313	1.67
5885MHz	Pass	PK	29.42402G	50.67	108.20	-57.53	3	Horizontal	284	2.65
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5845MHz	Pass	AV	5.8438G	108.36	Inf	-Inf	3	Vertical	340	3.00
5845MHz	Pass	AV	5.923G	58.30	89.67	-31.37	3	Vertical	340	3.00
5845MHz	Pass	PK	5.6398G	58.95	68.20	-9.25	3	Vertical	340	3.00
5845MHz	Pass	PK	5.8438G	119.39	Inf	-Inf	3	Vertical	340	3.00
5845MHz	Pass	PK	5.9218G	72.39	110.55	-38.16	3	Vertical	340	3.00
5845MHz	Pass	AV	5.8426G	113.19	Inf	-Inf	3	Horizontal	315	1.46
5845MHz	Pass	AV	5.9242G	62.12	88.79	-26.67	3	Horizontal	315	1.46
5845MHz	Pass	PK	5.6422G	61.05	68.20	-7.15	3	Horizontal	315	1.46
5845MHz	Pass	PK	5.8426G	123.53	Inf	-Inf	3	Horizontal	315	1.46
5845MHz	Pass	PK	5.9242G	75.50	108.79	-33.29	3	Horizontal	315	1.46
5845MHz	Pass	AV	11.6972G	48.89	54.00	-5.11	3	Vertical	3	1.44
5845MHz	Pass	AV	17.53404G	58.32	88.20	-29.88	3	Vertical	276	1.39
5845MHz	Pass	AV	23.38144G	47.01	88.20	-41.19	3	Vertical	325	1.55
5845MHz	Pass	AV	29.22152G	33.70	88.20	-54.50	3	Vertical	185	1.59
5845MHz	Pass	PK	11.69582G	60.60	74.00	-13.40	3	Vertical	3	1.44
5845MHz	Pass	PK	17.5344G	69.84	108.20	-38.36	3	Vertical	276	1.39
5845MHz	Pass	PK	23.3812G	61.57	108.20	-46.63	3	Vertical	325	1.55
5845MHz	Pass	PK	29.228G	45.14	108.20	-63.06	3	Vertical	185	1.59
5845MHz	Pass	AV	11.68562G	49.65	54.00	-4.35	3	Horizontal	70	1.50
5845MHz	Pass	AV	17.53428G	60.58	88.20	-27.62	3	Horizontal	339	1.50
5845MHz	Pass	AV	23.38756G	55.07	88.20	-33.13	3	Horizontal	309	1.48
5845MHz	Pass	AV	29.21828G	41.16	88.20	-47.04	3	Horizontal	67	2.37
5845MHz	Pass	PK	11.7038G	63.61	74.00	-10.39	3	Horizontal	70	1.50
5845MHz	Pass	PK	17.53428G	73.25	108.20	-34.95	3	Horizontal	339	1.50
5845MHz	Pass	PK	23.3878G	71.54	108.20	-36.66	3	Horizontal	309	1.48
5845MHz	Pass	PK	29.2196G	55.32	108.20	-52.88	3	Horizontal	67	2.37
5865MHz	Pass	AV	5.8626G	106.51	Inf	-Inf	3	Vertical	6	2.93
5865MHz	Pass	AV	5.9166G	67.72	94.36	-26.64	3	Vertical	6	2.93
5865MHz	Pass	PK	5.601G	59.54	68.20	-8.66	3	Vertical	6	2.93
5865MHz	Pass	PK	5.8626G	116.73	Inf	-Inf	3	Vertical	6	2.93
5865MHz	Pass	PK	5.9226G	75.50	109.96	-34.46	3	Vertical	6	2.93
5865MHz	Pass	AV	5.8638G	112.95	Inf	-Inf	3	Horizontal	319	1.41
5865MHz	Pass	AV	5.9238G	68.75	89.08	-20.33	3	Horizontal	319	1.41
5865MHz	Pass	PK	5.6334G	59.84	68.20	-8.36	3	Horizontal	319	1.41
5865MHz	Pass	PK	5.8626G	123.81	Inf	-Inf	3	Horizontal	319	1.41
5865MHz	Pass	PK	5.9238G	82.49	109.08	-26.59	3	Horizontal	319	1.41
5865MHz	Pass	AV	11.7369G	49.90	54.00	-4.10	3	Vertical	3	1.49
5865MHz	Pass	AV	17.59428G	58.47	88.20	-29.73	3	Vertical	276	1.84
5865MHz	Pass	AV	23.46348G	44.43	88.20	-43.77	3	Vertical	340	1.66
5865MHz	Pass	AV	29.35284G	33.37	88.20	-54.83	3	Vertical	337	1.50
5865MHz	Pass	PK	11.73738G	61.97	74.00	-12.03	3	Vertical	3	1.49
5865MHz	Pass	PK	17.59572G	69.95	108.20	-38.25	3	Vertical	276	1.84
5865MHz	Pass	PK	23.46408G	58.83	108.20	-49.37	3	Vertical	340	1.66



RSE TX above 1GHz_5850-5895(MHz)_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5865MHz	Pass	PK	29.31312G	46.06	108.20	-62.14	3	Vertical	337	1.50
5865MHz	Pass	AV	11.72628G	51.71	54.00	-2.29	3	Horizontal	78	1.44
5865MHz	Pass	AV	17.5941G	59.94	88.20	-28.26	3	Horizontal	342	1.50
5865MHz	Pass	AV	23.46216G	54.80	88.20	-33.40	3	Horizontal	311	1.67
5865MHz	Pass	AV	29.32092G	41.30	88.20	-46.90	3	Horizontal	193	1.60
5865MHz	Pass	PK	11.74386G	63.74	74.00	-10.26	3	Horizontal	78	1.44
5865MHz	Pass	PK	17.59512G	72.43	108.20	-35.77	3	Horizontal	342	1.50
5865MHz	Pass	PK	23.46204G	69.60	108.20	-38.60	3	Horizontal	311	1.67
5865MHz	Pass	PK	29.32116G	54.85	108.20	-53.35	3	Horizontal	193	1.60
5885MHz	Pass	AV	5.8874G	105.16	Inf	-Inf	3	Vertical	52	2.95
5885MHz	Pass	AV	5.9066G	86.07	101.69	-15.62	3	Vertical	52	2.95
5885MHz	Pass	PK	5.6234G	58.75	68.20	-9.45	3	Vertical	52	2.95
5885MHz	Pass	PK	5.8862G	115.69	Inf	-Inf	3	Vertical	52	2.95
5885MHz	Pass	PK	5.9066G	99.57	121.69	-22.12	3	Vertical	52	2.95
5885MHz	Pass	AV	5.8838G	112.86	Inf	-Inf	3	Horizontal	321	1.38
5885MHz	Pass	AV	5.9042G	95.20	103.45	-8.25	3	Horizontal	321	1.38
5885MHz	Pass	PK	5.6066G	59.28	68.20	-8.92	3	Horizontal	321	1.38
5885MHz	Pass	PK	5.8838G	123.09	Inf	-Inf	3	Horizontal	321	1.38
5885MHz	Pass	PK	5.9234G	93.77	109.37	-15.60	3	Horizontal	321	1.38
5885MHz	Pass	AV	11.7661G	50.09	54.00	-3.91	3	Vertical	330	2.28
5885MHz	Pass	AV	17.65368G	56.45	88.20	-31.75	3	Vertical	279	1.85
5885MHz	Pass	AV	23.53088G	44.69	88.20	-43.51	3	Vertical	326	1.66
5885MHz	Pass	AV	29.43328G	35.32	88.20	-52.88	3	Vertical	72	1.03
5885MHz	Pass	PK	11.76712G	62.97	74.00	-11.03	3	Vertical	330	2.28
5885MHz	Pass	PK	17.65344G	68.03	108.20	-40.17	3	Vertical	279	1.85
5885MHz	Pass	PK	23.55044G	59.02	108.20	-49.18	3	Vertical	326	1.66
5885MHz	Pass	PK	29.43424G	47.10	108.20	-61.10	3	Vertical	72	1.03
5885MHz	Pass	AV	11.76628G	51.24	54.00	-2.76	3	Horizontal	81	1.44
5885MHz	Pass	AV	17.64546G	60.00	88.20	-28.20	3	Horizontal	313	2.97
5885MHz	Pass	AV	23.54012G	53.19	88.20	-35.01	3	Horizontal	312	1.65
5885MHz	Pass	AV	29.42008G	41.20	88.20	-47.00	3	Horizontal	160	2.97
5885MHz	Pass	PK	11.76718G	63.64	74.00	-10.36	3	Horizontal	81	1.44
5885MHz	Pass	PK	17.64528G	73.01	108.20	-35.19	3	Horizontal	313	2.97
5885MHz	Pass	PK	23.54108G	67.38	108.20	-40.82	3	Horizontal	312	1.65
5885MHz	Pass	PK	29.43664G	55.68	108.20	-52.52	3	Horizontal	160	2.97
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5835MHz	Pass	AV	5.8278G	101.54	Inf	-Inf	3	Vertical	23	2.86
5835MHz	Pass	AV	5.9262G	60.07	88.20	-28.13	3	Vertical	23	2.86
5835MHz	Pass	PK	5.6478G	62.65	68.20	-5.55	3	Vertical	23	2.86
5835MHz	Pass	PK	5.8266G	112.32	Inf	-Inf	3	Vertical	23	2.86
5835MHz	Pass	PK	5.9262G	72.32	108.20	-35.88	3	Vertical	23	2.86
5835MHz	Pass	AV	5.8326G	109.17	Inf	-Inf	3	Horizontal	313	1.50
5835MHz	Pass	AV	5.9262G	65.41	88.20	-22.79	3	Horizontal	313	1.50
5835MHz	Pass	PK	5.6442G	67.62	68.20	-0.58	3	Horizontal	313	1.50
5835MHz	Pass	PK	5.8314G	120.54	Inf	-Inf	3	Horizontal	313	1.50
5835MHz	Pass	PK	5.9262G	78.86	108.20	-29.34	3	Horizontal	313	1.50
5835MHz	Pass	AV	11.67648G	45.49	54.00	-8.51	3	Vertical	0	1.37
5835MHz	Pass	AV	17.50368G	54.76	88.20	-33.44	3	Vertical	282	1.40
5835MHz	Pass	AV	23.34192G	47.54	88.20	-40.66	3	Vertical	318	1.54
5835MHz	Pass	AV	29.11884G	35.32	88.20	-52.88	3	Vertical	103	2.37
5835MHz	Pass	PK	11.65632G	57.45	74.00	-16.55	3	Vertical	0	1.37
5835MHz	Pass	PK	17.50332G	67.02	108.20	-41.18	3	Vertical	282	1.40
5835MHz	Pass	PK	23.3424G	59.70	108.20	-48.50	3	Vertical	318	1.54
5835MHz	Pass	PK	29.12076G	46.00	108.20	-62.20	3	Vertical	103	2.37
5835MHz	Pass	AV	11.66628G	47.13	54.00	-6.87	3	Horizontal	78	1.47
5835MHz	Pass	AV	17.50656G	60.46	88.20	-27.74	3	Horizontal	302	1.72
5835MHz	Pass	AV	23.33472G	55.52	88.20	-32.68	3	Horizontal	305	1.48
5835MHz	Pass	AV	29.16324G	40.60	88.20	-47.60	3	Horizontal	233	2.94
5835MHz	Pass	PK	11.685G	59.44	74.00	-14.56	3	Horizontal	78	1.47
5835MHz	Pass	PK	17.50548G	72.15	108.20	-36.05	3	Horizontal	302	1.72
5835MHz	Pass	PK	23.334G	67.57	108.20	-40.63	3	Horizontal	305	1.48
5835MHz	Pass	PK	29.16252G	51.75	108.20	-56.45	3	Horizontal	233	2.94



RSE TX above 1GHz_5850-5895(MHz)_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5875MHz	Pass	AV	5.8726G	105.45	Inf	-Inf	3	Vertical	340	2.98
5875MHz	Pass	AV	5.9146G	86.02	95.83	-9.81	3	Vertical	340	2.98
5875MHz	Pass	PK	5.635G	63.27	68.20	-4.93	3	Vertical	340	2.98
5875MHz	Pass	PK	5.8738G	115.36	Inf	-Inf	3	Vertical	340	2.98
5875MHz	Pass	PK	5.9146G	96.99	115.83	-18.84	3	Vertical	340	2.98
5875MHz	Pass	AV	5.8738G	109.99	Inf	-Inf	3	Horizontal	320	1.44
5875MHz	Pass	AV	5.9158G	89.72	94.95	-5.23	3	Horizontal	320	1.44
5875MHz	Pass	PK	5.6182G	67.21	68.20	-0.99	3	Horizontal	320	1.44
5875MHz	Pass	PK	5.8738G	121.86	Inf	-Inf	3	Horizontal	320	1.44
5875MHz	Pass	PK	5.9158G	101.08	114.95	-13.87	3	Horizontal	320	1.44
5875MHz	Pass	AV	11.74976G	49.06	54.00	-4.94	3	Vertical	340	2.34
5875MHz	Pass	AV	17.62392G	54.80	88.20	-33.40	3	Vertical	276	1.86
5875MHz	Pass	AV	23.5036G	49.93	88.20	-38.27	3	Vertical	325	1.62
5875MHz	Pass	AV	29.37044G	35.50	88.20	-52.70	3	Vertical	268	2.95
5875MHz	Pass	PK	11.74916G	61.38	74.00	-12.62	3	Vertical	340	2.34
5875MHz	Pass	PK	17.60556G	66.08	108.20	-42.12	3	Vertical	276	1.86
5875MHz	Pass	PK	23.50552G	60.38	108.20	-47.82	3	Vertical	325	1.62
5875MHz	Pass	PK	29.40932G	46.74	108.20	-61.46	3	Vertical	268	2.95
5875MHz	Pass	AV	11.74508G	49.59	54.00	-4.41	3	Horizontal	79	1.50
5875MHz	Pass	AV	17.61624G	58.44	88.20	-29.76	3	Horizontal	318	2.98
5875MHz	Pass	AV	23.4892G	56.79	88.20	-31.41	3	Horizontal	304	1.72
5875MHz	Pass	AV	29.38316G	42.31	88.20	-45.89	3	Horizontal	50	2.01
5875MHz	Pass	PK	11.74376G	60.39	74.00	-13.61	3	Horizontal	79	1.50
5875MHz	Pass	PK	17.61576G	69.85	108.20	-38.35	3	Horizontal	318	2.98
5875MHz	Pass	PK	23.50936G	68.66	108.20	-39.54	3	Horizontal	304	1.72
5875MHz	Pass	PK	29.38268G	53.78	108.20	-54.42	3	Horizontal	50	2.01
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5855MHz	Pass	AV	5.8478G	98.82	Inf	-Inf	3	Vertical	310	1.78
5855MHz	Pass	AV	5.9282G	74.53	88.20	-13.67	3	Vertical	310	1.78
5855MHz	Pass	PK	5.6474G	63.27	68.20	-4.93	3	Vertical	310	1.78
5855MHz	Pass	PK	5.8298G	110.39	Inf	-Inf	3	Vertical	310	1.78
5855MHz	Pass	PK	5.9282G	85.79	108.20	-22.41	3	Vertical	310	1.78
5855MHz	Pass	AV	5.8562G	104.22	Inf	-Inf	3	Horizontal	330	1.33
5855MHz	Pass	AV	5.9378G	76.53	88.20	-11.67	3	Horizontal	330	1.33
5855MHz	Pass	PK	5.6402G	66.36	68.20	-1.84	3	Horizontal	330	1.33
5855MHz	Pass	PK	5.8574G	115.69	Inf	-Inf	3	Horizontal	330	1.33
5855MHz	Pass	PK	5.9366G	88.35	108.20	-19.85	3	Horizontal	330	1.33
5855MHz	Pass	AV	11.71048G	44.64	54.00	-9.36	3	Vertical	342	2.39
5855MHz	Pass	AV	17.54484G	49.22	88.20	-38.98	3	Vertical	282	1.50
5855MHz	Pass	AV	23.42192G	46.01	88.20	-42.19	3	Vertical	295	1.62
5855MHz	Pass	AV	29.38876G	34.43	88.20	-53.77	3	Vertical	358	1.52
5855MHz	Pass	PK	11.73112G	56.28	74.00	-17.72	3	Vertical	342	2.39
5855MHz	Pass	PK	17.5638G	61.36	108.20	-46.84	3	Vertical	282	1.50
5855MHz	Pass	PK	23.4008G	56.65	108.20	-51.55	3	Vertical	295	1.62
5855MHz	Pass	PK	29.38876G	44.85	108.20	-63.35	3	Vertical	358	1.52
5855MHz	Pass	AV	11.70544G	45.67	54.00	-8.33	3	Horizontal	75	1.43
5855MHz	Pass	AV	17.54532G	53.36	88.20	-34.84	3	Horizontal	305	1.68
5855MHz	Pass	AV	23.41472G	54.11	88.20	-34.09	3	Horizontal	310	1.48
5855MHz	Pass	AV	29.263G	38.68	88.20	-49.52	3	Horizontal	105	1.56
5855MHz	Pass	PK	11.72344G	56.92	74.00	-17.08	3	Horizontal	75	1.43
5855MHz	Pass	PK	17.56572G	64.68	108.20	-43.52	3	Horizontal	305	1.68
5855MHz	Pass	PK	23.41424G	64.91	108.20	-43.29	3	Horizontal	310	1.48
5855MHz	Pass	PK	29.26396G	47.83	108.20	-60.37	3	Horizontal	105	1.56
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5815MHz	Pass	AV	5.7922G	93.67	Inf	-Inf	3	Vertical	336	2.79
5815MHz	Pass	AV	5.9302G	54.33	88.20	-33.87	3	Vertical	336	2.79
5815MHz	Pass	PK	5.6494G	62.66	68.20	-5.54	3	Vertical	336	2.79
5815MHz	Pass	PK	5.7934G	105.19	Inf	-Inf	3	Vertical	336	2.79
5815MHz	Pass	PK	5.929G	66.29	108.20	-41.91	3	Vertical	336	2.79
5815MHz	Pass	AV	5.7706G	98.47	Inf	-Inf	3	Horizontal	311	1.44
5815MHz	Pass	AV	5.9302G	56.47	88.20	-31.73	3	Horizontal	311	1.44
5815MHz	Pass	PK	5.6494G	65.82	68.20	-2.38	3	Horizontal	311	1.44



RSE TX above 1GHz_5850-5895(MHz)_Non-Beamforming


Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5815MHz	Pass	PK	5.7922G	109.71	Inf	-Inf	3	Horizontal	311	1.44
5815MHz	Pass	PK	5.9302G	68.63	108.20	-39.57	3	Horizontal	311	1.44
5815MHz	Pass	AV	11.51336G	42.10	54.00	-11.90	3	Vertical	243	3.00
5815MHz	Pass	AV	17.553G	47.52	88.20	-40.68	3	Vertical	189	1.50
5815MHz	Pass	AV	23.26G	43.28	88.20	-44.92	3	Vertical	167	1.53
5815MHz	Pass	AV	29.02796G	35.46	88.20	-52.74	3	Vertical	293	1.82
5815MHz	Pass	PK	11.52152G	53.56	74.00	-20.44	3	Vertical	243	3.00
5815MHz	Pass	PK	17.50692G	58.80	108.20	-49.40	3	Vertical	189	1.50
5815MHz	Pass	PK	23.26G	48.89	108.20	-59.31	3	Vertical	167	1.53
5815MHz	Pass	PK	29.09996G	45.77	108.20	-62.43	3	Vertical	293	1.82
5815MHz	Pass	AV	11.63G	42.10	54.00	-11.90	3	Horizontal	41	1.50
5815MHz	Pass	AV	17.56404G	47.54	88.20	-40.66	3	Horizontal	291	1.50
5815MHz	Pass	AV	23.26G	47.96	88.20	-40.24	3	Horizontal	232	1.66
5815MHz	Pass	AV	29.027G	35.47	88.20	-52.73	3	Horizontal	323	1.75
5815MHz	Pass	PK	11.7164G	53.61	74.00	-20.39	3	Horizontal	41	1.50
5815MHz	Pass	PK	17.55876G	58.84	108.20	-49.36	3	Horizontal	291	1.50
5815MHz	Pass	PK	23.26G	51.78	108.20	-56.42	3	Horizontal	232	1.66
5815MHz	Pass	PK	29.12108G	45.98	108.20	-62.22	3	Horizontal	323	1.75



5.85-5.895GHz_802.11a_Nss1,(6Mbps)_4TX


5845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8486G	107.22	Inf	-Inf	7.31	3	Vertical	326	1.91	-	99.91	34.10	7.55	34.34
AV	5.9242G	54.47	88.79	-34.32	7.60	3	Vertical	326	1.91	-	46.87	34.30	7.67	34.37
PK	5.6146G	59.73	68.20	-8.47	6.25	3	Vertical	326	1.91	-	53.48	33.10	7.42	34.27
PK	5.8486G	116.51	Inf	-Inf	7.31	3	Vertical	326	1.91	-	109.20	34.10	7.55	34.34
PK	5.9242G	66.25	108.79	-42.54	7.60	3	Vertical	326	1.91	-	58.65	34.30	7.67	34.37

5.85-5.895GHz_802.11a_Nss1,(6Mbps)_4TX


5845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8462G	113.68	Inf	-Inf	7.30	3	Horizontal	321	1.39	-	106.38	34.10	7.54	34.34
AV	5.9254G	59.86	88.20	-28.34	7.60	3	Horizontal	321	1.39	-	52.26	34.30	7.67	34.37
PK	5.5702G	60.37	68.20	-7.83	6.17	3	Horizontal	321	1.39	-	54.20	33.04	7.39	34.26
PK	5.8462G	123.88	Inf	-Inf	7.30	3	Horizontal	321	1.39	-	116.58	34.10	7.54	34.34
PK	5.9242G	75.00	108.79	-33.79	7.60	3	Horizontal	321	1.39	-	67.40	34.30	7.67	34.37

5.85-5.895GHz_802.11a_Nss1,(6Mbps)_4TX


5845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.69168G	49.80	54.00	-4.20	15.12	3	Vertical	345	2.42	-	34.68	38.80	10.88	34.56
AV	17.53638G	59.90	88.20	-28.30	20.12	3	Vertical	277	1.83	-	39.78	38.85	14.34	33.07
AV	23.37592G	52.99	88.20	-35.21	-8.65	3	Vertical	286	1.60	-	61.64	40.25	15.84	55.20
AV	29.23252G	38.72	88.20	-49.48	-4.07	3	Vertical	289	1.66	-	42.79	40.20	20.52	55.25
PK	11.69126G	60.92	74.00	-13.08	15.12	3	Vertical	345	2.42	-	45.80	38.80	10.88	34.56
PK	17.53692G	71.98	108.20	-36.22	20.12	3	Vertical	277	1.83	-	51.86	38.85	14.34	33.07
PK	23.37424G	64.42	108.20	-43.78	-8.65	3	Vertical	286	1.60	-	73.07	40.25	15.84	55.20
PK	29.23252G	51.27	108.20	-56.93	-4.07	3	Vertical	289	1.66	-	55.34	40.20	20.52	55.25

5.85-5.895GHz_802.11a_Nss1,(6Mbps)_4TX

5845MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.68604G	51.37	54.00	-2.63	15.12	3	Horizontal	77	1.96	-	36.25	38.80	10.88	34.56
AV	17.53506G	64.33	88.20	-23.87	20.11	3	Horizontal	304	1.68	-	44.22	38.84	14.34	33.07
AV	23.38352G	60.71	88.20	-27.49	-8.65	3	Horizontal	311	1.69	-	69.36	40.25	15.84	55.20
AV	29.22076G	48.76	88.20	-39.44	-4.08	3	Horizontal	283	1.65	-	52.84	40.20	20.52	55.26
PK	11.6843G	63.46	74.00	-10.54	15.12	3	Horizontal	77	1.96	-	48.34	38.80	10.88	34.56
PK	17.53584G	76.17	108.20	-32.03	20.11	3	Horizontal	304	1.68	-	56.06	38.84	14.34	33.07
PK	23.3844G	72.44	108.20	-35.76	-8.65	3	Horizontal	311	1.69	-	81.09	40.25	15.84	55.20
PK	29.21884G	60.12	108.20	-48.08	-4.08	3	Horizontal	283	1.65	-	64.20	40.20	20.52	55.26



5.85-5.895GHz_802.11a_Nss1,(6Mbps)_4TX


5865MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8698G	106.42	Inf	-Inf	7.45	3	Vertical	327	2.83	-	98.97	34.22	7.58	34.35
AV	5.9106G	69.46	98.76	-29.30	7.65	3	Vertical	327	2.83	-	61.81	34.36	7.65	34.36
PK	5.6094G	58.77	68.20	-9.43	6.25	3	Vertical	327	2.83	-	52.52	33.10	7.42	34.27
PK	5.8722G	116.12	Inf	-Inf	7.47	3	Vertical	327	2.83	-	108.65	34.23	7.59	34.35
PK	5.9106G	83.99	118.76	-34.77	7.65	3	Vertical	327	2.83	-	76.34	34.36	7.65	34.36

5.85-5.895GHz_802.11a_Nss1,(6Mbps)_4TX

5865MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8662G	113.50	Inf	-Inf	7.43	3	Horizontal	326	1.41	-	106.07	34.20	7.58	34.35
AV	5.9238G	65.95	89.08	-23.13	7.60	3	Horizontal	326	1.41	-	58.35	34.30	7.67	34.37
PK	5.6478G	59.41	68.20	-8.79	6.25	3	Horizontal	326	1.41	-	53.16	33.10	7.43	34.28
PK	5.8638G	123.04	Inf	-Inf	7.40	3	Horizontal	326	1.41	-	115.64	34.18	7.57	34.35
PK	5.9238G	78.59	109.08	-30.49	7.60	3	Horizontal	326	1.41	-	70.99	34.30	7.67	34.37



5.85-5.895GHz_802.11a_Nss1,(6Mbps)_4TX


5865MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.7213G	50.65	54.00	-3.35	15.12	3	Vertical	329	2.42	-	35.53	38.80	10.89	34.57
AV	17.5953G	58.36	88.20	-29.84	20.36	3	Vertical	269	1.84	-	38.00	39.08	14.40	33.12
AV	23.45448G	51.32	88.20	-36.88	-8.60	3	Vertical	289	1.60	-	59.92	40.28	15.86	55.20
AV	29.32401G	33.27	88.20	-54.93	-3.93	3	Vertical	114	2.50	-	37.20	40.35	20.50	55.24
PK	11.7216G	63.08	74.00	-10.92	15.12	3	Vertical	329	2.42	-	47.96	38.80	10.89	34.57
PK	17.59554G	70.33	108.20	-37.87	20.36	3	Vertical	269	1.84	-	49.97	39.08	14.40	33.12
PK	23.4524G	63.52	108.20	-44.68	-8.60	3	Vertical	289	1.60	-	72.12	40.28	15.86	55.20
PK	29.32584G	44.45	108.20	-63.75	-3.92	3	Vertical	114	2.50	-	48.37	40.35	20.50	55.23

5.85-5.895GHz_802.11a_Nss1,(6Mbps)_4TX

5865MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.72364G	52.90	54.00	-1.10	15.13	3	Horizontal	74	1.88	-	37.77	38.80	10.90	34.57
AV	17.59464G	61.83	88.20	-26.37	20.36	3	Horizontal	307	1.64	-	41.47	39.08	14.40	33.12
AV	23.46192G	60.46	88.20	-27.74	-8.59	3	Horizontal	312	1.67	-	69.05	40.28	15.87	55.20
AV	29.32403G	40.90	88.20	-47.30	-3.93	3	Horizontal	259	2.28	-	44.83	40.35	20.50	55.24
PK	11.72418G	64.63	74.00	-9.37	15.13	3	Horizontal	74	1.88	-	49.50	38.80	10.90	34.57
PK	17.59554G	73.84	108.20	-34.36	20.36	3	Horizontal	307	1.64	-	53.48	39.08	14.40	33.12
PK	23.46264G	71.92	108.20	-36.28	-8.58	3	Horizontal	312	1.67	-	80.50	40.29	15.87	55.20
PK	29.32405G	52.84	108.20	-55.36	-3.93	3	Horizontal	259	2.28	-	56.77	40.35	20.50	55.24



5.85-5.895GHz_802.11a_Nss1,(6Mbps)_4TX


5885MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8874G	105.25	Inf	-Inf	7.57	3	Vertical	37	2.96	-	97.68	34.32	7.61	34.36
AV	5.8994G	89.43	106.97	-17.54	7.67	3	Vertical	37	2.96	-	81.76	34.40	7.63	34.36
PK	5.6294G	58.64	68.20	-9.56	6.25	3	Vertical	37	2.96	-	52.39	33.10	7.43	34.28
PK	5.8874G	114.40	Inf	-Inf	7.57	3	Vertical	37	2.96	-	106.83	34.32	7.61	34.36
PK	5.9078G	96.19	120.81	-24.62	7.65	3	Vertical	37	2.96	-	88.54	34.37	7.64	34.36

5.85-5.895GHz_802.11a_Nss1,(6Mbps)_4TX


5885MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8862G	113.43	Inf	-Inf	7.57	3	Horizontal	321	1.50	-	105.86	34.32	7.61	34.36
AV	5.9066G	91.57	101.69	-10.12	7.65	3	Horizontal	321	1.50	-	83.92	34.37	7.64	34.36
PK	5.6378G	59.26	68.20	-8.94	6.25	3	Horizontal	321	1.50	-	53.01	33.10	7.43	34.28
PK	5.8862G	122.82	Inf	-Inf	7.57	3	Horizontal	321	1.50	-	115.25	34.32	7.61	34.36
PK	5.9054G	106.03	122.57	-16.54	7.66	3	Horizontal	321	1.50	-	98.37	34.38	7.64	34.36

5.85-5.895GHz_802.11a_Nss1,(6Mbps)_4TX


5885MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.76994G	53.02	54.00	-0.98	15.12	3	Vertical	340	2.39	-	37.90	38.80	10.91	34.59
AV	17.65494G	56.25	88.20	-31.95	20.77	3	Vertical	274	1.86	-	35.48	39.48	14.46	33.17
AV	23.54072G	48.05	88.20	-40.15	-8.64	3	Vertical	341	1.50	-	56.69	40.28	15.89	55.27
AV	29.42415G	34.87	88.20	-53.33	-3.73	3	Vertical	40	2.09	-	38.60	40.55	20.48	55.22
PK	11.77G	64.62	74.00	-9.38	15.12	3	Vertical	340	2.39	-	49.50	38.80	10.91	34.59
PK	17.6556G	68.09	108.20	-40.11	20.78	3	Vertical	274	1.86	-	47.31	39.49	14.46	33.17
PK	23.5404G	59.36	108.20	-48.84	-8.63	3	Vertical	341	1.50	-	67.99	40.28	15.89	55.26
PK	29.42581G	46.30	108.20	-61.90	-3.72	3	Vertical	40	2.09	-	50.02	40.55	20.48	55.21

5.85-5.895GHz_802.11a_Nss1,(6Mbps)_4TX

5885MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.76388G	53.31	54.00	-0.69	15.13	3	Horizontal	75	1.92	-	38.18	38.80	10.91	34.58
AV	17.65884G	61.10	88.20	-27.10	20.81	3	Horizontal	315	3.00	-	40.29	39.51	14.47	33.17
AV	23.54032G	58.11	88.20	-30.09	-8.63	3	Horizontal	313	1.67	-	66.74	40.28	15.89	55.26
AV	29.42402G	39.27	88.20	-48.93	-3.73	3	Horizontal	284	2.65	-	43.00	40.55	20.48	55.22
PK	11.76442G	65.51	74.00	-8.49	15.12	3	Horizontal	75	1.92	-	50.39	38.80	10.91	34.59
PK	17.6592G	73.19	108.20	-35.01	20.81	3	Horizontal	315	3.00	-	52.38	39.51	14.47	33.17
PK	23.54032G	69.20	108.20	-39.00	-8.63	3	Horizontal	313	1.67	-	77.83	40.28	15.89	55.26
PK	29.42402G	50.67	108.20	-57.53	-3.73	3	Horizontal	284	2.65	-	54.40	40.55	20.48	55.22



5.85-5.895GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5845MHz_TX




31/03/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8438G	108.36	Inf	-Inf	7.30	3	Vertical	340	3.00	-	101.06	34.10	7.54	34.34
AV	5.923G	58.30	89.67	-31.37	7.61	3	Vertical	340	3.00	-	50.69	34.31	7.67	34.37
PK	5.6398G	58.95	68.20	-9.25	6.25	3	Vertical	340	3.00	-	52.70	33.10	7.43	34.28
PK	5.8438G	119.39	Inf	-Inf	7.30	3	Vertical	340	3.00	-	112.09	34.10	7.54	34.34
PK	5.9218G	72.39	110.55	-38.16	7.60	3	Vertical	340	3.00	-	64.79	34.31	7.66	34.37

5.85-5.895GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5845MHz_TX




31/03/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8426G	113.19	Inf	-Inf	7.30	3	Horizontal	315	1.46	-	105.89	34.10	7.54	34.34
AV	5.9242G	62.12	88.79	-26.67	7.60	3	Horizontal	315	1.46	-	54.52	34.30	7.67	34.37
PK	5.6422G	61.05	68.20	-7.15	6.25	3	Horizontal	315	1.46	-	54.80	33.10	7.43	34.28
PK	5.8426G	123.53	Inf	-Inf	7.30	3	Horizontal	315	1.46	-	116.23	34.10	7.54	34.34
PK	5.9242G	75.50	108.79	-33.29	7.60	3	Horizontal	315	1.46	-	67.90	34.30	7.67	34.37



5.85-5.895GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6972G	48.89	54.00	-5.11	15.12	3	Vertical	3	1.44	-	33.77	38.80	10.88	34.56
AV	17.53404G	58.32	88.20	-29.88	20.11	3	Vertical	276	1.39	-	38.21	38.84	14.34	33.07
AV	23.38144G	47.01	88.20	-41.19	-8.65	3	Vertical	325	1.55	-	55.66	40.25	15.84	55.20
AV	29.22152G	33.70	88.20	-54.50	-4.08	3	Vertical	185	1.59	-	37.78	40.20	20.52	55.26
PK	11.69582G	60.60	74.00	-13.40	15.12	3	Vertical	3	1.44	-	45.48	38.80	10.88	34.56
PK	17.5344G	69.84	108.20	-38.36	20.11	3	Vertical	276	1.39	-	49.73	38.84	14.34	33.07
PK	23.3812G	61.57	108.20	-46.63	-8.65	3	Vertical	325	1.55	-	70.22	40.25	15.84	55.20
PK	29.228G	45.14	108.20	-63.06	-4.07	3	Vertical	185	1.59	-	49.21	40.20	20.52	55.25

5.85-5.895GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5845MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.68562G	49.65	54.00	-4.35	15.12	3	Horizontal	70	1.50	-	34.53	38.80	10.88	34.56
AV	17.53428G	60.58	88.20	-27.62	20.11	3	Horizontal	339	1.50	-	40.47	38.84	14.34	33.07
AV	23.38756G	55.07	88.20	-33.13	-8.64	3	Horizontal	309	1.48	-	63.71	40.26	15.84	55.20
AV	29.21828G	41.16	88.20	-47.04	-4.08	3	Horizontal	67	2.37	-	45.24	40.20	20.52	55.26
PK	11.7038G	63.61	74.00	-10.39	15.13	3	Horizontal	70	1.50	-	48.48	38.80	10.89	34.56
PK	17.53428G	73.25	108.20	-34.95	20.11	3	Horizontal	339	1.50	-	53.14	38.84	14.34	33.07
PK	23.3878G	71.54	108.20	-36.66	-8.64	3	Horizontal	309	1.48	-	80.18	40.26	15.84	55.20
PK	29.2196G	55.32	108.20	-52.88	-4.08	3	Horizontal	67	2.37	-	59.40	40.20	20.52	55.26



5.85-5.895GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5865MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8626G	106.51	Inf	-Inf	7.40	3	Vertical	6	2.93	-	99.11	34.18	7.57	34.35
AV	5.9166G	67.72	94.36	-26.64	7.63	3	Vertical	6	2.93	-	60.09	34.33	7.66	34.36
PK	5.601G	59.54	68.20	-8.66	6.25	3	Vertical	6	2.93	-	53.29	33.10	7.42	34.27
PK	5.8626G	116.73	Inf	-Inf	7.40	3	Vertical	6	2.93	-	109.33	34.18	7.57	34.35
PK	5.9226G	75.50	109.96	-34.46	7.61	3	Vertical	6	2.93	-	67.89	34.31	7.67	34.37

5.85-5.895GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5865MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8638G	112.95	Inf	-Inf	7.40	3	Horizontal	319	1.41	-	105.55	34.18	7.57	34.35
AV	5.9238G	68.75	89.08	-20.33	7.60	3	Horizontal	319	1.41	-	61.15	34.30	7.67	34.37
PK	5.6334G	59.84	68.20	-8.36	6.25	3	Horizontal	319	1.41	-	53.59	33.10	7.43	34.28
PK	5.8626G	123.81	Inf	-Inf	7.40	3	Horizontal	319	1.41	-	116.41	34.18	7.57	34.35
PK	5.9238G	82.49	109.08	-26.59	7.60	3	Horizontal	319	1.41	-	74.89	34.30	7.67	34.37



5.85-5.895GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5865MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.7369G	49.90	54.00	-4.10	15.12	3	Vertical	3	1.49	-	34.78	38.80	10.90	34.58
AV	17.59428G	58.47	88.20	-29.73	20.36	3	Vertical	276	1.84	-	38.11	39.08	14.40	33.12
AV	23.46348G	44.43	88.20	-43.77	-8.58	3	Vertical	340	1.66	-	53.01	40.29	15.87	55.20
AV	29.35284G	33.37	88.20	-54.83	-3.86	3	Vertical	337	1.50	-	37.23	40.41	20.50	55.23
PK	11.73738G	61.97	74.00	-12.03	15.12	3	Vertical	3	1.49	-	46.85	38.80	10.90	34.58
PK	17.59572G	69.95	108.20	-38.25	20.36	3	Vertical	276	1.84	-	49.59	39.08	14.40	33.12
PK	23.46408G	58.83	108.20	-49.37	-8.58	3	Vertical	340	1.66	-	67.41	40.29	15.87	55.20
PK	29.31312G	46.06	108.20	-62.14	-3.95	3	Vertical	337	1.50	-	50.01	40.33	20.50	55.24

5.85-5.895GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5865MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.72628G	51.71	54.00	-2.29	15.13	3	Horizontal	78	1.44	-	36.58	38.80	10.90	34.57
AV	17.5941G	59.94	88.20	-28.26	20.36	3	Horizontal	342	1.50	-	39.58	39.08	14.40	33.12
AV	23.46216G	54.80	88.20	-33.40	-8.59	3	Horizontal	311	1.67	-	63.39	40.28	15.87	55.20
AV	29.32092G	41.30	88.20	-46.90	-3.94	3	Horizontal	193	1.60	-	45.24	40.34	20.50	55.24
PK	11.74386G	63.74	74.00	-10.26	15.12	3	Horizontal	78	1.44	-	48.62	38.80	10.90	34.58
PK	17.59512G	72.43	108.20	-35.77	20.36	3	Horizontal	342	1.50	-	52.07	39.08	14.40	33.12
PK	23.46204G	69.60	108.20	-38.60	-8.59	3	Horizontal	311	1.67	-	78.19	40.28	15.87	55.20
PK	29.32116G	54.85	108.20	-53.35	-3.94	3	Horizontal	193	1.60	-	58.79	40.34	20.50	55.24



5.85-5.895GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5885MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8874G	105.16	Inf	-Inf	7.57	3	Vertical	52	2.95	-	97.59	34.32	7.61	34.36
AV	5.9066G	86.07	101.69	-15.62	7.65	3	Vertical	52	2.95	-	78.42	34.37	7.64	34.36
PK	5.6234G	58.75	68.20	-9.45	6.25	3	Vertical	52	2.95	-	52.50	33.10	7.43	34.28
PK	5.8862G	115.69	Inf	-Inf	7.57	3	Vertical	52	2.95	-	108.12	34.32	7.61	34.36
PK	5.9066G	99.57	121.69	-22.12	7.65	3	Vertical	52	2.95	-	91.92	34.37	7.64	34.36

5.85-5.895GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5885MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8838G	112.86	Inf	-Inf	7.54	3	Horizontal	321	1.38	-	105.32	34.30	7.60	34.36
AV	5.9042G	95.20	103.45	-8.25	7.66	3	Horizontal	321	1.38	-	87.54	34.38	7.64	34.36
PK	5.6066G	59.28	68.20	-8.92	6.25	3	Horizontal	321	1.38	-	53.03	33.10	7.42	34.27
PK	5.8838G	123.09	Inf	-Inf	7.54	3	Horizontal	321	1.38	-	115.55	34.30	7.60	34.36
PK	5.9234G	93.77	109.37	-15.60	7.61	3	Horizontal	321	1.38	-	86.16	34.31	7.67	34.37



5.85-5.895GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5885MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.7661G	50.09	54.00	-3.91	15.12	3	Vertical	330	2.28	-	34.97	38.80	10.91	34.59
AV	17.65368G	56.45	88.20	-31.75	20.77	3	Vertical	279	1.85	-	35.68	39.48	14.46	33.17
AV	23.53088G	44.69	88.20	-43.51	-8.61	3	Vertical	326	1.66	-	53.30	40.29	15.89	55.25
AV	29.43328G	35.32	88.20	-52.88	-3.70	3	Vertical	72	1.03	-	39.02	40.57	20.48	55.21
PK	11.76712G	62.97	74.00	-11.03	15.12	3	Vertical	330	2.28	-	47.85	38.80	10.91	34.59
PK	17.65344G	68.03	108.20	-40.17	20.76	3	Vertical	279	1.85	-	47.27	39.47	14.46	33.17
PK	23.55044G	59.02	108.20	-49.18	-8.64	3	Vertical	326	1.66	-	67.66	40.28	15.90	55.28
PK	29.43424G	47.10	108.20	-61.10	-3.70	3	Vertical	72	1.03	-	50.80	40.57	20.48	55.21

5.85-5.895GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5885MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.76628G	51.24	54.00	-2.76	15.12	3	Horizontal	81	1.44	-	36.12	38.80	10.91	34.59
AV	17.64546G	60.00	88.20	-28.20	20.71	3	Horizontal	313	2.97	-	39.29	39.42	14.45	33.16
AV	23.54012G	53.19	88.20	-35.01	-8.63	3	Horizontal	312	1.65	-	61.82	40.28	15.89	55.26
AV	29.42008G	41.20	88.20	-47.00	-3.74	3	Horizontal	160	2.97	-	44.94	40.54	20.48	55.22
PK	11.76718G	63.64	74.00	-10.36	15.12	3	Horizontal	81	1.44	-	48.52	38.80	10.91	34.59
PK	17.64528G	73.01	108.20	-35.19	20.71	3	Horizontal	313	2.97	-	52.30	39.42	14.45	33.16
PK	23.54108G	67.38	108.20	-40.82	-8.64	3	Horizontal	312	1.65	-	76.02	40.28	15.89	55.27
PK	29.43664G	55.68	108.20	-52.52	-3.70	3	Horizontal	160	2.97	-	59.38	40.57	20.48	55.21



5.85-5.895GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5835MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8278G	101.54	Inf	-Inf	7.27	3	Vertical	23	2.86	-	94.27	34.10	7.51	34.34
AV	5.9262G	60.07	88.20	-28.13	7.60	3	Vertical	23	2.86	-	52.47	34.30	7.67	34.37
PK	5.6478G	62.65	68.20	-5.55	6.25	3	Vertical	23	2.86	-	56.40	33.10	7.43	34.28
PK	5.8266G	112.32	Inf	-Inf	7.27	3	Vertical	23	2.86	-	105.05	34.10	7.51	34.34
PK	5.9262G	72.32	108.20	-35.88	7.60	3	Vertical	23	2.86	-	64.72	34.30	7.67	34.37

5.85-5.895GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5835MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8326G	109.17	Inf	-Inf	7.28	3	Horizontal	313	1.50	-	101.89	34.10	7.52	34.34
AV	5.9262G	65.41	88.20	-22.79	7.60	3	Horizontal	313	1.50	-	57.81	34.30	7.67	34.37
PK	5.6442G	67.62	68.20	-0.58	6.25	3	Horizontal	313	1.50	-	61.37	33.10	7.43	34.28
PK	5.8314G	120.54	Inf	-Inf	7.28	3	Horizontal	313	1.50	-	113.26	34.10	7.52	34.34
PK	5.9262G	78.86	108.20	-29.34	7.60	3	Horizontal	313	1.50	-	71.26	34.30	7.67	34.37

5.85-5.895GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5835MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.67648G	45.49	54.00	-8.51	15.13	3	Vertical	0	1.37	-	30.36	38.80	10.88	34.55
AV	17.50368G	54.76	88.20	-33.44	19.97	3	Vertical	282	1.40	-	34.79	38.71	14.30	33.04
AV	23.34192G	47.54	88.20	-40.66	-8.67	3	Vertical	318	1.54	-	56.21	40.24	15.83	55.20
AV	29.11884G	35.32	88.20	-52.88	-4.08	3	Vertical	103	2.37	-	39.40	40.20	20.54	55.28
PK	11.65632G	57.45	74.00	-16.55	15.12	3	Vertical	0	1.37	-	42.33	38.80	10.87	34.55
PK	17.50332G	67.02	108.20	-41.18	19.97	3	Vertical	282	1.40	-	47.05	38.71	14.30	33.04
PK	23.3424G	59.70	108.20	-48.50	-8.67	3	Vertical	318	1.54	-	68.37	40.24	15.83	55.20
PK	29.12076G	46.00	108.20	-62.20	-4.08	3	Vertical	103	2.37	-	50.08	40.20	20.54	55.28

5.85-5.895GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5835MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.66628G	47.13	54.00	-6.87	15.12	3	Horizontal	78	1.47	-	32.01	38.80	10.87	34.55
AV	17.50656G	60.46	88.20	-27.74	19.99	3	Horizontal	302	1.72	-	40.47	38.73	14.31	33.05
AV	23.33472G	55.52	88.20	-32.68	-8.69	3	Horizontal	305	1.48	-	64.21	40.23	15.82	55.20
AV	29.16324G	40.60	88.20	-47.60	-4.08	3	Horizontal	233	2.94	-	44.68	40.20	20.53	55.27
PK	11.685G	59.44	74.00	-14.56	15.12	3	Horizontal	78	1.47	-	44.32	38.80	10.88	34.56
PK	17.50548G	72.15	108.20	-36.05	19.99	3	Horizontal	302	1.72	-	52.16	38.72	14.31	33.04
PK	23.334G	67.57	108.20	-40.63	-8.69	3	Horizontal	305	1.48	-	76.26	40.23	15.82	55.20
PK	29.16252G	51.75	108.20	-56.45	-4.08	3	Horizontal	233	2.94	-	55.83	40.20	20.53	55.27



5.85-5.895GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5875MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8726G	105.45	Inf	-Inf	7.48	3	Vertical	340	2.98	-	97.97	34.24	7.59	34.35
AV	5.9146G	86.02	95.83	-9.81	7.63	3	Vertical	340	2.98	-	78.39	34.34	7.65	34.36
PK	5.635G	63.27	68.20	-4.93	6.25	3	Vertical	340	2.98	-	57.02	33.10	7.43	34.28
PK	5.8738G	115.36	Inf	-Inf	7.48	3	Vertical	340	2.98	-	107.88	34.24	7.59	34.35
PK	5.9146G	96.99	115.83	-18.84	7.63	3	Vertical	340	2.98	-	89.36	34.34	7.65	34.36

5.85-5.895GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5875MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8738G	109.99	Inf	-Inf	7.48	3	Horizontal	320	1.44	-	102.51	34.24	7.59	34.35
AV	5.9158G	89.72	94.95	-5.23	7.64	3	Horizontal	320	1.44	-	82.08	34.34	7.66	34.36
PK	5.6182G	67.21	68.20	-0.99	6.24	3	Horizontal	320	1.44	-	60.97	33.10	7.42	34.28
PK	5.8738G	121.86	Inf	-Inf	7.48	3	Horizontal	320	1.44	-	114.38	34.24	7.59	34.35
PK	5.9158G	101.08	114.95	-13.87	7.64	3	Horizontal	320	1.44	-	93.44	34.34	7.66	34.36



5.85-5.895GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5875MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.74976G	49.06	54.00	-4.94	15.13	3	Vertical	340	2.34	-	33.93	38.80	10.91	34.58
AV	17.62392G	54.80	88.20	-33.40	20.56	3	Vertical	276	1.86	-	34.24	39.27	14.43	33.14
AV	23.5036G	49.93	88.20	-38.27	-8.57	3	Vertical	325	1.62	-	58.50	40.30	15.88	55.21
AV	29.37044G	35.50	88.20	-52.70	-3.84	3	Vertical	268	2.95	-	39.34	40.44	20.49	55.23
PK	11.74916G	61.38	74.00	-12.62	15.13	3	Vertical	340	2.34	-	46.25	38.80	10.91	34.58
PK	17.60556G	66.08	108.20	-42.12	20.42	3	Vertical	276	1.86	-	45.66	39.14	14.41	33.13
PK	23.50552G	60.38	108.20	-47.82	-8.57	3	Vertical	325	1.62	-	68.95	40.30	15.88	55.21
PK	29.40932G	46.74	108.20	-61.46	-3.75	3	Vertical	268	2.95	-	50.49	40.52	20.49	55.22

5.85-5.895GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5875MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.74508G	49.59	54.00	-4.41	15.12	3	Horizontal	79	1.50	-	34.47	38.80	10.90	34.58
AV	17.61624G	58.44	88.20	-29.76	20.49	3	Horizontal	318	2.98	-	37.95	39.21	14.42	33.14
AV	23.4892G	56.79	88.20	-31.41	-8.56	3	Horizontal	304	1.72	-	65.35	40.30	15.88	55.20
AV	29.38316G	42.31	88.20	-45.89	-3.80	3	Horizontal	50	2.01	-	46.11	40.47	20.49	55.22
PK	11.74376G	60.39	74.00	-13.61	15.12	3	Horizontal	79	1.50	-	45.27	38.80	10.90	34.58
PK	17.61576G	69.85	108.20	-38.35	20.50	3	Horizontal	318	2.98	-	49.35	39.21	14.42	33.13
PK	23.50936G	68.66	108.20	-39.54	-8.57	3	Horizontal	304	1.72	-	77.23	40.30	15.88	55.21
PK	29.38268G	53.78	108.20	-54.42	-3.80	3	Horizontal	50	2.01	-	57.58	40.47	20.49	55.22



5.85-5.895GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8478G	98.82	Inf	-Inf	7.31	3	Vertical	310	1.78	-	91.51	34.10	7.55	34.34
AV	5.9282G	74.53	88.20	-13.67	7.60	3	Vertical	310	1.78	-	66.93	34.29	7.68	34.37
PK	5.6474G	63.27	68.20	-4.93	6.25	3	Vertical	310	1.78	-	57.02	33.10	7.43	34.28
PK	5.8298G	110.39	Inf	-Inf	7.28	3	Vertical	310	1.78	-	103.11	34.10	7.52	34.34
PK	5.9282G	85.79	108.20	-22.41	7.60	3	Vertical	310	1.78	-	78.19	34.29	7.68	34.37

5.85-5.895GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5855MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8562G	104.22	Inf	-Inf	7.35	3	Horizontal	330	1.33	-	96.87	34.14	7.56	34.35
AV	5.9378G	76.53	88.20	-11.67	7.57	3	Horizontal	330	1.33	-	68.96	34.25	7.69	34.37
PK	5.6402G	66.36	68.20	-1.84	6.25	3	Horizontal	330	1.33	-	60.11	33.10	7.43	34.28
PK	5.8574G	115.69	Inf	-Inf	7.35	3	Horizontal	330	1.33	-	108.34	34.14	7.56	34.35
PK	5.9366G	88.35	108.20	-19.85	7.57	3	Horizontal	330	1.33	-	80.78	34.25	7.69	34.37



5.85-5.895GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.71048G	44.64	54.00	-9.36	15.12	3	Vertical	342	2.39	-	29.52	38.80	10.89	34.57
AV	17.54484G	49.22	88.20	-38.98	20.15	3	Vertical	282	1.50	-	29.07	38.88	14.35	33.08
AV	23.42192G	46.01	88.20	-42.19	-8.62	3	Vertical	295	1.62	-	54.63	40.27	15.85	55.20
AV	29.38876G	34.43	88.20	-53.77	-3.79	3	Vertical	358	1.52	-	38.22	40.48	20.49	55.22
PK	11.73112G	56.28	74.00	-17.72	15.13	3	Vertical	342	2.39	-	41.15	38.80	10.90	34.57
PK	17.5638G	61.36	108.20	-46.84	20.24	3	Vertical	282	1.50	-	41.12	38.96	14.37	33.09
PK	23.4008G	56.65	108.20	-51.55	-8.63	3	Vertical	295	1.62	-	65.28	40.26	15.85	55.20
PK	29.38876G	44.85	108.20	-63.35	-3.79	3	Vertical	358	1.52	-	48.64	40.48	20.49	55.22

5.85-5.895GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5855MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.70544G	45.67	54.00	-8.33	15.13	3	Horizontal	75	1.43	-	30.54	38.80	10.89	34.56
AV	17.54532G	53.36	88.20	-34.84	20.15	3	Horizontal	305	1.68	-	33.21	38.88	14.35	33.08
AV	23.41472G	54.11	88.20	-34.09	-8.62	3	Horizontal	310	1.48	-	62.73	40.27	15.85	55.20
AV	29.263G	38.88	88.20	-49.32	-4.05	3	Horizontal	105	1.56	-	42.73	40.23	20.51	55.25
PK	11.72344G	56.92	74.00	-17.08	15.13	3	Horizontal	75	1.43	-	41.79	38.80	10.90	34.57
PK	17.56572G	64.68	108.20	-43.52	20.24	3	Horizontal	305	1.68	-	44.44	38.96	14.37	33.09
PK	23.41424G	64.91	108.20	-43.29	-8.62	3	Horizontal	310	1.48	-	73.53	40.27	15.85	55.20
PK	29.26396G	47.83	108.20	-60.37	-4.05	3	Horizontal	105	1.56	-	51.88	40.23	20.51	55.25



5.85-5.895GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


5815MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7922G	93.67	Inf	-Inf	7.21	3	Vertical	336	2.79	-	86.46	34.07	7.47	34.33
AV	5.9302G	54.33	88.20	-33.87	7.59	3	Vertical	336	2.79	-	46.74	34.28	7.68	34.37
PK	5.6494G	62.66	68.20	-5.54	6.25	3	Vertical	336	2.79	-	56.41	33.10	7.43	34.28
PK	5.7934G	105.19	Inf	-Inf	7.21	3	Vertical	336	2.79	-	97.98	34.07	7.47	34.33
PK	5.929G	66.29	108.20	-41.91	7.59	3	Vertical	336	2.79	-	58.70	34.28	7.68	34.37

5.85-5.895GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

5815MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7706G	98.47	Inf	-Inf	7.12	3	Horizontal	311	1.44	-	91.35	33.98	7.46	34.32
AV	5.9302G	56.47	88.20	-31.73	7.59	3	Horizontal	311	1.44	-	48.88	34.28	7.68	34.37
PK	5.6494G	65.82	68.20	-2.38	6.25	3	Horizontal	311	1.44	-	59.57	33.10	7.43	34.28
PK	5.7922G	109.71	Inf	-Inf	7.21	3	Horizontal	311	1.44	-	102.50	34.07	7.47	34.33
PK	5.9302G	68.63	108.20	-39.57	7.59	3	Horizontal	311	1.44	-	61.04	34.28	7.68	34.37



5.85-5.895GHz_802.11ax HEW160_Nss1,(MCS0)_4TX


5815MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51336G	42.10	54.00	-11.90	15.47	3	Vertical	243	3.00	-	26.63	39.15	10.81	34.49
AV	17.553G	47.52	88.20	-40.68	20.19	3	Vertical	189	1.50	-	27.33	38.91	14.36	33.08
AV	23.26G	43.28	88.20	-44.92	-8.74	3	Vertical	167	1.53	-	52.02	40.20	15.80	55.20
AV	29.02796G	35.46	88.20	-52.74	-4.08	3	Vertical	293	1.82	-	39.54	40.20	20.55	55.29
PK	11.52152G	53.56	74.00	-20.44	15.42	3	Vertical	243	3.00	-	38.14	39.11	10.81	34.50
PK	17.50692G	58.80	108.20	-49.40	19.99	3	Vertical	189	1.50	-	38.81	38.73	14.31	33.05
PK	23.26G	48.89	108.20	-59.31	-8.74	3	Vertical	167	1.53	-	57.63	40.20	15.80	55.20
PK	29.09996G	45.77	108.20	-62.43	-4.08	3	Vertical	293	1.82	-	49.85	40.20	20.54	55.28

5.85-5.895GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

5815MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.63G	42.10	54.00	-11.90	15.12	3	Horizontal	41	1.50	-	26.98	38.80	10.86	34.54
AV	17.56404G	47.54	88.20	-40.66	20.24	3	Horizontal	291	1.50	-	27.30	38.96	14.37	33.09
AV	23.26G	47.96	88.20	-40.24	-8.74	3	Horizontal	232	1.66	-	56.70	40.20	15.80	55.20
AV	29.027G	35.47	88.20	-52.73	-4.07	3	Horizontal	323	1.75	-	39.54	40.20	20.56	55.29
PK	11.7164G	53.61	74.00	-20.39	15.12	3	Horizontal	41	1.50	-	38.49	38.80	10.89	34.57
PK	17.55876G	58.84	108.20	-49.36	20.21	3	Horizontal	291	1.50	-	38.63	38.94	14.36	33.09
PK	23.26G	51.78	108.20	-56.42	-8.74	3	Horizontal	232	1.66	-	60.52	40.20	15.80	55.20
PK	29.12108G	45.98	108.20	-62.22	-4.08	3	Horizontal	323	1.75	-	50.06	40.20	20.54	55.28



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.1454G	52.11	54.00	-1.89	3	Horizontal	306	1.94
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.1416G	73.46	74.00	-0.54	3	Horizontal	317	1.50
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.148G	51.58	54.00	-2.42	3	Horizontal	309	1.85
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.351G	48.54	54.00	-5.46	3	Horizontal	315	1.92
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.3508G	72.69	74.00	-1.31	3	Horizontal	303	1.90
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.353G	73.56	74.00	-0.44	3	Horizontal	320	1.50
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	PK	5.3808G	73.84	74.00	-0.16	3	Horizontal	57	1.47
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	17.16062G	66.01	68.20	-2.19	3	Horizontal	297	1.47
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.7282G	67.50	68.20	-0.70	3	Horizontal	317	1.49
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.435G	50.84	54.00	-3.16	3	Horizontal	322	1.50
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	AV	5.4464G	52.69	54.00	-1.31	3	Horizontal	307	1.57
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	17.23669G	67.47	68.20	-0.73	3	Horizontal	313	2.11
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	17.37624G	62.13	68.20	-6.07	3	Horizontal	322	2.27
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	6.0402G	63.01	68.20	-5.19	3	Horizontal	315	1.24



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1488G	49.64	54.00	-4.36	3	Vertical	320	2.60
5180MHz	Pass	AV	5.1874G	99.99	Inf	-Inf	3	Vertical	320	2.60
5180MHz	Pass	PK	5.15G	63.96	74.00	-10.04	3	Vertical	320	2.60
5180MHz	Pass	PK	5.1866G	110.09	Inf	-Inf	3	Vertical	320	2.60
5180MHz	Pass	AV	5.1454G	52.11	54.00	-1.89	3	Horizontal	306	1.94
5180MHz	Pass	AV	5.1838G	112.22	Inf	-Inf	3	Horizontal	306	1.94
5180MHz	Pass	PK	5.1494G	70.57	74.00	-3.43	3	Horizontal	306	1.94
5180MHz	Pass	PK	5.1832G	122.20	Inf	-Inf	3	Horizontal	306	1.94
5180MHz	Pass	AV	15.54216G	45.56	54.00	-8.44	3	Vertical	360	1.91
5180MHz	Pass	PK	10.36296G	63.00	68.20	-5.20	3	Vertical	35	1.50
5180MHz	Pass	PK	15.5466G	57.19	74.00	-16.81	3	Vertical	360	1.91
5180MHz	Pass	AV	15.54004G	46.23	54.00	-7.77	3	Horizontal	236	2.33
5180MHz	Pass	PK	10.365G	64.96	68.20	-3.24	3	Horizontal	311	1.55
5180MHz	Pass	PK	15.53024G	59.57	74.00	-14.43	3	Horizontal	236	2.33
5200MHz	Pass	AV	5.1488G	47.19	54.00	-6.81	3	Vertical	305	1.96
5200MHz	Pass	AV	5.2028G	100.85	Inf	-Inf	3	Vertical	305	1.96
5200MHz	Pass	PK	5.1376G	60.22	74.00	-13.78	3	Vertical	305	1.96
5200MHz	Pass	PK	5.2032G	110.47	Inf	-Inf	3	Vertical	305	1.96
5200MHz	Pass	AV	5.1428G	47.40	54.00	-6.60	3	Horizontal	306	1.75
5200MHz	Pass	AV	5.2028G	112.42	Inf	-Inf	3	Horizontal	306	1.75
5200MHz	Pass	PK	5.1376G	59.75	74.00	-14.25	3	Horizontal	306	1.75
5200MHz	Pass	PK	5.2024G	122.57	Inf	-Inf	3	Horizontal	306	1.75
5200MHz	Pass	AV	15.60248G	45.53	54.00	-8.47	3	Vertical	25	1.44
5200MHz	Pass	PK	10.40156G	61.80	68.20	-6.40	3	Vertical	36	1.37
5200MHz	Pass	PK	15.60368G	57.62	74.00	-16.38	3	Vertical	25	1.44
5200MHz	Pass	AV	15.59964G	45.67	54.00	-8.33	3	Horizontal	36	1.37
5200MHz	Pass	PK	10.4045G	63.16	68.20	-5.04	3	Horizontal	316	1.66
5200MHz	Pass	PK	15.59068G	58.64	74.00	-15.36	3	Horizontal	36	1.37
5240MHz	Pass	AV	5.1128G	47.10	54.00	-6.90	3	Vertical	309	1.04
5240MHz	Pass	AV	5.2394G	98.93	Inf	-Inf	3	Vertical	309	1.04
5240MHz	Pass	AV	5.384G	46.72	54.00	-7.28	3	Vertical	309	1.04
5240MHz	Pass	PK	5.1122G	59.37	74.00	-14.63	3	Vertical	309	1.04
5240MHz	Pass	PK	5.2376G	108.41	Inf	-Inf	3	Vertical	309	1.04
5240MHz	Pass	PK	5.3876G	57.93	74.00	-16.07	3	Vertical	309	1.04
5240MHz	Pass	AV	5.1488G	47.37	54.00	-6.63	3	Horizontal	307	1.89
5240MHz	Pass	AV	5.243G	111.98	Inf	-Inf	3	Horizontal	307	1.89
5240MHz	Pass	AV	5.3762G	47.26	54.00	-6.74	3	Horizontal	307	1.89
5240MHz	Pass	PK	5.1266G	59.16	74.00	-14.84	3	Horizontal	307	1.89
5240MHz	Pass	PK	5.2436G	122.22	Inf	-Inf	3	Horizontal	307	1.89
5240MHz	Pass	PK	5.3882G	59.18	74.00	-14.82	3	Horizontal	307	1.89
5240MHz	Pass	AV	15.71988G	45.85	54.00	-8.15	3	Vertical	0	1.37
5240MHz	Pass	PK	10.4821G	60.25	68.20	-7.95	3	Vertical	36	1.50
5240MHz	Pass	PK	15.7232G	56.64	74.00	-17.36	3	Vertical	0	1.37
5240MHz	Pass	AV	15.72G	46.11	54.00	-7.89	3	Horizontal	240	2.18
5240MHz	Pass	PK	10.4818G	63.27	68.20	-4.93	3	Horizontal	327	2.17
5240MHz	Pass	PK	15.71956G	58.28	74.00	-15.72	3	Horizontal	240	2.18
5260MHz	Pass	AV	5.149G	47.18	54.00	-6.82	3	Vertical	344	2.81
5260MHz	Pass	AV	5.2582G	101.95	Inf	-Inf	3	Vertical	344	2.81
5260MHz	Pass	AV	5.383G	46.72	54.00	-7.28	3	Vertical	344	2.81
5260MHz	Pass	PK	5.1142G	59.09	74.00	-14.91	3	Vertical	344	2.81
5260MHz	Pass	PK	5.2594G	112.07	Inf	-Inf	3	Vertical	344	2.81
5260MHz	Pass	PK	5.3962G	59.47	74.00	-14.53	3	Vertical	344	2.81
5260MHz	Pass	AV	5.1382G	47.42	54.00	-6.58	3	Horizontal	315	1.94
5260MHz	Pass	AV	5.2636G	111.83	Inf	-Inf	3	Horizontal	315	1.94
5260MHz	Pass	AV	5.4094G	47.59	54.00	-6.41	3	Horizontal	315	1.94
5260MHz	Pass	PK	5.1478G	59.97	74.00	-14.03	3	Horizontal	315	1.94
5260MHz	Pass	PK	5.2516G	121.07	Inf	-Inf	3	Horizontal	315	1.94
5260MHz	Pass	PK	5.4082G	60.60	74.00	-13.40	3	Horizontal	315	1.94
5260MHz	Pass	AV	15.77536G	45.76	54.00	-8.24	3	Vertical	222	1.50
5260MHz	Pass	PK	10.51764G	60.81	68.20	-7.39	3	Vertical	12	1.66



RSE TX above 1GHz_5150-5850(MHz)_Beamforming

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5260MHz	Pass	PK	15.78476G	58.57	74.00	-15.43	3	Vertical	222	1.50
5260MHz	Pass	AV	15.77672G	45.68	54.00	-8.32	3	Horizontal	273	2.23
5260MHz	Pass	PK	10.5206G	60.64	68.20	-7.56	3	Horizontal	329	2.15
5260MHz	Pass	PK	15.7854G	57.52	74.00	-16.48	3	Horizontal	273	2.23
5300MHz	Pass	AV	5.3072G	98.55	Inf	-Inf	3	Vertical	329	2.70
5300MHz	Pass	AV	5.3832G	46.72	54.00	-7.28	3	Vertical	329	2.70
5300MHz	Pass	PK	5.2968G	110.38	Inf	-Inf	3	Vertical	329	2.70
5300MHz	Pass	PK	5.3968G	59.51	74.00	-14.49	3	Vertical	329	2.70
5300MHz	Pass	AV	5.3012G	110.29	Inf	-Inf	3	Horizontal	318	1.50
5300MHz	Pass	AV	5.3632G	47.09	54.00	-6.91	3	Horizontal	318	1.50
5300MHz	Pass	PK	5.302G	119.56	Inf	-Inf	3	Horizontal	318	1.50
5300MHz	Pass	PK	5.3844G	59.66	74.00	-14.34	3	Horizontal	318	1.50
5300MHz	Pass	AV	15.89664G	45.22	54.00	-8.78	3	Vertical	104	1.72
5300MHz	Pass	PK	10.59664G	58.57	68.20	-9.63	3	Vertical	12	1.00
5300MHz	Pass	PK	15.88352G	57.58	74.00	-16.42	3	Vertical	104	1.72
5300MHz	Pass	AV	10.6004G	46.38	54.00	-7.62	3	Horizontal	326	1.02
5300MHz	Pass	AV	15.898G	45.21	54.00	-8.79	3	Horizontal	194	2.00
5300MHz	Pass	PK	10.59936G	59.23	68.20	-8.97	3	Horizontal	326	1.02
5300MHz	Pass	PK	15.90016G	57.30	74.00	-16.70	3	Horizontal	194	2.00
5320MHz	Pass	AV	5.3152G	100.82	Inf	-Inf	3	Vertical	346	2.12
5320MHz	Pass	AV	5.354G	46.88	54.00	-7.12	3	Vertical	346	2.12
5320MHz	Pass	PK	5.3148G	110.58	Inf	-Inf	3	Vertical	346	2.12
5320MHz	Pass	PK	5.3614G	59.35	74.00	-14.65	3	Vertical	346	2.12
5320MHz	Pass	AV	5.3238G	112.03	Inf	-Inf	3	Horizontal	315	1.92
5320MHz	Pass	AV	5.351G	48.54	54.00	-5.46	3	Horizontal	315	1.92
5320MHz	Pass	PK	5.3234G	121.91	Inf	-Inf	3	Horizontal	315	1.92
5320MHz	Pass	PK	5.3534G	64.47	74.00	-9.53	3	Horizontal	315	1.92
5320MHz	Pass	AV	10.6428G	45.86	54.00	-8.14	3	Vertical	10	1.55
5320MHz	Pass	AV	15.95072G	45.08	54.00	-8.92	3	Vertical	281	1.50
5320MHz	Pass	PK	10.64364G	59.39	74.00	-14.61	3	Vertical	10	1.55
5320MHz	Pass	PK	15.96292G	58.67	74.00	-15.33	3	Vertical	281	1.50
5320MHz	Pass	AV	10.64G	46.34	54.00	-7.66	3	Horizontal	327	1.01
5320MHz	Pass	AV	15.9538G	45.15	54.00	-8.85	3	Horizontal	30	1.50
5320MHz	Pass	PK	10.64088G	58.85	74.00	-15.15	3	Horizontal	327	1.01
5320MHz	Pass	PK	15.95076G	58.55	74.00	-15.45	3	Horizontal	30	1.50
5500MHz	Pass	AV	5.46G	46.99	54.00	-7.01	3	Vertical	332	3.00
5500MHz	Pass	AV	5.4928G	101.60	Inf	-Inf	3	Vertical	332	3.00
5500MHz	Pass	PK	5.459G	59.62	74.00	-14.38	3	Vertical	332	3.00
5500MHz	Pass	PK	5.4694G	59.24	68.20	-8.96	3	Vertical	332	3.00
5500MHz	Pass	PK	5.493G	111.94	Inf	-Inf	3	Vertical	332	3.00
5500MHz	Pass	AV	5.4596G	47.88	54.00	-6.12	3	Horizontal	324	1.58
5500MHz	Pass	AV	5.5018G	109.31	Inf	-Inf	3	Horizontal	324	1.58
5500MHz	Pass	PK	5.4562G	60.48	74.00	-13.52	3	Horizontal	324	1.58
5500MHz	Pass	PK	5.47G	61.62	68.20	-6.58	3	Horizontal	324	1.58
5500MHz	Pass	PK	5.495G	120.44	Inf	-Inf	3	Horizontal	324	1.58
5500MHz	Pass	AV	11.00028G	45.13	54.00	-8.87	3	Vertical	360	1.04
5500MHz	Pass	PK	11.00076G	58.74	74.00	-15.26	3	Vertical	360	1.04
5500MHz	Pass	PK	16.49888G	59.67	68.20	-8.53	3	Vertical	360	1.01
5500MHz	Pass	AV	11.00128G	44.95	54.00	-9.05	3	Horizontal	320	1.82
5500MHz	Pass	PK	11.00072G	58.17	74.00	-15.83	3	Horizontal	320	1.82
5500MHz	Pass	PK	16.49112G	58.96	68.20	-9.24	3	Horizontal	210	1.50
5580MHz	Pass	AV	5.448G	46.91	54.00	-7.09	3	Vertical	328	2.85
5580MHz	Pass	AV	5.5722G	101.25	Inf	-Inf	3	Vertical	328	2.85
5580MHz	Pass	PK	5.4564G	59.25	74.00	-14.75	3	Vertical	328	2.85
5580MHz	Pass	PK	5.4696G	58.96	68.20	-9.24	3	Vertical	328	2.85
5580MHz	Pass	PK	5.5722G	111.00	Inf	-Inf	3	Vertical	328	2.85
5580MHz	Pass	PK	5.73G	60.17	68.20	-8.03	3	Vertical	328	2.85
5580MHz	Pass	AV	5.4342G	47.35	54.00	-6.65	3	Horizontal	323	1.91
5580MHz	Pass	AV	5.5866G	108.87	Inf	-Inf	3	Horizontal	323	1.91
5580MHz	Pass	PK	5.4324G	60.11	74.00	-13.89	3	Horizontal	323	1.91
5580MHz	Pass	PK	5.4624G	59.51	68.20	-8.69	3	Horizontal	323	1.91
5580MHz	Pass	PK	5.5842G	121.45	Inf	-Inf	3	Horizontal	323	1.91



RSE TX above 1GHz_5150-5850(MHz)_Beamforming

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	PK	5.7252G	61.43	68.20	-6.77	3	Horizontal	323	1.91
5580MHz	Pass	AV	11.15856G	44.70	54.00	-9.30	3	Vertical	342	1.79
5580MHz	Pass	PK	11.15192G	57.49	74.00	-16.51	3	Vertical	342	1.79
5580MHz	Pass	PK	16.74276G	59.75	68.20	-8.45	3	Vertical	64	1.19
5580MHz	Pass	AV	11.1604G	44.86	54.00	-9.14	3	Horizontal	315	1.78
5580MHz	Pass	PK	11.16008G	57.45	74.00	-16.55	3	Horizontal	315	1.78
5580MHz	Pass	PK	16.73292G	60.52	68.20	-7.68	3	Horizontal	140	1.50
5700MHz	Pass	AV	5.7044G	96.46	Inf	-Inf	3	Vertical	319	2.79
5700MHz	Pass	PK	5.6936G	106.12	Inf	-Inf	3	Vertical	319	2.79
5700MHz	Pass	PK	5.7808G	61.54	68.20	-6.66	3	Vertical	319	2.79
5700MHz	Pass	AV	5.7036G	103.08	Inf	-Inf	3	Horizontal	319	1.87
5700MHz	Pass	PK	5.7016G	114.46	Inf	-Inf	3	Horizontal	319	1.87
5700MHz	Pass	PK	5.7252G	63.50	68.20	-4.70	3	Horizontal	319	1.87
5700MHz	Pass	AV	11.4G	43.13	54.00	-10.87	3	Vertical	187	1.00
5700MHz	Pass	PK	11.40144G	55.80	74.00	-18.20	3	Vertical	187	1.00
5700MHz	Pass	PK	17.10747G	59.75	68.20	-8.45	3	Vertical	95	1.50
5700MHz	Pass	AV	11.40009G	43.31	54.00	-10.69	3	Horizontal	53	1.50
5700MHz	Pass	PK	11.4054G	55.54	74.00	-18.46	3	Horizontal	53	1.50
5700MHz	Pass	PK	17.09277G	60.19	68.20	-8.01	3	Horizontal	289	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.444G	46.88	54.00	-7.12	3	Vertical	308	2.21
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7176G	101.00	Inf	-Inf	3	Vertical	308	2.21
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4212G	58.94	74.00	-15.06	3	Vertical	308	2.21
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	59.70	68.20	-8.50	3	Vertical	308	2.21
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7188G	110.72	Inf	-Inf	3	Vertical	308	2.21
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9588G	62.07	68.20	-6.13	3	Vertical	308	2.21
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4476G	47.10	54.00	-6.90	3	Horizontal	325	1.60
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7224G	106.38	Inf	-Inf	3	Horizontal	325	1.60
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4476G	59.46	74.00	-14.54	3	Horizontal	325	1.60
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	59.39	68.20	-8.81	3	Horizontal	325	1.60
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7236G	116.44	Inf	-Inf	3	Horizontal	325	1.60
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8616G	62.09	68.20	-6.11	3	Horizontal	325	1.60
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44291G	43.46	54.00	-10.54	3	Vertical	32	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44612G	55.35	74.00	-18.65	3	Vertical	32	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15889G	60.67	68.20	-7.53	3	Vertical	360	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44018G	43.67	54.00	-10.33	3	Horizontal	52	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4352G	55.61	74.00	-18.39	3	Horizontal	52	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16062G	66.01	68.20	-2.19	3	Horizontal	297	1.47
5745MHz	Pass	AV	5.4594G	46.99	54.00	-7.01	3	Vertical	61	3.00
5745MHz	Pass	AV	5.7462G	101.30	Inf	-Inf	3	Vertical	61	3.00
5745MHz	Pass	PK	5.5146G	59.82	68.20	-8.38	3	Vertical	61	3.00
5745MHz	Pass	PK	5.7378G	108.97	Inf	-Inf	3	Vertical	61	3.00
5745MHz	Pass	PK	5.9814G	62.57	68.20	-5.63	3	Vertical	61	3.00
5745MHz	Pass	AV	5.4486G	47.10	54.00	-6.90	3	Horizontal	330	1.48
5745MHz	Pass	AV	5.7474G	107.73	Inf	-Inf	3	Horizontal	330	1.48
5745MHz	Pass	PK	5.5182G	60.72	68.20	-7.48	3	Horizontal	330	1.48
5745MHz	Pass	PK	5.7474G	117.34	Inf	-Inf	3	Horizontal	330	1.48
5745MHz	Pass	PK	6.0318G	61.78	68.20	-6.42	3	Horizontal	330	1.48
5745MHz	Pass	AV	11.48574G	43.20	54.00	-10.80	3	Vertical	23	1.15
5745MHz	Pass	PK	11.48544G	55.91	74.00	-18.09	3	Vertical	23	1.15
5745MHz	Pass	PK	17.2353G	61.90	68.20	-6.30	3	Vertical	284	1.97
5745MHz	Pass	AV	11.48898G	42.86	54.00	-11.14	3	Horizontal	299	1.50
5745MHz	Pass	PK	11.48952G	55.40	74.00	-18.60	3	Horizontal	299	1.50
5745MHz	Pass	PK	17.23669G	67.47	68.20	-0.73	3	Horizontal	313	2.11
5785MHz	Pass	AV	5.7886G	98.06	Inf	-Inf	3	Vertical	22	2.43
5785MHz	Pass	PK	5.4886G	60.40	68.20	-7.80	3	Vertical	22	2.43
5785MHz	Pass	PK	5.7898G	107.74	Inf	-Inf	3	Vertical	22	2.43
5785MHz	Pass	PK	5.953G	63.08	68.20	-5.12	3	Vertical	22	2.43
5785MHz	Pass	AV	5.7898G	106.30	Inf	-Inf	3	Horizontal	329	1.71
5785MHz	Pass	PK	5.6266G	60.22	68.20	-7.98	3	Horizontal	329	1.71
5785MHz	Pass	PK	5.7934G	117.27	Inf	-Inf	3	Horizontal	329	1.71
5785MHz	Pass	PK	6.049G	62.65	68.20	-5.55	3	Horizontal	329	1.71
5785MHz	Pass	AV	11.56439G	43.61	54.00	-10.39	3	Vertical	24	1.00



RSE TX above 1GHz_5150-5850(MHz)_Beamforming

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5785MHz	Pass	PK	11.56409G	56.35	74.00	-17.65	3	Vertical	24	1.00
5785MHz	Pass	PK	17.3526G	60.87	68.20	-7.33	3	Vertical	280	1.50
5785MHz	Pass	AV	11.57003G	44.39	54.00	-9.61	3	Horizontal	57	1.49
5785MHz	Pass	PK	11.57162G	56.64	74.00	-17.36	3	Horizontal	57	1.49
5785MHz	Pass	PK	17.35644G	65.62	68.20	-2.58	3	Horizontal	319	1.92
5825MHz	Pass	AV	5.8226G	96.53	Inf	-Inf	3	Vertical	37	1.23
5825MHz	Pass	AV	5.8226G	96.53	Inf	-Inf	3	Vertical	37	1.23
5825MHz	Pass	PK	5.6462G	60.87	68.20	-7.33	3	Vertical	37	1.23
5825MHz	Pass	PK	5.8166G	107.14	Inf	-Inf	3	Vertical	37	1.23
5825MHz	Pass	PK	6.0146G	62.56	68.20	-5.64	3	Vertical	37	1.23
5825MHz	Pass	AV	5.8286G	105.81	Inf	-Inf	3	Horizontal	95	1.77
5825MHz	Pass	PK	5.5286G	60.78	68.20	-7.42	3	Horizontal	95	1.77
5825MHz	Pass	PK	5.819G	116.42	Inf	-Inf	3	Horizontal	95	1.77
5825MHz	Pass	PK	6.0578G	62.36	68.20	-5.84	3	Horizontal	95	1.77
5825MHz	Pass	AV	11.65504G	44.59	54.00	-9.41	3	Vertical	336	1.94
5825MHz	Pass	PK	11.65676G	57.26	74.00	-16.74	3	Vertical	336	1.94
5825MHz	Pass	PK	17.47906G	61.37	68.20	-6.83	3	Vertical	331	2.68
5825MHz	Pass	AV	11.64728G	44.79	54.00	-9.21	3	Horizontal	53	1.86
5825MHz	Pass	PK	11.64716G	57.10	74.00	-16.90	3	Horizontal	53	1.86
5825MHz	Pass	PK	17.4784G	66.24	68.20	-1.96	3	Horizontal	317	2.10
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1488G	46.88	54.00	-7.12	3	Vertical	308	2.11
5190MHz	Pass	AV	5.1856G	96.12	Inf	-Inf	3	Vertical	308	2.11
5190MHz	Pass	PK	5.15G	63.05	74.00	-10.95	3	Vertical	308	2.11
5190MHz	Pass	PK	5.1856G	106.63	Inf	-Inf	3	Vertical	308	2.11
5190MHz	Pass	AV	5.1496G	52.42	54.00	-1.58	3	Horizontal	317	1.50
5190MHz	Pass	AV	5.1724G	104.36	Inf	-Inf	3	Horizontal	317	1.50
5190MHz	Pass	PK	5.1416G	73.46	74.00	-0.54	3	Horizontal	317	1.50
5190MHz	Pass	PK	5.1724G	114.51	Inf	-Inf	3	Horizontal	317	1.50
5190MHz	Pass	AV	15.56911G	44.97	54.00	-9.03	3	Vertical	346	1.90
5190MHz	Pass	PK	10.37998G	53.86	68.20	-14.34	3	Vertical	139	2.18
5190MHz	Pass	PK	15.56937G	57.52	74.00	-16.48	3	Vertical	346	1.90
5190MHz	Pass	AV	15.56971G	45.07	54.00	-8.93	3	Horizontal	132	1.38
5190MHz	Pass	PK	10.37985G	53.45	68.20	-14.75	3	Horizontal	194	2.44
5190MHz	Pass	PK	15.57097G	56.98	74.00	-17.02	3	Horizontal	132	1.38
5230MHz	Pass	AV	5.1476G	46.70	54.00	-7.30	3	Vertical	325	3.00
5230MHz	Pass	AV	5.2192G	101.77	Inf	-Inf	3	Vertical	325	3.00
5230MHz	Pass	PK	5.1348G	59.56	74.00	-14.44	3	Vertical	325	3.00
5230MHz	Pass	PK	5.2216G	113.46	Inf	-Inf	3	Vertical	325	3.00
5230MHz	Pass	AV	5.1484G	46.88	54.00	-7.12	3	Horizontal	295	2.04
5230MHz	Pass	AV	5.226G	108.45	Inf	-Inf	3	Horizontal	295	2.04
5230MHz	Pass	PK	5.134G	62.97	74.00	-11.03	3	Horizontal	295	2.04
5230MHz	Pass	PK	5.226G	119.54	Inf	-Inf	3	Horizontal	295	2.04
5230MHz	Pass	AV	15.66192G	44.83	54.00	-9.17	3	Vertical	360	1.01
5230MHz	Pass	PK	10.44104G	56.19	68.20	-12.01	3	Vertical	29	1.22
5230MHz	Pass	PK	15.66348G	57.16	74.00	-16.84	3	Vertical	360	1.01
5230MHz	Pass	AV	15.68988G	45.41	54.00	-8.59	3	Horizontal	231	2.25
5230MHz	Pass	PK	10.43996G	58.35	68.20	-9.85	3	Horizontal	323	1.73
5230MHz	Pass	PK	15.68232G	57.69	74.00	-16.31	3	Horizontal	231	2.25
5270MHz	Pass	AV	5.252G	100.30	Inf	-Inf	3	Vertical	312	3.00
5270MHz	Pass	AV	5.3588G	46.22	54.00	-7.78	3	Vertical	312	3.00
5270MHz	Pass	PK	5.2524G	111.05	Inf	-Inf	3	Vertical	312	3.00
5270MHz	Pass	PK	5.3608G	58.64	74.00	-15.36	3	Vertical	312	3.00
5270MHz	Pass	AV	5.2648G	108.97	Inf	-Inf	3	Horizontal	303	1.97
5270MHz	Pass	AV	5.3592G	46.59	54.00	-7.41	3	Horizontal	303	1.97
5270MHz	Pass	PK	5.2644G	119.71	Inf	-Inf	3	Horizontal	303	1.97
5270MHz	Pass	PK	5.3564G	61.17	74.00	-12.83	3	Horizontal	303	1.97
5270MHz	Pass	AV	15.80901G	45.16	54.00	-8.84	3	Vertical	248	3.00
5270MHz	Pass	PK	10.53956G	54.37	68.20	-13.83	3	Vertical	152	2.36
5270MHz	Pass	PK	15.80911G	58.57	74.00	-15.43	3	Vertical	248	3.00
5270MHz	Pass	AV	15.8091G	45.16	54.00	-8.84	3	Horizontal	186	2.51
5270MHz	Pass	PK	10.54075G	54.01	68.20	-14.19	3	Horizontal	243	1.45



RSE TX above 1GHz_5150-5850(MHz)_Beamforming

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5270MHz	Pass	PK	15.80934G	57.25	74.00	-16.75	3	Horizontal	186	2.51
5310MHz	Pass	AV	5.292G	96.98	Inf	-Inf	3	Vertical	314	3.00
5310MHz	Pass	AV	5.3588G	46.59	54.00	-7.41	3	Vertical	314	3.00
5310MHz	Pass	PK	5.2924G	107.68	Inf	-Inf	3	Vertical	314	3.00
5310MHz	Pass	PK	5.358G	65.57	74.00	-8.43	3	Vertical	314	3.00
5310MHz	Pass	AV	5.3044G	105.55	Inf	-Inf	3	Horizontal	303	1.90
5310MHz	Pass	AV	5.35G	50.77	54.00	-3.23	3	Horizontal	303	1.90
5310MHz	Pass	PK	5.3048G	116.92	Inf	-Inf	3	Horizontal	303	1.90
5310MHz	Pass	PK	5.3508G	72.69	74.00	-1.31	3	Horizontal	303	1.90
5310MHz	Pass	AV	10.62007G	41.99	54.00	-12.01	3	Vertical	232	2.64
5310MHz	Pass	AV	15.92978G	44.52	54.00	-9.48	3	Vertical	45	2.09
5310MHz	Pass	PK	10.62058G	54.25	74.00	-19.75	3	Vertical	232	2.64
5310MHz	Pass	PK	15.93025G	57.10	74.00	-16.90	3	Vertical	45	2.09
5310MHz	Pass	AV	10.61905G	41.99	54.00	-12.01	3	Horizontal	187	1.15
5310MHz	Pass	AV	15.92905G	44.42	54.00	-9.58	3	Horizontal	358	2.76
5310MHz	Pass	PK	10.61918G	54.22	74.00	-19.78	3	Horizontal	187	1.15
5310MHz	Pass	PK	15.92974G	57.16	74.00	-16.84	3	Horizontal	358	2.76
5510MHz	Pass	AV	5.4596G	46.30	54.00	-7.70	3	Vertical	14	1.88
5510MHz	Pass	AV	5.5232G	93.20	Inf	-Inf	3	Vertical	14	1.88
5510MHz	Pass	PK	5.4572G	60.97	74.00	-13.03	3	Vertical	14	1.88
5510MHz	Pass	PK	5.4696G	60.04	68.20	-8.16	3	Vertical	14	1.88
5510MHz	Pass	PK	5.5232G	104.77	Inf	-Inf	3	Vertical	14	1.88
5510MHz	Pass	AV	5.458G	47.87	54.00	-6.13	3	Horizontal	310	1.95
5510MHz	Pass	AV	5.506G	104.17	Inf	-Inf	3	Horizontal	310	1.95
5510MHz	Pass	PK	5.4548G	63.43	74.00	-10.57	3	Horizontal	310	1.95
5510MHz	Pass	PK	5.462G	64.88	68.20	-3.32	3	Horizontal	310	1.95
5510MHz	Pass	PK	5.5052G	115.75	Inf	-Inf	3	Horizontal	310	1.95
5510MHz	Pass	AV	11.0205G	41.47	54.00	-12.53	3	Vertical	124	1.76
5510MHz	Pass	PK	11.01982G	53.79	74.00	-20.21	3	Vertical	124	1.76
5510MHz	Pass	PK	16.52994G	57.79	68.20	-10.41	3	Vertical	123	1.61
5510MHz	Pass	AV	11.02039G	41.47	54.00	-12.53	3	Horizontal	360	1.56
5510MHz	Pass	PK	11.02054G	54.34	74.00	-19.66	3	Horizontal	360	1.56
5510MHz	Pass	PK	16.52921G	57.37	68.20	-10.83	3	Horizontal	270	1.39
5550MHz	Pass	AV	5.4596G	46.30	54.00	-7.70	3	Vertical	305	1.74
5550MHz	Pass	AV	5.5352G	95.07	Inf	-Inf	3	Vertical	305	1.74
5550MHz	Pass	PK	5.4548G	58.92	74.00	-15.08	3	Vertical	305	1.74
5550MHz	Pass	PK	5.466G	59.69	68.20	-8.51	3	Vertical	305	1.74
5550MHz	Pass	PK	5.536G	105.72	Inf	-Inf	3	Vertical	305	1.74
5550MHz	Pass	AV	5.4544G	46.64	54.00	-7.36	3	Horizontal	322	1.49
5550MHz	Pass	AV	5.5324G	105.01	Inf	-Inf	3	Horizontal	322	1.49
5550MHz	Pass	PK	5.4556G	58.75	74.00	-15.25	3	Horizontal	322	1.49
5550MHz	Pass	PK	5.466G	59.05	68.20	-9.15	3	Horizontal	322	1.49
5550MHz	Pass	PK	5.5328G	115.54	Inf	-Inf	3	Horizontal	322	1.49
5550MHz	Pass	AV	11.10064G	41.63	54.00	-12.37	3	Vertical	77	2.70
5550MHz	Pass	PK	11.10094G	54.28	74.00	-19.72	3	Vertical	77	2.70
5550MHz	Pass	PK	16.64998G	58.07	68.20	-10.13	3	Vertical	145	1.04
5550MHz	Pass	AV	11.10023G	41.63	54.00	-12.37	3	Horizontal	18	2.97
5550MHz	Pass	PK	11.09942G	54.50	74.00	-19.50	3	Horizontal	18	2.97
5550MHz	Pass	PK	16.64913G	57.74	68.20	-10.46	3	Horizontal	173	1.50
5670MHz	Pass	AV	5.6586G	96.51	Inf	-Inf	3	Vertical	302	2.35
5670MHz	Pass	PK	5.6574G	106.89	Inf	-Inf	3	Vertical	302	2.35
5670MHz	Pass	PK	5.7258G	62.81	68.20	-5.39	3	Vertical	302	2.35
5670MHz	Pass	AV	5.6646G	104.56	Inf	-Inf	3	Horizontal	317	1.49
5670MHz	Pass	PK	5.6628G	115.55	Inf	-Inf	3	Horizontal	317	1.49
5670MHz	Pass	PK	5.7282G	67.50	68.20	-0.70	3	Horizontal	317	1.49
5670MHz	Pass	AV	11.33928G	41.96	54.00	-12.04	3	Vertical	316	2.11
5670MHz	Pass	PK	11.33905G	54.03	74.00	-19.97	3	Vertical	316	2.11
5670MHz	Pass	PK	17.00974G	58.27	68.20	-9.93	3	Vertical	265	2.73
5670MHz	Pass	AV	11.33992G	41.96	54.00	-12.04	3	Horizontal	135	1.85
5670MHz	Pass	PK	11.34023G	54.36	74.00	-19.64	3	Horizontal	135	1.85
5670MHz	Pass	PK	17.01089G	57.47	68.20	-10.73	3	Horizontal	220	1.89
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4592G	46.30	54.00	-7.70	3	Vertical	299	1.99



RSE TX above 1GHz_5150-5850(MHz)_Beamforming

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6968G	99.49	Inf	-Inf	3	Vertical	299	1.99
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4472G	59.05	74.00	-14.95	3	Vertical	299	1.99
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4652G	58.82	68.20	-9.38	3	Vertical	299	1.99
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.6968G	110.09	Inf	-Inf	3	Vertical	299	1.99
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9488G	61.83	68.20	-6.37	3	Vertical	299	1.99
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4532G	46.64	54.00	-7.36	3	Horizontal	315	1.88
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7052G	105.90	Inf	-Inf	3	Horizontal	315	1.88
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.46G	58.96	74.00	-15.04	3	Horizontal	315	1.88
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4604G	58.96	68.20	-9.24	3	Horizontal	315	1.88
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.692G	114.46	Inf	-Inf	3	Horizontal	315	1.88
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9008G	61.60	68.20	-6.60	3	Horizontal	315	1.88
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4191G	41.65	54.00	-12.35	3	Vertical	72	2.85
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41951G	54.61	74.00	-19.39	3	Vertical	72	2.85
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12908G	58.53	68.20	-9.67	3	Vertical	51	2.60
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41919G	41.75	54.00	-12.25	3	Horizontal	274	1.77
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4194G	53.91	74.00	-20.09	3	Horizontal	274	1.77
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12968G	58.93	68.20	-9.27	3	Horizontal	74	2.00
5755MHz	Pass	AV	5.4598G	46.31	54.00	-7.69	3	Vertical	317	1.96
5755MHz	Pass	AV	5.7502G	98.17	Inf	-Inf	3	Vertical	317	1.96
5755MHz	Pass	PK	5.557G	60.09	68.20	-8.11	3	Vertical	317	1.96
5755MHz	Pass	PK	5.7466G	105.20	Inf	-Inf	3	Vertical	317	1.96
5755MHz	Pass	PK	5.9626G	61.92	68.20	-6.28	3	Vertical	317	1.96
5755MHz	Pass	AV	5.4598G	46.50	54.00	-7.50	3	Horizontal	309	1.49
5755MHz	Pass	AV	5.7478G	103.12	Inf	-Inf	3	Horizontal	309	1.49
5755MHz	Pass	PK	5.5462G	59.52	68.20	-8.68	3	Horizontal	309	1.49
5755MHz	Pass	PK	5.7502G	113.56	Inf	-Inf	3	Horizontal	309	1.49
5755MHz	Pass	PK	6.0118G	60.74	68.20	-7.46	3	Horizontal	309	1.49
5755MHz	Pass	AV	11.50903G	41.69	54.00	-12.31	3	Vertical	352	1.34
5755MHz	Pass	PK	11.50931G	54.54	74.00	-19.46	3	Vertical	352	1.34
5755MHz	Pass	PK	17.26483G	59.20	68.20	-9.00	3	Vertical	41	1.68
5755MHz	Pass	AV	11.51056G	41.71	54.00	-12.29	3	Horizontal	323	2.56
5755MHz	Pass	PK	11.50979G	53.60	74.00	-20.40	3	Horizontal	323	2.56
5755MHz	Pass	PK	17.26468G	58.68	68.20	-9.52	3	Horizontal	236	2.11
5795MHz	Pass	AV	5.7782G	98.39	Inf	-Inf	3	Vertical	360	1.83
5795MHz	Pass	PK	5.5946G	59.00	68.20	-9.20	3	Vertical	360	1.83
5795MHz	Pass	PK	5.7782G	107.76	Inf	-Inf	3	Vertical	360	1.83
5795MHz	Pass	PK	6.0446G	61.79	68.20	-6.41	3	Vertical	360	1.83
5795MHz	Pass	AV	5.7866G	104.25	Inf	-Inf	3	Horizontal	314	1.30
5795MHz	Pass	PK	5.5766G	59.44	68.20	-8.76	3	Horizontal	314	1.30
5795MHz	Pass	PK	5.7878G	113.52	Inf	-Inf	3	Horizontal	314	1.30
5795MHz	Pass	PK	6.071G	61.55	68.20	-6.65	3	Horizontal	314	1.30
5795MHz	Pass	AV	11.56444G	42.96	54.00	-11.04	3	Vertical	14	1.00
5795MHz	Pass	PK	11.61484G	54.79	74.00	-19.21	3	Vertical	14	1.00
5795MHz	Pass	PK	17.39832G	59.88	68.20	-8.32	3	Vertical	288	1.74
5795MHz	Pass	AV	11.56132G	43.74	54.00	-10.26	3	Horizontal	63	1.64
5795MHz	Pass	PK	11.5732G	55.12	74.00	-18.88	3	Horizontal	63	1.64
5795MHz	Pass	PK	17.37624G	62.13	68.20	-6.07	3	Horizontal	322	2.27
802.11ax HEW80-BF_Nss1_(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.148G	50.83	54.00	-3.17	3	Vertical	323	2.97
5210MHz	Pass	AV	5.198G	93.10	Inf	-Inf	3	Vertical	323	2.97
5210MHz	Pass	AV	5.445G	50.41	54.00	-3.59	3	Vertical	323	2.97
5210MHz	Pass	PK	5.131G	65.18	74.00	-8.82	3	Vertical	323	2.97
5210MHz	Pass	PK	5.199G	111.12	Inf	-Inf	3	Vertical	323	2.97
5210MHz	Pass	PK	5.368G	58.81	74.00	-15.19	3	Vertical	323	2.97
5210MHz	Pass	AV	5.148G	51.58	54.00	-2.42	3	Horizontal	309	1.85
5210MHz	Pass	AV	5.236G	101.76	Inf	-Inf	3	Horizontal	309	1.85
5210MHz	Pass	AV	5.405G	50.64	54.00	-3.36	3	Horizontal	309	1.85
5210MHz	Pass	PK	5.134G	69.63	74.00	-4.37	3	Horizontal	309	1.85
5210MHz	Pass	PK	5.203G	118.96	Inf	-Inf	3	Horizontal	309	1.85
5210MHz	Pass	PK	5.353G	60.02	74.00	-13.98	3	Horizontal	309	1.85
5210MHz	Pass	PK	10.41947G	54.01	68.20	-14.19	3	Vertical	194	2.29
5210MHz	Pass	PK	10.42096G	54.21	68.20	-13.99	3	Horizontal	82	2.44



RSE TX above 1GHz_5150-5850(MHz)_Beamforming

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz	Pass	AV	5.109G	50.68	54.00	-3.32	3	Vertical	15	2.92
5290MHz	Pass	AV	5.282G	89.55	Inf	-Inf	3	Vertical	15	2.92
5290MHz	Pass	AV	5.364G	50.49	54.00	-3.51	3	Vertical	15	2.92
5290MHz	Pass	PK	5.075G	59.88	74.00	-14.12	3	Vertical	15	2.92
5290MHz	Pass	PK	5.273G	105.29	Inf	-Inf	3	Vertical	15	2.92
5290MHz	Pass	PK	5.367G	60.35	74.00	-13.65	3	Vertical	15	2.92
5290MHz	Pass	PK	5.471G	59.34	68.20	-8.86	3	Vertical	15	2.92
5290MHz	Pass	AV	5.146G	50.71	54.00	-3.29	3	Horizontal	320	1.50
5290MHz	Pass	AV	5.327G	100.93	Inf	-Inf	3	Horizontal	320	1.50
5290MHz	Pass	AV	5.353G	52.10	54.00	-1.90	3	Horizontal	320	1.50
5290MHz	Pass	PK	5.124G	59.67	74.00	-14.33	3	Horizontal	320	1.50
5290MHz	Pass	PK	5.283G	115.66	Inf	-Inf	3	Horizontal	320	1.50
5290MHz	Pass	PK	5.353G	73.56	74.00	-0.44	3	Horizontal	320	1.50
5290MHz	Pass	PK	5.535G	60.31	68.20	-7.89	3	Horizontal	320	1.50
5290MHz	Pass	PK	10.58093G	55.53	68.20	-12.67	3	Vertical	63	1.55
5290MHz	Pass	PK	10.57954G	55.07	68.20	-13.13	3	Horizontal	159	1.23
5530MHz	Pass	AV	5.35G	49.93	54.00	-4.07	3	Vertical	10	1.85
5530MHz	Pass	AV	5.452G	50.34	54.00	-3.66	3	Vertical	10	1.85
5530MHz	Pass	AV	5.498G	89.19	Inf	-Inf	3	Vertical	10	1.85
5530MHz	Pass	PK	5.297G	59.14	68.20	-9.06	3	Vertical	10	1.85
5530MHz	Pass	PK	5.429G	58.93	74.00	-15.07	3	Vertical	10	1.85
5530MHz	Pass	PK	5.469G	58.97	68.20	-9.23	3	Vertical	10	1.85
5530MHz	Pass	PK	5.523G	101.53	Inf	-Inf	3	Vertical	10	1.85
5530MHz	Pass	PK	5.744G	60.45	68.20	-7.75	3	Vertical	10	1.85
5530MHz	Pass	AV	5.35G	50.20	54.00	-3.80	3	Horizontal	322	1.50
5530MHz	Pass	AV	5.435G	50.84	54.00	-3.16	3	Horizontal	322	1.50
5530MHz	Pass	AV	5.513G	100.09	Inf	-Inf	3	Horizontal	322	1.50
5530MHz	Pass	PK	5.31G	59.06	68.20	-9.14	3	Horizontal	322	1.50
5530MHz	Pass	PK	5.447G	62.02	74.00	-11.98	3	Horizontal	322	1.50
5530MHz	Pass	PK	5.468G	61.87	68.20	-6.33	3	Horizontal	322	1.50
5530MHz	Pass	PK	5.524G	114.97	Inf	-Inf	3	Horizontal	322	1.50
5530MHz	Pass	PK	5.778G	60.71	68.20	-7.49	3	Horizontal	322	1.50
5530MHz	Pass	AV	11.06005G	42.52	54.00	-11.48	3	Vertical	118	1.53
5530MHz	Pass	PK	11.05984G	53.86	74.00	-20.14	3	Vertical	118	1.53
5530MHz	Pass	AV	11.06029G	42.52	54.00	-11.48	3	Horizontal	125	1.88
5530MHz	Pass	PK	11.05921G	54.17	74.00	-19.83	3	Horizontal	125	1.88
5610MHz	Pass	AV	5.449G	50.38	54.00	-3.62	3	Vertical	340	2.98
5610MHz	Pass	AV	5.603G	90.94	Inf	-Inf	3	Vertical	340	2.98
5610MHz	Pass	PK	5.391G	59.99	74.00	-14.01	3	Vertical	340	2.98
5610MHz	Pass	PK	5.467G	59.05	68.20	-9.15	3	Vertical	340	2.98
5610MHz	Pass	PK	5.602G	112.65	Inf	-Inf	3	Vertical	340	2.98
5610MHz	Pass	PK	5.86G	61.58	68.20	-6.62	3	Vertical	340	2.98
5610MHz	Pass	AV	5.454G	50.56	54.00	-3.44	3	Horizontal	316	1.50
5610MHz	Pass	AV	5.584G	100.97	Inf	-Inf	3	Horizontal	316	1.50
5610MHz	Pass	PK	5.453G	66.89	74.00	-7.11	3	Horizontal	316	1.50
5610MHz	Pass	PK	5.461G	61.55	68.20	-6.65	3	Horizontal	316	1.50
5610MHz	Pass	PK	5.603G	118.60	Inf	-Inf	3	Horizontal	316	1.50
5610MHz	Pass	PK	5.734G	64.19	68.20	-4.01	3	Horizontal	316	1.50
5610MHz	Pass	AV	11.22032G	42.76	54.00	-11.24	3	Vertical	171	2.92
5610MHz	Pass	PK	11.21908G	54.36	74.00	-19.64	3	Vertical	171	2.92
5610MHz	Pass	AV	11.21902G	42.66	54.00	-11.34	3	Horizontal	333	1.03
5610MHz	Pass	PK	11.21903G	54.31	74.00	-19.69	3	Horizontal	333	1.03
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4524G	50.25	54.00	-3.75	3	Vertical	300	1.94
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6912G	91.01	Inf	-Inf	3	Vertical	300	1.94
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4368G	59.63	74.00	-14.37	3	Vertical	300	1.94
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	59.56	68.20	-8.64	3	Vertical	300	1.94
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6756G	111.34	Inf	-Inf	3	Vertical	300	1.94
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9732G	62.34	68.20	-5.86	3	Vertical	300	1.94
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	50.37	54.00	-3.63	3	Horizontal	317	1.77
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6852G	99.26	Inf	-Inf	3	Horizontal	317	1.77
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.444G	59.59	74.00	-14.41	3	Horizontal	317	1.77
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	59.59	68.20	-8.61	3	Horizontal	317	1.77



RSE TX above 1GHz_5150-5850(MHz)_Beamforming


Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6852G	119.53	Inf	-Inf	3	Horizontal	317	1.77
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9096G	61.92	68.20	-6.28	3	Horizontal	317	1.77
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37946G	43.00	54.00	-11.00	3	Vertical	284	1.63
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38001G	54.29	74.00	-19.71	3	Vertical	284	1.63
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37906G	42.91	54.00	-11.09	3	Horizontal	173	1.24
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3795G	54.60	74.00	-19.40	3	Horizontal	173	1.24
5775MHz	Pass	AV	5.7426G	91.45	Inf	-Inf	3	Vertical	307	1.72
5775MHz	Pass	PK	5.6394G	60.11	68.20	-8.09	3	Vertical	307	1.72
5775MHz	Pass	PK	5.7726G	109.57	Inf	-Inf	3	Vertical	307	1.72
5775MHz	Pass	PK	6.075G	61.69	68.20	-6.51	3	Vertical	307	1.72
5775MHz	Pass	AV	5.7462G	98.65	Inf	-Inf	3	Horizontal	315	1.24
5775MHz	Pass	PK	5.6166G	61.86	68.20	-6.34	3	Horizontal	315	1.24
5775MHz	Pass	PK	5.7654G	116.14	Inf	-Inf	3	Horizontal	315	1.24
5775MHz	Pass	PK	6.0402G	63.01	68.20	-5.19	3	Horizontal	315	1.24
5775MHz	Pass	AV	11.54987G	42.91	54.00	-11.09	3	Vertical	174	2.75
5775MHz	Pass	PK	11.55004G	55.02	74.00	-18.98	3	Vertical	174	2.75
5775MHz	Pass	AV	11.54967G	42.82	54.00	-11.18	3	Horizontal	66	1.95
5775MHz	Pass	PK	11.55099G	54.57	74.00	-19.43	3	Horizontal	66	1.95
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1348G	51.69	54.00	-2.31	3	Vertical	22	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2332G	85.77	Inf	-Inf	3	Vertical	22	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.352G	51.61	54.00	-2.39	3	Vertical	22	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1336G	60.38	74.00	-13.62	3	Vertical	22	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1828G	100.24	Inf	-Inf	3	Vertical	22	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.37G	63.44	74.00	-10.56	3	Vertical	22	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.5452G	58.98	68.20	-9.22	3	Vertical	22	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1768G	109.66	Inf	-Inf	3	Horizontal	57	1.47
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1384G	71.03	74.00	-2.97	3	Horizontal	57	1.47
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3808G	73.84	74.00	-0.16	3	Horizontal	57	1.47
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4648G	61.77	68.20	-6.43	3	Horizontal	57	1.47
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.178G	93.43	Inf	-Inf	3	Horizontal	57	1.47
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.148G	52.12	54.00	-1.88	3	Horizontal	57	1.47
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3784G	53.77	54.00	-0.23	3	Horizontal	57	1.47
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50019G	54.48	68.20	-13.72	3	Vertical	325	2.14
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.49995G	54.76	68.20	-13.44	3	Horizontal	181	2.41
5570MHz	Pass	AV	5.4356G	51.48	54.00	-2.52	3	Vertical	326	1.50
5570MHz	Pass	AV	5.576G	84.61	Inf	-Inf	3	Vertical	326	1.50
5570MHz	Pass	PK	5.3288G	59.39	68.20	-8.81	3	Vertical	326	1.50
5570MHz	Pass	PK	5.354G	58.70	74.00	-15.30	3	Vertical	326	1.50
5570MHz	Pass	PK	5.4656G	58.37	68.20	-9.83	3	Vertical	326	1.50
5570MHz	Pass	PK	5.4944G	100.16	Inf	-Inf	3	Vertical	326	1.50
5570MHz	Pass	PK	5.8196G	60.96	68.20	-7.24	3	Vertical	326	1.50
5570MHz	Pass	AV	5.4464G	52.69	54.00	-1.31	3	Horizontal	307	1.57
5570MHz	Pass	AV	5.492G	98.56	Inf	-Inf	3	Horizontal	307	1.57
5570MHz	Pass	PK	5.27G	63.75	68.20	-4.45	3	Horizontal	307	1.57
5570MHz	Pass	PK	5.4512G	69.55	74.00	-4.45	3	Horizontal	307	1.57
5570MHz	Pass	PK	5.4668G	63.80	68.20	-4.40	3	Horizontal	307	1.57
5570MHz	Pass	PK	5.5028G	112.42	Inf	-Inf	3	Horizontal	307	1.57
5570MHz	Pass	PK	5.7284G	63.10	68.20	-5.10	3	Horizontal	307	1.57
5570MHz	Pass	AV	11.14075G	43.56	54.00	-10.44	3	Vertical	202	2.51
5570MHz	Pass	PK	11.13984G	55.01	74.00	-18.99	3	Vertical	202	2.51
5570MHz	Pass	AV	11.14093G	43.92	54.00	-10.08	3	Horizontal	247	2.36
5570MHz	Pass	PK	11.14068G	54.80	74.00	-19.20	3	Horizontal	247	2.36



5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	49.64	54.00	-4.36	6.15	3	Vertical	320	2.60	43.49	33.20	7.21	34.26
AV	5.1874G	99.99	Inf	-Inf	6.22	3	Vertical	320	2.60	93.77	33.20	7.28	34.26
PK	5.15G	63.96	74.00	-10.04	6.15	3	Vertical	320	2.60	57.81	33.20	7.21	34.26
PK	5.1866G	110.09	Inf	-Inf	6.22	3	Vertical	320	2.60	103.87	33.20	7.28	34.26

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1454G	52.11	54.00	-1.89	6.13	3	Horizontal	306	1.94	45.98	33.19	7.20	34.26
AV	5.1838G	112.22	Inf	-Inf	6.22	3	Horizontal	306	1.94	106.00	33.20	7.28	34.26
PK	5.1494G	70.57	74.00	-3.43	6.15	3	Horizontal	306	1.94	64.42	33.20	7.21	34.26
PK	5.1832G	122.09	Inf	-Inf	6.22	3	Horizontal	306	1.94	115.98	33.20	7.28	34.26

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54216G	45.56	54.00	-8.44	17.10	3	Vertical	360	1.91	28.46	38.76	12.52	34.18
PK	10.36296G	63.00	68.20	-5.20	14.38	3	Vertical	35	1.50	48.62	38.96	10.33	34.91
PK	15.5466G	57.19	74.00	-16.81	17.09	3	Vertical	360	1.91	40.10	38.75	12.52	34.18

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54004G	46.23	54.00	-7.77	17.10	3	Horizontal	236	2.33	29.13	38.76	12.52	34.18
PK	10.365G	64.96	68.20	-3.24	14.39	3	Horizontal	311	1.55	50.57	38.97	10.33	34.91
PK	15.53024G	59.57	74.00	-14.43	17.12	3	Horizontal	236	2.33	42.45	38.77	12.52	34.17



5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	47.19	54.00	-6.81	6.15	3	Vertical	305	1.96	41.04	33.20	7.21	34.26
AV	5.2028G	100.85	Inf	-Inf	6.24	3	Vertical	305	1.96	94.61	33.19	7.31	34.26
PK	5.1376G	60.22	74.00	-13.78	6.11	3	Vertical	305	1.96	54.11	33.18	7.19	34.26
PK	5.2032G	110.47	Inf	-Inf	6.24	3	Vertical	305	1.96	104.23	33.19	7.31	34.26

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1428G	47.40	54.00	-6.60	6.13	3	Horizontal	306	1.75	41.27	33.19	7.20	34.26
AV	5.2028G	112.42	Inf	-Inf	6.24	3	Horizontal	306	1.75	106.18	33.19	7.31	34.26
PK	5.1376G	59.75	74.00	-14.25	6.11	3	Horizontal	306	1.75	53.64	33.18	7.19	34.26
PK	5.2024G	122.57	Inf	-Inf	6.25	3	Horizontal	306	1.75	116.32	33.20	7.31	34.26

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60248G	45.53	54.00	-8.47	17.06	3	Vertical	25	1.44	28.47	38.69	12.55	34.18
PK	10.40156G	61.80	68.20	-6.40	14.46	3	Vertical	36	1.37	47.34	39.00	10.35	34.89
PK	15.60368G	57.62	74.00	-16.38	17.06	3	Vertical	25	1.44	40.56	38.69	12.55	34.18

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59964G	45.67	54.00	-8.33	17.07	3	Horizontal	36	1.37	28.60	38.70	12.55	34.18
PK	10.4045G	63.16	68.20	-5.04	14.47	3	Horizontal	316	1.66	48.69	39.00	10.35	34.88
PK	15.59068G	58.64	74.00	-15.36	17.08	3	Horizontal	36	1.37	41.56	38.71	12.55	34.18



5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1128G	47.10	54.00	-6.90	6.01	3	Vertical	309	1.04	41.09	33.13	7.14	34.26
AV	5.2394G	98.93	Inf	-Inf	6.15	3	Vertical	309	1.04	92.78	33.12	7.29	34.26
AV	5.384G	46.72	54.00	-7.28	5.95	3	Vertical	309	1.04	40.77	32.97	7.23	34.25
PK	5.1122G	59.37	74.00	-14.63	5.99	3	Vertical	309	1.04	53.38	33.12	7.13	34.26
PK	5.2376G	108.41	Inf	-Inf	6.15	3	Vertical	309	1.04	102.26	33.12	7.29	34.26
PK	5.3876G	57.93	74.00	-16.07	5.96	3	Vertical	309	1.04	51.97	32.98	7.23	34.25

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	47.37	54.00	-6.63	6.15	3	Horizontal	307	1.89	41.22	33.20	7.21	34.26
AV	5.243G	111.98	Inf	-Inf	6.14	3	Horizontal	307	1.89	105.84	33.11	7.29	34.26
AV	5.3762G	47.26	54.00	-6.74	5.93	3	Horizontal	307	1.89	41.33	32.95	7.23	34.25
PK	5.1266G	59.16	74.00	-14.84	6.05	3	Horizontal	307	1.89	53.11	33.15	7.16	34.26
PK	5.2436G	122.22	Inf	-Inf	6.14	3	Horizontal	307	1.89	116.08	33.11	7.29	34.26
PK	5.3882G	59.18	74.00	-14.82	5.96	3	Horizontal	307	1.89	53.22	32.98	7.23	34.25



5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71988G	45.85	54.00	-8.15	16.81	3	Vertical	0	1.37	29.04	38.40	12.61	34.20
PK	10.4821G	60.25	68.20	-7.95	14.54	3	Vertical	36	1.50	45.71	39.00	10.38	34.84
PK	15.7232G	56.64	74.00	-17.36	16.81	3	Vertical	0	1.37	39.83	38.40	12.61	34.20

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72G	46.11	54.00	-7.89	16.81	3	Horizontal	240	2.18	29.30	38.40	12.61	34.20
PK	10.4818G	63.27	68.20	-4.93	14.54	3	Horizontal	327	2.17	48.73	39.00	10.38	34.84
PK	15.71956G	58.28	74.00	-15.72	16.81	3	Horizontal	240	2.18	41.47	38.40	12.61	34.20

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	47.18	54.00	-6.82	6.15	3	Vertical	344	2.81	41.03	33.20	7.21	34.26
AV	5.2582G	101.95	Inf	-Inf	6.11	3	Vertical	344	2.81	95.84	33.08	7.28	34.25
AV	5.383G	46.72	54.00	-7.28	5.95	3	Vertical	344	2.81	40.77	32.97	7.23	34.25
PK	5.1142G	59.09	74.00	-14.91	6.01	3	Vertical	344	2.81	53.08	33.13	7.14	34.26
PK	5.2594G	112.07	Inf	-Inf	6.11	3	Vertical	344	2.81	105.96	33.08	7.28	34.25
PK	5.3962G	59.47	74.00	-14.53	5.96	3	Vertical	344	2.81	53.51	32.99	7.22	34.25

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1382G	47.42	54.00	-6.58	6.11	3	Horizontal	315	1.94	41.31	33.18	7.19	34.26
AV	5.2636G	111.83	Inf	-Inf	6.10	3	Horizontal	315	1.94	105.73	33.07	7.28	34.25
AV	5.4094G	47.59	54.00	-6.41	5.98	3	Horizontal	315	1.94	41.61	33.00	7.23	34.25
PK	5.1478G	59.97	74.00	-14.03	6.15	3	Horizontal	315	1.94	53.82	33.20	7.21	34.26
PK	5.2516G	121.07	Inf	-Inf	6.14	3	Horizontal	315	1.94	114.93	33.10	7.29	34.25
PK	5.4082G	60.60	74.00	-13.40	5.98	3	Horizontal	315	1.94	54.62	33.00	7.23	34.25



5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77536G	45.76	54.00	-8.24	16.82	3	Vertical	222	1.50	28.94	38.40	12.63	34.21
PK	10.51764G	60.81	68.20	-7.39	14.57	3	Vertical	12	1.66	46.24	39.00	10.39	34.82
PK	15.78476G	58.57	74.00	-15.43	16.83	3	Vertical	222	1.50	41.74	38.40	12.64	34.21

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77672G	45.68	54.00	-8.32	16.82	3	Horizontal	273	2.23	28.86	38.40	12.63	34.21
PK	10.5206G	60.64	68.20	-7.56	14.58	3	Horizontal	329	2.15	46.06	39.00	10.40	34.82
PK	15.7854G	57.52	74.00	-16.48	16.83	3	Horizontal	273	2.23	40.69	38.40	12.64	34.21



5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3072G	98.55	Inf	-Inf	6.00	3	Vertical	329	2.70	92.55	32.99	7.26	34.25
AV	5.3832G	46.72	54.00	-7.28	5.95	3	Vertical	329	2.70	40.77	32.97	7.23	34.25
PK	5.2968G	110.38	Inf	-Inf	6.03	3	Vertical	329	2.70	104.35	33.01	7.27	34.25
PK	5.3968G	59.51	74.00	-14.49	5.96	3	Vertical	329	2.70	53.55	32.99	7.22	34.25

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3012G	110.29	Inf	-Inf	6.01	3	Horizontal	318	1.50	104.28	33.00	7.26	34.25
AV	5.3632G	47.09	54.00	-6.91	5.92	3	Horizontal	318	1.50	41.17	32.93	7.24	34.25
PK	5.302G	119.56	Inf	-Inf	6.01	3	Horizontal	318	1.50	113.55	33.00	7.26	34.25
PK	5.3844G	59.66	74.00	-14.34	5.95	3	Horizontal	318	1.50	53.71	32.97	7.23	34.25



5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89664G	45.22	54.00	-8.78	16.67	3	Vertical	104	1.72	28.55	38.21	12.69	34.23
PK	10.59664G	58.57	68.20	-9.63	14.66	3	Vertical	12	1.00	43.91	39.00	10.43	34.77
PK	15.88352G	57.58	74.00	-16.42	16.69	3	Vertical	104	1.72	40.89	38.23	12.68	34.22

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6004G	46.38	54.00	-7.62	14.67	3	Horizontal	326	1.02	31.71	39.00	10.43	34.76
AV	15.898G	45.21	54.00	-8.79	16.66	3	Horizontal	194	2.00	28.55	38.20	12.69	34.23
PK	10.59936G	59.23	68.20	-8.97	14.67	3	Horizontal	326	1.02	44.56	39.00	10.43	34.76
PK	15.90016G	57.30	74.00	-16.70	16.66	3	Horizontal	194	2.00	40.64	38.20	12.69	34.23



5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3152G	100.82	Inf	-Inf	5.98	3	Vertical	346	2.12	94.84	32.97	7.26	34.25
AV	5.354G	46.88	54.00	-7.12	5.90	3	Vertical	346	2.12	40.98	32.91	7.24	34.25
PK	5.3148G	110.58	Inf	-Inf	5.98	3	Vertical	346	2.12	104.60	32.97	7.26	34.25
PK	5.3614G	59.35	74.00	-14.65	5.91	3	Vertical	346	2.12	53.44	32.92	7.24	34.25

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3238G	112.03	Inf	-Inf	5.95	3	Horizontal	315	1.92	106.08	32.95	7.25	34.25
AV	5.351G	48.54	54.00	-5.46	5.89	3	Horizontal	315	1.92	42.65	32.90	7.24	34.25
PK	5.3234G	121.91	Inf	-Inf	5.95	3	Horizontal	315	1.92	115.96	32.95	7.25	34.25
PK	5.3534G	64.47	74.00	-9.53	5.90	3	Horizontal	315	1.92	58.57	32.91	7.24	34.25



5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6428G	45.86	54.00	-8.14	14.84	3	Vertical	10	1.55	31.02	39.13	10.45	34.74
AV	15.95072G	45.08	54.00	-8.92	16.64	3	Vertical	281	1.50	28.44	38.15	12.72	34.23
PK	10.64364G	59.39	74.00	-14.61	14.84	3	Vertical	10	1.55	44.55	39.13	10.45	34.74
PK	15.96292G	58.67	74.00	-15.33	16.63	3	Vertical	281	1.50	42.04	38.14	12.72	34.23

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64G	46.34	54.00	-7.66	14.83	3	Horizontal	327	1.01	31.51	39.12	10.45	34.74
AV	15.9538G	45.15	54.00	-8.85	16.64	3	Horizontal	30	1.50	28.51	38.15	12.72	34.23
PK	10.64088G	58.85	74.00	-15.15	14.83	3	Horizontal	327	1.01	44.02	39.12	10.45	34.74
PK	15.95076G	58.55	74.00	-15.45	16.64	3	Horizontal	30	1.50	41.91	38.15	12.72	34.23



5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.99	54.00	-7.01	6.04	3	Vertical	332	3.00	40.95	33.00	7.28	34.24
AV	5.4928G	101.60	Inf	-Inf	6.07	3	Vertical	332	3.00	95.53	33.00	7.31	34.24
PK	5.459G	59.62	74.00	-14.38	6.04	3	Vertical	332	3.00	53.58	33.00	7.28	34.24
PK	5.4694G	59.24	68.20	-8.96	6.05	3	Vertical	332	3.00	53.19	33.00	7.29	34.24
PK	5.493G	111.94	Inf	-Inf	6.07	3	Vertical	332	3.00	105.87	33.00	7.31	34.24

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	47.88	54.00	-6.12	6.04	3	Horizontal	324	1.58	41.84	33.00	7.28	34.24
AV	5.5018G	109.31	Inf	-Inf	6.08	3	Horizontal	324	1.58	103.23	33.00	7.32	34.24
PK	5.4562G	60.48	74.00	-13.52	6.04	3	Horizontal	324	1.58	54.44	33.00	7.28	34.24
PK	5.47G	61.62	68.20	-6.58	6.05	3	Horizontal	324	1.58	55.57	33.00	7.29	34.24
PK	5.495G	120.44	Inf	-Inf	6.08	3	Horizontal	324	1.58	114.36	33.00	7.32	34.24



5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00028G	45.13	54.00	-8.87	15.10	3	Vertical	360	1.04	30.03	39.00	10.60	34.50
PK	11.00076G	58.74	74.00	-15.26	15.10	3	Vertical	360	1.04	43.64	39.00	10.60	34.50
PK	16.49888G	59.67	68.20	-8.53	17.88	3	Vertical	360	1.01	41.79	38.50	13.26	33.88

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00128G	44.95	54.00	-9.05	15.10	3	Horizontal	320	1.82	29.85	39.00	10.60	34.50
PK	11.00072G	58.17	74.00	-15.83	15.10	3	Horizontal	320	1.82	43.07	39.00	10.60	34.50
PK	16.49112G	58.96	68.20	-9.24	17.82	3	Horizontal	210	1.50	41.14	38.46	13.25	33.89



5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.448G	46.91	54.00	-7.09	6.03	3	Vertical	328	2.85	40.88	33.00	7.27	34.24
AV	5.5722G	101.25	Inf	-Inf	6.17	3	Vertical	328	2.85	95.08	33.04	7.39	34.26
PK	5.4564G	59.25	74.00	-14.75	6.04	3	Vertical	328	2.85	53.21	33.00	7.28	34.24
PK	5.4696G	58.96	68.20	-9.24	6.05	3	Vertical	328	2.85	52.91	33.00	7.29	34.24
PK	5.5722G	111.00	Inf	-Inf	6.17	3	Vertical	328	2.85	104.83	33.04	7.39	34.26
PK	5.73G	60.17	68.20	-8.03	6.96	3	Vertical	328	2.85	53.21	33.82	7.45	34.31

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4342G	47.35	54.00	-6.65	6.01	3	Horizontal	323	1.91	41.34	33.00	7.25	34.24
AV	5.5866G	108.87	Inf	-Inf	6.21	3	Horizontal	323	1.91	102.66	33.07	7.41	34.27
PK	5.4324G	60.11	74.00	-13.89	6.01	3	Horizontal	323	1.91	54.10	33.00	7.25	34.24
PK	5.4624G	59.51	68.20	-8.69	6.04	3	Horizontal	323	1.91	53.47	33.00	7.28	34.24
PK	5.5842G	121.45	Inf	-Inf	6.20	3	Horizontal	323	1.91	115.25	33.07	7.40	34.27
PK	5.7252G	61.43	68.20	-6.77	6.94	3	Horizontal	323	1.91	54.49	33.80	7.45	34.31



5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15856G	44.70	54.00	-9.30	15.16	3	Vertical	342	1.79	29.54	39.00	10.66	34.50
PK	11.15192G	57.49	74.00	-16.51	15.16	3	Vertical	342	1.79	42.33	39.00	10.66	34.50
PK	16.74276G	59.75	68.20	-8.45	18.41	3	Vertical	64	1.19	41.34	38.46	13.51	33.56

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1604G	44.86	54.00	-9.14	15.16	3	Horizontal	315	1.78	29.70	39.00	10.66	34.50
PK	11.16008G	57.45	74.00	-16.55	15.16	3	Horizontal	315	1.78	42.29	39.00	10.66	34.50
PK	16.73292G	60.52	68.20	-7.68	18.39	3	Horizontal	140	1.50	42.13	38.47	13.50	33.58



5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7044G	96.46	Inf	-Inf	6.87	3	Vertical	319	2.79	89.59	33.72	7.45	34.30
PK	5.6936G	106.12	Inf	-Inf	6.76	3	Vertical	319	2.79	99.36	33.62	7.44	34.30
PK	5.7808G	61.54	68.20	-6.66	7.17	3	Vertical	319	2.79	54.37	34.02	7.47	34.32

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7036G	103.08	Inf	-Inf	6.86	3	Horizontal	319	1.87	96.22	33.71	7.45	34.30
PK	5.7016G	114.46	Inf	-Inf	6.86	3	Horizontal	319	1.87	107.60	33.71	7.45	34.30
PK	5.7252G	63.50	68.20	-4.70	6.94	3	Horizontal	319	1.87	56.56	33.80	7.45	34.31



5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4G	43.13	54.00	-10.87	15.47	3	Vertical	187	1.00	27.66	39.20	10.76	34.49
PK	11.40144G	55.80	74.00	-18.20	15.47	3	Vertical	187	1.00	40.33	39.20	10.76	34.49
PK	17.10747G	59.75	68.20	-8.45	19.00	3	Vertical	95	1.50	40.75	38.30	13.89	33.19

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40009G	43.31	54.00	-10.69	15.47	3	Horizontal	53	1.50	27.84	39.20	10.76	34.49
PK	11.4054G	55.54	74.00	-18.46	15.47	3	Horizontal	53	1.50	40.07	39.20	10.76	34.49
PK	17.09277G	60.19	68.20	-8.01	18.98	3	Horizontal	289	1.50	41.21	38.29	13.88	33.19



5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.444G	46.88	54.00	-7.12	6.02	3	Vertical	308	2.21	40.86	33.00	7.26	34.24
AV	5.7176G	101.00	Inf	-Inf	6.91	3	Vertical	308	2.21	94.09	33.77	7.45	34.31
PK	5.4212G	58.94	74.00	-15.06	6.00	3	Vertical	308	2.21	52.94	33.00	7.24	34.24
PK	5.4644G	59.70	68.20	-8.50	6.04	3	Vertical	308	2.21	53.66	33.00	7.28	34.24
PK	5.7188G	110.72	Inf	-Inf	6.92	3	Vertical	308	2.21	103.80	33.78	7.45	34.31
PK	5.9588G	62.07	68.20	-6.13	7.52	3	Vertical	308	2.21	54.55	34.18	7.72	34.38

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4476G	47.10	54.00	-6.90	6.03	3	Horizontal	325	1.60	41.07	33.00	7.27	34.24
AV	5.7224G	106.38	Inf	-Inf	6.93	3	Horizontal	325	1.60	99.45	33.79	7.45	34.31
PK	5.4476G	59.46	74.00	-14.54	6.03	3	Horizontal	325	1.60	53.43	33.00	7.27	34.24
PK	5.4644G	59.39	68.20	-8.81	6.04	3	Horizontal	325	1.60	53.35	33.00	7.28	34.24
PK	5.7236G	116.44	Inf	-Inf	6.93	3	Horizontal	325	1.60	109.51	33.79	7.45	34.31
PK	5.8616G	62.09	68.20	-6.11	7.39	3	Horizontal	325	1.60	54.70	34.17	7.57	34.35



5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44291G	43.46	54.00	-10.54	15.49	3	Vertical	32	1.00	27.97	39.20	10.78	34.49
PK	11.44612G	55.35	74.00	-18.65	15.49	3	Vertical	32	1.00	39.86	39.20	10.78	34.49
PK	17.15889G	60.67	68.20	-7.53	19.08	3	Vertical	360	1.50	41.59	38.30	13.95	33.17

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44018G	43.67	54.00	-10.33	15.49	3	Horizontal	52	1.50	28.18	39.20	10.78	34.49
PK	11.4352G	55.61	74.00	-18.39	15.49	3	Horizontal	52	1.50	40.12	39.20	10.78	34.49
PK	17.16062G	66.01	68.20	-2.19	19.08	3	Horizontal	297	1.47	46.93	38.30	13.95	33.17



5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	46.99	54.00	-7.01	6.04	3	Vertical	61	3.00	40.95	33.00	7.28	34.24
AV	5.7462G	101.30	Inf	-Inf	7.03	3	Vertical	61	3.00	94.27	33.88	7.46	34.31
PK	5.5146G	59.82	68.20	-8.38	6.09	3	Vertical	61	3.00	53.73	33.00	7.33	34.24
PK	5.7378G	108.97	Inf	-Inf	6.99	3	Vertical	61	3.00	101.98	33.85	7.45	34.31
PK	5.9814G	62.57	68.20	-5.63	7.52	3	Vertical	61	3.00	55.05	34.14	7.76	34.38

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4486G	47.10	54.00	-6.90	6.03	3	Horizontal	330	1.48	41.07	33.00	7.27	34.24
AV	5.7474G	107.73	Inf	-Inf	7.04	3	Horizontal	330	1.48	100.69	33.89	7.46	34.31
PK	5.5182G	60.72	68.20	-7.48	6.09	3	Horizontal	330	1.48	54.63	33.00	7.34	34.25
PK	5.7474G	117.34	Inf	-Inf	7.04	3	Horizontal	330	1.48	110.30	33.89	7.46	34.31
PK	6.0318G	61.78	68.20	-6.42	7.56	3	Horizontal	330	1.48	54.22	34.16	7.80	34.40



5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48574G	43.20	54.00	-10.80	15.51	3	Vertical	23	1.15	27.69	39.20	10.80	34.49
PK	11.48544G	55.91	74.00	-18.09	15.51	3	Vertical	23	1.15	40.40	39.20	10.80	34.49
PK	17.2353G	61.90	68.20	-6.30	19.22	3	Vertical	284	1.97	42.68	38.34	14.02	33.14

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48898G	42.86	54.00	-11.14	15.51	3	Horizontal	299	1.50	27.35	39.20	10.80	34.49
PK	11.48952G	55.40	74.00	-18.60	15.51	3	Horizontal	299	1.50	39.89	39.20	10.80	34.49
PK	17.23669G	67.47	68.20	-0.73	19.23	3	Horizontal	313	2.11	48.24	38.34	14.03	33.14



5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7886G	98.06	Inf	-Inf	7.19	3	Vertical	22	2.43	90.87	34.05	7.47	34.33
PK	5.4886G	60.40	68.20	-7.80	6.07	3	Vertical	22	2.43	54.33	33.00	7.31	34.24
PK	5.7898G	107.74	Inf	-Inf	7.20	3	Vertical	22	2.43	100.54	34.06	7.47	34.33
PK	5.953G	63.08	68.20	-5.12	7.52	3	Vertical	22	2.43	55.56	34.19	7.71	34.38

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7898G	106.30	Inf	-Inf	7.20	3	Horizontal	329	1.71	99.10	34.06	7.47	34.33
PK	5.6266G	60.22	68.20	-7.98	6.25	3	Horizontal	329	1.71	53.97	33.10	7.43	34.28
PK	5.7934G	117.27	Inf	-Inf	7.21	3	Horizontal	329	1.71	110.06	34.07	7.47	34.33
PK	6.049G	62.65	68.20	-5.55	7.60	3	Horizontal	329	1.71	55.05	34.20	7.81	34.41



5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56439G	43.61	54.00	-10.39	15.26	3	Vertical	24	1.00	28.35	38.94	10.83	34.51
PK	11.56409G	56.35	74.00	-17.65	15.26	3	Vertical	24	1.00	41.09	38.94	10.83	34.51
PK	17.3526G	60.87	68.20	-7.33	19.56	3	Vertical	280	1.50	41.31	38.51	14.15	33.10

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57003G	44.39	54.00	-9.61	15.23	3	Horizontal	57	1.49	29.16	38.92	10.83	34.52
PK	11.57162G	56.64	74.00	-17.36	15.22	3	Horizontal	57	1.49	41.42	38.91	10.83	34.52
PK	17.35644G	65.62	68.20	-2.58	19.57	3	Horizontal	319	1.92	46.05	38.51	14.15	33.09



5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	96.53	Inf	-Inf	7.27	3	Vertical	37	1.23	89.26	34.10	7.51	34.34
AV	5.8226G	96.53	Inf	-Inf	7.27	3	Vertical	37	1.23	89.26	34.10	7.51	34.34
PK	5.6462G	60.87	68.20	-7.33	6.25	3	Vertical	37	1.23	54.62	33.10	7.43	34.28
PK	5.8166G	107.14	Inf	-Inf	7.27	3	Vertical	37	1.23	99.87	34.10	7.50	34.33
PK	6.0146G	62.56	68.20	-5.64	7.53	3	Vertical	37	1.23	55.03	34.13	7.80	34.40

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	105.81	Inf	-Inf	7.28	3	Horizontal	95	1.77	98.53	34.10	7.52	34.34
PK	5.5286G	60.78	68.20	-7.42	6.10	3	Horizontal	95	1.77	54.68	33.00	7.35	34.25
PK	5.819G	116.42	Inf	-Inf	7.26	3	Horizontal	95	1.77	109.16	34.10	7.50	34.34
PK	6.0578G	62.36	68.20	-5.84	7.57	3	Horizontal	95	1.77	54.79	34.18	7.81	34.42



5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65504G	44.59	54.00	-9.41	15.12	3	Vertical	336	1.94	29.47	38.80	10.87	34.55
PK	11.65676G	57.26	74.00	-16.74	15.12	3	Vertical	336	1.94	42.14	38.80	10.87	34.55
PK	17.47906G	61.37	68.20	-6.83	19.91	3	Vertical	331	2.68	41.46	38.68	14.28	33.05

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64728G	44.79	54.00	-9.21	15.12	3	Horizontal	53	1.86	29.67	38.80	10.86	34.54
PK	11.64716G	57.10	74.00	-16.90	15.12	3	Horizontal	53	1.86	41.98	38.80	10.86	34.54
PK	17.4784G	66.24	68.20	-1.96	19.91	3	Horizontal	317	2.10	46.33	38.68	14.28	33.05



5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	46.88	54.00	-7.12	6.15	3	Vertical	308	2.11	40.73	33.20	7.21	34.26
AV	5.1856G	96.12	Inf	-Inf	6.22	3	Vertical	308	2.11	89.90	33.20	7.28	34.26
PK	5.15G	63.05	74.00	-10.95	6.15	3	Vertical	308	2.11	56.90	33.20	7.21	34.26
PK	5.1856G	106.63	Inf	-Inf	6.22	3	Vertical	308	2.11	100.41	33.20	7.28	34.26

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	52.42	54.00	-1.58	6.15	3	Horizontal	317	1.50	46.27	33.20	7.21	34.26
AV	5.1724G	104.36	Inf	-Inf	6.19	3	Horizontal	317	1.50	98.17	33.20	7.25	34.26
PK	5.1416G	73.46	74.00	-0.54	6.11	3	Horizontal	317	1.50	67.35	33.18	7.19	34.26
PK	5.1724G	114.51	Inf	-Inf	6.19	3	Horizontal	317	1.50	108.32	33.20	7.25	34.26



5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56911G	44.97	54.00	-9.03	17.09	3	Vertical	346	1.90	27.88	38.73	12.54	34.18
PK	10.37998G	53.86	68.20	-14.34	14.42	3	Vertical	139	2.18	39.44	38.98	10.34	34.90
PK	15.56937G	57.52	74.00	-16.48	17.09	3	Vertical	346	1.90	40.43	38.73	12.54	34.18

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56971G	45.07	54.00	-8.93	17.09	3	Horizontal	132	1.38	27.98	38.73	12.54	34.18
PK	10.37985G	53.45	68.20	-14.75	14.42	3	Horizontal	194	2.44	39.03	38.98	10.34	34.90
PK	15.57097G	56.98	74.00	-17.02	17.09	3	Horizontal	132	1.38	39.89	38.73	12.54	34.18



5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1476G	46.70	54.00	-7.30	6.15	3	Vertical	325	3.00	40.55	33.20	7.21	34.26
AV	5.2192G	101.77	Inf	-Inf	6.20	3	Vertical	325	3.00	95.57	33.16	7.30	34.26
PK	5.1348G	59.56	74.00	-14.44	6.09	3	Vertical	325	3.00	53.47	33.17	7.18	34.26
PK	5.2216G	113.46	Inf	-Inf	6.20	3	Vertical	325	3.00	107.26	33.16	7.30	34.26

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	46.88	54.00	-7.12	6.15	3	Horizontal	295	2.04	40.73	33.20	7.21	34.26
AV	5.226G	108.45	Inf	-Inf	6.19	3	Horizontal	295	2.04	102.26	33.15	7.30	34.26
PK	5.134G	62.97	74.00	-11.03	6.09	3	Horizontal	295	2.04	56.88	33.17	7.18	34.26
PK	5.226G	119.54	Inf	-Inf	6.19	3	Horizontal	295	2.04	113.35	33.15	7.30	34.26



5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.66192G	44.83	54.00	-9.17	16.90	3	Vertical	360	1.01	27.93	38.51	12.58	34.19
PK	10.44104G	56.19	68.20	-12.01	14.50	3	Vertical	29	1.22	41.69	39.00	10.36	34.86
PK	15.66348G	57.16	74.00	-16.84	16.90	3	Vertical	360	1.01	40.26	38.51	12.58	34.19

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68988G	45.41	54.00	-8.59	16.82	3	Horizontal	231	2.25	28.59	38.43	12.59	34.20
PK	10.43996G	58.35	68.20	-9.85	14.50	3	Horizontal	323	1.73	43.85	39.00	10.36	34.86
PK	15.68232G	57.69	74.00	-16.31	16.84	3	Horizontal	231	2.25	40.85	38.45	12.59	34.20



5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.252G	100.30	Inf	-Inf	6.14	3	Vertical	312	3.00	94.16	33.10	7.29	34.25
AV	5.3588G	46.22	54.00	-7.78	5.91	3	Vertical	312	3.00	40.31	32.92	7.24	34.25
PK	5.2524G	111.05	Inf	-Inf	6.14	3	Vertical	312	3.00	104.91	33.10	7.29	34.25
PK	5.3608G	58.64	74.00	-15.36	5.91	3	Vertical	312	3.00	52.73	32.92	7.24	34.25

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2648G	108.97	Inf	-Inf	6.10	3	Horizontal	303	1.97	102.87	33.07	7.28	34.25
AV	5.3592G	46.59	54.00	-7.41	5.91	3	Horizontal	303	1.97	40.68	32.92	7.24	34.25
PK	5.2644G	119.71	Inf	-Inf	6.10	3	Horizontal	303	1.97	113.61	33.07	7.28	34.25
PK	5.3564G	61.17	74.00	-12.83	5.90	3	Horizontal	303	1.97	55.27	32.91	7.24	34.25



5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80901G	45.16	54.00	-8.84	16.82	3	Vertical	248	3.00	28.34	38.38	12.65	34.21
PK	10.53956G	54.37	68.20	-13.83	14.60	3	Vertical	152	2.36	39.77	39.00	10.40	34.80
PK	15.80911G	58.57	74.00	-15.43	16.82	3	Vertical	248	3.00	41.75	38.38	12.65	34.21

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8091G	45.16	54.00	-8.84	16.82	3	Horizontal	186	2.51	28.34	38.38	12.65	34.21
PK	10.54075G	54.01	68.20	-14.19	14.60	3	Horizontal	243	1.45	39.41	39.00	10.40	34.80
PK	15.80934G	57.25	74.00	-16.75	16.82	3	Horizontal	186	2.51	40.43	38.38	12.65	34.21



5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.292G	96.98	Inf	-Inf	6.04	3	Vertical	314	3.00	90.94	33.02	7.27	34.25
AV	5.3588G	46.59	54.00	-7.41	5.91	3	Vertical	314	3.00	40.68	32.92	7.24	34.25
PK	5.2924G	107.68	Inf	-Inf	6.04	3	Vertical	314	3.00	101.64	33.02	7.27	34.25
PK	5.358G	65.57	74.00	-8.43	5.91	3	Vertical	314	3.00	59.66	32.92	7.24	34.25

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3044G	105.55	Inf	-Inf	6.00	3	Horizontal	303	1.90	99.55	32.99	7.26	34.25
AV	5.35G	50.77	54.00	-3.23	5.89	3	Horizontal	303	1.90	44.88	32.90	7.24	34.25
PK	5.3048G	116.92	Inf	-Inf	6.00	3	Horizontal	303	1.90	110.92	32.99	7.26	34.25
PK	5.3508G	72.69	74.00	-1.31	5.89	3	Horizontal	303	1.90	66.80	32.90	7.24	34.25



5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62007G	41.99	54.00	-12.01	14.75	3	Vertical	232	2.64	27.24	39.06	10.44	34.75
AV	15.92978G	44.52	54.00	-9.48	16.65	3	Vertical	45	2.09	27.87	38.17	12.71	34.23
PK	10.62058G	54.25	74.00	-19.75	14.75	3	Vertical	232	2.64	39.50	39.06	10.44	34.75
PK	15.93025G	57.10	74.00	-16.90	16.65	3	Vertical	45	2.09	40.45	38.17	12.71	34.23

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61905G	41.99	54.00	-12.01	14.75	3	Horizontal	187	1.15	27.24	39.06	10.44	34.75
AV	15.92905G	44.42	54.00	-9.58	16.65	3	Horizontal	358	2.76	27.77	38.17	12.71	34.23
PK	10.61918G	54.22	74.00	-19.78	14.75	3	Horizontal	187	1.15	39.47	39.06	10.44	34.75
PK	15.92974G	57.16	74.00	-16.84	16.65	3	Horizontal	358	2.76	40.51	38.17	12.71	34.23

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	46.30	54.00	-7.70	6.04	3	Vertical	14	1.88	40.26	33.00	7.28	34.24
AV	5.5232G	93.20	Inf	-Inf	6.09	3	Vertical	14	1.88	87.11	33.00	7.34	34.25
PK	5.4572G	60.97	74.00	-13.03	6.04	3	Vertical	14	1.88	54.93	33.00	7.28	34.24
PK	5.4696G	60.04	68.20	-8.16	6.05	3	Vertical	14	1.88	53.99	33.00	7.29	34.24
PK	5.5232G	104.77	Inf	-Inf	6.09	3	Vertical	14	1.88	98.68	33.00	7.34	34.25

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	47.87	54.00	-6.13	6.04	3	Horizontal	310	1.95	41.83	33.00	7.28	34.24
AV	5.506G	104.17	Inf	-Inf	6.09	3	Horizontal	310	1.95	98.08	33.00	7.33	34.24
PK	5.4548G	63.43	74.00	-10.57	6.03	3	Horizontal	310	1.95	57.40	33.00	7.27	34.24
PK	5.462G	64.88	68.20	-3.32	6.04	3	Horizontal	310	1.95	58.84	33.00	7.28	34.24
PK	5.5052G	115.75	Inf	-Inf	6.09	3	Horizontal	310	1.95	109.66	33.00	7.33	34.24



5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0205G	41.47	54.00	-12.53	15.10	3	Vertical	124	1.76	26.37	39.00	10.60	34.50
PK	11.01982G	53.79	74.00	-20.21	15.10	3	Vertical	124	1.76	38.69	39.00	10.60	34.50
PK	16.52994G	57.79	68.20	-10.41	17.89	3	Vertical	123	1.61	39.90	38.44	13.29	33.84

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02039G	41.47	54.00	-12.53	15.10	3	Horizontal	360	1.56	26.37	39.00	10.60	34.50
PK	11.02054G	54.34	74.00	-19.66	15.10	3	Horizontal	360	1.56	39.24	39.00	10.60	34.50
PK	16.52921G	57.37	68.20	-10.83	17.89	3	Horizontal	270	1.39	39.48	38.44	13.29	33.84

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	46.30	54.00	-7.70	6.04	3	Vertical	305	1.74	40.26	33.00	7.28	34.24
AV	5.5352G	95.07	Inf	-Inf	6.11	3	Vertical	305	1.74	88.96	33.00	7.36	34.25
PK	5.4548G	58.92	74.00	-15.08	6.03	3	Vertical	305	1.74	52.89	33.00	7.27	34.24
PK	5.466G	59.69	68.20	-8.51	6.05	3	Vertical	305	1.74	53.64	33.00	7.29	34.24
PK	5.536G	105.72	Inf	-Inf	6.11	3	Vertical	305	1.74	99.61	33.00	7.36	34.25

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4544G	46.64	54.00	-7.36	6.03	3	Horizontal	322	1.49	40.61	33.00	7.27	34.24
AV	5.5324G	105.01	Inf	-Inf	6.10	3	Horizontal	322	1.49	98.91	33.00	7.35	34.25
PK	5.4556G	58.75	74.00	-15.25	6.04	3	Horizontal	322	1.49	52.71	33.00	7.28	34.24
PK	5.466G	59.05	68.20	-9.15	6.05	3	Horizontal	322	1.49	53.00	33.00	7.29	34.24
PK	5.5328G	115.54	Inf	-Inf	6.10	3	Horizontal	322	1.49	109.44	33.00	7.35	34.25



5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10064G	41.63	54.00	-12.37	15.14	3	Vertical	77	2.70	26.49	39.00	10.64	34.50
PK	11.10094G	54.28	74.00	-19.72	15.14	3	Vertical	77	2.70	39.14	39.00	10.64	34.50
PK	16.64998G	58.07	68.20	-10.13	18.13	3	Vertical	145	1.04	39.94	38.40	13.42	33.69

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10023G	41.63	54.00	-12.37	15.14	3	Horizontal	18	2.97	26.49	39.00	10.64	34.50
PK	11.09942G	54.50	74.00	-19.50	15.14	3	Horizontal	18	2.97	39.36	39.00	10.64	34.50
PK	16.64913G	57.74	68.20	-10.46	18.13	3	Horizontal	173	1.50	39.61	38.40	13.42	33.69



5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6586G	96.51	Inf	-Inf	6.34	3	Vertical	302	2.35	90.17	33.20	7.43	34.29
PK	5.6574G	106.89	Inf	-Inf	6.33	3	Vertical	302	2.35	100.56	33.19	7.43	34.29
PK	5.7258G	62.81	68.20	-5.39	6.94	3	Vertical	302	2.35	55.87	33.80	7.45	34.31

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6646G	104.56	Inf	-Inf	6.43	3	Horizontal	317	1.49	98.13	33.28	7.44	34.29
PK	5.6628G	115.55	Inf	-Inf	6.40	3	Horizontal	317	1.49	109.15	33.25	7.44	34.29
PK	5.7282G	67.50	68.20	-0.70	6.95	3	Horizontal	317	1.49	60.55	33.81	7.45	34.31



5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33928G	41.96	54.00	-12.04	15.39	3	Vertical	316	2.11	26.57	39.14	10.74	34.49
PK	11.33905G	54.03	74.00	-19.97	15.39	3	Vertical	316	2.11	38.64	39.14	10.74	34.49
PK	17.00974G	58.27	68.20	-9.93	18.68	3	Vertical	265	2.73	39.59	38.12	13.79	33.23

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33992G	41.96	54.00	-12.04	15.39	3	Horizontal	135	1.85	26.57	39.14	10.74	34.49
PK	11.34023G	54.36	74.00	-19.64	15.39	3	Horizontal	135	1.85	38.97	39.14	10.74	34.49
PK	17.01089G	57.47	68.20	-10.73	18.68	3	Horizontal	220	1.89	38.79	38.12	13.79	33.23



5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	46.30	54.00	-7.70	6.04	3	Vertical	299	1.99	40.26	33.00	7.28	34.24
AV	5.6968G	99.49	Inf	-Inf	6.80	3	Vertical	299	1.99	92.69	33.66	7.44	34.30
PK	5.4472G	59.05	74.00	-14.95	6.03	3	Vertical	299	1.99	53.02	33.00	7.27	34.24
PK	5.4652G	58.82	68.20	-9.38	6.05	3	Vertical	299	1.99	52.77	33.00	7.29	34.24
PK	5.6968G	110.09	Inf	-Inf	6.80	3	Vertical	299	1.99	103.29	33.66	7.44	34.30
PK	5.9488G	61.83	68.20	-6.37	7.54	3	Vertical	299	1.99	54.29	34.20	7.71	34.37

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4532G	46.64	54.00	-7.36	6.03	3	Horizontal	315	1.88	40.61	33.00	7.27	34.24
AV	5.7052G	105.90	Inf	-Inf	6.87	3	Horizontal	315	1.88	99.03	33.72	7.45	34.30
PK	5.46G	58.96	74.00	-15.04	6.04	3	Horizontal	315	1.88	52.92	33.00	7.28	34.24
PK	5.4604G	58.96	68.20	-9.24	6.04	3	Horizontal	315	1.88	52.92	33.00	7.28	34.24
PK	5.692G	114.46	Inf	-Inf	6.74	3	Horizontal	315	1.88	107.72	33.60	7.44	34.30
PK	5.9008G	61.60	68.20	-6.60	7.67	3	Horizontal	315	1.88	53.93	34.40	7.63	34.36



5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4191G	41.65	54.00	-12.35	15.48	3	Vertical	72	2.85	26.17	39.20	10.77	34.49
PK	11.41951G	54.61	74.00	-19.39	15.48	3	Vertical	72	2.85	39.13	39.20	10.77	34.49
PK	17.12908G	58.53	68.20	-9.67	19.03	3	Vertical	51	2.60	39.50	38.30	13.91	33.18

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41919G	41.75	54.00	-12.25	15.48	3	Horizontal	274	1.77	26.27	39.20	10.77	34.49
PK	11.4194G	53.91	74.00	-20.09	15.48	3	Horizontal	274	1.77	38.43	39.20	10.77	34.49
PK	17.12968G	58.93	68.20	-9.27	19.03	3	Horizontal	74	2.00	39.90	38.30	13.91	33.18



5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	46.31	54.00	-7.69	6.04	3	Vertical	317	1.96	40.27	33.00	7.28	34.24
AV	5.7502G	98.17	Inf	-Inf	7.04	3	Vertical	317	1.96	91.13	33.90	7.46	34.32
PK	5.557G	60.09	68.20	-8.11	6.13	3	Vertical	317	1.96	53.96	33.01	7.38	34.26
PK	5.7466G	105.20	Inf	-Inf	7.04	3	Vertical	317	1.96	98.16	33.89	7.46	34.31
PK	5.9626G	61.92	68.20	-6.28	7.52	3	Vertical	317	1.96	54.40	34.17	7.73	34.38

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	46.50	54.00	-7.50	6.04	3	Horizontal	309	1.49	40.46	33.00	7.28	34.24
AV	5.7478G	103.12	Inf	-Inf	7.04	3	Horizontal	309	1.49	96.08	33.89	7.46	34.31
PK	5.5462G	59.52	68.20	-8.68	6.12	3	Horizontal	309	1.49	53.40	33.00	7.37	34.25
PK	5.7502G	113.56	Inf	-Inf	7.04	3	Horizontal	309	1.49	106.52	33.90	7.46	34.32
PK	6.0118G	60.74	68.20	-7.46	7.51	3	Horizontal	309	1.49	53.23	34.12	7.79	34.40



5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50903G	41.69	54.00	-12.31	15.48	3	Vertical	352	1.34	26.21	39.16	10.81	34.49
PK	11.50931G	54.54	74.00	-19.46	15.48	3	Vertical	352	1.34	39.06	39.16	10.81	34.49
PK	17.26483G	59.20	68.20	-9.00	19.29	3	Vertical	41	1.68	39.91	38.36	14.06	33.13

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51056G	41.71	54.00	-12.29	15.48	3	Horizontal	323	2.56	26.23	39.16	10.81	34.49
PK	11.50979G	53.60	74.00	-20.40	15.48	3	Horizontal	323	2.56	38.12	39.16	10.81	34.49
PK	17.26468G	58.68	68.20	-9.52	19.29	3	Horizontal	236	2.11	39.39	38.36	14.06	33.13



5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7782G	98.39	Inf	-Inf	7.15	3	Vertical	360	1.83	91.24	34.01	7.46	34.32
PK	5.5946G	59.00	68.20	-9.20	6.23	3	Vertical	360	1.83	52.77	33.09	7.41	34.27
PK	5.7782G	107.76	Inf	-Inf	7.15	3	Vertical	360	1.83	100.61	34.01	7.46	34.32
PK	6.0446G	61.79	68.20	-6.41	7.59	3	Vertical	360	1.83	54.20	34.19	7.81	34.41

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7866G	104.25	Inf	-Inf	7.19	3	Horizontal	314	1.30	97.06	34.05	7.47	34.33
PK	5.5766G	59.44	68.20	-8.76	6.19	3	Horizontal	314	1.30	53.25	33.05	7.40	34.26
PK	5.7878G	113.52	Inf	-Inf	7.19	3	Horizontal	314	1.30	106.33	34.05	7.47	34.33
PK	6.071G	61.55	68.20	-6.65	7.56	3	Horizontal	314	1.30	53.99	34.16	7.82	34.42



5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56444G	42.96	54.00	-11.04	15.26	3	Vertical	14	1.00	27.70	38.94	10.83	34.51
PK	11.61484G	54.79	74.00	-19.21	15.12	3	Vertical	14	1.00	39.67	38.80	10.85	34.53
PK	17.39832G	59.88	68.20	-8.32	19.71	3	Vertical	288	1.74	40.17	38.60	14.19	33.08

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56132G	43.74	54.00	-10.26	15.27	3	Horizontal	63	1.64	28.47	38.95	10.83	34.51
PK	11.5732G	55.12	74.00	-18.88	15.22	3	Horizontal	63	1.64	39.90	38.91	10.83	34.52
PK	17.37624G	62.13	68.20	-6.07	19.63	3	Horizontal	322	2.27	42.50	38.55	14.17	33.09



5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	50.83	54.00	-3.17	6.15	3	Vertical	323	2.97	44.68	33.20	7.21	34.26
AV	5.198G	93.10	Inf	-Inf	6.25	3	Vertical	323	2.97	86.85	33.20	7.31	34.26
AV	5.445G	50.41	54.00	-3.59	6.02	3	Vertical	323	2.97	44.39	33.00	7.26	34.24
PK	5.131G	65.18	74.00	-8.82	6.07	3	Vertical	323	2.97	59.11	33.16	7.17	34.26
PK	5.199G	111.12	Inf	-Inf	6.25	3	Vertical	323	2.97	104.87	33.20	7.31	34.26
PK	5.368G	58.81	74.00	-15.19	5.92	3	Vertical	323	2.97	52.89	32.94	7.23	34.25

5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	51.58	54.00	-2.42	6.15	3	Horizontal	309	1.85	45.43	33.20	7.21	34.26
AV	5.236G	101.76	Inf	-Inf	6.16	3	Horizontal	309	1.85	95.60	33.13	7.29	34.26
AV	5.405G	50.64	54.00	-3.36	5.97	3	Horizontal	309	1.85	44.67	33.00	7.22	34.25
PK	5.134G	69.63	74.00	-4.37	6.09	3	Horizontal	309	1.85	63.54	33.17	7.18	34.26
PK	5.203G	118.96	Inf	-Inf	6.24	3	Horizontal	309	1.85	112.72	33.19	7.31	34.26
PK	5.353G	60.02	74.00	-13.98	5.90	3	Horizontal	309	1.85	54.12	32.91	7.24	34.25



5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62965G	45.76	54.00	-8.24	16.98	3	Vertical	165	2.69	28.78	38.61	12.56	34.19
PK	10.41947G	54.01	68.20	-14.19	14.47	3	Vertical	194	2.29	39.54	39.00	10.35	34.88
PK	15.63006G	58.21	74.00	-15.79	16.98	3	Vertical	165	2.69	41.23	38.61	12.56	34.19

5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62978G	45.85	54.00	-8.15	16.98	3	Horizontal	184	2.36	28.87	38.61	12.56	34.19
PK	10.42096G	54.21	68.20	-13.99	14.48	3	Horizontal	82	2.44	39.73	39.00	10.35	34.87
PK	15.6304G	57.04	74.00	-16.96	16.98	3	Horizontal	184	2.36	40.06	38.61	12.56	34.19



5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.109G	50.68	54.00	-3.32	5.99	3	Vertical	15	2.92	44.69	33.12	7.13	34.26
AV	5.282G	89.55	Inf	-Inf	6.06	3	Vertical	15	2.92	83.49	33.04	7.27	34.25
AV	5.364G	50.49	54.00	-3.51	5.92	3	Vertical	15	2.92	44.57	32.93	7.24	34.25
PK	5.075G	59.88	74.00	-14.12	5.99	3	Vertical	15	2.92	53.89	33.20	7.06	34.27
PK	5.273G	105.29	Inf	-Inf	6.08	3	Vertical	15	2.92	99.21	33.05	7.28	34.25
PK	5.367G	60.35	74.00	-13.65	5.91	3	Vertical	15	2.92	54.44	32.93	7.23	34.25
PK	5.471G	59.34	68.20	-8.86	6.05	3	Vertical	15	2.92	53.29	33.00	7.29	34.24

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	50.71	54.00	-3.29	6.13	3	Horizontal	320	1.50	44.58	33.19	7.20	34.26
AV	5.327G	100.93	Inf	-Inf	5.95	3	Horizontal	320	1.50	94.98	32.95	7.25	34.25
AV	5.353G	52.10	54.00	-1.90	5.90	3	Horizontal	320	1.50	46.20	32.91	7.24	34.25
PK	5.124G	59.67	74.00	-14.33	6.05	3	Horizontal	320	1.50	53.62	33.15	7.16	34.26
PK	5.283G	115.66	Inf	-Inf	6.05	3	Horizontal	320	1.50	109.61	33.03	7.27	34.25
PK	5.353G	73.56	74.00	-0.44	5.90	3	Horizontal	320	1.50	67.66	32.91	7.24	34.25
PK	5.535G	60.31	68.20	-7.89	6.11	3	Horizontal	320	1.50	54.20	33.00	7.36	34.25



5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.86997G	45.71	54.00	-8.29	16.72	3	Vertical	135	1.18	28.99	38.26	12.68	34.22
PK	10.58093G	55.53	68.20	-12.67	14.64	3	Vertical	63	1.55	40.89	39.00	10.42	34.78
PK	15.87034G	58.21	74.00	-15.79	16.72	3	Vertical	135	1.18	41.49	38.26	12.68	34.22

5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.86939G	45.80	54.00	-8.20	16.72	3	Horizontal	42	2.80	29.08	38.26	12.68	34.22
PK	10.57954G	55.07	68.20	-13.13	14.64	3	Horizontal	159	1.23	40.43	39.00	10.42	34.78
PK	15.87058G	57.80	74.00	-16.20	16.72	3	Horizontal	42	2.80	41.08	38.26	12.68	34.22

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	49.93	54.00	-4.07	5.89	3	Vertical	10	1.85	44.04	32.90	7.24	34.25
AV	5.452G	50.34	54.00	-3.66	6.03	3	Vertical	10	1.85	44.31	33.00	7.27	34.24
AV	5.498G	89.19	Inf	-Inf	6.08	3	Vertical	10	1.85	83.11	33.00	7.32	34.24
PK	5.297G	59.14	68.20	-9.06	6.03	3	Vertical	10	1.85	53.11	33.01	7.27	34.25
PK	5.429G	58.93	74.00	-15.07	6.01	3	Vertical	10	1.85	52.92	33.00	7.25	34.24
PK	5.469G	58.97	68.20	-9.23	6.05	3	Vertical	10	1.85	52.92	33.00	7.29	34.24
PK	5.523G	101.53	Inf	-Inf	6.09	3	Vertical	10	1.85	95.44	33.00	7.34	34.25
PK	5.744G	60.45	68.20	-7.75	7.03	3	Vertical	10	1.85	53.42	33.88	7.46	34.31

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	50.20	54.00	-3.80	5.89	3	Horizontal	322	1.50	44.31	32.90	7.24	34.25
AV	5.435G	50.84	54.00	-3.16	6.01	3	Horizontal	322	1.50	44.83	33.00	7.25	34.24
AV	5.513G	100.09	Inf	-Inf	6.09	3	Horizontal	322	1.50	94.00	33.00	7.33	34.24
PK	5.31G	59.06	68.20	-9.14	5.99	3	Horizontal	322	1.50	53.07	32.98	7.26	34.25
PK	5.447G	62.02	74.00	-11.98	6.03	3	Horizontal	322	1.50	55.99	33.00	7.27	34.24
PK	5.468G	61.87	68.20	-6.33	6.05	3	Horizontal	322	1.50	55.82	33.00	7.29	34.24
PK	5.524G	114.97	Inf	-Inf	6.09	3	Horizontal	322	1.50	108.88	33.00	7.34	34.25
PK	5.778G	60.71	68.20	-7.49	7.15	3	Horizontal	322	1.50	53.56	34.01	7.46	34.32



5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06005G	42.52	54.00	-11.48	15.12	3	Vertical	118	1.53	27.40	39.00	10.62	34.50
PK	11.05984G	53.86	74.00	-20.14	15.12	3	Vertical	118	1.53	38.74	39.00	10.62	34.50
PK	16.59088G	57.66	68.20	-10.54	17.91	3	Vertical	24	1.51	39.75	38.32	13.35	33.76

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06029G	42.52	54.00	-11.48	15.12	3	Horizontal	125	1.88	27.40	39.00	10.62	34.50
PK	11.05921G	54.17	74.00	-19.83	15.12	3	Horizontal	125	1.88	39.05	39.00	10.62	34.50
PK	16.59001G	58.21	68.20	-9.99	17.91	3	Horizontal	113	1.19	40.30	38.32	13.35	33.76



5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.449G	50.38	54.00	-3.62	6.03	3	Vertical	340	2.98	44.35	33.00	7.27	34.24
AV	5.603G	90.94	Inf	-Inf	6.25	3	Vertical	340	2.98	84.69	33.10	7.42	34.27
PK	5.391G	59.99	74.00	-14.01	5.95	3	Vertical	340	2.98	54.04	32.98	7.22	34.25
PK	5.467G	59.05	68.20	-9.15	6.05	3	Vertical	340	2.98	53.00	33.00	7.29	34.24
PK	5.602G	112.65	Inf	-Inf	6.25	3	Vertical	340	2.98	106.40	33.10	7.42	34.27
PK	5.86G	61.58	68.20	-6.62	7.38	3	Vertical	340	2.98	54.20	34.16	7.57	34.35

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	50.56	54.00	-3.44	6.03	3	Horizontal	316	1.50	44.53	33.00	7.27	34.24
AV	5.584G	100.97	Inf	-Inf	6.20	3	Horizontal	316	1.50	94.77	33.07	7.40	34.27
PK	5.453G	66.89	74.00	-7.11	6.03	3	Horizontal	316	1.50	60.86	33.00	7.27	34.24
PK	5.461G	61.55	68.20	-6.65	6.04	3	Horizontal	316	1.50	55.51	33.00	7.28	34.24
PK	5.603G	118.60	Inf	-Inf	6.25	3	Horizontal	316	1.50	112.35	33.10	7.42	34.27
PK	5.734G	64.19	68.20	-4.01	6.98	3	Horizontal	316	1.50	57.21	33.84	7.45	34.31



5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22032G	42.76	54.00	-11.24	15.21	3	Vertical	171	2.92	27.55	39.02	10.69	34.50
PK	11.21908G	54.36	74.00	-19.64	15.21	3	Vertical	171	2.92	39.15	39.02	10.69	34.50
PK	16.83028G	58.82	68.20	-9.38	18.49	3	Vertical	234	2.75	40.33	38.34	13.60	33.45

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21902G	42.66	54.00	-11.34	15.21	3	Horizontal	333	1.03	27.45	39.02	10.69	34.50
PK	11.21903G	54.31	74.00	-19.69	15.21	3	Horizontal	333	1.03	39.10	39.02	10.69	34.50
PK	16.82924G	58.66	68.20	-9.54	18.49	3	Horizontal	185	1.27	40.17	38.34	13.60	33.45

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4524G	50.25	54.00	-3.75	6.03	3	Vertical	300	1.94	44.22	33.00	7.27	34.24
AV	5.6912G	91.01	Inf	-Inf	6.73	3	Vertical	300	1.94	84.28	33.59	7.44	34.30
PK	5.4368G	59.63	74.00	-14.37	6.02	3	Vertical	300	1.94	53.61	33.00	7.26	34.24
PK	5.4644G	59.56	68.20	-8.64	6.04	3	Vertical	300	1.94	53.52	33.00	7.28	34.24
PK	5.6756G	111.34	Inf	-Inf	6.56	3	Vertical	300	1.94	104.78	33.41	7.44	34.29
PK	5.9732G	62.34	68.20	-5.86	7.52	3	Vertical	300	1.94	54.82	34.15	7.75	34.38

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	50.37	54.00	-3.63	6.04	3	Horizontal	317	1.77	44.33	33.00	7.28	34.24
AV	5.6852G	99.26	Inf	-Inf	6.66	3	Horizontal	317	1.77	92.60	33.52	7.44	34.30
PK	5.444G	59.59	74.00	-14.41	6.02	3	Horizontal	317	1.77	53.57	33.00	7.26	34.24
PK	5.462G	59.59	68.20	-8.61	6.04	3	Horizontal	317	1.77	53.55	33.00	7.28	34.24
PK	5.6852G	119.53	Inf	-Inf	6.66	3	Horizontal	317	1.77	112.87	33.52	7.44	34.30
PK	5.9096G	61.92	68.20	-6.28	7.65	3	Horizontal	317	1.77	54.27	34.36	7.65	34.36



5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37946G	43.00	54.00	-11.00	15.44	3	Vertical	284	1.63	27.56	39.18	10.75	34.49
PK	11.38001G	54.29	74.00	-19.71	15.44	3	Vertical	284	1.63	38.85	39.18	10.75	34.49
PK	17.06902G	58.45	68.20	-9.75	18.89	3	Vertical	140	2.17	39.56	38.24	13.85	33.20

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37906G	42.91	54.00	-11.09	15.44	3	Horizontal	173	1.24	27.47	39.18	10.75	34.49
PK	11.3795G	54.60	74.00	-19.40	15.44	3	Horizontal	173	1.24	39.16	39.18	10.75	34.49
PK	17.06975G	58.92	68.20	-9.28	18.89	3	Horizontal	247	1.65	40.03	38.24	13.85	33.20



5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	91.45	Inf	-Inf	7.02	3	Vertical	307	1.72	84.43	33.87	7.46	34.31
PK	5.6394G	60.11	68.20	-8.09	6.25	3	Vertical	307	1.72	53.86	33.10	7.43	34.28
PK	5.7726G	109.57	Inf	-Inf	7.13	3	Vertical	307	1.72	102.44	33.99	7.46	34.32
PK	6.075G	61.69	68.20	-6.51	7.55	3	Vertical	307	1.72	54.14	34.15	7.82	34.42

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	98.65	Inf	-Inf	7.03	3	Horizontal	315	1.24	91.62	33.88	7.46	34.31
PK	5.6166G	61.86	68.20	-6.34	6.25	3	Horizontal	315	1.24	55.61	33.10	7.42	34.27
PK	5.7654G	116.14	Inf	-Inf	7.10	3	Horizontal	315	1.24	109.04	33.96	7.46	34.32
PK	6.0402G	63.01	68.20	-5.19	7.58	3	Horizontal	315	1.24	55.43	34.18	7.81	34.41



5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54987G	42.91	54.00	-11.09	15.31	3	Vertical	174	2.75	27.60	39.00	10.82	34.51
PK	11.55004G	55.02	74.00	-18.98	15.31	3	Vertical	174	2.75	39.71	39.00	10.82	34.51
PK	17.32453G	59.61	68.20	-8.59	19.46	3	Vertical	311	1.89	40.15	38.45	14.12	33.11

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54967G	42.82	54.00	-11.18	15.31	3	Horizontal	66	1.95	27.51	39.00	10.82	34.51
PK	11.55099G	54.57	74.00	-19.43	15.31	3	Horizontal	66	1.95	39.26	39.00	10.82	34.51
PK	17.32428G	59.66	68.20	-8.54	19.46	3	Horizontal	218	2.99	40.20	38.45	14.12	33.11



5.25-5.35GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1348G	51.69	54.00	-2.31	6.09	3	Vertical	22	1.50	45.60	33.17	7.18	34.26
AV	5.2332G	85.77	Inf	-Inf	6.17	3	Vertical	22	1.50	79.60	33.13	7.30	34.26
AV	5.352G	51.61	54.00	-2.39	5.89	3	Vertical	22	1.50	45.72	32.90	7.24	34.25
PK	5.1336G	60.38	74.00	-13.62	6.09	3	Vertical	22	1.50	54.29	33.17	7.18	34.26
PK	5.1828G	100.24	Inf	-Inf	6.22	3	Vertical	22	1.50	94.02	33.20	7.28	34.26
PK	5.37G	63.44	74.00	-10.56	5.92	3	Vertical	22	1.50	57.52	32.94	7.23	34.25
PK	5.5452G	58.98	68.20	-9.22	6.12	3	Vertical	22	1.50	52.86	33.00	7.37	34.25

5.25-5.35GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	5.1768G	109.66	Inf	-Inf	6.20	3	Horizontal	57	1.47	103.46	33.20	7.26	34.26
PK	5.1384G	71.03	74.00	-2.97	6.11	3	Horizontal	57	1.47	64.92	33.18	7.19	34.26
PK	5.3808G	73.84	74.00	-0.16	5.94	3	Horizontal	57	1.47	67.90	32.96	7.23	34.25
PK	5.4648G	61.77	68.20	-6.43	6.04	3	Horizontal	57	1.47	55.73	33.00	7.28	34.24
AV	5.178G	93.43	Inf	-Inf	6.21	3	Horizontal	57	1.47	87.22	33.20	7.27	34.26
AV	5.148G	52.12	54.00	-1.88	6.15	3	Horizontal	57	1.47	45.97	33.20	7.21	34.26
AV	5.3784G	53.77	54.00	-0.23	5.94	3	Horizontal	57	1.47	47.83	32.96	7.23	34.25



5.25-5.35GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.75063G	46.16	54.00	-7.84	16.81	3	Vertical	244	2.27	29.35	38.40	12.62	34.21
PK	10.50019G	54.48	68.20	-13.72	14.56	3	Vertical	325	2.14	39.92	39.00	10.39	34.83
PK	15.74999G	57.40	74.00	-16.60	16.82	3	Vertical	244	2.27	40.58	38.40	12.62	34.20

5.25-5.35GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.74977G	46.25	54.00	-7.75	16.82	3	Horizontal	156	1.02	29.43	38.40	12.62	34.20
PK	10.49995G	54.76	68.20	-13.44	14.56	3	Horizontal	181	2.41	40.20	39.00	10.39	34.83
PK	15.75068G	56.93	74.00	-17.07	16.81	3	Horizontal	156	1.02	40.12	38.40	12.62	34.21



5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4356G	51.48	54.00	-2.52	6.02	3	Vertical	326	1.50	45.46	33.00	7.26	34.24
AV	5.576G	84.61	Inf	-Inf	6.19	3	Vertical	326	1.50	78.42	33.05	7.40	34.26
PK	5.3288G	59.39	68.20	-8.81	5.94	3	Vertical	326	1.50	53.45	32.94	7.25	34.25
PK	5.354G	58.70	74.00	-15.30	5.90	3	Vertical	326	1.50	52.80	32.91	7.24	34.25
PK	5.4656G	58.37	68.20	-9.83	6.05	3	Vertical	326	1.50	52.32	33.00	7.29	34.24
PK	5.4944G	100.16	Inf	-Inf	6.07	3	Vertical	326	1.50	94.09	33.00	7.31	34.24
PK	5.8196G	60.96	68.20	-7.24	7.26	3	Vertical	326	1.50	53.70	34.10	7.50	34.34

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4464G	52.69	54.00	-1.31	6.03	3	Horizontal	307	1.57	46.66	33.00	7.27	34.24
AV	5.492G	98.56	Inf	-Inf	6.07	3	Horizontal	307	1.57	92.49	33.00	7.31	34.24
PK	5.27G	63.75	68.20	-4.45	6.09	3	Horizontal	307	1.57	57.66	33.06	7.28	34.25
PK	5.4512G	69.55	74.00	-4.45	6.03	3	Horizontal	307	1.57	63.52	33.00	7.27	34.24
PK	5.4668G	63.80	68.20	-4.40	6.05	3	Horizontal	307	1.57	57.75	33.00	7.29	34.24
PK	5.5028G	112.42	Inf	-Inf	6.08	3	Horizontal	307	1.57	106.34	33.00	7.32	34.24
PK	5.7284G	63.10	68.20	-5.10	6.95	3	Horizontal	307	1.57	56.15	33.81	7.45	34.31



5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14075G	43.56	54.00	-10.44	15.15	3	Vertical	202	2.51	28.41	39.00	10.65	34.50
PK	11.13984G	55.01	74.00	-18.99	15.15	3	Vertical	202	2.51	39.86	39.00	10.65	34.50
PK	16.71007G	59.40	68.20	-8.80	18.36	3	Vertical	105	2.57	41.04	38.49	13.48	33.61

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14093G	43.92	54.00	-10.08	15.15	3	Horizontal	247	2.36	28.77	39.00	10.65	34.50
PK	11.14068G	54.80	74.00	-19.20	15.15	3	Horizontal	247	2.36	39.65	39.00	10.65	34.50
PK	16.7099G	58.98	68.20	-9.22	18.36	3	Horizontal	203	2.57	40.62	38.49	13.48	33.61



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.85-5.895GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	11.7316G	46.86	54.00	-7.14	3	Vertical	336	1.50
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.6346G	67.99	68.20	-0.21	3	Horizontal	319	1.92
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.6498G	64.44	68.20	-3.76	3	Horizontal	282	1.86
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	PK	5.6314G	66.96	68.20	-1.24	3	Horizontal	327	1.51



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5845MHz	Pass	AV	5.8402G	100.61	Inf	-Inf	3	Vertical	303	1.82
5845MHz	Pass	AV	5.9254G	46.20	88.20	-42.00	3	Vertical	303	1.82
5845MHz	Pass	PK	5.6482G	58.00	68.20	-10.20	3	Vertical	303	1.82
5845MHz	Pass	PK	5.8402G	114.06	Inf	-Inf	3	Vertical	303	1.82
5845MHz	Pass	PK	6.0977G	60.25	108.20	-47.95	3	Vertical	303	1.82
5845MHz	Pass	AV	5.8399G	106.78	Inf	-Inf	3	Horizontal	298	1.50
5845MHz	Pass	AV	5.9302G	46.88	88.20	-41.32	3	Horizontal	298	1.50
5845MHz	Pass	PK	5.5918G	57.97	68.20	-10.23	3	Horizontal	298	1.50
5845MHz	Pass	PK	5.8511G	121.10	Inf	-Inf	3	Horizontal	298	1.50
5845MHz	Pass	PK	5.9206G	65.94	111.43	-45.49	3	Horizontal	298	1.50
5845MHz	Pass	AV	11.69176G	46.49	54.00	-7.51	3	Vertical	335	1.50
5845MHz	Pass	AV	17.53628G	52.66	88.20	-35.54	3	Vertical	265	1.87
5845MHz	Pass	AV	23.37994G	51.39	88.20	-36.81	3	Vertical	188	1.63
5845MHz	Pass	AV	29.22351G	39.75	88.20	-48.45	3	Vertical	347	1.50
5845MHz	Pass	PK	11.69224G	60.01	74.00	-13.99	3	Vertical	335	1.50
5845MHz	Pass	PK	17.53636G	66.96	108.20	-41.24	3	Vertical	265	1.87
5845MHz	Pass	PK	23.37985G	58.29	108.20	-49.91	3	Vertical	188	1.63
5845MHz	Pass	PK	29.22335G	55.52	108.20	-52.68	3	Vertical	347	1.50
5845MHz	Pass	AV	11.6952G	46.65	54.00	-7.35	3	Horizontal	51	1.72
5845MHz	Pass	AV	17.53884G	57.50	88.20	-30.70	3	Horizontal	316	2.76
5845MHz	Pass	AV	23.3799G	51.54	88.20	-36.66	3	Horizontal	309	1.89
5845MHz	Pass	AV	29.22318G	47.80	88.20	-40.40	3	Horizontal	279	1.68
5845MHz	Pass	PK	11.69736G	61.39	74.00	-12.61	3	Horizontal	51	1.72
5845MHz	Pass	PK	17.53988G	74.81	108.20	-33.39	3	Horizontal	316	2.76
5845MHz	Pass	PK	23.3796G	70.44	108.20	-37.76	3	Horizontal	309	1.89
5845MHz	Pass	PK	29.2235G	67.06	108.20	-41.14	3	Horizontal	279	1.68
5865MHz	Pass	AV	5.8614G	93.37	Inf	-Inf	3	Vertical	302	2.01
5865MHz	Pass	AV	5.925G	48.91	88.20	-39.29	3	Vertical	302	2.01
5865MHz	Pass	PK	5.6226G	57.65	68.20	-10.55	3	Vertical	302	2.01
5865MHz	Pass	PK	5.8626G	114.55	Inf	-Inf	3	Vertical	302	2.01
5865MHz	Pass	PK	5.9238G	69.84	109.08	-39.24	3	Vertical	302	2.01
5865MHz	Pass	AV	5.8686G	106.43	Inf	-Inf	3	Horizontal	327	1.53
5865MHz	Pass	AV	5.925G	49.00	88.20	-39.20	3	Horizontal	327	1.53
5865MHz	Pass	PK	5.6178G	58.66	68.20	-9.54	3	Horizontal	327	1.53
5865MHz	Pass	PK	5.8674G	121.91	Inf	-Inf	3	Horizontal	327	1.53
5865MHz	Pass	PK	5.9226G	67.21	109.96	-42.75	3	Horizontal	327	1.53
5865MHz	Pass	AV	11.7316G	46.86	54.00	-7.14	3	Vertical	336	1.50
5865MHz	Pass	AV	17.59524G	51.64	88.20	-36.56	3	Vertical	270	1.85
5865MHz	Pass	AV	23.45992G	51.90	88.20	-36.30	3	Vertical	199	1.64
5865MHz	Pass	AV	29.32529G	39.54	88.20	-48.66	3	Vertical	348	1.82
5865MHz	Pass	PK	11.7332G	61.48	74.00	-12.52	3	Vertical	336	1.50
5865MHz	Pass	PK	17.59492G	64.32	108.20	-43.88	3	Vertical	270	1.85
5865MHz	Pass	PK	23.45996G	57.19	108.20	-51.01	3	Vertical	199	1.64
5865MHz	Pass	PK	29.32475G	57.74	108.20	-50.46	3	Vertical	348	1.82
5865MHz	Pass	AV	11.72808G	46.45	54.00	-7.55	3	Horizontal	349	1.60
5865MHz	Pass	AV	17.5966G	53.86	88.20	-34.34	3	Horizontal	303	1.87
5865MHz	Pass	AV	23.45992G	50.48	88.20	-37.72	3	Horizontal	214	1.75
5865MHz	Pass	AV	29.3255G	46.16	88.20	-42.04	3	Horizontal	296	1.91
5865MHz	Pass	PK	11.72848G	60.17	74.00	-13.83	3	Horizontal	349	1.60
5865MHz	Pass	PK	17.59804G	68.95	108.20	-39.25	3	Horizontal	303	1.87
5865MHz	Pass	PK	23.45986G	56.48	108.20	-51.72	3	Horizontal	214	1.75
5865MHz	Pass	PK	29.32588G	65.07	108.20	-43.13	3	Horizontal	296	1.91
5885MHz	Pass	AV	5.891G	99.83	Inf	-Inf	3	Vertical	49	2.93
5885MHz	Pass	AV	5.8958G	74.87	109.61	-34.74	3	Vertical	49	2.93
5885MHz	Pass	PK	5.6474G	57.80	68.20	-10.40	3	Vertical	49	2.93
5885MHz	Pass	PK	5.8838G	112.30	Inf	-Inf	3	Vertical	49	2.93
5885MHz	Pass	PK	5.8958G	97.96	129.61	-31.65	3	Vertical	49	2.93
5885MHz	Pass	AV	5.8802G	104.68	Inf	-Inf	3	Horizontal	280	1.83
5885MHz	Pass	AV	5.8958G	79.70	109.61	-29.91	3	Horizontal	280	1.83
5885MHz	Pass	PK	5.6498G	57.78	68.20	-10.42	3	Horizontal	280	1.83



RSE TX above 1GHz_5850-5895(MHz)_Beamforming

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5885MHz	Pass	PK	5.8766G	117.74	Inf	-Inf	3	Horizontal	280	1.83
5885MHz	Pass	PK	5.8958G	101.68	129.61	-27.93	3	Horizontal	280	1.83
5885MHz	Pass	AV	11.7716G	46.29	54.00	-7.71	3	Vertical	333	1.50
5885MHz	Pass	AV	17.65228G	50.07	88.20	-38.13	3	Vertical	270	1.36
5885MHz	Pass	AV	23.5399G	51.70	88.20	-36.50	3	Vertical	199	1.63
5885MHz	Pass	AV	29.42541G	37.60	88.20	-50.60	3	Vertical	293	2.63
5885MHz	Pass	PK	11.7724G	61.02	74.00	-12.98	3	Vertical	333	1.50
5885MHz	Pass	PK	17.6518G	66.41	108.20	-41.79	3	Vertical	270	1.36
5885MHz	Pass	PK	23.53999G	56.39	108.20	-51.81	3	Vertical	199	1.63
5885MHz	Pass	PK	29.42512G	50.47	108.20	-57.73	3	Vertical	293	2.63
5885MHz	Pass	AV	11.76752G	46.55	54.00	-7.45	3	Horizontal	48	1.91
5885MHz	Pass	AV	17.65804G	54.90	88.20	-33.30	3	Horizontal	322	3.00
5885MHz	Pass	AV	23.53988G	51.95	88.20	-36.25	3	Horizontal	208	1.62
5885MHz	Pass	AV	29.42649G	39.45	88.20	-48.75	3	Horizontal	272	1.59
5885MHz	Pass	PK	11.77896G	62.35	74.00	-11.65	3	Horizontal	48	1.91
5885MHz	Pass	PK	17.6578G	73.03	108.20	-35.17	3	Horizontal	322	3.00
5885MHz	Pass	PK	23.53979G	57.24	108.20	-50.96	3	Horizontal	208	1.62
5885MHz	Pass	PK	29.42604G	54.58	108.20	-53.62	3	Horizontal	272	1.59
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5835MHz	Pass	AV	5.8302G	96.31	Inf	-Inf	3	Vertical	303	1.49
5835MHz	Pass	AV	5.925G	48.62	88.20	-39.58	3	Vertical	303	1.49
5835MHz	Pass	PK	5.6514G	61.78	69.24	-7.46	3	Vertical	303	1.49
5835MHz	Pass	PK	5.8326G	111.91	Inf	-Inf	3	Vertical	303	1.49
5835MHz	Pass	PK	5.9286G	71.31	108.20	-36.89	3	Vertical	303	1.49
5835MHz	Pass	AV	5.8242G	107.46	Inf	-Inf	3	Horizontal	319	1.92
5835MHz	Pass	AV	5.9274G	53.38	88.20	-34.82	3	Horizontal	319	1.92
5835MHz	Pass	PK	5.6346G	67.99	68.20	-0.21	3	Horizontal	319	1.92
5835MHz	Pass	PK	5.8314G	120.50	Inf	-Inf	3	Horizontal	319	1.92
5835MHz	Pass	PK	5.9238G	78.56	109.08	-30.52	3	Horizontal	319	1.92
5835MHz	Pass	AV	11.65176G	45.07	54.00	-8.93	3	Vertical	332	1.49
5835MHz	Pass	AV	17.47636G	52.50	88.20	-35.70	3	Vertical	262	2.05
5835MHz	Pass	AV	23.33998G	50.46	88.20	-37.74	3	Vertical	190	1.69
5835MHz	Pass	AV	29.17486G	35.97	88.20	-52.23	3	Vertical	270	1.30
5835MHz	Pass	PK	11.65336G	58.94	74.00	-15.06	3	Vertical	332	1.49
5835MHz	Pass	PK	17.47636G	65.22	108.20	-42.98	3	Vertical	262	2.05
5835MHz	Pass	PK	23.33987G	57.38	108.20	-50.82	3	Vertical	190	1.69
5835MHz	Pass	PK	29.17512G	49.74	108.20	-58.46	3	Vertical	270	1.30
5835MHz	Pass	AV	11.65G	46.36	54.00	-7.64	3	Horizontal	56	2.73
5835MHz	Pass	AV	17.47988G	56.99	88.20	-31.21	3	Horizontal	307	3.00
5835MHz	Pass	AV	23.33994G	48.32	88.20	-39.88	3	Horizontal	213	1.51
5835MHz	Pass	AV	29.17449G	42.45	88.20	-45.75	3	Horizontal	273	1.49
5835MHz	Pass	PK	11.65096G	59.94	74.00	-14.06	3	Horizontal	56	2.73
5835MHz	Pass	PK	17.4786G	74.12	108.20	-34.08	3	Horizontal	307	3.00
5835MHz	Pass	PK	23.34018G	60.57	108.20	-47.63	3	Horizontal	213	1.51
5835MHz	Pass	PK	29.17586G	58.32	108.20	-49.88	3	Horizontal	273	1.49
5875MHz	Pass	AV	5.8726G	99.51	Inf	-Inf	3	Vertical	32	1.06
5875MHz	Pass	AV	5.9158G	72.82	94.95	-22.13	3	Vertical	32	1.06
5875MHz	Pass	PK	5.5894G	58.08	68.20	-10.12	3	Vertical	32	1.06
5875MHz	Pass	PK	5.8726G	111.07	Inf	-Inf	3	Vertical	32	1.06
5875MHz	Pass	PK	5.9122G	92.95	117.59	-24.64	3	Vertical	32	1.06
5875MHz	Pass	AV	5.8846G	105.92	Inf	-Inf	3	Horizontal	305	1.49
5875MHz	Pass	AV	5.9194G	72.03	92.31	-20.28	3	Horizontal	305	1.49
5875MHz	Pass	PK	5.623G	64.24	68.20	-3.96	3	Horizontal	305	1.49
5875MHz	Pass	PK	5.8726G	122.07	Inf	-Inf	3	Horizontal	305	1.49
5875MHz	Pass	PK	5.9242G	91.20	108.79	-17.59	3	Horizontal	305	1.49
5875MHz	Pass	AV	11.73288G	45.53	54.00	-8.47	3	Vertical	338	1.50
5875MHz	Pass	AV	17.59588G	49.40	88.20	-38.80	3	Vertical	274	1.93
5875MHz	Pass	AV	23.49989G	51.50	88.20	-36.70	3	Vertical	187	1.61
5875MHz	Pass	AV	29.37476G	37.07	88.20	-51.13	3	Vertical	312	1.50
5875MHz	Pass	PK	11.73272G	59.87	74.00	-14.13	3	Vertical	338	1.50
5875MHz	Pass	PK	17.59652G	64.90	108.20	-43.30	3	Vertical	274	1.93
5875MHz	Pass	PK	23.4999G	57.71	108.20	-50.49	3	Vertical	187	1.61



RSE TX above 1GHz_5850-5895(MHz)_Beamforming

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5875MHz	Pass	PK	29.37482G	52.23	108.20	-55.97	3	Vertical	312	1.50
5875MHz	Pass	AV	11.72648G	45.75	54.00	-8.25	3	Horizontal	48	1.90
5875MHz	Pass	AV	17.5994G	55.47	88.20	-32.73	3	Horizontal	316	2.96
5875MHz	Pass	AV	23.49991G	51.05	88.20	-37.15	3	Horizontal	208	1.62
5875MHz	Pass	AV	29.37565G	39.24	88.20	-48.96	3	Horizontal	287	1.50
5875MHz	Pass	PK	11.73928G	61.46	74.00	-12.54	3	Horizontal	48	1.90
5875MHz	Pass	PK	17.5986G	72.51	108.20	-35.69	3	Horizontal	316	2.96
5875MHz	Pass	PK	23.49986G	56.29	108.20	-51.91	3	Horizontal	208	1.62
5875MHz	Pass	PK	29.3752G	58.36	108.20	-49.84	3	Horizontal	287	1.50
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5855MHz	Pass	AV	5.8382G	98.90	Inf	-Inf	3	Vertical	328	2.97
5855MHz	Pass	AV	5.9318G	64.93	88.20	-23.27	3	Vertical	328	2.97
5855MHz	Pass	PK	5.6486G	60.92	68.20	-7.28	3	Vertical	328	2.97
5855MHz	Pass	PK	5.8322G	109.61	Inf	-Inf	3	Vertical	328	2.97
5855MHz	Pass	PK	5.9234G	83.30	109.37	-26.07	3	Vertical	328	2.97
5855MHz	Pass	AV	5.8586G	102.75	Inf	-Inf	3	Horizontal	282	1.86
5855MHz	Pass	AV	5.9246G	68.69	88.49	-19.80	3	Horizontal	282	1.86
5855MHz	Pass	PK	5.6498G	64.44	68.20	-3.76	3	Horizontal	282	1.86
5855MHz	Pass	PK	5.8598G	116.12	Inf	-Inf	3	Horizontal	282	1.86
5855MHz	Pass	PK	5.9246G	85.87	108.49	-22.62	3	Horizontal	282	1.86
5855MHz	Pass	AV	11.69116G	44.87	54.00	-9.13	3	Vertical	332	1.50
5855MHz	Pass	AV	17.53614G	49.23	88.20	-38.97	3	Vertical	269	1.98
5855MHz	Pass	AV	23.41992G	50.74	88.20	-37.46	3	Vertical	190	1.69
5855MHz	Pass	AV	29.27577G	33.99	88.20	-54.21	3	Vertical	112	1.50
5855MHz	Pass	PK	11.69056G	59.42	74.00	-14.58	3	Vertical	332	1.50
5855MHz	Pass	PK	17.5359G	63.52	108.20	-44.68	3	Vertical	269	1.98
5855MHz	Pass	PK	23.4199G	55.49	108.20	-52.71	3	Vertical	190	1.69
5855MHz	Pass	PK	29.27524G	48.19	108.20	-60.01	3	Vertical	112	1.50
5855MHz	Pass	AV	11.6908G	44.04	54.00	-9.96	3	Horizontal	36	1.56
5855MHz	Pass	AV	17.53908G	52.87	88.20	-35.33	3	Horizontal	320	3.00
5855MHz	Pass	AV	23.41991G	50.75	88.20	-37.45	3	Horizontal	208	1.64
5855MHz	Pass	AV	29.27494G	36.70	88.20	-51.50	3	Horizontal	218	1.68
5855MHz	Pass	PK	11.69272G	56.11	74.00	-17.89	3	Horizontal	36	1.56
5855MHz	Pass	PK	17.54068G	70.51	108.20	-37.69	3	Horizontal	320	3.00
5855MHz	Pass	PK	23.41993G	55.22	108.20	-52.98	3	Horizontal	208	1.64
5855MHz	Pass	PK	29.275G	49.47	108.20	-58.73	3	Horizontal	218	1.68
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5815MHz	Pass	AV	5.8006G	88.94	Inf	-Inf	3	Vertical	350	2.74
5815MHz	Pass	AV	5.9494G	50.83	88.20	-37.37	3	Vertical	350	2.74
5815MHz	Pass	PK	5.5858G	65.37	68.20	-2.83	3	Vertical	350	2.74
5815MHz	Pass	PK	5.8222G	99.29	Inf	-Inf	3	Vertical	350	2.74
5815MHz	Pass	PK	5.9314G	67.04	108.20	-41.16	3	Vertical	350	2.74
5815MHz	Pass	AV	5.7466G	93.17	Inf	-Inf	3	Horizontal	327	1.51
5815MHz	Pass	AV	5.9362G	50.94	88.20	-37.26	3	Horizontal	327	1.51
5815MHz	Pass	PK	5.6314G	66.96	68.20	-1.24	3	Horizontal	327	1.51
5815MHz	Pass	PK	5.7478G	105.75	Inf	-Inf	3	Horizontal	327	1.51
5815MHz	Pass	PK	5.9314G	67.95	108.20	-40.25	3	Horizontal	327	1.51
5815MHz	Pass	AV	11.62856G	40.53	54.00	-13.47	3	Vertical	338	2.94
5815MHz	Pass	AV	17.4646G	45.18	88.20	-43.02	3	Vertical	0	1.20
5815MHz	Pass	AV	23.25995G	50.51	88.20	-37.69	3	Vertical	191	1.69
5815MHz	Pass	AV	29.07508G	36.07	88.20	-52.13	3	Vertical	101	1.50
5815MHz	Pass	PK	11.61752G	55.01	74.00	-18.99	3	Vertical	338	2.94
5815MHz	Pass	PK	17.46356G	59.09	108.20	-49.11	3	Vertical	0	1.20
5815MHz	Pass	PK	23.25991G	56.77	108.20	-51.43	3	Vertical	191	1.69
5815MHz	Pass	PK	29.07486G	50.35	108.20	-57.85	3	Vertical	101	1.50
5815MHz	Pass	AV	11.62992G	42.06	54.00	-11.94	3	Horizontal	48	1.50
5815MHz	Pass	AV	17.465G	45.05	88.20	-43.15	3	Horizontal	159	1.50
5815MHz	Pass	AV	23.25994G	54.67	88.20	-33.53	3	Horizontal	230	1.66
5815MHz	Pass	AV	29.07592G	36.76	88.20	-51.44	3	Horizontal	322	1.50
5815MHz	Pass	PK	11.63G	54.58	74.00	-19.42	3	Horizontal	48	1.50
5815MHz	Pass	PK	17.44236G	59.19	108.20	-49.01	3	Horizontal	159	1.50
5815MHz	Pass	PK	23.25984G	63.35	108.20	-44.85	3	Horizontal	230	1.66




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5815MHz	Pass	PK	29.07598G	52.21	108.20	-55.99	3	Horizontal	322	1.50



5.85-5.895GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8402G	100.61	Inf	-Inf	7.29	3	Vertical	303	1.82	93.32	34.10	7.53	34.34
AV	5.9254G	46.20	88.20	-42.00	7.60	3	Vertical	303	1.82	38.60	34.30	7.67	34.37
PK	5.6482G	58.00	68.20	-10.20	6.25	3	Vertical	303	1.82	51.75	33.10	7.43	34.28
PK	5.8402G	114.06	Inf	-Inf	7.29	3	Vertical	303	1.82	106.77	34.10	7.53	34.34
PK	6.097G	60.25	108.20	-47.95	7.51	3	Vertical	303	1.82	52.74	34.11	7.83	34.43

5.85-5.895GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.839G	106.78	Inf	-Inf	7.29	3	Horizontal	298	1.50	99.49	34.10	7.53	34.34
AV	5.9302G	46.88	88.20	-41.32	7.59	3	Horizontal	298	1.50	39.29	34.28	7.68	34.37
PK	5.5918G	57.97	68.20	-10.23	6.22	3	Horizontal	298	1.50	51.75	33.08	7.41	34.27
PK	5.851G	121.10	Inf	-Inf	7.31	3	Horizontal	298	1.50	113.79	34.11	7.55	34.35
PK	5.9206G	65.94	111.43	-45.49	7.61	3	Horizontal	298	1.50	58.33	34.32	7.66	34.37

5.85-5.895GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX


5845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.69176G	46.49	54.00	-7.51	15.12	3	Vertical	335	1.50	31.37	38.80	10.88	34.56
AV	17.53628G	52.66	88.20	-35.54	20.12	3	Vertical	265	1.87	32.54	38.85	14.34	33.07
AV	23.37994G	51.39	88.20	-36.81	-8.65	3	Vertical	188	1.63	60.04	40.25	15.84	55.20
AV	29.22351G	39.75	88.20	-48.45	-4.08	3	Vertical	347	1.50	43.83	40.20	20.52	55.26
PK	11.69224G	60.01	74.00	-13.99	15.12	3	Vertical	335	1.50	44.89	38.80	10.88	34.56
PK	17.53636G	66.96	108.20	-41.24	20.12	3	Vertical	265	1.87	46.84	38.85	14.34	33.07
PK	23.37985G	58.29	108.20	-49.91	-8.65	3	Vertical	188	1.63	66.94	40.25	15.84	55.20
PK	29.22335G	55.52	108.20	-52.68	-4.08	3	Vertical	347	1.50	59.60	40.20	20.52	55.26

5.85-5.895GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5845MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6952G	46.65	54.00	-7.35	15.12	3	Horizontal	51	1.72	31.53	38.80	10.88	34.56
AV	17.53884G	57.50	88.20	-30.70	20.13	3	Horizontal	316	2.76	37.37	38.86	14.34	33.07
AV	23.3799G	51.54	88.20	-36.66	-8.65	3	Horizontal	309	1.89	60.19	40.25	15.84	55.20
AV	29.22318G	47.80	88.20	-40.40	-4.08	3	Horizontal	279	1.68	51.88	40.20	20.52	55.26
PK	11.69736G	61.39	74.00	-12.61	15.12	3	Horizontal	51	1.72	46.27	38.80	10.88	34.56
PK	17.53988G	74.81	108.20	-33.39	20.13	3	Horizontal	316	2.76	54.68	38.86	14.34	33.07
PK	23.3796G	70.44	108.20	-37.76	-8.65	3	Horizontal	309	1.89	79.09	40.25	15.84	55.20
PK	29.2235G	67.06	108.20	-41.14	-4.08	3	Horizontal	279	1.68	71.14	40.20	20.52	55.26



5.85-5.895GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5865MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8614G	93.37	Inf	-Inf	7.39	3	Vertical	302	2.01	85.98	34.17	7.57	34.35
AV	5.925G	48.91	88.20	-39.29	7.60	3	Vertical	302	2.01	41.31	34.30	7.67	34.37
PK	5.6226G	57.65	68.20	-10.55	6.25	3	Vertical	302	2.01	51.40	33.10	7.43	34.28
PK	5.8626G	114.55	Inf	-Inf	7.40	3	Vertical	302	2.01	107.15	34.18	7.57	34.35
PK	5.9238G	69.84	109.08	-39.24	7.60	3	Vertical	302	2.01	62.24	34.30	7.67	34.37

5.85-5.895GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5865MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8686G	106.43	Inf	-Inf	7.44	3	Horizontal	327	1.53	98.99	34.21	7.58	34.35
AV	5.925G	49.00	88.20	-39.20	7.60	3	Horizontal	327	1.53	41.40	34.30	7.67	34.37
PK	5.6178G	58.66	68.20	-9.54	6.24	3	Horizontal	327	1.53	52.42	33.10	7.42	34.28
PK	5.8674G	121.91	Inf	-Inf	7.43	3	Horizontal	327	1.53	114.48	34.20	7.58	34.35
PK	5.9226G	67.21	109.96	-42.75	7.61	3	Horizontal	327	1.53	59.60	34.31	7.67	34.37

5.85-5.895GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5865MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.7316G	46.86	54.00	-7.14	15.13	3	Vertical	336	1.50	31.73	38.80	10.90	34.57
AV	17.59524G	51.64	88.20	-36.56	20.36	3	Vertical	270	1.85	31.28	39.08	14.40	33.12
AV	23.45992G	51.90	88.20	-36.30	-8.59	3	Vertical	199	1.64	60.49	40.28	15.87	55.20
AV	29.32529G	39.54	88.20	-48.66	-3.92	3	Vertical	348	1.82	43.46	40.35	20.50	55.23
PK	11.7332G	61.48	74.00	-12.52	15.13	3	Vertical	336	1.50	46.35	38.80	10.90	34.57
PK	17.59492G	64.32	108.20	-43.88	20.36	3	Vertical	270	1.85	43.96	39.08	14.40	33.12
PK	23.45996G	57.19	108.20	-51.01	-8.59	3	Vertical	199	1.64	65.78	40.28	15.87	55.20
PK	29.32475G	57.74	108.20	-50.46	-3.93	3	Vertical	348	1.82	61.67	40.35	20.50	55.24

5.85-5.895GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5865MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.72808G	46.45	54.00	-7.55	15.13	3	Horizontal	349	1.60	31.32	38.80	10.90	34.57
AV	17.5966G	53.86	88.20	-34.34	20.37	3	Horizontal	303	1.87	33.49	39.09	14.40	33.12
AV	23.45992G	50.48	88.20	-37.72	-8.59	3	Horizontal	214	1.75	59.07	40.28	15.87	55.20
AV	29.3255G	46.16	88.20	-42.04	-3.92	3	Horizontal	296	1.91	50.08	40.35	20.50	55.23
PK	11.72848G	60.17	74.00	-13.83	15.13	3	Horizontal	349	1.60	45.04	38.80	10.90	34.57
PK	17.59804G	68.95	108.20	-39.25	20.37	3	Horizontal	303	1.87	48.58	39.09	14.40	33.12
PK	23.45986G	56.48	108.20	-51.72	-8.59	3	Horizontal	214	1.75	65.07	40.28	15.87	55.20
PK	29.32588G	65.07	108.20	-43.13	-3.92	3	Horizontal	296	1.91	68.99	40.35	20.50	55.23



5.85-5.895GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5885MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.891G	99.83	Inf	-Inf	7.61	3	Vertical	49	2.93	92.22	34.35	7.62	34.36
AV	5.8958G	74.87	109.61	-34.74	7.63	3	Vertical	49	2.93	67.24	34.37	7.62	34.36
PK	5.6474G	57.80	68.20	-10.40	6.25	3	Vertical	49	2.93	51.55	33.10	7.43	34.28
PK	5.8838G	112.30	Inf	-Inf	7.54	3	Vertical	49	2.93	104.76	34.30	7.60	34.36
PK	5.8958G	97.96	129.61	-31.65	7.63	3	Vertical	49	2.93	90.33	34.37	7.62	34.36

5.85-5.895GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5885MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8802G	104.68	Inf	-Inf	7.53	3	Horizontal	280	1.83	97.15	34.28	7.60	34.35
AV	5.8958G	79.70	109.61	-29.91	7.63	3	Horizontal	280	1.83	72.07	34.37	7.62	34.36
PK	5.6498G	57.78	68.20	-10.42	6.25	3	Horizontal	280	1.83	51.53	33.10	7.43	34.28
PK	5.8766G	117.74	Inf	-Inf	7.50	3	Horizontal	280	1.83	110.24	34.26	7.59	34.35
PK	5.8958G	101.68	129.61	-27.93	7.63	3	Horizontal	280	1.83	94.05	34.37	7.62	34.36

5.85-5.895GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5885MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.7716G	46.29	54.00	-7.71	15.13	3	Vertical	333	1.50	31.16	38.80	10.92	34.59
AV	17.65228G	50.07	88.20	-38.13	20.77	3	Vertical	270	1.36	29.30	39.47	14.46	33.16
AV	23.5399G	51.70	88.20	-36.50	-8.63	3	Vertical	199	1.63	60.33	40.28	15.89	55.26
AV	29.42541G	37.60	88.20	-50.60	-3.72	3	Vertical	293	2.63	41.32	40.55	20.48	55.21
PK	11.7724G	61.02	74.00	-12.98	15.13	3	Vertical	333	1.50	45.89	38.80	10.92	34.59
PK	17.6518G	66.41	108.20	-41.79	20.76	3	Vertical	270	1.36	45.65	39.46	14.46	33.16
PK	23.53999G	56.39	108.20	-51.81	-8.63	3	Vertical	199	1.63	65.02	40.28	15.89	55.26
PK	29.42512G	50.47	108.20	-57.73	-3.72	3	Vertical	293	2.63	54.19	40.55	20.48	55.21

5.85-5.895GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5885MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.76752G	46.55	54.00	-7.45	15.12	3	Horizontal	48	1.91	31.43	38.80	10.91	34.59
AV	17.65804G	54.90	88.20	-33.30	20.80	3	Horizontal	322	3.00	34.10	39.51	14.46	33.17
AV	23.53988G	51.95	88.20	-36.25	-8.63	3	Horizontal	208	1.62	60.58	40.28	15.89	55.26
AV	29.42649G	39.45	88.20	-48.75	-3.72	3	Horizontal	272	1.59	43.17	40.55	20.48	55.21
PK	11.77896G	62.35	74.00	-11.65	15.13	3	Horizontal	48	1.91	47.22	38.80	10.92	34.59
PK	17.6578G	73.03	108.20	-35.17	20.79	3	Horizontal	322	3.00	52.24	39.50	14.46	33.17
PK	23.53979G	57.24	108.20	-50.96	-8.63	3	Horizontal	208	1.62	65.87	40.28	15.89	55.26
PK	29.42604G	54.58	108.20	-53.62	-3.72	3	Horizontal	272	1.59	58.30	40.55	20.48	55.21



5.85-5.895GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5835MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8302G	96.31	Inf	-Inf	7.28	3	Vertical	303	1.49	89.03	34.10	7.52	34.34
AV	5.925G	48.62	88.20	-39.58	7.60	3	Vertical	303	1.49	41.02	34.30	7.67	34.37
PK	5.6514G	61.78	69.24	-7.46	6.26	3	Vertical	303	1.49	55.52	33.12	7.43	34.29
PK	5.8326G	111.91	Inf	-Inf	7.28	3	Vertical	303	1.49	104.63	34.10	7.52	34.34
PK	5.9286G	71.31	108.20	-36.89	7.60	3	Vertical	303	1.49	63.71	34.29	7.68	34.37

5.85-5.895GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5835MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8242G	107.46	Inf	-Inf	7.27	3	Horizontal	319	1.92	100.19	34.10	7.51	34.34
AV	5.9274G	53.38	88.20	-34.82	7.59	3	Horizontal	319	1.92	45.79	34.29	7.67	34.37
PK	5.6346G	67.99	68.20	-0.21	6.25	3	Horizontal	319	1.92	61.74	33.10	7.43	34.28
PK	5.8314G	120.50	Inf	-Inf	7.28	3	Horizontal	319	1.92	113.22	34.10	7.52	34.34
PK	5.9238G	78.56	109.08	-30.52	7.60	3	Horizontal	319	1.92	70.96	34.30	7.67	34.37



5.85-5.895GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5835MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65176G	45.07	54.00	-8.93	15.13	3	Vertical	332	1.49	29.94	38.80	10.87	34.54
AV	17.47636G	52.50	88.20	-35.70	19.91	3	Vertical	262	2.05	32.59	38.68	14.28	33.05
AV	23.33998G	50.46	88.20	-37.74	-8.67	3	Vertical	190	1.69	59.13	40.24	15.83	55.20
AV	29.17486G	35.97	88.20	-52.23	-4.08	3	Vertical	270	1.30	40.05	40.20	20.53	55.27
PK	11.65336G	58.94	74.00	-15.06	15.12	3	Vertical	332	1.49	43.82	38.80	10.87	34.55
PK	17.47636G	65.22	108.20	-42.98	19.91	3	Vertical	262	2.05	45.31	38.68	14.28	33.05
PK	23.33987G	57.38	108.20	-50.82	-8.67	3	Vertical	190	1.69	66.05	40.24	15.83	55.20
PK	29.17512G	49.74	108.20	-58.46	-4.07	3	Vertical	270	1.30	53.81	40.20	20.53	55.26

5.85-5.895GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5835MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65G	46.36	54.00	-7.64	15.12	3	Horizontal	56	2.73	31.24	38.80	10.86	34.54
AV	17.47988G	56.99	88.20	-31.21	19.91	3	Horizontal	307	3.00	37.08	38.68	14.28	33.05
AV	23.33994G	48.32	88.20	-39.88	-8.67	3	Horizontal	213	1.51	56.99	40.24	15.83	55.20
AV	29.17449G	42.45	88.20	-45.75	-4.08	3	Horizontal	273	1.49	46.53	40.20	20.53	55.27
PK	11.65096G	59.94	74.00	-14.06	15.13	3	Horizontal	56	2.73	44.81	38.80	10.87	34.54
PK	17.4786G	74.12	108.20	-34.08	19.91	3	Horizontal	307	3.00	54.21	38.68	14.28	33.05
PK	23.34018G	60.57	108.20	-47.63	-8.67	3	Horizontal	213	1.51	69.24	40.24	15.83	55.20
PK	29.17586G	58.32	108.20	-49.88	-4.07	3	Horizontal	273	1.49	62.39	40.20	20.53	55.26



5.85-5.895GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5875MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8726G	99.51	Inf	-Inf	7.48	3	Vertical	32	1.06	92.03	34.24	7.59	34.35
AV	5.9158G	72.82	94.95	-22.13	7.64	3	Vertical	32	1.06	65.18	34.34	7.66	34.36
PK	5.5894G	58.08	68.20	-10.12	6.22	3	Vertical	32	1.06	51.86	33.08	7.41	34.27
PK	5.8726G	111.07	Inf	-Inf	7.48	3	Vertical	32	1.06	103.59	34.24	7.59	34.35
PK	5.9122G	92.95	117.59	-24.64	7.64	3	Vertical	32	1.06	85.31	34.35	7.65	34.36

5.85-5.895GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5875MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8846G	105.92	Inf	-Inf	7.56	3	Horizontal	305	1.49	98.36	34.31	7.61	34.36
AV	5.9194G	72.03	92.31	-20.28	7.61	3	Horizontal	305	1.49	64.42	34.32	7.66	34.37
PK	5.623G	64.24	68.20	-3.96	6.25	3	Horizontal	305	1.49	57.99	33.10	7.43	34.28
PK	5.8726G	122.07	Inf	-Inf	7.48	3	Horizontal	305	1.49	114.59	34.24	7.59	34.35
PK	5.9242G	91.20	108.79	-17.59	7.60	3	Horizontal	305	1.49	83.60	34.30	7.67	34.37

5.85-5.895GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5875MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.73288G	45.53	54.00	-8.47	15.13	3	Vertical	338	1.50	30.40	38.80	10.90	34.57
AV	17.59588G	49.40	88.20	-38.80	20.36	3	Vertical	274	1.93	29.04	39.08	14.40	33.12
AV	23.49989G	51.50	88.20	-36.70	-8.56	3	Vertical	187	1.61	60.06	40.30	15.88	55.20
AV	29.37476G	37.07	88.20	-51.13	-3.83	3	Vertical	312	1.50	40.90	40.45	20.49	55.23
PK	11.73272G	59.87	74.00	-14.13	15.13	3	Vertical	338	1.50	44.74	38.80	10.90	34.57
PK	17.59652G	64.90	108.20	-43.30	20.37	3	Vertical	274	1.93	44.53	39.09	14.40	33.12
PK	23.4999G	57.71	108.20	-50.49	-8.56	3	Vertical	187	1.61	66.27	40.30	15.88	55.20
PK	29.37482G	52.23	108.20	-55.97	-3.83	3	Vertical	312	1.50	56.06	40.45	20.49	55.23

5.85-5.895GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5875MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.72648G	45.75	54.00	-8.25	15.13	3	Horizontal	48	1.90	30.62	38.80	10.90	34.57
AV	17.5994G	55.47	88.20	-32.73	20.38	3	Horizontal	316	2.96	35.09	39.10	14.40	33.12
AV	23.49991G	51.05	88.20	-37.15	-8.56	3	Horizontal	208	1.62	59.61	40.30	15.88	55.20
AV	29.37565G	39.24	88.20	-48.96	-3.82	3	Horizontal	287	1.50	43.06	40.45	20.49	55.22
PK	11.73928G	61.46	74.00	-12.54	15.12	3	Horizontal	48	1.90	46.34	38.80	10.90	34.58
PK	17.5986G	72.51	108.20	-35.69	20.37	3	Horizontal	316	2.96	52.14	39.09	14.40	33.12
PK	23.49986G	56.29	108.20	-51.91	-8.56	3	Horizontal	208	1.62	64.85	40.30	15.88	55.20
PK	29.3752G	58.36	108.20	-49.84	-3.82	3	Horizontal	287	1.50	62.18	40.45	20.49	55.22



5.85-5.895GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8382G	98.90	Inf	-Inf	7.29	3	Vertical	328	2.97	91.61	34.10	7.53	34.34
AV	5.9318G	64.93	88.20	-23.27	7.58	3	Vertical	328	2.97	57.35	34.27	7.68	34.37
PK	5.6486G	60.92	68.20	-7.28	6.25	3	Vertical	328	2.97	54.67	33.10	7.43	34.28
PK	5.8322G	109.61	Inf	-Inf	7.28	3	Vertical	328	2.97	102.33	34.10	7.52	34.34
PK	5.9234G	83.30	109.37	-26.07	7.61	3	Vertical	328	2.97	75.69	34.31	7.67	34.37

5.85-5.895GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8586G	102.75	Inf	-Inf	7.36	3	Horizontal	282	1.86	95.39	34.15	7.56	34.35
AV	5.9246G	68.69	88.49	-19.80	7.60	3	Horizontal	282	1.86	61.09	34.30	7.67	34.37
PK	5.6498G	64.44	68.20	-3.76	6.25	3	Horizontal	282	1.86	58.19	33.10	7.43	34.28
PK	5.8598G	116.12	Inf	-Inf	7.38	3	Horizontal	282	1.86	108.74	34.16	7.57	34.35
PK	5.9246G	85.87	108.49	-22.62	7.60	3	Horizontal	282	1.86	78.27	34.30	7.67	34.37

5.85-5.895GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.69116G	44.87	54.00	-9.13	15.12	3	Vertical	332	1.50	29.75	38.80	10.88	34.56
AV	17.53614G	49.23	88.20	-38.97	20.11	3	Vertical	269	1.98	29.12	38.84	14.34	33.07
AV	23.41992G	50.74	88.20	-37.46	-8.62	3	Vertical	190	1.69	59.36	40.27	15.85	55.20
AV	29.27577G	33.99	88.20	-54.21	-4.02	3	Vertical	112	1.50	38.01	40.25	20.51	55.24
PK	11.69056G	59.42	74.00	-14.58	15.12	3	Vertical	332	1.50	44.30	38.80	10.88	34.56
PK	17.5359G	63.52	108.20	-44.68	20.11	3	Vertical	269	1.98	43.41	38.84	14.34	33.07
PK	23.4199G	55.49	108.20	-52.71	-8.62	3	Vertical	190	1.69	64.11	40.27	15.85	55.20
PK	29.27524G	48.19	108.20	-60.01	-4.02	3	Vertical	112	1.50	52.21	40.25	20.51	55.24

5.85-5.895GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5855MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6908G	44.04	54.00	-9.96	15.12	3	Horizontal	36	1.56	28.92	38.80	10.88	34.56
AV	17.53908G	52.87	88.20	-35.33	20.13	3	Horizontal	320	3.00	32.74	38.86	14.34	33.07
AV	23.41991G	50.75	88.20	-37.45	-8.62	3	Horizontal	208	1.64	59.37	40.27	15.85	55.20
AV	29.27494G	36.70	88.20	-51.50	-4.03	3	Horizontal	218	1.68	40.73	40.25	20.51	55.25
PK	11.69272G	56.11	74.00	-17.89	15.12	3	Horizontal	36	1.56	40.99	38.80	10.88	34.56
PK	17.54068G	70.51	108.20	-37.69	20.13	3	Horizontal	320	3.00	50.38	38.86	14.34	33.07
PK	23.41993G	55.22	108.20	-52.98	-8.62	3	Horizontal	208	1.64	63.84	40.27	15.85	55.20
PK	29.275G	49.47	108.20	-58.73	-4.02	3	Horizontal	218	1.68	53.49	40.25	20.51	55.24



5.85-5.895GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


5815MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8006G	88.94	Inf	-Inf	7.24	3	Vertical	350	2.74	81.70	34.10	7.47	34.33
AV	5.9494G	50.83	88.20	-37.37	7.54	3	Vertical	350	2.74	43.29	34.20	7.71	34.37
PK	5.5858G	65.37	68.20	-2.83	6.21	3	Vertical	350	2.74	59.16	33.07	7.41	34.27
PK	5.8222G	99.29	Inf	-Inf	7.27	3	Vertical	350	2.74	92.02	34.10	7.51	34.34
PK	5.9314G	67.04	108.20	-41.16	7.58	3	Vertical	350	2.74	59.46	34.27	7.68	34.37

5.85-5.895GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


5815MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7466G	93.17	Inf	-Inf	7.04	3	Horizontal	327	1.51	86.13	33.89	7.46	34.31
AV	5.9362G	50.94	88.20	-37.26	7.58	3	Horizontal	327	1.51	43.36	34.26	7.69	34.37
PK	5.6314G	66.96	68.20	-1.24	6.25	3	Horizontal	327	1.51	60.71	33.10	7.43	34.28
PK	5.7478G	105.75	Inf	-Inf	7.04	3	Horizontal	327	1.51	98.71	33.89	7.46	34.31
PK	5.9314G	67.95	108.20	-40.25	7.58	3	Horizontal	327	1.51	60.37	34.27	7.68	34.37

5.85-5.895GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_4TX


5815MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.62856G	40.53	54.00	-13.47	15.12	3	Vertical	338	2.94	25.41	38.80	10.86	34.54
AV	17.4646G	45.18	88.20	-43.02	19.87	3	Vertical	0	1.20	25.31	38.66	14.26	33.05
AV	23.25995G	50.51	88.20	-37.69	-8.74	3	Vertical	191	1.69	59.25	40.20	15.80	55.20
AV	29.07508G	36.07	88.20	-52.13	-4.07	3	Vertical	101	1.50	40.14	40.20	20.55	55.28
PK	11.61752G	55.01	74.00	-18.99	15.12	3	Vertical	338	2.94	39.89	38.80	10.85	34.53
PK	17.46356G	59.09	108.20	-49.11	19.87	3	Vertical	0	1.20	39.22	38.66	14.26	33.05
PK	23.25991G	56.77	108.20	-51.43	-8.74	3	Vertical	191	1.69	65.51	40.20	15.80	55.20
PK	29.07486G	50.35	108.20	-57.85	-4.08	3	Vertical	101	1.50	54.43	40.20	20.55	55.29

5.85-5.895GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_4TX

5815MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.62992G	42.06	54.00	-11.94	15.12	3	Horizontal	48	1.50	26.94	38.80	10.86	34.54
AV	17.465G	45.05	88.20	-43.15	19.88	3	Horizontal	159	1.50	25.17	38.67	14.26	33.05
AV	23.25994G	54.67	88.20	-33.53	-8.74	3	Horizontal	230	1.66	63.41	40.20	15.80	55.20
AV	29.07592G	36.76	88.20	-51.44	-4.07	3	Horizontal	322	1.50	40.83	40.20	20.55	55.28
PK	11.63G	54.58	74.00	-19.42	15.12	3	Horizontal	48	1.50	39.46	38.80	10.86	34.54
PK	17.44236G	59.19	108.20	-49.01	19.82	3	Horizontal	159	1.50	39.37	38.64	14.24	33.06
PK	23.25984G	63.35	108.20	-44.85	-8.74	3	Horizontal	230	1.66	72.09	40.20	15.80	55.20
PK	29.07598G	52.21	108.20	-55.99	-4.07	3	Horizontal	322	1.50	56.28	40.20	20.55	55.28



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.80478G	33.89	54.00	-20.11	Horizontal
Mode 2	Pass	AV	4.92455G	46.57	54.00	-7.43	Vertical






Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	4.79872G	33.69	54.00	-20.31	2.95	3	Vertical	178	1.50	-
Mode 1	Pass	AV	4.92452G	32.60	54.00	-21.40	3.46	3	Vertical	222	1.11	-
Mode 1	Pass	AV	10.46696G	43.45	68.20	-24.75	11.72	3	Vertical	29	2.25	-
Mode 1	Pass	AV	13.01018G	44.99	68.20	-23.21	14.85	3	Vertical	68	1.56	-
Mode 1	Pass	PK	4.81114G	44.86	74.00	-29.14	3.04	3	Vertical	178	1.50	-
Mode 1	Pass	PK	4.92394G	42.30	74.00	-31.70	3.46	3	Vertical	222	1.11	-
Mode 1	Pass	PK	10.46608G	53.27	88.20	-34.93	11.72	3	Vertical	29	2.25	-
Mode 1	Pass	PK	13.01016G	57.16	88.20	-31.04	14.85	3	Vertical	68	1.56	-
Mode 1	Pass	AV	4.80478G	33.89	54.00	-20.11	2.99	3	Horizontal	1	1.43	-
Mode 1	Pass	AV	4.92455G	32.78	54.00	-21.22	3.46	3	Horizontal	229	1.25	-
Mode 1	Pass	AV	10.46665G	43.67	68.20	-24.53	11.72	3	Horizontal	250	1.25	-
Mode 1	Pass	AV	13.01057G	42.57	68.20	-25.63	14.85	3	Horizontal	267	1.04	-
Mode 1	Pass	PK	4.80568G	45.10	74.00	-28.90	2.99	3	Horizontal	1	1.43	-
Mode 1	Pass	PK	4.924036G	42.53	74.00	-31.47	3.46	3	Horizontal	229	1.25	-
Mode 1	Pass	PK	10.46628G	52.45	88.20	-35.75	11.72	3	Horizontal	250	1.25	-
Mode 1	Pass	PK	13.01069G	54.76	88.20	-33.44	14.85	3	Horizontal	267	1.04	-
Mode 2	Pass	AV	4.81072G	34.12	54.00	-19.88	3.03	3	Vertical	112	2.20	-
Mode 2	Pass	AV	4.92455G	46.57	54.00	-7.43	3.46	3	Vertical	300	1.00	-
Mode 2	Pass	AV	10.46072G	58.72	68.20	-9.48	11.70	3	Vertical	120	1.32	-
Mode 2	Pass	AV	13.01065G	46.28	68.20	-21.92	14.85	3	Vertical	260	2.12	-
Mode 2	Pass	PK	4.80978G	43.75	74.00	-30.25	3.03	3	Vertical	112	2.20	-
Mode 2	Pass	PK	4.92463G	62.35	74.00	-11.65	3.46	3	Vertical	300	1.00	-
Mode 2	Pass	PK	10.46042G	58.92	88.20	-29.28	11.70	3	Vertical	120	1.32	-
Mode 2	Pass	PK	13.01038G	54.38	88.20	-33.82	14.85	3	Vertical	260	2.12	-
Mode 2	Pass	AV	4.81076G	32.24	54.00	-21.76	3.03	3	Horizontal	142	3.00	-
Mode 2	Pass	AV	4.92456G	45.32	54.00	-8.68	3.46	3	Horizontal	132	1.20	-
Mode 2	Pass	AV	10.45729G	56.82	68.20	-11.38	11.69	3	Horizontal	92	1.30	-
Mode 2	Pass	AV	13.01046G	48.25	68.20	-19.95	14.85	3	Horizontal	220	2.00	-
Mode 2	Pass	PK	4.81112G	43.24	74.00	-30.76	3.04	3	Horizontal	142	3.00	-
Mode 2	Pass	PK	4.92451G	62.72	74.00	-11.28	3.46	3	Horizontal	132	1.20	-
Mode 2	Pass	PK	10.46125G	58.57	88.20	-29.63	11.70	3	Horizontal	92	1.30	-
Mode 2	Pass	PK	13.01075G	55.69	88.20	-32.51	14.85	3	Horizontal	220	2.00	-

Radiated Emissions above 1GHz_Mode 1







Lim.PK 
 PK 
 Lim.AV 
 AV 

07/04/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.79872G	33.69	54.00	-20.31	2.95	3	Vertical	178	1.50	30.74	32.29	5.32	34.66
AV	4.92452G	32.60	54.00	-21.40	3.46	3	Vertical	222	1.11	29.14	32.70	5.41	34.65
AV	10.46696G	43.45	68.20	-24.75	11.72	3	Vertical	29	2.25	31.73	38.47	8.00	34.75
AV	13.01018G	44.99	68.20	-23.21	14.85	3	Vertical	68	1.56	30.14	39.60	8.74	33.49
PK	4.81114G	44.86	74.00	-29.14	3.04	3	Vertical	178	1.50	41.82	32.37	5.33	34.66
PK	4.92394G	42.30	74.00	-31.70	3.46	3	Vertical	222	1.11	38.84	32.70	5.41	34.65
PK	10.46608G	53.27	88.20	-34.93	11.72	3	Vertical	29	2.25	41.55	38.47	8.00	34.75
PK	13.01016G	57.16	88.20	-31.04	14.85	3	Vertical	68	1.56	42.31	39.60	8.74	33.49

Radiated Emissions above 1GHz_Mode 1




Lim.PK 
 PK 
 Lim.AV 
 AV 

07/04/2023


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80478G	33.89	54.00	-20.11	2.99	3	Horizontal	1	1.43	30.90	32.33	5.32	34.66
AV	4.92455G	32.78	54.00	-21.22	3.46	3	Horizontal	229	1.25	29.32	32.70	5.41	34.65
AV	10.46665G	43.67	68.20	-24.53	11.72	3	Horizontal	250	1.25	31.95	38.47	8.00	34.75
AV	13.01057G	42.57	68.20	-25.63	14.85	3	Horizontal	267	1.04	27.72	39.60	8.74	33.49
PK	4.80568G	45.10	74.00	-28.90	2.99	3	Horizontal	1	1.43	42.11	32.33	5.32	34.66
PK	4.924036G	42.53	74.00	-31.47	3.46	3	Horizontal	229	1.25	39.07	32.70	5.41	34.65
PK	10.46628G	52.45	88.20	-35.75	11.72	3	Horizontal	250	1.25	40.73	38.47	8.00	34.75
PK	13.01069G	54.76	88.20	-33.44	14.85	3	Horizontal	267	1.04	39.91	39.60	8.74	33.49

Radiated Emissions above 1GHz_Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.81072G	34.12	54.00	-19.88	3.03	3	Vertical	112	2.20	31.09	32.36	5.33	34.66
AV	4.92455G	46.57	54.00	-7.43	3.46	3	Vertical	300	1.00	43.11	32.70	5.41	34.65
AV	10.46072G	58.72	68.20	-9.48	11.70	3	Vertical	120	1.32	47.02	38.46	8.00	34.76
AV	13.01065G	46.28	68.20	-21.92	14.85	3	Vertical	260	2.12	31.43	39.60	8.74	33.49
PK	4.80978G	43.75	74.00	-30.25	3.03	3	Vertical	112	2.20	40.72	32.36	5.33	34.66
PK	4.92463G	62.35	74.00	-11.65	3.46	3	Vertical	300	1.00	58.89	32.70	5.41	34.65
PK	10.46042G	58.92	88.20	-29.28	11.70	3	Vertical	120	1.32	47.22	38.46	8.00	34.76
PK	13.01038G	54.38	88.20	-33.82	14.85	3	Vertical	260	2.12	39.53	39.60	8.74	33.49

Radiated Emissions above 1GHz_Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.81076G	32.24	54.00	-21.76	3.03	3	Horizontal	142	3.00	29.21	32.36	5.33	34.66
AV	4.92456G	45.32	54.00	-8.68	3.46	3	Horizontal	132	1.20	41.86	32.70	5.41	34.65
AV	10.45729G	56.82	68.20	-11.38	11.69	3	Horizontal	92	1.30	45.13	38.46	7.99	34.76
AV	13.01046G	48.25	68.20	-19.95	14.85	3	Horizontal	220	2.00	33.40	39.60	8.74	33.49
PK	4.81112G	43.24	74.00	-30.76	3.04	3	Horizontal	142	3.00	40.20	32.37	5.33	34.66
PK	4.92451G	62.72	74.00	-11.28	3.46	3	Horizontal	132	1.20	59.26	32.70	5.41	34.65
PK	10.46125G	58.57	88.20	-29.63	11.70	3	Horizontal	92	1.30	46.87	38.46	8.00	34.76
PK	13.01075G	55.69	88.20	-32.51	14.85	3	Horizontal	220	2.00	40.84	39.60	8.74	33.49