

1. Peak-Average Ratio


1.1 30k_SISO_20MHz_NTNV

1.1.1 Test Result


5G NR n78e SCS=30kHz SISO 20MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dBm)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM QPSK	3460.02	Outer_Full	10.16	/	/	<=13	Pass
	3500.01	Outer_Full	10.07	/	/	<=13	Pass
	3540	Outer_Full	9.83	/	/	<=13	Pass
DFT-s-OFDM 64 QAM	3460.02	Outer_Full	10.70	/	/	<=13	Pass
	3500.01	Outer_Full	10.71	/	/	<=13	Pass
	3540	Outer_Full	10.89	/	/	<=13	Pass
DFT-s-OFDM 256 QAM	3460.02	Outer_Full	10.84	/	/	<=13	Pass
	3500.01	Outer_Full	10.39	/	/	<=13	Pass
	3540	Outer_Full	10.80	/	/	<=13	Pass
CP-OFDM QPSK	3460.02	Outer_Full	11.84	/	/	<=13	Pass
	3500.01	Outer_Full	11.68	/	/	<=13	Pass
	3540	Outer_Full	11.76	/	/	<=13	Pass
CP-OFDM 64 QAM	3460.02	Outer_Full	11.61	/	/	<=13	Pass
	3500.01	Outer_Full	11.82	/	/	<=13	Pass
	3540	Outer_Full	11.72	/	/	<=13	Pass
CP-OFDM 256 QAM	3460.02	Outer_Full	12.10	/	/	<=13	Pass
	3500.01	Outer_Full	11.73	/	/	<=13	Pass
	3540	Outer_Full	12.00	/	/	<=13	Pass

1.1.2 Test Graph


n78e_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM QPSK_3460.02MHz_Outer_Full




n78e_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM QPSK_3500.01MHz_Outer_Full




n78e_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM QPSK_3540MHz_Outer_Full




n78e_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM 64 QAM_3460.02MHz_Outer_Full




n78e_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_64_QAM_3500.01MHz_Outer_Full




n78e_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_64_QAM_3540MHz_Outer_Full




n78e_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_256_QAM_3460.02MHz_Outer_Full




n78e_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_256_QAM_3500.01MHz_Outer_Full




n78e_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_256_QAM_3540MHz_Outer_Full




n78e_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3460.02MHz_Outer_Full




n78e_30kHz_SISO_NTNV_20MHz_CP-OFDM QPSK_3500.01MHz_Outer_Full




n78e_30kHz_SISO_NTNV_20MHz_CP-OFDM QPSK_3540MHz_Outer_Full




n78e_30kHz_SISO_NTNV_20MHz_CP-OFDM 64 QAM_3460.02MHz_Outer_Full




n78e_30kHz_SISO_NTNV_20MHz_CP-OFDM 64 QAM_3500.01MHz_Outer_Full




n78e_30kHz_SISO_NTNV_20MHz_CP-OFDM 64 QAM_3540MHz_Outer_Full




n78e_30kHz_SISO_NTNV_20MHz_CP-OFDM 256 QAM_3460.02MHz_Outer_Full



n78e_30kHz_SISO_NTNV_20MHz_CP-OFDM_256_QAM_3500.01MHz_Outer_Full



n78e_30kHz_SISO_NTNV_20MHz_CP-OFDM_256_QAM_3540MHz_Outer_Full




1.2 30k_SISO_30MHz_NTNV


1.2.1 Test Result

5G NR n78e SCS=30kHz SISO 30MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dBm)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM QPSK	3465	Outer_Full	10.38	/	/	<=13	Pass
	3500.01	Outer_Full	10.48	/	/	<=13	Pass
	3534.99	Outer_Full	10.53	/	/	<=13	Pass
DFT-s-OFDM 64 QAM	3465	Outer_Full	10.90	/	/	<=13	Pass
	3500.01	Outer_Full	11.00	/	/	<=13	Pass
	3534.99	Outer_Full	11.11	/	/	<=13	Pass
DFT-s-OFDM 256 QAM	3465	Outer_Full	10.97	/	/	<=13	Pass
	3500.01	Outer_Full	11.00	/	/	<=13	Pass
	3534.99	Outer_Full	11.14	/	/	<=13	Pass
CP-OFDM QPSK	3465	Outer_Full	11.72	/	/	<=13	Pass
	3500.01	Outer_Full	11.82	/	/	<=13	Pass
	3534.99	Outer_Full	11.65	/	/	<=13	Pass
CP-OFDM 64 QAM	3465	Outer_Full	11.60	/	/	<=13	Pass
	3500.01	Outer_Full	11.93	/	/	<=13	Pass
	3534.99	Outer_Full	11.87	/	/	<=13	Pass
CP-OFDM 256 QAM	3465	Outer_Full	11.93	/	/	<=13	Pass
	3500.01	Outer_Full	11.80	/	/	<=13	Pass
	3534.99	Outer_Full	11.92	/	/	<=13	Pass


1.2.2 Test Graph




n78e_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM QPSK_3534.99MHz_Outer_Full




n78e_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM 64 QAM_3465MHz_Outer_Full




n78e_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_64_QAM_3500.01MHz_Outer_Full




n78e_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_64_QAM_3534.99MHz_Outer_Full




n78e_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM 256 QAM_3465MHz_Outer_Full




n78e_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM 256 QAM_3500.01MHz_Outer_Full




n78e_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_256_QAM_3534.99MHz_Outer_Full




n78e_30kHz_SISO_NTNV_30MHz_CP-OFDM_QPSK_3465MHz_Outer_Full




n78e_30kHz_SISO_NTNV_30MHz_CP-OFDM QPSK_3500.01MHz_Outer_Full




n78e_30kHz_SISO_NTNV_30MHz_CP-OFDM QPSK_3534.99MHz_Outer_Full




n78e_30kHz_SISO_NTNV_30MHz_CP-OFDM 64 QAM_3465MHz_Outer_Full




n78e_30kHz_SISO_NTNV_30MHz_CP-OFDM 64 QAM_3500.01MHz_Outer_Full




n78e_30kHz_SISO_NTNV_30MHz_CP-OFDM 64 QAM_3534.99MHz_Outer_Full




n78e_30kHz_SISO_NTNV_30MHz_CP-OFDM 256 QAM_3465MHz_Outer_Full



n78e_30kHz_SISO_NTNV_30MHz_CP-OFDM 256 QAM_3500.01MHz_Outer_Full



n78e_30kHz_SISO_NTNV_30MHz_CP-OFDM 256 QAM_3534.99MHz_Outer_Full




1.3 30k_SISO_40MHz_NTNV

1.3.1 Test Result


5G NR n78e SCS=30kHz SISO 40MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dBm)			Limit	Verdict
			Ant1	Ant2	Sum		
DFT-s-OFDM QPSK	3470.01	Outer_Full	10.84	/	/	<=13	Pass
	3500.01	Outer_Full	10.80	/	/	<=13	Pass
	3529.98	Outer_Full	11.05	/	/	<=13	Pass
DFT-s-OFDM 64 QAM	3470.01	Outer_Full	11.06	/	/	<=13	Pass
	3500.01	Outer_Full	11.30	/	/	<=13	Pass
	3529.98	Outer_Full	11.35	/	/	<=13	Pass
DFT-s-OFDM 256 QAM	3470.01	Outer_Full	11.31	/	/	<=13	Pass
	3500.01	Outer_Full	11.17	/	/	<=13	Pass
	3529.98	Outer_Full	11.06	/	/	<=13	Pass
CP-OFDM QPSK	3470.01	Outer_Full	11.73	/	/	<=13	Pass
	3500.01	Outer_Full	11.70	/	/	<=13	Pass
	3529.98	Outer_Full	11.82	/	/	<=13	Pass
CP-OFDM 64 QAM	3470.01	Outer_Full	11.62	/	/	<=13	Pass
	3500.01	Outer_Full	11.84	/	/	<=13	Pass
	3529.98	Outer_Full	11.72	/	/	<=13	Pass
CP-OFDM 256 QAM	3470.01	Outer_Full	11.88	/	/	<=13	Pass
	3500.01	Outer_Full	11.62	/	/	<=13	Pass
	3529.98	Outer_Full	11.76	/	/	<=13	Pass

1.3.2 Test Graph


n78e_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM QPSK_3470.01MHz_Outer_Full




n78e_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM QPSK_3500.01MHz_Outer_Full




n78e_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM QPSK_3529.98MHz_Outer_Full




n78e_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM 64 QAM_3470.01MHz_Outer_Full




n78e_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_64_QAM_3500.01MHz_Outer_Full




n78e_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_64_QAM_3529.98MHz_Outer_Full




n78e_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_256_QAM_3470.01MHz_Outer_Full




n78e_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_256_QAM_3500.01MHz_Outer_Full




n78e_30kHz_SISO_NTNV_40MHz_DFT-s-OFDM_256_QAM_3529.98MHz_Outer_Full




n78e_30kHz_SISO_NTNV_40MHz_CP-OFDM_QPSK_3470.01MHz_Outer_Full




n78e_30kHz_SISO_NTNV_40MHz_CP-OFDM QPSK_3500.01MHz_Outer_Full




n78e_30kHz_SISO_NTNV_40MHz_CP-OFDM QPSK_3529.98MHz_Outer_Full




n78e_30kHz_SISO_NTNV_40MHz_CP-OFDM 64 QAM_3470.01MHz_Outer_Full




n78e_30kHz_SISO_NTNV_40MHz_CP-OFDM 64 QAM_3500.01MHz_Outer_Full




n78e_30kHz_SISO_NTNV_40MHz_CP-OFDM 64 QAM_3529.98MHz_Outer_Full




n78e_30kHz_SISO_NTNV_40MHz_CP-OFDM 256 QAM_3470.01MHz_Outer_Full



n78e_30kHz_SISO_NTNV_40MHz_CP-OFDM 256 QAM_3500.01MHz_Outer_Full



n78e_30kHz_SISO_NTNV_40MHz_CP-OFDM 256 QAM_3529.98MHz_Outer_Full




1.4 30k_SISO_50MHz_NTNV


1.4.1 Test Result

5G NR n78e SCS=30kHz SISO 50MHz NTNv							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dBm)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM QPSK	3475.02	Outer_Full	10.89	/	/	<=13	Pass
	3500.01	Outer_Full	10.68	/	/	<=13	Pass
	3525	Outer_Full	10.99	/	/	<=13	Pass
DFT-s-OFDM 64 QAM	3475.02	Outer_Full	11.43	/	/	<=13	Pass
	3500.01	Outer_Full	11.33	/	/	<=13	Pass
	3525	Outer_Full	11.26	/	/	<=13	Pass
DFT-s-OFDM 256 QAM	3475.02	Outer_Full	11.20	/	/	<=13	Pass
	3500.01	Outer_Full	11.17	/	/	<=13	Pass
	3525	Outer_Full	11.13	/	/	<=13	Pass
CP-OFDM QPSK	3475.02	Outer_Full	11.77	/	/	<=13	Pass
	3500.01	Outer_Full	11.46	/	/	<=13	Pass
	3525	Outer_Full	11.84	/	/	<=13	Pass
CP-OFDM 64 QAM	3475.02	Outer_Full	11.88	/	/	<=13	Pass
	3500.01	Outer_Full	11.97	/	/	<=13	Pass
	3525	Outer_Full	11.76	/	/	<=13	Pass
CP-OFDM 256 QAM	3475.02	Outer_Full	11.97	/	/	<=13	Pass
	3500.01	Outer_Full	11.99	/	/	<=13	Pass
	3525	Outer_Full	12.03	/	/	<=13	Pass


1.4.2 Test Graph




n78e_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM QPSK_3525MHz_Outer_Full




n78e_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM 64 QAM_3475.02MHz_Outer_Full




n78e_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_64_QAM_3500.01MHz_Outer_Full




n78e_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_64_QAM_3525MHz_Outer_Full




n78e_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_256_QAM_3475.02MHz_Outer_Full




n78e_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM_256_QAM_3500.01MHz_Outer_Full




n78e_30kHz_SISO_NTNV_50MHz_DFT-s-OFDM 256 QAM_3525MHz_Outer_Full




n78e_30kHz_SISO_NTNV_50MHz_CP-OFDM QPSK_3475.02MHz_Outer_Full




n78e_30kHz_SISO_NTNV_50MHz_CP-OFDM QPSK_3500.01MHz_Outer_Full




n78e_30kHz_SISO_NTNV_50MHz_CP-OFDM QPSK_3525MHz_Outer_Full




n78e_30kHz_SISO_NTNV_50MHz_CP-OFDM 64 QAM_3475.02MHz_Outer_Full




n78e_30kHz_SISO_NTNV_50MHz_CP-OFDM 64 QAM_3500.01MHz_Outer_Full




n78e_30kHz_SISO_NTNV_50MHz_CP-OFDM 64 QAM_3525MHz_Outer_Full




n78e_30kHz_SISO_NTNV_50MHz_CP-OFDM 256 QAM_3475.02MHz_Outer_Full



n78e_30kHz_SISO_NTNV_50MHz_CP-OFDM_256_QAM_3500.01MHz_Outer_Full



n78e_30kHz_SISO_NTNV_50MHz_CP-OFDM_256_QAM_3525MHz_Outer_Full




1.5 30k_SISO_60MHz_NTNV


1.5.1 Test Result

5G NR n78e SCS=30kHz SISO 60MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dBm)			Limit	Verdict
			Ant1	Ant2	Sum		
DFT-s-OFDM QPSK	3480	Outer_Full	11.32	/	/	<=13	Pass
	3500.01	Outer_Full	10.90	/	/	<=13	Pass
	3519.99	Outer_Full	11.12	/	/	<=13	Pass
DFT-s-OFDM 64 QAM	3480	Outer_Full	11.23	/	/	<=13	Pass
	3500.01	Outer_Full	11.21	/	/	<=13	Pass
	3519.99	Outer_Full	11.26	/	/	<=13	Pass
DFT-s-OFDM 256 QAM	3480	Outer_Full	11.11	/	/	<=13	Pass
	3500.01	Outer_Full	11.32	/	/	<=13	Pass
	3519.99	Outer_Full	11.10	/	/	<=13	Pass
CP-OFDM QPSK	3480	Outer_Full	11.76	/	/	<=13	Pass
	3500.01	Outer_Full	11.75	/	/	<=13	Pass
	3519.99	Outer_Full	11.87	/	/	<=13	Pass
CP-OFDM 64 QAM	3480	Outer_Full	11.56	/	/	<=13	Pass
	3500.01	Outer_Full	11.50	/	/	<=13	Pass
	3519.99	Outer_Full	11.86	/	/	<=13	Pass
CP-OFDM 256 QAM	3480	Outer_Full	11.57	/	/	<=13	Pass
	3500.01	Outer_Full	11.88	/	/	<=13	Pass
	3519.99	Outer_Full	11.90	/	/	<=13	Pass


1.5.2 Test Graph




n78e_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM QPSK_3519.99MHz_Outer_Full




n78e_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM 64 QAM_3480MHz_Outer_Full




n78e_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_64_QAM_3500.01MHz_Outer_Full




n78e_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_64_QAM_3519.99MHz_Outer_Full




n78e_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM 256 QAM_3480MHz_Outer_Full




n78e_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM 256 QAM_3500.01MHz_Outer_Full




n78e_30kHz_SISO_NTNV_60MHz_DFT-s-OFDM_256_QAM_3519.99MHz_Outer_Full




n78e_30kHz_SISO_NTNV_60MHz_CP-OFDM_QPSK_3480MHz_Outer_Full




n78e_30kHz_SISO_NTNV_60MHz_CP-OFDM QPSK_3500.01MHz_Outer_Full




n78e_30kHz_SISO_NTNV_60MHz_CP-OFDM QPSK_3519.99MHz_Outer_Full




n78e_30kHz_SISO_NTNV_60MHz_CP-OFDM 64 QAM_3480MHz_Outer_Full




n78e_30kHz_SISO_NTNV_60MHz_CP-OFDM 64 QAM_3500.01MHz_Outer_Full




n78e_30kHz_SISO_NTNV_60MHz_CP-OFDM 64 QAM_3519.99MHz_Outer_Full




n78e_30kHz_SISO_NTNV_60MHz_CP-OFDM 256 QAM_3480MHz_Outer_Full



n78e_30kHz_SISO_NTNV_60MHz_CP-OFDM 256 QAM_3500.01MHz_Outer_Full



n78e_30kHz_SISO_NTNV_60MHz_CP-OFDM 256 QAM_3519.99MHz_Outer_Full




1.6 30k_SISO_70MHz_NTNV

1.6.1 Test Result


5G NR n78e SCS=30kHz SISO 70MHz NTNv							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dBm)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM QPSK	3485.01	Outer_Full	11.22	/	/	<=13	Pass
	3500.01	Outer_Full	11.23	/	/	<=13	Pass
	3514.98	Outer_Full	11.25	/	/	<=13	Pass
DFT-s-OFDM 64 QAM	3485.01	Outer_Full	11.42	/	/	<=13	Pass
	3500.01	Outer_Full	11.30	/	/	<=13	Pass
	3514.98	Outer_Full	11.51	/	/	<=13	Pass
DFT-s-OFDM 256 QAM	3485.01	Outer_Full	11.46	/	/	<=13	Pass
	3500.01	Outer_Full	11.23	/	/	<=13	Pass
	3514.98	Outer_Full	11.40	/	/	<=13	Pass
CP-OFDM QPSK	3485.01	Outer_Full	11.75	/	/	<=13	Pass
	3500.01	Outer_Full	11.89	/	/	<=13	Pass
	3514.98	Outer_Full	11.57	/	/	<=13	Pass
CP-OFDM 64 QAM	3485.01	Outer_Full	11.69	/	/	<=13	Pass
	3500.01	Outer_Full	11.72	/	/	<=13	Pass
	3514.98	Outer_Full	11.85	/	/	<=13	Pass
CP-OFDM 256 QAM	3485.01	Outer_Full	11.73	/	/	<=13	Pass
	3500.01	Outer_Full	11.56	/	/	<=13	Pass
	3514.98	Outer_Full	11.64	/	/	<=13	Pass

1.6.2 Test Graph


n78e_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM QPSK_3485.01MHz_Outer_Full




n78e_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM QPSK_3500.01MHz_Outer_Full




n78e_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM QPSK_3514.98MHz_Outer_Full




n78e_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM 64 QAM_3485.01MHz_Outer_Full




n78e_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_64_QAM_3500.01MHz_Outer_Full




n78e_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_64_QAM_3514.98MHz_Outer_Full




n78e_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_256_QAM_3485.01MHz_Outer_Full




n78e_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_256_QAM_3500.01MHz_Outer_Full




n78e_30kHz_SISO_NTNV_70MHz_DFT-s-OFDM_256_QAM_3514.98MHz_Outer_Full



n78e_30kHz_SISO_NTNV_70MHz_CP-OFDM_QPSK_3485.01MHz_Outer_Full



n78e_30kHz_SISO_NTNV_70MHz_CP-OFDM QPSK_3500.01MHz_Outer_Full



n78e_30kHz_SISO_NTNV_70MHz_CP-OFDM QPSK_3514.98MHz_Outer_Full

