




EIRP PSD:Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6905MHz;TX

CF Freq  
6.905GHz  
Span  
480MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
4.8ms  
Detector Type  
RMS  
CP BW  
320MHz



Page 5

EIRP PSD (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss]			
4.53	Pr=Pmeas-Gr+Lc-Gamp			
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-5.37	10.77	5.98	44.11	58.80



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.203623G	-12.56	6.23465G	-55.10	-52.56	-2.54	4
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.219296G	-9.51	6.28495G	-51.50	-49.51	-1.99	1
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.2268G	-6.20	6.4004G	-48.29	-46.20	-2.09	1
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.08918G	-4.34	6.2908G	-45.34	-44.34	-1.00	4
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.47139G	5.25	7.0086G	-35.94	-34.75	-1.19	3
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.524148G	-12.64	6.4785G	-55.22	-52.64	-2.58	1
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.473003G	-8.00	6.41775G	-51.34	-48.00	-3.34	1
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.51911G	-5.37	6.3882G	-48.32	-45.37	-2.95	1
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.43042G	-1.66	6.2504G	-44.52	-41.64	-2.88	1
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.69777G	5.16	6.0462G	-37.99	-34.84	-3.15	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	6.880374G	-12.70	6.92075G	-54.51	-52.70	-1.81	4
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	6.866555G	-7.92	6.9697G	-50.27	-47.92	-2.35	4
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.82851G	-5.69	6.999G	-47.13	-45.69	-1.44	4
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.90098G	-2.26	6.5658G	-43.34	-42.26	-1.08	2
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.59224G	5.67	6.205G	-36.34	-34.33	-2.01	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	7.086377G	-13.27	7.045925G	-54.30	-53.27	-1.03	4
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	7.082401G	-9.87	6.99545G	-50.38	-49.87	-0.51	2
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	6.99441G	-5.13	6.8892G	-47.88	-45.13	-2.75	1
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	6.91282G	-1.91	6.7316G	-44.40	-41.91	-2.49	4
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	6.87101G	4.59	6.385G	-35.51	-35.35	-0.16	2





Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.963998G	-12.52	5.992875G	-56.09	-52.52	-3.57	1
5955MHz	Pass	5.962473G	-12.11	5.999G	-55.76	-52.11	-3.65	2
5955MHz	Pass	5.962973G	-12.36	6.00035G	-55.95	-52.36	-3.59	3
5955MHz	Pass	5.961098G	-12.52	5.999075G	-56.01	-52.52	-3.49	4
6195MHz	Pass	6.203973G	-12.60	6.235525G	-55.38	-52.60	-2.78	1
6195MHz	Pass	6.201998G	-12.67	6.2294G	-55.27	-52.67	-2.60	2
6195MHz	Pass	6.203473G	-12.06	6.2281G	-55.32	-52.06	-3.26	3
6195MHz	Pass	6.203623G	-12.56	6.23465G	-55.10	-52.56	-2.54	4
6415MHz	Pass	6.422648G	-12.04	6.379575G	-55.37	-52.04	-3.33	1
6415MHz	Pass	6.421548G	-11.76	6.377925G	-55.46	-51.76	-3.70	2
6415MHz	Pass	6.407552G	-11.81	6.369975G	-55.65	-51.81	-3.84	3
6415MHz	Pass	6.411901G	-11.89	6.45475G	-55.30	-51.89	-3.41	4
6435MHz	Pass	6.4343G	-12.20	6.39385G	-54.81	-52.20	-2.61	1
6435MHz	Pass	6.427927G	-11.93	6.469925G	-55.46	-51.93	-3.53	2
6435MHz	Pass	6.431001G	-11.80	6.400775G	-55.50	-51.80	-3.70	3
6435MHz	Pass	6.43415G	-12.41	6.396025G	-55.08	-52.41	-2.67	4
6475MHz	Pass	6.466202G	-11.57	6.43005G	-55.30	-51.57	-3.73	1
6475MHz	Pass	6.482573G	-11.50	6.426125G	-55.17	-51.50	-3.67	2
6475MHz	Pass	6.465877G	-11.46	6.426875G	-55.35	-51.46	-3.89	3
6475MHz	Pass	6.476225G	-11.64	6.5173G	-54.92	-51.64	-3.28	4
6515MHz	Pass	6.524148G	-12.64	6.4785G	-55.22	-52.64	-2.58	1
6515MHz	Pass	6.507677G	-12.44	6.560825G	-55.07	-52.44	-2.63	2
6515MHz	Pass	6.507452G	-12.34	6.4723G	-55.57	-52.34	-3.23	3
6515MHz	Pass	6.509576G	-12.38	6.54715G	-55.31	-52.27	-3.04	4
6535MHz	Pass	6.528802G	-12.51	6.4962G	-55.44	-52.51	-2.93	1
6535MHz	Pass	6.526852G	-12.64	6.49045G	-55.47	-52.64	-2.83	2
6535MHz	Pass	6.527977G	-11.80	6.57385G	-55.70	-51.80	-3.90	3
6535MHz	Pass	6.530126G	-12.91	6.569525G	-55.27	-52.91	-2.36	4
6695MHz	Pass	6.686102G	-11.78	6.730375G	-55.50	-51.78	-3.72	1
6695MHz	Pass	6.685902G	-11.44	6.732975G	-55.45	-51.44	-4.01	2
6695MHz	Pass	6.699324G	-11.73	6.6546G	-55.59	-51.73	-3.86	3
6695MHz	Pass	6.692401G	-12.32	6.73675G	-55.20	-52.32	-2.88	4
6875MHz	Pass	6.883598G	-12.13	6.906675G	-54.51	-52.13	-2.38	1
6875MHz	Pass	6.873925G	-11.71	6.92205G	-54.64	-51.71	-2.93	2
6875MHz	Pass	6.868777G	-11.79	6.919625G	-54.79	-51.79	-3.00	3
6875MHz	Pass	6.880374G	-12.70	6.92075G	-54.51	-52.70	-1.81	4
6895MHz	Pass	6.902798G	-12.43	6.937975G	-54.43	-52.43	-2.00	1
6895MHz	Pass	6.899899G	-11.66	6.94455G	-54.23	-51.66	-2.57	2
6895MHz	Pass	6.902573G	-12.37	6.941575G	-54.16	-52.37	-1.79	3
6895MHz	Pass	6.902698G	-13.22	6.936G	-54.55	-53.22	-1.33	4
6995MHz	Pass	6.988577G	-11.64	6.95265G	-54.29	-51.64	-2.65	1
6995MHz	Pass	6.986302G	-11.95	7.030725G	-54.01	-51.95	-2.06	2
6995MHz	Pass	6.986227G	-11.57	6.9597G	-54.42	-51.57	-2.85	3
6995MHz	Pass	6.992076G	-12.44	6.958275G	-53.91	-52.44	-1.47	4
7095MHz	Pass	7.086277G	-12.97	7.05885G	-54.56	-52.97	-1.59	1
7095MHz	Pass	7.087477G	-13.50	7.045025G	-54.65	-53.50	-1.15	2
7095MHz	Pass	7.085902G	-12.53	7.04995G	-54.66	-52.53	-2.13	3
7095MHz	Pass	7.086377G	-13.27	7.045925G	-54.30	-53.27	-1.03	4
7115MHz	Pass	7.106677G	-21.27	7.12685G	-53.46	-41.28	-12.18	1
7115MHz	Pass	7.106677G	-20.71	7.103425G	-51.51	-39.91	-11.60	2
7115MHz	Pass	7.108702G	-21.06	7.103325G	-51.01	-40.06	-10.95	3
7115MHz	Pass	7.1132G	-21.52	7.071175G	-73.88	-61.52	-12.36	4
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.982696G	-7.36	6.06415G	-52.09	-47.36	-4.73	1




Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5965MHz	Pass	5.980946G	-7.41	6.03395G	-52.01	-47.41	-4.60	2
5965MHz	Pass	5.983045G	-7.23	6.0536G	-52.08	-47.23	-4.85	3
5965MHz	Pass	5.982946G	-7.35	6.03595G	-51.77	-47.35	-4.42	4
6205MHz	Pass	6.219296G	-9.51	6.28495G	-51.50	-49.51	-1.99	1
6205MHz	Pass	6.2041G	-9.27	6.27895G	-51.68	-49.27	-2.41	2
6205MHz	Pass	6.213898G	-9.25	6.30485G	-51.78	-49.25	-2.53	3
6205MHz	Pass	6.186955G	-9.33	6.29305G	-51.37	-49.33	-2.04	4
6405MHz	Pass	6.409399G	-8.26	6.3392G	-51.58	-48.26	-3.32	1
6405MHz	Pass	6.40385G	-8.26	6.50245G	-51.53	-48.26	-3.27	2
6405MHz	Pass	6.397802G	-7.83	6.3071G	-51.61	-47.83	-3.78	3
6405MHz	Pass	6.389204G	-7.85	6.50295G	-51.10	-47.85	-3.25	4
6445MHz	Pass	6.431353G	-8.10	6.3651G	-51.50	-48.10	-3.40	1
6445MHz	Pass	6.427554G	-7.94	6.36325G	-51.50	-47.94	-3.56	2
6445MHz	Pass	6.442501G	-7.55	6.3513G	-51.61	-47.55	-4.06	3
6445MHz	Pass	6.428604G	-7.67	6.53925G	-51.43	-47.67	-3.76	4
6485MHz	Pass	6.473003G	-8.00	6.41775G	-51.34	-48.00	-3.34	1
6485MHz	Pass	6.467454G	-7.57	6.4189G	-50.97	-47.57	-3.40	2
6485MHz	Pass	6.498497G	-7.61	6.40925G	-51.47	-47.61	-3.86	3
6485MHz	Pass	6.488799G	-7.78	6.4065G	-51.26	-47.78	-3.48	4
6525MHz	Pass	6.532098G	-7.90	6.432G	-51.28	-47.90	-3.38	1
6525MHz	Pass	6.511453G	-7.91	6.42895G	-51.58	-47.91	-3.67	2
6525MHz	Pass	6.507754G	-7.84	6.4387G	-51.49	-47.84	-3.65	3
6525MHz	Pass	6.506505G	-7.56	6.4472G	-51.27	-47.56	-3.71	4
6565MHz	Pass	6.576947G	-7.88	6.4791G	-51.62	-47.88	-3.74	1
6565MHz	Pass	6.571598G	-7.68	6.4736G	-51.46	-47.68	-3.78	2
6565MHz	Pass	6.547854G	-7.75	6.4732G	-51.82	-47.75	-4.07	3
6565MHz	Pass	6.547654G	-7.92	6.48385G	-51.29	-47.92	-3.37	4
6685MHz	Pass	6.674003G	-8.12	6.78295G	-51.45	-48.12	-3.33	1
6685MHz	Pass	6.667454G	-7.97	6.77215G	-51.34	-47.97	-3.37	2
6685MHz	Pass	6.68665G	-8.19	6.77985G	-51.51	-48.19	-3.32	3
6685MHz	Pass	6.690849G	-8.15	6.6184G	-51.36	-48.15	-3.21	4
6885MHz	Pass	6.868804G	-7.88	6.9845G	-50.40	-47.88	-2.52	1
6885MHz	Pass	6.86685G	-7.32	6.9676G	-50.35	-47.32	-3.03	2
6885MHz	Pass	6.880001G	-7.47	6.98105G	-50.38	-47.47	-2.91	3
6885MHz	Pass	6.866555G	-7.92	6.9697G	-50.27	-47.92	-2.35	4
6925MHz	Pass	6.906605G	-7.39	6.9957G	-49.98	-47.39	-2.59	1
6925MHz	Pass	6.918952G	-7.11	6.9939G	-49.85	-47.11	-2.74	2
6925MHz	Pass	6.915152G	-7.11	6.99565G	-50.34	-47.11	-3.23	3
6925MHz	Pass	6.931698G	-7.93	6.9969G	-50.02	-47.93	-2.09	4
7005MHz	Pass	6.991353G	-7.76	6.93055G	-50.86	-47.76	-3.10	1
7005MHz	Pass	6.986855G	-7.53	6.9299G	-50.74	-47.53	-3.21	2
7005MHz	Pass	6.988304G	-7.71	6.92965G	-50.96	-47.71	-3.25	3
7005MHz	Pass	6.990954G	-7.69	6.9242G	-50.72	-47.69	-3.03	4
7085MHz	Pass	7.073453G	-9.77	6.99695G	-50.59	-49.77	-0.82	1
7085MHz	Pass	7.082401G	-9.87	6.99545G	-50.38	-49.87	-0.51	2
7085MHz	Pass	7.069454G	-9.05	6.9859G	-50.56	-49.05	-1.51	3
7085MHz	Pass	7.067404G	-9.68	6.99135G	-50.46	-49.68	-0.78	4
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.01329G	-5.87	6.1664G	-48.58	-45.87	-2.71	1
5985MHz	Pass	6.02279G	-5.63	6.1581G	-48.85	-45.63	-3.22	2
5985MHz	Pass	6.01879G	-5.46	6.1846G	-49.10	-45.46	-3.64	3
5985MHz	Pass	6.01119G	-5.49	6.1634G	-48.82	-45.49	-3.33	4
6225MHz	Pass	6.2268G	-6.20	6.4004G	-48.29	-46.20	-2.09	1
6225MHz	Pass	6.24929G	-5.84	6.3654G	-48.50	-45.84	-2.66	2
6225MHz	Pass	6.19451G	-5.72	6.3936G	-48.58	-45.72	-2.86	3
6225MHz	Pass	6.26179G	-6.16	6.4116G	-48.49	-46.16	-2.33	4







Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6385MHz	Pass	6.35051G	-4.60	6.2118G	-48.20	-44.60	-3.60	1
6385MHz	Pass	6.35051G	-4.82	6.1961G	-48.17	-44.82	-3.35	2
6385MHz	Pass	6.3707G	-4.56	6.2065G	-48.54	-44.56	-3.98	3
6385MHz	Pass	6.34931G	-4.63	6.2087G	-48.32	-44.63	-3.69	4
6465MHz	Pass	6.44131G	-4.81	6.5974G	-48.22	-44.81	-3.41	1
6465MHz	Pass	6.42741G	-4.73	6.2837G	-48.42	-44.73	-3.69	2
6465MHz	Pass	6.4482G	-4.71	6.3233G	-48.35	-44.71	-3.64	3
6465MHz	Pass	6.4533G	-4.68	6.5965G	-48.17	-44.68	-3.49	4
6545MHz	Pass	6.51911G	-5.37	6.3882G	-48.32	-45.37	-2.95	1
6545MHz	Pass	6.5283G	-5.43	6.7227G	-48.48	-45.43	-3.05	2
6545MHz	Pass	6.51101G	-4.63	6.3913G	-48.60	-44.63	-3.97	3
6545MHz	Pass	6.50731G	-5.10	6.4099G	-48.30	-45.10	-3.20	4
6625MHz	Pass	6.6143G	-5.21	6.8061G	-48.18	-45.21	-2.97	1
6625MHz	Pass	6.59091G	-4.86	6.7894G	-48.35	-44.86	-3.49	2
6625MHz	Pass	6.58911G	-5.20	6.428G	-48.60	-45.20	-3.40	3
6625MHz	Pass	6.6063G	-5.44	6.4251G	-48.23	-45.44	-2.79	4
6705MHz	Pass	6.67821G	-5.01	6.8788G	-48.00	-45.01	-2.99	1
6705MHz	Pass	6.68361G	-4.98	6.8549G	-48.13	-44.98	-3.15	2
6705MHz	Pass	6.7172G	-5.43	6.8553G	-48.33	-45.43	-2.90	3
6705MHz	Pass	6.6936G	-5.30	6.8831G	-47.93	-45.30	-2.63	4
6785MHz	Pass	6.74971G	-5.16	6.977G	-47.01	-45.16	-1.85	1
6785MHz	Pass	6.7716G	-4.51	6.9529G	-47.28	-44.51	-2.77	2
6785MHz	Pass	6.75561G	-4.41	6.969G	-47.25	-44.41	-2.84	3
6785MHz	Pass	6.74811G	-4.35	6.9759G	-46.87	-44.35	-2.52	4
6865MHz	Pass	6.83651G	-5.41	6.9973G	-46.96	-45.41	-1.55	1
6865MHz	Pass	6.90059G	-5.18	6.9938G	-47.23	-45.12	-2.11	2
6865MHz	Pass	6.8532G	-4.57	6.9995G	-47.46	-44.57	-2.89	3
6865MHz	Pass	6.82851G	-5.69	6.999G	-47.13	-45.69	-1.44	4
6945MHz	Pass	6.90971G	-4.86	6.7922G	-48.26	-44.86	-3.40	1
6945MHz	Pass	6.9301G	-4.62	7.0791G	-47.94	-44.62	-3.32	2
6945MHz	Pass	6.91231G	-4.63	6.7951G	-48.45	-44.63	-3.82	3
6945MHz	Pass	6.9305G	-5.44	7.079G	-48.28	-45.44	-2.84	4
7025MHz	Pass	6.99441G	-5.13	6.8892G	-47.88	-45.13	-2.75	1
7025MHz	Pass	6.99911G	-5.20	6.8779G	-48.02	-45.20	-2.82	2
7025MHz	Pass	6.99601G	-4.54	6.8684G	-48.14	-44.54	-3.60	3
7025MHz	Pass	6.98831G	-4.91	6.8725G	-48.18	-44.91	-3.27	4
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.09298G	-3.71	6.3066G	-44.92	-43.71	-1.21	1
6025MHz	Pass	6.04599G	-3.94	6.2958G	-45.22	-43.94	-1.28	2
6025MHz	Pass	6.08678G	-3.74	6.2808G	-45.38	-43.74	-1.64	3
6025MHz	Pass	6.08918G	-4.34	6.2908G	-45.34	-44.34	-1.00	4
6185MHz	Pass	6.25918G	-3.22	6.4386G	-44.53	-43.22	-1.31	1
6185MHz	Pass	6.11942G	-3.35	6.4412G	-44.75	-43.35	-1.40	2
6185MHz	Pass	6.25538G	-3.16	6.446G	-44.94	-43.16	-1.78	3
6185MHz	Pass	6.11682G	-3.51	6.4506G	-44.83	-43.51	-1.32	4
6345MHz	Pass	6.3418G	-3.10	6.6062G	-45.10	-43.10	-2.00	1
6345MHz	Pass	6.28541G	-3.14	6.6102G	-45.22	-43.14	-2.08	2
6345MHz	Pass	6.354G	-2.93	6.6194G	-45.47	-42.93	-2.54	3
6345MHz	Pass	6.3512G	-3.04	6.605G	-45.26	-43.04	-2.22	4
6505MHz	Pass	6.43042G	-1.66	6.2504G	-44.52	-41.64	-2.88	1
6505MHz	Pass	6.42742G	-1.17	6.243G	-44.31	-41.17	-3.14	2
6505MHz	Pass	6.47921G	-1.70	6.2378G	-44.74	-41.70	-3.04	3
6505MHz	Pass	6.43282G	-1.35	6.2486G	-44.31	-41.35	-2.96	4
6665MHz	Pass	6.59182G	-1.59	6.4096G	-43.63	-41.59	-2.04	1
6665MHz	Pass	6.60581G	-1.29	6.4084G	-42.92	-41.27	-1.65	2
6665MHz	Pass	6.58922G	-1.78	6.4066G	-43.88	-41.78	-2.10	3




Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6665MHz	Pass	6.58982G	-1.71	6.4104G	-43.35	-41.41	-1.94	4
6825MHz	Pass	6.75942G	-2.15	6.5638G	-44.05	-42.15	-1.90	1
6825MHz	Pass	6.90098G	-2.26	6.5658G	-43.34	-42.26	-1.08	2
6825MHz	Pass	6.75662G	-2.06	6.568G	-44.10	-41.64	-2.46	3
6825MHz	Pass	6.75182G	-1.93	6.5674G	-44.12	-41.93	-2.19	4
6985MHz	Pass	6.91242G	-1.00	6.7282G	-44.19	-41.00	-3.19	1
6985MHz	Pass	6.91862G	-1.04	6.7154G	-43.56	-41.04	-2.52	2
6985MHz	Pass	6.93621G	-1.34	6.7226G	-44.53	-41.34	-3.19	3
6985MHz	Pass	6.91282G	-1.91	6.7316G	-44.40	-41.91	-2.49	4
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.26136G	4.33	6.6446G	-39.09	-35.67	-3.42	1
6105MHz	Pass	6.13099G	4.92	6.6134G	-39.73	-35.08	-4.65	2
6105MHz	Pass	6.1194G	5.76	6.5686G	-34.50	-31.00	-3.50	3
6105MHz	Pass	6.1018G	3.93	6.6142G	-40.75	-36.05	-4.70	4
6265MHz	Pass	6.33538G	5.50	6.8794G	-40.53	-34.50	-6.03	1
6265MHz	Pass	6.36937G	4.93	6.773G	-41.85	-35.06	-6.79	2
6265MHz	Pass	6.28619G	5.30	6.7602G	-39.97	-34.05	-5.92	3
6265MHz	Pass	6.37937G	4.93	6.789G	-41.37	-34.71	-6.66	4
6425MHz	Pass	6.44619G	4.69	6.9494G	-37.03	-35.31	-1.72	1
6425MHz	Pass	6.29023G	6.73	6.9326G	-37.27	-33.27	-4.00	2
6425MHz	Pass	6.47139G	5.25	7.0086G	-35.94	-34.75	-1.19	3
6425MHz	Pass	6.31263G	5.26	6.9266G	-38.08	-34.65	-3.43	4
6585MHz	Pass	6.69777G	5.16	6.0462G	-37.99	-34.84	-3.15	1
6585MHz	Pass	6.44424G	5.89	6.0738G	-38.89	-34.11	-4.78	2
6585MHz	Pass	6.48582G	4.75	6.0562G	-39.74	-35.25	-4.49	3
6585MHz	Pass	6.49062G	5.95	6.0834G	-38.49	-33.67	-4.82	4
6745MHz	Pass	6.59224G	5.67	6.205G	-36.34	-34.33	-2.01	1
6745MHz	Pass	6.68382G	5.81	6.2178G	-37.13	-34.19	-2.94	2
6745MHz	Pass	6.70101G	5.30	6.239G	-38.00	-34.70	-3.30	3
6745MHz	Pass	6.66862G	4.50	6.1914G	-38.41	-35.50	-2.91	4
6905MHz	Pass	6.87621G	4.55	6.401G	-37.16	-35.45	-1.71	1
6905MHz	Pass	6.87101G	4.59	6.385G	-35.51	-35.35	-0.16	2
6905MHz	Pass	6.80982G	4.73	6.3858G	-38.30	-35.27	-3.03	3
6905MHz	Pass	6.87741G	3.95	6.3822G	-38.66	-36.05	-2.61	4











6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6875MHz\_TX

02/01/2024

CF (Hz)  
6.875G


Span (Hz)  
100M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.883598G	-12.13	6.906675G	-54.51	-52.13	-2.38	1
6.873925G	-11.71	6.92205G	-54.64	-51.71	-2.93	2
6.868777G	-11.79	6.919625G	-54.79	-51.79	-3.00	3
6.880374G	-12.70	6.92075G	-54.51	-52.70	-1.81	4

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6895MHz\_TX

02/01/2024

CF (Hz)  
6.895G


Span (Hz)  
100M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS





Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.902798G	-12.43	6.937975G	-54.43	-52.43	-2.00	1
6.899899G	-11.66	6.94455G	-54.23	-51.66	-2.57	2
6.902573G	-12.37	6.941575G	-54.16	-52.37	-1.79	3
6.902698G	-13.22	6.936G	-54.55	-53.22	-1.33	4





6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

7115MHz\_TX

02/01/2024

CF (Hz)  
7.115G


Span (Hz)  
100M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.106677G	-21.27	7.12685G	-53.46	-41.28	-12.18	1
7.106677G	-20.71	7.103425G	-51.51	-39.91	-11.60	2
7.108702G	-21.06	7.103325G	-51.01	-40.06	-10.95	3
7.1132G	-21.52	7.071175G	-73.88	-61.52	-12.36	4

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

5965MHz\_TX

02/01/2024

CF (Hz)  
5.965G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS




Port 1



Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.982696G	-7.36	6.06415G	-52.09	-47.36	-4.73	1
5.980946G	-7.41	6.03395G	-52.01	-47.41	-4.60	2
5.983045G	-7.23	6.0536G	-52.08	-47.23	-4.85	3
5.982946G	-7.35	6.03595G	-51.77	-47.35	-4.42	4





6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6525MHz\_TX

02/01/2024

CF (Hz)  
6.525G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.532098G	-7.90	6.432G	-51.28	-47.90	-3.38	1
6.511453G	-7.91	6.42895G	-51.58	-47.91	-3.67	2
6.507754G	-7.84	6.4387G	-51.49	-47.84	-3.65	3
6.506505G	-7.56	6.4472G	-51.27	-47.56	-3.71	4

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6565MHz\_TX

02/01/2024

CF (Hz)  
6.565G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS





Port 1



Port 2

Port 3


Port 4



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.576947G	-7.88	6.4791G	-51.62	-47.88	-3.74	1
6.571598G	-7.68	6.4736G	-51.46	-47.68	-3.78	2
6.547854G	-7.75	6.4732G	-51.82	-47.75	-4.07	3
6.547654G	-7.92	6.48385G	-51.29	-47.92	-3.37	4

















































6.425-6.525GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

MASK

6585MHz\_TX

02/01/2024

CF (Hz)  
6.585G


Span (Hz)  
1.6G

RBW (Hz)  
5M

VBW (Hz)  
10M

Sweep Time (s)  
6.4m

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69777G	5.16	6.0462G	-37.99	-34.84	-3.15	1
6.44424G	5.89	6.0738G	-38.89	-34.11	-4.78	2
6.48582G	4.75	6.0562G	-39.74	-35.25	-4.49	3
6.49062G	5.95	6.0834G	-38.49	-33.67	-4.82	4

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

MASK

6745MHz\_TX

02/01/2024

CF (Hz)  
6.745G


Span (Hz)  
1.6G

RBW (Hz)  
5M

VBW (Hz)  
10M

Sweep Time (s)  
6.4m

Detector Type  
RMS




Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.59224G	5.67	6.205G	-36.34	-34.33	-2.01	1
6.68382G	5.81	6.2178G	-37.13	-34.19	-2.94	2
6.70101G	5.30	6.239G	-38.00	-34.70	-3.30	3
6.66862G	4.50	6.1914G	-38.41	-35.50	-2.91	4





Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	6.187502G	-12.08	6.206175G	-43.04	-32.13	-10.91	1
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	6.208399G	-8.76	6.1833G	-39.77	-28.06	-11.71	3
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.01699G	-4.62	6.1126G	-49.98	-44.62	-5.36	4
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	6.29041G	0.17	6.0894G	-41.05	-39.83	-1.22	1
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	6.0866G	-1.51	6.6054G	-43.85	-41.51	-2.34	4
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	6.428727G	-11.16	6.423325G	-43.43	-31.30	-12.13	1
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	6.509904G	-6.67	6.50225G	-38.97	-26.94	-12.03	1
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.4625G	-5.55	6.3383G	-51.41	-45.27	-6.14	4
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	6.43582G	1.80	6.7586G	-38.59	-38.20	-0.39	1
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	6.43464G	2.05	6.0878G	-41.51	-37.95	-3.56	4
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	6.701448G	-12.16	6.706275G	-44.41	-32.35	-12.06	1
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	6.878702G	-9.98	6.8633G	-39.79	-29.99	-9.80	1
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.90199G	-7.07	6.9976G	-50.60	-47.07	-3.53	4
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	6.58922G	-1.11	6.371G	-44.47	-41.11	-3.36	1
802.11be EHT320-BF_Nss1,(MCS0)_4TX	Pass	6.75344G	2.44	6.4098G	-39.08	-37.56	-1.52	3
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	7.108027G	-19.24	7.06825G	-68.78	-59.24	-9.54	4
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	7.070654G	-7.63	7.02235G	-59.12	-47.32	-11.80	2
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	6.98931G	-6.05	6.8954G	-50.46	-46.05	-4.41	4
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	6.91142G	-1.89	6.7418G	-43.59	-40.62	-2.97	1



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.953725G	-10.80	5.98805G	-64.52	-50.80	-13.72	1
5955MHz	Pass	5.963773G	-10.89	5.9848G	-63.04	-49.03	-14.01	2
5955MHz	Pass	5.947977G	-11.25	5.943375G	-44.67	-31.26	-13.41	3
5955MHz	Pass	5.961848G	-11.34	5.9861G	-64.19	-49.96	-14.23	4
6195MHz	Pass	6.187502G	-12.08	6.206175G	-43.04	-32.13	-10.91	1
6195MHz	Pass	6.202498G	-11.50	6.206075G	-42.05	-30.60	-11.45	2
6195MHz	Pass	6.186352G	-11.76	6.183475G	-45.50	-31.56	-13.94	3
6195MHz	Pass	6.186477G	-12.27	6.227225G	-67.42	-51.78	-15.64	4
6415MHz	Pass	6.418924G	-11.41	6.3803G	-66.48	-51.41	-15.07	1
6415MHz	Pass	6.407127G	-11.08	6.374375G	-64.78	-51.08	-13.70	2
6415MHz	Pass	6.408302G	-10.84	6.403225G	-45.66	-30.88	-14.78	3
6415MHz	Pass	6.423098G	-11.24	6.38075G	-66.69	-51.24	-15.45	4
6435MHz	Pass	6.428727G	-11.16	6.423325G	-43.43	-31.30	-12.13	1
6435MHz	Pass	6.442373G	-10.66	6.3976G	-65.63	-50.66	-14.97	2
6435MHz	Pass	6.429001G	-10.85	6.401825G	-65.40	-50.85	-14.55	3
6435MHz	Pass	6.441473G	-11.54	6.466825G	-63.77	-51.07	-12.70	4
6475MHz	Pass	6.467452G	-10.45	6.441475G	-63.86	-50.45	-13.41	1
6475MHz	Pass	6.466827G	-10.14	6.430775G	-65.46	-50.14	-15.32	2
6475MHz	Pass	6.466052G	-9.89	6.462875G	-46.32	-30.08	-16.24	3
6475MHz	Pass	6.466127G	-10.58	6.463225G	-45.13	-30.71	-14.42	4
6515MHz	Pass	6.507152G	-12.44	6.503625G	-45.16	-32.45	-12.71	1
6515MHz	Pass	6.517799G	-12.60	6.47635G	-67.40	-52.60	-14.80	2
6515MHz	Pass	6.508302G	-12.35	6.47815G	-66.04	-52.35	-13.69	3
6515MHz	Pass	6.522623G	-12.68	6.546925G	-64.79	-51.26	-13.53	4
6535MHz	Pass	6.526477G	-13.62	6.5794G	-68.37	-53.62	-14.75	1
6535MHz	Pass	6.537974G	-14.64	6.4975G	-68.15	-54.64	-13.51	2
6535MHz	Pass	6.526152G	-14.66	6.499325G	-68.46	-54.66	-13.80	3
6535MHz	Pass	6.540649G	-14.94	6.5676G	-68.04	-54.94	-13.10	4
6695MHz	Pass	6.701448G	-12.16	6.706275G	-44.41	-32.35	-12.06	1
6695MHz	Pass	6.692726G	-12.78	6.660275G	-65.80	-52.78	-13.02	2
6695MHz	Pass	6.686902G	-12.10	6.68345G	-46.51	-32.11	-14.40	3
6695MHz	Pass	6.701298G	-12.60	6.662775G	-68.02	-52.60	-15.42	4
6875MHz	Pass	6.882373G	-13.04	6.88605G	-45.40	-32.24	-13.16	1
6875MHz	Pass	6.867877G	-11.91	6.83995G	-65.77	-51.91	-13.86	2
6875MHz	Pass	6.869401G	-11.87	6.84285G	-65.27	-51.87	-13.40	3
6875MHz	Pass	6.883698G	-12.90	6.90635G	-65.64	-52.52	-13.12	4
6895MHz	Pass	6.889001G	-13.78	6.88345G	-45.81	-31.88	-13.93	1
6895MHz	Pass	6.886927G	-12.57	6.930575G	-67.74	-52.57	-15.17	2
6895MHz	Pass	6.885927G	-12.19	6.94295G	-67.65	-52.19	-15.46	3
6895MHz	Pass	6.903073G	-13.01	6.92795G	-67.12	-53.01	-14.11	4
6995MHz	Pass	6.988302G	-13.25	7.031925G	-67.41	-53.25	-14.16	1
6995MHz	Pass	6.986852G	-11.84	6.954G	-66.81	-51.84	-14.97	2
6995MHz	Pass	7.003898G	-11.66	6.9601G	-65.92	-51.66	-14.26	3
6995MHz	Pass	6.986252G	-12.06	6.962725G	-65.66	-51.62	-14.04	4
7095MHz	Pass	7.102448G	-12.40	7.0634G	-65.25	-52.21	-13.04	1
7095MHz	Pass	7.087202G	-11.86	7.08335G	-46.32	-31.89	-14.43	2
7095MHz	Pass	7.099149G	-12.36	7.062G	-65.20	-52.36	-12.84	3
7095MHz	Pass	7.086302G	-11.89	7.061125G	-65.03	-51.89	-13.14	4
7115MHz	Pass	7.123098G	-17.96	7.073875G	-69.23	-57.96	-11.27	1
7115MHz	Pass	7.119949G	-18.67	7.073625G	-69.03	-58.67	-10.36	2
7115MHz	Pass	7.107577G	-18.21	7.0717G	-69.26	-58.21	-11.05	3
7115MHz	Pass	7.108027G	-19.24	7.06825G	-68.78	-59.24	-9.54	4
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.974448G	-8.44	6.0584G	-62.14	-48.44	-13.70	1



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5965MHz	Pass	5.979896G	-9.35	6.03005G	-62.48	-49.35	-13.13	2
5965MHz	Pass	5.981646G	-8.99	6.0401G	-62.89	-48.99	-13.90	3
5965MHz	Pass	5.977597G	-9.52	6.0306G	-61.24	-49.52	-11.72	4
6205MHz	Pass	6.218797G	-8.58	6.1395G	-61.32	-48.58	-12.74	1
6205MHz	Pass	6.215247G	-8.35	6.2732G	-60.94	-48.35	-12.59	2
6205MHz	Pass	6.208399G	-8.76	6.1833G	-39.77	-28.06	-11.71	3
6205MHz	Pass	6.191103G	-8.79	6.2702G	-61.20	-48.79	-12.41	4
6405MHz	Pass	6.422196G	-7.98	6.3322G	-61.90	-47.98	-13.92	1
6405MHz	Pass	6.411998G	-8.68	6.42765G	-42.51	-28.80	-13.71	2
6405MHz	Pass	6.392603G	-8.83	6.4273G	-42.63	-28.84	-13.79	3
6405MHz	Pass	6.40575G	-8.76	6.3829G	-41.89	-28.84	-13.05	4
6445MHz	Pass	6.454198G	-8.38	6.46705G	-40.95	-28.46	-12.49	1
6445MHz	Pass	6.440551G	-8.17	6.46745G	-41.64	-28.32	-13.32	2
6445MHz	Pass	6.426555G	-7.10	6.42205G	-42.91	-27.30	-15.61	3
6445MHz	Pass	6.433653G	-8.46	6.37135G	-62.68	-48.46	-14.22	4
6485MHz	Pass	6.467154G	-7.95	6.41575G	-61.75	-47.95	-13.80	1
6485MHz	Pass	6.468004G	-7.27	6.46235G	-40.44	-27.37	-13.07	2
6485MHz	Pass	6.495397G	-7.87	6.50705G	-41.65	-27.57	-14.08	3
6485MHz	Pass	6.499096G	-7.81	6.4205G	-62.57	-47.81	-14.76	4
6525MHz	Pass	6.509904G	-6.67	6.50225G	-38.97	-26.94	-12.03	1
6525MHz	Pass	6.509204G	-6.94	6.456G	-61.23	-46.94	-14.29	2
6525MHz	Pass	6.510354G	-7.57	6.5027G	-41.81	-27.69	-14.12	3
6525MHz	Pass	6.532248G	-7.76	6.5031G	-40.13	-27.85	-12.28	4
6565MHz	Pass	6.571848G	-6.26	6.49985G	-61.59	-46.26	-15.33	1
6565MHz	Pass	6.580396G	-7.08	6.5875G	-41.10	-26.98	-14.12	2
6565MHz	Pass	6.575897G	-7.13	6.49895G	-62.07	-47.13	-14.94	3
6565MHz	Pass	6.556552G	-6.84	6.54295G	-41.04	-26.54	-14.50	4
6685MHz	Pass	6.667604G	-7.92	6.7068G	-38.64	-27.02	-11.62	1
6685MHz	Pass	6.674103G	-8.16	6.61615G	-61.73	-48.16	-13.57	2
6685MHz	Pass	6.682451G	-9.28	6.58765G	-62.60	-49.28	-13.32	3
6685MHz	Pass	6.678652G	-9.12	6.5909G	-62.40	-49.12	-13.28	4
6885MHz	Pass	6.878702G	-9.98	6.8633G	-39.79	-29.99	-9.80	1
6885MHz	Pass	6.866855G	-8.62	6.9069G	-41.43	-28.66	-12.77	2
6885MHz	Pass	6.892348G	-9.40	6.97055G	-62.68	-49.40	-13.28	3
6885MHz	Pass	6.902946G	-9.51	6.7851G	-63.29	-49.51	-13.78	4
6925MHz	Pass	6.913003G	-8.69	6.861G	-62.42	-48.69	-13.73	1
6925MHz	Pass	6.940446G	-8.72	6.99985G	-62.75	-48.72	-14.03	2
6925MHz	Pass	6.942846G	-8.38	6.9895G	-62.16	-48.19	-13.97	3
6925MHz	Pass	6.919901G	-9.15	6.99975G	-62.68	-49.15	-13.53	4
7005MHz	Pass	6.996852G	-9.77	6.93005G	-62.36	-49.77	-12.59	1
7005MHz	Pass	6.992603G	-7.72	6.941G	-61.08	-47.72	-13.36	2
7005MHz	Pass	6.991853G	-7.58	6.93295G	-62.20	-47.58	-14.62	3
7005MHz	Pass	6.987204G	-9.21	6.9249G	-61.88	-49.21	-12.67	4
7085MHz	Pass	7.071803G	-7.51	7.0222G	-60.29	-47.51	-12.78	1
7085MHz	Pass	7.070654G	-7.63	7.02235G	-59.12	-47.32	-11.80	2
7085MHz	Pass	7.076602G	-8.00	6.98865G	-60.98	-48.00	-12.98	3
7085MHz	Pass	7.067804G	-7.79	7.0213G	-59.61	-47.79	-11.82	4
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9888G	-4.03	6.1145G	-52.22	-44.03	-8.19	1
5985MHz	Pass	6.02269G	-4.58	6.1172G	-50.93	-44.54	-6.39	2
5985MHz	Pass	6.01789G	-4.55	6.1773G	-52.40	-44.55	-7.85	3
5985MHz	Pass	6.01699G	-4.62	6.1126G	-49.98	-44.62	-5.36	4
6225MHz	Pass	6.25869G	-4.00	6.3701G	-52.29	-44.00	-8.29	1
6225MHz	Pass	6.25129G	-4.68	6.4033G	-52.60	-44.68	-7.92	2
6225MHz	Pass	6.19561G	-4.02	6.3689G	-52.43	-44.02	-8.41	3
6225MHz	Pass	6.19681G	-4.38	6.361G	-50.46	-44.38	-6.08	4











Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6385MHz	Pass	6.34841G	-4.49	6.2573G	-51.30	-44.30	-7.00	1
6385MHz	Pass	6.41979G	-4.14	6.5343G	-51.98	-44.14	-7.84	2
6385MHz	Pass	6.41889G	-4.69	6.2287G	-52.00	-44.69	-7.31	3
6385MHz	Pass	6.36391G	-4.49	6.5137G	-51.15	-44.49	-6.66	4
6465MHz	Pass	6.4529G	-5.00	6.3312G	-51.63	-45.00	-6.63	1
6465MHz	Pass	6.43011G	-4.24	6.3337G	-51.62	-44.24	-7.38	2
6465MHz	Pass	6.42721G	-4.82	6.3305G	-52.34	-44.82	-7.52	3
6465MHz	Pass	6.4625G	-5.55	6.3383G	-51.41	-45.27	-6.14	4
6545MHz	Pass	6.58289G	-4.55	6.4221G	-51.93	-44.55	-7.38	1
6545MHz	Pass	6.57909G	-4.95	6.4126G	-51.38	-44.95	-6.43	2
6545MHz	Pass	6.58099G	-5.04	6.4185G	-51.52	-45.04	-6.48	3
6545MHz	Pass	6.5612G	-5.30	6.406G	-51.73	-45.30	-6.43	4
6625MHz	Pass	6.59131G	-3.30	6.4783G	-52.08	-43.30	-8.78	1
6625MHz	Pass	6.58821G	-2.21	6.4858G	-51.60	-42.21	-9.39	2
6625MHz	Pass	6.58801G	-2.36	6.4498G	-51.90	-42.36	-9.54	3
6625MHz	Pass	6.6372G	-3.86	6.481G	-51.81	-43.86	-7.95	4
6705MHz	Pass	6.72809G	-3.73	6.5494G	-52.08	-43.73	-8.35	1
6705MHz	Pass	6.73889G	-4.14	6.8791G	-52.05	-44.14	-7.91	2
6705MHz	Pass	6.73449G	-4.74	6.5734G	-49.55	-44.74	-4.81	3
6705MHz	Pass	6.67001G	-4.95	6.5761G	-49.96	-44.95	-5.01	4
6785MHz	Pass	6.74781G	-2.86	6.9737G	-51.67	-42.86	-8.81	1
6785MHz	Pass	6.8007G	-5.15	6.9331G	-51.67	-45.15	-6.52	2
6785MHz	Pass	6.781G	-4.27	6.9244G	-51.69	-44.27	-7.42	3
6785MHz	Pass	6.75811G	-4.65	6.9237G	-50.72	-44.65	-6.07	4
6865MHz	Pass	6.89729G	-6.01	6.9987G	-51.57	-46.01	-5.56	1
6865MHz	Pass	6.82961G	-4.26	6.9995G	-51.42	-44.26	-7.16	2
6865MHz	Pass	6.82851G	-5.62	6.9974G	-51.32	-45.62	-5.70	3
6865MHz	Pass	6.90199G	-7.07	6.9976G	-50.60	-47.07	-3.53	4
6945MHz	Pass	6.90861G	-4.02	6.8104G	-52.41	-44.02	-8.39	1
6945MHz	Pass	6.9554G	-4.57	6.7987G	-52.09	-44.57	-7.52	2
6945MHz	Pass	6.9602G	-4.25	6.7711G	-51.75	-44.25	-7.50	3
6945MHz	Pass	6.9465G	-4.70	6.7572G	-51.77	-44.70	-7.07	4
7025MHz	Pass	6.99591G	-6.66	6.8957G	-51.48	-46.66	-4.82	1
7025MHz	Pass	6.98881G	-4.15	6.8933G	-52.07	-44.15	-7.92	2
7025MHz	Pass	6.98931G	-4.94	6.8928G	-51.23	-44.94	-6.29	3
7025MHz	Pass	6.98931G	-6.05	6.8954G	-50.46	-46.05	-4.41	4
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.05179G	-0.38	6.2722G	-45.65	-40.34	-5.31	1
6025MHz	Pass	6.09038G	-1.20	6.28G	-46.09	-41.20	-4.89	2
6025MHz	Pass	6.07919G	-1.07	6.2884G	-45.99	-41.07	-4.92	3
6025MHz	Pass	6.08918G	-1.29	6.2792G	-44.37	-41.29	-3.08	4
6185MHz	Pass	6.15721G	-1.42	6.4392G	-46.50	-41.42	-5.08	1
6185MHz	Pass	6.21659G	-1.59	6.4416G	-46.64	-41.59	-5.05	2
6185MHz	Pass	6.1732G	-1.70	6.4428G	-47.18	-41.70	-5.48	3
6185MHz	Pass	6.13961G	-2.29	6.4412G	-45.34	-42.29	-3.05	4
6345MHz	Pass	6.29041G	0.17	6.0894G	-41.05	-39.83	-1.22	1
6345MHz	Pass	6.42158G	-0.61	6.6078G	-46.76	-40.61	-6.15	2
6345MHz	Pass	6.37239G	-0.60	6.0956G	-46.31	-40.60	-5.71	3
6345MHz	Pass	6.39399G	-0.99	6.592G	-45.81	-40.73	-5.08	4
6505MHz	Pass	6.43582G	1.80	6.7586G	-38.59	-38.20	-0.39	1
6505MHz	Pass	6.57838G	1.20	6.2406G	-44.61	-38.80	-5.81	2
6505MHz	Pass	6.43562G	1.10	6.2484G	-44.62	-38.90	-5.72	3
6505MHz	Pass	6.53159G	1.20	6.758G	-44.77	-38.80	-5.97	4
6665MHz	Pass	6.58922G	-1.11	6.371G	-44.47	-41.11	-3.36	1
6665MHz	Pass	6.59002G	-0.02	6.4072G	-46.43	-40.02	-6.41	2
6665MHz	Pass	6.58902G	-0.78	6.408G	-45.81	-40.78	-5.03	3





Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6665MHz	Pass	6.63521G	-2.45	6.4076G	-47.15	-42.45	-4.70	4
6825MHz	Pass	6.74982G	-1.61	6.5678G	-45.58	-41.49	-4.09	1
6825MHz	Pass	6.8068G	-1.23	6.5738G	-47.09	-41.10	-5.99	2
6825MHz	Pass	6.77561G	-1.71	6.5674G	-46.46	-41.71	-4.75	3
6825MHz	Pass	6.75862G	-1.71	6.5686G	-46.00	-41.71	-4.29	4
6985MHz	Pass	6.91142G	-1.89	6.7418G	-43.59	-40.62	-2.97	1
6985MHz	Pass	6.96341G	-1.68	6.7342G	-47.52	-41.59	-5.93	2
6985MHz	Pass	6.95361G	-1.17	6.7328G	-46.31	-41.17	-5.14	3
6985MHz	Pass	6.93381G	-1.50	6.7312G	-46.09	-41.50	-4.59	4
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.17218G	-0.69	6.5926G	-43.12	-40.69	-2.43	1
6105MHz	Pass	6.25176G	-0.25	6.6086G	-43.02	-40.25	-2.77	2
6105MHz	Pass	6.17258G	-0.97	6.6058G	-44.21	-40.91	-3.30	3
6105MHz	Pass	6.0866G	-1.51	6.6054G	-43.85	-41.51	-2.34	4
6265MHz	Pass	6.14023G	-0.50	6.6622G	-30.69	-21.95	-8.74	1
6265MHz	Pass	6.2578G	-0.44	6.7718G	-44.94	-40.44	-4.50	2
6265MHz	Pass	6.30059G	-0.23	6.7774G	-44.73	-40.23	-4.50	3
6265MHz	Pass	6.40377G	-0.13	6.7678G	-43.56	-40.13	-3.43	4
6425MHz	Pass	6.37901G	2.07	6.7422G	-22.24	-18.99	-3.25	1
6425MHz	Pass	6.47339G	1.47	6.9366G	-41.91	-38.53	-3.38	2
6425MHz	Pass	6.29743G	2.12	6.9566G	-41.78	-37.88	-3.90	3
6425MHz	Pass	6.4326G	1.67	6.919G	-41.41	-38.33	-3.08	4
6585MHz	Pass	6.53181G	2.28	6.9018G	-23.05	-19.31	-3.74	1
6585MHz	Pass	6.5926G	2.06	6.0926G	-42.42	-37.94	-4.48	2
6585MHz	Pass	6.44064G	3.62	6.0846G	-41.46	-36.38	-5.08	3
6585MHz	Pass	6.43464G	2.05	6.0878G	-41.51	-37.95	-3.56	4
6745MHz	Pass	6.71621G	0.49	6.2338G	-34.14	-32.56	-1.58	1
6745MHz	Pass	6.60264G	0.94	6.2498G	-42.73	-39.06	-3.67	2
6745MHz	Pass	6.61863G	0.53	6.231G	-42.25	-39.47	-2.78	3
6745MHz	Pass	6.59184G	1.06	6.233G	-42.85	-38.94	-3.91	4
6905MHz	Pass	6.75184G	3.19	6.229G	-35.18	-24.97	-10.21	1
6905MHz	Pass	6.80742G	3.08	6.3782G	-40.21	-36.92	-3.29	2
6905MHz	Pass	6.75344G	2.44	6.4098G	-39.08	-37.56	-1.52	3
6905MHz	Pass	6.76903G	2.16	6.4126G	-39.96	-37.75	-2.21	4











6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6875MHz\_TX

02/02/2024

CF (Hz)  
6.875G


Span (Hz)  
100M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.882373G	-13.04	6.88605G	-45.40	-32.24	-13.16	1
6.867877G	-11.91	6.83995G	-65.77	-51.91	-13.86	2
6.869401G	-11.87	6.84285G	-65.27	-51.87	-13.40	3
6.883698G	-12.90	6.90635G	-65.64	-52.52	-13.12	4

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6895MHz\_TX

02/02/2024

CF (Hz)  
6.895G


Span (Hz)  
100M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS




Port 1

Port 2


Port 3



Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.889001G	-13.78	6.88345G	-45.81	-31.88	-13.93	1
6.886927G	-12.57	6.930575G	-67.74	-52.57	-15.17	2
6.885927G	-12.19	6.94295G	-67.65	-52.19	-15.46	3
6.903073G	-13.01	6.92795G	-67.12	-53.01	-14.11	4











### 6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

#### 6525MHz\_TX

02/02/2024

CF (Hz)  
6.525G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.509904G	-6.67	6.50225G	-38.97	-26.94	-12.03	1
6.509204G	-6.94	6.456G	-61.23	-46.94	-14.29	2
6.510354G	-7.57	6.5027G	-41.81	-27.69	-14.12	3
6.532248G	-7.76	6.5031G	-40.13	-27.85	-12.28	4

### 6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

#### 6565MHz\_TX

02/02/2024

CF (Hz)  
6.565G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS





Port 1


Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.571848G	-6.26	6.49985G	-61.59	-46.26	-15.33	1
6.580396G	-7.08	6.5875G	-41.10	-26.98	-14.12	2
6.575897G	-7.13	6.49895G	-62.07	-47.13	-14.94	3
6.556552G	-6.84	6.54295G	-41.04	-26.54	-14.50	4





## 6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

### 7085MHz\_TX

02/02/2024

CF (Hz)  
7.085G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.071803G	-7.51	7.0222G	-60.29	-47.51	-12.78	1
7.070654G	-7.63	7.02235G	-59.12	-47.32	-11.80	2
7.076602G	-8.00	6.98865G	-60.98	-48.00	-12.98	3
7.067804G	-7.79	7.0213G	-59.61	-47.79	-11.82	4

## 5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

### 5985MHz\_TX

02/02/2024

CF (Hz)  
5.985G


Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS




Port 1

Port 2



Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9888G	-4.03	6.1145G	-52.22	-44.03	-8.19	1
6.02269G	-4.58	6.1172G	-50.93	-44.54	-6.39	2
6.01789G	-4.55	6.1773G	-52.40	-44.55	-7.85	3
6.01699G	-4.62	6.1126G	-49.98	-44.62	-5.36	4







## 6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

### 6625MHz\_TX

02/02/2024

CF (Hz)  
6.625G


Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.59131G	-3.30	6.4783G	-52.08	-43.30	-8.78	1
6.58821G	-2.21	6.4858G	-51.60	-42.21	-9.39	2
6.58801G	-2.36	6.4498G	-51.90	-42.36	-9.54	3
6.6372G	-3.86	6.481G	-51.81	-43.86	-7.95	4

## 6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

### 6705MHz\_TX

02/02/2024

CF (Hz)  
6.705G


Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS




Port 1


Port 2



Port 3



Port 4



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.72809G	-3.73	6.5494G	-52.08	-43.73	-8.35	1
6.73889G	-4.14	6.8791G	-52.05	-44.14	-7.91	2
6.73449G	-4.74	6.5734G	-49.55	-44.74	-4.81	3
6.67001G	-4.95	6.5761G	-49.96	-44.95	-5.01	4






























Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	PK	460.68M	39.21	46.00	-6.79	3	Vertical	360	1.00




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6745MHz	Pass	PK	45.52M	31.58	40.00	-8.42	3	Vertical	360	1.00
6745MHz	Pass	PK	111.48M	28.11	43.50	-15.39	3	Vertical	360	1.00
6745MHz	Pass	PK	305.48M	27.75	46.00	-18.25	3	Vertical	360	1.00
6745MHz	Pass	PK	336.52M	26.77	46.00	-19.23	3	Vertical	360	1.00
6745MHz	Pass	PK	460.68M	39.21	46.00	-6.79	3	Vertical	360	1.00
6745MHz	Pass	PK	613.94M	38.55	46.00	-7.45	3	Vertical	360	1.00
6745MHz	Pass	PK	101.78M	29.42	43.50	-14.08	3	Horizontal	0	1.00
6745MHz	Pass	PK	115.36M	26.14	43.50	-17.36	3	Horizontal	0	1.00
6745MHz	Pass	PK	305.48M	29.45	46.00	-16.55	3	Horizontal	0	1.00
6745MHz	Pass	PK	460.68M	34.02	46.00	-11.98	3	Horizontal	0	1.00
6745MHz	Pass	PK	485.9M	29.98	46.00	-16.02	3	Horizontal	0	1.00
6745MHz	Pass	PK	613.94M	31.49	46.00	-14.51	3	Horizontal	0	1.00



6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	45.52M	31.58	40.00	-8.42	-26.57	3	Vertical	360	1.00	58.15	17.34	0.43	44.34
PK	111.48M	28.11	43.50	-15.39	-26.40	3	Vertical	360	1.00	54.51	17.29	0.70	44.39
PK	305.48M	27.75	46.00	-18.25	-23.50	3	Vertical	360	1.00	51.25	19.41	1.18	44.09
PK	336.52M	26.77	46.00	-19.23	-22.70	3	Vertical	360	1.00	49.47	20.13	1.21	44.04
PK	460.68M	39.21	46.00	-6.79	-18.90	3	Vertical	360	1.00	58.11	23.51	1.45	43.86
PK	613.94M	38.55	46.00	-7.45	-16.00	3	Vertical	360	1.00	54.55	26.00	1.66	43.66

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	101.78M	29.42	43.50	-14.08	-27.23	3	Horizontal	0	1.00	56.65	16.52	0.66	44.41
PK	115.36M	26.14	43.50	-17.36	-26.24	3	Horizontal	0	1.00	52.38	17.43	0.72	44.39
PK	305.48M	29.45	46.00	-16.55	-23.50	3	Horizontal	0	1.00	52.95	19.41	1.18	44.09
PK	460.68M	34.02	46.00	-11.98	-18.90	3	Horizontal	0	1.00	52.92	23.51	1.45	43.86
PK	485.9M	29.98	46.00	-16.02	-18.31	3	Horizontal	0	1.00	48.29	24.02	1.50	43.83
PK	613.94M	31.49	46.00	-14.51	-16.00	3	Horizontal	0	1.00	47.49	26.00	1.66	43.66



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	12.39001G	52.46	54.00	-1.54	3	Horizontal	314	2.78
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	11.93004G	52.11	54.00	-1.89	3	Horizontal	315	1.04
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	11.97004G	52.31	54.00	-1.69	3	Horizontal	312	1.02
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	12.05G	52.99	54.00	-1.01	3	Horizontal	310	1.52
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	AV	12.21G	53.69	54.00	-0.31	3	Horizontal	311	1.52
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	12.86998G	47.60	68.20	-20.60	3	Horizontal	322	1.50
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	12.88998G	47.50	68.20	-20.70	3	Horizontal	323	1.56
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	12.93G	45.95	68.20	-22.25	3	Horizontal	320	1.49
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	13.0236G	45.82	68.20	-22.38	3	Vertical	308	1.40
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	AV	13.1972G	47.47	68.20	-20.73	3	Vertical	299	1.42
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	13.38995G	42.34	54.00	-11.66	3	Horizontal	310	2.03
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	13.37006G	44.84	54.00	-9.16	3	Horizontal	313	1.50
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	13.25012G	45.73	54.00	-8.27	3	Vertical	329	1.65
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	13.33008G	46.57	54.00	-7.43	3	Vertical	330	1.59
802.11be EHT320_Nss1,(MCS0)_4TX	Pass	AV	7.261G	53.66	54.00	-0.34	3	Vertical	260	1.62
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	Pass	AV	7.1255G	67.94	68.20	-0.26	3	Horizontal	169	1.50
802.11be EHT40_Nss1,(MCS0)_4TX	Pass	AV	14.17002G	48.06	68.20	-20.14	3	Horizontal	311	1.40
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	14.04996G	47.31	68.20	-20.89	3	Horizontal	315	1.50
802.11be EHT160_Nss1,(MCS0)_4TX	Pass	AV	7.133G	55.80	68.20	-12.40	3	Vertical	17	2.49



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1_(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.913G	41.45	68.20	-26.75	3	Vertical	255	1.78
5955MHz	Pass	AV	5.9535G	97.16	Inf	-Inf	3	Vertical	255	1.78
5955MHz	Pass	PK	5.8941G	56.05	88.20	-32.15	3	Vertical	255	1.78
5955MHz	Pass	PK	5.9538G	109.61	Inf	-Inf	3	Vertical	255	1.78
5955MHz	Pass	AV	5.9208G	41.05	68.20	-27.15	3	Horizontal	0	1.29
5955MHz	Pass	AV	5.9595G	92.01	Inf	-Inf	3	Horizontal	0	1.29
5955MHz	Pass	PK	5.8296G	54.17	88.20	-34.03	3	Horizontal	0	1.29
5955MHz	Pass	PK	5.9595G	104.40	Inf	-Inf	3	Horizontal	0	1.29
5955MHz	Pass	AV	11.91006G	43.38	54.00	-10.62	3	Vertical	305	1.61
5955MHz	Pass	PK	11.90982G	51.83	74.00	-22.17	3	Vertical	305	1.61
5955MHz	Pass	AV	11.91G	44.45	54.00	-9.55	3	Horizontal	348	1.49
5955MHz	Pass	PK	11.9102G	51.66	74.00	-22.34	3	Horizontal	348	1.49
6195MHz	Pass	AV	12.38999G	44.31	54.00	-9.69	3	Vertical	248	1.64
6195MHz	Pass	PK	12.39012G	52.29	74.00	-21.71	3	Vertical	248	1.64
6195MHz	Pass	AV	12.39001G	52.46	54.00	-1.54	3	Horizontal	314	2.78
6195MHz	Pass	PK	12.39004G	56.23	74.00	-17.77	3	Horizontal	314	2.78
6415MHz	Pass	AV	12.83003G	42.82	68.20	-25.38	3	Vertical	55	2.30
6415MHz	Pass	PK	12.82969G	52.94	88.20	-35.26	3	Vertical	55	2.30
6415MHz	Pass	AV	12.82999G	47.37	68.20	-20.83	3	Horizontal	322	1.50
6415MHz	Pass	PK	12.82988G	54.22	88.20	-33.98	3	Horizontal	322	1.50
6435MHz	Pass	AV	12.87001G	42.48	68.20	-25.72	3	Vertical	56	2.34
6435MHz	Pass	PK	12.87278G	52.80	88.20	-35.40	3	Vertical	56	2.34
6435MHz	Pass	AV	12.86998G	47.60	68.20	-20.60	3	Horizontal	322	1.50
6435MHz	Pass	PK	12.86993G	54.51	88.20	-33.69	3	Horizontal	322	1.50
6475MHz	Pass	AV	12.94998G	43.28	68.20	-24.92	3	Vertical	56	2.27
6475MHz	Pass	PK	12.94988G	53.54	88.20	-34.66	3	Vertical	56	2.27
6475MHz	Pass	AV	12.95G	43.90	68.20	-24.30	3	Horizontal	324	2.35
6475MHz	Pass	PK	12.94997G	53.66	88.20	-34.54	3	Horizontal	324	2.35
6515MHz	Pass	AV	13.02997G	41.09	68.20	-27.11	3	Vertical	242	1.40
6515MHz	Pass	PK	13.02998G	52.16	88.20	-36.04	3	Vertical	242	1.40
6515MHz	Pass	AV	13.03G	42.61	68.20	-25.59	3	Horizontal	325	2.35
6515MHz	Pass	PK	13.03012G	52.91	88.20	-35.29	3	Horizontal	325	2.35
6535MHz	Pass	AV	13.07002G	40.19	68.20	-28.01	3	Vertical	323	1.35
6535MHz	Pass	PK	13.0701G	52.06	88.20	-36.14	3	Vertical	323	1.35
6535MHz	Pass	AV	13.07002G	42.06	68.20	-26.14	3	Horizontal	312	1.50
6535MHz	Pass	PK	13.06992G	52.60	88.20	-35.60	3	Horizontal	312	1.50
6695MHz	Pass	AV	13.38999G	41.94	54.00	-12.06	3	Vertical	351	1.50
6695MHz	Pass	PK	13.39034G	54.22	74.00	-19.78	3	Vertical	351	1.50
6695MHz	Pass	AV	13.38995G	42.34	54.00	-11.66	3	Horizontal	310	2.03
6695MHz	Pass	PK	13.38994G	52.10	74.00	-21.90	3	Horizontal	310	2.03
6875MHz	Pass	AV	13.75G	43.51	68.20	-24.69	3	Vertical	166	1.63
6875MHz	Pass	PK	13.7499G	53.23	88.20	-34.97	3	Vertical	166	1.63
6875MHz	Pass	AV	13.75003G	44.69	68.20	-23.51	3	Horizontal	351	1.50
6875MHz	Pass	PK	13.75004G	53.56	88.20	-34.64	3	Horizontal	351	1.50
6895MHz	Pass	AV	13.79004G	42.85	68.20	-25.35	3	Vertical	168	1.72
6895MHz	Pass	PK	13.79019G	52.47	88.20	-35.73	3	Vertical	168	1.72
6895MHz	Pass	AV	13.79004G	45.46	68.20	-22.74	3	Horizontal	316	1.94
6895MHz	Pass	PK	13.78998G	54.06	88.20	-34.14	3	Horizontal	316	1.94
6995MHz	Pass	AV	13.99G	42.60	68.20	-25.60	3	Vertical	58	2.46
6995MHz	Pass	PK	13.99015G	53.62	88.20	-34.58	3	Vertical	58	2.46
6995MHz	Pass	AV	13.99003G	47.01	68.20	-21.19	3	Horizontal	313	1.48
6995MHz	Pass	PK	13.99024G	54.37	88.20	-33.83	3	Horizontal	313	1.48
7095MHz	Pass	AV	14.1927G	39.34	68.20	-28.86	3	Vertical	269	2.55
7095MHz	Pass	PK	14.19286G	51.44	88.20	-36.76	3	Vertical	269	2.55
7095MHz	Pass	AV	14.19008G	42.57	68.20	-25.63	3	Horizontal	42	1.55
7095MHz	Pass	PK	14.19028G	52.74	88.20	-35.46	3	Horizontal	42	1.55
7115MHz	Pass	AV	7.1095G	95.64	Inf	-Inf	3	Vertical	261	1.56
7115MHz	Pass	AV	7.1255G	63.92	68.20	-4.28	3	Vertical	261	1.56
7115MHz	Pass	PK	7.1095G	101.30	Inf	-Inf	3	Vertical	261	1.56
7115MHz	Pass	PK	7.1255G	72.83	88.20	-15.37	3	Vertical	261	1.56





RSE TX above 1GHz\_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7115MHz	Pass	AV	7.1065G	90.55	Inf	-Inf	3	Horizontal	169	1.50
7115MHz	Pass	AV	7.1255G	67.94	68.20	-0.26	3	Horizontal	169	1.50
7115MHz	Pass	PK	7.1065G	96.12	Inf	-Inf	3	Horizontal	169	1.50
7115MHz	Pass	PK	7.1255G	77.14	88.20	-11.06	3	Horizontal	169	1.50
7115MHz	Pass	AV	14.23008G	39.56	68.20	-28.64	3	Vertical	93	1.55
7115MHz	Pass	PK	14.2206G	50.98	88.20	-37.22	3	Vertical	93	1.55
7115MHz	Pass	AV	14.23G	39.25	68.20	-28.95	3	Horizontal	299	1.16
7115MHz	Pass	PK	14.22708G	51.25	88.20	-36.95	3	Horizontal	299	1.16
802.11be EHT40_Nss1_(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	45.12	68.20	-23.08	3	Vertical	349	1.50
5965MHz	Pass	AV	5.9755G	97.52	Inf	-Inf	3	Vertical	349	1.50
5965MHz	Pass	PK	5.9248G	58.64	88.20	-29.56	3	Vertical	349	1.50
5965MHz	Pass	PK	5.9758G	110.19	Inf	-Inf	3	Vertical	349	1.50
5965MHz	Pass	AV	5.9242G	41.71	68.20	-26.49	3	Horizontal	0	1.30
5965MHz	Pass	AV	5.9698G	93.31	Inf	-Inf	3	Horizontal	0	1.30
5965MHz	Pass	PK	5.9248G	54.82	88.20	-33.38	3	Horizontal	0	1.30
5965MHz	Pass	PK	5.9698G	106.23	Inf	-Inf	3	Horizontal	0	1.30
5965MHz	Pass	AV	11.93006G	42.87	54.00	-11.13	3	Vertical	247	1.59
5965MHz	Pass	PK	11.92978G	51.92	74.00	-22.08	3	Vertical	247	1.59
5965MHz	Pass	AV	11.93004G	52.11	54.00	-1.89	3	Horizontal	315	1.04
5965MHz	Pass	PK	11.93004G	55.71	74.00	-18.29	3	Horizontal	315	1.04
6205MHz	Pass	AV	12.41004G	44.67	54.00	-9.33	3	Vertical	247	1.67
6205MHz	Pass	PK	12.41008G	52.26	74.00	-21.74	3	Vertical	247	1.67
6205MHz	Pass	AV	12.41G	50.92	54.00	-3.08	3	Horizontal	315	2.75
6205MHz	Pass	PK	12.41004G	55.02	74.00	-18.98	3	Horizontal	315	2.75
6405MHz	Pass	AV	12.80386G	42.81	68.20	-25.39	3	Vertical	309	1.40
6405MHz	Pass	PK	12.80378G	55.25	88.20	-32.95	3	Vertical	309	1.40
6405MHz	Pass	AV	12.81002G	47.24	68.20	-20.96	3	Horizontal	322	1.48
6405MHz	Pass	PK	12.81004G	53.98	88.20	-34.22	3	Horizontal	322	1.48
6445MHz	Pass	AV	12.88376G	42.86	68.20	-25.34	3	Vertical	308	1.41
6445MHz	Pass	PK	12.88344G	56.15	88.20	-32.05	3	Vertical	308	1.41
6445MHz	Pass	AV	12.88998G	47.50	68.20	-20.70	3	Horizontal	323	1.56
6445MHz	Pass	PK	12.8899G	53.99	88.20	-34.21	3	Horizontal	323	1.56
6485MHz	Pass	AV	12.96354G	42.91	68.20	-25.29	3	Vertical	310	1.42
6485MHz	Pass	PK	12.96366G	56.07	88.20	-32.13	3	Vertical	310	1.42
6485MHz	Pass	AV	12.96998G	46.79	68.20	-21.41	3	Horizontal	324	2.43
6485MHz	Pass	PK	12.97006G	54.30	88.20	-33.90	3	Horizontal	324	2.43
6525MHz	Pass	AV	13.0517G	42.51	68.20	-25.69	3	Vertical	333	1.50
6525MHz	Pass	PK	13.05048G	54.19	88.20	-34.01	3	Vertical	333	1.50
6525MHz	Pass	AV	13.04998G	41.59	68.20	-26.61	3	Horizontal	315	1.48
6525MHz	Pass	PK	13.05008G	51.17	88.20	-37.03	3	Horizontal	315	1.48
6565MHz	Pass	AV	13.13134G	44.37	68.20	-23.83	3	Vertical	330	1.42
6565MHz	Pass	PK	13.1316G	56.31	88.20	-31.89	3	Vertical	330	1.42
6565MHz	Pass	AV	13.13G	41.79	68.20	-26.41	3	Horizontal	320	2.74
6565MHz	Pass	PK	13.13008G	53.36	88.20	-34.84	3	Horizontal	320	2.74
6685MHz	Pass	AV	13.37006G	43.55	54.00	-10.45	3	Vertical	331	1.67
6685MHz	Pass	PK	13.37118G	55.90	74.00	-18.10	3	Vertical	331	1.67
6685MHz	Pass	AV	13.37006G	44.84	54.00	-9.16	3	Horizontal	313	1.50
6685MHz	Pass	PK	13.3698G	52.95	74.00	-21.05	3	Horizontal	313	1.50
6885MHz	Pass	AV	13.76994G	43.21	68.20	-24.99	3	Vertical	0	2.31
6885MHz	Pass	PK	13.76964G	54.69	88.20	-33.51	3	Vertical	0	2.31
6885MHz	Pass	AV	13.77G	45.20	68.20	-23.00	3	Horizontal	349	1.50
6885MHz	Pass	PK	13.77G	53.43	88.20	-34.77	3	Horizontal	349	1.50
6925MHz	Pass	AV	13.85G	43.45	68.20	-24.75	3	Vertical	167	1.62
6925MHz	Pass	PK	13.84984G	52.97	88.20	-35.23	3	Vertical	167	1.62
6925MHz	Pass	AV	13.85002G	45.71	68.20	-22.49	3	Horizontal	316	1.44
6925MHz	Pass	PK	13.84978G	53.01	88.20	-35.19	3	Horizontal	316	1.44
7005MHz	Pass	AV	14.01008G	42.74	68.20	-25.46	3	Vertical	62	1.50
7005MHz	Pass	PK	14.01018G	53.18	88.20	-35.02	3	Vertical	62	1.50
7005MHz	Pass	AV	14.01G	46.72	68.20	-21.48	3	Horizontal	316	1.44
7005MHz	Pass	PK	14.00982G	54.41	88.20	-33.79	3	Horizontal	316	1.44
7085MHz	Pass	AV	7.0736G	97.45	Inf	-Inf	3	Vertical	14	2.29



RSE TX above 1GHz\_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7085MHz	Pass	AV	7.1252G	45.46	68.20	-22.74	3	Vertical	14	2.29
7085MHz	Pass	PK	7.0739G	110.36	Inf	-Inf	3	Vertical	14	2.29
7085MHz	Pass	PK	7.196G	58.50	88.20	-29.70	3	Vertical	14	2.29
7085MHz	Pass	AV	7.0742G	94.16	Inf	-Inf	3	Horizontal	172	1.32
7085MHz	Pass	AV	7.1252G	44.88	68.20	-23.32	3	Horizontal	172	1.32
7085MHz	Pass	PK	7.0742G	105.88	Inf	-Inf	3	Horizontal	172	1.32
7085MHz	Pass	PK	7.1369G	58.37	88.20	-29.83	3	Horizontal	172	1.32
7085MHz	Pass	AV	14.1611G	41.95	68.20	-26.25	3	Vertical	305	1.50
7085MHz	Pass	PK	14.17226G	54.06	88.20	-34.14	3	Vertical	305	1.50
7085MHz	Pass	AV	14.17002G	48.06	68.20	-20.14	3	Horizontal	311	1.40
7085MHz	Pass	PK	14.16996G	54.89	88.20	-33.31	3	Horizontal	311	1.40
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9155G	48.84	68.20	-19.36	3	Vertical	354	1.42
5985MHz	Pass	AV	6.016G	97.48	Inf	-Inf	3	Vertical	354	1.42
5985MHz	Pass	PK	5.9155G	63.74	88.20	-24.46	3	Vertical	354	1.42
5985MHz	Pass	PK	6.0165G	110.21	Inf	-Inf	3	Vertical	354	1.42
5985MHz	Pass	AV	5.911G	41.97	68.20	-26.23	3	Horizontal	0	1.15
5985MHz	Pass	AV	5.9895G	91.58	Inf	-Inf	3	Horizontal	0	1.15
5985MHz	Pass	PK	5.881G	54.58	88.20	-33.62	3	Horizontal	0	1.15
5985MHz	Pass	PK	5.9895G	103.46	Inf	-Inf	3	Horizontal	0	1.15
5985MHz	Pass	AV	11.97004G	42.12	54.00	-11.88	3	Vertical	248	1.72
5985MHz	Pass	PK	11.96972G	52.12	74.00	-21.88	3	Vertical	248	1.72
5985MHz	Pass	AV	11.97004G	52.31	54.00	-1.69	3	Horizontal	312	1.02
5985MHz	Pass	PK	11.97G	55.95	74.00	-18.05	3	Horizontal	312	1.02
6225MHz	Pass	AV	12.4464G	44.40	54.00	-9.60	3	Vertical	309	1.50
6225MHz	Pass	PK	12.46568G	58.15	74.00	-15.85	3	Vertical	309	1.50
6225MHz	Pass	AV	12.45004G	50.60	54.00	-3.40	3	Horizontal	317	1.48
6225MHz	Pass	PK	12.45004G	54.76	74.00	-19.24	3	Horizontal	317	1.48
6385MHz	Pass	AV	12.774G	45.81	68.20	-22.39	3	Vertical	60	1.45
6385MHz	Pass	PK	12.75448G	59.24	88.20	-28.96	3	Vertical	60	1.45
6385MHz	Pass	AV	12.77004G	49.46	68.20	-18.74	3	Horizontal	318	1.50
6385MHz	Pass	PK	12.76996G	54.03	88.20	-34.17	3	Horizontal	318	1.50
6465MHz	Pass	AV	12.92372G	44.39	68.20	-23.81	3	Vertical	309	1.45
6465MHz	Pass	PK	12.92524G	56.99	88.20	-31.21	3	Vertical	309	1.45
6465MHz	Pass	AV	12.93G	45.95	68.20	-22.25	3	Horizontal	320	1.49
6465MHz	Pass	PK	12.9298G	53.66	88.20	-34.54	3	Horizontal	320	1.49
6545MHz	Pass	AV	13.09176G	44.34	68.20	-23.86	3	Vertical	331	1.48
6545MHz	Pass	PK	13.09184G	56.68	88.20	-31.52	3	Vertical	331	1.48
6545MHz	Pass	AV	13.09G	42.65	68.20	-25.55	3	Horizontal	321	1.33
6545MHz	Pass	PK	13.0972G	53.26	88.20	-34.94	3	Horizontal	321	1.33
6625MHz	Pass	AV	13.25012G	45.73	54.00	-8.27	3	Vertical	329	1.65
6625MHz	Pass	PK	13.2502G	58.98	74.00	-15.02	3	Vertical	329	1.65
6625MHz	Pass	AV	13.25008G	39.88	54.00	-14.12	3	Horizontal	313	1.50
6625MHz	Pass	PK	13.23008G	52.15	88.20	-36.05	3	Horizontal	313	1.50
6705MHz	Pass	AV	13.42204G	44.79	68.20	-23.41	3	Vertical	310	1.32
6705MHz	Pass	PK	13.421G	57.17	88.20	-31.03	3	Vertical	310	1.32
6705MHz	Pass	AV	13.41004G	40.89	68.20	-27.31	3	Horizontal	313	1.50
6705MHz	Pass	PK	13.4244G	52.13	88.20	-36.07	3	Horizontal	313	1.50
6785MHz	Pass	AV	13.56928G	44.78	68.20	-23.42	3	Vertical	328	1.56
6785MHz	Pass	PK	13.56876G	58.12	88.20	-30.08	3	Vertical	328	1.56
6785MHz	Pass	AV	13.57G	44.25	68.20	-23.95	3	Horizontal	317	1.92
6785MHz	Pass	PK	13.56992G	53.66	88.20	-34.54	3	Horizontal	317	1.92
6865MHz	Pass	AV	13.729G	43.43	68.20	-24.77	3	Vertical	327	1.50
6865MHz	Pass	PK	13.72696G	56.64	88.20	-31.56	3	Vertical	327	1.50
6865MHz	Pass	AV	13.73G	44.77	68.20	-23.43	3	Horizontal	350	1.50
6865MHz	Pass	PK	13.73012G	53.24	88.20	-34.96	3	Horizontal	350	1.50
6945MHz	Pass	AV	13.88976G	42.73	68.20	-25.47	3	Vertical	326	1.78
6945MHz	Pass	PK	13.88824G	55.37	88.20	-32.83	3	Vertical	326	1.78
6945MHz	Pass	AV	13.89004G	47.07	68.20	-21.13	3	Horizontal	318	1.44
6945MHz	Pass	PK	13.88992G	53.71	88.20	-34.49	3	Horizontal	318	1.44
7025MHz	Pass	AV	6.9995G	97.39	Inf	-Inf	3	Vertical	265	2.17
7025MHz	Pass	AV	7.1399G	45.87	68.20	-22.33	3	Vertical	265	2.17



RSE TX above 1GHz\_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7025MHz	Pass	PK	7.0193G	109.49	Inf	-Inf	3	Vertical	265	2.17
7025MHz	Pass	PK	7.136G	58.11	88.20	-30.09	3	Vertical	265	2.17
7025MHz	Pass	AV	6.9944G	93.53	Inf	-Inf	3	Horizontal	178	1.37
7025MHz	Pass	AV	7.1348G	44.66	68.20	-23.54	3	Horizontal	178	1.37
7025MHz	Pass	PK	7.0142G	106.05	Inf	-Inf	3	Horizontal	178	1.37
7025MHz	Pass	PK	7.1348G	57.43	88.20	-30.77	3	Horizontal	178	1.37
7025MHz	Pass	AV	14.04996G	43.63	68.20	-24.57	3	Vertical	60	1.50
7025MHz	Pass	PK	14.04984G	55.86	88.20	-32.34	3	Vertical	60	1.50
7025MHz	Pass	AV	14.04996G	47.31	68.20	-20.89	3	Horizontal	315	1.50
7025MHz	Pass	PK	14.05004G	55.00	88.20	-33.20	3	Horizontal	315	1.50
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9235G	54.71	68.20	-13.49	3	Vertical	255	1.50
6025MHz	Pass	AV	6.103G	97.28	Inf	-Inf	3	Vertical	255	1.50
6025MHz	Pass	PK	5.903G	72.49	88.20	-15.71	3	Vertical	255	1.50
6025MHz	Pass	PK	6.064G	110.34	Inf	-Inf	3	Vertical	255	1.50
6025MHz	Pass	AV	5.91G	46.54	68.20	-21.66	3	Horizontal	360	1.37
6025MHz	Pass	AV	6.03G	91.50	Inf	-Inf	3	Horizontal	360	1.37
6025MHz	Pass	PK	5.911G	59.30	88.20	-28.90	3	Horizontal	360	1.37
6025MHz	Pass	PK	6.0305G	104.42	Inf	-Inf	3	Horizontal	360	1.37
6025MHz	Pass	AV	12.06096G	44.14	54.00	-9.86	3	Vertical	304	2.06
6025MHz	Pass	PK	12.08096G	58.89	74.00	-15.11	3	Vertical	304	2.06
6025MHz	Pass	AV	12.05G	52.99	54.00	-1.01	3	Horizontal	310	1.52
6025MHz	Pass	PK	12.05G	56.63	74.00	-17.37	3	Horizontal	310	1.52
6185MHz	Pass	AV	12.36624G	46.27	54.00	-7.73	3	Vertical	59	1.82
6185MHz	Pass	PK	12.36632G	58.46	74.00	-15.54	3	Vertical	59	1.82
6185MHz	Pass	AV	12.37G	52.59	54.00	-1.41	3	Horizontal	312	1.51
6185MHz	Pass	PK	12.36984G	57.03	74.00	-16.97	3	Horizontal	312	1.51
6345MHz	Pass	AV	12.67392G	46.82	54.00	-7.18	3	Vertical	59	1.42
6345MHz	Pass	PK	12.6932G	59.14	74.00	-14.86	3	Vertical	59	1.42
6345MHz	Pass	AV	12.69G	49.35	54.00	-4.65	3	Horizontal	317	1.55
6345MHz	Pass	PK	12.69G	54.68	74.00	-19.32	3	Horizontal	317	1.55
6505MHz	Pass	AV	13.0236G	45.82	68.20	-22.38	3	Vertical	308	1.40
6505MHz	Pass	PK	13.00344G	59.13	88.20	-29.07	3	Vertical	308	1.40
6505MHz	Pass	AV	13.01G	45.69	68.20	-22.51	3	Horizontal	324	2.39
6505MHz	Pass	PK	13.01008G	53.56	88.20	-34.64	3	Horizontal	324	2.39
6665MHz	Pass	AV	13.33008G	46.57	54.00	-7.43	3	Vertical	330	1.59
6665MHz	Pass	PK	13.33048G	59.30	74.00	-14.70	3	Vertical	330	1.59
6665MHz	Pass	AV	13.33008G	41.23	54.00	-12.77	3	Horizontal	312	2.01
6665MHz	Pass	PK	13.3132G	51.85	74.00	-22.15	3	Horizontal	312	2.01
6825MHz	Pass	AV	13.64152G	45.83	68.20	-22.37	3	Vertical	310	1.41
6825MHz	Pass	PK	13.6616G	58.01	88.20	-30.19	3	Vertical	310	1.41
6825MHz	Pass	AV	13.65008G	44.82	68.20	-23.38	3	Horizontal	349	1.50
6825MHz	Pass	PK	13.65008G	54.14	88.20	-34.06	3	Horizontal	349	1.50
6985MHz	Pass	AV	6.913G	97.57	Inf	-Inf	3	Vertical	17	2.49
6985MHz	Pass	AV	7.133G	55.80	68.20	-12.40	3	Vertical	17	2.49
6985MHz	Pass	PK	7.0125G	110.58	Inf	-Inf	3	Vertical	17	2.49
6985MHz	Pass	PK	7.134G	69.25	88.20	-18.95	3	Vertical	17	2.49
6985MHz	Pass	AV	6.9145G	94.09	Inf	-Inf	3	Horizontal	172	1.53
6985MHz	Pass	AV	7.1355G	49.83	68.20	-18.37	3	Horizontal	172	1.53
6985MHz	Pass	PK	6.9745G	107.47	Inf	-Inf	3	Horizontal	172	1.53
6985MHz	Pass	PK	7.1555G	63.60	88.20	-24.60	3	Horizontal	172	1.53
6985MHz	Pass	AV	13.98112G	44.03	68.20	-24.17	3	Vertical	306	1.46
6985MHz	Pass	PK	13.98128G	57.25	88.20	-30.95	3	Vertical	306	1.46
6985MHz	Pass	AV	13.97G	45.95	68.20	-22.25	3	Horizontal	313	1.39
6985MHz	Pass	PK	13.97008G	53.35	88.20	-34.85	3	Horizontal	313	1.39
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.916G	59.52	68.20	-8.68	3	Vertical	360	1.50
6105MHz	Pass	AV	6.116G	96.80	Inf	-Inf	3	Vertical	360	1.50
6105MHz	Pass	PK	5.895G	74.10	88.20	-14.10	3	Vertical	360	1.50
6105MHz	Pass	PK	6.077G	109.03	Inf	-Inf	3	Vertical	360	1.50
6105MHz	Pass	AV	5.924G	50.16	68.20	-18.04	3	Horizontal	189	1.71
6105MHz	Pass	AV	6.084G	90.20	Inf	-Inf	3	Horizontal	189	1.71




RSE TX above 1GHz\_Non-Beamforming

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6105MHz	Pass	PK	5.924G	62.36	88.20	-25.84	3	Horizontal	189	1.71
6105MHz	Pass	PK	6.164G	103.54	Inf	-Inf	3	Horizontal	189	1.71
6105MHz	Pass	AV	12.20776G	44.11	54.00	-9.89	3	Vertical	309	1.56
6105MHz	Pass	PK	12.2484G	56.59	74.00	-17.41	3	Vertical	309	1.56
6105MHz	Pass	AV	12.21G	53.69	54.00	-0.31	3	Horizontal	311	1.52
6105MHz	Pass	PK	12.21G	57.35	74.00	-16.65	3	Horizontal	311	1.52
6265MHz	Pass	AV	12.50568G	46.96	54.00	-7.04	3	Vertical	59	2.13
6265MHz	Pass	PK	12.54648G	64.80	74.00	-9.20	3	Vertical	59	2.13
6265MHz	Pass	AV	12.53016G	49.33	54.00	-4.67	3	Horizontal	320	1.53
6265MHz	Pass	PK	12.53032G	54.27	74.00	-19.73	3	Horizontal	320	1.53
6425MHz	Pass	AV	12.8244G	46.77	68.20	-21.43	3	Vertical	307	1.45
6425MHz	Pass	PK	12.86648G	60.68	88.20	-27.52	3	Vertical	307	1.45
6425MHz	Pass	AV	12.85016G	47.12	68.20	-21.08	3	Horizontal	322	1.48
6425MHz	Pass	PK	12.85032G	53.69	88.20	-34.51	3	Horizontal	322	1.48
6585MHz	Pass	AV	13.1972G	47.47	68.20	-20.73	3	Vertical	299	1.42
6585MHz	Pass	PK	13.17768G	61.11	88.20	-27.09	3	Vertical	299	1.42
6585MHz	Pass	AV	13.17G	40.54	68.20	-27.66	3	Horizontal	314	1.50
6585MHz	Pass	PK	13.22984G	52.42	88.20	-35.78	3	Horizontal	314	1.50
6745MHz	Pass	AV	13.52168G	47.47	68.20	-20.73	3	Vertical	310	1.38
6745MHz	Pass	PK	13.4412G	60.61	88.20	-27.59	3	Vertical	310	1.38
6745MHz	Pass	AV	13.49016G	43.60	68.20	-24.60	3	Horizontal	315	1.97
6745MHz	Pass	PK	13.48584G	52.65	88.20	-35.55	3	Horizontal	315	1.97
6905MHz	Pass	AV	6.761G	96.29	Inf	-Inf	3	Vertical	260	1.62
6905MHz	Pass	AV	7.261G	53.66	54.00	-0.34	3	Vertical	260	1.62
6905MHz	Pass	PK	6.761G	108.85	Inf	-Inf	3	Vertical	260	1.62
6905MHz	Pass	PK	7.262G	66.39	74.00	-7.61	3	Vertical	260	1.62
6905MHz	Pass	AV	6.894G	92.50	Inf	-Inf	3	Horizontal	171	1.41
6905MHz	Pass	AV	7.257G	50.60	54.00	-3.40	3	Horizontal	171	1.41
6905MHz	Pass	PK	6.853G	105.57	Inf	-Inf	3	Horizontal	171	1.41
6905MHz	Pass	PK	7.275G	64.15	74.00	-9.85	3	Horizontal	171	1.41
6905MHz	Pass	AV	13.74824G	43.11	68.20	-25.09	3	Vertical	328	1.50
6905MHz	Pass	PK	13.82936G	56.36	88.20	-31.84	3	Vertical	328	1.50
6905MHz	Pass	AV	13.81016G	46.35	68.20	-21.85	3	Horizontal	314	1.87
6905MHz	Pass	PK	13.80984G	52.74	88.20	-35.46	3	Horizontal	314	1.87

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


5955MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.913G	41.45	68.20	-26.75	-4.03	3	Vertical	255	1.78	45.48	34.60	5.54	44.17
AV	5.9535G	97.16	Inf	-Inf	-4.02	3	Vertical	255	1.78	101.18	34.60	5.55	44.17
PK	5.8941G	56.05	88.20	-32.15	-4.06	3	Vertical	255	1.78	60.11	34.58	5.53	44.17
PK	5.9538G	109.61	Inf	-Inf	-4.02	3	Vertical	255	1.78	113.63	34.60	5.55	44.17

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5955MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9208G	41.05	68.20	-27.15	-4.03	3	Horizontal	0	1.29	45.08	34.60	5.54	44.17
AV	5.9595G	92.01	Inf	-Inf	-4.02	3	Horizontal	0	1.29	96.03	34.60	5.56	44.18
PK	5.8296G	54.17	88.20	-34.03	-4.21	3	Horizontal	0	1.29	58.38	34.44	5.51	44.16
PK	5.9595G	104.40	Inf	-Inf	-4.02	3	Horizontal	0	1.29	108.42	34.60	5.56	44.18



5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


5955MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.91006G	43.38	54.00	-10.62	5.47	3	Vertical	305	1.61	37.91	39.02	8.54	42.09
PK	11.90982G	51.83	74.00	-22.17	5.47	3	Vertical	305	1.61	46.36	39.02	8.54	42.09

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5955MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.91G	44.45	54.00	-9.55	5.47	3	Horizontal	348	1.49	38.98	39.02	8.54	42.09
PK	11.9102G	51.66	74.00	-22.34	5.47	3	Horizontal	348	1.49	46.19	39.02	8.54	42.09



5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6195MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.38999G	44.31	54.00	-9.69	5.73	3	Vertical	248	1.64	38.58	39.04	8.69	42.00
PK	12.39012G	52.29	74.00	-21.71	5.73	3	Vertical	248	1.64	46.56	39.04	8.69	42.00

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6195MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.39001G	52.46	54.00	-1.54	5.73	3	Horizontal	314	2.78	46.73	39.04	8.69	42.00
PK	12.39004G	56.23	74.00	-17.77	5.73	3	Horizontal	314	2.78	50.50	39.04	8.69	42.00



5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6415MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.83003G	42.82	68.20	-25.38	6.61	3	Vertical	55	2.30	36.21	39.88	8.84	42.11
PK	12.82969G	52.94	88.20	-35.26	6.61	3	Vertical	55	2.30	46.33	39.88	8.84	42.11

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6415MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.82999G	47.37	68.20	-20.83	6.61	3	Horizontal	322	1.50	40.76	39.88	8.84	42.11
PK	12.82988G	54.22	88.20	-33.98	6.61	3	Horizontal	322	1.50	47.61	39.88	8.84	42.11





6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6435MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.87001G	42.48	68.20	-25.72	6.69	3	Vertical	56	2.34	35.79	39.96	8.85	42.12
PK	12.87278G	52.80	88.20	-35.40	6.68	3	Vertical	56	2.34	46.12	39.95	8.85	42.12

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6435MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.86998G	47.60	68.20	-20.60	6.69	3	Horizontal	322	1.50	40.91	39.96	8.85	42.12
PK	12.86993G	54.51	88.20	-33.69	6.69	3	Horizontal	322	1.50	47.82	39.96	8.85	42.12



6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6475MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94998G	43.28	68.20	-24.92	6.61	3	Vertical	56	2.27	36.67	39.90	8.87	42.16
PK	12.94988G	53.54	88.20	-34.66	6.61	3	Vertical	56	2.27	46.93	39.90	8.87	42.16

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6475MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95G	43.90	68.20	-24.30	6.61	3	Horizontal	324	2.35	37.29	39.90	8.87	42.16
PK	12.94997G	53.66	88.20	-34.54	6.61	3	Horizontal	324	2.35	47.05	39.90	8.87	42.16



6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6515MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.02997G	41.09	68.20	-27.11	6.40	3	Vertical	242	1.40	34.69	39.68	8.90	42.18
PK	13.02998G	52.16	88.20	-36.04	6.40	3	Vertical	242	1.40	45.76	39.68	8.90	42.18

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6515MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.03G	42.61	68.20	-25.59	6.40	3	Horizontal	325	2.35	36.21	39.68	8.90	42.18
PK	13.03012G	52.91	88.20	-35.29	6.40	3	Horizontal	325	2.35	46.51	39.68	8.90	42.18



6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6535MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.07002G	40.19	68.20	-28.01	6.37	3	Vertical	323	1.35	33.82	39.64	8.91	42.18
PK	13.0701G	52.06	88.20	-36.14	6.37	3	Vertical	323	1.35	45.69	39.64	8.91	42.18

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6535MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.07002G	42.06	68.20	-26.14	6.37	3	Horizontal	312	1.50	35.69	39.64	8.91	42.18
PK	13.06992G	52.60	88.20	-35.60	6.37	3	Horizontal	312	1.50	46.23	39.64	8.91	42.18



6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6695MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38999G	41.94	54.00	-12.06	6.90	3	Vertical	351	1.50	35.04	40.06	9.01	42.17
PK	13.39034G	54.22	74.00	-19.78	6.90	3	Vertical	351	1.50	47.32	40.06	9.01	42.17

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6695MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38995G	42.34	54.00	-11.66	6.90	3	Horizontal	310	2.03	35.44	40.06	9.01	42.17
PK	13.38994G	52.10	74.00	-21.90	6.90	3	Horizontal	310	2.03	45.20	40.06	9.01	42.17



6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6875MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.75G	43.51	68.20	-24.69	6.52	3	Vertical	166	1.63	36.99	39.90	9.13	42.51
PK	13.7499G	53.23	88.20	-34.97	6.52	3	Vertical	166	1.63	46.71	39.90	9.13	42.51

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6875MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.75003G	44.69	68.20	-23.51	6.52	3	Horizontal	351	1.50	38.17	39.90	9.13	42.51
PK	13.75004G	53.56	88.20	-34.64	6.52	3	Horizontal	351	1.50	47.04	39.90	9.13	42.51



6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6895MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.79004G	42.85	68.20	-25.35	6.32	3	Vertical	168	1.72	36.53	39.74	9.14	42.56
PK	13.79019G	52.47	88.20	-35.73	6.32	3	Vertical	168	1.72	46.15	39.74	9.14	42.56

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6895MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.79004G	45.46	68.20	-22.74	6.32	3	Horizontal	316	1.94	39.14	39.74	9.14	42.56
PK	13.78998G	54.06	88.20	-34.14	6.32	3	Horizontal	316	1.94	47.74	39.74	9.14	42.56



6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6995MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.99G	42.60	68.20	-25.60	6.55	3	Vertical	58	2.46	36.05	40.18	9.21	42.84
PK	13.99015G	53.62	88.20	-34.58	6.55	3	Vertical	58	2.46	47.07	40.18	9.21	42.84

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6995MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.99003G	47.01	68.20	-21.19	6.55	3	Horizontal	313	1.48	40.46	40.18	9.21	42.84
PK	13.99024G	54.37	88.20	-33.83	6.55	3	Horizontal	313	1.48	47.82	40.18	9.21	42.84





6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


7095MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.1927G	39.34	68.20	-28.86	6.83	3	Vertical	269	2.55	32.51	40.29	9.41	42.87
PK	14.19286G	51.44	88.20	-36.76	6.83	3	Vertical	269	2.55	44.61	40.29	9.41	42.87

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


7095MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.19008G	42.57	68.20	-25.63	6.82	3	Horizontal	42	1.55	35.75	40.28	9.41	42.87
PK	14.19028G	52.74	88.20	-35.46	6.82	3	Horizontal	42	1.55	45.92	40.28	9.41	42.87

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


7115MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1095G	95.64	Inf	-Inf	-1.29	3	Vertical	261	1.56	2.5_BP 1M	96.93	36.64	6.10	44.03
AV	7.1255G	63.92	68.20	-4.28	-1.21	3	Vertical	261	1.56	2.5_BP 1M	65.13	36.70	6.11	44.02
PK	7.1095G	101.30	Inf	-Inf	-1.29	3	Vertical	261	1.56	2.5_BP 1M	102.59	36.64	6.10	44.03
PK	7.1255G	72.83	88.20	-15.37	-1.21	3	Vertical	261	1.56	2.5_BP 1M	74.04	36.70	6.11	44.02

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7115MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1065G	90.55	Inf	-Inf	-1.30	3	Horizontal	169	1.50	2.5_BP 1M	91.85	36.63	6.10	44.03
AV	7.1255G	67.94	68.20	-0.26	-1.21	3	Horizontal	169	1.50	2.5_BP 1M	69.15	36.70	6.11	44.02
PK	7.1065G	96.12	Inf	-Inf	-1.30	3	Horizontal	169	1.50	2.5_BP 1M	97.42	36.63	6.10	44.03
PK	7.1255G	77.14	88.20	-11.06	-1.21	3	Horizontal	169	1.50	2.5_BP 1M	78.35	36.70	6.11	44.02



6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


7115MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.23008G	39.56	68.20	-28.64	6.82	3	Vertical	93	1.55	32.74	40.24	9.45	42.87
PK	14.2206G	50.98	88.20	-37.22	6.83	3	Vertical	93	1.55	44.15	40.26	9.44	42.87

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

7115MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.23G	39.25	68.20	-28.95	6.82	3	Horizontal	299	1.16	32.43	40.24	9.45	42.87
PK	14.22708G	51.25	88.20	-36.95	6.83	3	Horizontal	299	1.16	44.42	40.25	9.45	42.87



5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5965MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9248G	45.12	68.20	-23.08	-4.03	3	Vertical	349	1.50	49.15	34.60	5.54	44.17
AV	5.9755G	97.52	Inf	-Inf	-4.02	3	Vertical	349	1.50	101.54	34.60	5.56	44.18
PK	5.9248G	58.64	88.20	-29.56	-4.03	3	Vertical	349	1.50	62.67	34.60	5.54	44.17
PK	5.9758G	110.19	Inf	-Inf	-4.02	3	Vertical	349	1.50	114.21	34.60	5.56	44.18

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5965MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9242G	41.71	68.20	-26.49	-4.03	3	Horizontal	0	1.30	45.74	34.60	5.54	44.17
AV	5.9698G	93.31	Inf	-Inf	-4.02	3	Horizontal	0	1.30	97.33	34.60	5.56	44.18
PK	5.9248G	54.82	88.20	-33.38	-4.03	3	Horizontal	0	1.30	58.85	34.60	5.54	44.17
PK	5.9698G	106.23	Inf	-Inf	-4.02	3	Horizontal	0	1.30	110.25	34.60	5.56	44.18



5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5965MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.93006G	42.87	54.00	-11.13	5.51	3	Vertical	247	1.59	37.36	39.06	8.55	42.10
PK	11.92978G	51.92	74.00	-22.08	5.51	3	Vertical	247	1.59	46.41	39.06	8.55	42.10

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5965MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.93004G	52.11	54.00	-1.89	5.51	3	Horizontal	315	1.04	46.60	39.06	8.55	42.10
PK	11.93004G	55.71	74.00	-18.29	5.51	3	Horizontal	315	1.04	50.20	39.06	8.55	42.10



5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6205MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.41004G	44.67	54.00	-9.33	5.75	3	Vertical	247	1.67	38.92	39.04	8.70	41.99
PK	12.41008G	52.26	74.00	-21.74	5.75	3	Vertical	247	1.67	46.51	39.04	8.70	41.99

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6205MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.41G	50.92	54.00	-3.08	5.75	3	Horizontal	315	2.75	45.17	39.04	8.70	41.99
PK	12.41004G	55.02	74.00	-18.98	5.75	3	Horizontal	315	2.75	49.27	39.04	8.70	41.99



5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6405MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.80386G	42.81	68.20	-25.39	6.46	3	Vertical	309	1.40	36.35	39.72	8.83	42.09
PK	12.80378G	55.25	88.20	-32.95	6.46	3	Vertical	309	1.40	48.79	39.72	8.83	42.09

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6405MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.81002G	47.24	68.20	-20.96	6.49	3	Horizontal	322	1.48	40.75	39.76	8.83	42.10
PK	12.81004G	53.98	88.20	-34.22	6.49	3	Horizontal	322	1.48	47.49	39.76	8.83	42.10



6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6445MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.88376G	42.86	68.20	-25.34	6.65	3	Vertical	308	1.41	36.21	39.93	8.85	42.13
PK	12.88344G	56.15	88.20	-32.05	6.65	3	Vertical	308	1.41	49.50	39.93	8.85	42.13

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6445MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.88998G	47.50	68.20	-20.70	6.64	3	Horizontal	323	1.56	40.86	39.92	8.85	42.13
PK	12.8899G	53.99	88.20	-34.21	6.64	3	Horizontal	323	1.56	47.35	39.92	8.85	42.13





6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6485MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.96354G	42.91	68.20	-25.29	6.59	3	Vertical	310	1.42	36.32	39.87	8.88	42.16
PK	12.96366G	56.07	88.20	-32.13	6.59	3	Vertical	310	1.42	49.48	39.87	8.88	42.16

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6485MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.96998G	46.79	68.20	-21.41	6.57	3	Horizontal	324	2.43	40.22	39.86	8.88	42.17
PK	12.97066G	54.30	88.20	-33.90	6.57	3	Horizontal	324	2.43	47.73	39.86	8.88	42.17



6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6525MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0517G	42.51	68.20	-25.69	6.33	3	Vertical	333	1.50	36.18	39.60	8.91	42.18
PK	13.05048G	54.19	88.20	-34.01	6.33	3	Vertical	333	1.50	47.86	39.60	8.91	42.18

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6525MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.04998G	41.59	68.20	-26.61	6.33	3	Horizontal	315	1.48	35.26	39.60	8.91	42.18
PK	13.05008G	51.17	88.20	-37.03	6.33	3	Horizontal	315	1.48	44.84	39.60	8.91	42.18



6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6565MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.13134G	44.37	68.20	-23.83	6.45	3	Vertical	330	1.42	37.92	39.70	8.93	42.18
PK	13.1316G	56.31	88.20	-31.89	6.45	3	Vertical	330	1.42	49.86	39.70	8.93	42.18

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6565MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.13G	41.79	68.20	-26.41	6.45	3	Horizontal	320	2.74	35.34	39.70	8.93	42.18
PK	13.13008G	53.36	88.20	-34.84	6.45	3	Horizontal	320	2.74	46.91	39.70	8.93	42.18



6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6685MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37006G	43.55	54.00	-10.45	6.82	3	Vertical	331	1.67	36.73	39.98	9.01	42.17
PK	13.37118G	55.90	74.00	-18.10	6.82	3	Vertical	331	1.67	49.08	39.98	9.01	42.17

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6685MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37006G	44.84	54.00	-9.16	6.82	3	Horizontal	313	1.50	38.02	39.98	9.01	42.17
PK	13.3698G	52.95	74.00	-21.05	6.82	3	Horizontal	313	1.50	46.13	39.98	9.01	42.17



6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.76994G	43.21	68.20	-24.99	6.42	3	Vertical	0	2.31	36.79	39.82	9.14	42.54
PK	13.76964G	54.69	88.20	-33.51	6.42	3	Vertical	0	2.31	48.27	39.82	9.14	42.54

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6885MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.77G	45.20	68.20	-23.00	6.42	3	Horizontal	349	1.50	38.78	39.82	9.14	42.54
PK	13.77G	53.43	88.20	-34.77	6.42	3	Horizontal	349	1.50	47.01	39.82	9.14	42.54



6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6925MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.85G	43.45	68.20	-24.75	6.31	3	Vertical	167	1.62	37.14	39.80	9.16	42.65
PK	13.84984G	52.97	88.20	-35.23	6.31	3	Vertical	167	1.62	46.66	39.80	9.16	42.65

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6925MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.85002G	45.71	68.20	-22.49	6.31	3	Horizontal	316	1.44	39.40	39.80	9.16	42.65
PK	13.84978G	53.01	88.20	-35.19	6.31	3	Horizontal	316	1.44	46.70	39.80	9.16	42.65



6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


7005MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.01008G	42.74	68.20	-25.46	6.57	3	Vertical	62	1.50	36.17	40.20	9.22	42.85
PK	14.01018G	53.18	88.20	-35.02	6.57	3	Vertical	62	1.50	46.61	40.20	9.22	42.85

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

7005MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.01G	46.72	68.20	-21.48	6.57	3	Horizontal	316	1.44	40.15	40.20	9.22	42.85
PK	14.00982G	54.41	88.20	-33.79	6.57	3	Horizontal	316	1.44	47.84	40.20	9.22	42.85



6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


7085MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0736G	97.45	Inf	-Inf	-1.47	3	Vertical	14	2.29	98.92	36.49	6.09	44.05
AV	7.1252G	45.46	68.20	-22.74	-1.21	3	Vertical	14	2.29	46.67	36.70	6.11	44.02
PK	7.0739G	110.36	Inf	-Inf	-1.46	3	Vertical	14	2.29	111.82	36.50	6.09	44.05
PK	7.196G	58.50	88.20	-29.70	-0.74	3	Vertical	14	2.29	59.24	37.08	6.15	43.97

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

7085MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0742G	94.16	Inf	-Inf	-1.46	3	Horizontal	172	1.32	95.62	36.50	6.09	44.05
AV	7.1252G	44.88	68.20	-23.32	-1.21	3	Horizontal	172	1.32	46.09	36.70	6.11	44.02
PK	7.0742G	105.88	Inf	-Inf	-1.46	3	Horizontal	172	1.32	107.34	36.50	6.09	44.05
PK	7.1369G	58.37	88.20	-29.83	-1.14	3	Horizontal	172	1.32	59.51	36.75	6.12	44.01





6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


7085MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.1611G	41.95	68.20	-26.25	6.74	3	Vertical	305	1.50	35.21	40.22	9.38	42.86
PK	14.17226G	54.06	88.20	-34.14	6.77	3	Vertical	305	1.50	47.29	40.24	9.39	42.86

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

7085MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17002G	48.06	68.20	-20.14	6.77	3	Horizontal	311	1.40	41.29	40.24	9.39	42.86
PK	14.16996G	54.89	88.20	-33.31	6.77	3	Horizontal	311	1.40	48.12	40.24	9.39	42.86



5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


5985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9155G	48.84	68.20	-19.36	-4.03	3	Vertical	354	1.42	52.87	34.60	5.54	44.17
AV	6.016G	97.48	Inf	-Inf	-4.06	3	Vertical	354	1.42	101.54	34.54	5.58	44.18
PK	5.9155G	63.74	88.20	-24.46	-4.03	3	Vertical	354	1.42	67.77	34.60	5.54	44.17
PK	6.0165G	110.21	Inf	-Inf	-4.07	3	Vertical	354	1.42	114.28	34.53	5.58	44.18

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5985MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.911G	41.97	68.20	-26.23	-4.03	3	Horizontal	0	1.15	46.00	34.60	5.54	44.17
AV	5.9895G	91.58	Inf	-Inf	-4.01	3	Horizontal	0	1.15	95.59	34.60	5.57	44.18
PK	5.881G	54.58	88.20	-33.62	-4.12	3	Horizontal	0	1.15	58.70	34.52	5.53	44.17
PK	5.9895G	103.46	Inf	-Inf	-4.01	3	Horizontal	0	1.15	107.47	34.60	5.57	44.18



5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


5985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.97004G	42.12	54.00	-11.88	5.62	3	Vertical	248	1.72	36.50	39.18	8.56	42.12
PK	11.96972G	52.12	74.00	-21.88	5.62	3	Vertical	248	1.72	46.50	39.18	8.56	42.12

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5985MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.97004G	52.31	54.00	-1.69	5.62	3	Horizontal	312	1.02	46.69	39.18	8.56	42.12
PK	11.97G	55.95	74.00	-18.05	5.62	3	Horizontal	312	1.02	50.33	39.18	8.56	42.12



5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6225MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.4464G	44.40	54.00	-9.60	5.92	3	Vertical	309	1.50	38.48	39.19	8.71	41.98
PK	12.46568G	58.15	74.00	-15.85	5.95	3	Vertical	309	1.50	52.20	39.20	8.72	41.97

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6225MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.45004G	50.60	54.00	-3.40	5.93	3	Horizontal	317	1.48	44.67	39.20	8.71	41.98
PK	12.45004G	54.76	74.00	-19.24	5.93	3	Horizontal	317	1.48	48.83	39.20	8.71	41.98



5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6385MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.774G	45.81	68.20	-22.39	6.34	3	Vertical	60	1.45	39.47	39.60	8.82	42.08
PK	12.75448G	59.24	88.20	-28.96	6.26	3	Vertical	60	1.45	52.98	39.52	8.81	42.07

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6385MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.77004G	49.46	68.20	-18.74	6.32	3	Horizontal	318	1.50	43.14	39.58	8.82	42.08
PK	12.76996G	54.03	88.20	-34.17	6.32	3	Horizontal	318	1.50	47.71	39.58	8.82	42.08



6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6465MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.92372G	44.39	68.20	-23.81	6.62	3	Vertical	309	1.45	37.77	39.90	8.87	42.15
PK	12.92524G	56.99	88.20	-31.21	6.62	3	Vertical	309	1.45	50.37	39.90	8.87	42.15

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6465MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.93G	45.95	68.20	-22.25	6.62	3	Horizontal	320	1.49	39.33	39.90	8.87	42.15
PK	12.9298G	53.66	88.20	-34.54	6.62	3	Horizontal	320	1.49	47.04	39.90	8.87	42.15



6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6545MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.09176G	44.34	68.20	-23.86	6.42	3	Vertical	331	1.48	37.92	39.68	8.92	42.18
PK	13.09184G	56.68	88.20	-31.52	6.42	3	Vertical	331	1.48	50.26	39.68	8.92	42.18

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6545MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.09G	42.65	68.20	-25.55	6.42	3	Horizontal	321	1.33	36.23	39.68	8.92	42.18
PK	13.0972G	53.26	88.20	-34.94	6.43	3	Horizontal	321	1.33	46.83	39.69	8.92	42.18



6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6625MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.25012G	45.73	54.00	-8.27	6.60	3	Vertical	329	1.65	39.13	39.80	8.97	42.17
PK	13.2502G	58.98	74.00	-15.02	6.60	3	Vertical	329	1.65	52.38	39.80	8.97	42.17

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6625MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.25008G	39.88	54.00	-14.12	6.60	3	Horizontal	313	1.50	33.28	39.80	8.97	42.17
PK	13.23008G	52.15	88.20	-36.05	6.54	3	Horizontal	313	1.50	45.61	39.76	8.96	42.18





6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6705MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.42204G	44.79	68.20	-23.41	6.96	3	Vertical	310	1.32	37.83	40.10	9.03	42.17
PK	13.421G	57.17	88.20	-31.03	6.95	3	Vertical	310	1.32	50.22	40.10	9.02	42.17

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6705MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.41004G	40.89	68.20	-27.31	6.95	3	Horizontal	313	1.50	33.94	40.10	9.02	42.17
PK	13.4244G	52.13	88.20	-36.07	6.96	3	Horizontal	313	1.50	45.17	40.10	9.03	42.17



6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.56928G	44.78	68.20	-23.42	7.06	3	Vertical	328	1.56	37.72	40.25	9.07	42.26
PK	13.56876G	58.12	88.20	-30.08	7.06	3	Vertical	328	1.56	51.06	40.25	9.07	42.26

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.57G	44.25	68.20	-23.95	7.04	3	Horizontal	317	1.92	37.21	40.24	9.07	42.27
PK	13.56992G	53.66	88.20	-34.54	7.04	3	Horizontal	317	1.92	46.62	40.24	9.07	42.27



6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.729G	43.43	68.20	-24.77	6.54	3	Vertical	327	1.50	36.89	39.90	9.12	42.48
PK	13.72696G	56.64	88.20	-31.56	6.54	3	Vertical	327	1.50	50.10	39.90	9.12	42.48

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6865MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.73G	44.77	68.20	-23.43	6.54	3	Horizontal	350	1.50	38.23	39.90	9.12	42.48
PK	13.73012G	53.24	88.20	-34.96	6.54	3	Horizontal	350	1.50	46.70	39.90	9.12	42.48



6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


6945MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.88976G	42.73	68.20	-25.47	6.43	3	Vertical	326	1.78	36.30	39.96	9.17	42.70
PK	13.88824G	55.37	88.20	-32.83	6.42	3	Vertical	326	1.78	48.95	39.95	9.17	42.70

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

6945MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.89004G	47.07	68.20	-21.13	6.43	3	Horizontal	318	1.44	40.64	39.96	9.17	42.70
PK	13.88992G	53.71	88.20	-34.49	6.43	3	Horizontal	318	1.44	47.28	39.96	9.17	42.70



6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


7025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9995G	97.39	Inf	-Inf	-1.95	3	Vertical	265	2.17	99.34	36.10	6.05	44.10
AV	7.1399G	45.87	68.20	-22.33	-1.13	3	Vertical	265	2.17	47.00	36.76	6.12	44.01
PK	7.0193G	109.49	Inf	-Inf	-1.81	3	Vertical	265	2.17	111.30	36.22	6.06	44.09
PK	7.136G	58.11	88.20	-30.09	-1.15	3	Vertical	265	2.17	59.26	36.74	6.12	44.01

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

7025MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9944G	93.53	Inf	-Inf	-1.95	3	Horizontal	178	1.37	95.48	36.10	6.05	44.10
AV	7.1348G	44.66	68.20	-23.54	-1.15	3	Horizontal	178	1.37	45.81	36.74	6.12	44.01
PK	7.0142G	106.05	Inf	-Inf	-1.84	3	Horizontal	178	1.37	107.89	36.19	6.06	44.09
PK	7.1348G	57.43	88.20	-30.77	-1.15	3	Horizontal	178	1.37	58.58	36.74	6.12	44.01



6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


7025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.04996G	43.63	68.20	-24.57	6.61	3	Vertical	60	1.50	37.02	40.20	9.26	42.85
PK	14.04984G	55.86	88.20	-32.34	6.61	3	Vertical	60	1.50	49.25	40.20	9.26	42.85

6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

7025MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.04996G	47.31	68.20	-20.89	6.61	3	Horizontal	315	1.50	40.70	40.20	9.26	42.85
PK	14.05004G	55.00	88.20	-33.20	6.61	3	Horizontal	315	1.50	48.39	40.20	9.26	42.85



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9235G	54.71	68.20	-13.49	-4.03	3	Vertical	255	1.50	58.74	34.60	5.54	44.17
AV	6.103G	97.28	Inf	-Inf	-4.13	3	Vertical	255	1.50	101.41	34.41	5.63	44.17
PK	5.903G	72.49	88.20	-15.71	-4.03	3	Vertical	255	1.50	76.52	34.60	5.54	44.17
PK	6.064G	110.34	Inf	-Inf	-4.16	3	Vertical	255	1.50	114.50	34.40	5.61	44.17

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6025MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.91G	46.54	68.20	-21.66	-4.03	3	Horizontal	360	1.37	50.57	34.60	5.54	44.17
AV	6.03G	91.50	Inf	-Inf	-4.11	3	Horizontal	360	1.37	95.61	34.48	5.59	44.18
PK	5.911G	59.30	88.20	-28.90	-4.03	3	Horizontal	360	1.37	63.33	34.60	5.54	44.17
PK	6.0305G	104.42	Inf	-Inf	-4.11	3	Horizontal	360	1.37	108.53	34.48	5.59	44.18



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.06096G	44.14	54.00	-9.86	5.82	3	Vertical	304	2.06	38.32	39.34	8.59	42.11
PK	12.08096G	58.89	74.00	-15.11	5.92	3	Vertical	304	2.06	52.97	39.42	8.60	42.10

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6025MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.05G	52.99	54.00	-1.01	5.78	3	Horizontal	310	1.52	47.21	39.30	8.59	42.11
PK	12.05G	56.63	74.00	-17.37	5.78	3	Horizontal	310	1.52	50.85	39.30	8.59	42.11





5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6185MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.36624G	46.27	54.00	-7.73	5.82	3	Vertical	59	1.82	40.45	39.14	8.69	42.01
PK	12.36632G	58.46	74.00	-15.54	5.81	3	Vertical	59	1.82	52.65	39.13	8.69	42.01

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6185MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.37G	52.59	54.00	-1.41	5.81	3	Horizontal	312	1.51	46.78	39.12	8.69	42.00
PK	12.36984G	57.03	74.00	-16.97	5.81	3	Horizontal	312	1.51	51.22	39.12	8.69	42.00



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6345MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.67392G	46.82	54.00	-7.18	6.35	3	Vertical	59	1.42	40.47	39.60	8.79	42.04
PK	12.6932G	59.14	74.00	-14.86	6.34	3	Vertical	59	1.42	52.80	39.60	8.79	42.05

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6345MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.69G	49.35	54.00	-4.65	6.35	3	Horizontal	317	1.55	43.00	39.60	8.79	42.04
PK	12.69G	54.68	74.00	-19.32	6.35	3	Horizontal	317	1.55	48.33	39.60	8.79	42.04



6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6505MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0236G	45.82	68.20	-22.38	6.43	3	Vertical	308	1.40	39.39	39.71	8.90	42.18
PK	13.00344G	59.13	88.20	-29.07	6.50	3	Vertical	308	1.40	52.63	39.79	8.89	42.18

6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6505MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01G	45.69	68.20	-22.51	6.47	3	Horizontal	324	2.39	39.22	39.76	8.89	42.18
PK	13.01008G	53.56	88.20	-34.64	6.47	3	Horizontal	324	2.39	47.09	39.76	8.89	42.18



6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6665MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.33008G	46.57	54.00	-7.43	6.73	3	Vertical	330	1.59	39.84	39.90	9.00	42.17
PK	13.33048G	59.30	74.00	-14.70	6.73	3	Vertical	330	1.59	52.57	39.90	9.00	42.17

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6665MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.33008G	41.23	54.00	-12.77	6.73	3	Horizontal	312	2.01	34.50	39.90	9.00	42.17
PK	13.3132G	51.85	74.00	-22.15	6.72	3	Horizontal	312	2.01	45.13	39.90	8.99	42.17



6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.64152G	45.83	68.20	-22.37	6.74	3	Vertical	310	1.41	39.09	40.00	9.10	42.36
PK	13.6616G	58.01	88.20	-30.19	6.69	3	Vertical	310	1.41	51.32	39.98	9.10	42.39

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.65008G	44.82	68.20	-23.38	6.73	3	Horizontal	349	1.50	38.09	40.00	9.10	42.37
PK	13.65008G	54.14	88.20	-34.06	6.73	3	Horizontal	349	1.50	47.41	40.00	9.10	42.37



6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.913G	97.57	Inf	-Inf	-1.94	3	Vertical	17	2.49	99.51	36.17	6.00	44.11
AV	7.133G	55.80	68.20	-12.40	-1.16	3	Vertical	17	2.49	56.96	36.73	6.12	44.01
PK	7.0125G	110.58	Inf	-Inf	-1.86	3	Vertical	17	2.49	112.44	36.17	6.06	44.09
PK	7.134G	69.25	88.20	-18.95	-1.15	3	Vertical	17	2.49	70.40	36.74	6.12	44.01

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6985MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9145G	94.09	Inf	-Inf	-1.94	3	Horizontal	172	1.53	96.03	36.17	6.00	44.11
AV	7.1355G	49.83	68.20	-18.37	-1.15	3	Horizontal	172	1.53	50.98	36.74	6.12	44.01
PK	6.9745G	107.47	Inf	-Inf	-1.97	3	Horizontal	172	1.53	109.44	36.10	6.03	44.10
PK	7.1555G	63.60	88.20	-24.60	-1.04	3	Horizontal	172	1.53	64.64	36.83	6.13	44.00



6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


6985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.98112G	44.03	68.20	-24.17	6.54	3	Vertical	306	1.46	37.49	40.16	9.20	42.82
PK	13.98128G	57.25	88.20	-30.95	6.54	3	Vertical	306	1.46	50.71	40.16	9.20	42.82

6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

6985MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.97G	45.95	68.20	-22.25	6.53	3	Horizontal	313	1.39	39.42	40.14	9.20	42.81
PK	13.97008G	53.35	88.20	-34.85	6.53	3	Horizontal	313	1.39	46.82	40.14	9.20	42.81



5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6105MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.916G	59.52	68.20	-8.68	-4.03	3	Vertical	360	1.50	63.55	34.60	5.54	44.17
AV	6.116G	96.80	Inf	-Inf	-4.11	3	Vertical	360	1.50	100.91	34.43	5.63	44.17
PK	5.895G	74.10	88.20	-14.10	-4.06	3	Vertical	360	1.50	78.16	34.58	5.53	44.17
PK	6.077G	109.03	Inf	-Inf	-4.16	3	Vertical	360	1.50	113.19	34.40	5.61	44.17

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6105MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.924G	50.16	68.20	-18.04	-4.03	3	Horizontal	189	1.71	54.19	34.60	5.54	44.17
AV	6.084G	90.20	Inf	-Inf	-4.15	3	Horizontal	189	1.71	94.35	34.40	5.62	44.17
PK	5.924G	62.36	88.20	-25.84	-4.03	3	Horizontal	189	1.71	66.39	34.60	5.54	44.17
PK	6.164G	103.54	Inf	-Inf	-4.00	3	Horizontal	189	1.71	107.54	34.50	5.66	44.16





5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6105MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.20776G	44.11	54.00	-9.89	5.96	3	Vertical	309	1.56	38.15	39.38	8.64	42.06
PK	12.2484G	56.59	74.00	-17.41	5.90	3	Vertical	309	1.56	50.69	39.30	8.65	42.05

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6105MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.21G	53.69	54.00	-0.31	5.96	3	Horizontal	311	1.52	47.73	39.38	8.64	42.06
PK	12.21G	57.35	74.00	-16.65	5.96	3	Horizontal	311	1.52	51.39	39.38	8.64	42.06



5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6265MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.50568G	46.96	54.00	-7.04	5.99	3	Vertical	59	2.13	40.97	39.22	8.73	41.96
PK	12.54648G	64.80	74.00	-9.20	6.15	3	Vertical	59	2.13	58.65	39.39	8.74	41.98

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6265MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.53016G	49.33	54.00	-4.67	6.09	3	Horizontal	320	1.53	43.24	39.32	8.74	41.97
PK	12.53032G	54.27	74.00	-19.73	6.09	3	Horizontal	320	1.53	48.18	39.32	8.74	41.97



5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6425MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.8244G	46.77	68.20	-21.43	6.58	3	Vertical	307	1.45	40.19	39.85	8.83	42.10
PK	12.86648G	60.68	88.20	-27.52	6.70	3	Vertical	307	1.45	53.98	39.97	8.85	42.12

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6425MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.85016G	47.12	68.20	-21.08	6.73	3	Horizontal	322	1.48	40.39	40.00	8.84	42.11
PK	12.85032G	53.69	88.20	-34.51	6.73	3	Horizontal	322	1.48	46.96	40.00	8.84	42.11



6.425-6.525GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6585MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.1972G	47.47	68.20	-20.73	6.47	3	Vertical	299	1.42	41.00	39.70	8.95	42.18
PK	13.17768G	61.11	88.20	-27.09	6.47	3	Vertical	299	1.42	54.64	39.70	8.95	42.18

6.425-6.525GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6585MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.17G	40.54	68.20	-27.66	6.46	3	Horizontal	314	1.50	34.08	39.70	8.94	42.18
PK	13.22984G	52.42	88.20	-35.78	6.54	3	Horizontal	314	1.50	45.88	39.76	8.96	42.18



6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.52168G	47.47	68.20	-20.73	7.15	3	Vertical	310	1.38	40.32	40.29	9.06	42.20
PK	13.4412G	60.61	88.20	-27.59	6.96	3	Vertical	310	1.38	53.65	40.10	9.03	42.17

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.49016G	43.60	68.20	-24.60	7.06	3	Horizontal	315	1.97	36.54	40.18	9.05	42.17
PK	13.48584G	52.65	88.20	-35.55	7.05	3	Horizontal	315	1.97	45.60	40.17	9.05	42.17



6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6905MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.761G	96.29	Inf	-Inf	-1.83	3	Vertical	260	1.62	98.12	36.38	5.90	44.11
AV	7.261G	53.66	54.00	-0.34	-0.46	3	Vertical	260	1.62	54.12	37.28	6.19	43.93
PK	6.761G	108.85	Inf	-Inf	-1.83	3	Vertical	260	1.62	110.68	36.38	5.90	44.11
PK	7.262G	66.39	74.00	-7.61	-0.46	3	Vertical	260	1.62	66.85	37.28	6.19	43.93

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6905MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.894G	92.50	Inf	-Inf	-1.92	3	Horizontal	171	1.41	94.42	36.20	5.99	44.11
AV	7.257G	50.60	54.00	-3.40	-0.46	3	Horizontal	171	1.41	51.06	37.29	6.19	43.94
PK	6.853G	105.57	Inf	-Inf	-1.95	3	Horizontal	171	1.41	107.52	36.20	5.96	44.11
PK	7.275G	64.15	74.00	-9.85	-0.47	3	Horizontal	171	1.41	64.62	37.25	6.20	43.92



6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


6905MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.74824G	43.11	68.20	-25.09	6.52	3	Vertical	328	1.50	36.59	39.90	9.13	42.51
PK	13.82936G	56.36	88.20	-31.84	6.30	3	Vertical	328	1.50	50.06	39.76	9.16	42.62

6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

6905MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.81016G	46.35	68.20	-21.85	6.28	3	Horizontal	314	1.87	40.07	39.72	9.15	42.59
PK	13.80984G	52.74	88.20	-35.46	6.28	3	Horizontal	314	1.87	46.46	39.72	9.15	42.59



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCSO)_4TX	Pass	AV	11.90997G	51.82	54.00	-2.18	3	Horizontal	310	1.44
802.11be EHT40-BF_Nss1,(MCSO)_4TX	Pass	AV	11.92997G	52.00	54.00	-2.00	3	Horizontal	311	1.35
802.11be EHT80-BF_Nss1,(MCSO)_4TX	Pass	AV	11.97G	51.91	54.00	-2.09	3	Horizontal	312	1.38
802.11be EHT160-BF_Nss1,(MCSO)_4TX	Pass	AV	12.05003G	52.08	54.00	-1.92	3	Horizontal	311	1.28
802.11be EHT320-BF_Nss1,(MCSO)_4TX	Pass	AV	5.9238G	67.50	68.20	-0.70	3	Vertical	268	1.50
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCSO)_4TX	Pass	AV	12.87004G	48.82	68.20	-19.38	3	Horizontal	320	1.52
802.11be EHT40-BF_Nss1,(MCSO)_4TX	Pass	AV	12.89004G	48.52	68.20	-19.68	3	Horizontal	322	2.41
802.11be EHT80-BF_Nss1,(MCSO)_4TX	Pass	AV	12.93001G	48.68	68.20	-19.52	3	Horizontal	323	2.39
802.11be EHT160-BF_Nss1,(MCSO)_4TX	Pass	AV	13.01004G	46.94	68.20	-21.26	3	Horizontal	309	1.41
802.11be EHT320-BF_Nss1,(MCSO)_4TX	Pass	AV	13.1659G	38.59	68.20	-29.61	3	Vertical	78	1.50
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCSO)_4TX	Pass	AV	13.39001G	47.24	54.00	-6.76	3	Horizontal	309	1.90
802.11be EHT40-BF_Nss1,(MCSO)_4TX	Pass	AV	13.37G	47.95	54.00	-6.05	3	Horizontal	309	1.97
802.11be EHT80-BF_Nss1,(MCSO)_4TX	Pass	PK	13.25122G	57.60	74.00	-16.40	3	Vertical	302	1.50
802.11be EHT160-BF_Nss1,(MCSO)_4TX	Pass	AV	13.33004G	48.44	54.00	-5.56	3	Horizontal	310	1.92
802.11be EHT320-BF_Nss1,(MCSO)_4TX	Pass	AV	7.1264G	62.84	68.20	-5.36	3	Vertical	275	2.18
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCSO)_4TX	Pass	AV	7.1255G	67.13	68.20	-1.07	3	Vertical	269	2.13
802.11be EHT40-BF_Nss1,(MCSO)_4TX	Pass	PK	7.1312G	73.27	88.20	-14.93	3	Vertical	325	1.44
802.11be EHT80-BF_Nss1,(MCSO)_4TX	Pass	AV	13.89005G	45.44	68.20	-22.76	3	Horizontal	310	1.49
802.11be EHT160-BF_Nss1,(MCSO)_4TX	Pass	AV	7.1275G	56.31	68.20	-11.89	3	Vertical	274	2.29





Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9247G	42.64	68.20	-25.56	3	Vertical	260	1.50
5955MHz	Pass	AV	5.949G	98.00	Inf	-Inf	3	Vertical	260	1.50
5955MHz	Pass	PK	5.9214G	55.01	88.20	-33.19	3	Vertical	260	1.50
5955MHz	Pass	PK	5.9508G	109.67	Inf	-Inf	3	Vertical	260	1.50
5955MHz	Pass	AV	5.9244G	41.87	68.20	-26.33	3	Horizontal	215	2.92
5955MHz	Pass	AV	5.9637G	94.59	Inf	-Inf	3	Horizontal	215	2.92
5955MHz	Pass	PK	5.9211G	56.24	88.20	-31.96	3	Horizontal	215	2.92
5955MHz	Pass	PK	5.9631G	105.90	Inf	-Inf	3	Horizontal	215	2.92
5955MHz	Pass	AV	11.90997G	42.88	54.00	-11.12	3	Vertical	331	1.49
5955MHz	Pass	PK	11.90967G	51.85	74.00	-22.15	3	Vertical	331	1.49
5955MHz	Pass	AV	11.90997G	51.82	54.00	-2.18	3	Horizontal	310	1.44
5955MHz	Pass	PK	11.91013G	55.81	74.00	-18.19	3	Horizontal	310	1.44
6195MHz	Pass	AV	12.39003G	43.80	54.00	-10.20	3	Vertical	247	1.60
6195MHz	Pass	PK	12.38988G	54.03	74.00	-19.97	3	Vertical	247	1.60
6195MHz	Pass	AV	12.39003G	49.95	54.00	-4.05	3	Horizontal	302	1.50
6195MHz	Pass	PK	12.39014G	56.07	74.00	-17.93	3	Horizontal	302	1.50
6415MHz	Pass	AV	12.82999G	44.65	68.20	-23.55	3	Vertical	157	2.22
6415MHz	Pass	PK	12.8298G	54.30	88.20	-33.90	3	Vertical	157	2.22
6415MHz	Pass	AV	12.83002G	48.96	68.20	-19.24	3	Horizontal	320	1.49
6415MHz	Pass	PK	12.83026G	55.75	88.20	-32.45	3	Horizontal	320	1.49
6435MHz	Pass	AV	12.87001G	42.84	68.20	-25.36	3	Vertical	247	2.83
6435MHz	Pass	PK	12.86975G	53.49	88.20	-34.71	3	Vertical	247	2.83
6435MHz	Pass	AV	12.87004G	48.82	68.20	-19.38	3	Horizontal	320	1.52
6435MHz	Pass	PK	12.86994G	55.93	88.20	-32.27	3	Horizontal	320	1.52
6475MHz	Pass	AV	12.95019G	45.59	68.20	-22.61	3	Vertical	48	1.11
6475MHz	Pass	PK	12.95077G	59.11	88.20	-29.09	3	Vertical	48	1.11
6475MHz	Pass	AV	12.94997G	48.67	68.20	-19.53	3	Horizontal	322	2.44
6475MHz	Pass	PK	12.94988G	56.29	88.20	-31.91	3	Horizontal	322	2.44
6515MHz	Pass	AV	13.03G	41.88	68.20	-26.32	3	Vertical	237	1.50
6515MHz	Pass	PK	13.02998G	53.43	88.20	-34.77	3	Vertical	237	1.50
6515MHz	Pass	AV	13.03004G	46.68	68.20	-21.52	3	Horizontal	307	1.50
6515MHz	Pass	PK	13.02987G	54.58	88.20	-33.62	3	Horizontal	307	1.50
6535MHz	Pass	AV	13.07G	42.62	68.20	-25.58	3	Vertical	241	1.54
6535MHz	Pass	PK	13.06998G	53.68	88.20	-34.52	3	Vertical	241	1.54
6535MHz	Pass	AV	13.07003G	46.10	68.20	-22.10	3	Horizontal	309	1.49
6535MHz	Pass	PK	13.07017G	54.50	88.20	-33.70	3	Horizontal	309	1.49
6695MHz	Pass	AV	13.38993G	41.52	54.00	-12.48	3	Vertical	47	2.49
6695MHz	Pass	PK	13.3903G	54.41	74.00	-19.59	3	Vertical	47	2.49
6695MHz	Pass	AV	13.39001G	47.24	54.00	-6.76	3	Horizontal	309	1.90
6695MHz	Pass	PK	13.38995G	55.13	74.00	-18.87	3	Horizontal	309	1.90
6875MHz	Pass	AV	13.75002G	41.59	68.20	-26.61	3	Vertical	68	1.50
6875MHz	Pass	PK	13.74584G	53.78	88.20	-34.42	3	Vertical	68	1.50
6875MHz	Pass	AV	13.74994G	45.71	68.20	-22.49	3	Horizontal	350	1.50
6875MHz	Pass	PK	13.74987G	55.16	88.20	-33.04	3	Horizontal	350	1.50
6895MHz	Pass	AV	13.78996G	41.55	68.20	-26.65	3	Vertical	66	1.00
6895MHz	Pass	PK	13.79007G	53.52	88.20	-34.68	3	Vertical	66	1.00
6895MHz	Pass	AV	13.79002G	44.84	68.20	-23.36	3	Horizontal	313	1.50
6895MHz	Pass	PK	13.79005G	54.69	88.20	-33.51	3	Horizontal	313	1.50
6995MHz	Pass	AV	13.98996G	42.99	68.20	-25.21	3	Vertical	3	2.65
6995MHz	Pass	PK	13.99026G	53.96	88.20	-34.24	3	Vertical	3	2.65
6995MHz	Pass	AV	13.98999G	44.95	68.20	-23.25	3	Horizontal	315	1.48
6995MHz	Pass	PK	13.99002G	54.44	88.20	-33.76	3	Horizontal	315	1.48
7095MHz	Pass	AV	14.19002G	41.84	68.20	-26.36	3	Vertical	63	1.50
7095MHz	Pass	PK	14.19009G	54.83	88.20	-33.37	3	Vertical	63	1.50
7095MHz	Pass	AV	14.19G	45.58	68.20	-22.62	3	Horizontal	339	1.71
7095MHz	Pass	PK	14.18995G	54.69	88.20	-33.51	3	Horizontal	339	1.71
7115MHz	Pass	AV	7.1075G	96.79	Inf	-Inf	3	Vertical	269	2.13
7115MHz	Pass	AV	7.1255G	67.13	68.20	-1.07	3	Vertical	269	2.13
7115MHz	Pass	PK	7.1065G	102.69	Inf	-Inf	3	Vertical	269	2.13
7115MHz	Pass	PK	7.1255G	78.08	88.20	-10.12	3	Vertical	269	2.13



## RSE TX above 1GHz\_Beamforming

## Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7115MHz	Pass	AV	7.1065G	91.73	Inf	-Inf	3	Horizontal	143	2.10
7115MHz	Pass	AV	7.1255G	56.25	68.20	-11.95	3	Horizontal	143	2.10
7115MHz	Pass	PK	7.1065G	97.67	Inf	-Inf	3	Horizontal	143	2.10
7115MHz	Pass	PK	7.1255G	67.52	88.20	-20.68	3	Horizontal	143	2.10
7115MHz	Pass	AV	14.23001G	42.12	68.20	-26.08	3	Vertical	62	2.95
7115MHz	Pass	PK	14.22987G	53.55	88.20	-34.65	3	Vertical	62	2.95
7115MHz	Pass	AV	14.22992G	45.57	68.20	-22.63	3	Horizontal	340	1.68
7115MHz	Pass	PK	14.22994G	55.10	88.20	-33.10	3	Horizontal	340	1.68
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	49.30	68.20	-18.90	3	Vertical	261	1.50
5965MHz	Pass	AV	5.9482G	96.54	Inf	-Inf	3	Vertical	261	1.50
5965MHz	Pass	PK	5.9173G	65.49	88.20	-22.71	3	Vertical	261	1.50
5965MHz	Pass	PK	5.9497G	110.02	Inf	-Inf	3	Vertical	261	1.50
5965MHz	Pass	AV	5.9173G	41.44	68.20	-26.76	3	Horizontal	7	1.36
5965MHz	Pass	AV	5.9677G	89.61	Inf	-Inf	3	Horizontal	7	1.36
5965MHz	Pass	PK	5.9167G	54.87	88.20	-33.33	3	Horizontal	7	1.36
5965MHz	Pass	PK	5.9671G	102.37	Inf	-Inf	3	Horizontal	7	1.36
5965MHz	Pass	AV	11.93004G	43.77	54.00	-10.23	3	Vertical	336	2.33
5965MHz	Pass	PK	11.9302G	52.50	74.00	-21.50	3	Vertical	336	2.33
5965MHz	Pass	AV	11.92997G	52.00	54.00	-2.00	3	Horizontal	311	1.35
5965MHz	Pass	PK	11.93001G	56.30	74.00	-17.70	3	Horizontal	311	1.35
6205MHz	Pass	AV	12.41007G	43.01	54.00	-10.99	3	Vertical	338	1.34
6205MHz	Pass	PK	12.40745G	56.61	74.00	-17.39	3	Vertical	338	1.34
6205MHz	Pass	AV	12.41G	48.91	54.00	-5.09	3	Horizontal	297	1.55
6205MHz	Pass	PK	12.41G	55.10	74.00	-18.90	3	Horizontal	297	1.55
6405MHz	Pass	AV	12.8099G	43.42	68.20	-24.78	3	Vertical	156	2.16
6405MHz	Pass	PK	12.81001G	54.09	88.20	-34.11	3	Vertical	156	2.16
6405MHz	Pass	AV	12.80998G	49.02	68.20	-19.18	3	Horizontal	321	1.53
6405MHz	Pass	PK	12.81016G	55.88	88.20	-32.32	3	Horizontal	321	1.53
6445MHz	Pass	AV	12.88998G	41.66	68.20	-26.54	3	Vertical	242	1.49
6445MHz	Pass	PK	12.89025G	54.05	88.20	-34.15	3	Vertical	242	1.49
6445MHz	Pass	AV	12.89004G	48.52	68.20	-19.68	3	Horizontal	322	2.41
6445MHz	Pass	PK	12.89004G	56.78	88.20	-31.42	3	Horizontal	322	2.41
6485MHz	Pass	AV	12.96986G	43.31	68.20	-24.89	3	Vertical	48	1.25
6485MHz	Pass	PK	12.97051G	60.77	88.20	-27.43	3	Vertical	48	1.25
6485MHz	Pass	AV	12.96999G	47.95	68.20	-20.25	3	Horizontal	323	2.43
6485MHz	Pass	PK	12.97035G	56.65	88.20	-31.55	3	Horizontal	323	2.43
6525MHz	Pass	AV	13.05007G	44.69	68.20	-23.51	3	Vertical	47	1.26
6525MHz	Pass	PK	13.05059G	63.35	88.20	-24.85	3	Vertical	47	1.26
6525MHz	Pass	AV	13.04998G	46.13	68.20	-22.07	3	Horizontal	308	1.50
6525MHz	Pass	PK	13.04976G	54.67	88.20	-33.53	3	Horizontal	308	1.50
6565MHz	Pass	AV	13.13011G	45.43	68.20	-22.77	3	Vertical	45	1.32
6565MHz	Pass	PK	13.1345G	63.51	88.20	-24.69	3	Vertical	45	1.32
6565MHz	Pass	AV	13.13004G	44.47	68.20	-23.73	3	Horizontal	29	1.50
6565MHz	Pass	PK	13.12995G	55.03	88.20	-33.17	3	Horizontal	29	1.50
6685MHz	Pass	AV	13.37062G	43.31	54.00	-10.69	3	Vertical	52	1.21
6685MHz	Pass	PK	13.36962G	60.85	74.00	-13.15	3	Vertical	52	1.21
6685MHz	Pass	AV	13.37G	47.95	54.00	-6.05	3	Horizontal	309	1.97
6685MHz	Pass	PK	13.37024G	55.89	74.00	-18.11	3	Horizontal	309	1.97
6885MHz	Pass	AV	13.76985G	41.62	68.20	-26.58	3	Vertical	53	1.68
6885MHz	Pass	PK	13.77129G	54.35	88.20	-33.85	3	Vertical	53	1.68
6885MHz	Pass	AV	13.76995G	45.53	68.20	-22.67	3	Horizontal	350	1.44
6885MHz	Pass	PK	13.77006G	54.42	88.20	-33.78	3	Horizontal	350	1.44
6925MHz	Pass	AV	13.84975G	40.38	68.20	-27.82	3	Vertical	145	1.50
6925MHz	Pass	PK	13.8495G	53.68	88.20	-34.52	3	Vertical	145	1.50
6925MHz	Pass	AV	13.84997G	46.02	68.20	-22.18	3	Horizontal	312	1.46
6925MHz	Pass	PK	13.85002G	54.48	88.20	-33.72	3	Horizontal	312	1.46
7005MHz	Pass	AV	14.01006G	41.93	68.20	-26.27	3	Vertical	360	2.69
7005MHz	Pass	PK	14.01G	53.50	88.20	-34.70	3	Vertical	360	2.69
7005MHz	Pass	AV	14.01001G	44.68	68.20	-23.52	3	Horizontal	313	1.50
7005MHz	Pass	PK	14.00993G	54.16	88.20	-34.04	3	Horizontal	313	1.50
7085MHz	Pass	AV	7.067G	97.42	Inf	-Inf	3	Vertical	325	1.44



## RSE TX above 1GHz\_Beamforming

## Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7085MHz	Pass	AV	7.127G	50.15	68.20	-18.05	3	Vertical	325	1.44
7085MHz	Pass	PK	7.0718G	109.71	Inf	-Inf	3	Vertical	325	1.44
7085MHz	Pass	PK	7.1312G	73.27	88.20	-14.93	3	Vertical	325	1.44
7085MHz	Pass	AV	7.0898G	93.61	Inf	-Inf	3	Horizontal	183	1.49
7085MHz	Pass	AV	7.1309G	45.64	68.20	-22.56	3	Horizontal	183	1.49
7085MHz	Pass	PK	7.0892G	106.24	Inf	-Inf	3	Horizontal	183	1.49
7085MHz	Pass	PK	7.1261G	67.12	88.20	-21.08	3	Horizontal	183	1.49
7085MHz	Pass	AV	14.16987G	42.78	68.20	-25.42	3	Vertical	93	2.80
7085MHz	Pass	PK	14.17071G	56.93	88.20	-31.27	3	Vertical	93	2.80
7085MHz	Pass	AV	14.17002G	44.87	68.20	-23.33	3	Horizontal	314	1.33
7085MHz	Pass	PK	14.17G	54.53	88.20	-33.67	3	Horizontal	314	1.33
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9235G	58.82	68.20	-9.38	3	Vertical	259	1.43
5985MHz	Pass	AV	6.0205G	97.14	Inf	-Inf	3	Vertical	259	1.43
5985MHz	Pass	PK	5.925G	73.52	88.20	-14.68	3	Vertical	259	1.43
5985MHz	Pass	PK	6.0085G	109.81	Inf	-Inf	3	Vertical	259	1.43
5985MHz	Pass	AV	5.9225G	43.32	68.20	-24.88	3	Horizontal	10	1.36
5985MHz	Pass	AV	6.0165G	91.61	Inf	-Inf	3	Horizontal	10	1.36
5985MHz	Pass	PK	5.906G	56.59	88.20	-31.61	3	Horizontal	10	1.36
5985MHz	Pass	PK	6.015G	104.66	Inf	-Inf	3	Horizontal	10	1.36
5985MHz	Pass	AV	11.97005G	43.36	54.00	-10.64	3	Vertical	339	2.32
5985MHz	Pass	PK	11.96988G	53.26	74.00	-20.74	3	Vertical	339	2.32
5985MHz	Pass	AV	11.97G	51.91	54.00	-2.09	3	Horizontal	312	1.38
5985MHz	Pass	PK	11.97009G	56.43	74.00	-17.57	3	Horizontal	312	1.38
6225MHz	Pass	AV	12.44997G	43.78	54.00	-10.22	3	Vertical	57	2.37
6225MHz	Pass	PK	12.44974G	57.17	74.00	-16.83	3	Vertical	57	2.37
6225MHz	Pass	AV	12.45001G	48.66	54.00	-5.34	3	Horizontal	325	1.50
6225MHz	Pass	PK	12.45021G	55.98	74.00	-18.02	3	Horizontal	325	1.50
6385MHz	Pass	AV	12.76996G	42.00	68.20	-26.20	3	Vertical	246	2.91
6385MHz	Pass	PK	12.76999G	56.07	88.20	-32.13	3	Vertical	246	2.91
6385MHz	Pass	AV	12.77005G	49.34	68.20	-18.86	3	Horizontal	319	1.50
6385MHz	Pass	PK	12.76995G	55.67	88.20	-32.53	3	Horizontal	319	1.50
6465MHz	Pass	AV	12.9301G	42.24	68.20	-25.96	3	Vertical	238	1.50
6465MHz	Pass	PK	12.93003G	55.59	88.20	-32.61	3	Vertical	238	1.50
6465MHz	Pass	AV	12.93001G	48.68	68.20	-19.52	3	Horizontal	323	2.39
6465MHz	Pass	PK	12.92997G	55.90	88.20	-32.30	3	Horizontal	323	2.39
6545MHz	Pass	AV	13.09008G	42.61	68.20	-25.59	3	Vertical	47	1.25
6545MHz	Pass	PK	13.08993G	58.91	88.20	-29.29	3	Vertical	47	1.25
6545MHz	Pass	AV	13.09003G	45.09	68.20	-23.11	3	Horizontal	311	1.39
6545MHz	Pass	PK	13.08996G	54.51	88.20	-33.69	3	Horizontal	311	1.39
6625MHz	Pass	AV	13.24985G	43.83	68.20	-24.37	3	Vertical	302	1.50
6625MHz	Pass	PK	13.25122G	57.60	74.00	-16.40	3	Vertical	302	1.50
6625MHz	Pass	AV	13.24998G	46.97	68.20	-21.23	3	Horizontal	313	1.90
6625MHz	Pass	PK	13.25006G	55.07	74.00	-18.93	3	Horizontal	313	1.90
6705MHz	Pass	AV	13.40995G	41.71	68.20	-26.49	3	Vertical	325	1.50
6705MHz	Pass	PK	13.41003G	57.45	88.20	-30.75	3	Vertical	325	1.50
6705MHz	Pass	AV	13.41G	46.93	68.20	-21.27	3	Horizontal	313	1.87
6705MHz	Pass	PK	13.41005G	55.13	88.20	-33.07	3	Horizontal	313	1.87
6785MHz	Pass	AV	13.56901G	43.61	68.20	-24.59	3	Vertical	328	1.50
6785MHz	Pass	PK	13.56914G	57.71	88.20	-30.49	3	Vertical	328	1.50
6785MHz	Pass	AV	13.57005G	45.87	68.20	-22.33	3	Horizontal	315	1.45
6785MHz	Pass	PK	13.57002G	55.55	88.20	-32.65	3	Horizontal	315	1.45
6865MHz	Pass	AV	13.73001G	43.14	68.20	-25.06	3	Vertical	65	2.43
6865MHz	Pass	PK	13.7299G	55.52	88.20	-32.68	3	Vertical	65	2.43
6865MHz	Pass	AV	13.73003G	45.84	68.20	-22.36	3	Horizontal	348	1.49
6865MHz	Pass	PK	13.73005G	57.77	88.20	-30.43	3	Horizontal	348	1.49
6945MHz	Pass	AV	13.88998G	41.79	68.20	-26.41	3	Vertical	304	1.54
6945MHz	Pass	PK	13.89014G	55.85	88.20	-32.35	3	Vertical	304	1.54
6945MHz	Pass	AV	13.89005G	45.44	68.20	-22.76	3	Horizontal	310	1.49
6945MHz	Pass	PK	13.88986G	54.17	88.20	-34.03	3	Horizontal	310	1.49
7025MHz	Pass	AV	7.025G	98.67	Inf	-Inf	3	Vertical	84	1.50
7025MHz	Pass	AV	7.1744G	44.57	68.20	-23.63	3	Vertical	84	1.50



RSE TX above 1GHz\_Beamforming

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7025MHz	Pass	PK	7.016G	108.63	Inf	-Inf	3	Vertical	84	1.50
7025MHz	Pass	PK	7.1633G	57.74	88.20	-30.46	3	Vertical	84	1.50
7025MHz	Pass	AV	6.9956G	91.65	Inf	-Inf	3	Horizontal	209	1.50
7025MHz	Pass	AV	7.169G	44.38	68.20	-23.82	3	Horizontal	209	1.50
7025MHz	Pass	PK	6.9956G	104.21	Inf	-Inf	3	Horizontal	209	1.50
7025MHz	Pass	PK	7.169G	57.64	88.20	-30.56	3	Horizontal	209	1.50
7025MHz	Pass	AV	14.04999G	41.30	68.20	-26.90	3	Vertical	61	1.31
7025MHz	Pass	PK	14.05015G	55.47	88.20	-32.73	3	Vertical	61	1.31
7025MHz	Pass	AV	14.04999G	44.48	68.20	-23.72	3	Horizontal	315	1.41
7025MHz	Pass	PK	14.05005G	54.11	88.20	-34.09	3	Horizontal	315	1.41
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9235G	56.60	68.20	-11.60	3	Vertical	253	1.51
6025MHz	Pass	AV	6.103G	97.97	Inf	-Inf	3	Vertical	253	1.51
6025MHz	Pass	PK	5.923G	71.74	88.20	-16.46	3	Vertical	253	1.51
6025MHz	Pass	PK	6.1035G	109.93	Inf	-Inf	3	Vertical	253	1.51
6025MHz	Pass	AV	5.9215G	51.33	68.20	-16.87	3	Horizontal	183	1.80
6025MHz	Pass	AV	6.086G	91.09	Inf	-Inf	3	Horizontal	183	1.80
6025MHz	Pass	PK	5.917G	70.07	88.20	-18.13	3	Horizontal	183	1.80
6025MHz	Pass	PK	6.085G	104.67	Inf	-Inf	3	Horizontal	183	1.80
6025MHz	Pass	AV	12.04996G	42.82	54.00	-11.18	3	Vertical	337	1.44
6025MHz	Pass	PK	12.05002G	58.34	74.00	-15.66	3	Vertical	337	1.44
6025MHz	Pass	AV	12.05003G	52.08	54.00	-1.92	3	Horizontal	311	1.28
6025MHz	Pass	PK	12.05002G	57.50	74.00	-16.50	3	Horizontal	311	1.28
6185MHz	Pass	AV	12.3702G	45.55	54.00	-8.45	3	Vertical	58	1.50
6185MHz	Pass	PK	12.37002G	61.48	74.00	-12.52	3	Vertical	58	1.50
6185MHz	Pass	AV	12.37006G	50.14	54.00	-3.86	3	Horizontal	296	1.59
6185MHz	Pass	PK	12.37034G	56.49	74.00	-17.51	3	Horizontal	296	1.59
6345MHz	Pass	AV	12.69004G	44.76	54.00	-9.24	3	Vertical	58	1.49
6345MHz	Pass	PK	12.68996G	61.90	74.00	-12.10	3	Vertical	58	1.49
6345MHz	Pass	AV	12.69005G	49.06	54.00	-4.94	3	Horizontal	319	1.56
6345MHz	Pass	PK	12.69015G	58.36	74.00	-15.64	3	Horizontal	319	1.56
6505MHz	Pass	AV	13.01001G	45.43	68.20	-22.77	3	Vertical	305	1.50
6505MHz	Pass	PK	13.01071G	59.51	88.20	-28.69	3	Vertical	305	1.50
6505MHz	Pass	AV	13.01004G	46.94	68.20	-21.26	3	Horizontal	309	1.41
6505MHz	Pass	PK	13.01003G	57.83	88.20	-30.37	3	Horizontal	309	1.41
6665MHz	Pass	AV	13.33001G	42.34	54.00	-11.66	3	Vertical	325	1.50
6665MHz	Pass	PK	13.33017G	59.94	74.00	-14.06	3	Vertical	325	1.50
6665MHz	Pass	AV	13.33004G	48.44	54.00	-5.56	3	Horizontal	310	1.92
6665MHz	Pass	PK	13.32986G	55.15	74.00	-18.85	3	Horizontal	310	1.92
6825MHz	Pass	AV	13.65002G	42.16	68.20	-26.04	3	Vertical	63	2.04
6825MHz	Pass	PK	13.65009G	55.21	88.20	-32.99	3	Vertical	63	2.04
6825MHz	Pass	AV	13.65007G	46.05	68.20	-22.15	3	Horizontal	349	1.50
6825MHz	Pass	PK	13.65016G	57.65	88.20	-30.55	3	Horizontal	349	1.50
6985MHz	Pass	AV	6.9065G	97.54	Inf	-Inf	3	Vertical	274	2.29
6985MHz	Pass	AV	7.1275G	56.31	68.20	-11.89	3	Vertical	274	2.29
6985MHz	Pass	PK	6.907G	109.90	Inf	-Inf	3	Vertical	274	2.29
6985MHz	Pass	PK	7.1265G	69.37	88.20	-18.83	3	Vertical	274	2.29
6985MHz	Pass	AV	6.926G	89.83	Inf	-Inf	3	Horizontal	204	2.12
6985MHz	Pass	AV	7.221G	49.09	68.20	-19.11	3	Horizontal	204	2.12
6985MHz	Pass	PK	6.9175G	103.59	Inf	-Inf	3	Horizontal	204	2.12
6985MHz	Pass	PK	7.222G	66.37	88.20	-21.83	3	Horizontal	204	2.12
6985MHz	Pass	AV	13.97008G	42.12	68.20	-26.08	3	Vertical	302	1.76
6985MHz	Pass	PK	13.96994G	58.76	88.20	-29.44	3	Vertical	302	1.76
6985MHz	Pass	AV	13.97005G	44.70	68.20	-23.50	3	Horizontal	314	1.44
6985MHz	Pass	PK	13.97022G	54.38	88.20	-33.82	3	Horizontal	314	1.44
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.9238G	67.50	68.20	-0.70	3	Vertical	268	1.50
6105MHz	Pass	AV	6.1824G	95.83	Inf	-Inf	3	Vertical	268	1.50
6105MHz	Pass	PK	5.907G	81.01	88.20	-7.19	3	Vertical	268	1.50
6105MHz	Pass	PK	6.1338G	113.00	Inf	-Inf	3	Vertical	268	1.50
6105MHz	Pass	AV	5.9208G	56.35	68.20	-11.85	3	Horizontal	201	1.47
6105MHz	Pass	AV	6.2466G	92.18	Inf	-Inf	3	Horizontal	201	1.47



RSE TX above 1GHz\_Beamforming


Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6105MHz	Pass	PK	5.919G	77.01	88.20	-11.19	3	Horizontal	201	1.47
6105MHz	Pass	PK	6.123G	108.24	Inf	-Inf	3	Horizontal	201	1.47
6105MHz	Pass	AV	12.21005G	42.95	54.00	-11.05	3	Vertical	176	1.67
6105MHz	Pass	PK	12.20978G	55.34	74.00	-18.66	3	Vertical	176	1.67
6105MHz	Pass	AV	12.21004G	51.16	54.00	-2.84	3	Horizontal	311	2.81
6105MHz	Pass	PK	12.21017G	57.12	74.00	-16.88	3	Horizontal	311	2.81
6265MHz	Pass	AV	12.53075G	37.55	54.00	-16.45	3	Vertical	360	1.50
6265MHz	Pass	PK	12.53022G	51.20	74.00	-22.80	3	Vertical	360	1.50
6265MHz	Pass	AV	12.53008G	37.54	54.00	-16.46	3	Horizontal	264	1.50
6265MHz	Pass	PK	12.53034G	51.50	74.00	-22.50	3	Horizontal	264	1.50
6425MHz	Pass	AV	12.85066G	38.77	68.20	-29.43	3	Vertical	268	1.28
6425MHz	Pass	PK	12.84685G	51.87	88.20	-36.33	3	Vertical	268	1.28
6425MHz	Pass	AV	12.85137G	38.78	68.20	-29.42	3	Horizontal	309	1.50
6425MHz	Pass	PK	12.84583G	52.53	88.20	-35.67	3	Horizontal	309	1.50
6585MHz	Pass	AV	13.1659G	38.59	68.20	-29.61	3	Vertical	78	1.50
6585MHz	Pass	PK	13.17334G	52.26	88.20	-35.94	3	Vertical	78	1.50
6585MHz	Pass	AV	13.16668G	38.58	68.20	-29.62	3	Horizontal	307	1.50
6585MHz	Pass	PK	13.16677G	52.02	88.20	-36.18	3	Horizontal	307	1.50
6745MHz	Pass	AV	13.49111G	39.09	68.20	-29.11	3	Vertical	147	1.50
6745MHz	Pass	PK	13.49025G	52.74	88.20	-35.46	3	Vertical	147	1.50
6745MHz	Pass	AV	13.49037G	39.10	68.20	-29.10	3	Horizontal	44	1.50
6745MHz	Pass	PK	13.48723G	53.21	88.20	-34.99	3	Horizontal	44	1.50
6905MHz	Pass	AV	6.8852G	97.45	Inf	-Inf	3	Vertical	275	2.18
6905MHz	Pass	AV	7.1264G	62.84	68.20	-5.36	3	Vertical	275	2.18
6905MHz	Pass	PK	6.8858G	110.76	Inf	-Inf	3	Vertical	275	2.18
6905MHz	Pass	PK	7.1264G	75.76	88.20	-12.44	3	Vertical	275	2.18
6905MHz	Pass	AV	6.8978G	92.87	Inf	-Inf	3	Horizontal	156	1.48
6905MHz	Pass	AV	7.1882G	57.44	68.20	-10.76	3	Horizontal	156	1.48
6905MHz	Pass	PK	6.9284G	109.54	Inf	-Inf	3	Horizontal	156	1.48
6905MHz	Pass	PK	7.1804G	77.65	88.20	-10.55	3	Horizontal	156	1.48
6905MHz	Pass	AV	13.81032G	41.56	68.20	-26.64	3	Vertical	0	1.50
6905MHz	Pass	PK	13.8276G	58.71	88.20	-29.49	3	Vertical	0	1.50
6905MHz	Pass	AV	13.82888G	42.69	68.20	-25.51	3	Horizontal	75	1.42
6905MHz	Pass	PK	13.82984G	57.13	88.20	-31.07	3	Horizontal	75	1.42



5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


5955MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9247G	42.64	68.20	-25.56	-4.03	3	Vertical	260	1.50	46.67	34.60	5.54	44.17
AV	5.949G	98.00	Inf	-Inf	-4.02	3	Vertical	260	1.50	102.02	34.60	5.55	44.17
PK	5.9214G	55.01	88.20	-33.19	-4.03	3	Vertical	260	1.50	59.04	34.60	5.54	44.17
PK	5.9508G	109.67	Inf	-Inf	-4.02	3	Vertical	260	1.50	113.69	34.60	5.55	44.17

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9244G	41.87	68.20	-26.33	-4.03	3	Horizontal	215	2.92	45.90	34.60	5.54	44.17
AV	5.9637G	94.59	Inf	-Inf	-4.02	3	Horizontal	215	2.92	98.61	34.60	5.56	44.18
PK	5.9211G	56.24	88.20	-31.96	-4.03	3	Horizontal	215	2.92	60.27	34.60	5.54	44.17
PK	5.9631G	105.90	Inf	-Inf	-4.02	3	Horizontal	215	2.92	109.92	34.60	5.56	44.18



5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


5955MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.90997G	42.88	54.00	-11.12	5.47	3	Vertical	331	1.49	37.41	39.02	8.54	42.09
PK	11.90967G	51.85	74.00	-22.15	5.47	3	Vertical	331	1.49	46.38	39.02	8.54	42.09

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.90997G	51.82	54.00	-2.18	5.47	3	Horizontal	310	1.44	46.35	39.02	8.54	42.09
PK	11.91013G	55.81	74.00	-18.19	5.47	3	Horizontal	310	1.44	50.34	39.02	8.54	42.09



5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


6195MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.39003G	43.80	54.00	-10.20	5.73	3	Vertical	247	1.60	38.07	39.04	8.69	42.00
PK	12.38988G	54.03	74.00	-19.97	5.73	3	Vertical	247	1.60	48.30	39.04	8.69	42.00

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6195MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.39003G	49.95	54.00	-4.05	5.73	3	Horizontal	302	1.50	44.22	39.04	8.69	42.00
PK	12.39014G	56.07	74.00	-17.93	5.73	3	Horizontal	302	1.50	50.34	39.04	8.69	42.00





5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


6415MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.82999G	44.65	68.20	-23.55	6.61	3	Vertical	157	2.22	38.04	39.88	8.84	42.11
PK	12.8298G	54.30	88.20	-33.90	6.61	3	Vertical	157	2.22	47.69	39.88	8.84	42.11

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6415MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.83002G	48.96	68.20	-19.24	6.61	3	Horizontal	320	1.49	42.35	39.88	8.84	42.11
PK	12.83026G	55.75	88.20	-32.45	6.61	3	Horizontal	320	1.49	49.14	39.88	8.84	42.11



6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


6435MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.87001G	42.84	68.20	-25.36	6.69	3	Vertical	247	2.83	36.15	39.96	8.85	42.12
PK	12.86975G	53.49	88.20	-34.71	6.69	3	Vertical	247	2.83	46.80	39.96	8.85	42.12

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6435MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.87004G	48.82	68.20	-19.38	6.69	3	Horizontal	320	1.52	42.13	39.96	8.85	42.12
PK	12.86994G	55.93	88.20	-32.27	6.69	3	Horizontal	320	1.52	49.24	39.96	8.85	42.12



6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


6475MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95019G	45.59	68.20	-22.61	6.61	3	Vertical	48	1.11	38.98	39.90	8.87	42.16
PK	12.95077G	59.11	88.20	-29.09	6.61	3	Vertical	48	1.11	52.50	39.90	8.87	42.16

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6475MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94997G	48.67	68.20	-19.53	6.61	3	Horizontal	322	2.44	42.06	39.90	8.87	42.16
PK	12.94988G	56.29	88.20	-31.91	6.61	3	Horizontal	322	2.44	49.68	39.90	8.87	42.16



6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


6515MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.03G	41.88	68.20	-26.32	6.40	3	Vertical	237	1.50	35.48	39.68	8.90	42.18
PK	13.02998G	53.43	88.20	-34.77	6.40	3	Vertical	237	1.50	47.03	39.68	8.90	42.18

6.425-6.525GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6515MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.03004G	46.68	68.20	-21.52	6.40	3	Horizontal	307	1.50	40.28	39.68	8.90	42.18
PK	13.029987G	54.58	88.20	-33.62	6.40	3	Horizontal	307	1.50	48.18	39.68	8.90	42.18



6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


6535MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.07G	42.62	68.20	-25.58	6.37	3	Vertical	241	1.54	36.25	39.64	8.91	42.18
PK	13.06998G	53.68	88.20	-34.52	6.37	3	Vertical	241	1.54	47.31	39.64	8.91	42.18

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6535MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.07003G	46.10	68.20	-22.10	6.37	3	Horizontal	309	1.49	39.73	39.64	8.91	42.18
PK	13.07017G	54.50	88.20	-33.70	6.37	3	Horizontal	309	1.49	48.13	39.64	8.91	42.18



6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


6695MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38993G	41.52	54.00	-12.48	6.90	3	Vertical	47	2.49	34.62	40.06	9.01	42.17
PK	13.3903G	54.41	74.00	-19.59	6.90	3	Vertical	47	2.49	47.51	40.06	9.01	42.17

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39001G	47.24	54.00	-6.76	6.90	3	Horizontal	309	1.90	40.34	40.06	9.01	42.17
PK	13.38995G	55.13	74.00	-18.87	6.90	3	Horizontal	309	1.90	48.23	40.06	9.01	42.17



6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


6875MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.75002G	41.59	68.20	-26.61	6.52	3	Vertical	68	1.50	35.07	39.90	9.13	42.51
PK	13.74584G	53.78	88.20	-34.42	6.53	3	Vertical	68	1.50	47.25	39.90	9.13	42.50

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6875MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.74994G	45.71	68.20	-22.49	6.52	3	Horizontal	350	1.50	39.19	39.90	9.13	42.51
PK	13.74987G	55.16	88.20	-33.04	6.52	3	Horizontal	350	1.50	48.64	39.90	9.13	42.51



6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


6895MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.78996G	41.55	68.20	-26.65	6.32	3	Vertical	66	1.00	35.23	39.74	9.14	42.56
PK	13.79007G	53.52	88.20	-34.68	6.32	3	Vertical	66	1.00	47.20	39.74	9.14	42.56

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6895MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.79002G	44.84	68.20	-23.36	6.32	3	Horizontal	313	1.50	38.52	39.74	9.14	42.56
PK	13.79005G	54.69	88.20	-33.51	6.32	3	Horizontal	313	1.50	48.37	39.74	9.14	42.56





6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


6995MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.98996G	42.99	68.20	-25.21	6.55	3	Vertical	3	2.65	36.44	40.18	9.21	42.84
PK	13.99026G	53.96	88.20	-34.24	6.55	3	Vertical	3	2.65	47.41	40.18	9.21	42.84

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6995MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.98999G	44.95	68.20	-23.25	6.55	3	Horizontal	315	1.48	38.40	40.18	9.21	42.84
PK	13.9902G	54.44	88.20	-33.76	6.55	3	Horizontal	315	1.48	47.89	40.18	9.21	42.84



6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


7095MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.19002G	41.84	68.20	-26.36	6.82	3	Vertical	63	1.50	35.02	40.28	9.41	42.87
PK	14.19009G	54.83	88.20	-33.37	6.82	3	Vertical	63	1.50	48.01	40.28	9.41	42.87

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


7095MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.19G	45.58	68.20	-22.62	6.82	3	Horizontal	339	1.71	38.76	40.28	9.41	42.87
PK	14.18995G	54.69	88.20	-33.51	6.82	3	Horizontal	339	1.71	47.87	40.28	9.41	42.87

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


7115MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1075G	96.79	Inf	-Inf	-1.30	3	Vertical	269	2.13	98.09	36.63	6.10	44.03
AV	7.1255G	67.13	68.20	-1.07	-1.21	3	Vertical	269	2.13	68.34	36.70	6.11	44.02
PK	7.1065G	102.69	Inf	-Inf	-1.30	3	Vertical	269	2.13	103.99	36.63	6.10	44.03
PK	7.1255G	78.08	88.20	-10.12	-1.21	3	Vertical	269	2.13	79.29	36.70	6.11	44.02

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7115MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1065G	91.73	Inf	-Inf	-1.30	3	Horizontal	143	2.10	93.03	36.63	6.10	44.03
AV	7.1255G	56.25	68.20	-11.95	-1.21	3	Horizontal	143	2.10	57.46	36.70	6.11	44.02
PK	7.1065G	97.67	Inf	-Inf	-1.30	3	Horizontal	143	2.10	98.97	36.63	6.10	44.03
PK	7.1255G	67.52	88.20	-20.68	-1.21	3	Horizontal	143	2.10	68.73	36.70	6.11	44.02



6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


7115MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.23001G	42.12	68.20	-26.08	6.82	3	Vertical	62	2.95	35.30	40.24	9.45	42.87
PK	14.22987G	53.55	88.20	-34.65	6.82	3	Vertical	62	2.95	46.73	40.24	9.45	42.87

6.875-7.125GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

7115MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.22992G	45.57	68.20	-22.63	6.82	3	Horizontal	340	1.68	38.75	40.24	9.45	42.87
PK	14.22994G	55.10	88.20	-33.10	6.82	3	Horizontal	340	1.68	48.28	40.24	9.45	42.87



5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


5965MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9248G	49.30	68.20	-18.90	-4.03	3	Vertical	261	1.50	53.33	34.60	5.54	44.17
AV	5.9482G	96.54	Inf	-Inf	-4.02	3	Vertical	261	1.50	100.56	34.60	5.55	44.17
PK	5.9173G	65.49	88.20	-22.71	-4.03	3	Vertical	261	1.50	69.52	34.60	5.54	44.17
PK	5.9497G	110.02	Inf	-Inf	-4.02	3	Vertical	261	1.50	114.04	34.60	5.55	44.17

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9173G	41.44	68.20	-26.76	-4.03	3	Horizontal	7	1.36	45.47	34.60	5.54	44.17
AV	5.9677G	89.61	Inf	-Inf	-4.02	3	Horizontal	7	1.36	93.63	34.60	5.56	44.18
PK	5.9167G	54.87	88.20	-33.33	-4.03	3	Horizontal	7	1.36	58.90	34.60	5.54	44.17
PK	5.9671G	102.37	Inf	-Inf	-4.02	3	Horizontal	7	1.36	106.39	34.60	5.56	44.18



5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


5965MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.93004G	43.77	54.00	-10.23	5.51	3	Vertical	336	2.33	38.26	39.06	8.55	42.10
PK	11.9302G	52.50	74.00	-21.50	5.51	3	Vertical	336	2.33	46.99	39.06	8.55	42.10

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.92997G	52.00	54.00	-2.00	5.51	3	Horizontal	311	1.35	46.49	39.06	8.55	42.10
PK	11.93001G	56.30	74.00	-17.70	5.51	3	Horizontal	311	1.35	50.79	39.06	8.55	42.10



5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


6205MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.41007G	43.01	54.00	-10.99	5.75	3	Vertical	338	1.34	37.26	39.04	8.70	41.99
PK	12.40745G	56.61	74.00	-17.39	5.74	3	Vertical	338	1.34	50.87	39.03	8.70	41.99

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6205MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.41G	48.91	54.00	-5.09	5.75	3	Horizontal	297	1.55	43.16	39.04	8.70	41.99
PK	12.41G	55.10	74.00	-18.90	5.75	3	Horizontal	297	1.55	49.35	39.04	8.70	41.99



5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


6405MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.8099G	43.42	68.20	-24.78	6.49	3	Vertical	156	2.16	36.93	39.76	8.83	42.10
PK	12.81001G	54.09	88.20	-34.11	6.49	3	Vertical	156	2.16	47.60	39.76	8.83	42.10

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.80998G	49.02	68.20	-19.18	6.49	3	Horizontal	321	1.53	42.53	39.76	8.83	42.10
PK	12.81016G	55.88	88.20	-32.32	6.49	3	Horizontal	321	1.53	49.39	39.76	8.83	42.10





6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


6445MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.88998G	41.66	68.20	-26.54	6.64	3	Vertical	242	1.49	35.02	39.92	8.85	42.13
PK	12.89025G	54.05	88.20	-34.15	6.64	3	Vertical	242	1.49	47.41	39.92	8.85	42.13

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6445MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.89004G	48.52	68.20	-19.68	6.64	3	Horizontal	322	2.41	41.88	39.92	8.85	42.13
PK	12.89004G	56.78	88.20	-31.42	6.64	3	Horizontal	322	2.41	50.14	39.92	8.85	42.13



6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


6485MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.96986G	43.31	68.20	-24.89	6.57	3	Vertical	48	1.25	36.74	39.86	8.88	42.17
PK	12.97051G	60.77	88.20	-27.43	6.57	3	Vertical	48	1.25	54.20	39.86	8.88	42.17

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6485MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.96999G	47.95	68.20	-20.25	6.57	3	Horizontal	323	2.43	41.38	39.86	8.88	42.17
PK	12.97035G	56.65	88.20	-31.55	6.57	3	Horizontal	323	2.43	50.08	39.86	8.88	42.17



6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


6525MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.05007G	44.69	68.20	-23.51	6.33	3	Vertical	47	1.26	38.36	39.60	8.91	42.18
PK	13.05059G	63.35	88.20	-24.85	6.33	3	Vertical	47	1.26	57.02	39.60	8.91	42.18

6.425-6.525GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6525MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.04998G	46.13	68.20	-22.07	6.33	3	Horizontal	308	1.50	39.80	39.60	8.91	42.18
PK	13.04976G	54.67	88.20	-33.53	6.33	3	Horizontal	308	1.50	48.34	39.60	8.91	42.18



6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


6565MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.13011G	45.43	68.20	-22.77	6.45	3	Vertical	45	1.32	38.98	39.70	8.93	42.18
PK	13.1345G	63.51	88.20	-24.69	6.45	3	Vertical	45	1.32	57.06	39.70	8.93	42.18

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6565MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.13004G	44.47	68.20	-23.73	6.45	3	Horizontal	29	1.50	38.02	39.70	8.93	42.18
PK	13.12995G	55.03	88.20	-33.17	6.45	3	Horizontal	29	1.50	48.58	39.70	8.93	42.18



6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


6685MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37062G	43.31	54.00	-10.69	6.82	3	Vertical	52	1.21	36.49	39.98	9.01	42.17
PK	13.36962G	60.85	74.00	-13.15	6.82	3	Vertical	52	1.21	54.03	39.98	9.01	42.17

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37G	47.95	54.00	-6.05	6.82	3	Horizontal	309	1.97	41.13	39.98	9.01	42.17
PK	13.37024G	55.89	74.00	-18.11	6.82	3	Horizontal	309	1.97	49.07	39.98	9.01	42.17



6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


6885MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.76985G	41.62	68.20	-26.58	6.42	3	Vertical	53	1.68	35.20	39.82	9.14	42.54
PK	13.77129G	54.35	88.20	-33.85	6.41	3	Vertical	53	1.68	47.94	39.81	9.14	42.54

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6885MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.76995G	45.53	68.20	-22.67	6.42	3	Horizontal	350	1.44	39.11	39.82	9.14	42.54
PK	13.77006G	54.42	88.20	-33.78	6.42	3	Horizontal	350	1.44	48.00	39.82	9.14	42.54



6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


6925MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.84975G	40.38	68.20	-27.82	6.31	3	Vertical	145	1.50	34.07	39.80	9.16	42.65
PK	13.8495G	53.68	88.20	-34.52	6.31	3	Vertical	145	1.50	47.37	39.80	9.16	42.65

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6925MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.84997G	46.02	68.20	-22.18	6.31	3	Horizontal	312	1.46	39.71	39.80	9.16	42.65
PK	13.85002G	54.48	88.20	-33.72	6.31	3	Horizontal	312	1.46	48.17	39.80	9.16	42.65



6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


7005MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.01006G	41.93	68.20	-26.27	6.57	3	Vertical	360	2.69	35.36	40.20	9.22	42.85
PK	14.01G	53.50	88.20	-34.70	6.57	3	Vertical	360	2.69	46.93	40.20	9.22	42.85

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7005MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.01001G	44.68	68.20	-23.52	6.57	3	Horizontal	313	1.50	38.11	40.20	9.22	42.85
PK	14.00993G	54.16	88.20	-34.04	6.57	3	Horizontal	313	1.50	47.59	40.20	9.22	42.85



6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


7085MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.067G	97.42	Inf	-Inf	-1.51	3	Vertical	325	1.44	98.93	36.47	6.08	44.06
AV	7.127G	50.15	68.20	-18.05	-1.20	3	Vertical	325	1.44	51.35	36.71	6.11	44.02
PK	7.0718G	109.71	Inf	-Inf	-1.47	3	Vertical	325	1.44	111.18	36.49	6.09	44.05
PK	7.1312G	73.27	88.20	-14.93	-1.18	3	Vertical	325	1.44	74.45	36.72	6.12	44.02

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0898G	93.61	Inf	-Inf	-1.39	3	Horizontal	183	1.49	95.00	36.56	6.09	44.04
AV	7.1309G	45.64	68.20	-22.56	-1.18	3	Horizontal	183	1.49	46.82	36.72	6.12	44.02
PK	7.0892G	106.24	Inf	-Inf	-1.39	3	Horizontal	183	1.49	107.63	36.56	6.09	44.04
PK	7.1261G	67.12	88.20	-21.08	-1.21	3	Horizontal	183	1.49	68.33	36.70	6.11	44.02



6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


7085MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.16987G	42.78	68.20	-25.42	6.77	3	Vertical	93	2.80	36.01	40.24	9.39	42.86
PK	14.17071G	56.93	88.20	-31.27	6.77	3	Vertical	93	2.80	50.16	40.24	9.39	42.86

6.875-7.125GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17002G	44.87	68.20	-23.33	6.77	3	Horizontal	314	1.33	38.10	40.24	9.39	42.86
PK	14.17G	54.53	88.20	-33.67	6.77	3	Horizontal	314	1.33	47.76	40.24	9.39	42.86



5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX


5985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9235G	58.82	68.20	-9.38	-4.03	3	Vertical	259	1.43	62.85	34.60	5.54	44.17
AV	6.0205G	97.14	Inf	-Inf	-4.08	3	Vertical	259	1.43	101.22	34.52	5.58	44.18
PK	5.925G	73.52	88.20	-14.68	-4.03	3	Vertical	259	1.43	77.55	34.60	5.54	44.17
PK	6.0085G	109.81	Inf	-Inf	-4.04	3	Vertical	259	1.43	113.85	34.57	5.57	44.18

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9225G	43.32	68.20	-24.88	-4.03	3	Horizontal	10	1.36	47.35	34.60	5.54	44.17
AV	6.0165G	91.61	Inf	-Inf	-4.07	3	Horizontal	10	1.36	95.68	34.53	5.58	44.18
PK	5.906G	56.59	88.20	-31.61	-4.03	3	Horizontal	10	1.36	60.62	34.60	5.54	44.17
PK	6.015G	104.66	Inf	-Inf	-4.06	3	Horizontal	10	1.36	108.72	34.54	5.58	44.18



5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX


5985MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.97005G	43.36	54.00	-10.64	5.62	3	Vertical	339	2.32	37.74	39.18	8.56	42.12
PK	11.96988G	53.26	74.00	-20.74	5.62	3	Vertical	339	2.32	47.64	39.18	8.56	42.12

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.97G	51.91	54.00	-2.09	5.62	3	Horizontal	312	1.38	46.29	39.18	8.56	42.12
PK	11.97009G	56.43	74.00	-17.57	5.62	3	Horizontal	312	1.38	50.81	39.18	8.56	42.12



5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX


6225MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.44997G	43.78	54.00	-10.22	5.93	3	Vertical	57	2.37	37.85	39.20	8.71	41.98
PK	12.44974G	57.17	74.00	-16.83	5.93	3	Vertical	57	2.37	51.24	39.20	8.71	41.98

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6225MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.45001G	48.66	54.00	-5.34	5.93	3	Horizontal	325	1.50	42.73	39.20	8.71	41.98
PK	12.45021G	55.98	74.00	-18.02	5.93	3	Horizontal	325	1.50	50.05	39.20	8.71	41.98



5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX


6385MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.76996G	42.00	68.20	-26.20	6.32	3	Vertical	246	2.91	35.68	39.58	8.82	42.08
PK	12.76999G	56.07	88.20	-32.13	6.32	3	Vertical	246	2.91	49.75	39.58	8.82	42.08

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6385MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.77005G	49.34	68.20	-18.86	6.32	3	Horizontal	319	1.50	43.02	39.58	8.82	42.08
PK	12.76995G	55.67	88.20	-32.53	6.32	3	Horizontal	319	1.50	49.35	39.58	8.82	42.08



6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX


6465MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.93001G	42.24	68.20	-25.96	6.62	3	Vertical	238	1.50	35.62	39.90	8.87	42.15
PK	12.93003G	55.59	88.20	-32.61	6.62	3	Vertical	238	1.50	48.97	39.90	8.87	42.15

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6465MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.93001G	48.68	68.20	-19.52	6.62	3	Horizontal	323	2.39	42.06	39.90	8.87	42.15
PK	12.92997G	55.90	88.20	-32.30	6.62	3	Horizontal	323	2.39	49.28	39.90	8.87	42.15



6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX


6545MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.09008G	42.61	68.20	-25.59	6.42	3	Vertical	47	1.25	36.19	39.68	8.92	42.18
PK	13.08993G	58.91	88.20	-29.29	6.42	3	Vertical	47	1.25	52.49	39.68	8.92	42.18

6.425-6.525GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6545MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.09003G	45.09	68.20	-23.11	6.42	3	Horizontal	311	1.39	38.67	39.68	8.92	42.18
PK	13.08996G	54.51	88.20	-33.69	6.42	3	Horizontal	311	1.39	48.09	39.68	8.92	42.18





6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX


6625MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.24985G	43.83	68.20	-24.37	6.59	3	Vertical	302	1.50	37.24	39.80	8.97	42.18
PK	13.25122G	57.60	74.00	-16.40	6.60	3	Vertical	302	1.50	51.00	39.80	8.97	42.17

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6625MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.24998G	46.97	68.20	-21.23	6.59	3	Horizontal	313	1.90	40.38	39.80	8.97	42.18
PK	13.25006G	55.07	74.00	-18.93	6.60	3	Horizontal	313	1.90	48.47	39.80	8.97	42.17



6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX


6705MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.40995G	41.71	68.20	-26.49	6.95	3	Vertical	325	1.50	34.76	40.10	9.02	42.17
PK	13.41003G	57.45	88.20	-30.75	6.95	3	Vertical	325	1.50	50.50	40.10	9.02	42.17

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6705MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.41G	46.93	68.20	-21.27	6.95	3	Horizontal	313	1.87	39.98	40.10	9.02	42.17
PK	13.41005G	55.13	88.20	-33.07	6.95	3	Horizontal	313	1.87	48.18	40.10	9.02	42.17



6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX


6785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.56901G	43.61	68.20	-24.59	7.06	3	Vertical	328	1.50	36.55	40.25	9.07	42.26
PK	13.56914G	57.71	88.20	-30.49	7.06	3	Vertical	328	1.50	50.65	40.25	9.07	42.26

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.57005G	45.87	68.20	-22.33	7.04	3	Horizontal	315	1.45	38.83	40.24	9.07	42.27
PK	13.57002G	55.55	88.20	-32.65	7.04	3	Horizontal	315	1.45	48.51	40.24	9.07	42.27



6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX


6865MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.73001G	43.14	68.20	-25.06	6.54	3	Vertical	65	2.43	36.60	39.90	9.12	42.48
PK	13.7299G	55.52	88.20	-32.68	6.54	3	Vertical	65	2.43	48.98	39.90	9.12	42.48

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6865MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.73003G	45.84	68.20	-22.36	6.54	3	Horizontal	348	1.49	39.30	39.90	9.12	42.48
PK	13.73005G	57.77	88.20	-30.43	6.54	3	Horizontal	348	1.49	51.23	39.90	9.12	42.48



6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX


6945MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.88998G	41.79	68.20	-26.41	6.43	3	Vertical	304	1.54	35.36	39.96	9.17	42.70
PK	13.89014G	55.85	88.20	-32.35	6.43	3	Vertical	304	1.54	49.42	39.96	9.17	42.70

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6945MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.89005G	45.44	68.20	-22.76	6.43	3	Horizontal	310	1.49	39.01	39.96	9.17	42.70
PK	13.88986G	54.17	88.20	-34.03	6.43	3	Horizontal	310	1.49	47.74	39.96	9.17	42.70



6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX


7025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.025G	98.67	Inf	-Inf	-1.77	3	Vertical	84	1.50	100.44	36.25	6.06	44.08
AV	7.1744G	44.57	68.20	-23.63	-0.90	3	Vertical	84	1.50	45.47	36.95	6.14	43.99
PK	7.016G	108.63	Inf	-Inf	-1.83	3	Vertical	84	1.50	110.46	36.20	6.06	44.09
PK	7.1633G	57.74	88.20	-30.46	-0.99	3	Vertical	84	1.50	58.73	36.88	6.13	44.00

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9956G	91.65	Inf	-Inf	-1.95	3	Horizontal	209	1.50	93.60	36.10	6.05	44.10
AV	7.169G	44.38	68.20	-23.82	-0.95	3	Horizontal	209	1.50	45.33	36.91	6.13	43.99
PK	6.9956G	104.21	Inf	-Inf	-1.95	3	Horizontal	209	1.50	106.16	36.10	6.05	44.10
PK	7.169G	57.64	88.20	-30.56	-0.95	3	Horizontal	209	1.50	58.59	36.91	6.13	43.99



6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX


7025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.04999G	41.30	68.20	-26.90	6.61	3	Vertical	61	1.31	34.69	40.20	9.26	42.85
PK	14.05015G	55.47	88.20	-32.73	6.61	3	Vertical	61	1.31	48.86	40.20	9.26	42.85

6.875-7.125GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

7025MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.04999G	44.48	68.20	-23.72	6.61	3	Horizontal	315	1.41	37.87	40.20	9.26	42.85
PK	14.05005G	54.11	88.20	-34.09	6.61	3	Horizontal	315	1.41	47.50	40.20	9.26	42.85