




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.42G	47.10	54.00	-6.90	-5.60	3	Vertical	196	1.61	52.70	33.24	5.27	44.11
AV	5.7248G	113.93	Inf	-Inf	-4.64	3	Vertical	196	1.61	118.57	34.05	5.46	44.15
PK	5.42G	58.94	74.00	-15.06	-5.60	3	Vertical	196	1.61	64.54	33.24	5.27	44.11
PK	5.4668G	56.57	68.20	-11.63	-5.49	3	Vertical	196	1.61	62.06	33.33	5.30	44.12
PK	5.7236G	124.43	Inf	-Inf	-4.65	3	Vertical	196	1.61	129.08	34.04	5.46	44.15
PK	5.9252G	59.07	68.20	-9.13	-4.03	3	Vertical	196	1.61	63.10	34.60	5.54	44.17

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.42G	46.79	54.00	-7.21	-5.60	3	Horizontal	360	1.39	52.39	33.24	5.27	44.11
AV	5.7188G	112.58	Inf	-Inf	-4.70	3	Horizontal	360	1.39	117.28	33.99	5.46	44.15
PK	5.42G	60.85	74.00	-13.15	-5.60	3	Horizontal	360	1.39	66.45	33.24	5.27	44.11
PK	5.4644G	56.99	68.20	-11.21	-5.49	3	Horizontal	360	1.39	62.48	33.33	5.30	44.12
PK	5.7188G	123.19	Inf	-Inf	-4.70	3	Horizontal	360	1.39	127.89	33.99	5.46	44.15
PK	5.9852G	59.73	68.20	-8.47	-4.02	3	Horizontal	360	1.39	63.75	34.60	5.56	44.18



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43346G	39.91	54.00	-14.09	5.65	3	Vertical	21	2.10	34.26	39.20	8.40	41.95
PK	11.43286G	51.94	74.00	-22.06	5.65	3	Vertical	21	2.10	46.29	39.20	8.40	41.95
PK	17.1579G	57.41	68.20	-10.79	5.20	3	Vertical	341	2.95	52.21	37.50	10.85	43.15

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43994G	48.50	54.00	-5.50	5.61	3	Horizontal	261	1.68	42.89	39.16	8.40	41.95
PK	11.4391G	57.57	74.00	-16.43	5.62	3	Horizontal	261	1.68	51.95	39.17	8.40	41.95
PK	17.16036G	61.25	68.20	-6.95	5.20	3	Horizontal	358	2.47	56.05	37.50	10.85	43.15



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.445G	47.20	54.00	-6.80	-5.53	3	Vertical	191	1.80	52.73	33.29	5.29	44.11
AV	5.7426G	112.37	Inf	-Inf	-4.45	3	Vertical	191	1.80	116.82	34.23	5.47	44.15
PK	5.6502G	67.28	68.35	-1.07	-5.22	3	Vertical	191	1.80	72.50	33.50	5.42	44.14
PK	5.7426G	122.99	Inf	-Inf	-4.45	3	Vertical	191	1.80	127.44	34.23	5.47	44.15
PK	5.9286G	53.14	68.20	-15.06	-4.02	3	Vertical	191	1.80	57.16	34.60	5.55	44.17

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.445G	49.13	54.00	-4.87	-5.53	3	Horizontal	360	1.72	54.66	33.29	5.29	44.11
AV	5.7378G	112.40	Inf	-Inf	-4.50	3	Horizontal	360	1.72	116.90	34.18	5.47	44.15
PK	5.6502G	67.31	68.35	-1.04	-5.22	3	Horizontal	360	1.72	72.53	33.50	5.42	44.14
PK	5.7378G	122.67	Inf	-Inf	-4.50	3	Horizontal	360	1.72	127.17	34.18	5.47	44.15
PK	5.9466G	58.32	68.20	-9.88	-4.02	3	Horizontal	360	1.72	62.34	34.60	5.55	44.17



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48364G	39.21	54.00	-14.79	5.58	3	Vertical	193	2.18	33.63	39.10	8.41	41.93
PK	11.49582G	51.94	74.00	-22.06	5.60	3	Vertical	193	2.18	46.34	39.10	8.42	41.92
PK	17.23356G	51.39	68.20	-16.81	5.26	3	Vertical	2	2.88	46.13	37.57	10.82	43.13

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49G	46.46	54.00	-7.54	5.58	3	Horizontal	176	1.30	40.88	39.10	8.41	41.93
PK	11.48976G	56.27	74.00	-17.73	5.58	3	Horizontal	176	1.30	50.69	39.10	8.41	41.93
PK	17.23734G	53.68	68.20	-14.52	5.26	3	Horizontal	287	1.17	48.42	37.57	10.82	43.13



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7886G	113.27	Inf	-Inf	-4.21	3	Vertical	195	1.56	117.48	34.45	5.49	44.15
PK	5.6398G	64.73	68.20	-3.47	-5.25	3	Vertical	195	1.56	69.98	33.48	5.41	44.14
PK	5.7886G	124.23	Inf	-Inf	-4.21	3	Vertical	195	1.56	128.44	34.45	5.49	44.15
PK	5.9902G	58.61	68.20	-9.59	-4.01	3	Vertical	195	1.56	62.62	34.60	5.57	44.18

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	112.63	Inf	-Inf	-4.22	3	Horizontal	360	1.49	116.85	34.44	5.49	44.15
PK	5.485G	63.41	68.20	-4.79	-5.43	3	Horizontal	360	1.49	68.84	33.37	5.32	44.12
PK	5.7838G	122.97	Inf	-Inf	-4.22	3	Horizontal	360	1.49	127.19	34.44	5.49	44.15
PK	5.9554G	58.37	68.20	-9.83	-4.02	3	Horizontal	360	1.49	62.39	34.60	5.55	44.17



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57204G	44.08	54.00	-9.92	5.46	3	Vertical	149	1.86	38.62	38.97	8.44	41.95
PK	11.57168G	55.33	74.00	-18.67	5.46	3	Vertical	149	1.86	49.87	38.97	8.44	41.95
PK	17.3625G	62.50	68.20	-5.70	5.39	3	Vertical	142	2.29	57.11	37.73	10.76	43.10

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57G	48.15	54.00	-5.85	5.47	3	Vertical	252	2.06	42.68	38.98	8.44	41.95
PK	11.57G	58.04	74.00	-15.96	5.47	3	Vertical	252	2.06	52.57	38.98	8.44	41.95
PK	17.36238G	62.32	68.20	-5.88	5.38	3	Vertical	360	1.50	56.94	37.72	10.76	43.10



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	109.98	Inf	-Inf	-4.20	3	Vertical	349	3.00	114.18	34.45	5.51	44.16
PK	5.525G	64.07	68.20	-4.13	-5.33	3	Vertical	349	3.00	69.40	33.45	5.34	44.12
PK	5.8238G	119.78	Inf	-Inf	-4.20	3	Vertical	349	3.00	123.98	34.45	5.51	44.16
PK	5.969G	59.12	68.20	-9.08	-4.02	3	Vertical	349	3.00	63.14	34.60	5.56	44.18

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8178G	110.33	Inf	-Inf	-4.19	3	Horizontal	356	1.62	114.52	34.46	5.51	44.16
PK	5.525G	61.93	68.20	-6.27	-5.33	3	Horizontal	356	1.62	67.26	33.45	5.34	44.12
PK	5.819G	120.56	Inf	-Inf	-4.19	3	Horizontal	356	1.62	124.75	34.46	5.51	44.16
PK	5.927G	57.65	68.20	-10.55	-4.03	3	Horizontal	356	1.62	61.68	34.60	5.54	44.17



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65174G	42.14	54.00	-11.86	5.19	3	Vertical	344	2.79	36.95	38.71	8.46	41.98
PK	11.6518G	55.36	74.00	-18.64	5.19	3	Vertical	344	2.79	50.17	38.71	8.46	41.98
PK	17.48262G	60.91	68.20	-7.29	5.61	3	Vertical	66	1.22	55.30	37.97	10.71	43.07

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65G	47.75	54.00	-6.25	5.18	3	Horizontal	10	2.38	42.57	38.70	8.46	41.98
PK	11.64994G	53.83	74.00	-20.17	5.18	3	Horizontal	10	2.38	48.65	38.70	8.46	41.98
PK	17.46984G	59.14	68.20	-9.06	5.58	3	Horizontal	106	2.00	53.56	37.94	10.72	43.08



5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1454G	53.42	54.00	-0.58	-5.41	3	Vertical	357	1.57	58.83	33.50	5.17	44.08
AV	5.186G	109.25	Inf	-Inf	-5.40	3	Vertical	357	1.57	114.65	33.50	5.18	44.08
PK	5.1454G	68.64	74.00	-5.36	-5.41	3	Vertical	357	1.57	74.05	33.50	5.17	44.08
PK	5.1852G	120.67	Inf	-Inf	-5.40	3	Vertical	357	1.57	126.07	33.50	5.18	44.08

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	53.45	54.00	-0.55	-5.41	3	Horizontal	356	1.50	58.86	33.50	5.17	44.08
AV	5.1714G	108.59	Inf	-Inf	-5.40	3	Horizontal	356	1.50	113.99	33.50	5.18	44.08
PK	5.1484G	68.66	74.00	-5.34	-5.41	3	Horizontal	356	1.50	74.07	33.50	5.17	44.08
PK	5.1708G	119.64	Inf	-Inf	-5.40	3	Horizontal	356	1.50	125.04	33.50	5.18	44.08



5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53946G	40.15	54.00	-13.85	6.11	3	Vertical	250	1.57	34.04	38.30	10.84	43.03
PK	10.3537G	49.64	68.20	-18.56	4.65	3	Vertical	141	2.21	44.99	38.70	8.07	42.12
PK	15.52752G	51.89	74.00	-22.11	6.11	3	Vertical	250	1.57	45.78	38.30	10.83	43.02

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53556G	39.43	54.00	-14.57	6.11	3	Horizontal	59	1.97	33.32	38.30	10.84	43.03
PK	10.35958G	55.95	68.20	-12.25	4.66	3	Horizontal	349	1.49	51.29	38.70	8.07	42.11
PK	15.53868G	51.20	74.00	-22.80	6.11	3	Horizontal	59	1.97	45.09	38.30	10.84	43.03

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	52.43	54.00	-1.57	-5.41	3	Vertical	354	1.50	57.84	33.50	5.17	44.08
AV	5.2048G	109.54	Inf	-Inf	-5.39	3	Vertical	354	1.50	114.93	33.50	5.19	44.08
PK	5.1472G	71.06	74.00	-2.94	-5.41	3	Vertical	354	1.50	76.47	33.50	5.17	44.08
PK	5.2044G	122.26	Inf	-Inf	-5.39	3	Vertical	354	1.50	127.65	33.50	5.19	44.08

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.96	54.00	-5.04	-5.41	3	Horizontal	354	1.84	54.37	33.50	5.17	44.08
AV	5.1916G	108.74	Inf	-Inf	-5.39	3	Horizontal	354	1.84	114.13	33.50	5.19	44.08
PK	5.1496G	64.65	74.00	-9.35	-5.41	3	Horizontal	354	1.84	70.06	33.50	5.17	44.08
PK	5.1924G	120.88	Inf	-Inf	-5.39	3	Horizontal	354	1.84	126.27	33.50	5.19	44.08



5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6075G	39.33	54.00	-14.67	6.21	3	Vertical	266	1.83	33.12	38.36	10.91	43.06
PK	10.41446G	49.13	68.20	-19.07	4.69	3	Vertical	269	2.71	44.44	38.67	8.09	42.07
PK	15.5985G	52.44	74.00	-21.56	6.24	3	Vertical	266	1.83	46.20	38.40	10.90	43.06

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60336G	39.31	54.00	-14.69	6.23	3	Horizontal	91	1.93	33.08	38.38	10.91	43.06
PK	10.4G	54.34	68.20	-13.86	4.70	3	Horizontal	347	1.76	49.64	38.70	8.08	42.08
PK	15.58884G	51.50	74.00	-22.50	6.22	3	Horizontal	91	1.93	45.28	38.38	10.89	43.05



5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1464G	53.93	54.00	-0.07	-5.41	3	Vertical	185	1.54	59.34	33.50	5.17	44.08
AV	5.246G	112.42	Inf	-Inf	-5.38	3	Vertical	185	1.54	117.80	33.50	5.21	44.09
AV	5.35G	47.41	54.00	-6.59	-5.56	3	Vertical	185	1.54	52.97	33.30	5.24	44.10
PK	5.1458G	71.43	74.00	-2.57	-5.41	3	Vertical	185	1.54	76.84	33.50	5.17	44.08
PK	5.246G	124.63	Inf	-Inf	-5.38	3	Vertical	185	1.54	130.01	33.50	5.21	44.09
PK	5.3642G	64.54	74.00	-9.46	-5.58	3	Vertical	185	1.54	70.12	33.27	5.25	44.10

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.97	54.00	-2.03	-5.41	3	Horizontal	357	2.17	57.38	33.50	5.17	44.08
AV	5.2322G	111.51	Inf	-Inf	-5.39	3	Horizontal	357	2.17	116.90	33.50	5.20	44.09
AV	5.3516G	48.83	54.00	-5.17	-5.56	3	Horizontal	357	2.17	54.39	33.30	5.24	44.10
PK	5.15G	72.52	74.00	-1.48	-5.41	3	Horizontal	357	2.17	77.93	33.50	5.17	44.08
PK	5.2334G	123.47	Inf	-Inf	-5.39	3	Horizontal	357	2.17	128.86	33.50	5.20	44.09
PK	5.3528G	65.83	74.00	-8.17	-5.57	3	Horizontal	357	2.17	71.40	33.29	5.24	44.10



5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71244G	39.22	54.00	-14.78	6.12	3	Vertical	55	1.69	33.10	38.20	11.03	43.11
PK	10.4827G	51.52	68.20	-16.68	4.76	3	Vertical	162	2.41	46.76	38.67	8.11	42.02
PK	15.72918G	51.53	74.00	-22.47	6.12	3	Vertical	55	1.69	45.41	38.20	11.04	43.12

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71442G	39.16	54.00	-14.84	6.12	3	Horizontal	298	2.86	33.04	38.20	11.03	43.11
PK	10.48006G	58.44	68.20	-9.76	4.75	3	Horizontal	349	1.69	53.69	38.66	8.11	42.02
PK	15.70974G	51.88	74.00	-22.12	6.11	3	Horizontal	298	2.86	45.77	38.20	11.02	43.11

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1448G	50.50	54.00	-3.50	-5.41	3	Vertical	185	1.32	55.91	33.50	5.17	44.08
AV	5.266G	107.95	Inf	-Inf	-5.44	3	Vertical	185	1.32	113.39	33.44	5.21	44.09
AV	5.35G	53.49	54.00	-0.51	-5.56	3	Vertical	185	1.32	59.05	33.30	5.24	44.10
PK	5.1466G	67.97	74.00	-6.03	-5.41	3	Vertical	185	1.32	73.38	33.50	5.17	44.08
PK	5.266G	119.80	Inf	-Inf	-5.44	3	Vertical	185	1.32	125.24	33.44	5.21	44.09
PK	5.3668G	71.22	74.00	-2.78	-5.58	3	Vertical	185	1.32	76.80	33.27	5.25	44.10

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	49.86	54.00	-4.14	-5.41	3	Horizontal	344	1.49	55.27	33.50	5.17	44.08
AV	5.2642G	110.38	Inf	-Inf	-5.44	3	Horizontal	344	1.49	115.82	33.44	5.21	44.09
AV	5.3572G	52.20	54.00	-1.80	-5.56	3	Horizontal	344	1.49	57.76	33.29	5.25	44.10
PK	5.1298G	66.33	74.00	-7.67	-5.42	3	Horizontal	344	1.49	71.75	33.50	5.16	44.08
PK	5.2642G	123.24	Inf	-Inf	-5.44	3	Horizontal	344	1.49	128.68	33.44	5.21	44.09
PK	5.3578G	69.75	74.00	-4.25	-5.57	3	Horizontal	344	1.49	75.32	33.28	5.25	44.10



5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7821G	38.88	54.00	-15.12	6.09	3	Vertical	25	1.74	32.79	38.14	11.10	43.15
PK	10.5308G	49.53	68.20	-18.67	4.86	3	Vertical	74	2.33	44.67	38.76	8.12	42.02
PK	15.76662G	51.73	74.00	-22.27	6.11	3	Vertical	25	1.74	45.62	38.17	11.08	43.14

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78204G	38.90	54.00	-15.10	6.09	3	Horizontal	97	3.00	32.81	38.14	11.10	43.15
PK	10.52G	54.75	68.20	-13.45	4.84	3	Horizontal	352	1.50	49.91	38.74	8.12	42.02
PK	15.77574G	50.72	74.00	-23.28	6.10	3	Horizontal	97	3.00	44.62	38.15	11.09	43.14



5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.302G	109.99	Inf	-Inf	-5.57	3	Vertical	178	2.07	115.56	33.30	5.23	44.10
AV	5.3612G	49.93	54.00	-4.07	-5.57	3	Vertical	178	2.07	55.50	33.28	5.25	44.10
PK	5.3016G	122.42	Inf	-Inf	-5.57	3	Vertical	178	2.07	127.99	33.30	5.23	44.10
PK	5.3588G	69.29	74.00	-4.71	-5.57	3	Vertical	178	2.07	74.86	33.28	5.25	44.10

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2916G	107.91	Inf	-Inf	-5.54	3	Horizontal	350	1.46	113.45	33.33	5.22	44.09
AV	5.3516G	53.66	54.00	-0.34	-5.56	3	Horizontal	350	1.46	59.22	33.30	5.24	44.10
PK	5.2976G	119.89	Inf	-Inf	-5.57	3	Horizontal	350	1.46	125.46	33.31	5.22	44.10
PK	5.3504G	72.58	74.00	-1.42	-5.56	3	Horizontal	350	1.46	78.14	33.30	5.24	44.10



5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60618G	39.32	54.00	-14.68	5.10	3	Vertical	63	2.20	34.22	39.01	8.14	42.05
AV	15.89466G	38.79	54.00	-15.21	5.90	3	Vertical	315	2.41	32.89	37.88	11.22	43.20
PK	10.60744G	51.27	74.00	-22.73	5.11	3	Vertical	63	2.20	46.16	39.01	8.15	42.05
PK	15.90954G	51.10	74.00	-22.90	5.94	3	Vertical	315	2.41	45.16	37.92	11.23	43.21

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6G	50.36	54.00	-3.64	5.10	3	Horizontal	351	1.64	45.26	39.00	8.14	42.04
AV	15.90756G	38.84	54.00	-15.16	5.94	3	Horizontal	8	1.13	32.90	37.92	11.23	43.21
PK	10.59968G	58.68	68.20	-9.52	5.10	3	Horizontal	351	1.64	53.58	39.00	8.14	42.04
PK	15.90174G	51.48	74.00	-22.52	5.93	3	Horizontal	8	1.13	45.55	37.90	11.23	43.20



5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3264G	109.16	Inf	-Inf	-5.57	3	Vertical	185	1.48	114.73	33.30	5.23	44.10
AV	5.35G	51.69	54.00	-2.31	-5.56	3	Vertical	185	1.48	57.25	33.30	5.24	44.10
PK	5.3264G	122.01	Inf	-Inf	-5.57	3	Vertical	185	1.48	127.58	33.30	5.23	44.10
PK	5.3508G	68.08	74.00	-5.92	-5.56	3	Vertical	185	1.48	73.64	33.30	5.24	44.10

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.316G	108.59	Inf	-Inf	-5.57	3	Horizontal	350	1.08	114.16	33.30	5.23	44.10
AV	5.35G	53.63	54.00	-0.37	-5.56	3	Horizontal	350	1.08	59.19	33.30	5.24	44.10
PK	5.3164G	121.14	Inf	-Inf	-5.57	3	Horizontal	350	1.08	126.71	33.30	5.23	44.10
PK	5.352G	71.37	74.00	-2.63	-5.56	3	Horizontal	350	1.08	76.93	33.30	5.24	44.10



5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.647866G	39.22	54.00	-14.78	5.20	3	Vertical	75	1.32	34.02	39.10	8.16	42.06
AV	15.95628G	38.96	54.00	-15.04	6.04	3	Vertical	360	2.96	32.92	37.99	11.28	43.23
PK	10.63028G	51.53	74.00	-22.47	5.16	3	Vertical	75	1.32	46.37	39.06	8.15	42.05
PK	15.96888G	51.58	74.00	-22.42	6.02	3	Vertical	360	2.96	45.56	37.96	11.30	43.24

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63994G	51.49	54.00	-2.51	5.18	3	Horizontal	343	2.81	46.31	39.08	8.16	42.06
AV	15.9645G	39.24	54.00	-14.76	6.03	3	Horizontal	275	2.35	33.21	37.97	11.29	43.23
PK	10.63976G	58.42	74.00	-15.58	5.18	3	Horizontal	343	2.81	53.24	39.08	8.16	42.06
PK	15.96798G	51.79	74.00	-22.21	6.03	3	Horizontal	275	2.35	45.76	37.96	11.30	43.23



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




22/12/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	47.82	54.00	-6.18	-5.50	3	Vertical	37	1.74	53.32	33.32	5.30	44.12
AV	5.5008G	107.95	Inf	-Inf	-5.39	3	Vertical	37	1.74	113.34	33.40	5.33	44.12
PK	5.456G	61.39	74.00	-12.61	-5.50	3	Vertical	37	1.74	66.89	33.31	5.30	44.11
PK	5.4614G	62.28	68.20	-5.92	-5.50	3	Vertical	37	1.74	67.78	33.32	5.30	44.12
PK	5.5028G	121.03	Inf	-Inf	-5.38	3	Vertical	37	1.74	126.41	33.41	5.33	44.12

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




22/12/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	47.31	54.00	-6.69	-5.50	3	Horizontal	356	1.74	52.81	33.32	5.30	44.12
AV	5.493G	106.85	Inf	-Inf	-5.41	3	Horizontal	356	1.74	112.26	33.39	5.32	44.12
PK	5.4598G	62.64	74.00	-11.36	-5.50	3	Horizontal	356	1.74	68.14	33.32	5.30	44.12
PK	5.4682G	66.00	68.20	-2.20	-5.48	3	Horizontal	356	1.74	71.48	33.34	5.30	44.12
PK	5.4932G	119.71	Inf	-Inf	-5.41	3	Horizontal	356	1.74	125.12	33.39	5.32	44.12



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99292G	37.35	54.00	-16.65	4.91	3	Vertical	130	2.28	32.44	38.83	8.26	42.18
PK	10.9997G	50.56	74.00	-23.44	4.88	3	Vertical	130	2.28	45.68	38.80	8.26	42.18
PK	16.49478G	51.05	68.20	-17.15	6.10	3	Vertical	143	1.26	44.95	37.99	11.12	43.01

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99994G	50.87	54.00	-3.13	4.88	3	Horizontal	336	1.56	45.99	38.80	8.26	42.18
PK	10.99988G	55.03	74.00	-18.97	4.88	3	Horizontal	336	1.56	50.15	38.80	8.26	42.18
PK	16.5009G	51.11	68.20	-17.09	6.10	3	Horizontal	129	1.61	45.01	37.99	11.12	43.01

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4318G	48.80	54.00	-5.20	-5.57	3	Vertical	39	1.69	54.37	33.26	5.28	44.11
AV	5.5812G	107.46	Inf	-Inf	-5.31	3	Vertical	39	1.69	112.77	33.44	5.38	44.13
PK	5.4594G	62.58	74.00	-11.42	-5.50	3	Vertical	39	1.69	68.08	33.32	5.30	44.12
PK	5.4696G	66.85	68.20	-1.35	-5.47	3	Vertical	39	1.69	72.32	33.34	5.31	44.12
PK	5.5824G	119.73	Inf	-Inf	-5.31	3	Vertical	39	1.69	125.04	33.44	5.38	44.13
PK	5.73G	61.22	68.20	-6.98	-4.59	3	Vertical	39	1.69	65.81	34.10	5.46	44.15

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4342G	45.03	54.00	-8.97	-5.56	3	Horizontal	0	1.50	50.59	33.27	5.28	44.11
AV	5.5788G	110.67	Inf	-Inf	-5.31	3	Horizontal	0	1.50	115.98	33.44	5.38	44.13
PK	5.4582G	62.51	74.00	-11.49	-5.49	3	Horizontal	0	1.50	68.00	33.32	5.30	44.11
PK	5.4684G	60.91	68.20	-7.29	-5.48	3	Horizontal	0	1.50	66.39	33.34	5.30	44.12
PK	5.5788G	122.99	Inf	-Inf	-5.31	3	Horizontal	0	1.50	128.30	33.44	5.38	44.13
PK	5.7252G	59.86	68.20	-8.34	-4.64	3	Horizontal	0	1.50	64.50	34.05	5.46	44.15



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15568G	40.97	54.00	-13.03	5.12	3	Vertical	222	2.14	35.85	38.91	8.31	42.10
PK	11.15622G	52.97	74.00	-21.03	5.12	3	Vertical	222	2.14	47.85	38.91	8.31	42.10
PK	16.73484G	51.15	68.20	-17.05	5.77	3	Vertical	28	2.53	45.38	37.83	11.03	43.09

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15994G	50.34	54.00	-3.66	5.13	3	Horizontal	208	1.66	45.21	38.92	8.31	42.10
PK	11.15976G	56.44	74.00	-17.56	5.13	3	Horizontal	208	1.66	51.31	38.92	8.31	42.10
PK	16.73412G	51.22	68.20	-16.98	5.77	3	Horizontal	46	1.08	45.45	37.83	11.03	43.09



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.704G	104.72	Inf	-Inf	-4.85	3	Vertical	200	1.68	109.57	33.84	5.45	44.14
PK	5.7052G	115.96	Inf	-Inf	-4.84	3	Vertical	200	1.68	120.80	33.85	5.45	44.14
PK	5.7256G	60.04	68.20	-8.16	-4.63	3	Vertical	200	1.68	64.67	34.06	5.46	44.15

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6988G	103.09	Inf	-Inf	-4.91	3	Horizontal	360	1.21	108.00	33.79	5.44	44.14
PK	5.6988G	115.36	Inf	-Inf	-4.91	3	Horizontal	360	1.21	120.27	33.79	5.44	44.14
PK	5.7252G	66.53	68.20	-1.67	-4.64	3	Horizontal	360	1.21	71.17	34.05	5.46	44.15



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39994G	45.08	54.00	-8.92	5.82	3	Vertical	191	2.10	39.26	39.40	8.39	41.97
PK	11.40006G	53.90	74.00	-20.10	5.82	3	Vertical	191	2.10	48.08	39.40	8.39	41.97
PK	17.0919G	51.20	68.20	-17.00	5.23	3	Vertical	4	2.42	45.97	37.52	10.88	43.17

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39995G	52.36	54.00	-1.64	5.82	3	Horizontal	333	2.91	46.54	39.40	8.39	41.97
PK	11.39983G	57.09	74.00	-16.91	5.82	3	Horizontal	333	2.91	51.27	39.40	8.39	41.97
PK	17.09034G	50.13	68.20	-18.07	5.23	3	Horizontal	128	2.60	44.90	37.52	10.88	43.17

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.42G	46.93	54.00	-7.07	-5.60	3	Vertical	196	1.60	52.53	33.24	5.27	44.11
AV	5.7236G	113.72	Inf	-Inf	-4.65	3	Vertical	196	1.60	118.37	34.04	5.46	44.15
PK	5.42G	59.47	74.00	-14.53	-5.60	3	Vertical	196	1.60	65.07	33.24	5.27	44.11
PK	5.462G	56.89	68.20	-11.31	-5.50	3	Vertical	196	1.60	62.39	33.32	5.30	44.12
PK	5.7248G	125.42	Inf	-Inf	-4.64	3	Vertical	196	1.60	130.06	34.05	5.46	44.15
PK	5.8724G	59.94	68.20	-8.26	-4.14	3	Vertical	196	1.60	64.08	34.49	5.53	44.16

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.42G	47.54	54.00	-6.46	-5.60	3	Horizontal	0	1.50	53.14	33.24	5.27	44.11
AV	5.7188G	111.94	Inf	-Inf	-4.70	3	Horizontal	0	1.50	116.64	33.99	5.46	44.15
PK	5.42G	59.38	74.00	-14.62	-5.60	3	Horizontal	0	1.50	64.98	33.24	5.27	44.11
PK	5.4608G	56.84	68.20	-11.36	-5.50	3	Horizontal	0	1.50	62.34	33.32	5.30	44.12
PK	5.726G	123.37	Inf	-Inf	-4.63	3	Horizontal	0	1.50	128.00	34.06	5.46	44.15
PK	5.8508G	60.86	68.20	-7.34	-4.24	3	Horizontal	0	1.50	65.10	34.40	5.52	44.16



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43382G	39.52	54.00	-14.48	5.65	3	Vertical	181	2.61	33.87	39.20	8.40	41.95
PK	11.4355G	52.01	74.00	-21.99	5.64	3	Vertical	181	2.61	46.37	39.19	8.40	41.95
PK	17.15742G	50.62	68.20	-17.58	5.20	3	Vertical	102	2.07	45.42	37.50	10.85	43.15

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43988G	47.58	54.00	-6.42	5.61	3	Horizontal	345	2.00	41.97	39.16	8.40	41.95
PK	11.43994G	55.99	74.00	-18.01	5.61	3	Horizontal	345	2.00	50.38	39.16	8.40	41.95
PK	17.1606G	50.92	68.20	-17.28	5.20	3	Horizontal	297	2.16	45.72	37.50	10.85	43.15



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.445G	46.68	54.00	-7.32	-5.53	3	Vertical	197	1.50	52.21	33.29	5.29	44.11
AV	5.7498G	111.72	Inf	-Inf	-4.38	3	Vertical	197	1.50	116.10	34.30	5.47	44.15
PK	5.6502G	66.77	68.35	-1.58	-5.22	3	Vertical	197	1.50	71.99	33.50	5.42	44.14
PK	5.7498G	124.76	Inf	-Inf	-4.38	3	Vertical	197	1.50	129.14	34.30	5.47	44.15
PK	5.9718G	58.52	68.20	-9.68	-4.02	3	Vertical	197	1.50	62.54	34.60	5.56	44.18

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.445G	46.92	54.00	-7.08	-5.53	3	Horizontal	360	1.23	52.45	33.29	5.29	44.11
AV	5.7438G	110.66	Inf	-Inf	-4.44	3	Horizontal	360	1.23	115.10	34.24	5.47	44.15
PK	5.6502G	64.72	68.35	-3.63	-5.22	3	Horizontal	360	1.23	69.94	33.50	5.42	44.14
PK	5.7438G	122.98	Inf	-Inf	-4.44	3	Horizontal	360	1.23	127.42	34.24	5.47	44.15
PK	5.9718G	58.95	68.20	-9.25	-4.02	3	Horizontal	360	1.23	62.97	34.60	5.56	44.18



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48364G	39.02	54.00	-14.98	5.58	3	Vertical	110	2.70	33.44	39.10	8.41	41.93
PK	11.48484G	51.68	74.00	-22.32	5.58	3	Vertical	110	2.70	46.10	39.10	8.41	41.93
PK	17.22084G	51.84	68.20	-16.36	5.22	3	Vertical	285	2.07	46.62	37.54	10.82	43.14

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48994G	46.22	54.00	-7.78	5.58	3	Horizontal	279	2.67	40.64	39.10	8.41	41.93
PK	11.48994G	54.92	74.00	-19.08	5.58	3	Horizontal	279	2.67	49.34	39.10	8.41	41.93
PK	17.2245G	52.48	68.20	-15.72	5.23	3	Horizontal	258	1.48	47.25	37.55	10.82	43.14



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7886G	113.07	Inf	-Inf	-4.21	3	Vertical	195	1.55	117.28	34.45	5.49	44.15
PK	5.6398G	66.97	68.20	-1.23	-5.25	3	Vertical	195	1.55	72.22	33.48	5.41	44.14
PK	5.7898G	124.82	Inf	-Inf	-4.20	3	Vertical	195	1.55	129.02	34.46	5.49	44.15
PK	5.9506G	58.93	68.20	-9.27	-4.02	3	Vertical	195	1.55	62.95	34.60	5.55	44.17

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	112.16	Inf	-Inf	-4.22	3	Horizontal	360	1.47	116.38	34.44	5.49	44.15
PK	5.6458G	66.36	68.20	-1.84	-5.23	3	Horizontal	360	1.47	71.59	33.49	5.42	44.14
PK	5.7838G	124.44	Inf	-Inf	-4.22	3	Horizontal	360	1.47	128.66	34.44	5.49	44.15
PK	5.9398G	58.93	68.20	-9.27	-4.02	3	Horizontal	360	1.47	62.95	34.60	5.55	44.17



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57006G	37.91	54.00	-16.09	5.47	3	Vertical	194	2.18	32.44	38.98	8.44	41.95
PK	11.573G	50.47	74.00	-23.53	5.45	3	Vertical	194	2.18	45.02	38.96	8.44	41.95
PK	17.36292G	50.14	68.20	-18.06	5.39	3	Vertical	338	2.01	44.75	37.73	10.76	43.10

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57G	44.78	54.00	-9.22	5.47	3	Horizontal	48	2.97	39.31	38.98	8.44	41.95
PK	11.56994G	51.82	74.00	-22.18	5.47	3	Horizontal	48	2.97	46.35	38.98	8.44	41.95
PK	17.36298G	50.56	68.20	-17.64	5.39	3	Horizontal	149	2.52	45.17	37.73	10.76	43.10



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	109.13	Inf	-Inf	-4.20	3	Vertical	355	1.50	113.33	34.45	5.51	44.16
PK	5.5262G	65.52	68.20	-2.68	-5.33	3	Vertical	355	1.50	70.85	33.45	5.34	44.12
PK	5.8238G	122.02	Inf	-Inf	-4.20	3	Vertical	355	1.50	126.22	34.45	5.51	44.16
PK	5.9642G	53.81	68.20	-14.39	-4.02	3	Vertical	355	1.50	57.83	34.60	5.56	44.18

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.831G	109.53	Inf	-Inf	-4.21	3	Horizontal	360	1.23	113.74	34.44	5.51	44.16
PK	5.525G	59.39	68.20	-8.81	-5.33	3	Horizontal	360	1.23	64.72	33.45	5.34	44.12
PK	5.8298G	122.31	Inf	-Inf	-4.21	3	Horizontal	360	1.23	126.52	34.44	5.51	44.16
PK	5.9354G	55.98	68.20	-12.22	-4.02	3	Horizontal	360	1.23	60.00	34.60	5.55	44.17



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65516G	38.60	54.00	-15.40	5.19	3	Vertical	225	2.98	33.41	38.72	8.46	41.99
PK	11.65324G	50.28	74.00	-23.72	5.19	3	Vertical	225	2.98	45.09	38.71	8.46	41.98
PK	17.48616G	51.19	68.20	-17.01	5.61	3	Vertical	72	2.41	45.58	37.97	10.71	43.07

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64994G	46.35	54.00	-7.65	5.18	3	Horizontal	21	2.03	41.17	38.70	8.46	41.98
PK	11.65006G	54.57	74.00	-19.43	5.18	3	Horizontal	21	2.03	49.39	38.70	8.46	41.98
PK	17.47368G	51.53	68.20	-16.67	5.59	3	Horizontal	65	1.63	45.94	37.95	10.72	43.08



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.34	54.00	-2.66	-5.41	3	Vertical	360	1.62	56.75	33.50	5.17	44.08
AV	5.1752G	100.14	Inf	-Inf	-5.40	3	Vertical	360	1.62	105.54	33.50	5.18	44.08
PK	5.1496G	65.70	74.00	-8.30	-5.41	3	Vertical	360	1.62	71.11	33.50	5.17	44.08
PK	5.1948G	112.37	Inf	-Inf	-5.39	3	Vertical	360	1.62	117.76	33.50	5.19	44.08

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.75	54.00	-0.25	-5.41	3	Horizontal	353	1.50	59.16	33.50	5.17	44.08
AV	5.1804G	100.26	Inf	-Inf	-5.40	3	Horizontal	353	1.50	105.66	33.50	5.18	44.08
PK	5.1476G	68.87	74.00	-5.13	-5.41	3	Horizontal	353	1.50	74.28	33.50	5.17	44.08
PK	5.2008G	111.60	Inf	-Inf	-5.39	3	Horizontal	353	1.50	116.99	33.50	5.19	44.08



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57324G	39.50	54.00	-14.50	6.18	3	Vertical	0	2.71	33.32	38.35	10.88	43.05
PK	10.38G	51.24	68.20	-16.96	4.68	3	Vertical	23	1.66	46.56	38.70	8.08	42.10
PK	15.54708G	52.47	74.00	-21.53	6.12	3	Vertical	0	2.71	46.35	38.30	10.85	43.03

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57174G	40.06	54.00	-13.94	6.18	3	Horizontal	346	2.51	33.88	38.34	10.88	43.04
PK	10.38012G	55.28	68.20	-12.92	4.68	3	Horizontal	351	1.50	50.60	38.70	8.08	42.10
PK	15.58074G	52.46	74.00	-21.54	6.20	3	Horizontal	346	2.51	46.26	38.36	10.89	43.05



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.53	54.00	-0.47	-5.41	3	Vertical	178	1.50	58.94	33.50	5.17	44.08
AV	5.2316G	106.83	Inf	-Inf	-5.39	3	Vertical	178	1.50	112.22	33.50	5.20	44.09
PK	5.15G	67.80	74.00	-6.20	-5.41	3	Vertical	178	1.50	73.21	33.50	5.17	44.08
PK	5.2308G	119.57	Inf	-Inf	-5.39	3	Vertical	178	1.50	124.96	33.50	5.20	44.09

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	50.00	54.00	-4.00	-5.41	3	Horizontal	354	1.90	55.41	33.50	5.17	44.08
AV	5.242G	105.40	Inf	-Inf	-5.39	3	Horizontal	354	1.90	110.79	33.50	5.20	44.09
PK	5.1468G	65.97	74.00	-8.03	-5.41	3	Horizontal	354	1.90	71.38	33.50	5.17	44.08
PK	5.242G	117.77	Inf	-Inf	-5.39	3	Horizontal	354	1.90	123.16	33.50	5.20	44.09



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69468G	40.15	54.00	-13.85	6.10	3	Vertical	341	1.25	34.05	38.19	11.01	43.10
PK	10.46552G	56.47	68.20	-11.73	4.70	3	Vertical	32	2.95	51.77	38.63	8.10	42.03
PK	15.67392G	53.85	74.00	-20.15	6.04	3	Vertical	341	1.25	47.81	38.15	10.98	43.09

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.70446G	39.95	54.00	-14.05	6.11	3	Horizontal	32	2.56	33.84	38.20	11.02	43.11
PK	10.46018G	57.86	68.20	-10.34	4.68	3	Horizontal	349	1.60	53.18	38.62	8.10	42.04
PK	15.70038G	51.82	74.00	-22.18	6.10	3	Horizontal	32	2.56	45.72	38.20	11.01	43.11



5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2712G	107.13	Inf	-Inf	-5.46	3	Vertical	177	1.49	112.59	33.42	5.21	44.09
AV	5.3516G	50.74	54.00	-3.26	-5.56	3	Vertical	177	1.49	56.30	33.30	5.24	44.10
PK	5.272G	119.57	Inf	-Inf	-5.46	3	Vertical	177	1.49	125.03	33.41	5.22	44.09
PK	5.3524G	69.47	74.00	-4.53	-5.56	3	Vertical	177	1.49	75.03	33.30	5.24	44.10

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2612G	105.56	Inf	-Inf	-5.42	3	Horizontal	353	1.59	110.98	33.46	5.21	44.09
AV	5.3548G	49.07	54.00	-4.93	-5.57	3	Horizontal	353	1.59	54.64	33.29	5.24	44.10
PK	5.2612G	118.98	Inf	-Inf	-5.42	3	Horizontal	353	1.59	124.40	33.46	5.21	44.09
PK	5.3552G	66.31	74.00	-7.69	-5.57	3	Horizontal	353	1.59	71.88	33.29	5.24	44.10



5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.79542G	39.22	54.00	-14.78	6.07	3	Vertical	217	1.35	33.15	38.11	11.11	43.15
PK	10.52638G	51.50	68.20	-16.70	4.85	3	Vertical	262	2.36	46.65	38.75	8.12	42.02
PK	15.8013G	52.31	74.00	-21.69	6.06	3	Vertical	217	1.35	46.25	38.09	11.12	43.15

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.79686G	39.45	54.00	-14.55	6.07	3	Horizontal	115	1.22	33.38	38.11	11.11	43.15
PK	10.53988G	58.30	68.20	-9.90	4.88	3	Horizontal	352	1.48	53.42	38.78	8.12	42.02
PK	15.80964G	51.98	74.00	-22.02	5.99	3	Horizontal	115	1.22	45.99	38.02	11.13	43.15



5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.316G	100.76	Inf	-Inf	-5.57	3	Vertical	189	1.57	106.33	33.30	5.23	44.10
AV	5.35G	53.27	54.00	-0.73	-5.56	3	Vertical	189	1.57	58.83	33.30	5.24	44.10
PK	5.3144G	112.88	Inf	-Inf	-5.57	3	Vertical	189	1.57	118.45	33.30	5.23	44.10
PK	5.35G	68.43	74.00	-5.57	-5.56	3	Vertical	189	1.57	73.99	33.30	5.24	44.10

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.306G	99.44	Inf	-Inf	-5.57	3	Horizontal	349	1.05	105.01	33.30	5.23	44.10
AV	5.3516G	53.44	54.00	-0.56	-5.56	3	Horizontal	349	1.05	59.00	33.30	5.24	44.10
PK	5.306G	111.80	Inf	-Inf	-5.57	3	Horizontal	349	1.05	117.37	33.30	5.23	44.10
PK	5.3536G	69.34	74.00	-4.66	-5.57	3	Horizontal	349	1.05	74.91	33.29	5.24	44.10



5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61994G	40.51	54.00	-13.49	5.14	3	Vertical	349	1.71	35.37	39.04	8.15	42.05
AV	15.92472G	38.89	54.00	-15.11	5.99	3	Vertical	14	1.91	32.90	37.95	11.25	43.21
PK	10.61994G	49.97	74.00	-24.03	5.14	3	Vertical	349	1.71	44.83	39.04	8.15	42.05
PK	15.94476G	51.80	74.00	-22.20	6.04	3	Vertical	14	1.91	45.76	37.99	11.27	43.22

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61994G	51.79	54.00	-2.21	5.14	3	Horizontal	349	3.00	46.65	39.04	8.15	42.05
AV	15.92664G	39.03	54.00	-14.97	5.99	3	Horizontal	157	1.92	33.04	37.95	11.25	43.21
PK	10.62018G	55.67	74.00	-18.33	5.14	3	Horizontal	349	3.00	50.53	39.04	8.15	42.05
PK	15.92382G	51.74	74.00	-22.26	5.99	3	Horizontal	157	1.92	45.75	37.95	11.25	43.21

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	42.94	54.00	-11.06	-5.50	3	Vertical	4	2.17	48.44	33.32	5.30	44.12
AV	5.5264G	100.26	Inf	-Inf	-5.33	3	Vertical	4	2.17	105.59	33.45	5.34	44.12
PK	5.458G	55.71	74.00	-18.29	-5.49	3	Vertical	4	2.17	61.20	33.32	5.30	44.11
PK	5.4652G	60.89	68.20	-7.31	-5.49	3	Vertical	4	2.17	66.38	33.33	5.30	44.12
PK	5.5272G	111.49	Inf	-Inf	-5.33	3	Vertical	4	2.17	116.82	33.45	5.34	44.12

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.89	54.00	-8.11	-5.50	3	Horizontal	360	1.41	51.39	33.32	5.30	44.12
AV	5.5084G	99.98	Inf	-Inf	-5.37	3	Horizontal	360	1.41	105.35	33.42	5.33	44.12
PK	5.4592G	60.45	74.00	-13.55	-5.50	3	Horizontal	360	1.41	65.95	33.32	5.30	44.12
PK	5.47G	66.67	68.20	-1.53	-5.47	3	Horizontal	360	1.41	72.14	33.34	5.31	44.12
PK	5.5092G	112.02	Inf	-Inf	-5.37	3	Horizontal	360	1.41	117.39	33.42	5.33	44.12



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01994G	43.37	54.00	-10.63	4.94	3	Vertical	204	1.50	38.43	38.84	8.27	42.17
PK	11.01989G	52.46	74.00	-21.54	4.94	3	Vertical	204	1.50	47.52	38.84	8.27	42.17
PK	16.53036G	51.83	68.20	-16.37	5.91	3	Vertical	27	1.02	45.92	37.82	11.11	43.02

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01994G	51.59	54.00	-2.41	4.94	3	Horizontal	357	1.50	46.65	38.84	8.27	42.17
PK	11.02004G	56.52	74.00	-17.48	4.94	3	Horizontal	357	1.50	51.58	38.84	8.27	42.17
PK	16.53612G	51.38	68.20	-16.82	5.87	3	Horizontal	86	1.82	45.51	37.78	11.11	43.02

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.452G	49.72	54.00	-4.28	-5.52	3	Vertical	0	2.40	55.24	33.30	5.29	44.11
AV	5.532G	108.42	Inf	-Inf	-5.31	3	Vertical	0	2.40	113.73	33.46	5.35	44.12
PK	5.4512G	65.09	74.00	-8.91	-5.52	3	Vertical	0	2.40	70.61	33.30	5.29	44.11
PK	5.4692G	67.54	68.20	-0.66	-5.48	3	Vertical	0	2.40	73.02	33.34	5.30	44.12
PK	5.532G	120.40	Inf	-Inf	-5.31	3	Vertical	0	2.40	125.71	33.46	5.35	44.12

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4552G	48.04	54.00	-5.96	-5.50	3	Horizontal	0	1.29	53.54	33.31	5.30	44.11
AV	5.5548G	105.56	Inf	-Inf	-5.28	3	Horizontal	0	1.29	110.84	33.49	5.36	44.13
PK	5.456G	62.59	74.00	-11.41	-5.50	3	Horizontal	0	1.29	68.09	33.31	5.30	44.11
PK	5.4636G	63.55	68.20	-4.65	-5.49	3	Horizontal	0	1.29	69.04	33.33	5.30	44.12
PK	5.554G	117.75	Inf	-Inf	-5.28	3	Horizontal	0	1.29	123.03	33.49	5.36	44.13



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1G	39.60	54.00	-14.40	5.07	3	Vertical	153	1.13	34.53	38.90	8.30	42.13
PK	11.09226G	51.84	74.00	-22.16	5.06	3	Vertical	153	1.13	46.78	38.90	8.29	42.13
PK	16.66086G	50.64	68.20	-17.56	5.81	3	Vertical	256	2.94	44.83	37.82	11.06	43.07

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09998G	51.10	54.00	-2.90	5.07	3	Horizontal	356	1.62	46.03	38.90	8.30	42.13
PK	11.10014G	57.51	74.00	-16.49	5.07	3	Horizontal	356	1.62	52.44	38.90	8.30	42.13
PK	16.6572G	51.44	68.20	-16.76	5.80	3	Horizontal	288	2.19	45.64	37.81	11.06	43.07



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6544G	102.87	Inf	-Inf	-5.19	3	Vertical	196	1.64	108.06	33.53	5.42	44.14
PK	5.6544G	115.13	Inf	-Inf	-5.19	3	Vertical	196	1.64	120.32	33.53	5.42	44.14
PK	5.7336G	58.66	68.20	-9.54	-4.55	3	Vertical	196	1.64	63.21	34.14	5.46	44.15

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6682G	100.92	Inf	-Inf	-5.10	3	Horizontal	355	1.22	106.02	33.61	5.43	44.14
PK	5.6676G	113.64	Inf	-Inf	-5.10	3	Horizontal	355	1.22	118.74	33.61	5.43	44.14
PK	5.7252G	65.57	68.20	-2.63	-4.64	3	Horizontal	355	1.22	70.21	34.05	5.46	44.15



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33988G	39.42	54.00	-14.58	5.67	3	Vertical	333	2.26	33.75	39.30	8.37	42.00
PK	11.33286G	51.05	74.00	-22.95	5.66	3	Vertical	333	2.26	45.39	39.30	8.37	42.01
PK	17.00238G	49.81	68.20	-18.39	5.03	3	Vertical	203	2.93	44.78	37.31	10.91	43.19

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33994G	51.88	54.00	-2.12	5.67	3	Horizontal	333	3.00	46.21	39.30	8.37	42.00
PK	11.33994G	56.42	74.00	-17.58	5.67	3	Horizontal	333	3.00	50.75	39.30	8.37	42.00
PK	17.01528G	50.35	68.20	-17.85	5.11	3	Horizontal	347	2.62	45.24	37.39	10.91	43.19



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.41G	46.10	54.00	-7.90	-5.62	3	Vertical	195	1.65	51.72	33.22	5.27	44.11
AV	5.7148G	105.95	Inf	-Inf	-4.75	3	Vertical	195	1.65	110.70	33.95	5.45	44.15
PK	5.41G	57.90	74.00	-16.10	-5.62	3	Vertical	195	1.65	63.52	33.22	5.27	44.11
PK	5.4616G	53.98	68.20	-14.22	-5.50	3	Vertical	195	1.65	59.48	33.32	5.30	44.12
PK	5.7124G	117.74	Inf	-Inf	-4.78	3	Vertical	195	1.65	122.52	33.92	5.45	44.15
PK	5.866G	57.02	68.20	-11.18	-4.18	3	Vertical	195	1.65	61.20	34.46	5.52	44.16

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4208G	48.13	54.00	-5.87	-5.60	3	Horizontal	0	1.37	53.73	33.24	5.27	44.11
AV	5.728G	106.93	Inf	-Inf	-4.61	3	Horizontal	0	1.37	111.54	34.08	5.46	44.15
PK	5.4148G	60.26	74.00	-13.74	-5.61	3	Horizontal	0	1.37	65.87	33.23	5.27	44.11
PK	5.4652G	57.07	68.20	-11.13	-5.49	3	Horizontal	0	1.37	62.56	33.33	5.30	44.12
PK	5.7088G	119.65	Inf	-Inf	-4.81	3	Horizontal	0	1.37	124.46	33.89	5.45	44.15
PK	5.8504G	60.87	68.20	-7.33	-4.24	3	Horizontal	0	1.37	65.11	34.40	5.52	44.16



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42G	40.64	54.00	-13.36	5.71	3	Vertical	289	1.60	34.93	39.28	8.39	41.96
PK	11.4131G	53.11	74.00	-20.89	5.74	3	Vertical	289	1.60	47.37	39.32	8.39	41.97
PK	17.13342G	50.61	68.20	-17.59	5.20	3	Vertical	134	1.38	45.41	37.50	10.86	43.16

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41994G	52.17	54.00	-1.83	5.71	3	Horizontal	333	3.00	46.46	39.28	8.39	41.96
PK	11.42G	56.79	74.00	-17.21	5.71	3	Horizontal	333	3.00	51.08	39.28	8.39	41.96
PK	17.1183G	51.23	68.20	-16.97	5.21	3	Horizontal	317	2.28	46.02	37.50	10.87	43.16



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	46.28	54.00	-7.72	-5.50	3	Vertical	195	1.68	51.78	33.31	5.30	44.11
AV	5.7394G	107.25	Inf	-Inf	-4.49	3	Vertical	195	1.68	111.74	34.19	5.47	44.15
PK	5.6386G	66.25	68.20	-1.95	-5.25	3	Vertical	195	1.68	71.50	33.48	5.41	44.14
PK	5.7406G	119.61	Inf	-Inf	-4.47	3	Vertical	195	1.68	124.08	34.21	5.47	44.15
PK	6.0022G	59.05	68.20	-9.15	-4.02	3	Vertical	195	1.68	63.07	34.59	5.57	44.18

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	47.98	54.00	-6.02	-5.50	3	Horizontal	360	1.23	53.48	33.32	5.30	44.12
AV	5.7538G	106.56	Inf	-Inf	-4.36	3	Horizontal	360	1.23	110.92	34.32	5.47	44.15
PK	5.6386G	66.67	68.20	-1.53	-5.25	3	Horizontal	360	1.23	71.92	33.48	5.41	44.14
PK	5.7538G	119.69	Inf	-Inf	-4.36	3	Horizontal	360	1.23	124.05	34.32	5.47	44.15
PK	5.9818G	58.47	68.20	-9.73	-4.02	3	Horizontal	360	1.23	62.49	34.60	5.56	44.18



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50988G	39.39	54.00	-14.61	5.60	3	Vertical	126	3.00	33.79	39.10	8.42	41.92
PK	11.50394G	51.25	74.00	-22.75	5.60	3	Vertical	126	3.00	45.65	39.10	8.42	41.92
PK	17.25966G	50.35	68.20	-17.85	5.30	3	Vertical	305	2.18	45.05	37.62	10.81	43.13

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50994G	50.72	54.00	-3.28	5.60	3	Horizontal	334	3.00	45.12	39.10	8.42	41.92
PK	11.51G	56.34	74.00	-17.66	5.60	3	Horizontal	334	3.00	50.74	39.10	8.42	41.92
PK	17.25246G	50.25	68.20	-17.95	5.28	3	Horizontal	81	2.13	44.97	37.60	10.81	43.13



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.777G	107.07	Inf	-Inf	-4.25	3	Vertical	360	3.00	111.32	34.41	5.49	44.15
PK	5.6522G	68.68	69.83	-1.15	-5.21	3	Vertical	360	3.00	73.89	33.51	5.42	44.14
PK	5.7782G	120.06	Inf	-Inf	-4.25	3	Vertical	360	3.00	124.31	34.41	5.49	44.15
PK	6.0302G	54.40	68.20	-13.80	-4.11	3	Vertical	360	3.00	58.51	34.48	5.59	44.18

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7806G	106.40	Inf	-Inf	-4.24	3	Horizontal	360	1.31	110.64	34.42	5.49	44.15
PK	5.6498G	65.65	68.20	-2.55	-5.22	3	Horizontal	360	1.31	70.87	33.50	5.42	44.14
PK	5.7998G	119.42	Inf	-Inf	-4.16	3	Horizontal	360	1.31	123.58	34.50	5.50	44.16
PK	5.9246G	56.93	68.50	-11.57	-4.03	3	Horizontal	360	1.31	60.96	34.60	5.54	44.17



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58994G	38.57	54.00	-15.43	5.34	3	Vertical	176	2.37	33.23	38.86	8.44	41.96
PK	11.57692G	50.78	74.00	-23.22	5.43	3	Vertical	176	2.37	45.35	38.94	8.44	41.95
PK	17.37132G	50.35	68.20	-17.85	5.40	3	Vertical	337	2.67	44.95	37.74	10.76	43.10

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58994G	51.34	54.00	-2.66	5.34	3	Horizontal	337	1.82	46.00	38.86	8.44	41.96
PK	11.59G	56.55	74.00	-17.45	5.34	3	Horizontal	337	1.82	51.21	38.86	8.44	41.96
PK	17.37564G	50.10	68.20	-18.10	5.41	3	Horizontal	261	1.51	44.69	37.75	10.76	43.10



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.137G	47.94	54.00	-6.06	-5.42	3	Vertical	190	2.56	53.36	33.50	5.16	44.08
AV	5.177G	95.88	Inf	-Inf	-5.40	3	Vertical	190	2.56	101.28	33.50	5.18	44.08
AV	5.35G	41.92	54.00	-12.08	-5.56	3	Vertical	190	2.56	47.48	33.30	5.24	44.10
PK	5.138G	64.39	74.00	-9.61	-5.42	3	Vertical	190	2.56	69.81	33.50	5.16	44.08
PK	5.216G	107.69	Inf	-Inf	-5.39	3	Vertical	190	2.56	113.08	33.50	5.20	44.09
PK	5.358G	54.02	74.00	-19.98	-5.57	3	Vertical	190	2.56	59.59	33.28	5.25	44.10

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	52.62	54.00	-1.38	-5.41	3	Horizontal	354	1.50	58.03	33.50	5.17	44.08
AV	5.18G	96.37	Inf	-Inf	-5.40	3	Horizontal	354	1.50	101.77	33.50	5.18	44.08
AV	5.362G	42.13	54.00	-11.87	-5.57	3	Horizontal	354	1.50	47.70	33.28	5.25	44.10
PK	5.149G	65.32	74.00	-8.68	-5.41	3	Horizontal	354	1.50	70.73	33.50	5.17	44.08
PK	5.181G	108.71	Inf	-Inf	-5.40	3	Horizontal	354	1.50	114.11	33.50	5.18	44.08
PK	5.368G	54.62	74.00	-19.38	-5.59	3	Horizontal	354	1.50	60.21	33.26	5.25	44.10



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6219G	39.34	54.00	-14.66	6.13	3	Vertical	3	1.04	33.21	38.27	10.93	43.07
PK	10.4203G	50.10	68.20	-18.10	4.68	3	Vertical	169	2.72	45.42	38.66	8.09	42.07
PK	15.6234G	51.05	74.00	-22.95	6.12	3	Vertical	3	1.04	44.93	38.26	10.93	43.07

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.621G	39.45	54.00	-14.55	6.13	3	Horizontal	320	2.30	33.32	38.27	10.93	43.07
PK	10.41994G	54.38	68.20	-13.82	4.68	3	Horizontal	348	1.50	49.70	38.66	8.09	42.07
PK	15.63894G	51.87	74.00	-22.13	6.04	3	Horizontal	320	2.30	45.83	38.17	10.95	43.08



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.137G	41.97	54.00	-12.03	-5.42	3	Vertical	189	1.62	47.39	33.50	5.16	44.08
AV	5.296G	97.03	Inf	-Inf	-5.56	3	Vertical	189	1.62	102.59	33.32	5.22	44.10
AV	5.356G	52.75	54.00	-1.25	-5.57	3	Vertical	189	1.62	58.32	33.29	5.24	44.10
PK	5.097G	54.14	74.00	-19.86	-5.43	3	Vertical	189	1.62	59.57	33.50	5.14	44.07
PK	5.275G	108.90	Inf	-Inf	-5.47	3	Vertical	189	1.62	114.37	33.40	5.22	44.09
PK	5.35G	66.27	74.00	-7.73	-5.56	3	Vertical	189	1.62	71.83	33.30	5.24	44.10
PK	5.538G	54.23	68.20	-13.97	-5.29	3	Vertical	189	1.62	59.52	33.48	5.35	44.12

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.131G	41.34	54.00	-12.66	-5.42	3	Horizontal	360	2.27	46.76	33.50	5.16	44.08
AV	5.303G	95.85	Inf	-Inf	-5.57	3	Horizontal	360	2.27	101.42	33.30	5.23	44.10
AV	5.35G	50.38	54.00	-3.62	-5.56	3	Horizontal	360	2.27	55.94	33.30	5.24	44.10
PK	5.096G	54.11	74.00	-19.89	-5.43	3	Horizontal	360	2.27	59.54	33.50	5.14	44.07
PK	5.283G	107.68	Inf	-Inf	-5.50	3	Horizontal	360	2.27	113.18	33.37	5.22	44.09
PK	5.35G	63.44	74.00	-10.56	-5.56	3	Horizontal	360	2.27	69.00	33.30	5.24	44.10
PK	5.525G	54.35	68.20	-13.85	-5.33	3	Horizontal	360	2.27	59.68	33.45	5.34	44.12



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87984G	39.10	54.00	-14.90	5.83	3	Vertical	94	1.61	33.27	37.82	11.20	43.19
PK	10.54496G	49.90	68.20	-18.30	4.89	3	Vertical	157	2.88	45.01	38.79	8.13	42.03
PK	15.86616G	51.23	74.00	-22.77	5.76	3	Vertical	94	1.61	45.47	37.76	11.19	43.19

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87996G	39.16	54.00	-14.84	5.83	3	Horizontal	62	1.62	33.33	37.82	11.20	43.19
PK	10.57976G	55.39	68.20	-12.81	5.02	3	Horizontal	349	1.50	50.37	38.92	8.14	42.04
PK	15.87138G	51.60	74.00	-22.40	5.79	3	Horizontal	62	1.62	45.81	37.79	11.19	43.19



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	41.37	54.00	-12.63	-5.56	3	Vertical	3	2.53	46.93	33.30	5.24	44.10
AV	5.458G	47.41	54.00	-6.59	-5.49	3	Vertical	3	2.53	52.90	33.32	5.30	44.11
AV	5.527G	96.27	Inf	-Inf	-5.33	3	Vertical	3	2.53	101.60	33.45	5.34	44.12
PK	5.301G	53.69	68.20	-14.51	-5.57	3	Vertical	3	2.53	59.26	33.30	5.23	44.10
PK	5.458G	60.46	74.00	-13.54	-5.49	3	Vertical	3	2.53	65.95	33.32	5.30	44.11
PK	5.467G	63.38	68.20	-4.82	-5.49	3	Vertical	3	2.53	68.87	33.33	5.30	44.12
PK	5.549G	108.21	Inf	-Inf	-5.27	3	Vertical	3	2.53	113.48	33.50	5.36	44.13
PK	5.745G	54.33	68.20	-13.87	-4.43	3	Vertical	3	2.53	58.76	34.25	5.47	44.15

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	41.67	54.00	-12.33	-5.56	3	Horizontal	360	1.53	47.23	33.30	5.24	44.10
AV	5.457G	52.74	54.00	-1.26	-5.50	3	Horizontal	360	1.53	58.24	33.31	5.30	44.11
AV	5.549G	98.01	Inf	-Inf	-5.27	3	Horizontal	360	1.53	103.28	33.50	5.36	44.13
PK	5.304G	54.76	68.20	-13.44	-5.57	3	Horizontal	360	1.53	60.33	33.30	5.23	44.10
PK	5.459G	66.54	74.00	-7.46	-5.50	3	Horizontal	360	1.53	72.04	33.32	5.30	44.12
PK	5.469G	67.10	68.20	-1.10	-5.48	3	Horizontal	360	1.53	72.58	33.34	5.30	44.12
PK	5.568G	109.49	Inf	-Inf	-5.30	3	Horizontal	360	1.53	114.79	33.46	5.37	44.13
PK	5.77G	56.29	68.20	-11.91	-4.29	3	Horizontal	360	1.53	60.58	34.38	5.48	44.15



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06G	37.97	54.00	-16.03	5.03	3	Vertical	3	1.65	32.94	38.90	8.28	42.15
PK	11.04872G	50.88	74.00	-23.12	5.03	3	Vertical	3	1.65	45.85	38.90	8.28	42.15
PK	16.59252G	51.13	68.20	-17.07	5.57	3	Vertical	16	1.39	45.56	37.53	11.08	43.04

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05994G	53.63	54.00	-0.37	5.03	3	Horizontal	357	1.55	48.60	38.90	8.28	42.15
PK	11.05994G	58.02	74.00	-15.98	5.03	3	Horizontal	357	1.55	52.99	38.90	8.28	42.15
PK	16.57764G	51.15	68.20	-17.05	5.64	3	Horizontal	69	1.85	45.51	37.59	11.09	43.04



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.00	54.00	-8.00	-5.50	3	Vertical	40	1.66	51.50	33.32	5.30	44.12
AV	5.572G	102.90	Inf	-Inf	-5.30	3	Vertical	40	1.66	108.20	33.46	5.37	44.13
PK	5.426G	58.07	74.00	-15.93	-5.58	3	Vertical	40	1.66	63.65	33.25	5.28	44.11
PK	5.466G	59.26	68.20	-8.94	-5.49	3	Vertical	40	1.66	64.75	33.33	5.30	44.12
PK	5.571G	115.03	Inf	-Inf	-5.30	3	Vertical	40	1.66	120.33	33.46	5.37	44.13
PK	5.726G	65.59	68.20	-2.61	-4.63	3	Vertical	40	1.66	70.22	34.06	5.46	44.15

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	43.94	54.00	-10.06	-5.50	3	Horizontal	0	1.48	49.44	33.31	5.30	44.11
AV	5.589G	102.06	Inf	-Inf	-5.33	3	Horizontal	0	1.48	107.39	33.42	5.38	44.13
PK	5.455G	57.59	74.00	-16.41	-5.50	3	Horizontal	0	1.48	63.09	33.31	5.30	44.11
PK	5.468G	57.22	68.20	-10.98	-5.48	3	Horizontal	0	1.48	62.70	33.34	5.30	44.12
PK	5.589G	113.99	Inf	-Inf	-5.33	3	Horizontal	0	1.48	119.32	33.42	5.38	44.13
PK	5.725G	66.61	68.20	-1.59	-4.64	3	Horizontal	0	1.48	71.25	34.05	5.46	44.15



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21994G	43.46	54.00	-10.54	5.30	3	Vertical	319	1.50	38.16	39.04	8.33	42.07
PK	11.22012G	53.91	74.00	-20.09	5.30	3	Vertical	319	1.50	48.61	39.04	8.33	42.07
PK	16.83864G	50.22	68.20	-17.98	5.37	3	Vertical	114	2.75	44.85	37.52	10.98	43.13

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21994G	50.88	54.00	-3.12	5.30	3	Horizontal	331	2.85	45.58	39.04	8.33	42.07
PK	11.21994G	54.86	74.00	-19.14	5.30	3	Horizontal	331	2.85	49.56	39.04	8.33	42.07
PK	16.83G	50.87	68.20	-17.33	5.40	3	Horizontal	264	1.41	45.47	37.54	10.99	43.13



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3912G	46.37	54.00	-7.63	-5.63	3	Vertical	195	1.52	52.00	33.22	5.26	44.11
AV	5.654G	104.35	Inf	-Inf	-5.20	3	Vertical	195	1.52	109.55	33.52	5.42	44.14
PK	5.4548G	60.26	74.00	-13.74	-5.50	3	Vertical	195	1.52	65.76	33.31	5.30	44.11
PK	5.468G	56.78	68.20	-11.42	-5.48	3	Vertical	195	1.52	62.26	33.34	5.30	44.12
PK	5.6948G	115.98	Inf	-Inf	-4.93	3	Vertical	195	1.52	120.91	33.77	5.44	44.14
PK	5.8556G	63.60	68.20	-4.60	-4.22	3	Vertical	195	1.52	67.82	34.42	5.52	44.16

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4488G	48.58	54.00	-5.42	-5.52	3	Horizontal	0	1.40	54.10	33.30	5.29	44.11
AV	5.6696G	103.50	Inf	-Inf	-5.09	3	Horizontal	0	1.40	108.59	33.62	5.43	44.14
PK	5.4296G	62.05	74.00	-11.95	-5.57	3	Horizontal	0	1.40	67.62	33.26	5.28	44.11
PK	5.4692G	63.69	68.20	-4.51	-5.48	3	Horizontal	0	1.40	69.17	33.34	5.30	44.12
PK	5.708G	115.96	Inf	-Inf	-4.81	3	Horizontal	0	1.40	120.77	33.88	5.45	44.14
PK	5.8508G	67.71	68.20	-0.49	-4.24	3	Horizontal	0	1.40	71.95	34.40	5.52	44.16



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37994G	45.07	54.00	-8.93	5.76	3	Vertical	320	1.68	39.31	39.36	8.38	41.98
PK	11.37988G	54.05	74.00	-19.95	5.76	3	Vertical	320	1.68	48.29	39.36	8.38	41.98
PK	17.05716G	49.91	68.20	-18.29	5.30	3	Vertical	274	2.14	44.61	37.59	10.89	43.18

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38G	51.86	54.00	-2.14	5.76	3	Horizontal	333	2.96	46.10	39.36	8.38	41.98
PK	11.37994G	56.18	74.00	-17.82	5.76	3	Horizontal	333	2.96	50.42	39.36	8.38	41.98
PK	17.06838G	50.41	68.20	-17.79	5.28	3	Horizontal	322	2.10	45.13	37.56	10.89	43.17



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7402G	104.79	Inf	-Inf	-4.48	3	Vertical	196	1.57	109.27	34.20	5.47	44.15
PK	5.6394G	67.66	68.20	-0.54	-5.25	3	Vertical	196	1.57	72.91	33.48	5.41	44.14
PK	5.7402G	117.06	Inf	-Inf	-4.48	3	Vertical	196	1.57	121.54	34.20	5.47	44.15
PK	6.045G	55.07	68.20	-13.13	-4.17	3	Vertical	196	1.57	59.24	34.42	5.59	44.18

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7738G	103.01	Inf	-Inf	-4.26	3	Horizontal	360	1.32	107.27	34.40	5.49	44.15
PK	5.6334G	66.10	68.20	-2.10	-5.26	3	Horizontal	360	1.32	71.36	33.47	5.41	44.14
PK	5.7534G	116.30	Inf	-Inf	-4.37	3	Horizontal	360	1.32	120.67	34.31	5.47	44.15
PK	5.9334G	55.47	68.20	-12.73	-4.02	3	Horizontal	360	1.32	59.49	34.60	5.55	44.17



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54996G	44.16	54.00	-9.84	5.59	3	Vertical	324	1.70	38.57	39.10	8.43	41.94
PK	11.55021G	53.68	74.00	-20.32	5.59	3	Vertical	324	1.70	48.09	39.10	8.43	41.94
PK	17.32691G	51.77	68.20	-16.43	5.37	3	Vertical	239	1.99	46.40	37.70	10.78	43.11

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54998G	48.86	54.00	-5.14	5.59	3	Horizontal	337	1.61	43.27	39.10	8.43	41.94
PK	11.54993G	55.32	74.00	-18.68	5.59	3	Horizontal	337	1.61	49.73	39.10	8.43	41.94
PK	17.32702G	51.85	68.20	-16.35	5.37	3	Horizontal	325	1.01	46.48	37.70	10.78	43.11



5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5250MHz Straddle 5.15-5.25GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.39	54.00	-3.61	-5.41	3	Vertical	180	1.56	55.80	33.50	5.17	44.08
AV	5.2728G	93.32	Inf	-Inf	-5.46	3	Vertical	180	1.56	98.78	33.41	5.22	44.09
AV	5.352G	52.56	54.00	-1.44	-5.56	3	Vertical	180	1.56	58.12	33.30	5.24	44.10
PK	5.1324G	64.73	74.00	-9.27	-5.42	3	Vertical	180	1.56	70.15	33.50	5.16	44.08
PK	5.3136G	105.82	Inf	-Inf	-5.57	3	Vertical	180	1.56	111.39	33.30	5.23	44.10
PK	5.3736G	65.92	74.00	-8.08	-5.60	3	Vertical	180	1.56	71.52	33.25	5.25	44.10
PK	5.4972G	59.79	68.20	-8.41	-5.41	3	Vertical	180	1.56	65.20	33.39	5.32	44.12

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1408G	50.60	54.00	-3.40	-5.42	3	Horizontal	349	1.51	56.02	33.50	5.16	44.08
AV	5.3088G	92.54	Inf	-Inf	-5.57	3	Horizontal	349	1.51	98.11	33.30	5.23	44.10
AV	5.35G	53.73	54.00	-0.27	-5.56	3	Horizontal	349	1.51	59.29	33.30	5.24	44.10
PK	5.1276G	65.49	74.00	-8.51	-5.42	3	Horizontal	349	1.51	70.91	33.50	5.16	44.08
PK	5.1816G	106.07	Inf	-Inf	-5.40	3	Horizontal	349	1.51	111.47	33.50	5.18	44.08
PK	5.4084G	67.70	74.00	-6.30	-5.62	3	Horizontal	349	1.51	73.32	33.22	5.27	44.11
PK	5.4624G	60.09	68.20	-8.11	-5.50	3	Horizontal	349	1.51	65.59	33.32	5.30	44.12



5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5250MHz Straddle 5.15-5.25GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7476G	38.65	54.00	-15.35	6.13	3	Vertical	152	1.58	32.52	38.20	11.06	43.13
PK	10.49986G	51.16	68.20	-17.04	4.80	3	Vertical	346	1.49	46.36	38.70	8.11	42.01
PK	15.71G	51.58	74.00	-22.42	6.11	3	Vertical	152	1.58	45.47	38.20	11.02	43.11

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7524G	38.70	54.00	-15.30	6.14	3	Horizontal	248	2.31	32.56	38.20	11.07	43.13
PK	10.49982G	55.01	68.20	-13.19	4.80	3	Horizontal	356	1.50	50.21	38.70	8.11	42.01
PK	15.76888G	51.48	74.00	-22.52	6.11	3	Horizontal	248	2.31	45.37	38.16	11.09	43.14



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45G	49.45	54.00	-4.55	-5.52	3	Vertical	0	1.49	54.97	33.30	5.29	44.11
AV	5.51G	93.98	Inf	-Inf	-5.37	3	Vertical	0	1.49	99.35	33.42	5.33	44.12
PK	5.3276G	56.96	68.20	-11.24	-5.57	3	Vertical	0	1.49	62.53	33.30	5.23	44.10
PK	5.4512G	63.63	74.00	-10.37	-5.52	3	Vertical	0	1.49	69.15	33.30	5.29	44.11
PK	5.4692G	63.73	68.20	-4.47	-5.48	3	Vertical	0	1.49	69.21	33.34	5.30	44.12
PK	5.5088G	106.38	Inf	-Inf	-5.37	3	Vertical	0	1.49	111.75	33.42	5.33	44.12
PK	5.7308G	64.21	68.20	-3.99	-4.58	3	Vertical	0	1.49	68.79	34.11	5.46	44.15

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4488G	48.81	54.00	-5.19	-5.52	3	Horizontal	352	1.37	54.33	33.30	5.29	44.11
AV	5.528G	93.62	Inf	-Inf	-5.32	3	Horizontal	352	1.37	98.94	33.46	5.34	44.12
PK	5.3G	56.57	68.20	-11.63	-5.58	3	Horizontal	352	1.37	62.15	33.30	5.22	44.10
PK	5.4476G	65.19	74.00	-8.81	-5.52	3	Horizontal	352	1.37	70.71	33.30	5.29	44.11
PK	5.4692G	64.26	68.20	-3.94	-5.48	3	Horizontal	352	1.37	69.74	33.34	5.30	44.12
PK	5.5292G	106.61	Inf	-Inf	-5.32	3	Horizontal	352	1.37	111.93	33.46	5.34	44.12
PK	5.7284G	67.55	68.20	-0.65	-4.61	3	Horizontal	352	1.37	72.16	34.08	5.46	44.15



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14G	40.72	54.00	-13.28	5.10	3	Vertical	41	2.19	35.62	38.90	8.31	42.11
PK	11.13992G	51.36	74.00	-22.64	5.10	3	Vertical	41	2.19	46.26	38.90	8.31	42.11
PK	16.69032G	51.58	68.20	-16.62	5.84	3	Vertical	307	2.38	45.74	37.88	11.04	43.08

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.13998G	50.98	54.00	-3.02	5.10	3	Horizontal	0	1.50	45.88	38.90	8.31	42.11
PK	11.14014G	55.40	74.00	-18.60	5.10	3	Horizontal	0	1.50	50.30	38.90	8.31	42.11
PK	16.68584G	50.54	68.20	-17.66	5.84	3	Horizontal	111	2.26	44.70	37.87	11.05	43.08



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	PK	5.149G	73.86	74.00	-0.14	3	Horizontal	351	1.67
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.82	54.00	-0.18	3	Horizontal	347	1.75
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.15G	53.36	54.00	-0.64	3	Horizontal	346	1.51
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	PK	5.3518G	73.02	74.00	-0.98	3	Vertical	5	1.41
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	AV	10.62G	52.34	54.00	-1.66	3	Horizontal	355	1.50
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.35G	53.70	54.00	-0.30	3	Vertical	186	1.50
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	AV	5.35G	53.01	54.00	-0.99	3	Horizontal	355	1.13
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	PK	5.4692G	67.84	68.20	-0.36	3	Horizontal	346	1.59
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.47G	67.90	68.20	-0.30	3	Vertical	1	1.45
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.468G	67.83	68.20	-0.37	3	Vertical	0	1.49
802.11be EHT160-BF_Nss1,(MCS0)_4TX	Pass	PK	5.726G	67.42	68.20	-0.78	3	Horizontal	344	1.27
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.3544G	53.44	54.00	-0.56	3	Vertical	224	1.52
802.11be EHT40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.6494G	66.81	68.20	-1.39	3	Horizontal	355	1.54
802.11be EHT80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.646G	67.67	68.20	-0.53	3	Horizontal	356	1.31



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	46.69	54.00	-7.31	3	Vertical	44	1.50
5180MHz	Pass	AV	5.171G	107.17	Inf	-Inf	3	Vertical	44	1.50
5180MHz	Pass	AV	5.351G	41.42	54.00	-12.58	3	Vertical	44	1.50
5180MHz	Pass	PK	5.148G	69.21	74.00	-4.79	3	Vertical	44	1.50
5180MHz	Pass	PK	5.173G	118.46	Inf	-Inf	3	Vertical	44	1.50
5180MHz	Pass	PK	5.381G	54.42	74.00	-19.58	3	Vertical	44	1.50
5180MHz	Pass	AV	5.15G	49.80	54.00	-4.20	3	Horizontal	351	1.67
5180MHz	Pass	AV	5.189G	106.18	Inf	-Inf	3	Horizontal	351	1.67
5180MHz	Pass	AV	5.35G	41.16	54.00	-12.84	3	Horizontal	351	1.67
5180MHz	Pass	PK	5.149G	73.86	74.00	-0.14	3	Horizontal	351	1.67
5180MHz	Pass	PK	5.189G	117.00	Inf	-Inf	3	Horizontal	351	1.67
5180MHz	Pass	PK	5.398G	53.79	74.00	-20.21	3	Horizontal	351	1.67
5180MHz	Pass	AV	15.5431G	39.86	54.00	-14.14	3	Vertical	247	1.50
5180MHz	Pass	AV	20.71993G	44.51	54.00	-9.49	3	Vertical	171	1.97
5180MHz	Pass	PK	10.35998G	53.18	68.20	-15.02	3	Vertical	22	1.62
5180MHz	Pass	PK	15.5442G	53.47	74.00	-20.53	3	Vertical	247	1.50
5180MHz	Pass	PK	20.71986G	49.03	74.00	-24.97	3	Vertical	171	1.97
5180MHz	Pass	AV	15.54298G	40.09	54.00	-13.91	3	Horizontal	318	1.50
5180MHz	Pass	AV	20.71994G	52.46	54.00	-1.54	3	Horizontal	12	1.54
5180MHz	Pass	PK	10.3599G	56.16	68.20	-12.04	3	Horizontal	350	1.60
5180MHz	Pass	PK	15.54362G	53.26	74.00	-20.74	3	Horizontal	318	1.50
5180MHz	Pass	PK	20.7199G	54.65	74.00	-19.35	3	Horizontal	12	1.54
5200MHz	Pass	AV	5.042G	42.93	54.00	-11.07	3	Vertical	32	1.50
5200MHz	Pass	AV	5.208G	105.28	Inf	-Inf	3	Vertical	32	1.50
5200MHz	Pass	AV	5.359G	47.00	54.00	-7.00	3	Vertical	32	1.50
5200MHz	Pass	PK	5.148G	61.84	74.00	-12.16	3	Vertical	32	1.50
5200MHz	Pass	PK	5.208G	118.02	Inf	-Inf	3	Vertical	32	1.50
5200MHz	Pass	PK	5.36G	59.26	74.00	-14.74	3	Vertical	32	1.50
5200MHz	Pass	AV	5.15G	46.17	54.00	-7.83	3	Horizontal	351	1.56
5200MHz	Pass	AV	5.193G	107.48	Inf	-Inf	3	Horizontal	351	1.56
5200MHz	Pass	AV	5.359G	43.96	54.00	-10.04	3	Horizontal	351	1.56
5200MHz	Pass	PK	5.15G	63.98	74.00	-10.02	3	Horizontal	351	1.56
5200MHz	Pass	PK	5.196G	120.37	Inf	-Inf	3	Horizontal	351	1.56
5200MHz	Pass	PK	5.36G	56.68	74.00	-17.32	3	Horizontal	351	1.56
5200MHz	Pass	AV	15.6047G	40.06	54.00	-13.94	3	Vertical	341	1.50
5200MHz	Pass	AV	20.7999G	45.69	54.00	-8.31	3	Vertical	171	1.96
5200MHz	Pass	PK	10.40008G	54.59	68.20	-13.61	3	Vertical	21	1.66
5200MHz	Pass	PK	15.59782G	53.03	74.00	-20.97	3	Vertical	341	1.50
5200MHz	Pass	PK	20.79994G	50.87	74.00	-23.13	3	Vertical	171	1.96
5200MHz	Pass	AV	15.59774G	41.57	54.00	-12.43	3	Horizontal	17	2.21
5200MHz	Pass	AV	20.79991G	52.88	54.00	-1.12	3	Horizontal	16	1.86
5200MHz	Pass	PK	10.4001G	57.21	68.20	-10.99	3	Horizontal	353	1.49
5200MHz	Pass	PK	15.59748G	58.72	74.00	-15.28	3	Horizontal	17	2.21
5200MHz	Pass	PK	20.79994G	54.92	74.00	-19.08	3	Horizontal	16	1.86
5240MHz	Pass	AV	5.078G	47.97	54.00	-6.03	3	Vertical	13	1.66
5240MHz	Pass	AV	5.231G	111.64	Inf	-Inf	3	Vertical	13	1.66
5240MHz	Pass	AV	5.385G	49.61	54.00	-4.39	3	Vertical	13	1.66
5240MHz	Pass	PK	5.145G	65.36	74.00	-8.64	3	Vertical	13	1.66
5240MHz	Pass	PK	5.231G	124.01	Inf	-Inf	3	Vertical	13	1.66
5240MHz	Pass	PK	5.354G	60.90	74.00	-13.10	3	Vertical	13	1.66
5240MHz	Pass	PK	5.466G	53.86	68.20	-14.34	3	Vertical	13	1.66
5240MHz	Pass	AV	5.15G	43.96	54.00	-10.04	3	Horizontal	245	1.84
5240MHz	Pass	AV	5.231G	110.25	Inf	-Inf	3	Horizontal	245	1.84
5240MHz	Pass	AV	5.386G	43.89	54.00	-10.11	3	Horizontal	245	1.84
5240MHz	Pass	PK	5.15G	62.71	74.00	-11.29	3	Horizontal	245	1.84
5240MHz	Pass	PK	5.232G	120.76	Inf	-Inf	3	Horizontal	245	1.84
5240MHz	Pass	PK	5.387G	55.84	74.00	-18.16	3	Horizontal	245	1.84
5240MHz	Pass	PK	5.48G	53.42	68.20	-14.78	3	Horizontal	245	1.84
5240MHz	Pass	AV	15.714G	40.39	54.00	-13.61	3	Vertical	347	1.77
5240MHz	Pass	AV	20.9599G	44.32	54.00	-9.68	3	Vertical	174	1.50



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5240MHz	Pass	PK	10.4772G	57.56	68.20	-10.64	3	Vertical	20	1.51
5240MHz	Pass	PK	15.6806G	52.41	74.00	-21.59	3	Vertical	347	1.77
5240MHz	Pass	PK	20.95994G	49.74	74.00	-24.26	3	Vertical	174	1.50
5240MHz	Pass	AV	15.7128G	40.96	54.00	-13.04	3	Horizontal	31	1.91
5240MHz	Pass	AV	20.95986G	50.38	54.00	-3.62	3	Horizontal	18	1.50
5240MHz	Pass	PK	10.4802G	61.54	68.20	-6.66	3	Horizontal	17	1.50
5240MHz	Pass	PK	15.7088G	54.09	74.00	-19.91	3	Horizontal	31	1.91
5240MHz	Pass	PK	20.95986G	53.89	74.00	-20.11	3	Horizontal	18	1.50
5260MHz	Pass	AV	5.1418G	43.59	54.00	-10.41	3	Vertical	188	1.49
5260MHz	Pass	AV	5.251G	109.77	Inf	-Inf	3	Vertical	188	1.49
5260MHz	Pass	AV	5.4082G	46.71	54.00	-7.29	3	Vertical	188	1.49
5260MHz	Pass	PK	5.1316G	56.44	74.00	-17.56	3	Vertical	188	1.49
5260MHz	Pass	PK	5.251G	121.07	Inf	-Inf	3	Vertical	188	1.49
5260MHz	Pass	PK	5.4082G	59.21	74.00	-14.79	3	Vertical	188	1.49
5260MHz	Pass	AV	5.1154G	43.66	54.00	-10.34	3	Horizontal	150	1.87
5260MHz	Pass	AV	5.2684G	106.47	Inf	-Inf	3	Horizontal	150	1.87
5260MHz	Pass	AV	5.4052G	44.36	54.00	-9.64	3	Horizontal	150	1.87
5260MHz	Pass	PK	5.1388G	56.63	74.00	-17.37	3	Horizontal	150	1.87
5260MHz	Pass	PK	5.269G	117.92	Inf	-Inf	3	Horizontal	150	1.87
5260MHz	Pass	PK	5.4094G	56.94	74.00	-17.06	3	Horizontal	150	1.87
5260MHz	Pass	AV	15.78444G	39.92	54.00	-14.08	3	Vertical	228	1.76
5260MHz	Pass	AV	21.03989G	45.29	54.00	-8.71	3	Vertical	169	1.53
5260MHz	Pass	PK	10.52552G	54.82	68.20	-13.38	3	Vertical	13	2.63
5260MHz	Pass	PK	15.76626G	52.07	74.00	-21.93	3	Vertical	228	1.76
5260MHz	Pass	PK	21.03972G	49.95	74.00	-24.05	3	Vertical	169	1.53
5260MHz	Pass	AV	15.79086G	39.90	54.00	-14.10	3	Horizontal	40	2.34
5260MHz	Pass	AV	21.03989G	51.37	54.00	-2.63	3	Horizontal	336	1.54
5260MHz	Pass	PK	10.51994G	56.68	68.20	-11.52	3	Horizontal	356	1.66
5260MHz	Pass	PK	15.77796G	52.79	74.00	-21.21	3	Horizontal	40	2.34
5260MHz	Pass	PK	21.03989G	54.66	74.00	-19.34	3	Horizontal	336	1.54
5300MHz	Pass	AV	5.2912G	110.56	Inf	-Inf	3	Vertical	5	1.43
5300MHz	Pass	AV	5.3512G	46.00	54.00	-8.00	3	Vertical	5	1.43
5300MHz	Pass	PK	5.2908G	122.10	Inf	-Inf	3	Vertical	5	1.43
5300MHz	Pass	PK	5.35G	62.39	74.00	-11.61	3	Vertical	5	1.43
5300MHz	Pass	AV	5.2912G	108.82	Inf	-Inf	3	Horizontal	353	1.14
5300MHz	Pass	AV	5.3516G	45.82	54.00	-8.18	3	Horizontal	353	1.14
5300MHz	Pass	PK	5.2928G	120.28	Inf	-Inf	3	Horizontal	353	1.14
5300MHz	Pass	PK	5.3516G	66.80	74.00	-7.20	3	Horizontal	353	1.14
5300MHz	Pass	AV	15.90012G	40.15	54.00	-13.85	3	Vertical	126	1.50
5300MHz	Pass	AV	21.19989G	46.06	54.00	-7.94	3	Vertical	168	1.53
5300MHz	Pass	PK	10.61032G	53.36	74.00	-20.64	3	Vertical	45	2.33
5300MHz	Pass	PK	15.90534G	53.24	74.00	-20.76	3	Vertical	126	1.50
5300MHz	Pass	PK	21.19997G	50.38	74.00	-23.62	3	Vertical	168	1.53
5300MHz	Pass	AV	15.91266G	40.28	54.00	-13.72	3	Horizontal	357	1.50
5300MHz	Pass	AV	21.1999G	48.62	54.00	-5.38	3	Horizontal	17	1.80
5300MHz	Pass	PK	10.6G	56.42	68.20	-11.78	3	Horizontal	358	1.50
5300MHz	Pass	PK	15.91128G	53.08	74.00	-20.92	3	Horizontal	357	1.50
5300MHz	Pass	PK	21.1999G	52.50	74.00	-21.50	3	Horizontal	17	1.80
5320MHz	Pass	AV	5.3286G	106.90	Inf	-Inf	3	Vertical	5	1.41
5320MHz	Pass	AV	5.35G	50.55	54.00	-3.45	3	Vertical	5	1.41
5320MHz	Pass	PK	5.3284G	119.53	Inf	-Inf	3	Vertical	5	1.41
5320MHz	Pass	PK	5.3518G	73.02	74.00	-0.98	3	Vertical	5	1.41
5320MHz	Pass	AV	5.311G	106.50	Inf	-Inf	3	Horizontal	354	1.55
5320MHz	Pass	AV	5.35G	45.57	54.00	-8.43	3	Horizontal	354	1.55
5320MHz	Pass	PK	5.3112G	119.18	Inf	-Inf	3	Horizontal	354	1.55
5320MHz	Pass	PK	5.3502G	70.78	74.00	-3.22	3	Horizontal	354	1.55
5320MHz	Pass	AV	10.63988G	43.67	54.00	-10.33	3	Vertical	43	1.67
5320MHz	Pass	AV	15.94764G	40.03	54.00	-13.97	3	Vertical	236	1.50
5320MHz	Pass	AV	21.27989G	46.20	54.00	-7.80	3	Vertical	167	1.53
5320MHz	Pass	PK	10.64024G	52.91	74.00	-21.09	3	Vertical	43	1.67
5320MHz	Pass	PK	15.945G	52.83	74.00	-21.17	3	Vertical	236	1.50
5320MHz	Pass	PK	21.27991G	50.90	74.00	-23.10	3	Vertical	167	1.53



RSE TX above 1GHz_Beamforming

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	AV	10.63994G	52.24	54.00	-1.76	3	Horizontal	358	1.50
5320MHz	Pass	AV	15.94884G	39.99	54.00	-14.01	3	Horizontal	26	2.13
5320MHz	Pass	AV	21.27988G	50.63	54.00	-3.37	3	Horizontal	339	1.57
5320MHz	Pass	PK	10.63988G	57.46	74.00	-16.54	3	Horizontal	358	1.50
5320MHz	Pass	PK	15.9504G	52.53	74.00	-21.47	3	Horizontal	26	2.13
5320MHz	Pass	PK	21.2799G	53.37	74.00	-20.63	3	Horizontal	339	1.57
5500MHz	Pass	AV	5.4592G	44.55	54.00	-9.45	3	Vertical	6	1.72
5500MHz	Pass	AV	5.5088G	106.97	Inf	-Inf	3	Vertical	6	1.72
5500MHz	Pass	PK	5.458G	60.14	74.00	-13.86	3	Vertical	6	1.72
5500MHz	Pass	PK	5.4698G	63.93	68.20	-4.27	3	Vertical	6	1.72
5500MHz	Pass	PK	5.5086G	120.02	Inf	-Inf	3	Vertical	6	1.72
5500MHz	Pass	AV	5.46G	44.69	54.00	-9.31	3	Horizontal	346	1.59
5500MHz	Pass	AV	5.5088G	102.95	Inf	-Inf	3	Horizontal	346	1.59
5500MHz	Pass	PK	5.452G	59.69	74.00	-14.31	3	Horizontal	346	1.59
5500MHz	Pass	PK	5.4692G	67.84	68.20	-0.36	3	Horizontal	346	1.59
5500MHz	Pass	PK	5.5072G	115.87	Inf	-Inf	3	Horizontal	346	1.59
5500MHz	Pass	AV	10.99994G	42.44	54.00	-11.56	3	Vertical	192	1.50
5500MHz	Pass	PK	11.00018G	51.95	74.00	-22.05	3	Vertical	192	1.50
5500MHz	Pass	PK	16.4883G	52.39	68.20	-15.81	3	Vertical	307	1.50
5500MHz	Pass	PK	22.00012G	53.45	68.20	-14.75	3	Vertical	53	1.62
5500MHz	Pass	AV	11G	52.05	54.00	-1.95	3	Horizontal	3	1.50
5500MHz	Pass	PK	10.99994G	56.22	74.00	-17.78	3	Horizontal	3	1.50
5500MHz	Pass	PK	16.48794G	52.88	68.20	-15.32	3	Horizontal	38	1.38
5500MHz	Pass	PK	22.00006G	57.30	68.20	-10.90	3	Horizontal	285	1.76
5580MHz	Pass	AV	5.4324G	44.41	54.00	-9.59	3	Vertical	178	1.51
5580MHz	Pass	AV	5.5716G	108.49	Inf	-Inf	3	Vertical	178	1.51
5580MHz	Pass	PK	5.4594G	55.52	74.00	-18.48	3	Vertical	178	1.51
5580MHz	Pass	PK	5.4636G	55.59	68.20	-12.61	3	Vertical	178	1.51
5580MHz	Pass	PK	5.5728G	119.72	Inf	-Inf	3	Vertical	178	1.51
5580MHz	Pass	PK	5.7264G	58.45	68.20	-9.75	3	Vertical	178	1.51
5580MHz	Pass	AV	5.4456G	43.55	54.00	-10.45	3	Horizontal	0	1.08
5580MHz	Pass	AV	5.571G	107.09	Inf	-Inf	3	Horizontal	0	1.08
5580MHz	Pass	PK	5.43G	56.29	74.00	-17.71	3	Horizontal	0	1.08
5580MHz	Pass	PK	5.4696G	56.14	68.20	-12.06	3	Horizontal	0	1.08
5580MHz	Pass	PK	5.5728G	118.81	Inf	-Inf	3	Horizontal	0	1.08
5580MHz	Pass	PK	5.7264G	58.48	68.20	-9.72	3	Horizontal	0	1.08
5580MHz	Pass	AV	11.16G	43.77	54.00	-10.23	3	Vertical	210	1.50
5580MHz	Pass	AV	22.31995G	40.78	54.00	-13.22	3	Vertical	18	1.50
5580MHz	Pass	PK	11.16G	51.81	74.00	-22.19	3	Vertical	210	1.50
5580MHz	Pass	PK	16.654G	52.26	68.20	-15.94	3	Vertical	331	1.50
5580MHz	Pass	PK	22.31988G	47.31	74.00	-26.69	3	Vertical	18	1.50
5580MHz	Pass	AV	11.16G	51.50	54.00	-2.50	3	Horizontal	336	2.84
5580MHz	Pass	AV	22.31988G	47.01	54.00	-6.99	3	Horizontal	336	1.54
5580MHz	Pass	PK	11.16G	55.81	74.00	-18.19	3	Horizontal	336	2.84
5580MHz	Pass	PK	16.6856G	52.24	68.20	-15.96	3	Horizontal	33	1.00
5580MHz	Pass	PK	22.31995G	50.65	74.00	-23.35	3	Horizontal	336	1.54
5700MHz	Pass	AV	5.6944G	98.61	Inf	-Inf	3	Vertical	197	1.50
5700MHz	Pass	PK	5.6948G	111.48	Inf	-Inf	3	Vertical	197	1.50
5700MHz	Pass	PK	5.7268G	65.30	68.20	-2.90	3	Vertical	197	1.50
5700MHz	Pass	AV	5.706G	97.93	Inf	-Inf	3	Horizontal	360	1.45
5700MHz	Pass	PK	5.7088G	110.43	Inf	-Inf	3	Horizontal	360	1.45
5700MHz	Pass	PK	5.7276G	67.32	68.20	-0.88	3	Horizontal	360	1.45
5700MHz	Pass	AV	11.4G	45.76	54.00	-8.24	3	Vertical	328	2.96
5700MHz	Pass	AV	22.7999G	43.78	54.00	-10.22	3	Vertical	212	1.60
5700MHz	Pass	PK	11.4G	53.37	74.00	-20.63	3	Vertical	328	2.96
5700MHz	Pass	PK	17.1012G	52.06	68.20	-16.14	3	Vertical	102	1.50
5700MHz	Pass	PK	22.79974G	48.64	74.00	-25.36	3	Vertical	212	1.60
5700MHz	Pass	AV	11.4G	51.28	54.00	-2.72	3	Horizontal	340	1.70
5700MHz	Pass	AV	22.79975G	48.63	54.00	-5.37	3	Horizontal	336	1.66
5700MHz	Pass	PK	11.4G	55.87	74.00	-18.13	3	Horizontal	340	1.70
5700MHz	Pass	PK	17.01G	51.47	68.20	-16.73	3	Horizontal	295	1.50
5700MHz	Pass	PK	22.79992G	52.31	74.00	-21.69	3	Horizontal	336	1.66



RSE TX above 1GHz_Beamforming

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4212G	48.01	54.00	-5.99	3	Vertical	240	1.67
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7284G	110.08	Inf	-Inf	3	Vertical	240	1.67
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4212G	59.94	74.00	-14.06	3	Vertical	240	1.67
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	55.07	68.20	-13.13	3	Vertical	240	1.67
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7284G	123.19	Inf	-Inf	3	Vertical	240	1.67
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.99G	58.59	68.20	-9.61	3	Vertical	240	1.67
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4212G	46.41	54.00	-7.59	3	Horizontal	5	1.59
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7284G	108.72	Inf	-Inf	3	Horizontal	5	1.59
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4212G	57.89	74.00	-16.11	3	Horizontal	5	1.59
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	55.04	68.20	-13.16	3	Horizontal	5	1.59
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7296G	120.60	Inf	-Inf	3	Horizontal	5	1.59
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9816G	57.43	68.20	-10.77	3	Horizontal	5	1.59
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44G	45.01	54.00	-8.99	3	Vertical	322	1.64
5720MHz Straddle 5.47-5.725GHz	Pass	AV	22.87996G	42.39	54.00	-11.61	3	Vertical	209	1.60
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4396G	54.87	74.00	-19.13	3	Vertical	322	1.64
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.2456G	52.09	68.20	-16.11	3	Vertical	4	1.59
5720MHz Straddle 5.47-5.725GHz	Pass	PK	22.87995G	48.92	74.00	-25.08	3	Vertical	209	1.60
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44G	51.04	54.00	-2.96	3	Horizontal	339	1.73
5720MHz Straddle 5.47-5.725GHz	Pass	AV	22.87989G	48.22	54.00	-5.78	3	Horizontal	336	1.67
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44G	56.34	74.00	-17.66	3	Horizontal	339	1.73
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.2464G	51.85	68.20	-16.35	3	Horizontal	14	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	22.87993G	52.79	74.00	-21.21	3	Horizontal	336	1.67
5745MHz	Pass	AV	5.445G	46.28	54.00	-7.72	3	Vertical	248	1.56
5745MHz	Pass	AV	5.7366G	111.16	Inf	-Inf	3	Vertical	248	1.56
5745MHz	Pass	PK	5.6478G	60.44	68.20	-7.76	3	Vertical	248	1.56
5745MHz	Pass	PK	5.7366G	122.03	Inf	-Inf	3	Vertical	248	1.56
5745MHz	Pass	PK	6.0114G	54.38	68.20	-13.82	3	Vertical	248	1.56
5745MHz	Pass	AV	5.4462G	48.27	54.00	-5.73	3	Horizontal	3	1.65
5745MHz	Pass	AV	5.7366G	110.83	Inf	-Inf	3	Horizontal	3	1.65
5745MHz	Pass	PK	5.6466G	64.82	68.20	-3.38	3	Horizontal	3	1.65
5745MHz	Pass	PK	5.7366G	123.74	Inf	-Inf	3	Horizontal	3	1.65
5745MHz	Pass	PK	6.0006G	55.70	68.20	-12.50	3	Horizontal	3	1.65
5745MHz	Pass	AV	11.49G	46.07	54.00	-7.93	3	Vertical	333	1.73
5745MHz	Pass	AV	22.97982G	41.36	54.00	-12.64	3	Vertical	162	1.58
5745MHz	Pass	PK	11.4901G	54.31	74.00	-19.69	3	Vertical	333	1.73
5745MHz	Pass	PK	17.2302G	58.04	68.20	-10.16	3	Vertical	350	2.27
5745MHz	Pass	PK	22.97994G	47.05	74.00	-26.95	3	Vertical	162	1.58
5745MHz	Pass	AV	11.48988G	51.14	54.00	-2.86	3	Horizontal	339	1.87
5745MHz	Pass	AV	22.97986G	48.81	54.00	-5.19	3	Horizontal	343	1.69
5745MHz	Pass	PK	11.48992G	56.68	74.00	-17.32	3	Horizontal	339	1.87
5745MHz	Pass	PK	17.2178G	62.54	68.20	-5.66	3	Horizontal	9	1.60
5745MHz	Pass	PK	22.9799G	51.33	74.00	-22.67	3	Horizontal	343	1.69
5785MHz	Pass	AV	5.46G	43.16	54.00	-10.84	3	Vertical	8	1.55
5785MHz	Pass	AV	5.7754G	113.53	Inf	-Inf	3	Vertical	8	1.55
5785MHz	Pass	PK	5.481G	65.36	68.20	-2.84	3	Vertical	8	1.55
5785MHz	Pass	PK	5.7754G	123.78	Inf	-Inf	3	Vertical	8	1.55
5785MHz	Pass	PK	5.9274G	56.88	68.20	-11.32	3	Vertical	8	1.55
5785MHz	Pass	AV	5.46G	42.51	54.00	-11.49	3	Horizontal	3	1.33
5785MHz	Pass	AV	5.7754G	111.68	Inf	-Inf	3	Horizontal	3	1.33
5785MHz	Pass	PK	5.6506G	67.04	68.64	-1.60	3	Horizontal	3	1.33
5785MHz	Pass	PK	5.777G	124.07	Inf	-Inf	3	Horizontal	3	1.33
5785MHz	Pass	PK	5.9274G	65.46	68.20	-2.74	3	Horizontal	3	1.33
5785MHz	Pass	AV	11.57002G	46.00	54.00	-8.00	3	Vertical	333	1.73
5785MHz	Pass	PK	11.56988G	55.32	74.00	-18.68	3	Vertical	333	1.73
5785MHz	Pass	PK	17.35694G	56.79	68.20	-11.41	3	Vertical	360	1.53
5785MHz	Pass	PK	23.13996G	47.80	68.20	-20.40	3	Vertical	191	1.65
5785MHz	Pass	AV	11.56994G	50.55	54.00	-3.45	3	Horizontal	341	1.77
5785MHz	Pass	PK	11.5701G	55.72	74.00	-18.28	3	Horizontal	341	1.77
5785MHz	Pass	PK	17.35628G	59.64	68.20	-8.56	3	Horizontal	0	1.50
5785MHz	Pass	PK	23.13988G	55.22	68.20	-12.98	3	Horizontal	291	1.63
5825MHz	Pass	AV	5.3544G	53.44	54.00	-0.56	3	Vertical	224	1.52
5825MHz	Pass	AV	5.8172G	111.01	Inf	-Inf	3	Vertical	224	1.52



RSE TX above 1GHz_Beamforming

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5825MHz	Pass	PK	5.201G	63.89	68.20	-4.31	3	Vertical	224	1.52
5825MHz	Pass	PK	5.8172G	122.29	Inf	-Inf	3	Vertical	224	1.52
5825MHz	Pass	PK	6.0616G	56.25	68.20	-11.95	3	Vertical	224	1.52
5825MHz	Pass	AV	5.37G	47.90	54.00	-6.10	3	Horizontal	355	1.40
5825MHz	Pass	AV	5.8328G	109.01	Inf	-Inf	3	Horizontal	355	1.40
5825MHz	Pass	PK	5.526G	62.76	68.20	-5.44	3	Horizontal	355	1.40
5825MHz	Pass	PK	5.8328G	121.77	Inf	-Inf	3	Horizontal	355	1.40
5825MHz	Pass	PK	5.9264G	56.98	68.20	-11.22	3	Horizontal	355	1.40
5825MHz	Pass	AV	11.64998G	43.77	54.00	-10.23	3	Vertical	324	1.60
5825MHz	Pass	PK	11.6501G	52.42	74.00	-21.58	3	Vertical	324	1.60
5825MHz	Pass	PK	17.47642G	53.61	68.20	-14.59	3	Vertical	332	1.78
5825MHz	Pass	PK	23.30001G	47.56	68.20	-20.64	3	Vertical	19	1.58
5825MHz	Pass	AV	11.65004G	50.14	54.00	-3.86	3	Horizontal	338	1.71
5825MHz	Pass	PK	11.65004G	54.85	74.00	-19.15	3	Horizontal	338	1.71
5825MHz	Pass	PK	17.47686G	55.40	68.20	-12.80	3	Horizontal	357	1.49
5825MHz	Pass	PK	23.29993G	54.60	68.20	-13.60	3	Horizontal	328	1.71
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	47.97	54.00	-6.03	3	Vertical	1	1.43
5190MHz	Pass	AV	5.182G	96.91	Inf	-Inf	3	Vertical	1	1.43
5190MHz	Pass	AV	5.35G	41.19	54.00	-12.81	3	Vertical	1	1.43
5190MHz	Pass	PK	5.15G	62.04	74.00	-11.96	3	Vertical	1	1.43
5190MHz	Pass	PK	5.1852G	109.60	Inf	-Inf	3	Vertical	1	1.43
5190MHz	Pass	PK	5.4108G	53.69	74.00	-20.31	3	Vertical	1	1.43
5190MHz	Pass	PK	5.5052G	56.34	68.20	-11.86	3	Vertical	1	1.43
5190MHz	Pass	AV	5.15G	53.82	54.00	-0.18	3	Horizontal	347	1.75
5190MHz	Pass	AV	5.198G	97.85	Inf	-Inf	3	Horizontal	347	1.75
5190MHz	Pass	AV	5.3612G	41.22	54.00	-12.78	3	Horizontal	347	1.75
5190MHz	Pass	PK	5.15G	67.87	74.00	-6.13	3	Horizontal	347	1.75
5190MHz	Pass	PK	5.1884G	110.34	Inf	-Inf	3	Horizontal	347	1.75
5190MHz	Pass	PK	5.3788G	54.21	74.00	-19.79	3	Horizontal	347	1.75
5190MHz	Pass	PK	5.5052G	53.85	68.20	-14.35	3	Horizontal	347	1.75
5190MHz	Pass	AV	15.57776G	39.08	54.00	-14.92	3	Vertical	26	2.84
5190MHz	Pass	AV	20.75996G	41.59	54.00	-12.41	3	Vertical	165	1.53
5190MHz	Pass	PK	10.37983G	52.52	68.20	-15.68	3	Vertical	24	1.65
5190MHz	Pass	PK	15.5682G	51.91	74.00	-22.09	3	Vertical	26	2.84
5190MHz	Pass	PK	20.75992G	46.81	74.00	-27.19	3	Vertical	165	1.53
5190MHz	Pass	AV	15.57896G	38.94	54.00	-15.06	3	Horizontal	165	1.50
5190MHz	Pass	AV	20.75992G	51.20	54.00	-2.80	3	Horizontal	12	1.55
5190MHz	Pass	PK	10.37996G	56.09	68.20	-12.11	3	Horizontal	351	1.50
5190MHz	Pass	PK	15.57104G	51.89	74.00	-22.11	3	Horizontal	165	1.50
5190MHz	Pass	PK	20.75984G	53.12	74.00	-20.88	3	Horizontal	12	1.55
5230MHz	Pass	AV	5.1484G	48.76	54.00	-5.24	3	Vertical	157	1.26
5230MHz	Pass	AV	5.2476G	107.16	Inf	-Inf	3	Vertical	157	1.26
5230MHz	Pass	AV	5.3532G	46.35	54.00	-7.65	3	Vertical	157	1.26
5230MHz	Pass	PK	5.1468G	71.81	74.00	-2.19	3	Vertical	157	1.26
5230MHz	Pass	PK	5.2492G	118.57	Inf	-Inf	3	Vertical	157	1.26
5230MHz	Pass	PK	5.3548G	66.11	74.00	-7.89	3	Vertical	157	1.26
5230MHz	Pass	PK	5.526G	57.08	68.20	-11.12	3	Vertical	157	1.26
5230MHz	Pass	AV	5.15G	46.38	54.00	-7.62	3	Horizontal	351	1.50
5230MHz	Pass	AV	5.2444G	104.59	Inf	-Inf	3	Horizontal	351	1.50
5230MHz	Pass	AV	5.366G	43.74	54.00	-10.26	3	Horizontal	351	1.50
5230MHz	Pass	PK	5.15G	67.26	74.00	-6.74	3	Horizontal	351	1.50
5230MHz	Pass	PK	5.2444G	117.02	Inf	-Inf	3	Horizontal	351	1.50
5230MHz	Pass	PK	5.3548G	59.70	74.00	-14.30	3	Horizontal	351	1.50
5230MHz	Pass	PK	5.526G	56.48	68.20	-11.72	3	Horizontal	351	1.50
5230MHz	Pass	AV	15.69764G	38.19	54.00	-15.81	3	Vertical	24	1.89
5230MHz	Pass	AV	20.91996G	42.05	54.00	-11.95	3	Vertical	166	1.54
5230MHz	Pass	PK	10.46011G	51.64	68.20	-16.56	3	Vertical	24	1.60
5230MHz	Pass	PK	15.69208G	51.36	74.00	-22.64	3	Vertical	24	1.89
5230MHz	Pass	PK	20.91976G	47.30	74.00	-26.70	3	Vertical	166	1.54
5230MHz	Pass	AV	15.68796G	38.75	54.00	-15.25	3	Horizontal	350	1.84
5230MHz	Pass	AV	20.91992G	49.88	54.00	-4.12	3	Horizontal	12	1.53



RSE TX above 1GHz_Beamforming

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5230MHz	Pass	PK	10.46001G	57.17	68.20	-11.03	3	Horizontal	351	1.70
5230MHz	Pass	PK	15.6938G	51.37	74.00	-22.63	3	Horizontal	350	1.84
5230MHz	Pass	PK	20.91992G	51.98	74.00	-22.02	3	Horizontal	12	1.53
5270MHz	Pass	AV	5.2768G	103.51	Inf	-Inf	3	Vertical	183	1.21
5270MHz	Pass	AV	5.35G	45.18	54.00	-8.82	3	Vertical	183	1.21
5270MHz	Pass	PK	5.262G	117.38	Inf	-Inf	3	Vertical	183	1.21
5270MHz	Pass	PK	5.354G	63.42	74.00	-10.58	3	Vertical	183	1.21
5270MHz	Pass	AV	5.2872G	104.11	Inf	-Inf	3	Horizontal	350	1.22
5270MHz	Pass	AV	5.3532G	46.08	54.00	-7.92	3	Horizontal	350	1.22
5270MHz	Pass	PK	5.2864G	117.20	Inf	-Inf	3	Horizontal	350	1.22
5270MHz	Pass	PK	5.3552G	64.31	74.00	-9.69	3	Horizontal	350	1.22
5270MHz	Pass	AV	15.8804G	39.81	54.00	-14.19	3	Vertical	264	1.67
5270MHz	Pass	AV	21.07987G	46.02	54.00	-7.98	3	Vertical	167	1.52
5270MHz	Pass	PK	10.5368G	53.56	68.20	-14.64	3	Vertical	16	1.48
5270MHz	Pass	PK	15.9072G	52.62	74.00	-21.38	3	Vertical	264	1.67
5270MHz	Pass	PK	21.0798G	50.52	74.00	-23.48	3	Vertical	167	1.52
5270MHz	Pass	AV	15.88G	40.63	54.00	-13.37	3	Horizontal	336	1.34
5270MHz	Pass	AV	21.07991G	51.74	54.00	-2.26	3	Horizontal	337	1.55
5270MHz	Pass	PK	10.54G	56.25	68.20	-11.95	3	Horizontal	356	1.65
5270MHz	Pass	PK	15.88G	53.21	74.00	-20.79	3	Horizontal	336	1.34
5270MHz	Pass	PK	21.07985G	54.27	74.00	-19.73	3	Horizontal	337	1.55
5310MHz	Pass	AV	5.2928G	100.83	Inf	-Inf	3	Vertical	184	1.20
5310MHz	Pass	AV	5.3544G	49.73	54.00	-4.27	3	Vertical	184	1.20
5310MHz	Pass	PK	5.292G	114.22	Inf	-Inf	3	Vertical	184	1.20
5310MHz	Pass	PK	5.3628G	71.99	74.00	-2.01	3	Vertical	184	1.20
5310MHz	Pass	AV	5.2932G	94.13	Inf	-Inf	3	Horizontal	220	1.53
5310MHz	Pass	AV	5.3504G	44.20	54.00	-9.80	3	Horizontal	220	1.53
5310MHz	Pass	PK	5.2924G	108.14	Inf	-Inf	3	Horizontal	220	1.53
5310MHz	Pass	PK	5.356G	63.36	74.00	-10.64	3	Horizontal	220	1.53
5310MHz	Pass	AV	10.62G	42.97	54.00	-11.03	3	Vertical	46	2.36
5310MHz	Pass	AV	15.88G	39.98	54.00	-14.02	3	Vertical	271	1.51
5310MHz	Pass	AV	21.2399G	46.01	54.00	-7.99	3	Vertical	166	1.53
5310MHz	Pass	PK	10.62G	51.97	74.00	-22.03	3	Vertical	46	2.36
5310MHz	Pass	PK	15.8836G	53.07	74.00	-20.93	3	Vertical	271	1.51
5310MHz	Pass	PK	21.23993G	50.42	74.00	-23.58	3	Vertical	166	1.53
5310MHz	Pass	AV	10.62G	52.34	54.00	-1.66	3	Horizontal	355	1.50
5310MHz	Pass	AV	15.88G	40.92	54.00	-13.08	3	Horizontal	336	1.25
5310MHz	Pass	AV	21.2399G	50.75	54.00	-3.25	3	Horizontal	338	1.57
5310MHz	Pass	PK	10.62G	56.52	74.00	-17.48	3	Horizontal	355	1.50
5310MHz	Pass	PK	15.88G	53.16	74.00	-20.84	3	Horizontal	336	1.25
5310MHz	Pass	PK	21.23986G	53.35	74.00	-20.65	3	Horizontal	338	1.57
5510MHz	Pass	AV	5.46G	44.95	54.00	-9.05	3	Vertical	1	1.45
5510MHz	Pass	AV	5.4936G	98.88	Inf	-Inf	3	Vertical	1	1.45
5510MHz	Pass	PK	5.46G	64.81	74.00	-9.19	3	Vertical	1	1.45
5510MHz	Pass	PK	5.47G	67.90	68.20	-0.30	3	Vertical	1	1.45
5510MHz	Pass	PK	5.4912G	112.30	Inf	-Inf	3	Vertical	1	1.45
5510MHz	Pass	AV	5.46G	43.98	54.00	-10.02	3	Horizontal	340	1.56
5510MHz	Pass	AV	5.492G	95.30	Inf	-Inf	3	Horizontal	340	1.56
5510MHz	Pass	PK	5.458G	65.49	74.00	-8.51	3	Horizontal	340	1.56
5510MHz	Pass	PK	5.4696G	67.52	68.20	-0.68	3	Horizontal	340	1.56
5510MHz	Pass	PK	5.522G	109.34	Inf	-Inf	3	Horizontal	340	1.56
5510MHz	Pass	AV	11.02G	43.13	54.00	-10.87	3	Vertical	194	1.42
5510MHz	Pass	AV	22.03977G	42.28	54.00	-11.72	3	Vertical	16	1.47
5510MHz	Pass	PK	10.958G	51.84	74.00	-22.16	3	Vertical	194	1.42
5510MHz	Pass	PK	16.4336G	53.08	68.20	-15.12	3	Vertical	341	1.76
5510MHz	Pass	PK	22.03961G	47.98	74.00	-26.02	3	Vertical	16	1.47
5510MHz	Pass	AV	11.02G	52.25	54.00	-1.75	3	Horizontal	3	1.60
5510MHz	Pass	AV	22.03988G	47.16	54.00	-6.84	3	Horizontal	333	1.54
5510MHz	Pass	PK	11.02G	55.61	74.00	-18.39	3	Horizontal	3	1.60
5510MHz	Pass	PK	16.5172G	53.03	68.20	-15.17	3	Horizontal	329	1.61
5510MHz	Pass	PK	22.03985G	50.76	74.00	-23.24	3	Horizontal	333	1.54
5550MHz	Pass	AV	5.46G	42.40	54.00	-11.60	3	Vertical	242	1.50



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5550MHz	Pass	AV	5.5684G	107.37	Inf	-Inf	3	Vertical	242	1.50
5550MHz	Pass	PK	5.4544G	62.31	74.00	-11.69	3	Vertical	242	1.50
5550MHz	Pass	PK	5.4684G	63.92	68.20	-4.28	3	Vertical	242	1.50
5550MHz	Pass	PK	5.5676G	120.19	Inf	-Inf	3	Vertical	242	1.50
5550MHz	Pass	AV	5.4584G	43.43	54.00	-10.57	3	Horizontal	349	1.65
5550MHz	Pass	AV	5.5344G	103.45	Inf	-Inf	3	Horizontal	349	1.65
5550MHz	Pass	PK	5.454G	63.38	74.00	-10.62	3	Horizontal	349	1.65
5550MHz	Pass	PK	5.4684G	65.93	68.20	-2.27	3	Horizontal	349	1.65
5550MHz	Pass	PK	5.536G	117.14	Inf	-Inf	3	Horizontal	349	1.65
5550MHz	Pass	AV	11.1G	42.71	54.00	-11.29	3	Vertical	29	1.56
5550MHz	Pass	AV	22.19989G	40.70	54.00	-13.30	3	Vertical	18	1.47
5550MHz	Pass	PK	11.0996G	52.95	74.00	-21.05	3	Vertical	29	1.56
5550MHz	Pass	PK	16.5884G	52.38	68.20	-15.82	3	Vertical	38	1.50
5550MHz	Pass	PK	22.19981G	47.44	74.00	-26.56	3	Vertical	18	1.47
5550MHz	Pass	AV	11.1G	51.50	54.00	-2.50	3	Horizontal	0	1.66
5550MHz	Pass	AV	22.19988G	47.08	54.00	-6.92	3	Horizontal	335	1.53
5550MHz	Pass	PK	11.1G	55.86	74.00	-18.14	3	Horizontal	0	1.66
5550MHz	Pass	PK	16.6608G	52.88	68.20	-15.32	3	Horizontal	15	1.33
5550MHz	Pass	PK	22.19991G	51.43	74.00	-22.57	3	Horizontal	335	1.53
5670MHz	Pass	AV	5.6514G	100.77	Inf	-Inf	3	Vertical	360	3.00
5670MHz	Pass	PK	5.652G	113.66	Inf	-Inf	3	Vertical	360	3.00
5670MHz	Pass	PK	5.7252G	66.91	68.20	-1.29	3	Vertical	360	3.00
5670MHz	Pass	AV	5.6514G	96.98	Inf	-Inf	3	Horizontal	0	1.57
5670MHz	Pass	PK	5.6532G	109.58	Inf	-Inf	3	Horizontal	0	1.57
5670MHz	Pass	PK	5.7258G	66.60	68.20	-1.60	3	Horizontal	0	1.57
5670MHz	Pass	AV	11.34G	45.19	54.00	-8.81	3	Vertical	326	2.91
5670MHz	Pass	AV	22.67986G	40.65	54.00	-13.35	3	Vertical	1	1.61
5670MHz	Pass	PK	11.3396G	52.80	74.00	-21.20	3	Vertical	326	2.91
5670MHz	Pass	PK	17.068G	51.23	68.20	-16.97	3	Vertical	117	1.25
5670MHz	Pass	PK	22.67986G	48.17	74.00	-25.83	3	Vertical	1	1.61
5670MHz	Pass	AV	11.34G	51.05	54.00	-2.95	3	Horizontal	338	2.88
5670MHz	Pass	AV	22.67984G	44.58	54.00	-9.42	3	Horizontal	336	1.65
5670MHz	Pass	PK	11.34G	55.57	74.00	-18.43	3	Horizontal	338	2.88
5670MHz	Pass	PK	17.0772G	52.23	68.20	-15.97	3	Horizontal	58	1.50
5670MHz	Pass	PK	22.67998G	51.69	74.00	-22.31	3	Horizontal	336	1.65
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4208G	41.86	54.00	-12.14	3	Vertical	178	1.22
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6968G	108.03	Inf	-Inf	3	Vertical	178	1.22
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.416G	55.63	74.00	-18.37	3	Vertical	178	1.22
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4652G	54.05	68.20	-14.15	3	Vertical	178	1.22
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.6956G	120.38	Inf	-Inf	3	Vertical	178	1.22
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8504G	56.24	68.20	-11.96	3	Vertical	178	1.22
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.41G	45.45	54.00	-8.55	3	Horizontal	3	1.55
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7256G	105.16	Inf	-Inf	3	Horizontal	3	1.55
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.41G	58.94	74.00	-15.06	3	Horizontal	3	1.55
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4688G	54.14	68.20	-14.06	3	Horizontal	3	1.55
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7256G	118.53	Inf	-Inf	3	Horizontal	3	1.55
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8648G	55.61	68.20	-12.59	3	Horizontal	3	1.55
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42G	44.93	54.00	-9.07	3	Vertical	326	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	22.83995G	43.56	54.00	-10.44	3	Vertical	211	1.59
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4196G	54.17	74.00	-19.83	3	Vertical	326	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.0916G	51.56	68.20	-16.64	3	Vertical	325	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	22.83979G	49.09	74.00	-24.91	3	Vertical	211	1.59
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42G	50.95	54.00	-3.05	3	Horizontal	341	1.75
5710MHz Straddle 5.47-5.725GHz	Pass	AV	22.8398G	47.57	54.00	-6.43	3	Horizontal	336	1.66
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42G	56.49	74.00	-17.51	3	Horizontal	341	1.75
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.0668G	52.32	68.20	-15.88	3	Horizontal	13	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	22.83983G	52.80	74.00	-21.20	3	Horizontal	336	1.66
5755MHz	Pass	AV	5.4586G	46.03	54.00	-7.97	3	Vertical	242	1.50
5755MHz	Pass	AV	5.7706G	105.97	Inf	-Inf	3	Vertical	242	1.50
5755MHz	Pass	PK	5.6458G	65.03	68.20	-3.17	3	Vertical	242	1.50
5755MHz	Pass	PK	5.768G	118.36	Inf	-Inf	3	Vertical	242	1.50
5755MHz	Pass	PK	6.4024G	55.72	68.20	-12.48	3	Vertical	242	1.50



RSE TX above 1GHz_Beamforming

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5755MHz	Pass	AV	5.443G	47.17	54.00	-6.83	3	Horizontal	356	1.39
5755MHz	Pass	AV	5.7368G	104.51	Inf	-Inf	3	Horizontal	356	1.39
5755MHz	Pass	PK	5.6406G	61.61	68.20	-6.59	3	Horizontal	356	1.39
5755MHz	Pass	PK	5.7732G	118.14	Inf	-Inf	3	Horizontal	356	1.39
5755MHz	Pass	PK	6.3114G	55.69	68.20	-12.51	3	Horizontal	356	1.39
5755MHz	Pass	AV	11.50992G	42.20	54.00	-11.80	3	Vertical	321	1.70
5755MHz	Pass	AV	23.01992G	40.84	54.00	-13.16	3	Vertical	0	1.57
5755MHz	Pass	PK	11.51028G	51.39	74.00	-22.61	3	Vertical	321	1.70
5755MHz	Pass	PK	17.26128G	50.43	68.20	-17.77	3	Vertical	360	1.88
5755MHz	Pass	PK	23.02016G	46.36	74.00	-27.64	3	Vertical	0	1.57
5755MHz	Pass	AV	11.50996G	48.79	54.00	-5.21	3	Horizontal	335	3.00
5755MHz	Pass	AV	23.01988G	44.37	54.00	-9.63	3	Horizontal	337	1.67
5755MHz	Pass	PK	11.50976G	54.21	74.00	-19.79	3	Horizontal	335	3.00
5755MHz	Pass	PK	17.26952G	49.70	68.20	-18.50	3	Horizontal	348	2.21
5755MHz	Pass	PK	23.01976G	50.13	74.00	-23.87	3	Horizontal	337	1.67
5795MHz	Pass	AV	5.35G	42.47	54.00	-11.53	3	Vertical	229	1.80
5795MHz	Pass	AV	5.7768G	108.07	Inf	-Inf	3	Vertical	229	1.80
5795MHz	Pass	PK	5.639G	64.40	68.20	-3.80	3	Vertical	229	1.80
5795MHz	Pass	PK	5.7768G	119.64	Inf	-Inf	3	Vertical	229	1.80
5795MHz	Pass	PK	5.925G	57.14	68.20	-11.06	3	Vertical	229	1.80
5795MHz	Pass	AV	5.35G	43.48	54.00	-10.52	3	Horizontal	355	1.54
5795MHz	Pass	AV	5.7768G	105.62	Inf	-Inf	3	Horizontal	355	1.54
5795MHz	Pass	PK	5.6494G	66.81	68.20	-1.39	3	Horizontal	355	1.54
5795MHz	Pass	PK	5.7768G	118.41	Inf	-Inf	3	Horizontal	355	1.54
5795MHz	Pass	PK	5.9302G	58.39	68.20	-9.81	3	Horizontal	355	1.54
5795MHz	Pass	AV	11.58999G	43.88	54.00	-10.12	3	Vertical	322	1.63
5795MHz	Pass	PK	11.59012G	52.49	74.00	-21.51	3	Vertical	322	1.63
5795MHz	Pass	PK	17.38692G	51.89	68.20	-16.31	3	Vertical	352	1.51
5795MHz	Pass	PK	23.17994G	47.24	68.20	-20.96	3	Vertical	360	1.60
5795MHz	Pass	AV	11.59002G	49.63	54.00	-4.37	3	Horizontal	334	1.76
5795MHz	Pass	PK	11.59006G	55.59	74.00	-18.41	3	Horizontal	334	1.76
5795MHz	Pass	PK	17.38411G	52.93	68.20	-15.27	3	Horizontal	356	1.37
5795MHz	Pass	PK	23.17999G	53.62	68.20	-14.58	3	Horizontal	279	1.62
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	52.92	54.00	-1.08	3	Vertical	182	1.50
5210MHz	Pass	AV	5.224G	96.66	Inf	-Inf	3	Vertical	182	1.50
5210MHz	Pass	AV	5.374G	41.94	54.00	-12.06	3	Vertical	182	1.50
5210MHz	Pass	PK	5.15G	66.11	74.00	-7.89	3	Vertical	182	1.50
5210MHz	Pass	PK	5.182G	110.00	Inf	-Inf	3	Vertical	182	1.50
5210MHz	Pass	PK	5.364G	54.69	74.00	-19.31	3	Vertical	182	1.50
5210MHz	Pass	PK	5.658G	55.35	68.20	-12.85	3	Vertical	182	1.50
5210MHz	Pass	AV	5.15G	53.36	54.00	-0.64	3	Horizontal	346	1.51
5210MHz	Pass	AV	5.206G	95.68	Inf	-Inf	3	Horizontal	346	1.51
5210MHz	Pass	AV	5.352G	41.42	54.00	-12.58	3	Horizontal	346	1.51
5210MHz	Pass	PK	5.15G	68.82	74.00	-5.18	3	Horizontal	346	1.51
5210MHz	Pass	PK	5.198G	108.66	Inf	-Inf	3	Horizontal	346	1.51
5210MHz	Pass	PK	5.37G	54.06	74.00	-19.94	3	Horizontal	346	1.51
5210MHz	Pass	PK	5.568G	54.63	68.20	-13.57	3	Horizontal	346	1.51
5210MHz	Pass	AV	15.62288G	38.70	54.00	-15.30	3	Vertical	67	2.26
5210MHz	Pass	AV	20.83996G	42.40	54.00	-11.60	3	Vertical	166	1.54
5210MHz	Pass	PK	10.41992G	51.06	68.20	-17.14	3	Vertical	25	1.65
5210MHz	Pass	PK	15.637G	50.37	74.00	-23.63	3	Vertical	67	2.26
5210MHz	Pass	PK	20.84004G	47.00	74.00	-27.00	3	Vertical	166	1.54
5210MHz	Pass	AV	15.62264G	39.18	54.00	-14.82	3	Horizontal	10	1.51
5210MHz	Pass	AV	20.83996G	50.17	54.00	-3.83	3	Horizontal	13	1.53
5210MHz	Pass	PK	10.41976G	54.49	68.20	-13.71	3	Horizontal	351	1.62
5210MHz	Pass	PK	15.63316G	51.83	74.00	-22.17	3	Horizontal	10	1.51
5210MHz	Pass	PK	20.84G	51.84	74.00	-22.16	3	Horizontal	13	1.53
5290MHz	Pass	AV	5.114G	41.33	54.00	-12.67	3	Vertical	186	1.50
5290MHz	Pass	AV	5.291G	98.47	Inf	-Inf	3	Vertical	186	1.50
5290MHz	Pass	AV	5.35G	53.70	54.00	-0.30	3	Vertical	186	1.50
5290MHz	Pass	PK	5.083G	55.30	74.00	-18.70	3	Vertical	186	1.50



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz	Pass	PK	5.294G	111.45	Inf	-Inf	3	Vertical	186	1.50
5290MHz	Pass	PK	5.351G	70.67	74.00	-3.33	3	Vertical	186	1.50
5290MHz	Pass	PK	5.528G	54.53	68.20	-13.67	3	Vertical	186	1.50
5290MHz	Pass	AV	5.15G	41.23	54.00	-12.77	3	Horizontal	0	1.31
5290MHz	Pass	AV	5.252G	95.41	Inf	-Inf	3	Horizontal	0	1.31
5290MHz	Pass	AV	5.35G	52.98	54.00	-1.02	3	Horizontal	0	1.31
5290MHz	Pass	PK	5.149G	58.20	74.00	-15.80	3	Horizontal	0	1.31
5290MHz	Pass	PK	5.254G	109.29	Inf	-Inf	3	Horizontal	0	1.31
5290MHz	Pass	PK	5.356G	70.82	74.00	-3.18	3	Horizontal	0	1.31
5290MHz	Pass	PK	5.469G	55.50	68.20	-12.70	3	Horizontal	0	1.31
5290MHz	Pass	AV	15.8972G	39.75	54.00	-14.25	3	Vertical	360	1.58
5290MHz	Pass	AV	21.15987G	46.48	54.00	-7.52	3	Vertical	167	1.52
5290MHz	Pass	PK	10.58G	52.15	68.20	-16.05	3	Vertical	43	2.34
5290MHz	Pass	PK	15.8972G	52.61	74.00	-21.39	3	Vertical	360	1.58
5290MHz	Pass	PK	21.15984G	50.99	74.00	-23.01	3	Vertical	167	1.52
5290MHz	Pass	AV	15.88G	40.70	54.00	-13.30	3	Horizontal	341	1.41
5290MHz	Pass	AV	21.15991G	52.63	54.00	-1.37	3	Horizontal	336	1.58
5290MHz	Pass	PK	10.58G	56.82	68.20	-11.38	3	Horizontal	355	1.57
5290MHz	Pass	PK	15.872G	53.37	74.00	-20.63	3	Horizontal	341	1.41
5290MHz	Pass	PK	21.15977G	54.85	74.00	-19.15	3	Horizontal	336	1.58
5530MHz	Pass	AV	5.35G	40.55	54.00	-13.45	3	Vertical	0	1.49
5530MHz	Pass	AV	5.46G	45.61	54.00	-8.39	3	Vertical	0	1.49
5530MHz	Pass	AV	5.531G	95.81	Inf	-Inf	3	Vertical	0	1.49
5530MHz	Pass	PK	5.35G	56.31	68.20	-11.89	3	Vertical	0	1.49
5530MHz	Pass	PK	5.451G	65.85	74.00	-8.15	3	Vertical	0	1.49
5530MHz	Pass	PK	5.468G	67.83	68.20	-0.37	3	Vertical	0	1.49
5530MHz	Pass	PK	5.502G	110.02	Inf	-Inf	3	Vertical	0	1.49
5530MHz	Pass	PK	5.763G	56.13	68.20	-12.07	3	Vertical	0	1.49
5530MHz	Pass	AV	5.35G	40.44	54.00	-13.56	3	Horizontal	358	1.56
5530MHz	Pass	AV	5.458G	41.85	54.00	-12.15	3	Horizontal	358	1.56
5530MHz	Pass	AV	5.563G	93.95	Inf	-Inf	3	Horizontal	358	1.56
5530MHz	Pass	PK	5.338G	54.68	68.20	-13.52	3	Horizontal	358	1.56
5530MHz	Pass	PK	5.46G	66.27	74.00	-7.73	3	Horizontal	358	1.56
5530MHz	Pass	PK	5.462G	65.77	68.20	-2.43	3	Horizontal	358	1.56
5530MHz	Pass	PK	5.56G	107.79	Inf	-Inf	3	Horizontal	358	1.56
5530MHz	Pass	PK	5.756G	55.51	68.20	-12.69	3	Horizontal	358	1.56
5530MHz	Pass	AV	11.06G	43.07	54.00	-10.93	3	Vertical	209	1.42
5530MHz	Pass	AV	22.11996G	41.94	54.00	-12.06	3	Vertical	320	1.62
5530MHz	Pass	PK	11.0468G	51.55	74.00	-22.45	3	Vertical	209	1.42
5530MHz	Pass	PK	16.5396G	51.55	68.20	-16.65	3	Vertical	14	2.82
5530MHz	Pass	PK	22.11967G	47.41	74.00	-26.59	3	Vertical	320	1.62
5530MHz	Pass	AV	11.06G	52.36	54.00	-1.64	3	Horizontal	2	1.69
5530MHz	Pass	AV	22.11992G	46.90	54.00	-7.10	3	Horizontal	334	1.55
5530MHz	Pass	PK	11.06G	55.86	74.00	-18.14	3	Horizontal	2	1.69
5530MHz	Pass	PK	16.4912G	52.66	68.20	-15.54	3	Horizontal	156	2.03
5530MHz	Pass	PK	22.11973G	50.55	74.00	-23.45	3	Horizontal	334	1.55
5610MHz	Pass	AV	5.441G	43.26	54.00	-10.74	3	Vertical	7	2.45
5610MHz	Pass	AV	5.648G	103.75	Inf	-Inf	3	Vertical	7	2.45
5610MHz	Pass	PK	5.458G	58.39	74.00	-15.61	3	Vertical	7	2.45
5610MHz	Pass	PK	5.468G	60.00	68.20	-8.20	3	Vertical	7	2.45
5610MHz	Pass	PK	5.648G	116.03	Inf	-Inf	3	Vertical	7	2.45
5610MHz	Pass	PK	5.725G	66.41	68.20	-1.79	3	Vertical	7	2.45
5610MHz	Pass	AV	5.458G	42.46	54.00	-11.54	3	Horizontal	0	1.59
5610MHz	Pass	AV	5.596G	99.71	Inf	-Inf	3	Horizontal	0	1.59
5610MHz	Pass	PK	5.453G	59.89	74.00	-14.11	3	Horizontal	0	1.59
5610MHz	Pass	PK	5.467G	57.97	68.20	-10.23	3	Horizontal	0	1.59
5610MHz	Pass	PK	5.595G	113.62	Inf	-Inf	3	Horizontal	0	1.59
5610MHz	Pass	PK	5.735G	62.49	68.20	-5.71	3	Horizontal	0	1.59
5610MHz	Pass	AV	11.22G	44.15	54.00	-9.85	3	Vertical	331	2.88
5610MHz	Pass	AV	22.43977G	39.60	54.00	-14.40	3	Vertical	17	1.50
5610MHz	Pass	PK	11.2204G	52.84	74.00	-21.16	3	Vertical	331	2.88
5610MHz	Pass	PK	16.7568G	51.36	68.20	-16.84	3	Vertical	193	2.43



RSE TX above 1GHz_Beamforming

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	PK	22.43973G	48.01	74.00	-25.99	3	Vertical	17	1.50
5610MHz	Pass	AV	11.22G	50.46	54.00	-3.54	3	Horizontal	335	2.84
5610MHz	Pass	AV	22.43989G	45.94	54.00	-8.06	3	Horizontal	336	1.55
5610MHz	Pass	PK	11.22G	55.52	74.00	-18.48	3	Horizontal	335	2.84
5610MHz	Pass	PK	16.7464G	52.18	68.20	-16.02	3	Horizontal	335	2.84
5610MHz	Pass	PK	22.43977G	50.24	74.00	-23.76	3	Horizontal	336	1.55
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4092G	45.03	54.00	-8.97	3	Vertical	3	2.26
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6516G	106.27	Inf	-Inf	3	Vertical	3	2.26
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.456G	61.49	74.00	-12.51	3	Vertical	3	2.26
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	63.20	68.20	-5.00	3	Vertical	3	2.26
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6516G	119.22	Inf	-Inf	3	Vertical	3	2.26
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.852G	66.83	68.20	-1.37	3	Vertical	3	2.26
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4032G	43.47	54.00	-10.53	3	Horizontal	5	1.45
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7044G	101.86	Inf	-Inf	3	Horizontal	5	1.45
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4488G	56.78	74.00	-17.22	3	Horizontal	5	1.45
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	57.90	68.20	-10.30	3	Horizontal	5	1.45
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7056G	115.43	Inf	-Inf	3	Horizontal	5	1.45
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8544G	59.64	68.20	-8.56	3	Horizontal	5	1.45
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38G	45.57	54.00	-8.43	3	Vertical	327	2.93
5690MHz Straddle 5.47-5.725GHz	Pass	AV	22.75984G	42.81	54.00	-11.19	3	Vertical	211	1.60
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38G	53.12	74.00	-20.88	3	Vertical	327	2.93
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.1136G	51.05	68.20	-17.15	3	Vertical	299	1.63
5690MHz Straddle 5.47-5.725GHz	Pass	PK	22.76009G	48.61	74.00	-25.39	3	Vertical	211	1.60
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38G	51.19	54.00	-2.81	3	Horizontal	338	1.82
5690MHz Straddle 5.47-5.725GHz	Pass	AV	22.75977G	45.47	54.00	-8.53	3	Horizontal	336	1.67
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3804G	56.33	74.00	-17.67	3	Horizontal	338	1.82
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.1536G	51.47	68.20	-16.73	3	Horizontal	179	2.43
5690MHz Straddle 5.47-5.725GHz	Pass	PK	22.75984G	51.71	74.00	-22.29	3	Horizontal	336	1.67
5775MHz	Pass	AV	5.46G	44.67	54.00	-9.33	3	Vertical	237	1.50
5775MHz	Pass	AV	5.769G	103.05	Inf	-Inf	3	Vertical	237	1.50
5775MHz	Pass	PK	5.649G	64.64	68.20	-3.56	3	Vertical	237	1.50
5775MHz	Pass	PK	5.772G	115.38	Inf	-Inf	3	Vertical	237	1.50
5775MHz	Pass	PK	6.471G	56.18	68.20	-12.02	3	Vertical	237	1.50
5775MHz	Pass	AV	5.442G	46.79	54.00	-7.21	3	Horizontal	356	1.31
5775MHz	Pass	AV	5.736G	101.52	Inf	-Inf	3	Horizontal	356	1.31
5775MHz	Pass	PK	5.646G	67.67	68.20	-0.53	3	Horizontal	356	1.31
5775MHz	Pass	PK	5.742G	113.90	Inf	-Inf	3	Horizontal	356	1.31
5775MHz	Pass	PK	5.925G	57.72	68.20	-10.48	3	Horizontal	356	1.31
5775MHz	Pass	AV	11.54992G	42.34	54.00	-11.66	3	Vertical	321	1.66
5775MHz	Pass	AV	23.10004G	36.88	54.00	-17.12	3	Vertical	340	1.55
5775MHz	Pass	PK	11.5498G	50.92	74.00	-23.08	3	Vertical	321	1.66
5775MHz	Pass	PK	17.32744G	50.65	68.20	-17.55	3	Vertical	97	1.50
5775MHz	Pass	PK	23.09988G	45.01	74.00	-28.99	3	Vertical	340	1.55
5775MHz	Pass	AV	11.54996G	47.61	54.00	-6.39	3	Horizontal	335	3.00
5775MHz	Pass	AV	23.1G	51.08	54.00	-2.92	3	Horizontal	285	1.74
5775MHz	Pass	PK	11.5498G	53.12	74.00	-20.88	3	Horizontal	335	3.00
5775MHz	Pass	PK	17.31872G	51.04	68.20	-17.16	3	Horizontal	292	1.50
5775MHz	Pass	PK	23.1G	53.42	74.00	-20.58	3	Horizontal	285	1.74
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	50.50	54.00	-3.50	3	Vertical	185	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2908G	94.63	Inf	-Inf	3	Vertical	185	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.35G	52.97	54.00	-1.03	3	Vertical	185	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1456G	65.59	74.00	-8.41	3	Vertical	185	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1816G	110.26	Inf	-Inf	3	Vertical	185	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3556G	67.82	74.00	-6.18	3	Vertical	185	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4612G	55.11	68.20	-13.09	3	Vertical	185	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	51.79	54.00	-2.21	3	Horizontal	355	1.13
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3016G	91.78	Inf	-Inf	3	Horizontal	355	1.13
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.35G	53.01	54.00	-0.99	3	Horizontal	355	1.13
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1468G	66.02	74.00	-7.98	3	Horizontal	355	1.13
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1828G	107.18	Inf	-Inf	3	Horizontal	355	1.13
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3688G	66.61	74.00	-7.39	3	Horizontal	355	1.13




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.466G	55.69	68.20	-12.51	3	Horizontal	355	1.13
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.6872G	39.56	54.00	-14.44	3	Vertical	188	2.47
5250MHz Straddle 5.25-5.35GHz	Pass	AV	20.99991G	44.47	54.00	-9.53	3	Vertical	165	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.5G	51.59	68.20	-16.61	3	Vertical	30	1.58
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.6872G	52.02	74.00	-21.98	3	Vertical	188	2.47
5250MHz Straddle 5.25-5.35GHz	Pass	PK	21.00005G	49.84	74.00	-24.16	3	Vertical	165	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.84G	40.27	54.00	-13.73	3	Horizontal	111	1.16
5250MHz Straddle 5.25-5.35GHz	Pass	AV	20.99991G	52.56	54.00	-1.44	3	Horizontal	336	1.54
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.5G	54.95	68.20	-13.25	3	Horizontal	0	2.11
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.84G	52.69	74.00	-21.31	3	Horizontal	111	1.16
5250MHz Straddle 5.25-5.35GHz	Pass	PK	20.99989G	54.91	74.00	-19.09	3	Horizontal	336	1.54
5570MHz	Pass	AV	5.4596G	47.59	54.00	-6.41	3	Vertical	178	1.86
5570MHz	Pass	AV	5.5052G	92.20	Inf	-Inf	3	Vertical	178	1.86
5570MHz	Pass	PK	5.3132G	58.93	68.20	-9.27	3	Vertical	178	1.86
5570MHz	Pass	PK	5.4368G	65.40	74.00	-8.60	3	Vertical	178	1.86
5570MHz	Pass	PK	5.4632G	64.06	68.20	-4.14	3	Vertical	178	1.86
5570MHz	Pass	PK	5.5112G	106.36	Inf	-Inf	3	Vertical	178	1.86
5570MHz	Pass	PK	5.7632G	61.68	68.20	-6.52	3	Vertical	178	1.86
5570MHz	Pass	AV	5.4596G	48.37	54.00	-5.63	3	Horizontal	344	1.27
5570MHz	Pass	AV	5.5064G	88.38	Inf	-Inf	3	Horizontal	344	1.27
5570MHz	Pass	PK	5.3288G	59.87	68.20	-8.33	3	Horizontal	344	1.27
5570MHz	Pass	PK	5.4488G	66.12	74.00	-7.88	3	Horizontal	344	1.27
5570MHz	Pass	PK	5.4692G	63.87	68.20	-4.33	3	Horizontal	344	1.27
5570MHz	Pass	PK	5.5556G	104.12	Inf	-Inf	3	Horizontal	344	1.27
5570MHz	Pass	PK	5.726G	67.42	68.20	-0.78	3	Horizontal	344	1.27
5570MHz	Pass	AV	11.14G	43.70	54.00	-10.30	3	Vertical	212	1.48
5570MHz	Pass	AV	22.27993G	40.52	54.00	-13.48	3	Vertical	16	1.50
5570MHz	Pass	PK	11.13968G	52.17	74.00	-21.83	3	Vertical	212	1.48
5570MHz	Pass	PK	16.78104G	51.87	68.20	-16.33	3	Vertical	209	2.56
5570MHz	Pass	PK	22.28006G	47.24	74.00	-26.76	3	Vertical	16	1.50
5570MHz	Pass	AV	11.14G	52.01	54.00	-1.99	3	Horizontal	296	1.59
5570MHz	Pass	AV	22.27992G	47.14	54.00	-6.86	3	Horizontal	335	1.53
5570MHz	Pass	PK	11.14G	55.64	74.00	-18.36	3	Horizontal	296	1.59
5570MHz	Pass	PK	16.6496G	52.12	68.20	-16.08	3	Horizontal	49	1.72
5570MHz	Pass	PK	22.27981G	51.07	74.00	-22.93	3	Horizontal	335	1.53



5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.69	54.00	-7.31	-5.41	3	Vertical	44	1.50	52.10	33.50	5.17	44.08
AV	5.171G	107.17	Inf	-Inf	-5.40	3	Vertical	44	1.50	112.57	33.50	5.18	44.08
AV	5.351G	41.42	54.00	-12.58	-5.56	3	Vertical	44	1.50	46.98	33.30	5.24	44.10
PK	5.148G	69.21	74.00	-4.79	-5.41	3	Vertical	44	1.50	74.62	33.50	5.17	44.08
PK	5.173G	118.46	Inf	-Inf	-5.40	3	Vertical	44	1.50	123.86	33.50	5.18	44.08
PK	5.381G	54.42	74.00	-19.58	-5.62	3	Vertical	44	1.50	60.04	33.24	5.25	44.11

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.80	54.00	-4.20	-5.41	3	Horizontal	351	1.67	55.21	33.50	5.17	44.08
AV	5.189G	106.18	Inf	-Inf	-5.39	3	Horizontal	351	1.67	111.57	33.50	5.19	44.08
AV	5.35G	41.16	54.00	-12.84	-5.56	3	Horizontal	351	1.67	46.72	33.30	5.24	44.10
PK	5.149G	73.86	74.00	-0.14	-5.41	3	Horizontal	351	1.67	79.27	33.50	5.17	44.08
PK	5.189G	117.00	Inf	-Inf	-5.39	3	Horizontal	351	1.67	122.39	33.50	5.19	44.08
PK	5.398G	53.79	74.00	-20.21	-5.65	3	Horizontal	351	1.67	59.44	33.20	5.26	44.11

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5431G	39.86	54.00	-14.14	6.12	3	Vertical	247	1.50	33.74	38.30	10.85	43.03
AV	20.71993G	44.51	54.00	-9.49	-22.14	3	Vertical	171	1.97	66.65	38.14	11.45	62.19
PK	10.35998G	53.18	68.20	-15.02	4.66	3	Vertical	22	1.62	48.52	38.70	8.07	42.11
PK	15.5442G	53.47	74.00	-20.53	6.12	3	Vertical	247	1.50	47.35	38.30	10.85	43.03
PK	20.71986G	49.03	74.00	-24.97	-22.14	3	Vertical	171	1.97	71.17	38.14	11.45	62.19

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54298G	40.09	54.00	-13.91	6.12	3	Horizontal	318	1.50	33.97	38.30	10.85	43.03
AV	20.71994G	52.46	54.00	-1.54	-22.14	3	Horizontal	12	1.54	74.60	38.14	11.45	62.19
PK	10.3599G	56.16	68.20	-12.04	4.66	3	Horizontal	350	1.60	51.50	38.70	8.07	42.11
PK	15.54362G	53.26	74.00	-20.74	6.12	3	Horizontal	318	1.50	47.14	38.30	10.85	43.03
PK	20.7199G	54.65	74.00	-19.35	-22.14	3	Horizontal	12	1.54	76.79	38.14	11.45	62.19



5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.042G	42.93	54.00	-11.07	-5.42	3	Vertical	32	1.50	48.35	33.53	5.12	44.07
AV	5.208G	105.28	Inf	-Inf	-5.39	3	Vertical	32	1.50	110.67	33.50	5.19	44.08
AV	5.359G	47.00	54.00	-7.00	-5.57	3	Vertical	32	1.50	52.57	33.28	5.25	44.10
PK	5.148G	61.84	74.00	-12.16	-5.41	3	Vertical	32	1.50	67.25	33.50	5.17	44.08
PK	5.208G	118.02	Inf	-Inf	-5.39	3	Vertical	32	1.50	123.41	33.50	5.19	44.08
PK	5.366G	59.26	74.00	-14.74	-5.57	3	Vertical	32	1.50	64.83	33.28	5.25	44.10

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.17	54.00	-7.83	-5.41	3	Horizontal	351	1.56	51.58	33.50	5.17	44.08
AV	5.193G	107.48	Inf	-Inf	-5.39	3	Horizontal	351	1.56	112.87	33.50	5.19	44.08
AV	5.359G	43.96	54.00	-10.04	-5.57	3	Horizontal	351	1.56	49.53	33.28	5.25	44.10
PK	5.15G	63.98	74.00	-10.02	-5.41	3	Horizontal	351	1.56	69.39	33.50	5.17	44.08
PK	5.196G	120.37	Inf	-Inf	-5.39	3	Horizontal	351	1.56	125.76	33.50	5.19	44.08
PK	5.366G	56.68	74.00	-17.32	-5.57	3	Horizontal	351	1.56	62.25	33.28	5.25	44.10



5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6047G	40.06	54.00	-13.94	6.22	3	Vertical	341	1.50	33.84	38.37	10.91	43.06
AV	20.7999G	45.69	54.00	-8.31	-22.16	3	Vertical	171	1.96	67.85	38.00	11.46	62.08
PK	10.40008G	54.59	68.20	-13.61	4.70	3	Vertical	21	1.66	49.89	38.70	8.08	42.08
PK	15.59782G	53.03	74.00	-20.97	6.24	3	Vertical	341	1.50	46.79	38.40	10.90	43.06
PK	20.79994G	50.87	74.00	-23.13	-22.16	3	Vertical	171	1.96	73.03	38.00	11.46	62.08

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59774G	41.57	54.00	-12.43	6.24	3	Horizontal	17	2.21	35.33	38.40	10.90	43.06
AV	20.79991G	52.88	54.00	-1.12	-22.16	3	Horizontal	16	1.86	75.04	38.00	11.46	62.08
PK	10.4001G	57.21	68.20	-10.99	4.70	3	Horizontal	353	1.49	52.51	38.70	8.08	42.08
PK	15.59748G	58.72	74.00	-15.28	6.23	3	Horizontal	17	2.21	52.49	38.39	10.90	43.06
PK	20.79994G	54.92	74.00	-19.08	-22.16	3	Horizontal	16	1.86	77.08	38.00	11.46	62.08



5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.078G	47.97	54.00	-6.03	-5.43	3	Vertical	13	1.66	53.40	33.50	5.14	44.07
AV	5.231G	111.64	Inf	-Inf	-5.39	3	Vertical	13	1.66	117.03	33.50	5.20	44.09
AV	5.385G	49.61	54.00	-4.39	-5.63	3	Vertical	13	1.66	55.24	33.23	5.25	44.11
PK	5.145G	65.36	74.00	-8.64	-5.41	3	Vertical	13	1.66	70.77	33.50	5.17	44.08
PK	5.231G	124.01	Inf	-Inf	-5.39	3	Vertical	13	1.66	129.40	33.50	5.20	44.09
PK	5.354G	60.90	74.00	-13.10	-5.57	3	Vertical	13	1.66	66.47	33.29	5.24	44.10
PK	5.466G	53.86	68.20	-14.34	-5.49	3	Vertical	13	1.66	59.35	33.33	5.30	44.12

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	43.96	54.00	-10.04	-5.41	3	Horizontal	245	1.84	49.37	33.50	5.17	44.08
AV	5.231G	110.25	Inf	-Inf	-5.39	3	Horizontal	245	1.84	115.64	33.50	5.20	44.09
AV	5.386G	43.89	54.00	-10.11	-5.62	3	Horizontal	245	1.84	49.51	33.23	5.26	44.11
PK	5.15G	62.71	74.00	-11.29	-5.41	3	Horizontal	245	1.84	68.12	33.50	5.17	44.08
PK	5.232G	120.76	Inf	-Inf	-5.39	3	Horizontal	245	1.84	126.15	33.50	5.20	44.09
PK	5.387G	55.84	74.00	-18.16	-5.62	3	Horizontal	245	1.84	61.46	33.23	5.26	44.11
PK	5.48G	53.42	68.20	-14.78	-5.45	3	Horizontal	245	1.84	58.87	33.36	5.31	44.12

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.714G	40.39	54.00	-13.61	6.12	3	Vertical	347	1.77	34.27	38.20	11.03	43.11
AV	20.9599G	44.32	54.00	-9.68	-21.90	3	Vertical	174	1.50	66.22	38.02	11.48	61.86
PK	10.4772G	57.56	68.20	-10.64	4.73	3	Vertical	20	1.51	52.83	38.65	8.11	42.03
PK	15.6806G	52.41	74.00	-21.59	6.05	3	Vertical	347	1.77	46.36	38.16	10.99	43.10
PK	20.95994G	49.74	74.00	-24.26	-21.90	3	Vertical	174	1.50	71.64	38.02	11.48	61.86

5.15-5.25GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7128G	40.96	54.00	-13.04	6.12	3	Horizontal	31	1.91	34.84	38.20	11.03	43.11
AV	20.95986G	50.38	54.00	-3.62	-21.90	3	Horizontal	18	1.50	72.28	38.02	11.48	61.86
PK	10.4802G	61.54	68.20	-6.66	4.75	3	Horizontal	17	1.50	56.79	38.66	8.11	42.02
PK	15.7088G	54.09	74.00	-19.91	6.11	3	Horizontal	31	1.91	47.98	38.20	11.02	43.11
PK	20.95986G	53.89	74.00	-20.11	-21.90	3	Horizontal	18	1.50	75.79	38.02	11.48	61.86

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1418G	43.59	54.00	-10.41	-5.42	3	Vertical	188	1.49	49.01	33.50	5.16	44.08
AV	5.251G	109.77	Inf	-Inf	-5.38	3	Vertical	188	1.49	115.15	33.50	5.21	44.09
AV	5.4082G	46.71	54.00	-7.29	-5.62	3	Vertical	188	1.49	52.33	33.22	5.27	44.11
PK	5.1316G	56.44	74.00	-17.56	-5.42	3	Vertical	188	1.49	61.86	33.50	5.16	44.08
PK	5.251G	121.07	Inf	-Inf	-5.38	3	Vertical	188	1.49	126.45	33.50	5.21	44.09
PK	5.4082G	59.21	74.00	-14.79	-5.62	3	Vertical	188	1.49	64.83	33.22	5.27	44.11

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1154G	43.66	54.00	-10.34	-5.42	3	Horizontal	150	1.87	49.08	33.50	5.15	44.07
AV	5.2684G	106.47	Inf	-Inf	-5.45	3	Horizontal	150	1.87	111.92	33.43	5.21	44.09
AV	5.4052G	44.36	54.00	-9.64	-5.64	3	Horizontal	150	1.87	50.00	33.21	5.26	44.11
PK	5.1388G	56.63	74.00	-17.37	-5.42	3	Horizontal	150	1.87	62.05	33.50	5.16	44.08
PK	5.269G	117.92	Inf	-Inf	-5.46	3	Horizontal	150	1.87	123.38	33.42	5.21	44.09
PK	5.4094G	56.94	74.00	-17.06	-5.62	3	Horizontal	150	1.87	62.56	33.22	5.27	44.11



5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78444G	39.92	54.00	-14.08	6.08	3	Vertical	228	1.76	33.84	38.13	11.10	43.15
AV	21.03989G	45.29	54.00	-8.71	-21.71	3	Vertical	169	1.53	67.00	38.10	11.48	61.75
PK	10.52552G	54.82	68.20	-13.38	4.85	3	Vertical	13	2.63	49.97	38.75	8.12	42.02
PK	15.76626G	52.07	74.00	-21.93	6.11	3	Vertical	228	1.76	45.96	38.17	11.08	43.14
PK	21.03972G	49.95	74.00	-24.05	-21.71	3	Vertical	169	1.53	71.66	38.10	11.48	61.75

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.79086G	39.90	54.00	-14.10	6.08	3	Horizontal	40	2.34	33.82	38.12	11.11	43.15
AV	21.03989G	51.37	54.00	-2.63	-21.71	3	Horizontal	336	1.54	73.08	38.10	11.48	61.75
PK	10.51994G	56.68	68.20	-11.52	4.84	3	Horizontal	356	1.66	51.84	38.74	8.12	42.02
PK	15.77796G	52.79	74.00	-21.21	6.09	3	Horizontal	40	2.34	46.70	38.14	11.09	43.14
PK	21.03989G	54.66	74.00	-19.34	-21.71	3	Horizontal	336	1.54	76.37	38.10	11.48	61.75



5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2912G	110.56	Inf	-Inf	-5.53	3	Vertical	5	1.43	116.09	33.34	5.22	44.09
AV	5.3512G	46.00	54.00	-8.00	-5.56	3	Vertical	5	1.43	51.56	33.30	5.24	44.10
PK	5.2908G	122.10	Inf	-Inf	-5.53	3	Vertical	5	1.43	127.63	33.34	5.22	44.09
PK	5.35G	62.39	74.00	-11.61	-5.56	3	Vertical	5	1.43	67.95	33.30	5.24	44.10

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2912G	108.82	Inf	-Inf	-5.53	3	Horizontal	353	1.14	114.35	33.34	5.22	44.09
AV	5.3516G	45.82	54.00	-8.18	-5.56	3	Horizontal	353	1.14	51.38	33.30	5.24	44.10
PK	5.2928G	120.28	Inf	-Inf	-5.55	3	Horizontal	353	1.14	125.83	33.33	5.22	44.10
PK	5.3516G	66.80	74.00	-7.20	-5.56	3	Horizontal	353	1.14	72.36	33.30	5.24	44.10



5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90012G	40.15	54.00	-13.85	5.92	3	Vertical	126	1.50	34.23	37.90	11.22	43.20
AV	21.19989G	46.06	54.00	-7.94	-21.40	3	Vertical	168	1.53	67.46	38.20	11.50	61.56
PK	10.61032G	53.36	74.00	-20.64	5.12	3	Vertical	45	2.33	48.24	39.02	8.15	42.05
PK	15.90534G	53.24	74.00	-20.76	5.94	3	Vertical	126	1.50	47.30	37.91	11.23	43.20
PK	21.19997G	50.38	74.00	-23.62	-21.40	3	Vertical	168	1.53	71.78	38.20	11.50	61.56

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.91266G	40.28	54.00	-13.72	5.96	3	Horizontal	357	1.50	34.32	37.93	11.24	43.21
AV	21.1999G	48.62	54.00	-5.38	-21.40	3	Horizontal	17	1.80	70.02	38.20	11.50	61.56
PK	10.6G	56.42	68.20	-11.78	5.10	3	Horizontal	358	1.50	51.32	39.00	8.14	42.04
PK	15.91128G	53.08	74.00	-20.92	5.95	3	Horizontal	357	1.50	47.13	37.92	11.24	43.21
PK	21.1999G	52.50	74.00	-21.50	-21.40	3	Horizontal	17	1.80	73.90	38.20	11.50	61.56



5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3286G	106.90	Inf	-Inf	-5.56	3	Vertical	5	1.41	112.46	33.30	5.24	44.10
AV	5.35G	50.55	54.00	-3.45	-5.56	3	Vertical	5	1.41	56.11	33.30	5.24	44.10
PK	5.3284G	119.53	Inf	-Inf	-5.57	3	Vertical	5	1.41	125.10	33.30	5.23	44.10
PK	5.3518G	73.02	74.00	-0.98	-5.56	3	Vertical	5	1.41	78.58	33.30	5.24	44.10

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.311G	106.50	Inf	-Inf	-5.57	3	Horizontal	354	1.55	112.07	33.30	5.23	44.10
AV	5.35G	45.57	54.00	-8.43	-5.56	3	Horizontal	354	1.55	51.13	33.30	5.24	44.10
PK	5.3112G	119.18	Inf	-Inf	-5.57	3	Horizontal	354	1.55	124.75	33.30	5.23	44.10
PK	5.3502G	70.78	74.00	-3.22	-5.56	3	Horizontal	354	1.55	76.34	33.30	5.24	44.10



5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63988G	43.67	54.00	-10.33	5.18	3	Vertical	43	1.67	38.49	39.08	8.16	42.06
AV	15.94764G	40.03	54.00	-13.97	6.05	3	Vertical	236	1.50	33.98	38.00	11.27	43.22
AV	21.27989G	46.20	54.00	-7.80	-21.27	3	Vertical	167	1.53	67.47	38.22	11.51	61.46
PK	10.64024G	52.91	74.00	-21.09	5.18	3	Vertical	43	1.67	47.73	39.08	8.16	42.06
PK	15.945G	52.83	74.00	-21.17	6.04	3	Vertical	236	1.50	46.79	37.99	11.27	43.22
PK	21.27991G	50.90	74.00	-23.10	-21.27	3	Vertical	167	1.53	72.17	38.22	11.51	61.46

5.25-5.35GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63994G	52.24	54.00	-1.76	5.18	3	Horizontal	358	1.50	47.06	39.08	8.16	42.06
AV	15.94884G	39.99	54.00	-14.01	6.05	3	Horizontal	26	2.13	33.94	38.00	11.28	43.23
AV	21.27988G	50.63	54.00	-3.37	-21.27	3	Horizontal	339	1.57	71.90	38.22	11.51	61.46
PK	10.63988G	57.46	74.00	-16.54	5.18	3	Horizontal	358	1.50	52.28	39.08	8.16	42.06
PK	15.9504G	52.53	74.00	-21.47	6.05	3	Horizontal	26	2.13	46.48	38.00	11.28	43.23
PK	21.2799G	53.37	74.00	-20.63	-21.27	3	Horizontal	339	1.57	74.64	38.22	11.51	61.46



5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	44.55	54.00	-9.45	-5.50	3	Vertical	6	1.72	50.05	33.32	5.30	44.12
AV	5.5088G	106.97	Inf	-Inf	-5.37	3	Vertical	6	1.72	112.34	33.42	5.33	44.12
PK	5.458G	60.14	74.00	-13.86	-5.49	3	Vertical	6	1.72	65.63	33.32	5.30	44.11
PK	5.4698G	63.93	68.20	-4.27	-5.47	3	Vertical	6	1.72	69.40	33.34	5.31	44.12
PK	5.5086G	120.02	Inf	-Inf	-5.37	3	Vertical	6	1.72	125.39	33.42	5.33	44.12

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	44.69	54.00	-9.31	-5.50	3	Horizontal	346	1.59	50.19	33.32	5.30	44.12
AV	5.5088G	102.95	Inf	-Inf	-5.37	3	Horizontal	346	1.59	108.32	33.42	5.33	44.12
PK	5.452G	59.69	74.00	-14.31	-5.52	3	Horizontal	346	1.59	65.21	33.30	5.29	44.11
PK	5.4692G	67.84	68.20	-0.36	-5.48	3	Horizontal	346	1.59	73.32	33.34	5.30	44.12
PK	5.5072G	115.87	Inf	-Inf	-5.38	3	Horizontal	346	1.59	121.25	33.41	5.33	44.12



5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99994G	42.44	54.00	-11.56	4.88	3	Vertical	192	1.50	37.56	38.80	8.26	42.18
PK	11.00018G	51.95	74.00	-22.05	4.89	3	Vertical	192	1.50	47.06	38.80	8.27	42.18
PK	16.4883G	52.39	68.20	-15.81	6.09	3	Vertical	307	1.50	46.30	37.98	11.13	43.02
PK	22.00012G	53.45	68.20	-14.75	-11.02	3	Vertical	53	1.62	64.47	38.10	11.58	60.70

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11G	52.05	54.00	-1.95	4.89	3	Horizontal	3	1.50	47.16	38.80	8.27	42.18
PK	10.99994G	56.22	74.00	-17.78	4.88	3	Horizontal	3	1.50	51.34	38.80	8.26	42.18
PK	16.48794G	52.88	68.20	-15.32	6.09	3	Horizontal	38	1.38	46.79	37.98	11.13	43.02
PK	22.00006G	57.30	68.20	-10.90	-11.02	3	Horizontal	285	1.76	68.32	38.10	11.58	60.70



5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4324G	44.41	54.00	-9.59	-5.57	3	Vertical	178	1.51	49.98	33.26	5.28	44.11
AV	5.5716G	108.49	Inf	-Inf	-5.30	3	Vertical	178	1.51	113.79	33.46	5.37	44.13
PK	5.4594G	55.52	74.00	-18.48	-5.50	3	Vertical	178	1.51	61.02	33.32	5.30	44.12
PK	5.4636G	55.59	68.20	-12.61	-5.49	3	Vertical	178	1.51	61.08	33.33	5.30	44.12
PK	5.5728G	119.72	Inf	-Inf	-5.31	3	Vertical	178	1.51	125.03	33.45	5.37	44.13
PK	5.7264G	58.45	68.20	-9.75	-4.63	3	Vertical	178	1.51	63.08	34.06	5.46	44.15

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4456G	43.55	54.00	-10.45	-5.53	3	Horizontal	0	1.08	49.08	33.29	5.29	44.11
AV	5.571G	107.09	Inf	-Inf	-5.30	3	Horizontal	0	1.08	112.39	33.46	5.37	44.13
PK	5.43G	56.29	74.00	-17.71	-5.57	3	Horizontal	0	1.08	61.86	33.26	5.28	44.11
PK	5.4696G	56.14	68.20	-12.06	-5.47	3	Horizontal	0	1.08	61.61	33.34	5.31	44.12
PK	5.5728G	118.81	Inf	-Inf	-5.31	3	Horizontal	0	1.08	124.12	33.45	5.37	44.13
PK	5.7264G	58.48	68.20	-9.72	-4.63	3	Horizontal	0	1.08	63.11	34.06	5.46	44.15



5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16G	43.77	54.00	-10.23	5.13	3	Vertical	210	1.50	38.64	38.92	8.31	42.10
AV	22.31995G	40.78	54.00	-13.22	-20.28	3	Vertical	18	1.50	61.06	38.14	11.69	60.57
PK	11.16G	51.81	74.00	-22.19	5.13	3	Vertical	210	1.50	46.68	38.92	8.31	42.10
PK	16.654G	52.26	68.20	-15.94	5.80	3	Vertical	331	1.50	46.46	37.81	11.06	43.07
PK	22.31988G	47.31	74.00	-26.69	-20.28	3	Vertical	18	1.50	67.59	38.14	11.69	60.57

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16G	51.50	54.00	-2.50	5.13	3	Horizontal	336	2.84	46.37	38.92	8.31	42.10
AV	22.31988G	47.01	54.00	-6.99	-20.28	3	Horizontal	336	1.54	67.29	38.14	11.69	60.57
PK	11.16G	55.81	74.00	-18.19	5.13	3	Horizontal	336	2.84	50.68	38.92	8.31	42.10
PK	16.6856G	52.24	68.20	-15.96	5.84	3	Horizontal	33	1.00	46.40	37.87	11.05	43.08
PK	22.31995G	50.65	74.00	-23.35	-20.28	3	Horizontal	336	1.54	70.93	38.14	11.69	60.57



5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6944G	98.61	Inf	-Inf	-4.93	3	Vertical	197	1.50	103.54	33.77	5.44	44.14
PK	5.6948G	111.48	Inf	-Inf	-4.93	3	Vertical	197	1.50	116.41	33.77	5.44	44.14
PK	5.7268G	65.30	68.20	-2.90	-4.62	3	Vertical	197	1.50	69.92	34.07	5.46	44.15

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.706G	97.93	Inf	-Inf	-4.83	3	Horizontal	360	1.45	102.76	33.86	5.45	44.14
PK	5.7088G	110.43	Inf	-Inf	-4.81	3	Horizontal	360	1.45	115.24	33.89	5.45	44.15
PK	5.7276G	67.32	68.20	-0.88	-4.61	3	Horizontal	360	1.45	71.93	34.08	5.46	44.15



5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4G	45.76	54.00	-8.24	5.82	3	Vertical	328	2.96	39.94	39.40	8.39	41.97
AV	22.7999G	43.78	54.00	-10.22	-19.38	3	Vertical	212	1.60	63.16	38.50	11.86	60.20
PK	11.4G	53.37	74.00	-20.63	5.82	3	Vertical	328	2.96	47.55	39.40	8.39	41.97
PK	17.1012G	52.06	68.20	-16.14	5.20	3	Vertical	102	1.50	46.86	37.50	10.87	43.17
PK	22.79974G	48.64	74.00	-25.36	-19.38	3	Vertical	212	1.60	68.02	38.50	11.86	60.20

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4G	51.28	54.00	-2.72	5.82	3	Horizontal	340	1.70	45.46	39.40	8.39	41.97
AV	22.79975G	48.63	54.00	-5.37	-19.38	3	Horizontal	336	1.66	68.01	38.50	11.86	60.20
PK	11.4G	55.87	74.00	-18.13	5.82	3	Horizontal	340	1.70	50.05	39.40	8.39	41.97
PK	17.01G	51.47	68.20	-16.73	5.08	3	Horizontal	295	1.50	46.39	37.36	10.91	43.19
PK	22.79992G	52.31	74.00	-21.69	-19.38	3	Horizontal	336	1.66	71.69	38.50	11.86	60.20

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4212G	48.01	54.00	-5.99	-5.60	3	Vertical	240	1.67	53.61	33.24	5.27	44.11
AV	5.7284G	110.08	Inf	-Inf	-4.61	3	Vertical	240	1.67	114.69	34.08	5.46	44.15
PK	5.4212G	59.94	74.00	-14.06	-5.60	3	Vertical	240	1.67	65.54	33.24	5.27	44.11
PK	5.4692G	55.07	68.20	-13.13	-5.48	3	Vertical	240	1.67	60.55	33.34	5.30	44.12
PK	5.7284G	123.19	Inf	-Inf	-4.61	3	Vertical	240	1.67	127.80	34.08	5.46	44.15
PK	5.99G	58.59	68.20	-9.61	-4.01	3	Vertical	240	1.67	62.60	34.60	5.57	44.18

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4212G	46.41	54.00	-7.59	-5.60	3	Horizontal	5	1.59	52.01	33.24	5.27	44.11
AV	5.7284G	108.72	Inf	-Inf	-4.61	3	Horizontal	5	1.59	113.33	34.08	5.46	44.15
PK	5.4212G	57.89	74.00	-16.11	-5.60	3	Horizontal	5	1.59	63.49	33.24	5.27	44.11
PK	5.468G	55.04	68.20	-13.16	-5.48	3	Horizontal	5	1.59	60.52	33.34	5.30	44.12
PK	5.7296G	120.60	Inf	-Inf	-4.59	3	Horizontal	5	1.59	125.19	34.10	5.46	44.15
PK	5.9816G	57.43	68.20	-10.77	-4.02	3	Horizontal	5	1.59	61.45	34.60	5.56	44.18



5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44G	45.01	54.00	-8.99	5.61	3	Vertical	322	1.64	39.40	39.16	8.40	41.95
AV	22.87996G	42.39	54.00	-11.61	-18.95	3	Vertical	209	1.60	61.34	38.82	11.89	60.12
PK	11.4396G	54.87	74.00	-19.13	5.61	3	Vertical	322	1.64	49.26	39.16	8.40	41.95
PK	17.2456G	52.09	68.20	-16.11	5.27	3	Vertical	4	1.59	46.82	37.59	10.81	43.13
PK	22.87995G	48.92	74.00	-25.08	-18.95	3	Vertical	209	1.60	67.87	38.82	11.89	60.12

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44G	51.04	54.00	-2.96	5.61	3	Horizontal	339	1.73	45.43	39.16	8.40	41.95
AV	22.87989G	48.22	54.00	-5.78	-18.95	3	Horizontal	336	1.67	67.17	38.82	11.89	60.12
PK	11.44G	56.34	74.00	-17.66	5.61	3	Horizontal	339	1.73	50.73	39.16	8.40	41.95
PK	17.2464G	51.85	68.20	-16.35	5.27	3	Horizontal	14	1.50	46.58	37.59	10.81	43.13
PK	22.87993G	52.79	74.00	-21.21	-18.95	3	Horizontal	336	1.67	71.74	38.82	11.89	60.12



5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.445G	46.28	54.00	-7.72	-5.53	3	Vertical	248	1.56	51.81	33.29	5.29	44.11
AV	5.7366G	111.16	Inf	-Inf	-4.51	3	Vertical	248	1.56	115.67	34.17	5.47	44.15
PK	5.6478G	60.44	68.20	-7.76	-5.22	3	Vertical	248	1.56	65.66	33.50	5.42	44.14
PK	5.7366G	122.03	Inf	-Inf	-4.51	3	Vertical	248	1.56	126.54	34.17	5.47	44.15
PK	6.0114G	54.38	68.20	-13.82	-4.05	3	Vertical	248	1.56	58.43	34.55	5.58	44.18

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4462G	48.27	54.00	-5.73	-5.53	3	Horizontal	3	1.65	53.80	33.29	5.29	44.11
AV	5.7366G	110.83	Inf	-Inf	-4.51	3	Horizontal	3	1.65	115.34	34.17	5.47	44.15
PK	5.6466G	64.82	68.20	-3.38	-5.23	3	Horizontal	3	1.65	70.05	33.49	5.42	44.14
PK	5.7366G	123.74	Inf	-Inf	-4.51	3	Horizontal	3	1.65	128.25	34.17	5.47	44.15
PK	6.0006G	55.70	68.20	-12.50	-4.01	3	Horizontal	3	1.65	59.71	34.60	5.57	44.18



5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49G	46.07	54.00	-7.93	5.58	3	Vertical	333	1.73	40.49	39.10	8.41	41.93
AV	22.97982G	41.36	54.00	-12.64	-18.98	3	Vertical	162	1.58	60.34	38.66	11.92	60.02
PK	11.4901G	54.31	74.00	-19.69	5.58	3	Vertical	333	1.73	48.73	39.10	8.41	41.93
PK	17.2302G	58.04	68.20	-10.16	5.25	3	Vertical	350	2.27	52.79	37.56	10.82	43.13
PK	22.97994G	47.05	74.00	-26.95	-18.98	3	Vertical	162	1.58	66.03	38.66	11.92	60.02

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48988G	51.14	54.00	-2.86	5.58	3	Horizontal	339	1.87	45.56	39.10	8.41	41.93
AV	22.97986G	48.81	54.00	-5.19	-18.98	3	Horizontal	343	1.69	67.79	38.66	11.92	60.02
PK	11.48992G	56.68	74.00	-17.32	5.58	3	Horizontal	339	1.87	51.10	39.10	8.41	41.93
PK	17.2178G	62.54	68.20	-5.66	5.22	3	Horizontal	9	1.60	57.32	37.54	10.82	43.14
PK	22.9799G	51.33	74.00	-22.67	-18.98	3	Horizontal	343	1.69	70.31	38.66	11.92	60.02



5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX



Legend for spectrum plot:


- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Magenta line)
- AV (Black line)

08/02/2024

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	43.16	54.00	-10.84	-5.50	3	Vertical	8	1.55	48.66	33.32	5.30	44.12
AV	5.7754G	113.53	Inf	-Inf	-4.26	3	Vertical	8	1.55	117.79	34.40	5.49	44.15
PK	5.481G	65.36	68.20	-2.84	-5.45	3	Vertical	8	1.55	70.81	33.36	5.31	44.12
PK	5.7754G	123.78	Inf	-Inf	-4.26	3	Vertical	8	1.55	128.04	34.40	5.49	44.15
PK	5.9274G	56.88	68.20	-11.32	-4.03	3	Vertical	8	1.55	60.91	34.60	5.54	44.17

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX



Legend for spectrum plot:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Magenta line)
- AV (Black line)


08/02/2024

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	42.51	54.00	-11.49	-5.50	3	Horizontal	3	1.33	48.01	33.32	5.30	44.12
AV	5.7754G	111.68	Inf	-Inf	-4.26	3	Horizontal	3	1.33	115.94	34.40	5.49	44.15
PK	5.6506G	67.04	68.64	-1.60	-5.22	3	Horizontal	3	1.33	72.26	33.50	5.42	44.14
PK	5.777G	124.07	Inf	-Inf	-4.25	3	Horizontal	3	1.33	128.32	34.41	5.49	44.15
PK	5.9274G	65.46	68.20	-2.74	-4.03	3	Horizontal	3	1.33	69.49	34.60	5.54	44.17



5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57002G	46.00	54.00	-8.00	5.47	3	Vertical	333	1.73	40.53	38.98	8.44	41.95
PK	11.56988G	55.32	74.00	-18.68	5.47	3	Vertical	333	1.73	49.85	38.98	8.44	41.95
PK	17.35694G	56.79	68.20	-11.41	5.38	3	Vertical	360	1.53	51.41	37.71	10.77	43.10
PK	23.13996G	47.80	68.20	-20.40	-18.92	3	Vertical	191	1.65	66.72	38.70	11.98	60.06

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56994G	50.55	54.00	-3.45	5.47	3	Horizontal	341	1.77	45.08	38.98	8.44	41.95
PK	11.5701G	55.72	74.00	-18.28	5.47	3	Horizontal	341	1.77	50.25	38.98	8.44	41.95
PK	17.35628G	59.64	68.20	-8.56	5.38	3	Horizontal	0	1.50	54.26	37.71	10.77	43.10
PK	23.13988G	55.22	68.20	-12.98	-18.92	3	Horizontal	291	1.63	74.14	38.70	11.98	60.06



5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3544G	53.44	54.00	-0.56	-5.57	3	Vertical	224	1.52	59.01	33.29	5.24	44.10
AV	5.8172G	111.01	Inf	-Inf	-4.18	3	Vertical	224	1.52	115.19	34.47	5.51	44.16
PK	5.201G	63.89	68.20	-4.31	-5.39	3	Vertical	224	1.52	69.28	33.50	5.19	44.08
PK	5.8172G	122.29	Inf	-Inf	-4.18	3	Vertical	224	1.52	126.47	34.47	5.51	44.16
PK	6.0616G	56.25	68.20	-11.95	-4.17	3	Vertical	224	1.52	60.42	34.40	5.60	44.17

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.37G	47.90	54.00	-6.10	-5.59	3	Horizontal	355	1.40	53.49	33.26	5.25	44.10
AV	5.8328G	109.01	Inf	-Inf	-4.22	3	Horizontal	355	1.40	113.23	34.43	5.51	44.16
PK	5.526G	62.76	68.20	-5.44	-5.33	3	Horizontal	355	1.40	68.09	33.45	5.34	44.12
PK	5.8328G	121.77	Inf	-Inf	-4.22	3	Horizontal	355	1.40	125.99	34.43	5.51	44.16
PK	5.9264G	56.98	68.20	-11.22	-4.03	3	Horizontal	355	1.40	61.01	34.60	5.54	44.17



5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64998G	43.77	54.00	-10.23	5.18	3	Vertical	324	1.60	38.59	38.70	8.46	41.98
PK	11.6501G	52.42	74.00	-21.58	5.18	3	Vertical	324	1.60	47.24	38.70	8.46	41.98
PK	17.47642G	53.61	68.20	-14.59	5.59	3	Vertical	332	1.78	48.02	37.95	10.72	43.08
PK	23.30001G	47.56	68.20	-20.64	-18.92	3	Vertical	19	1.58	66.48	38.70	12.04	60.12

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65004G	50.14	54.00	-3.86	5.18	3	Horizontal	338	1.71	44.96	38.70	8.46	41.98
PK	11.65004G	54.85	74.00	-19.15	5.18	3	Horizontal	338	1.71	49.67	38.70	8.46	41.98
PK	17.47686G	55.40	68.20	-12.80	5.59	3	Horizontal	357	1.49	49.81	37.95	10.72	43.08
PK	23.29993G	54.60	68.20	-13.60	-18.93	3	Horizontal	328	1.71	73.53	38.70	12.03	60.12



5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.97	54.00	-6.03	-5.41	3	Vertical	1	1.43	53.38	33.50	5.17	44.08
AV	5.182G	96.91	Inf	-Inf	-5.40	3	Vertical	1	1.43	102.31	33.50	5.18	44.08
AV	5.35G	41.19	54.00	-12.81	-5.56	3	Vertical	1	1.43	46.75	33.30	5.24	44.10
PK	5.15G	62.04	74.00	-11.96	-5.41	3	Vertical	1	1.43	67.45	33.50	5.17	44.08
PK	5.1852G	109.60	Inf	-Inf	-5.40	3	Vertical	1	1.43	115.00	33.50	5.18	44.08
PK	5.4108G	53.69	74.00	-20.31	-5.62	3	Vertical	1	1.43	59.31	33.22	5.27	44.11
PK	5.5052G	56.34	68.20	-11.86	-5.38	3	Vertical	1	1.43	61.72	33.41	5.33	44.12

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.82	54.00	-0.18	-5.41	3	Horizontal	347	1.75	59.23	33.50	5.17	44.08
AV	5.198G	97.85	Inf	-Inf	-5.39	3	Horizontal	347	1.75	103.24	33.50	5.19	44.08
AV	5.3612G	41.22	54.00	-12.78	-5.57	3	Horizontal	347	1.75	46.79	33.28	5.25	44.10
PK	5.15G	67.87	74.00	-6.13	-5.41	3	Horizontal	347	1.75	73.28	33.50	5.17	44.08
PK	5.1884G	110.34	Inf	-Inf	-5.40	3	Horizontal	347	1.75	115.74	33.50	5.18	44.08
PK	5.3788G	54.21	74.00	-19.79	-5.62	3	Horizontal	347	1.75	59.83	33.24	5.25	44.11
PK	5.5052G	53.85	68.20	-14.35	-5.38	3	Horizontal	347	1.75	59.23	33.41	5.33	44.12

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57776G	39.08	54.00	-14.92	6.19	3	Vertical	26	2.84	32.89	38.36	10.88	43.05
AV	20.75996G	41.59	54.00	-12.41	-22.06	3	Vertical	165	1.53	63.65	38.16	11.46	62.14
PK	10.37983G	52.52	68.20	-15.68	4.68	3	Vertical	24	1.65	47.84	38.70	8.08	42.10
PK	15.5682G	51.91	74.00	-22.09	6.17	3	Vertical	26	2.84	45.74	38.34	10.87	43.04
PK	20.75992G	46.81	74.00	-27.19	-22.06	3	Vertical	165	1.53	68.87	38.16	11.46	62.14

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57896G	38.94	54.00	-15.06	6.19	3	Horizontal	165	1.50	32.75	38.36	10.88	43.05
AV	20.75992G	51.20	54.00	-2.80	-22.06	3	Horizontal	12	1.55	73.26	38.16	11.46	62.14
PK	10.37996G	56.09	68.20	-12.11	4.68	3	Horizontal	351	1.50	51.41	38.70	8.08	42.10
PK	15.57104G	51.89	74.00	-22.11	6.18	3	Horizontal	165	1.50	45.71	38.34	10.88	43.04
PK	20.75984G	53.12	74.00	-20.88	-22.06	3	Horizontal	12	1.55	75.18	38.16	11.46	62.14



5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	48.76	54.00	-5.24	-5.41	3	Vertical	157	1.26	54.17	33.50	5.17	44.08
AV	5.2476G	107.16	Inf	-Inf	-5.38	3	Vertical	157	1.26	112.54	33.50	5.21	44.09
AV	5.3532G	46.35	54.00	-7.65	-5.57	3	Vertical	157	1.26	51.92	33.29	5.24	44.10
PK	5.1468G	71.81	74.00	-2.19	-5.41	3	Vertical	157	1.26	77.22	33.50	5.17	44.08
PK	5.2492G	118.57	Inf	-Inf	-5.38	3	Vertical	157	1.26	123.95	33.50	5.21	44.09
PK	5.3548G	66.11	74.00	-7.89	-5.57	3	Vertical	157	1.26	71.68	33.29	5.24	44.10
PK	5.526G	57.08	68.20	-11.12	-5.33	3	Vertical	157	1.26	62.41	33.45	5.34	44.12

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.38	54.00	-7.62	-5.41	3	Horizontal	351	1.50	51.79	33.50	5.17	44.08
AV	5.2444G	104.59	Inf	-Inf	-5.38	3	Horizontal	351	1.50	109.97	33.50	5.21	44.09
AV	5.366G	43.74	54.00	-10.26	-5.58	3	Horizontal	351	1.50	49.32	33.27	5.25	44.10
PK	5.15G	67.26	74.00	-6.74	-5.41	3	Horizontal	351	1.50	72.67	33.50	5.17	44.08
PK	5.2444G	117.02	Inf	-Inf	-5.38	3	Horizontal	351	1.50	122.40	33.50	5.21	44.09
PK	5.3548G	59.70	74.00	-14.30	-5.57	3	Horizontal	351	1.50	65.27	33.29	5.24	44.10
PK	5.526G	56.48	68.20	-11.72	-5.33	3	Horizontal	351	1.50	61.81	33.45	5.34	44.12



5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69764G	38.19	54.00	-15.81	6.11	3	Vertical	24	1.89	32.08	38.20	11.01	43.10
AV	20.91996G	42.05	54.00	-11.95	-21.92	3	Vertical	166	1.54	63.97	38.06	11.47	61.91
PK	10.46011G	51.64	68.20	-16.56	4.68	3	Vertical	24	1.60	46.96	38.62	8.10	42.04
PK	15.69208G	51.36	74.00	-22.64	6.08	3	Vertical	24	1.89	45.28	38.18	11.00	43.10
PK	20.91976G	47.30	74.00	-26.70	-21.92	3	Vertical	166	1.54	69.22	38.06	11.47	61.91

5.15-5.25GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68796G	38.75	54.00	-15.25	6.08	3	Horizontal	350	1.84	32.67	38.18	11.00	43.10
AV	20.91992G	49.88	54.00	-4.12	-21.92	3	Horizontal	12	1.53	71.80	38.06	11.47	61.91
PK	10.46001G	57.17	68.20	-11.03	4.68	3	Horizontal	351	1.70	52.49	38.62	8.10	42.04
PK	15.6938G	51.37	74.00	-22.63	6.10	3	Horizontal	350	1.84	45.27	38.19	11.01	43.10
PK	20.91992G	51.98	74.00	-22.02	-21.92	3	Horizontal	12	1.53	73.90	38.06	11.47	61.91



5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2768G	103.51	Inf	-Inf	-5.48	3	Vertical	183	1.21	108.99	33.39	5.22	44.09
AV	5.35G	45.18	54.00	-8.82	-5.56	3	Vertical	183	1.21	50.74	33.30	5.24	44.10
PK	5.262G	117.38	Inf	-Inf	-5.43	3	Vertical	183	1.21	122.81	33.45	5.21	44.09
PK	5.354G	63.42	74.00	-10.58	-5.57	3	Vertical	183	1.21	68.99	33.29	5.24	44.10

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2872G	104.11	Inf	-Inf	-5.52	3	Horizontal	350	1.22	109.63	33.35	5.22	44.09
AV	5.3532G	46.08	54.00	-7.92	-5.57	3	Horizontal	350	1.22	51.65	33.29	5.24	44.10
PK	5.2864G	117.20	Inf	-Inf	-5.52	3	Horizontal	350	1.22	122.72	33.35	5.22	44.09
PK	5.3552G	64.31	74.00	-9.69	-5.57	3	Horizontal	350	1.22	69.88	33.29	5.24	44.10



5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8804G	39.81	54.00	-14.19	5.83	3	Vertical	264	1.67	33.98	37.82	11.20	43.19
AV	21.07987G	46.02	54.00	-7.98	-21.65	3	Vertical	167	1.52	67.67	38.10	11.49	61.70
PK	10.5368G	53.56	68.20	-14.64	4.87	3	Vertical	16	1.48	48.69	38.77	8.12	42.02
PK	15.9072G	52.62	74.00	-21.38	5.93	3	Vertical	264	1.67	46.69	37.91	11.23	43.21
PK	21.0798G	50.52	74.00	-23.48	-21.65	3	Vertical	167	1.52	72.17	38.10	11.49	61.70

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.88G	40.63	54.00	-13.37	5.83	3	Horizontal	336	1.34	34.80	37.82	11.20	43.19
AV	21.07991G	51.74	54.00	-2.26	-21.65	3	Horizontal	337	1.55	73.39	38.10	11.49	61.70
PK	10.54G	56.25	68.20	-11.95	4.88	3	Horizontal	356	1.65	51.37	38.78	8.12	42.02
PK	15.88G	53.21	74.00	-20.79	6.13	3	Horizontal	336	1.34	47.08	38.19	11.07	43.13
PK	21.07985G	54.27	74.00	-19.73	-21.65	3	Horizontal	337	1.55	75.92	38.10	11.49	61.70



5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2928G	100.83	Inf	-Inf	-5.55	3	Vertical	184	1.20	106.38	33.33	5.22	44.10
AV	5.3544G	49.73	54.00	-4.27	-5.57	3	Vertical	184	1.20	55.30	33.29	5.24	44.10
PK	5.292G	114.22	Inf	-Inf	-5.55	3	Vertical	184	1.20	119.77	33.33	5.22	44.10
PK	5.3628G	71.99	74.00	-2.01	-5.58	3	Vertical	184	1.20	77.57	33.27	5.25	44.10

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2932G	94.13	Inf	-Inf	-5.55	3	Horizontal	220	1.53	99.68	33.33	5.22	44.10
AV	5.3504G	44.20	54.00	-9.80	-5.56	3	Horizontal	220	1.53	49.76	33.30	5.24	44.10
PK	5.2924G	108.14	Inf	-Inf	-5.55	3	Horizontal	220	1.53	113.69	33.33	5.22	44.10
PK	5.356G	63.36	74.00	-10.64	-5.57	3	Horizontal	220	1.53	68.93	33.29	5.24	44.10



5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62G	42.97	54.00	-11.03	5.14	3	Vertical	46	2.36	37.83	39.04	8.15	42.05
AV	15.88G	39.98	54.00	-14.02	5.83	3	Vertical	271	1.51	34.15	37.82	11.20	43.19
AV	21.2399G	46.01	54.00	-7.99	-21.43	3	Vertical	166	1.53	67.44	38.12	11.50	61.51
PK	10.62G	51.97	74.00	-22.03	5.14	3	Vertical	46	2.36	46.83	39.04	8.15	42.05
PK	15.8836G	53.07	74.00	-20.93	5.85	3	Vertical	271	1.51	47.22	37.83	11.21	43.19
PK	21.23993G	50.42	74.00	-23.58	-21.43	3	Vertical	166	1.53	71.85	38.12	11.50	61.51

5.25-5.35GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62G	52.34	54.00	-1.66	5.14	3	Horizontal	355	1.50	47.20	39.04	8.15	42.05
AV	15.88G	40.92	54.00	-13.08	5.83	3	Horizontal	336	1.25	35.09	37.82	11.20	43.19
AV	21.2399G	50.75	54.00	-3.25	-21.43	3	Horizontal	338	1.57	72.18	38.12	11.50	61.51
PK	10.62G	56.52	74.00	-17.48	5.14	3	Horizontal	355	1.50	51.38	39.04	8.15	42.05
PK	15.88G	53.16	74.00	-20.84	6.00	3	Horizontal	336	1.25	47.16	37.96	11.26	43.22
PK	21.23986G	53.35	74.00	-20.65	-21.43	3	Horizontal	338	1.57	74.78	38.12	11.50	61.51



5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	44.95	54.00	-9.05	-5.50	3	Vertical	1	1.45	50.45	33.32	5.30	44.12
AV	5.4936G	98.88	Inf	-Inf	-5.41	3	Vertical	1	1.45	104.29	33.39	5.32	44.12
PK	5.46G	64.81	74.00	-9.19	-5.50	3	Vertical	1	1.45	70.31	33.32	5.30	44.12
PK	5.47G	67.90	68.20	-0.30	-5.47	3	Vertical	1	1.45	73.37	33.34	5.31	44.12
PK	5.4912G	112.30	Inf	-Inf	-5.42	3	Vertical	1	1.45	117.72	33.38	5.32	44.12

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	43.98	54.00	-10.02	-5.50	3	Horizontal	340	1.56	49.48	33.32	5.30	44.12
AV	5.492G	95.30	Inf	-Inf	-5.42	3	Horizontal	340	1.56	100.72	33.38	5.32	44.12
PK	5.458G	65.49	74.00	-8.51	-5.49	3	Horizontal	340	1.56	70.98	33.32	5.30	44.11
PK	5.4696G	67.52	68.20	-0.68	-5.47	3	Horizontal	340	1.56	72.99	33.34	5.31	44.12
PK	5.522G	109.34	Inf	-Inf	-5.34	3	Horizontal	340	1.56	114.68	33.44	5.34	44.12



5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02G	43.13	54.00	-10.87	4.94	3	Vertical	194	1.42	38.19	38.84	8.27	42.17
AV	22.03977G	42.28	54.00	-11.72	-20.61	3	Vertical	16	1.47	62.89	38.02	11.59	60.68
PK	10.958G	51.84	74.00	-22.16	5.05	3	Vertical	194	1.42	46.79	38.97	8.25	42.17
PK	16.4336G	53.08	68.20	-15.12	5.94	3	Vertical	341	1.76	47.14	37.83	11.15	43.04
PK	22.03961G	47.98	74.00	-26.02	-20.61	3	Vertical	16	1.47	68.59	38.02	11.59	60.68

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02G	52.25	54.00	-1.75	4.94	3	Horizontal	3	1.60	47.31	38.84	8.27	42.17
AV	22.03988G	47.16	54.00	-6.84	-20.61	3	Horizontal	333	1.54	67.77	38.02	11.59	60.68
PK	11.02G	55.61	74.00	-18.39	4.94	3	Horizontal	3	1.60	50.67	38.84	8.27	42.17
PK	16.5172G	53.03	68.20	-15.17	6.00	3	Horizontal	329	1.61	47.03	37.90	11.12	43.02
PK	22.03985G	50.76	74.00	-23.24	-20.61	3	Horizontal	333	1.54	71.37	38.02	11.59	60.68



5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	42.40	54.00	-11.60	-5.50	3	Vertical	242	1.50	47.90	33.32	5.30	44.12
AV	5.5684G	107.37	Inf	-Inf	-5.30	3	Vertical	242	1.50	112.67	33.46	5.37	44.13
PK	5.4544G	62.31	74.00	-11.69	-5.50	3	Vertical	242	1.50	67.81	33.31	5.30	44.11
PK	5.4684G	63.92	68.20	-4.28	-5.48	3	Vertical	242	1.50	69.40	33.34	5.30	44.12
PK	5.5676G	120.19	Inf	-Inf	-5.30	3	Vertical	242	1.50	125.49	33.46	5.37	44.13

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	43.43	54.00	-10.57	-5.50	3	Horizontal	349	1.65	48.93	33.32	5.30	44.12
AV	5.5344G	103.45	Inf	-Inf	-5.30	3	Horizontal	349	1.65	108.75	33.47	5.35	44.12
PK	5.454G	63.38	74.00	-10.62	-5.50	3	Horizontal	349	1.65	68.88	33.31	5.30	44.11
PK	5.4684G	65.93	68.20	-2.27	-5.48	3	Horizontal	349	1.65	71.41	33.34	5.30	44.12
PK	5.536G	117.14	Inf	-Inf	-5.30	3	Horizontal	349	1.65	122.44	33.47	5.35	44.12



5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1G	42.71	54.00	-11.29	5.07	3	Vertical	29	1.56	37.64	38.90	8.30	42.13
AV	22.19989G	40.70	54.00	-13.30	-20.51	3	Vertical	18	1.47	61.21	38.00	11.65	60.62
PK	11.0996G	52.95	74.00	-21.05	5.07	3	Vertical	29	1.56	47.88	38.90	8.30	42.13
PK	16.5884G	52.38	68.20	-15.82	5.60	3	Vertical	38	1.50	46.78	37.55	11.09	43.04
PK	22.19981G	47.44	74.00	-26.56	-20.51	3	Vertical	18	1.47	67.95	38.00	11.65	60.62

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1G	51.50	54.00	-2.50	5.07	3	Horizontal	0	1.66	46.43	38.90	8.30	42.13
AV	22.19988G	47.08	54.00	-6.92	-20.51	3	Horizontal	335	1.53	67.59	38.00	11.65	60.62
PK	11.1G	55.86	74.00	-18.14	5.07	3	Horizontal	0	1.66	50.79	38.90	8.30	42.13
PK	16.6608G	52.88	68.20	-15.32	5.81	3	Horizontal	15	1.33	47.07	37.82	11.06	43.07
PK	22.19981G	51.43	74.00	-22.57	-20.51	3	Horizontal	335	1.53	71.94	38.00	11.65	60.62



5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6514G	100.77	Inf	-Inf	-5.21	3	Vertical	360	3.00	105.98	33.51	5.42	44.14
PK	5.652G	113.66	Inf	-Inf	-5.21	3	Vertical	360	3.00	118.87	33.51	5.42	44.14
PK	5.7252G	66.91	68.20	-1.29	-4.64	3	Vertical	360	3.00	71.55	34.05	5.46	44.15

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6514G	96.98	Inf	-Inf	-5.21	3	Horizontal	0	1.57	102.19	33.51	5.42	44.14
PK	5.6532G	109.58	Inf	-Inf	-5.20	3	Horizontal	0	1.57	114.78	33.52	5.42	44.14
PK	5.7258G	66.60	68.20	-1.60	-4.63	3	Horizontal	0	1.57	71.23	34.06	5.46	44.15



5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34G	45.19	54.00	-8.81	5.67	3	Vertical	326	2.91	39.52	39.30	8.37	42.00
AV	22.67986G	40.65	54.00	-13.35	-19.50	3	Vertical	1	1.61	60.15	38.54	11.82	60.32
PK	11.3396G	52.80	74.00	-21.20	5.67	3	Vertical	326	2.91	47.13	39.30	8.37	42.00
PK	17.068G	51.23	68.20	-16.97	5.28	3	Vertical	117	1.25	45.95	37.56	10.89	43.17
PK	22.67986G	48.17	74.00	-25.83	-19.50	3	Vertical	1	1.61	67.67	38.54	11.82	60.32

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34G	51.05	54.00	-2.95	5.67	3	Horizontal	338	2.88	45.38	39.30	8.37	42.00
AV	22.67984G	44.58	54.00	-9.42	-19.50	3	Horizontal	336	1.65	64.08	38.54	11.82	60.32
PK	11.34G	55.57	74.00	-18.43	5.67	3	Horizontal	338	2.88	49.90	39.30	8.37	42.00
PK	17.0772G	52.23	68.20	-15.97	5.26	3	Horizontal	58	1.50	46.97	37.55	10.88	43.17
PK	22.67986G	51.69	74.00	-22.31	-19.50	3	Horizontal	336	1.65	71.19	38.54	11.82	60.32

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4208G	41.86	54.00	-12.14	-5.60	3	Vertical	178	1.22	47.46	33.24	5.27	44.11
AV	5.6968G	108.03	Inf	-Inf	-4.92	3	Vertical	178	1.22	112.95	33.78	5.44	44.14
PK	5.416G	55.63	74.00	-18.37	-5.61	3	Vertical	178	1.22	61.24	33.23	5.27	44.11
PK	5.4652G	54.05	68.20	-14.15	-5.49	3	Vertical	178	1.22	59.54	33.33	5.30	44.12
PK	5.6956G	120.38	Inf	-Inf	-4.93	3	Vertical	178	1.22	125.31	33.77	5.44	44.14
PK	5.8504G	56.24	68.20	-11.96	-4.24	3	Vertical	178	1.22	60.48	34.40	5.52	44.16

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.41G	45.45	54.00	-8.55	-5.62	3	Horizontal	3	1.55	51.07	33.22	5.27	44.11
AV	5.7256G	105.16	Inf	-Inf	-4.63	3	Horizontal	3	1.55	109.79	34.06	5.46	44.15
PK	5.41G	58.94	74.00	-15.06	-5.62	3	Horizontal	3	1.55	64.56	33.22	5.27	44.11
PK	5.4688G	54.14	68.20	-14.06	-5.48	3	Horizontal	3	1.55	59.62	33.34	5.30	44.12
PK	5.7256G	118.53	Inf	-Inf	-4.63	3	Horizontal	3	1.55	123.16	34.06	5.46	44.15
PK	5.8648G	55.61	68.20	-12.59	-4.18	3	Horizontal	3	1.55	59.79	34.46	5.52	44.16



5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42G	44.93	54.00	-9.07	5.71	3	Vertical	326	1.50	39.22	39.28	8.39	41.96
AV	22.83995G	43.56	54.00	-10.44	-19.17	3	Vertical	211	1.59	62.73	38.66	11.87	60.16
PK	11.4196G	54.17	74.00	-19.83	5.71	3	Vertical	326	1.50	48.46	39.28	8.39	41.96
PK	17.0916G	51.56	68.20	-16.64	5.23	3	Vertical	325	1.50	46.33	37.52	10.88	43.17
PK	22.83979G	49.09	74.00	-24.91	-19.17	3	Vertical	211	1.59	68.26	38.66	11.87	60.16

5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42G	50.95	54.00	-3.05	5.71	3	Horizontal	341	1.75	45.24	39.28	8.39	41.96
AV	22.8398G	47.57	54.00	-6.43	-19.17	3	Horizontal	336	1.66	66.74	38.66	11.87	60.16
PK	11.42G	56.49	74.00	-17.51	5.71	3	Horizontal	341	1.75	50.78	39.28	8.39	41.96
PK	17.0668G	52.32	68.20	-15.88	5.29	3	Horizontal	13	1.50	47.03	37.57	10.89	43.17
PK	22.83983G	52.80	74.00	-21.20	-19.17	3	Horizontal	336	1.66	71.97	38.66	11.87	60.16



5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4586G	46.03	54.00	-7.97	-5.50	3	Vertical	242	1.50	51.53	33.32	5.30	44.12
AV	5.7706G	105.97	Inf	-Inf	-4.29	3	Vertical	242	1.50	110.26	34.38	5.48	44.15
PK	5.6458G	65.03	68.20	-3.17	-5.23	3	Vertical	242	1.50	70.26	33.49	5.42	44.14
PK	5.768G	118.36	Inf	-Inf	-4.30	3	Vertical	242	1.50	122.66	34.37	5.48	44.15
PK	6.4024G	55.72	68.20	-12.48	-3.33	3	Vertical	242	1.50	59.05	35.10	5.71	44.14

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.443G	47.17	54.00	-6.83	-5.53	3	Horizontal	356	1.39	52.70	33.29	5.29	44.11
AV	5.7368G	104.51	Inf	-Inf	-4.51	3	Horizontal	356	1.39	109.02	34.17	5.47	44.15
PK	5.6406G	61.61	68.20	-6.59	-5.25	3	Horizontal	356	1.39	66.86	33.48	5.41	44.14
PK	5.7732G	118.14	Inf	-Inf	-4.27	3	Horizontal	356	1.39	122.41	34.39	5.49	44.15
PK	6.3114G	55.69	68.20	-12.51	-3.58	3	Horizontal	356	1.39	59.27	34.87	5.70	44.15



5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50992G	42.20	54.00	-11.80	5.60	3	Vertical	321	1.70	36.60	39.10	8.42	41.92
AV	23.01992G	40.84	54.00	-13.16	-18.79	3	Vertical	0	1.57	59.63	38.82	11.94	60.01
PK	11.51028G	51.39	74.00	-22.61	5.60	3	Vertical	321	1.70	45.79	39.10	8.42	41.92
PK	17.26128G	50.43	68.20	-17.77	5.30	3	Vertical	360	1.88	45.13	37.62	10.81	43.13
PK	23.02016G	46.36	74.00	-27.64	-18.79	3	Vertical	0	1.57	65.15	38.82	11.94	60.01

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50996G	48.79	54.00	-5.21	5.60	3	Horizontal	335	3.00	43.19	39.10	8.42	41.92
AV	23.01988G	44.37	54.00	-9.63	-18.79	3	Horizontal	337	1.67	63.16	38.82	11.94	60.01
PK	11.50976G	54.21	74.00	-19.79	5.60	3	Horizontal	335	3.00	48.61	39.10	8.42	41.92
PK	17.26952G	49.70	68.20	-18.50	5.31	3	Horizontal	348	2.21	44.39	37.64	10.80	43.13
PK	23.01976G	50.13	74.00	-23.87	-18.79	3	Horizontal	337	1.67	68.92	38.82	11.94	60.01



5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	42.47	54.00	-11.53	-5.56	3	Vertical	229	1.80	48.03	33.30	5.24	44.10
AV	5.7768G	108.07	Inf	-Inf	-4.25	3	Vertical	229	1.80	112.32	34.41	5.49	44.15
PK	5.639G	64.40	68.20	-3.80	-5.25	3	Vertical	229	1.80	69.65	33.48	5.41	44.14
PK	5.7768G	119.64	Inf	-Inf	-4.25	3	Vertical	229	1.80	123.89	34.41	5.49	44.15
PK	5.925G	57.14	68.20	-11.06	-4.03	3	Vertical	229	1.80	61.17	34.60	5.54	44.17

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	43.48	54.00	-10.52	-5.56	3	Horizontal	355	1.54	49.04	33.30	5.24	44.10
AV	5.7768G	105.62	Inf	-Inf	-4.25	3	Horizontal	355	1.54	109.87	34.41	5.49	44.15
PK	5.6494G	66.81	68.20	-1.39	-5.22	3	Horizontal	355	1.54	72.03	33.50	5.42	44.14
PK	5.7768G	118.41	Inf	-Inf	-4.25	3	Horizontal	355	1.54	122.66	34.41	5.49	44.15
PK	5.9302G	58.39	68.20	-9.81	-4.02	3	Horizontal	355	1.54	62.41	34.60	5.55	44.17



5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58999G	43.88	54.00	-10.12	5.34	3	Vertical	322	1.63	38.54	38.86	8.44	41.96
PK	11.59012G	52.49	74.00	-21.51	5.34	3	Vertical	322	1.63	47.15	38.86	8.44	41.96
PK	17.38692G	51.89	68.20	-16.31	5.42	3	Vertical	352	1.51	46.47	37.77	10.75	43.10
PK	23.17994G	47.24	68.20	-20.96	-18.86	3	Vertical	360	1.60	66.10	38.76	11.99	60.07

5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59002G	49.63	54.00	-4.37	5.34	3	Horizontal	334	1.76	44.29	38.86	8.44	41.96
PK	11.59006G	55.59	74.00	-18.41	5.34	3	Horizontal	334	1.76	50.25	38.86	8.44	41.96
PK	17.38411G	52.93	68.20	-15.27	5.43	3	Horizontal	356	1.37	47.50	37.77	10.76	43.10
PK	23.17999G	53.62	68.20	-14.58	-18.86	3	Horizontal	279	1.62	72.48	38.76	11.99	60.07



5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.92	54.00	-1.08	-5.41	3	Vertical	182	1.50	58.33	33.50	5.17	44.08
AV	5.224G	96.66	Inf	-Inf	-5.39	3	Vertical	182	1.50	102.05	33.50	5.20	44.09
AV	5.374G	41.94	54.00	-12.06	-5.60	3	Vertical	182	1.50	47.54	33.25	5.25	44.10
PK	5.15G	66.11	74.00	-7.89	-5.41	3	Vertical	182	1.50	71.52	33.50	5.17	44.08
PK	5.182G	110.00	Inf	-Inf	-5.40	3	Vertical	182	1.50	115.40	33.50	5.18	44.08
PK	5.364G	54.69	74.00	-19.31	-5.58	3	Vertical	182	1.50	60.27	33.27	5.25	44.10
PK	5.658G	55.35	68.20	-12.85	-5.17	3	Vertical	182	1.50	60.52	33.55	5.42	44.14

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.36	54.00	-0.64	-5.41	3	Horizontal	346	1.51	58.77	33.50	5.17	44.08
AV	5.206G	95.68	Inf	-Inf	-5.39	3	Horizontal	346	1.51	101.07	33.50	5.19	44.08
AV	5.352G	41.42	54.00	-12.58	-5.56	3	Horizontal	346	1.51	46.98	33.30	5.24	44.10
PK	5.15G	68.82	74.00	-5.18	-5.41	3	Horizontal	346	1.51	74.23	33.50	5.17	44.08
PK	5.198G	108.66	Inf	-Inf	-5.39	3	Horizontal	346	1.51	114.05	33.50	5.19	44.08
PK	5.37G	54.06	74.00	-19.94	-5.59	3	Horizontal	346	1.51	59.65	33.26	5.25	44.10
PK	5.568G	54.63	68.20	-13.57	-5.30	3	Horizontal	346	1.51	59.93	33.46	5.37	44.13



5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62288G	38.70	54.00	-15.30	6.12	3	Vertical	67	2.26	32.58	38.26	10.93	43.07
AV	20.83996G	42.40	54.00	-11.60	-22.10	3	Vertical	166	1.54	64.50	38.00	11.46	62.02
PK	10.41992G	51.06	68.20	-17.14	4.68	3	Vertical	25	1.65	46.38	38.66	8.09	42.07
PK	15.637G	50.37	74.00	-23.63	6.05	3	Vertical	67	2.26	44.32	38.18	10.95	43.08
PK	20.84004G	47.00	74.00	-27.00	-22.10	3	Vertical	166	1.54	69.10	38.00	11.46	62.02

5.15-5.25GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62264G	39.18	54.00	-14.82	6.12	3	Horizontal	10	1.51	33.06	38.26	10.93	43.07
AV	20.83996G	50.17	54.00	-3.83	-22.10	3	Horizontal	13	1.53	72.27	38.00	11.46	62.02
PK	10.41976G	54.49	68.20	-13.71	4.68	3	Horizontal	351	1.62	49.81	38.66	8.09	42.07
PK	15.63316G	51.83	74.00	-22.17	6.07	3	Horizontal	10	1.51	45.76	38.20	10.94	43.07
PK	20.84G	51.84	74.00	-22.16	-22.10	3	Horizontal	13	1.53	73.94	38.00	11.46	62.02

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.114G	41.33	54.00	-12.67	-5.42	3	Vertical	186	1.50	46.75	33.50	5.15	44.07
AV	5.291G	98.47	Inf	-Inf	-5.53	3	Vertical	186	1.50	104.00	33.34	5.22	44.09
AV	5.35G	53.70	54.00	-0.30	-5.56	3	Vertical	186	1.50	59.26	33.30	5.24	44.10
PK	5.083G	55.30	74.00	-18.70	-5.43	3	Vertical	186	1.50	60.73	33.50	5.14	44.07
PK	5.294G	111.45	Inf	-Inf	-5.56	3	Vertical	186	1.50	117.01	33.32	5.22	44.10
PK	5.351G	70.67	74.00	-3.33	-5.56	3	Vertical	186	1.50	76.23	33.30	5.24	44.10
PK	5.528G	54.53	68.20	-13.67	-5.32	3	Vertical	186	1.50	59.85	33.46	5.34	44.12

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	41.23	54.00	-12.77	-5.41	3	Horizontal	0	1.31	46.64	33.50	5.17	44.08
AV	5.252G	95.41	Inf	-Inf	-5.39	3	Horizontal	0	1.31	100.80	33.49	5.21	44.09
AV	5.35G	52.98	54.00	-1.02	-5.56	3	Horizontal	0	1.31	58.54	33.30	5.24	44.10
PK	5.149G	58.20	74.00	-15.80	-5.41	3	Horizontal	0	1.31	63.61	33.50	5.17	44.08
PK	5.254G	109.29	Inf	-Inf	-5.40	3	Horizontal	0	1.31	114.69	33.48	5.21	44.09
PK	5.356G	70.82	74.00	-3.18	-5.57	3	Horizontal	0	1.31	76.39	33.29	5.24	44.10
PK	5.469G	55.50	68.20	-12.70	-5.48	3	Horizontal	0	1.31	60.98	33.34	5.30	44.12



5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX



Legend for the spectrum plot:


- Lim.PK (Red line with triangle)
- PK (Blue line with triangle)
- Lim.AV (Red line with square)
- AV (Blue line with square)

18/01/2024

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8972G	39.75	54.00	-14.25	5.91	3	Vertical	360	1.58	33.84	37.89	11.22	43.20
AV	21.15987G	46.48	54.00	-7.52	-21.61	3	Vertical	167	1.52	68.09	38.04	11.50	61.61
PK	10.58G	52.15	68.20	-16.05	5.02	3	Vertical	43	2.34	47.13	38.92	8.14	42.04
PK	15.8972G	52.61	74.00	-21.39	6.01	3	Vertical	360	1.58	46.60	37.97	11.26	43.22
PK	21.15984G	50.99	74.00	-23.01	-21.61	3	Vertical	167	1.52	72.60	38.04	11.50	61.61

5.25-5.35GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX



Legend for the spectrum plot:

- Lim.PK (Red line with triangle)
- PK (Blue line with triangle)
- Lim.AV (Red line with square)
- AV (Blue line with square)


18/01/2024

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.88G	40.70	54.00	-13.30	5.83	3	Horizontal	341	1.41	34.87	37.82	11.20	43.19
AV	21.15991G	52.63	54.00	-1.37	-21.61	3	Horizontal	336	1.58	74.24	38.04	11.50	61.61
PK	10.58G	56.82	68.20	-11.38	5.02	3	Horizontal	355	1.57	51.80	38.92	8.14	42.04
PK	15.872G	53.37	74.00	-20.63	5.79	3	Horizontal	341	1.41	47.58	37.79	11.19	43.19
PK	21.15977G	54.85	74.00	-19.15	-21.61	3	Horizontal	336	1.58	76.46	38.04	11.50	61.61



5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	40.55	54.00	-13.45	-5.56	3	Vertical	0	1.49	46.11	33.30	5.24	44.10
AV	5.46G	45.61	54.00	-8.39	-5.50	3	Vertical	0	1.49	51.11	33.32	5.30	44.12
AV	5.531G	95.81	Inf	-Inf	-5.31	3	Vertical	0	1.49	101.12	33.46	5.35	44.12
PK	5.35G	56.31	68.20	-11.89	-5.56	3	Vertical	0	1.49	61.87	33.30	5.24	44.10
PK	5.451G	65.85	74.00	-8.15	-5.52	3	Vertical	0	1.49	71.37	33.30	5.29	44.11
PK	5.468G	67.83	68.20	-0.37	-5.48	3	Vertical	0	1.49	73.31	33.34	5.30	44.12
PK	5.502G	110.02	Inf	-Inf	-5.39	3	Vertical	0	1.49	115.41	33.40	5.33	44.12
PK	5.763G	56.13	68.20	-12.07	-4.32	3	Vertical	0	1.49	60.45	34.35	5.48	44.15

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	40.44	54.00	-13.56	-5.56	3	Horizontal	358	1.56	46.00	33.30	5.24	44.10
AV	5.458G	41.85	54.00	-12.15	-5.49	3	Horizontal	358	1.56	47.34	33.32	5.30	44.11
AV	5.563G	93.95	Inf	-Inf	-5.29	3	Horizontal	358	1.56	99.24	33.47	5.37	44.13
PK	5.338G	54.68	68.20	-13.52	-5.56	3	Horizontal	358	1.56	60.24	33.30	5.24	44.10
PK	5.46G	66.27	74.00	-7.73	-5.50	3	Horizontal	358	1.56	71.77	33.32	5.30	44.12
PK	5.462G	65.77	68.20	-2.43	-5.50	3	Horizontal	358	1.56	71.27	33.32	5.30	44.12
PK	5.56G	107.79	Inf	-Inf	-5.29	3	Horizontal	358	1.56	113.08	33.48	5.36	44.13
PK	5.756G	55.51	68.20	-12.69	-4.35	3	Horizontal	358	1.56	59.86	34.32	5.48	44.15



5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06G	43.07	54.00	-10.93	5.03	3	Vertical	209	1.42	38.04	38.90	8.28	42.15
AV	22.11996G	41.94	54.00	-12.06	-20.53	3	Vertical	320	1.62	62.47	38.04	11.62	60.65
PK	11.0468G	51.55	74.00	-22.45	5.01	3	Vertical	209	1.42	46.54	38.89	8.28	42.16
PK	16.5396G	51.55	68.20	-16.65	5.85	3	Vertical	14	2.82	45.70	37.76	11.11	43.02
PK	22.11967G	47.41	74.00	-26.59	-20.53	3	Vertical	320	1.62	67.94	38.04	11.62	60.65

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06G	52.36	54.00	-1.64	5.03	3	Horizontal	2	1.69	47.33	38.90	8.28	42.15
AV	22.11992G	46.90	54.00	-7.10	-20.53	3	Horizontal	334	1.55	67.43	38.04	11.62	60.65
PK	11.06G	55.86	74.00	-18.14	5.03	3	Horizontal	2	1.69	50.83	38.90	8.28	42.15
PK	16.4912G	52.66	68.20	-15.54	6.10	3	Horizontal	156	2.03	46.56	37.98	11.13	43.01
PK	22.11973G	50.55	74.00	-23.45	-20.53	3	Horizontal	334	1.55	71.08	38.04	11.62	60.65

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.441G	43.26	54.00	-10.74	-5.54	3	Vertical	7	2.45	48.80	33.28	5.29	44.11
AV	5.648G	103.75	Inf	-Inf	-5.22	3	Vertical	7	2.45	108.97	33.50	5.42	44.14
PK	5.458G	58.39	74.00	-15.61	-5.49	3	Vertical	7	2.45	63.88	33.32	5.30	44.11
PK	5.468G	60.00	68.20	-8.20	-5.48	3	Vertical	7	2.45	65.48	33.34	5.30	44.12
PK	5.648G	116.03	Inf	-Inf	-5.22	3	Vertical	7	2.45	121.25	33.50	5.42	44.14
PK	5.725G	66.41	68.20	-1.79	-4.64	3	Vertical	7	2.45	71.05	34.05	5.46	44.15

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	42.46	54.00	-11.54	-5.49	3	Horizontal	0	1.59	47.95	33.32	5.30	44.11
AV	5.596G	99.71	Inf	-Inf	-5.33	3	Horizontal	0	1.59	105.04	33.41	5.39	44.13
PK	5.453G	59.89	74.00	-14.11	-5.51	3	Horizontal	0	1.59	65.40	33.31	5.29	44.11
PK	5.467G	57.97	68.20	-10.23	-5.49	3	Horizontal	0	1.59	63.46	33.33	5.30	44.12
PK	5.595G	113.62	Inf	-Inf	-5.33	3	Horizontal	0	1.59	118.95	33.41	5.39	44.13
PK	5.735G	62.49	68.20	-5.71	-4.54	3	Horizontal	0	1.59	67.03	34.15	5.46	44.15



5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22G	44.15	54.00	-9.85	5.30	3	Vertical	331	2.88	38.85	39.04	8.33	42.07
AV	22.43977G	39.60	54.00	-14.40	-20.15	3	Vertical	17	1.50	59.75	38.18	11.73	60.52
PK	11.2204G	52.84	74.00	-21.16	5.30	3	Vertical	331	2.88	47.54	39.04	8.33	42.07
PK	16.7568G	51.36	68.20	-16.84	5.69	3	Vertical	193	2.43	45.67	37.77	11.02	43.10
PK	22.43973G	48.01	74.00	-25.99	-20.15	3	Vertical	17	1.50	68.16	38.18	11.73	60.52

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22G	50.46	54.00	-3.54	5.30	3	Horizontal	335	2.84	45.16	39.04	8.33	42.07
AV	22.43989G	45.94	54.00	-8.06	-20.15	3	Horizontal	336	1.55	66.09	38.18	11.73	60.52
PK	11.22G	55.52	74.00	-18.48	5.30	3	Horizontal	335	2.84	50.22	39.04	8.33	42.07
PK	16.7464G	52.18	68.20	-16.02	5.73	3	Horizontal	335	2.84	46.45	37.81	11.02	43.10
PK	22.43977G	50.24	74.00	-23.76	-20.15	3	Horizontal	336	1.55	70.39	38.18	11.73	60.52

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4092G	45.03	54.00	-8.97	-5.62	3	Vertical	3	2.26	50.65	33.22	5.27	44.11
AV	5.6516G	106.27	Inf	-Inf	-5.21	3	Vertical	3	2.26	111.48	33.51	5.42	44.14
PK	5.456G	61.49	74.00	-12.51	-5.50	3	Vertical	3	2.26	66.99	33.31	5.30	44.11
PK	5.4692G	63.20	68.20	-5.00	-5.48	3	Vertical	3	2.26	68.68	33.34	5.30	44.12
PK	5.6516G	119.22	Inf	-Inf	-5.21	3	Vertical	3	2.26	124.43	33.51	5.42	44.14
PK	5.852G	66.83	68.20	-1.37	-4.23	3	Vertical	3	2.26	71.06	34.41	5.52	44.16

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4032G	43.47	54.00	-10.53	-5.64	3	Horizontal	5	1.45	49.11	33.21	5.26	44.11
AV	5.7044G	101.86	Inf	-Inf	-4.85	3	Horizontal	5	1.45	106.71	33.84	5.45	44.14
PK	5.4488G	56.78	74.00	-17.22	-5.52	3	Horizontal	5	1.45	62.30	33.30	5.29	44.11
PK	5.4656G	57.90	68.20	-10.30	-5.49	3	Horizontal	5	1.45	63.39	33.33	5.30	44.12
PK	5.7056G	115.43	Inf	-Inf	-4.83	3	Horizontal	5	1.45	120.26	33.86	5.45	44.14
PK	5.8544G	59.64	68.20	-8.56	-4.22	3	Horizontal	5	1.45	63.86	34.42	5.52	44.16



5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38G	45.57	54.00	-8.43	5.76	3	Vertical	327	2.93	39.81	39.36	8.38	41.98
AV	22.75984G	42.81	54.00	-11.19	-19.35	3	Vertical	211	1.60	62.16	38.58	11.85	60.24
PK	11.38G	53.12	74.00	-20.88	5.76	3	Vertical	327	2.93	47.36	39.36	8.38	41.98
PK	17.1136G	51.05	68.20	-17.15	5.21	3	Vertical	299	1.63	45.84	37.50	10.87	43.16
PK	22.76009G	48.61	74.00	-25.39	-19.35	3	Vertical	211	1.60	67.96	38.58	11.85	60.24

5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38G	51.19	54.00	-2.81	5.76	3	Horizontal	338	1.82	45.43	39.36	8.38	41.98
AV	22.75977G	45.47	54.00	-8.53	-19.35	3	Horizontal	336	1.67	64.82	38.58	11.85	60.24
PK	11.3804G	56.33	74.00	-17.67	5.76	3	Horizontal	338	1.82	50.57	39.36	8.38	41.98
PK	17.1536G	51.47	68.20	-16.73	5.20	3	Horizontal	179	2.43	46.27	37.50	10.85	43.15
PK	22.75984G	51.71	74.00	-22.29	-19.35	3	Horizontal	336	1.67	71.06	38.58	11.85	60.24



5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	44.67	54.00	-9.33	-5.50	3	Vertical	237	1.50	50.17	33.32	5.30	44.12
AV	5.769G	103.05	Inf	-Inf	-4.29	3	Vertical	237	1.50	107.34	34.38	5.48	44.15
PK	5.649G	64.64	68.20	-3.56	-5.22	3	Vertical	237	1.50	69.86	33.50	5.42	44.14
PK	5.772G	115.38	Inf	-Inf	-4.28	3	Vertical	237	1.50	119.66	34.39	5.48	44.15
PK	6.471G	56.18	68.20	-12.02	-3.06	3	Vertical	237	1.50	59.24	35.33	5.74	44.13

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.442G	46.79	54.00	-7.21	-5.54	3	Horizontal	356	1.31	52.33	33.28	5.29	44.11
AV	5.736G	101.52	Inf	-Inf	-4.53	3	Horizontal	356	1.31	106.05	34.16	5.46	44.15
PK	5.646G	67.67	68.20	-0.53	-5.23	3	Horizontal	356	1.31	72.90	33.49	5.42	44.14
PK	5.742G	113.90	Inf	-Inf	-4.46	3	Horizontal	356	1.31	118.36	34.22	5.47	44.15
PK	5.925G	57.72	68.20	-10.48	-4.03	3	Horizontal	356	1.31	61.75	34.60	5.54	44.17



5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54992G	42.34	54.00	-11.66	5.59	3	Vertical	321	1.66	36.75	39.10	8.43	41.94
AV	23.10004G	36.88	54.00	-17.12	-18.91	3	Vertical	340	1.55	55.79	38.70	11.97	60.04
PK	11.5498G	50.92	74.00	-23.08	5.59	3	Vertical	321	1.66	45.33	39.10	8.43	41.94
PK	17.32744G	50.65	68.20	-17.55	5.37	3	Vertical	97	1.50	45.28	37.70	10.78	43.11
PK	23.09988G	45.01	74.00	-28.99	-18.92	3	Vertical	340	1.55	63.93	38.70	11.96	60.04

5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54996G	47.61	54.00	-6.39	5.59	3	Horizontal	335	3.00	42.02	39.10	8.43	41.94
AV	23.1G	51.08	54.00	-2.92	-18.92	3	Horizontal	285	1.74	70.00	38.70	11.96	60.04
PK	11.5498G	53.12	74.00	-20.88	5.59	3	Horizontal	335	3.00	47.53	39.10	8.43	41.94
PK	17.31872G	51.04	68.20	-17.16	5.37	3	Horizontal	292	1.50	45.67	37.70	10.78	43.11
PK	23.1G	53.42	74.00	-20.58	-18.92	3	Horizontal	285	1.74	72.34	38.70	11.96	60.04



5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.50	54.00	-3.50	-5.41	3	Vertical	185	1.50	55.91	33.50	5.17	44.08
AV	5.2908G	94.63	Inf	-Inf	-5.53	3	Vertical	185	1.50	100.16	33.34	5.22	44.09
AV	5.35G	52.97	54.00	-1.03	-5.56	3	Vertical	185	1.50	58.53	33.30	5.24	44.10
PK	5.1456G	65.59	74.00	-8.41	-5.41	3	Vertical	185	1.50	71.00	33.50	5.17	44.08
PK	5.1816G	110.26	Inf	-Inf	-5.40	3	Vertical	185	1.50	115.66	33.50	5.18	44.08
PK	5.3556G	67.82	74.00	-6.18	-5.57	3	Vertical	185	1.50	73.39	33.29	5.24	44.10
PK	5.4612G	55.11	68.20	-13.09	-5.50	3	Vertical	185	1.50	60.61	33.32	5.30	44.12

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.79	54.00	-2.21	-5.41	3	Horizontal	355	1.13	57.20	33.50	5.17	44.08
AV	5.3016G	91.78	Inf	-Inf	-5.57	3	Horizontal	355	1.13	97.35	33.30	5.23	44.10
AV	5.35G	53.01	54.00	-0.99	-5.56	3	Horizontal	355	1.13	58.57	33.30	5.24	44.10
PK	5.1468G	66.02	74.00	-7.98	-5.41	3	Horizontal	355	1.13	71.43	33.50	5.17	44.08
PK	5.1828G	107.18	Inf	-Inf	-5.40	3	Horizontal	355	1.13	112.58	33.50	5.18	44.08
PK	5.3688G	66.61	74.00	-7.39	-5.59	3	Horizontal	355	1.13	72.20	33.26	5.25	44.10
PK	5.466G	55.69	68.20	-12.51	-5.49	3	Horizontal	355	1.13	61.18	33.33	5.30	44.12

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6872G	39.56	54.00	-14.44	6.07	3	Vertical	188	2.47	33.49	38.17	11.00	43.10
AV	20.99991G	44.47	54.00	-9.53	-21.76	3	Vertical	165	1.50	66.23	38.10	11.48	61.80
PK	10.5G	51.59	68.20	-16.61	4.80	3	Vertical	30	1.58	46.79	38.70	8.11	42.01
PK	15.6872G	52.02	74.00	-21.98	6.10	3	Vertical	188	2.47	45.92	38.14	11.10	43.14
PK	21.00005G	49.84	74.00	-24.16	-21.76	3	Vertical	165	1.50	71.60	38.10	11.48	61.80

5.25-5.35GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.84G	40.27	54.00	-13.73	5.77	3	Horizontal	111	1.16	34.50	37.78	11.16	43.17
AV	20.99991G	52.56	54.00	-1.44	-21.76	3	Horizontal	336	1.54	74.32	38.10	11.48	61.80
PK	10.5G	54.95	68.20	-13.25	4.80	3	Horizontal	0	2.11	50.15	38.70	8.11	42.01
PK	15.84G	52.69	74.00	-21.31	6.11	3	Horizontal	111	1.16	46.58	38.20	11.02	43.11
PK	20.99989G	54.91	74.00	-19.09	-21.76	3	Horizontal	336	1.54	76.67	38.10	11.48	61.80

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	47.59	54.00	-6.41	-5.50	3	Vertical	178	1.86	53.09	33.32	5.30	44.12
AV	5.5052G	92.20	Inf	-Inf	-5.38	3	Vertical	178	1.86	97.58	33.41	5.33	44.12
PK	5.3132G	58.93	68.20	-9.27	-5.57	3	Vertical	178	1.86	64.50	33.30	5.23	44.10
PK	5.4368G	65.40	74.00	-8.60	-5.56	3	Vertical	178	1.86	70.96	33.27	5.28	44.11
PK	5.4632G	64.06	68.20	-4.14	-5.49	3	Vertical	178	1.86	69.55	33.33	5.30	44.12
PK	5.5112G	106.36	Inf	-Inf	-5.37	3	Vertical	178	1.86	111.73	33.42	5.33	44.12
PK	5.7632G	61.68	68.20	-6.52	-4.32	3	Vertical	178	1.86	66.00	34.35	5.48	44.15

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	48.37	54.00	-5.63	-5.50	3	Horizontal	344	1.27	53.87	33.32	5.30	44.12
AV	5.5064G	88.38	Inf	-Inf	-5.38	3	Horizontal	344	1.27	93.76	33.41	5.33	44.12
PK	5.3288G	59.87	68.20	-8.33	-5.56	3	Horizontal	344	1.27	65.43	33.30	5.24	44.10
PK	5.4488G	66.12	74.00	-7.88	-5.52	3	Horizontal	344	1.27	71.64	33.30	5.29	44.11
PK	5.4692G	63.87	68.20	-4.33	-5.48	3	Horizontal	344	1.27	69.35	33.34	5.30	44.12
PK	5.5556G	104.12	Inf	-Inf	-5.28	3	Horizontal	344	1.27	109.40	33.49	5.36	44.13
PK	5.726G	67.42	68.20	-0.78	-4.63	3	Horizontal	344	1.27	72.05	34.06	5.46	44.15

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14G	43.70	54.00	-10.30	5.10	3	Vertical	212	1.48	38.60	38.90	8.31	42.11
AV	22.27993G	40.52	54.00	-13.48	-20.35	3	Vertical	16	1.50	60.87	38.10	11.68	60.59
PK	11.13968G	52.17	74.00	-21.83	5.10	3	Vertical	212	1.48	47.07	38.90	8.31	42.11
PK	16.78104G	51.87	68.20	-16.33	5.58	3	Vertical	209	2.56	46.29	37.68	11.01	43.11
PK	22.28006G	47.24	74.00	-26.76	-20.35	3	Vertical	16	1.50	67.59	38.10	11.68	60.59

5.47-5.725GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14G	52.01	54.00	-1.99	5.10	3	Horizontal	296	1.59	46.91	38.90	8.31	42.11
AV	22.27992G	47.14	54.00	-6.86	-20.35	3	Horizontal	335	1.53	67.49	38.10	11.68	60.59
PK	11.14G	55.64	74.00	-18.36	5.10	3	Horizontal	296	1.59	50.54	38.90	8.31	42.11
PK	16.6496G	52.12	68.20	-16.08	5.80	3	Horizontal	49	1.72	46.32	37.80	11.06	43.06
PK	22.27981G	51.07	74.00	-22.93	-20.35	3	Horizontal	335	1.53	71.42	38.10	11.68	60.59



Summary



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	PK	5.79985G	46.52	68.20	-21.68	Vertical
Mode 2	Pass	PK	5.79336G	50.67	68.20	-17.53	Vertical
Mode 3	Pass	AV	4.9867G	34.12	54.00	-19.88	Horizontal
Mode 4	Pass	AV	1.59628G	27.45	54.00	-26.55	Horizontal



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.59731G	26.56	54.00	-27.44	3	Vertical	200	1.53	-
Mode 1	Pass	AV	4.27259G	30.39	54.00	-23.61	3	Vertical	315	1.23	-
Mode 1	Pass	AV	5.79766G	38.65	68.20	-29.55	3	Vertical	35	1.56	-
Mode 1	Pass	PK	1.59412G	40.41	74.00	-33.59	3	Vertical	200	1.53	-
Mode 1	Pass	PK	4.26914G	43.22	74.00	-30.78	3	Vertical	315	1.23	-
Mode 1	Pass	PK	5.79985G	46.52	68.20	-21.68	3	Vertical	35	1.56	-
Mode 1	Pass	AV	1.13407G	24.11	54.00	-29.89	3	Horizontal	20	1.50	-
Mode 1	Pass	AV	1.59777G	26.85	54.00	-27.15	3	Horizontal	1	1.50	-
Mode 1	Pass	AV	4.50891G	30.64	54.00	-23.36	3	Horizontal	250	1.67	-
Mode 1	Pass	PK	1.11399G	36.19	74.00	-37.81	3	Horizontal	20	1.50	-
Mode 1	Pass	PK	1.59437G	40.84	74.00	-33.16	3	Horizontal	1	1.50	-
Mode 1	Pass	PK	4.51651G	43.74	74.00	-30.26	3	Horizontal	250	1.67	-
Mode 2	Pass	AV	1.59725G	27.19	54.00	-26.81	3	Vertical	221	1.50	-
Mode 2	Pass	AV	3.52G	30.56	68.20	-37.64	3	Vertical	149	2.80	-
Mode 2	Pass	AV	5.7864G	35.75	68.20	-32.45	3	Vertical	48	2.73	-
Mode 2	Pass	PK	1.59615G	41.69	74.00	-32.31	3	Vertical	221	1.50	-
Mode 2	Pass	PK	3.49486G	46.24	68.20	-21.96	3	Vertical	149	2.80	-
Mode 2	Pass	PK	5.79336G	50.67	68.20	-17.53	3	Vertical	48	2.73	-
Mode 2	Pass	AV	1.59772G	27.14	54.00	-26.86	3	Horizontal	354	1.32	-
Mode 2	Pass	AV	3.50844G	30.28	68.20	-37.92	3	Horizontal	48	1.50	-
Mode 2	Pass	AV	5.83578G	35.51	68.20	-32.69	3	Horizontal	10	1.07	-
Mode 2	Pass	PK	1.5943G	40.88	74.00	-33.12	3	Horizontal	354	1.32	-
Mode 2	Pass	PK	3.4869G	49.20	68.20	-19.00	3	Horizontal	48	1.50	-
Mode 2	Pass	PK	5.83242G	47.72	68.20	-20.48	3	Horizontal	10	1.07	-
Mode 3	Pass	AV	1.59494G	26.37	54.00	-27.63	3	Vertical	185	1.50	-
Mode 3	Pass	AV	3.24866G	30.99	68.20	-37.21	3	Vertical	26	2.43	-
Mode 3	Pass	AV	5.17222G	34.43	68.20	-33.77	3	Vertical	252	2.39	-
Mode 3	Pass	PK	1.59758G	39.90	74.00	-34.10	3	Vertical	185	1.50	-
Mode 3	Pass	PK	3.24542G	43.38	88.20	-44.82	3	Vertical	26	2.43	-
Mode 3	Pass	PK	5.16898G	46.34	88.20	-41.86	3	Vertical	252	2.39	-
Mode 3	Pass	AV	1.59736G	28.56	54.00	-25.44	3	Horizontal	353	1.50	-
Mode 3	Pass	AV	3.7252G	31.51	54.00	-22.49	3	Horizontal	124	1.21	-
Mode 3	Pass	AV	4.9867G	34.12	54.00	-19.88	3	Horizontal	73	1.46	-
Mode 3	Pass	PK	1.59712G	41.65	74.00	-32.35	3	Horizontal	353	1.50	-
Mode 3	Pass	PK	3.71488G	43.53	74.00	-30.47	3	Horizontal	124	1.21	-
Mode 3	Pass	PK	4.99624G	46.87	74.00	-27.13	3	Horizontal	73	1.46	-
Mode 4	Pass	AV	1.59763G	27.26	54.00	-26.74	3	Vertical	220	1.27	-
Mode 4	Pass	AV	2.50491G	32.01	68.20	-36.19	3	Vertical	290	1.96	-
Mode 4	Pass	AV	5.80438G	33.41	68.20	-34.79	3	Vertical	284	1.49	-
Mode 4	Pass	PK	1.59645G	43.66	74.00	-30.34	3	Vertical	220	1.27	-
Mode 4	Pass	PK	2.51432G	52.52	88.20	-35.68	3	Vertical	290	1.96	-
Mode 4	Pass	PK	5.79535G	46.41	88.20	-41.79	3	Vertical	284	1.49	-
Mode 4	Pass	AV	1.59628G	27.45	54.00	-26.55	3	Horizontal	335	2.26	-
Mode 4	Pass	AV	4.45454G	31.17	68.20	-37.03	3	Horizontal	15	1.50	-
Mode 4	Pass	AV	5.89774G	34.20	68.20	-34.00	3	Horizontal	360	1.50	-
Mode 4	Pass	PK	1.5994G	45.56	74.00	-28.44	3	Horizontal	335	2.26	-
Mode 4	Pass	PK	4.43234G	44.02	88.20	-44.18	3	Horizontal	15	1.50	-
Mode 4	Pass	PK	5.90392G	46.87	88.20	-41.33	3	Horizontal	360	1.50	-



Radiated Emissions above 1GHz_Mode 1



01/02/2024

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.59731G	26.56	54.00	-27.44	-6.14	3	Vertical	200	1.53	32.70	25.33	3.47	34.94
AV	4.27259G	30.39	54.00	-23.61	1.99	3	Vertical	315	1.23	28.40	31.14	5.73	34.88
AV	5.79766G	38.65	68.20	-29.55	6.01	3	Vertical	35	1.56	32.64	33.89	6.90	34.78
PK	1.59412G	40.41	74.00	-33.59	-6.12	3	Vertical	200	1.53	46.53	25.36	3.46	34.94
PK	4.26914G	43.22	74.00	-30.78	1.96	3	Vertical	315	1.23	41.26	31.11	5.73	34.88
PK	5.79985G	46.52	68.20	-21.68	6.02	3	Vertical	35	1.56	40.50	33.90	6.90	34.78


Radiated Emissions above 1GHz_Mode 1



01/02/2024

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.13407G	24.11	54.00	-29.89	-6.50	3	Horizontal	20	1.50	30.61	26.20	2.88	35.58
AV	1.59777G	26.85	54.00	-27.15	-6.15	3	Horizontal	1	1.50	33.00	25.32	3.47	34.94
AV	4.50891G	30.64	54.00	-23.36	2.34	3	Horizontal	250	1.67	28.30	31.40	5.86	34.92
PK	1.11399G	36.19	74.00	-37.81	-6.87	3	Horizontal	20	1.50	43.06	25.88	2.86	35.61
PK	1.59437G	40.84	74.00	-33.16	-6.12	3	Horizontal	1	1.50	46.96	25.36	3.46	34.94
PK	4.51651G	43.74	74.00	-30.26	2.35	3	Horizontal	250	1.67	41.39	31.40	5.87	34.92


Radiated Emissions above 1GHz_Mode 2



02/02/2024

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.59725G	27.19	54.00	-26.81	-6.14	3	Vertical	221	1.50	33.33	25.33	3.47	34.94
AV	3.52G	30.56	68.20	-37.64	-0.47	3	Vertical	149	2.80	31.03	29.30	5.21	34.98
AV	5.7864G	35.75	68.20	-32.45	5.93	3	Vertical	48	2.73	29.82	33.82	6.89	34.78
PK	1.59615G	41.69	74.00	-32.31	-6.13	3	Vertical	221	1.50	47.82	25.34	3.47	34.94
PK	3.49486G	46.24	68.20	-21.96	-0.50	3	Vertical	149	2.80	46.74	29.30	5.19	34.99
PK	5.79336G	50.67	68.20	-17.53	5.98	3	Vertical	48	2.73	44.69	33.86	6.90	34.78


Radiated Emissions above 1GHz_Mode 2



02/02/2024


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.59772G	27.14	54.00	-26.86	-6.15	3	Horizontal	354	1.32	33.29	25.32	3.47	34.94
AV	3.50844G	30.28	68.20	-37.92	-0.49	3	Horizontal	48	1.50	30.77	29.30	5.20	34.99
AV	5.83578G	35.51	68.20	-32.69	6.04	3	Horizontal	10	1.07	29.47	33.90	6.93	34.79
PK	1.5943G	40.88	74.00	-33.12	-6.12	3	Horizontal	354	1.32	47.00	25.36	3.46	34.94
PK	3.4869G	49.20	68.20	-19.00	-0.51	3	Horizontal	48	1.50	49.71	29.30	5.18	34.99
PK	5.83242G	47.72	68.20	-20.48	6.04	3	Horizontal	10	1.07	41.68	33.90	6.93	34.79

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.59494G	26.37	54.00	-27.63	-6.13	3	Vertical	185	1.50	32.50	25.35	3.46	34.94
AV	3.24866G	30.99	68.20	-37.21	-0.53	3	Vertical	26	2.43	31.52	29.51	4.98	35.02
AV	5.17222G	34.43	68.20	-33.77	4.69	3	Vertical	252	2.39	29.74	33.01	6.43	34.75
PK	1.59758G	39.90	74.00	-34.10	-6.15	3	Vertical	185	1.50	46.05	25.32	3.47	34.94
PK	3.24542G	43.38	88.20	-44.82	-0.52	3	Vertical	26	2.43	43.90	29.52	4.98	35.02
PK	5.16898G	46.34	88.20	-41.86	4.70	3	Vertical	252	2.39	41.64	33.02	6.43	34.75

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.59736G	28.56	54.00	-25.44	-6.14	3	Horizontal	353	1.50	34.70	25.33	3.47	34.94
AV	3.7252G	31.51	54.00	-22.49	0.32	3	Horizontal	124	1.21	31.19	29.85	5.39	34.92
AV	4.9867G	34.12	54.00	-19.88	4.57	3	Horizontal	73	1.46	29.55	33.05	6.29	34.77
PK	1.59712G	41.65	74.00	-32.35	-6.14	3	Horizontal	353	1.50	47.79	25.33	3.47	34.94
PK	3.71488G	43.53	74.00	-30.47	0.24	3	Horizontal	124	1.21	43.29	29.79	5.38	34.93
PK	4.99624G	46.87	74.00	-27.13	4.61	3	Horizontal	73	1.46	42.26	33.08	6.30	34.77

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.59763G	27.26	54.00	-26.74	-6.15	3	Vertical	220	1.27	33.41	25.32	3.47	34.94
AV	2.50491G	32.01	68.20	-36.19	-3.01	3	Vertical	290	1.96	35.02	27.65	4.32	34.98
AV	5.80438G	33.41	68.20	-34.79	6.02	3	Vertical	284	1.49	27.39	33.90	6.90	34.78
PK	1.59645G	43.66	74.00	-30.34	-6.13	3	Vertical	220	1.27	49.79	25.34	3.47	34.94
PK	2.51432G	52.52	88.20	-35.68	-2.91	3	Vertical	290	1.96	55.43	27.74	4.33	34.98
PK	5.79535G	46.41	88.20	-41.79	5.99	3	Vertical	284	1.49	40.42	33.87	6.90	34.78

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.59628G	27.45	54.00	-26.55	-6.13	3	Horizontal	335	2.26	33.58	25.34	3.47	34.94
AV	4.45454G	31.17	68.20	-37.03	2.38	3	Horizontal	15	1.50	28.79	31.49	5.80	34.91
AV	5.89774G	34.20	68.20	-34.00	6.27	3	Horizontal	360	1.50	27.93	34.09	6.98	34.80
PK	1.5994G	45.56	74.00	-28.44	-6.16	3	Horizontal	335	2.26	51.72	25.31	3.47	34.94
PK	4.43234G	44.02	88.20	-44.18	2.37	3	Horizontal	15	1.50	41.65	31.50	5.78	34.91
PK	5.90392G	46.87	88.20	-41.33	6.28	3	Horizontal	360	1.50	40.59	34.09	6.99	34.80