

Test Logs

FCC ID: H8NSFE3160S

Test Model: SFE3160S

Received Date: Nov. 15, 2019

Test Date: Dec. 17, 2019 ~ Mar. 04, 2020

Issued Date: Mar. 10, 2020

Applicant: ASKEY COMPUTER CORP.

Address: 10F, NO.199, JIANKANG RD. , ZHONGHE DIST. ,NEW TAIPEI CITY
23585. TAIWAN. R.O.C.

Issued By: Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch
Lin Kou Laboratories

Lab Address: No. 47-2, 14th Ling, Chia Pau Vil., Lin Kou Dist., New Taipei City, Taiwan

Test Location: No.19, Hwa Ya 2nd Rd., Wen Hwa Vil., Kwei Shan Dist., Taoyuan City
33383, TAIWAN



This report is for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence, provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents. Unless specific mention, the uncertainty of measurement has been explicitly taken into account to declare the compliance or non-compliance to the specification. The report must not be used by the client to claim product certification, approval, or endorsement by TAF or any government agencies.

Table of Contents

1	CBSD Registration Process.....	3
1.1	WINNF.FT.C.REG.3.....	3
1.2	WINNF.FT.C.REG.7.....	5
1.3	WINNF.FT.C.REG.8.....	9
1.4	WINNF.FT.C.REG.10.....	10
1.5	WINNF.FT.C.REG.12.....	11
1.6	WINNF.FT.C.REG.14.....	12
1.7	WINNF.FT.C.REG.16.....	13
1.8	WINNF.FT.C.REG.18.....	14
1.9	WINNF.FT.C.REG.20.....	15
1.10	WINNF.FT.C.GRA.1.....	24
1.11	WINNF.FT.C.GRA.2.....	26
2	CBSD Heart Beat Process.....	28
2.1	WINNF.FT.C.HBT.1.....	28
2.2	WINNF.FT.C.HBT.3.....	33
2.3	WINNF.FT.C.HBT.4.....	37
2.4	WINNF.FT.C.HBT.5.....	42
2.5	WINNF.FT.C.HBT.6.....	45
2.6	WINNF.FT.C.HBT.7.....	50
2.7	WINNF.FT.C.HBT.9.....	54
2.8	WINNF.FT.C.HBT.10.....	57
3	CBSD Relinquishment Process.....	61
3.1	WINNF.FT.C.RLQ.1.....	61
4	CBSD Deregistration Process.....	65
4.1	WINNF.FT.C.DRG.1.....	65
5	CBSD Security Validation.....	69
5.1	WINNF.FT.C.SCS.1.....	69
5.2	WINNF.PT.C.HBT.1(Max Eirp = 5 dBm/MHz).....	71
5.3	WINNF.PT.C.HBT.1(Max Eirp = 12 dBm/MHz).....	74
5.4	WINNF.PT.C.HBT.1(Max Eirp = 19 dBm/MHz).....	77

1 CBSD Registration Process

1.1 WINNF.FT.C.REG.3

2020-02-21T06:02:19.036Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-02-21T06:02:19.038Z - INFO - the selected test from the user : WINNF.FT.C.REG.3 is starting now

2020-02-21T06:02:29.719Z - INFO - registration request from CBRS : {

```

"registrationRequest": [
  {
    "airInterface": {
      "radioTechnology": "E_UTRA",
      "supportedSpec": "LTE-Rel9"
    },
    "callSign": "ASKEY-TW",
    "cbsdCategory": "A",
    "cbsdInfo": {
      "firmwareVersion": "7.8.0.00352",
      "hardwareVersion": "1.0",
      "model": "SFE3160S",
      "softwareVersion": "lsc3.5.001_rc2",
      "vendor": "Askey Computer Corporation"
    },
    "cbsdSerialNumber": "198937330444276",
    "fccId": "H8NSFE3160S",
    "installationParam": {
      "antennaAzimuth": 90,
      "antennaBeamwidth": 360,
      "antennaDowntilt": 0,
      "antennaGain": 5,
      "eirpCapability": 27,
      "height": 6.0,
      "heightType": "AGL",
      "indoorDeployment": true,
      "latitude": 34.07363,
      "longitude": -118.32166
    },
    "measCapability": [
      "RECEIVED_POWER_WITH_GRANT"
    ],
    "userId": "AskeyUserId-000002"
  }
]

```

2020-02-21T06:02:29.733Z - INFO - engine sent successfully, the response to CBRS : {

```

"registrationResponse": [
  {
    "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
    "response": {
      "responseCode": 0
    }
  }
]

```

2020-02-21T06:02:31.043Z - INFO - arrived to nstep starting question answer session with the technician

2020-02-21T06:02:31.045Z - INFO - the question is : Were there RF transmissions from the CBSD1 during

the test? please choose one of the answers :

2020-02-21T06:05:36.882Z - INFO - for the question : Were there RF transmissions from the CBSD1 during the test? , the user choose n

2020-02-21T06:05:37.585Z - INFO - The final result of the test : WINNF.FT.C.REG.3 is - passed

1.2 WINNF.FT.C.REG.7

2020-02-21T06:13:20.657Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-02-21T06:13:20.657Z - INFO - the selected test from the user : WINNF.FT.C.REG.7 is starting now

2020-02-21T06:13:32.836Z - INFO - registration request from CBRS : {

```

"registrationRequest": [
  {
    "airInterface": {
      "radioTechnology": "E_UTRA",
      "supportedSpec": "LTE-Rel9"
    },
    "callSign": "ASKEY-TW",
    "cbsdCategory": "A",
    "cbsdInfo": {
      "firmwareVersion": "7.8.0.00352",
      "hardwareVersion": "1.0",
      "model": "SFE3160S",
      "softwareVersion": "lsc3.5.001_rc2",
      "vendor": "Askey Computer Corporation"
    },
    "cbsdSerialNumber": "198937330444276",
    "fccId": "H8NSFE3160S",
    "installationParam": {
      "antennaAzimuth": 90,
      "antennaBeamwidth": 360,
      "antennaDowntilt": 0,
      "antennaGain": 5,
      "eirpCapability": 27,
      "height": 6.0,
      "heightType": "AGL",
      "indoorDeployment": true,
      "latitude": 34.07363,
      "longitude": -118.32166
    },
    "measCapability": [
      "RECEIVED_POWER_WITH_GRANT"
    ],
    "userId": "AskeyUserId-000002"
  }
]

```

2020-02-21T06:13:32.862Z - INFO - engine sent successfully, the response to CBRS : {

```

"registrationResponse": [
  {
    "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
    "response": {
      "responseCode": 0
    }
  }
]

```

2020-02-21T06:13:32.911Z - INFO - spectrumInquiry request from CBRS : {

```

"spectrumInquiryRequest": [
  {
    "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
    "inquiredSpectrum": [

```

```
        {
            "highFrequency": 3630000000.0,
            "lowFrequency": 3610000000.0
        }
    ]
}
2020-02-21T06:13:32.917Z - INFO - engine sent successfully, the response to CBRS : {
    "spectrumInquiryResponse": [
        {
            "availableChannel": [
                {
                    "channelType": "GAA",
                    "frequencyRange": {
                        "highFrequency": 3630000000.0,
                        "lowFrequency": 3610000000.0
                    },
                    "ruleApplied": "FCC_PART_96"
                }
            ],
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "response": {
                "responseCode": 0
            }
        }
    ]
}
2020-02-21T06:13:32.973Z - INFO - grant request from CBRS : {
    "grantRequest": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "operationParam": {
                "maxEirp": 19,
                "operationFrequencyRange": {
                    "highFrequency": 3630000000.0,
                    "lowFrequency": 3610000000.0
                }
            }
        }
    ]
}
2020-02-21T06:13:32.979Z - INFO - engine sent successfully, the response to CBRS : {
    "grantResponse": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "channelType": "GAA",
            "grantExpireTime": "2020-02-28T06:13:32Z",
            "grantId": "555790567",
            "heartbeatInterval": 60,
            "response": {
                "responseCode": 0
            }
        }
    ]
}
2020-02-21T06:13:33.039Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
```

```
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "555790567",
      "grantRenew": false,
      "operationState": "GRANTED"
    }
  ]
}
2020-02-21T06:13:33.045Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "555790567",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-02-21T06:16:53Z"
    }
  ]
}
2020-02-21T06:14:33.088Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "555790567",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-02-21T06:14:33.088Z - INFO - Time interval between two heartbeat request messages is: 60.049, limit is: 65.0
2020-02-21T06:14:33.088Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "555790567",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-02-21T06:17:53Z"
    }
  ]
}
2020-02-21T06:14:47.611Z - INFO - relinquishment request from CBRS : {
  "relinquishmentRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "555790567"
    }
  ]
}
2020-02-21T06:14:47.615Z - INFO - engine sent successfully, the response to CBRS : {
  "relinquishmentResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "555790567",
      "response": {
```

```
        "responseCode": 0
      }
    ]
  }
2020-02-21T06:14:47.618Z - INFO - deregistration request from CBRS : {
  "deregistrationRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276"
    }
  ]
}
2020-02-21T06:14:47.624Z - INFO - engine sent successfully, the response to CBRS : {
  "deregistrationResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-02-21T06:14:49.121Z - INFO - arrived to nstep starting question answer session with the technician
2020-02-21T06:14:49.121Z - INFO - the question is : Did CBSD1 cease RF transmission before receipt of
Relinquishment request (if sent) or Deregistration request at Test Harness? please choose one of the
answers :
2020-02-21T06:18:42.940Z - INFO - for the question : Did CBSD1 cease RF transmission before receipt of
Relinquishment request (if sent) or Deregistration request at Test Harness? , the user choose y
2020-02-21T06:18:43.430Z - INFO - The final result of the test : WINNF.FT.C.REG.7 is - passed
```


1.3 WINNF.FT.C.REG.8

2020-02-21T06:21:58.476Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13
 2020-02-21T06:21:58.477Z - INFO - the selected test from the user : WINNF.FT.C.REG.8 is starting now
 2020-02-21T06:22:14.308Z - INFO - registration request from CBRS : {

```

"registrationRequest": [
  {
    "airInterface": {
      "radioTechnology": "E_UTRA",
      "supportedSpec": "LTE-Rel9"
    },
    "callSign": "ASKEY-TW",
    "cbsdCategory": "A",
    "cbsdInfo": {
      "firmwareVersion": "7.8.0.00352",
      "hardwareVersion": "1.0",
      "model": "SFE3160S",
      "softwareVersion": "lsc3.5.001_rc2",
      "vendor": "Askey Computer Corporation"
    },
    "cbsdSerialNumber": "198937330444276",
    "fccId": "H8NSFE3160S",
    "installationParam": {
      "antennaAzimuth": 90,
      "antennaBeamwidth": 360,
      "antennaDowntilt": 0,
      "antennaGain": 5,
      "eirpCapability": 27,
      "height": 6.0,
      "heightType": "AGL",
      "indoorDeployment": true,
      "latitude": 34.07363,
      "longitude": -118.32166
    },
    "measCapability": [
      "RECEIVED_POWER_WITH_GRANT"
    ],
    "userId": "AskeyUserId-000003"
  }
]

```

2020-02-21T06:22:14.338Z - INFO - engine sent successfully, the response to CBRS : {

```

"registrationResponse": [
  {
    "response": {
      "responseCode": 102
    }
  }
]

```

2020-02-21T06:22:15.486Z - INFO - arrived to nstep starting question answer session with the technician
 2020-02-21T06:22:15.487Z - INFO - the question is : Were there RF transmissions from the CBSD1 during the test? please choose one of the answers :
 2020-02-21T06:30:29.227Z - INFO - for the question : Were there RF transmissions from the CBSD1 during the test? , the user choose n
 2020-02-21T06:30:29.530Z - INFO - The final result of the test : WINNF.FT.C.REG.8 is - passed

1.4 WINNF.FT.C.REG.10

2020-02-21T06:36:44.049Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-02-21T06:36:44.049Z - INFO - the selected test from the user : WINNF.FT.C.REG.10 is starting now

2020-02-21T06:36:54.706Z - INFO - registration request from CBRS : {

```
"registrationRequest": [
  {
    "airInterface": {
      "radioTechnology": "E_UTRA",
      "supportedSpec": "LTE-Rel9"
    },
    "callSign": "ASKEY-TW",
    "cbsdCategory": "A",
    "cbsdInfo": {
      "firmwareVersion": "7.8.0.00352",
      "hardwareVersion": "1.0",
      "model": "SFE3160S",
      "softwareVersion": "lsc3.5.001_rc2",
      "vendor": "Askey Computer Corporation"
    },
    "cbsdSerialNumber": "198937330444276",
    "fccId": "H8NSFE3160S",
    "installationParam": {
      "antennaAzimuth": 90,
      "antennaBeamwidth": 360,
      "antennaDowntilt": 0,
      "antennaGain": 5,
      "eirpCapability": 27,
      "height": 6.0,
      "heightType": "AGL",
      "indoorDeployment": true,
      "latitude": 34.07363,
      "longitude": -118.32166
    },
    "measCapability": [
      "RECEIVED_POWER_WITH_GRANT"
    ],
    "userId": "AskeyUserId-000003"
  }
]
```

2020-02-21T06:36:54.737Z - INFO - engine sent successfully, the response to CBRS : {

```
"registrationResponse": [
  {
    "response": {
      "responseCode": 200
    }
  }
]
```

2020-02-21T06:36:56.058Z - INFO - arrived to nstep starting question answer session with the technician

2020-02-21T06:36:56.058Z - INFO - the question is : Were there RF transmissions from the CBSD1 during the test? please choose one of the answers :

2020-02-21T06:41:04.220Z - INFO - for the question : Were there RF transmissions from the CBSD1 during the test? , the user choose n

2020-02-21T06:41:04.509Z - INFO - The final result of the test : WINNF.FT.C.REG.10 is - passed

1.5 WINNF.FT.C.REG.12

2020-02-21T07:01:54.528Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-02-21T07:01:54.529Z - INFO - the selected test from the user : WINNF.FT.C.REG.12 is starting now

2020-02-21T07:02:05.697Z - INFO - registration request from CBRS : {

```

"registrationRequest": [
  {
    "airInterface": {
      "radioTechnology": "E_UTRA",
      "supportedSpec": "LTE-Rel9"
    },
    "callSign": "ASKEY-TW",
    "cbsdCategory": "A",
    "cbsdInfo": {
      "firmwareVersion": "7.8.0.00352",
      "hardwareVersion": "1.0",
      "model": "SFE3160S",
      "softwareVersion": "lsc3.5.001_rc2",
      "vendor": "Askey Computer Corporation"
    },
    "cbsdSerialNumber": "198937330444276",
    "fccId": "H8NSFE3160S",
    "installationParam": {
      "antennaAzimuth": 90,
      "antennaBeamwidth": 360,
      "antennaDowntilt": 0,
      "antennaGain": 5,
      "eirpCapability": 27,
      "height": 6.0,
      "heightType": "AGL",
      "indoorDeployment": true,
      "latitude": 34.07363,
      "longitude": -118.32166
    },
    "measCapability": [
      "RECEIVED_POWER_WITH_GRANT"
    ],
    "userId": "AskeyUserId-000003"
  }
]

```

2020-02-21T07:02:05.734Z - INFO - engine sent successfully, the response to CBRS : {

```

"registrationResponse": [
  {
    "response": {
      "responseCode": 103
    }
  }
]

```

2020-02-21T07:02:07.536Z - INFO - arrived to nstep starting question answer session with the technician

2020-02-21T07:02:07.536Z - INFO - the question is : Were there RF transmissions from the CBS1 during the test? please choose one of the answers :

2020-02-21T07:07:15.036Z - INFO - for the question : Were there RF transmissions from the CBS1 during the test? , the user choose n

2020-02-21T07:07:15.414Z - INFO - The final result of the test : WINNF.FT.C.REG.12 is - passed

1.6 WINNF.FT.C.REG.14

2020-02-21T07:20:59.790Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-02-21T07:20:59.790Z - INFO - the selected test from the user : WINNF.FT.C.REG.14 is starting now

2020-02-21T07:21:13.342Z - INFO - registration request from CBRS : {

```
"registrationRequest": [
  {
    "airInterface": {
      "radioTechnology": "E_UTRA",
      "supportedSpec": "LTE-Rel9"
    },
    "callSign": "ASKEY-TW",
    "cbsdCategory": "A",
    "cbsdInfo": {
      "firmwareVersion": "7.8.0.00352",
      "hardwareVersion": "1.0",
      "model": "SFE3160S",
      "softwareVersion": "lsc3.5.001_rc2",
      "vendor": "Askey Computer Corporation"
    },
    "cbsdSerialNumber": "198937330444276",
    "fccId": "H8NSFE3160S",
    "installationParam": {
      "antennaAzimuth": 90,
      "antennaBeamwidth": 360,
      "antennaDowntilt": 0,
      "antennaGain": 5,
      "eirpCapability": 27,
      "height": 6.0,
      "heightType": "AGL",
      "indoorDeployment": true,
      "latitude": 34.07363,
      "longitude": -118.32166
    },
    "measCapability": [
      "RECEIVED_POWER_WITH_GRANT"
    ],
    "userId": "AskeyUserId-000003"
  }
]
```

2020-02-21T07:21:13.372Z - INFO - engine sent successfully, the response to CBRS : {

```
"registrationResponse": [
  {
    "response": {
      "responseCode": 101
    }
  }
]
```

2020-02-21T07:21:14.798Z - INFO - arrived to nstep starting question answer session with the technician

2020-02-21T07:21:14.799Z - INFO - the question is : Were there RF transmissions from the CBSD1 during the test? please choose one of the answers :

2020-02-21T07:30:26.548Z - INFO - for the question : Were there RF transmissions from the CBSD1 during the test? , the user choose n

2020-02-21T07:30:26.994Z - INFO - The final result of the test : WINNF.FT.C.REG.14 is - passed

1.7 WINNF.FT.C.REG.16

2020-02-21T07:35:55.700Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-02-21T07:35:55.701Z - INFO - the selected test from the user : WINNF.FT.C.REG.16 is starting now

2020-02-21T07:36:05.553Z - INFO - registration request from CBRS : {

```

"registrationRequest": [
  {
    "airInterface": {
      "radioTechnology": "E_UTRA",
      "supportedSpec": "LTE-Rel9"
    },
    "callSign": "ASKEY-TW",
    "cbsdCategory": "A",
    "cbsdInfo": {
      "firmwareVersion": "7.8.0.00352",
      "hardwareVersion": "1.0",
      "model": "SFE3160S",
      "softwareVersion": "lsc3.5.001_rc2",
      "vendor": "Askey Computer Corporation"
    },
    "cbsdSerialNumber": "198937330444276",
    "fccId": "H8NSFE3160S",
    "installationParam": {
      "antennaAzimuth": 90,
      "antennaBeamwidth": 360,
      "antennaDowntilt": 0,
      "antennaGain": 5,
      "eirpCapability": 27,
      "height": 6.0,
      "heightType": "AGL",
      "indoorDeployment": true,
      "latitude": 34.07363,
      "longitude": -118.32166
    },
    "measCapability": [
      "RECEIVED_POWER_WITH_GRANT"
    ],
    "userId": "AskeyUserId-000003"
  }
]

```

2020-02-21T07:36:05.589Z - INFO - engine sent successfully, the response to CBRS : {

```

"registrationResponse": [
  {
    "response": {
      "responseCode": 100
    }
  }
]

```

2020-02-21T07:36:06.707Z - INFO - arrived to nstep starting question answer session with the technician

2020-02-21T07:36:06.709Z - INFO - the question is : Were there RF transmissions from the CBSD1 during the test? please choose one of the answers :

2020-02-21T07:42:55.490Z - INFO - for the question : Were there RF transmissions from the CBSD1 during the test? , the user choose n

2020-02-21T07:42:55.815Z - INFO - The final result of the test : WINNF.FT.C.REG.16 is – passed

1.8 WINNF.FT.C.REG.18

2020-02-21T08:09:43.512Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-02-21T08:09:43.513Z - INFO - the selected test from the user : WINNF.FT.C.REG.18 is starting now

2020-02-21T08:09:54.750Z - INFO - registration request from CBRS : {

```

"registrationRequest": [
  {
    "airInterface": {
      "radioTechnology": "E_UTRA",
      "supportedSpec": "LTE-Rel9"
    },
    "callSign": "ASKEY-TW",
    "cbsdCategory": "A",
    "cbsdInfo": {
      "firmwareVersion": "7.8.0.00352",
      "hardwareVersion": "1.0",
      "model": "SFE3160S",
      "softwareVersion": "lsc3.5.001_rc2",
      "vendor": "Askey Computer Corporation"
    },
    "cbsdSerialNumber": "198937330444276",
    "fccId": "H8NSFE3160S",
    "installationParam": {
      "antennaAzimuth": 90,
      "antennaBeamwidth": 360,
      "antennaDowntilt": 0,
      "antennaGain": 5,
      "eirpCapability": 27,
      "height": 6.0,
      "heightType": "AGL",
      "indoorDeployment": true,
      "latitude": 34.07363,
      "longitude": -118.32166
    },
    "measCapability": [
      "RECEIVED_POWER_WITH_GRANT"
    ],
    "userId": "AskeyUserId-000003"
  }
]

```

2020-02-21T08:09:54.779Z - INFO - engine sent successfully, the response to CBRS : {

```

"registrationResponse": [
  {
    "response": {
      "responseCode": 201
    }
  }
]

```

2020-02-21T08:09:56.522Z - INFO - arrived to nstep starting question answer session with the technician

2020-02-21T08:09:56.522Z - INFO - the question is : Were there RF transmissions from the CBSD1 during the test? please choose one of the answers :

2020-02-21T08:17:29.329Z - INFO - for the question : Were there RF transmissions from the CBSD1 during the test? , the user choose n

2020-02-21T08:17:29.494Z - INFO - The final result of the test : WINNF.FT.C.REG.18 is – passed

1.9 WINNF.FT.C.REG.20

2020-02-21T08:20:28.346Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-02-21T08:20:28.346Z - INFO - the selected test from the user : WINNF.FT.C.REG.20_1 is starting now

2020-02-21T08:20:54.536Z - INFO - registration request from CBRS : {

```
"registrationRequest": [
  {
    "airInterface": {
      "radioTechnology": "E_UTRA",
      "supportedSpec": "LTE-Rel9"
    },
    "callSign": "ASKEY-TW",
    "cbsdCategory": "A",
    "cbsdInfo": {
      "firmwareVersion": "7.8.0.00352",
      "hardwareVersion": "1.0",
      "model": "SFE3160S",
      "softwareVersion": "Isc3.5.001_rc2",
      "vendor": "Askey Computer Corporation"
    },
    "cbsdSerialNumber": "198937330444276",
    "fccId": "H8NSFE3160S",
    "installationParam": {
      "antennaAzimuth": 90,
      "antennaBeamwidth": 360,
      "antennaDowntilt": 0,
      "antennaGain": 5,
      "eirpCapability": 27,
      "height": 6.0,
      "heightType": "AGL",
      "indoorDeployment": true,
      "latitude": 34.07363,
      "longitude": -118.32166
    },
    "measCapability": [
      "RECEIVED_POWER_WITH_GRANT"
    ],
    "userId": "AskeyUserId-000003"
  }
]
```

2020-02-21T08:20:54.562Z - INFO - engine sent successfully, the response to CBRS : {

```
"registrationResponse": [
  {
    "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
    "response": {
      "responseCode": 0
    }
  }
]
```

2020-02-21T08:20:54.614Z - INFO - spectrumInquiry request from CBRS : {

```
"spectrumInquiryRequest": [
  {
    "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
    "inquiredSpectrum": [
      {
        "highFrequency": 3630000000.0,
        "lowFrequency": 3610000000.0
      }
    ]
  }
]
```

```
    }
  ]
}
2020-02-21T08:20:54.619Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3630000000.0,
            "lowFrequency": 3610000000.0
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-02-21T08:20:54.673Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "operationParam": {
        "maxEirp": 19,
        "operationFrequencyRange": {
          "highFrequency": 3630000000.0,
          "lowFrequency": 3610000000.0
        }
      }
    }
  ]
}
2020-02-21T08:20:54.678Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "channelType": "GAA",
      "grantExpireTime": "2020-02-28T08:20:54Z",
      "grantId": "535792506",
      "heartbeatInterval": 60,
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-02-21T08:20:54.720Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "535792506",
```



```

    "grantRenew": false,
    "operationState": "GRANTED"
  }
]
}
2020-02-21T08:20:54.726Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "535792506",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-02-21T08:24:14Z"
    }
  ]
}
2020-02-21T08:21:54.779Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "535792506",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-02-21T08:21:54.779Z - INFO - Time interval between two heartbeat request messages is: 60.059, limit is: 65.0
2020-02-21T08:21:54.785Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "535792506",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-02-21T08:25:14Z"
    }
  ]
}
2020-02-21T08:22:12.552Z - INFO - relinquishment request from CBRS : {
  "relinquishmentRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "535792506"
    }
  ]
}
2020-02-21T08:22:12.559Z - INFO - engine sent successfully, the response to CBRS : {
  "relinquishmentResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "535792506",
      "response": {
        "responseCode": 0
      }
    }
  ]
}

```

```

    ]
  }
2020-02-21T08:22:12.569Z - INFO - deregistration request from CBRS : {
  "deregistrationRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276"
    }
  ]
}
2020-02-21T08:22:12.575Z - INFO - engine sent successfully, the response to CBRS : {
  "deregistrationResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-02-21T08:22:14.394Z - INFO - arrived to nstep starting question answer session with the technician
2020-02-21T08:22:14.394Z - INFO - the question is : Did CBSD1 cease RF transmission before receipt of
Relinquishment request (if sent) or Deregistration request at Test Harness? please choose one of the
answers :
2020-02-21T08:24:23.374Z - INFO - for the question : Did CBSD1 cease RF transmission before receipt of
Relinquishment request (if sent) or Deregistration request at Test Harness? , the user choose y
2020-02-21T08:24:23.812Z - INFO - The final result of the test : WINNF.FT.C.REG.20_1 is – passed

```

```

2020-02-21T08:24:34.588Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13
2020-02-21T08:24:34.588Z - INFO - the selected test from the user : WINNF.FT.C.REG.20_2 is starting now
2020-02-21T08:26:12.769Z - INFO - registration request from CBRS : {
  "registrationRequest": [
    {
      "airInterface": {
        "radioTechnology": "E_UTRA",
        "supportedSpec": "LTE-Rel9"
      },
      "callSign": "ASKEY-TW",
      "cbsdCategory": "A",
      "cbsdInfo": {
        "firmwareVersion": "7.8.0.00352",
        "hardwareVersion": "1.0",
        "model": "SFE3160S",
        "softwareVersion": "Isc3.5.001_rc2",
        "vendor": "Askey Computer Corporation"
      },
      "cbsdSerialNumber": "198937330444276",
      "fccId": "H8NSFE3160S",
      "installationParam": {
        "antennaAzimuth": 90,

```

```

    "antennaBeamwidth": 360,
    "antennaDowntilt": 0,
    "antennaGain": 5,
    "eirpCapability": 27,
    "height": 6.0,
    "heightType": "AGL",
    "indoorDeployment": true,
    "latitude": 34.07463,
    "longitude": -118.32166
  },
  "measCapability": [
    "RECEIVED_POWER_WITH_GRANT"
  ],
  "userId": "AskeyUserId-000003"
}
]
}
2020-02-21T08:26:12.822Z - INFO - engine sent successfully, the response to CBRS : {
  "registrationResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-02-21T08:26:12.868Z - INFO - spectrumInquiry request from CBRS : {
  "spectrumInquiryRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "inquiredSpectrum": [
        {
          "highFrequency": 3630000000.0,
          "lowFrequency": 3610000000.0
        }
      ]
    }
  ]
}
2020-02-21T08:26:12.874Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3630000000.0,
            "lowFrequency": 3610000000.0
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "response": {
        "responseCode": 0
      }
    }
  ]
}

```

```
]
}
2020-02-21T08:26:12.917Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "operationParam": {
        "maxEirp": 19,
        "operationFrequencyRange": {
          "highFrequency": 3630000000.0,
          "lowFrequency": 3610000000.0
        }
      }
    }
  ]
}
2020-02-21T08:26:12.924Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "channelType": "GAA",
      "grantExpireTime": "2020-02-28T08:26:12Z",
      "grantId": "217959154",
      "heartbeatInterval": 60,
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-02-21T08:26:12.960Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "217959154",
      "grantRenew": false,
      "operationState": "GRANTED"
    }
  ]
}
2020-02-21T08:26:12.966Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "217959154",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-02-21T08:29:32Z"
    }
  ]
}
2020-02-21T08:27:13.016Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "217959154",
      "grantRenew": false,
```

```
        "operationState": "AUTHORIZED"
    }
]
}
2020-02-21T08:27:13.017Z - INFO - Time interval between two heartbeat request messages is: 60.056, limit
is: 65.0
2020-02-21T08:27:13.022Z - INFO - engine sent successfully, the response to CBRS  : {
    "heartbeatResponse": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "grantId": "217959154",
            "response": {
                "responseCode": 0
            },
            "transmitExpireTime": "2020-02-21T08:30:33Z"
        }
    ]
}
2020-02-21T08:28:13.040Z - INFO - heartbeat request from CBRS  : {
    "heartbeatRequest": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "grantId": "217959154",
            "grantRenew": false,
            "operationState": "AUTHORIZED"
        }
    ]
}
2020-02-21T08:28:13.042Z - INFO - Time interval between two heartbeat request messages is: 60.025, limit
is: 65.0
2020-02-21T08:28:13.046Z - INFO - engine sent successfully, the response to CBRS  : {
    "heartbeatResponse": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "grantId": "217959154",
            "response": {
                "responseCode": 0
            },
            "transmitExpireTime": "2020-02-21T08:31:33Z"
        }
    ]
}
2020-02-21T08:29:13.073Z - INFO - heartbeat request from CBRS  : {
    "heartbeatRequest": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "grantId": "217959154",
            "grantRenew": false,
            "operationState": "AUTHORIZED"
        }
    ]
}
2020-02-21T08:29:13.075Z - INFO - Time interval between two heartbeat request messages is: 60.033, limit
is: 65.0
2020-02-21T08:29:13.078Z - INFO - engine sent successfully, the response to CBRS  : {
    "heartbeatResponse": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
```

```
        "grantId": "217959154",
        "response": {
            "responseCode": 0
        },
        "transmitExpireTime": "2020-02-21T08:32:33Z"
    }
]
}
2020-02-21T08:30:13.098Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "grantId": "217959154",
            "grantRenew": false,
            "operationState": "AUTHORIZED"
        }
    ]
}
2020-02-21T08:30:13.098Z - INFO - Time interval between two heartbeat request messages is: 60.024, limit
is: 65.0
2020-02-21T08:30:13.105Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "grantId": "217959154",
            "response": {
                "responseCode": 0
            },
            "transmitExpireTime": "2020-02-21T08:33:33Z"
        }
    ]
}
}
2020-02-21T08:31:13.115Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "grantId": "217959154",
            "grantRenew": false,
            "operationState": "AUTHORIZED"
        }
    ]
}
}
2020-02-21T08:31:13.118Z - INFO - Time interval between two heartbeat request messages is: 60.018, limit
is: 65.0
2020-02-21T08:31:13.127Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "grantId": "217959154",
            "response": {
                "responseCode": 0
            },
            "transmitExpireTime": "2020-02-21T08:34:33Z"
        }
    ]
}
}
2020-02-21T08:31:14.757Z - INFO - arrived to nstep starting question answer session with the technician
2020-02-21T08:31:14.759Z - INFO - the question is : Did CBSD1 transmit power prior to AUTHORIZED state
```

(first successful HBT response)? please choose one of the answers :

2020-02-21T08:34:25.769Z - INFO - for the question : Did CBSD1 transmit power prior to AUTHORIZED state (first successful HBT response)? , the user choose n

2020-02-21T08:34:25.773Z - INFO - the question is : Did CBSD1 transmit only within the frequency range specified in its grantRequest message? please choose one of the answers :

2020-02-21T08:34:26.997Z - INFO - for the question : Did CBSD1 transmit only within the frequency range specified in its grantRequest message? , the user choose y

2020-02-21T08:34:27.490Z - INFO - The final result of the test : WINNF.FT.C.REG.20_2 is - passed

CBSD SPECTRUM GRANT PROCESS

1.10 WINNF.FT.C.GRA.1

2020-02-21T08:34:57.384Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-02-21T08:34:57.384Z - INFO - the selected test from the user : WINNF.FT.C.GRA.1 is starting now

2020-02-21T08:35:07.348Z - INFO - registration request from CBRS : {

```
"registrationRequest": [
  {
    "airInterface": {
      "radioTechnology": "E_UTRA",
      "supportedSpec": "LTE-Rel9"
    },
    "callSign": "ASKEY-TW",
    "cbsdCategory": "A",
    "cbsdInfo": {
      "firmwareVersion": "7.8.0.00352",
      "hardwareVersion": "1.0",
      "model": "SFE3160S",
      "softwareVersion": "lsc3.5.001_rc2",
      "vendor": "Askey Computer Corporation"
    },
    "cbsdSerialNumber": "198937330444276",
    "fccId": "H8NSFE3160S",
    "installationParam": {
      "antennaAzimuth": 90,
      "antennaBeamwidth": 360,
      "antennaDowntilt": 0,
      "antennaGain": 5,
      "eirpCapability": 27,
      "height": 6.0,
      "heightType": "AGL",
      "indoorDeployment": true,
      "latitude": 34.07463,
      "longitude": -118.32166
    },
    "measCapability": [
      "RECEIVED_POWER_WITH_GRANT"
    ],
    "userId": "AskeyUserId-000003"
  }
]
```

2020-02-21T08:35:07.401Z - INFO - engine sent successfully, the response to CBRS : {

```
"registrationResponse": [
  {
    "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
    "response": {
      "responseCode": 0
    }
  }
]
```

2020-02-21T08:35:07.448Z - INFO - spectrumInquiry request from CBRS : {

```
"spectrumInquiryRequest": [
  {
    "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
    "inquiredSpectrum": [
```



```

        {
            "highFrequency": 3630000000.0,
            "lowFrequency": 3610000000.0
        }
    ]
}
2020-02-21T08:35:07.456Z - INFO - engine sent successfully, the response to CBRS : {
    "spectrumInquiryResponse": [
        {
            "availableChannel": [
                {
                    "channelType": "GAA",
                    "frequencyRange": {
                        "highFrequency": 3630000000.0,
                        "lowFrequency": 3610000000.0
                    },
                    "ruleApplied": "FCC_PART_96"
                }
            ],
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "response": {
                "responseCode": 0
            }
        }
    ]
}
2020-02-21T08:35:07.506Z - INFO - grant request from CBRS : {
    "grantRequest": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "operationParam": {
                "maxEirp": 19,
                "operationFrequencyRange": {
                    "highFrequency": 3630000000.0,
                    "lowFrequency": 3610000000.0
                }
            }
        }
    ]
}
2020-02-21T08:35:07.513Z - INFO - engine sent successfully, the response to CBRS : {
    "grantResponse": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "response": {
                "responseCode": 400
            }
        }
    ]
}
2020-02-21T08:35:09.391Z - INFO - arrived to nstep starting question answer session with the technician
2020-02-21T08:35:09.391Z - INFO - the question is : Were there RF transmissions from the CBSD1 during
the test? please choose one of the answers :
2020-02-21T09:13:26.592Z - INFO - for the question : Were there RF transmissions from the CBSD1 during
the test? , the user choose n
2020-02-21T09:13:26.930Z - INFO - The final result of the test : WINNF.FT.C.GRA.1 is - passed

```

1.11 WINNF.FT.C.GRA.2

2020-02-21T09:13:37.219Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-02-21T09:13:37.220Z - INFO - the selected test from the user : WINNF.FT.C.GRA.2 is starting now

2020-02-21T09:13:48.680Z - INFO - registration request from CBRS : {

```
"registrationRequest": [
  {
    "airInterface": {
      "radioTechnology": "E_UTRA",
      "supportedSpec": "LTE-Rel9"
    },
    "callSign": "ASKEY-TW",
    "cbsdCategory": "A",
    "cbsdInfo": {
      "firmwareVersion": "7.8.0.00352",
      "hardwareVersion": "1.0",
      "model": "SFE3160S",
      "softwareVersion": "lsc3.5.001_rc2",
      "vendor": "Askey Computer Corporation"
    },
    "cbsdSerialNumber": "198937330444276",
    "fccId": "H8NSFE3160S",
    "installationParam": {
      "antennaAzimuth": 90,
      "antennaBeamwidth": 360,
      "antennaDowntilt": 0,
      "antennaGain": 5,
      "eirpCapability": 27,
      "height": 6.0,
      "heightType": "AGL",
      "indoorDeployment": true,
      "latitude": 34.07463,
      "longitude": -118.32166
    },
    "measCapability": [
      "RECEIVED_POWER_WITH_GRANT"
    ],
    "userId": "AskeyUserId-000003"
  }
]
```

2020-02-21T09:13:48.720Z - INFO - engine sent successfully, the response to CBRS : {

```
"registrationResponse": [
  {
    "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
    "response": {
      "responseCode": 0
    }
  }
]
```

2020-02-21T09:13:48.769Z - INFO - spectrumInquiry request from CBRS : {

```
"spectrumInquiryRequest": [
  {
    "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
    "inquiredSpectrum": [
      {
        "highFrequency": 3630000000.0,
        "lowFrequency": 3610000000.0
      }
    ]
  }
]
```

```
    }
  ]
}
2020-02-21T09:13:48.775Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3630000000.0,
            "lowFrequency": 3610000000.0
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-02-21T09:13:48.812Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "operationParam": {
        "maxEirp": 19,
        "operationFrequencyRange": {
          "highFrequency": 3630000000.0,
          "lowFrequency": 3610000000.0
        }
      }
    }
  ]
}
2020-02-21T09:13:48.818Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "response": {
        "responseCode": 401
      }
    }
  ]
}
2020-02-21T09:13:50.230Z - INFO - arrived to nstep starting question answer session with the technician
2020-02-21T09:13:50.230Z - INFO - the question is : Were there RF transmissions from the CBSD1 during
the test? please choose one of the answers :
2020-02-21T09:22:40.483Z - INFO - for the question : Were there RF transmissions from the CBSD1 during
the test? , the user choose n
2020-02-21T09:22:41.405Z - INFO - The final result of the test : WINNF.FT.C.GRA.2 is - passed
```

2 CBSD Heart Beat Process

2.1 WINNF.FT.C.HBT.1

2020-02-25T06:34:47.710Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-02-25T06:34:47.711Z - INFO - the selected test from the user : WINNF.FT.C.HBT.1 is starting now

2020-02-25T06:34:59.591Z - INFO - registration request from CBRS : {

```

"registrationRequest": [
  {
    "airInterface": {
      "radioTechnology": "E_UTRA",
      "supportedSpec": "LTE-Rel9"
    },
    "callSign": "ASKEY-TW",
    "cbsdCategory": "A",
    "cbsdInfo": {
      "firmwareVersion": "7.8.0.00352",
      "hardwareVersion": "1.0",
      "model": "SFE3160S",
      "softwareVersion": "lsc3.5.001_rc2",
      "vendor": "Askey Computer Corporation"
    },
    "cbsdSerialNumber": "198937330444276",
    "fccId": "H8NSFE3160S",
    "installationParam": {
      "antennaAzimuth": 90,
      "antennaBeamwidth": 360,
      "antennaDowntilt": 0,
      "antennaGain": 5,
      "eirpCapability": 27,
      "height": 6.0,
      "heightType": "AGL",
      "indoorDeployment": true,
      "latitude": 34.07463,
      "longitude": -118.32166
    },
    "measCapability": [
      "RECEIVED_POWER_WITH_GRANT"
    ],
    "userId": "AskeyUserId-000003"
  }
]

```

2020-02-25T06:34:59.625Z - INFO - engine sent successfully, the response to CBRS : {

```

"registrationResponse": [
  {
    "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
    "response": {
      "responseCode": 0
    }
  }
]

```

2020-02-25T06:34:59.664Z - INFO - spectrumInquiry request from CBRS : {

```

"spectrumInquiryRequest": [
  {
    "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
    "inquiredSpectrum": [

```

```

    {
      "highFrequency": 3630000000.0,
      "lowFrequency": 3610000000.0
    }
  ]
}
2020-02-25T06:34:59.671Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3630000000.0,
            "lowFrequency": 3610000000.0
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-02-25T06:34:59.724Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "operationParam": {
        "maxEirp": 19,
        "operationFrequencyRange": {
          "highFrequency": 3630000000.0,
          "lowFrequency": 3610000000.0
        }
      }
    }
  ]
}
2020-02-25T06:34:59.730Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "channelType": "GAA",
      "grantExpireTime": "2020-03-03T06:34:59Z",
      "grantId": "50948707",
      "heartbeatInterval": 60,
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-02-25T06:34:59.776Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [

```

```
{
  {
    "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
    "grantId": "50948707",
    "grantRenew": false,
    "operationState": "GRANTED"
  }
]
}
2020-02-25T06:34:59.782Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "50948707",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-02-25T06:38:19Z"
    }
  ]
}
2020-02-25T06:35:59.831Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "50948707",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-02-25T06:35:59.832Z - INFO - Time interval between two heartbeat request messages is: 60.055, limit
is: 65.0
2020-02-25T06:35:59.836Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "50948707",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-02-25T06:39:19Z"
    }
  ]
}
2020-02-25T06:36:59.851Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "50948707",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-02-25T06:36:59.852Z - INFO - Time interval between two heartbeat request messages is: 60.021, limit
is: 65.0
2020-02-25T06:36:59.858Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
```

```
{
  {
    "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
    "grantId": "50948707",
    "response": {
      "responseCode": 0
    },
    "transmitExpireTime": "2020-02-25T06:40:19Z"
  }
]
}
2020-02-25T06:37:59.872Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "50948707",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-02-25T06:37:59.874Z - INFO - Time interval between two heartbeat request messages is: 60.021, limit
is: 65.0
2020-02-25T06:37:59.878Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "50948707",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-02-25T06:41:19Z"
    }
  ]
}
}
2020-02-25T06:38:59.897Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "50948707",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
}
2020-02-25T06:38:59.898Z - INFO - Time interval between two heartbeat request messages is: 60.024, limit
is: 65.0
2020-02-25T06:38:59.903Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "50948707",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-02-25T06:42:19Z"
    }
  ]
}
}
```

```
2020-02-25T06:39:59.921Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "50948707",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-02-25T06:39:59.924Z - INFO - Time interval between two heartbeat request messages is: 60.026, limit
is: 65.0
2020-02-25T06:39:59.930Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "50948707",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-02-25T06:43:19Z"
    }
  ]
}
2020-02-25T06:40:01.839Z - INFO - arrived to nstep starting question answer session with the technician
2020-02-25T06:40:01.842Z - INFO - the question is : Did CBSD1 transmit power prior to AUTHORIZED state
(first successful HBT response)? please choose one of the answers :
2020-02-25T06:43:46.622Z - INFO - for the question : Did CBSD1 transmit power prior to AUTHORIZED state
(first successful HBT response)? , the user choose n
2020-02-25T06:43:46.624Z - INFO - the question is : Did CBSD1 transmit only within the frequency range
specified in its grantRequest message? please choose one of the answers :
2020-02-25T06:43:47.592Z - INFO - for the question : Did CBSD1 transmit only within the frequency range
specified in its grantRequest message? , the user choose y
2020-02-25T06:43:47.950Z - INFO - The final result of the test : WINNF.FT.C.HBT.1 is - passed
```


2.2 WINNF.FT.C.HBT.3

2020-02-25T06:50:02.915Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-02-25T06:50:02.915Z - INFO - the selected test from the user : WINNF.FT.C.HBT.3 is starting now

2020-02-25T06:50:21.282Z - INFO - registration request from CBRS : {

```
"registrationRequest": [
  {
    "airInterface": {
      "radioTechnology": "E_UTRA",
      "supportedSpec": "LTE-Rel9"
    },
    "callSign": "ASKEY-TW",
    "cbsdCategory": "A",
    "cbsdInfo": {
      "firmwareVersion": "7.8.0.00352",
      "hardwareVersion": "1.0",
      "model": "SFE3160S",
      "softwareVersion": "lsc3.5.001_rc2",
      "vendor": "Askey Computer Corporation"
    },
    "cbsdSerialNumber": "198937330444276",
    "fccId": "H8NSFE3160S",
    "installationParam": {
      "antennaAzimuth": 90,
      "antennaBeamwidth": 360,
      "antennaDowntilt": 0,
      "antennaGain": 5,
      "eirpCapability": 27,
      "height": 6.0,
      "heightType": "AGL",
      "indoorDeployment": true,
      "latitude": 34.07463,
      "longitude": -118.32166
    },
    "measCapability": [
      "RECEIVED_POWER_WITH_GRANT"
    ],
    "userId": "AskeyUserId-000003"
  }
]
```

2020-02-25T06:50:21.322Z - INFO - engine sent successfully, the response to CBRS : {

```
"registrationResponse": [
  {
    "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
    "response": {
      "responseCode": 0
    }
  }
]
```

2020-02-25T06:50:21.368Z - INFO - spectrumInquiry request from CBRS : {

```
"spectrumInquiryRequest": [
  {
    "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
    "inquiredSpectrum": [
      {
        "highFrequency": 3630000000.0,
        "lowFrequency": 3610000000.0
      }
    ]
  }
]
```

```

    }
  ]
}
2020-02-25T06:50:21.375Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3630000000.0,
            "lowFrequency": 3610000000.0
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-02-25T06:50:21.427Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "operationParam": {
        "maxEirp": 19,
        "operationFrequencyRange": {
          "highFrequency": 3630000000.0,
          "lowFrequency": 3610000000.0
        }
      }
    }
  ]
}
2020-02-25T06:50:21.434Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "channelType": "GAA",
      "grantExpireTime": "2020-03-03T06:50:21Z",
      "grantId": "701717290",
      "heartbeatInterval": 60,
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-02-25T06:50:21.482Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "701717290",

```

```
        "grantRenew": false,
        "operationState": "GRANTED"
    }
]
}
2020-02-25T06:50:21.487Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "701717290",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-02-25T06:53:41Z"
    }
  ]
}
2020-02-25T06:51:21.533Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "701717290",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-02-25T06:51:21.535Z - INFO - Time interval between two heartbeat request messages is: 60.051, limit is: 65.0
2020-02-25T06:51:21.539Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "701717290",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-02-25T06:54:41Z"
    }
  ]
}
2020-02-25T06:52:21.555Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "701717290",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-02-25T06:52:21.556Z - INFO - Time interval between two heartbeat request messages is: 60.022, limit is: 65.0
2020-02-25T06:52:21.561Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "701717290",
```

```
        "response": {
            "responseCode": 0
        },
        "transmitExpireTime": "2020-02-25T06:55:41Z"
    }
]
}
2020-02-25T06:53:21.586Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "grantId": "701717290",
            "grantRenew": false,
            "operationState": "AUTHORIZED"
        }
    ]
}
2020-02-25T06:53:21.588Z - INFO - Time interval between two heartbeat request messages is: 60.031, limit
is: 65.0
2020-02-25T06:53:21.592Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "grantId": "701717290",
            "response": {
                "responseCode": 105
            },
            "transmitExpireTime": "2020-02-25T06:53:21Z"
        }
    ]
}
2020-02-25T06:53:22.994Z - INFO - arrived to nstep starting question answer session with the technician
2020-02-25T06:53:22.996Z - INFO - the question is : Did the CBSD stop RF transmission within 60 seconds
of receiving Heartbeat response with responseCode = 105? please choose one of the answers :
2020-02-25T07:02:58.871Z - INFO - for the question : Did the CBSD stop RF transmission within 60 seconds
of receiving Heartbeat response with responseCode = 105? , the user choose y
2020-02-25T07:02:59.207Z - INFO - The final result of the test : WINNF.FT.C.HBT.3 is - passed
```

2.3 WINNF.FT.C.HBT.4

2020-02-25T07:14:02.986Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-02-25T07:14:02.987Z - INFO - the selected test from the user : WINNF.FT.C.HBT.4 is starting now

2020-02-25T07:14:13.989Z - INFO - registration request from CBRS : {

```
"registrationRequest": [
  {
    "airInterface": {
      "radioTechnology": "E_UTRA",
      "supportedSpec": "LTE-Rel9"
    },
    "callSign": "ASKEY-TW",
    "cbsdCategory": "A",
    "cbsdInfo": {
      "firmwareVersion": "7.8.0.00352",
      "hardwareVersion": "1.0",
      "model": "SFE3160S",
      "softwareVersion": "lsc3.5.001_rc2",
      "vendor": "Askey Computer Corporation"
    },
    "cbsdSerialNumber": "198937330444276",
    "fccId": "H8NSFE3160S",
    "installationParam": {
      "antennaAzimuth": 90,
      "antennaBeamwidth": 360,
      "antennaDowntilt": 0,
      "antennaGain": 5,
      "eirpCapability": 27,
      "height": 6.0,
      "heightType": "AGL",
      "indoorDeployment": true,
      "latitude": 34.07463,
      "longitude": -118.32166
    },
    "measCapability": [
      "RECEIVED_POWER_WITH_GRANT"
    ],
    "userId": "AskeyUserId-000003"
  }
]
```

2020-02-25T07:14:14.029Z - INFO - engine sent successfully, the response to CBRS : {

```
"registrationResponse": [
  {
    "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
    "response": {
      "responseCode": 0
    }
  }
]
```

2020-02-25T07:14:14.082Z - INFO - spectrumInquiry request from CBRS : {

```
"spectrumInquiryRequest": [
  {
    "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
    "inquiredSpectrum": [
      {
        "highFrequency": 3630000000.0,
        "lowFrequency": 3610000000.0
      }
    ]
  }
]
```

```
    }
  ]
}
2020-02-25T07:14:14.088Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3630000000.0,
            "lowFrequency": 3610000000.0
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-02-25T07:14:14.135Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "operationParam": {
        "maxEirp": 19,
        "operationFrequencyRange": {
          "highFrequency": 3630000000.0,
          "lowFrequency": 3610000000.0
        }
      }
    }
  ]
}
2020-02-25T07:14:14.141Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "channelType": "GAA",
      "grantExpireTime": "2020-03-03T07:14:14Z",
      "grantId": "885121633",
      "heartbeatInterval": 60,
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-02-25T07:14:14.184Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "885121633",
```

```
        "grantRenew": false,
        "operationState": "GRANTED"
    }
]
}
2020-02-25T07:14:14.190Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "885121633",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-02-25T07:17:34Z"
    }
  ]
}
2020-02-25T07:15:14.236Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "885121633",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-02-25T07:15:14.237Z - INFO - Time interval between two heartbeat request messages is: 60.053, limit is: 65.0
2020-02-25T07:15:14.243Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "885121633",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-02-25T07:18:34Z"
    }
  ]
}
2020-02-25T07:16:14.255Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "885121633",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-02-25T07:16:14.256Z - INFO - Time interval between two heartbeat request messages is: 60.018, limit is: 65.0
2020-02-25T07:16:14.260Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "885121633",
```

```
        "response": {
            "responseCode": 0
        },
        "transmitExpireTime": "2020-02-25T07:19:34Z"
    }
]
}
2020-02-25T07:17:14.280Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "grantId": "885121633",
            "grantRenew": false,
            "operationState": "AUTHORIZED"
        }
    ]
}
2020-02-25T07:17:14.282Z - INFO - Time interval between two heartbeat request messages is: 60.027, limit
is: 65.0
2020-02-25T07:17:14.286Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "grantId": "885121633",
            "response": {
                "responseCode": 0
            },
            "transmitExpireTime": "2020-02-25T07:20:34Z"
        }
    ]
}
2020-02-25T07:18:14.305Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "grantId": "885121633",
            "grantRenew": false,
            "operationState": "AUTHORIZED"
        }
    ]
}
2020-02-25T07:18:14.305Z - INFO - Time interval between two heartbeat request messages is: 60.023, limit
is: 65.0
2020-02-25T07:18:14.312Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "grantId": "885121633",
            "response": {
                "responseCode": 0
            },
            "transmitExpireTime": "2020-02-25T07:21:34Z"
        }
    ]
}
2020-02-25T07:19:14.329Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
```



```
"cbsdId": "H8NSFE3160SMock-SAS198937330444276",  
"grantId": "885121633",  
"grantRenew": false,  
"operationState": "AUTHORIZED"
```

```
}
```

```
]
```

```
}
```

2020-02-25T07:19:14.332Z - INFO - Time interval between two heartbeat request messages is: 60.025, limit is: 65.0

2020-02-25T07:19:14.338Z - INFO - engine sent successfully, the response to CBRS : {

```
"heartbeatResponse": [
```

```
{
```

```
"cbsdId": "H8NSFE3160SMock-SAS198937330444276",  
"grantId": "885121633",  
"response": {  
  "responseCode": 500
```

```
},
```

```
"transmitExpireTime": "2020-02-25T07:19:14Z"
```

```
}
```

```
]
```

```
}
```

2020-02-25T07:19:16.112Z - INFO - arrived to nstep starting question answer session with the technician

2020-02-25T07:19:16.114Z - INFO - the question is : Did the CBSD1 stop RF transmission within 60 seconds of receiving Heartbeat response with responseCode = 500? please choose one of the answers :

2020-02-25T08:05:12.364Z - INFO - for the question : Did the CBSD1 stop RF transmission within 60 seconds of receiving Heartbeat response with responseCode = 500? , the user choose y

2020-02-25T08:05:12.691Z - INFO - The final result of the test : WINNF.FT.C.HBT.4 is - passed

2.4 WINNF.FT.C.HBT.5

2020-02-25T08:25:18.407Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-02-25T08:25:18.407Z - INFO - the selected test from the user : WINNF.FT.C.HBT.5 is starting now

2020-02-25T08:25:38.426Z - INFO - registration request from CBRS : {

```

"registrationRequest": [
  {
    "airInterface": {
      "radioTechnology": "E_UTRA",
      "supportedSpec": "LTE-Rel9"
    },
    "callSign": "ASKEY-TW",
    "cbsdCategory": "A",
    "cbsdInfo": {
      "firmwareVersion": "7.8.0.00352",
      "hardwareVersion": "1.0",
      "model": "SFE3160S",
      "softwareVersion": "lsc3.5.001_rc2",
      "vendor": "Askey Computer Corporation"
    },
    "cbsdSerialNumber": "198937330444276",
    "fccId": "H8NSFE3160S",
    "installationParam": {
      "antennaAzimuth": 90,
      "antennaBeamwidth": 360,
      "antennaDowntilt": 0,
      "antennaGain": 5,
      "eirpCapability": 27,
      "height": 6.0,
      "heightType": "AGL",
      "indoorDeployment": true,
      "latitude": 34.07463,
      "longitude": -118.32166
    },
    "measCapability": [
      "RECEIVED_POWER_WITH_GRANT"
    ],
    "userId": "AskeyUserId-000003"
  }
]

```

2020-02-25T08:25:38.470Z - INFO - engine sent successfully, the response to CBRS : {

```

"registrationResponse": [
  {
    "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
    "response": {
      "responseCode": 0
    }
  }
]

```

2020-02-25T08:25:38.520Z - INFO - spectrumInquiry request from CBRS : {

```

"spectrumInquiryRequest": [
  {
    "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
    "inquiredSpectrum": [
      {
        "highFrequency": 3630000000.0,
        "lowFrequency": 3610000000.0
      }
    ]
  }
]

```

```
    }
  ]
}
2020-02-25T08:25:38.526Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3630000000.0,
            "lowFrequency": 3610000000.0
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-02-25T08:25:38.569Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "operationParam": {
        "maxEirp": 19,
        "operationFrequencyRange": {
          "highFrequency": 3630000000.0,
          "lowFrequency": 3610000000.0
        }
      }
    }
  ]
}
2020-02-25T08:25:38.575Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "channelType": "GAA",
      "grantExpireTime": "2020-03-03T08:25:38Z",
      "grantId": "19866107",
      "heartbeatInterval": 60,
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-02-25T08:25:38.618Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "19866107",
```

```
        "grantRenew": false,
        "operationState": "GRANTED"
    }
]
}
2020-02-25T08:25:38.625Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "grantId": "19866107",
            "response": {
                "responseCode": 501
            },
            "transmitExpireTime": "2020-02-25T08:25:38Z"
        }
    ]
}
2020-02-25T08:26:38.677Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "grantId": "19866107",
            "grantRenew": false,
            "operationState": "GRANTED"
        }
    ]
}
2020-02-25T08:26:38.680Z - INFO - Time interval between two heartbeat request messages is: 60.06, limit is:
65.0
2020-02-25T08:26:38.686Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "grantId": "19866107",
            "response": {
                "responseCode": 501
            },
            "transmitExpireTime": "2020-02-25T08:26:38Z"
        }
    ]
}
2020-02-25T08:26:40.448Z - INFO - arrived to nstep starting question answer session with the technician
2020-02-25T08:26:40.448Z - INFO - the question is : Did the CBSD transmit at any time during the test?
please choose one of the answers :
2020-02-25T08:37:22.280Z - INFO - for the question : Did the CBSD transmit at any time during the test? , the
user choose n
2020-02-25T08:37:22.608Z - INFO - The final result of the test : WINNF.FT.C.HBT.5 is - passed
```

2.5 WINNF.FT.C.HBT.6

2020-02-26T05:47:26.391Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-02-26T05:47:26.391Z - INFO - the selected test from the user : WINNF.FT.C.HBT.6 is starting now

2020-02-26T05:47:41.667Z - INFO - registration request from CBRS : {

```
"registrationRequest": [
  {
    "airInterface": {
      "radioTechnology": "E_UTRA",
      "supportedSpec": "LTE-Rel9"
    },
    "callSign": "ASKEY-TW",
    "cbsdCategory": "A",
    "cbsdInfo": {
      "firmwareVersion": "7.8.0.00352",
      "hardwareVersion": "1.0",
      "model": "SFE3160S",
      "softwareVersion": "lsc3.5.001_rc2",
      "vendor": "Askey Computer Corporation"
    },
    "cbsdSerialNumber": "198937330444276",
    "fccId": "H8NSFE3160S",
    "installationParam": {
      "antennaAzimuth": 90,
      "antennaBeamwidth": 360,
      "antennaDowntilt": 0,
      "antennaGain": 5,
      "eirpCapability": 27,
      "height": 6.0,
      "heightType": "AGL",
      "indoorDeployment": true,
      "latitude": 34.07463,
      "longitude": -118.32166
    },
    "measCapability": [
      "RECEIVED_POWER_WITH_GRANT"
    ],
    "userId": "AskeyUserId-000003"
  }
]
```

2020-02-26T05:47:41.753Z - INFO - engine sent successfully, the response to CBRS : {

```
"registrationResponse": [
  {
    "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
    "response": {
      "responseCode": 0
    }
  }
]
```

2020-02-26T05:47:41.801Z - INFO - spectrumInquiry request from CBRS : {

```
"spectrumInquiryRequest": [
  {
    "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
    "inquiredSpectrum": [
      {
        "highFrequency": 3630000000.0,
        "lowFrequency": 3610000000.0
      }
    ]
  }
]
```

```
    }
  ]
}
2020-02-26T05:47:41.815Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3630000000.0,
            "lowFrequency": 3610000000.0
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-02-26T05:47:41.868Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "operationParam": {
        "maxEirp": 19,
        "operationFrequencyRange": {
          "highFrequency": 3630000000.0,
          "lowFrequency": 3610000000.0
        }
      }
    }
  ]
}
2020-02-26T05:47:41.881Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "channelType": "GAA",
      "grantExpireTime": "2020-03-04T05:47:41Z",
      "grantId": "68135689",
      "heartbeatInterval": 60,
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-02-26T05:47:41.920Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "68135689",
```

```
        "grantRenew": false,
        "operationState": "GRANTED"
    }
]
}
2020-02-26T05:47:41.931Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "grantId": "68135689",
            "response": {
                "responseCode": 0
            },
            "transmitExpireTime": "2020-02-26T05:51:01Z"
        }
    ]
}
2020-02-26T05:48:41.974Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "grantId": "68135689",
            "grantRenew": false,
            "operationState": "AUTHORIZED"
        }
    ]
}
2020-02-26T05:48:41.976Z - INFO - Time interval between two heartbeat request messages is: 60.055, limit is: 65.0
2020-02-26T05:48:41.980Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "grantId": "68135689",
            "response": {
                "responseCode": 0
            },
            "transmitExpireTime": "2020-02-26T05:52:01Z"
        }
    ]
}
2020-02-26T05:49:41.997Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "grantId": "68135689",
            "grantRenew": false,
            "operationState": "AUTHORIZED"
        }
    ]
}
2020-02-26T05:49:41.999Z - INFO - Time interval between two heartbeat request messages is: 60.023, limit is: 65.0
2020-02-26T05:49:42.003Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "grantId": "68135689",
```

```

    "response": {
      "responseCode": 0
    },
    "transmitExpireTime": "2020-02-26T05:53:02Z"
  }
]
}
2020-02-26T05:50:42.022Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "68135689",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-02-26T05:50:42.023Z - INFO - Time interval between two heartbeat request messages is: 60.024, limit
is: 65.0
2020-02-26T05:50:42.028Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "68135689",
      "response": {
        "responseCode": 501
      },
      "transmitExpireTime": "2020-02-26T05:50:42Z"
    }
  ]
}
2020-02-26T05:51:42.039Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "68135689",
      "grantRenew": false,
      "operationState": "GRANTED"
    }
  ]
}
2020-02-26T05:51:42.040Z - INFO - Time interval between two heartbeat request messages is: 60.018, limit
is: 65.0
2020-02-26T05:51:42.046Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "68135689",
      "response": {
        "responseCode": 501
      },
      "transmitExpireTime": "2020-02-26T05:51:42Z"
    }
  ]
}
2020-02-26T05:51:43.519Z - INFO - arrived to nstep starting question answer session with the technician
2020-02-26T05:51:43.519Z - INFO - the question is : Did the CBSD stop RF transmission within 60 seconds
of receiving Heartbeat response with responseCode = 501? please choose one of the answers :

```


2020-02-26T05:58:23.015Z - INFO - for the question : Did the CBSD stop RF transmission within 60 seconds of receiving Heartbeat response with responseCode = 501? , the user choose y
2020-02-26T05:58:23.378Z - INFO - The final result of the test : WINNF.FT.C.HBT.6 is - passed

2.6 WINNF.FT.C.HBT.7

2020-02-26T06:31:24.082Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-02-26T06:31:24.098Z - INFO - the selected test from the user : WINNF.FT.C.HBT.7 is starting now

2020-02-26T06:31:34.944Z - INFO - registration request from CBRS : {

```
"registrationRequest": [
  {
    "airInterface": {
      "radioTechnology": "E_UTRA",
      "supportedSpec": "LTE-Rel9"
    },
    "callSign": "ASKEY-TW",
    "cbsdCategory": "A",
    "cbsdInfo": {
      "firmwareVersion": "7.8.0.00352",
      "hardwareVersion": "1.0",
      "model": "SFE3160S",
      "softwareVersion": "lsc3.5.001_rc2",
      "vendor": "Askey Computer Corporation"
    },
    "cbsdSerialNumber": "198937330444276",
    "fccId": "H8NSFE3160S",
    "installationParam": {
      "antennaAzimuth": 90,
      "antennaBeamwidth": 360,
      "antennaDowntilt": 0,
      "antennaGain": 5,
      "eirpCapability": 27,
      "height": 6.0,
      "heightType": "AGL",
      "indoorDeployment": true,
      "latitude": 34.07463,
      "longitude": -118.32166
    },
    "measCapability": [
      "RECEIVED_POWER_WITH_GRANT"
    ],
    "userId": "AskeyUserId-000003"
  }
]
```

2020-02-26T06:31:34.992Z - INFO - engine sent successfully, the response to CBRS : {

```
"registrationResponse": [
  {
    "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
    "response": {
      "responseCode": 0
    }
  }
]
```

2020-02-26T06:31:35.039Z - INFO - spectrumInquiry request from CBRS : {

```
"spectrumInquiryRequest": [
  {
    "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
    "inquiredSpectrum": [
      {
        "highFrequency": 3630000000.0,
        "lowFrequency": 3610000000.0
      }
    ]
  }
]
```

```

    }
  ]
}
2020-02-26T06:31:35.039Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3630000000.0,
            "lowFrequency": 3610000000.0
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-02-26T06:31:35.085Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "operationParam": {
        "maxEirp": 19,
        "operationFrequencyRange": {
          "highFrequency": 3630000000.0,
          "lowFrequency": 3610000000.0
        }
      }
    }
  ]
}
2020-02-26T06:31:35.101Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "channelType": "GAA",
      "grantExpireTime": "2020-03-04T06:31:35Z",
      "grantId": "879406218",
      "heartbeatInterval": 60,
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-02-26T06:31:35.132Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "879406218",

```

```
        "grantRenew": false,
        "operationState": "GRANTED"
    }
]
}
2020-02-26T06:31:35.132Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "grantId": "879406218",
            "response": {
                "responseCode": 0
            },
            "transmitExpireTime": "2020-02-26T06:34:55Z"
        }
    ]
}
2020-02-26T06:32:35.193Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "grantId": "879406218",
            "grantRenew": false,
            "operationState": "AUTHORIZED"
        }
    ]
}
2020-02-26T06:32:35.193Z - INFO - Time interval between two heartbeat request messages is: 60.06, limit is:
65.0
2020-02-26T06:32:35.193Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "grantId": "879406218",
            "response": {
                "responseCode": 0
            },
            "transmitExpireTime": "2020-02-26T06:35:55Z"
        }
    ]
}
2020-02-26T06:33:35.221Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "grantId": "879406218",
            "grantRenew": false,
            "operationState": "AUTHORIZED"
        }
    ]
}
2020-02-26T06:33:35.221Z - INFO - Time interval between two heartbeat request messages is: 60.029, limit
is: 65.0
2020-02-26T06:33:35.221Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "grantId": "879406218",
```

```

    "response": {
      "responseCode": 0
    },
    "transmitExpireTime": "2020-02-26T06:36:55Z"
  }
]
}
2020-02-26T06:34:35.239Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "879406218",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-02-26T06:34:35.239Z - INFO - Time interval between two heartbeat request messages is: 60.017, limit
is: 65.0
2020-02-26T06:34:35.253Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "879406218",
      "response": {
        "responseCode": 502
      },
      "transmitExpireTime": "2020-02-26T06:34:35Z"
    }
  ]
}
2020-02-26T06:34:35.269Z - INFO - relinquishment request from CBRS : {
  "relinquishmentRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "879406218"
    }
  ]
}
2020-02-26T06:34:35.269Z - INFO - engine sent successfully, the response to CBRS : {
  "relinquishmentResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "879406218",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-02-26T06:34:36.941Z - INFO - arrived to nstep starting question answer session with the technician
2020-02-26T06:34:36.941Z - INFO - the question is : Did the CBSD stop RF transmission within 60 seconds
of receiving Heartbeat response with responseCode = 502? please choose one of the answers :
2020-02-26T06:40:48.492Z - INFO - for the question : Did the CBSD stop RF transmission within 60 seconds
of receiving Heartbeat response with responseCode = 502? , the user choose y
2020-02-26T06:40:48.898Z - INFO - The final result of the test : WINNF.FT.C.HBT.7 is - passed

```

2.7 WINNF.FT.C.HBT.9

2020-02-26T06:52:22.397Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-02-26T06:52:22.397Z - INFO - the selected test from the user : WINNF.FT.C.HBT.9 is starting now

2020-02-26T06:52:33.262Z - INFO - registration request from CBRS : {

```

"registrationRequest": [
  {
    "airInterface": {
      "radioTechnology": "E_UTRA",
      "supportedSpec": "LTE-Rel9"
    },
    "callSign": "ASKEY-TW",
    "cbsdCategory": "A",
    "cbsdInfo": {
      "firmwareVersion": "7.8.0.00352",
      "hardwareVersion": "1.0",
      "model": "SFE3160S",
      "softwareVersion": "lsc3.5.001_rc2",
      "vendor": "Askey Computer Corporation"
    },
    "cbsdSerialNumber": "198937330444276",
    "fccId": "H8NSFE3160S",
    "installationParam": {
      "antennaAzimuth": 90,
      "antennaBeamwidth": 360,
      "antennaDowntilt": 0,
      "antennaGain": 5,
      "eirpCapability": 27,
      "height": 6.0,
      "heightType": "AGL",
      "indoorDeployment": true,
      "latitude": 34.07463,
      "longitude": -118.32166
    },
    "measCapability": [
      "RECEIVED_POWER_WITH_GRANT"
    ],
    "userId": "AskeyUserId-000003"
  }
]

```

2020-02-26T06:52:33.292Z - INFO - engine sent successfully, the response to CBRS : {

```

"registrationResponse": [
  {
    "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
    "response": {
      "responseCode": 0
    }
  }
]

```

2020-02-26T06:52:33.355Z - INFO - spectrumInquiry request from CBRS : {

```

"spectrumInquiryRequest": [
  {
    "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
    "inquiredSpectrum": [

```

```

    {
      "highFrequency": 3630000000.0,
      "lowFrequency": 3610000000.0
    }
  ]
}
2020-02-26T06:52:33.355Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3630000000.0,
            "lowFrequency": 3610000000.0
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-02-26T06:52:33.403Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "operationParam": {
        "maxEirp": 19,
        "operationFrequencyRange": {
          "highFrequency": 3630000000.0,
          "lowFrequency": 3610000000.0
        }
      }
    }
  ]
}
2020-02-26T06:52:33.403Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "channelType": "GAA",
      "grantExpireTime": "2020-03-04T06:52:33Z",
      "grantId": "147939029",
      "heartbeatInterval": 60,
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-02-26T06:52:33.450Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [

```

```

    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "147939029",
      "grantRenew": false,
      "operationState": "GRANTED"
    }
  ]
}
2020-02-26T06:53:43.477Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "147939029",
      "grantRenew": false,
      "operationState": "GRANTED"
    }
  ]
}
2020-02-26T06:53:43.477Z - INFO - request message received while HBT is absent, sleep 134 sec before
responding
2020-02-26T06:54:53.506Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "147939029",
      "grantRenew": false,
      "operationState": "GRANTED"
    }
  ]
}
2020-02-26T06:54:53.506Z - INFO - request message received while HBT is absent, sleep 64 sec before
responding
2020-02-26T06:55:53.473Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "147939029",
      "response": {
        "responseCode": 501
      },
      "transmitExpireTime": "2020-02-26T06:55:53Z"
    }
  ]
}
2020-02-26T06:55:54.614Z - INFO - arrived to nstep starting question answer session with the technician
2020-02-26T06:55:54.614Z - INFO - the question is : Were there RF transmissions from the CBSD during the
test? please choose one of the answers :
2020-02-26T06:55:57.505Z - INFO - engine sent successfully, the response to CBRS : "list index out of
range"
2020-02-26T06:55:57.519Z - INFO - engine sent successfully, the response to CBRS : "list index out of
range"
2020-02-26T07:01:44.437Z - INFO - for the question : Were there RF transmissions from the CBSD during
the test? , the user choose n
2020-02-26T07:01:44.834Z - INFO - The final result of the test : WINNF.FT.C.HBT.9 is - passed

```


2.8 WINNF.FT.C.HBT.10

2020-02-26T08:06:46.891Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-02-26T08:06:46.891Z - INFO - the selected test from the user : WINNF.FT.C.HBT.10 is starting now

2020-02-26T08:06:57.911Z - INFO - registration request from CBRS : {

```
"registrationRequest": [
  {
    "airInterface": {
      "radioTechnology": "E_UTRA",
      "supportedSpec": "LTE-Rel9"
    },
    "callSign": "ASKEY-TW",
    "cbsdCategory": "A",
    "cbsdInfo": {
      "firmwareVersion": "7.8.0.00352",
      "hardwareVersion": "1.0",
      "model": "SFE3160S",
      "softwareVersion": "lsc3.5.001_rc2",
      "vendor": "Askey Computer Corporation"
    },
    "cbsdSerialNumber": "198937330444276",
    "fccId": "H8NSFE3160S",
    "installationParam": {
      "antennaAzimuth": 90,
      "antennaBeamwidth": 360,
      "antennaDowntilt": 0,
      "antennaGain": 5,
      "eirpCapability": 27,
      "height": 6.0,
      "heightType": "AGL",
      "indoorDeployment": true,
      "latitude": 34.07463,
      "longitude": -118.32166
    },
    "measCapability": [
      "RECEIVED_POWER_WITH_GRANT"
    ],
    "userId": "AskeyUserId-000003"
  }
]
```

2020-02-26T08:06:57.944Z - INFO - engine sent successfully, the response to CBRS : {

```
"registrationResponse": [
  {
    "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
    "response": {
      "responseCode": 0
    }
  }
]
```

2020-02-26T08:06:57.997Z - INFO - spectrumInquiry request from CBRS : {

```
"spectrumInquiryRequest": [
  {
    "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
    "inquiredSpectrum": [
      {
        "highFrequency": 3630000000.0,
        "lowFrequency": 3610000000.0
      }
    ]
  }
]
```

```
    }
  ]
}
2020-02-26T08:06:58.003Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3630000000.0,
            "lowFrequency": 3610000000.0
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-02-26T08:06:58.049Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "operationParam": {
        "maxEirp": 19,
        "operationFrequencyRange": {
          "highFrequency": 3630000000.0,
          "lowFrequency": 3610000000.0
        }
      }
    }
  ]
}
2020-02-26T08:06:58.053Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "channelType": "GAA",
      "grantExpireTime": "2020-03-04T08:06:58Z",
      "grantId": "255237139",
      "heartbeatInterval": 60,
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-02-26T08:06:58.098Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "255237139",
```

```
        "grantRenew": false,
        "operationState": "GRANTED"
    }
]
}
2020-02-26T08:06:58.105Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "grantId": "255237139",
            "response": {
                "responseCode": 0
            },
            "transmitExpireTime": "2020-02-26T08:10:18Z"
        }
    ]
}
2020-02-26T08:07:58.154Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "grantId": "255237139",
            "grantRenew": false,
            "operationState": "AUTHORIZED"
        }
    ]
}
2020-02-26T08:07:58.154Z - INFO - Time interval between two heartbeat request messages is: 60.055, limit is: 65.0
2020-02-26T08:07:58.160Z - INFO - engine sent successfully, the response to CBRS : {
    "heartbeatResponse": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "grantId": "255237139",
            "response": {
                "responseCode": 0
            },
            "transmitExpireTime": "2020-02-26T08:11:18Z"
        }
    ]
}
2020-02-26T08:08:58.184Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "grantId": "255237139",
            "grantRenew": false,
            "operationState": "AUTHORIZED"
        }
    ]
}
2020-02-26T08:08:58.186Z - INFO - Time interval between two heartbeat request messages is: 60.031, limit is: 65.0
2020-02-26T08:08:58.187Z - INFO - LAST HBT RESPONSE THAT SET TRANSMIT_EXPIRE_TIME WAS AT:
2020-02-26 08:07:58.154000
2020-02-26T08:10:08.217Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
        {
```

```

        "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
        "grantId": "255237139",
        "grantRenew": false,
        "operationState": "GRANTED"
    }
]
}
2020-02-26T08:10:08.217Z - INFO - request message received while HBT is absent, sleep 134 sec before
responding
2020-02-26T08:11:18.226Z - INFO - heartbeat request from CBRS  : {
    "heartbeatRequest": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "grantId": "255237139",
            "grantRenew": false,
            "operationState": "GRANTED"
        }
    ]
}
2020-02-26T08:11:18.226Z - INFO - request message received while HBT is absent, sleep 64 sec before
responding
2020-02-26T08:12:18.194Z - INFO - engine sent successfully, the response to CBRS  : {
    "heartbeatResponse": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "grantId": "255237139",
            "response": {
                "responseCode": 501
            },
            "transmitExpireTime": "2020-02-26T08:12:18Z"
        }
    ]
}
2020-02-26T08:12:20.025Z - INFO - arrived to nstep starting question answer session with the technician
2020-02-26T08:12:20.026Z - INFO - the question is : Did the CBSD stop RF transmissions within
(transmitExpireTime + 60seconds) of last valid heartbeat response? please choose one of the answers :
2020-02-26T08:12:22.220Z - INFO - engine sent successfully, the response to CBRS  : "list index out of
range"
2020-02-26T08:12:22.230Z - INFO - engine sent successfully, the response to CBRS  : "list index out of
range"
2020-02-26T08:13:34.523Z - INFO - for the question : Did the CBSD stop RF transmissions within
(transmitExpireTime + 60seconds) of last valid heartbeat response? , the user choose y
2020-02-26T08:13:34.963Z - INFO - The final result of the test : WINNF.FT.C.HBT.10 is - passed

```

3 CBSD Relinquishment Process

3.1 WINNF.FT.C.RLQ.1

2020-02-26T08:27:11.137Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-02-26T08:27:11.137Z - INFO - the selected test from the user : WINNF.FT.C.RLQ.1 is starting now

2020-02-26T08:27:21.750Z - INFO - registration request from CBRS : {

```

"registrationRequest": [
  {
    "airInterface": {
      "radioTechnology": "E_UTRA",
      "supportedSpec": "LTE-Rel9"
    },
    "callSign": "ASKEY-TW",
    "cbsdCategory": "A",
    "cbsdInfo": {
      "firmwareVersion": "7.8.0.00352",
      "hardwareVersion": "1.0",
      "model": "SFE3160S",
      "softwareVersion": "lsc3.5.001_rc2",
      "vendor": "Askey Computer Corporation"
    },
    "cbsdSerialNumber": "198937330444276",
    "fccId": "H8NSFE3160S",
    "installationParam": {
      "antennaAzimuth": 90,
      "antennaBeamwidth": 360,
      "antennaDowntilt": 0,
      "antennaGain": 5,
      "eirpCapability": 27,
      "height": 6.0,
      "heightType": "AGL",
      "indoorDeployment": true,
      "latitude": 34.07463,
      "longitude": -118.32166
    },
    "measCapability": [
      "RECEIVED_POWER_WITH_GRANT"
    ],
    "userId": "AskeyUserId-000003"
  }
]

```

2020-02-26T08:27:21.779Z - INFO - engine sent successfully, the response to CBRS : {

```

"registrationResponse": [
  {
    "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
    "response": {
      "responseCode": 0
    }
  }
]

```

2020-02-26T08:27:21.828Z - INFO - spectrumInquiry request from CBRS : {

```

"spectrumInquiryRequest": [
  {
    "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
    "inquiredSpectrum": [

```

```
        {
            "highFrequency": 3630000000.0,
            "lowFrequency": 3610000000.0
        }
    ]
}
2020-02-26T08:27:21.834Z - INFO - engine sent successfully, the response to CBRS : {
    "spectrumInquiryResponse": [
        {
            "availableChannel": [
                {
                    "channelType": "GAA",
                    "frequencyRange": {
                        "highFrequency": 3630000000.0,
                        "lowFrequency": 3610000000.0
                    },
                    "ruleApplied": "FCC_PART_96"
                }
            ],
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "response": {
                "responseCode": 0
            }
        }
    ]
}
2020-02-26T08:27:21.877Z - INFO - grant request from CBRS : {
    "grantRequest": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "operationParam": {
                "maxEirp": 19,
                "operationFrequencyRange": {
                    "highFrequency": 3630000000.0,
                    "lowFrequency": 3610000000.0
                }
            }
        }
    ]
}
2020-02-26T08:27:21.882Z - INFO - engine sent successfully, the response to CBRS : {
    "grantResponse": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "channelType": "GAA",
            "grantExpireTime": "2020-03-04T08:27:21Z",
            "grantId": "281576008",
            "heartbeatInterval": 60,
            "response": {
                "responseCode": 0
            }
        }
    ]
}
2020-02-26T08:27:21.927Z - INFO - heartbeat request from CBRS : {
    "heartbeatRequest": [
```

```
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "281576008",
      "grantRenew": false,
      "operationState": "GRANTED"
    }
  ]
}
2020-02-26T08:27:21.933Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "281576008",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-02-26T08:30:41Z"
    }
  ]
}
2020-02-26T08:28:21.983Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "281576008",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-02-26T08:28:21.984Z - INFO - Time interval between two heartbeat request messages is: 60.057, limit is: 65.0
2020-02-26T08:28:21.990Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "281576008",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-02-26T08:31:41Z"
    }
  ]
}
2020-02-26T08:28:36.434Z - INFO - relinquishment request from CBRS : {
  "relinquishmentRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "281576008"
    }
  ]
}
2020-02-26T08:28:36.438Z - INFO - engine sent successfully, the response to CBRS : {
  "relinquishmentResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "281576008",
      "response": {
```

```
"responseCode": 0
```

```
}
```

```
}
```

```
]
```

```
}
```

2020-02-26T08:28:38.171Z - INFO - arrived to nstep starting question answer session with the technician

2020-02-26T08:28:38.173Z - INFO - the question is : Did CBSD1 cease RF transmission before receipt of Relinquishment Request by Test Harness? please choose one of the answers :

2020-02-26T08:31:57.892Z - INFO - for the question : Did CBSD1 cease RF transmission before receipt of Relinquishment Request by Test Harness? , the user choose y

2020-02-26T08:31:58.450Z - INFO - The final result of the test : WINNF.FT.C.RLQ.1 is - passed

4 CBSD Deregistration Process

4.1 WINNF.FT.C.DRG.1

2020-02-26T08:49:46.266Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-02-26T08:49:46.266Z - INFO - the selected test from the user : WINNF.FT.C.DRG.1 is starting now

2020-02-26T08:49:57.094Z - INFO - registration request from CBRS : {

```
"registrationRequest": [
  {
    "airInterface": {
      "radioTechnology": "E_UTRA",
      "supportedSpec": "LTE-Rel9"
    },
    "callSign": "ASKEY-TW",
    "cbsdCategory": "A",
    "cbsdInfo": {
      "firmwareVersion": "7.8.0.00352",
      "hardwareVersion": "1.0",
      "model": "SFE3160S",
      "softwareVersion": "lsc3.5.001_rc2",
      "vendor": "Askey Computer Corporation"
    },
    "cbsdSerialNumber": "198937330444276",
    "fccId": "H8NSFE3160S",
    "installationParam": {
      "antennaAzimuth": 90,
      "antennaBeamwidth": 360,
      "antennaDowntilt": 0,
      "antennaGain": 5,
      "eirpCapability": 27,
      "height": 6.0,
      "heightType": "AGL",
      "indoorDeployment": true,
      "latitude": 34.07463,
      "longitude": -118.32166
    },
    "measCapability": [
      "RECEIVED_POWER_WITH_GRANT"
    ],
    "userId": "AskeyUserId-000003"
  }
]
```

2020-02-26T08:49:57.121Z - INFO - engine sent successfully, the response to CBRS : {

```
"registrationResponse": [
  {
    "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
    "response": {
      "responseCode": 0
    }
  }
]
```

2020-02-26T08:49:57.176Z - INFO - spectrumInquiry request from CBRS : {

```
"spectrumInquiryRequest": [
  {
    "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
    "inquiredSpectrum": [
```

```

    {
      "highFrequency": 3630000000.0,
      "lowFrequency": 3610000000.0
    }
  ]
}
2020-02-26T08:49:57.181Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3630000000.0,
            "lowFrequency": 3610000000.0
          },
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-02-26T08:49:57.232Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "operationParam": {
        "maxEirp": 19,
        "operationFrequencyRange": {
          "highFrequency": 3630000000.0,
          "lowFrequency": 3610000000.0
        }
      }
    }
  ]
}
2020-02-26T08:49:57.236Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "channelType": "GAA",
      "grantExpireTime": "2020-03-04T08:49:57Z",
      "grantId": "350023018",
      "heartbeatInterval": 60,
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-02-26T08:49:57.283Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [

```

```
{
  {
    "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
    "grantId": "350023018",
    "grantRenew": false,
    "operationState": "GRANTED"
  }
]
}
2020-02-26T08:49:57.289Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "350023018",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-02-26T08:53:17Z"
    }
  ]
}
2020-02-26T08:50:57.336Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "350023018",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-02-26T08:50:57.338Z - INFO - Time interval between two heartbeat request messages is: 60.054, limit
is: 65.0
2020-02-26T08:50:57.344Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "350023018",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-02-26T08:54:17Z"
    }
  ]
}
2020-02-26T08:51:15.062Z - INFO - relinquishment request from CBRS : {
  "relinquishmentRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "350023018"
    }
  ]
}
2020-02-26T08:51:15.068Z - INFO - engine sent successfully, the response to CBRS : {
  "relinquishmentResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "350023018",
      "response": {
```

```
        "responseCode": 0
      }
    ]
  }
2020-02-26T08:51:15.075Z - INFO - deregistration request from CBRS : {
  "deregistrationRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276"
    }
  ]
}
2020-02-26T08:51:15.079Z - INFO - engine sent successfully, the response to CBRS : {
  "deregistrationResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-02-26T08:51:16.303Z - INFO - arrived to nstep starting question answer session with the technician
2020-02-26T08:51:16.305Z - INFO - the question is : Did CBSD1 cease RF transmission before receipt of Relinquishment request (if sent) or Deregistration request at Test Harness? please choose one of the answers :
2020-02-26T08:53:37.555Z - INFO - for the question : Did CBSD1 cease RF transmission before receipt of Relinquishment request (if sent) or Deregistration request at Test Harness? , the user choose y
2020-02-26T08:53:37.743Z - INFO - The final result of the test : WINNF.FT.C.DRG.1 is - passed
```

5 CBSD Security Validation

5.1 WINNF.FT.C.SCS.1

2020-03-02T07:01:06.760Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-03-02T07:01:06.760Z - INFO - the selected test from the user : WINNF.FT.C.SCS.1 is starting now

2020-03-02T07:01:30.987Z - INFO - registration request from CBRS : {

```
"registrationRequest": [
  {
    "airInterface": {
      "radioTechnology": "E_UTRA",
      "supportedSpec": "LTE-Rel9"
    },
    "callSign": "ASKEY-TW",
    "cbsdCategory": "A",
    "cbsdInfo": {
      "firmwareVersion": "7.8.0.00352",
      "hardwareVersion": "1.0",
      "model": "SFE3160S",
      "softwareVersion": "lsc3.5.001_rc2",
      "vendor": "Askey Computer Corporation"
    },
    "cbsdSerialNumber": "198937330444276",
    "fccId": "H8NSFE3160S",
    "installationParam": {
      "antennaAzimuth": 90,
      "antennaBeamwidth": 360,
      "antennaDowntilt": 0,
      "antennaGain": 5,
      "eirpCapability": 27,
      "height": 6.0,
      "heightType": "AGL",
      "indoorDeployment": true,
      "latitude": 34.07463,
      "longitude": -118.32166
    },
    "measCapability": [
      "RECEIVED_POWER_WITH_GRANT"
    ],
    "userId": "AskeyUserId-000003"
  }
]
```

2020-03-02T07:01:31.038Z - INFO - engine sent successfully, the response to CBRS : {

```
"registrationResponse": [
  {
    "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
    "response": {
      "responseCode": 0
    }
  }
]
```

2020-03-02T07:01:32.780Z - INFO - arrived to nstep starting question answer session with the technician

2020-03-02T07:01:32.782Z - INFO - the question is : Were there RF transmissions from the CBSD1 during the test? please choose one of the answers :

2020-03-02T07:03:16.259Z - INFO - for the question : Were there RF transmissions from the CBSD1 during the test? , the user choose n

2020-03-02T07:03:16.944Z - INFO - The final result of the test : WINNF.FT.C.SCS.1 is - passed

CBSD RF POWER MEASUREMENT

5.2 WINNF.PT.C.HBT.1(Max Eirp = 5 dBm/MHz)

2020-03-04T10:10:42.510Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-03-04T10:10:42.526Z - INFO - Selected spectrum frequency is {'lowFrequency': 361000000L, 'highFrequency': 3630000000L}

2020-03-04T10:10:42.526Z - INFO - Granted Spectrum Max Eirp = 5dBm/MHz

2020-03-04T10:10:42.526Z - INFO - the selected test from the user : PowerMeasTest is starting now

2020-03-04T10:10:52.947Z - INFO - registration request from CBRS : {

```
"registrationRequest": [
  {
    "airInterface": {
      "radioTechnology": "E_UTRA",
      "supportedSpec": "LTE-Rel9"
    },
    "callSign": "ASKEY-TW",
    "cbsdCategory": "A",
    "cbsdInfo": {
      "firmwareVersion": "7.8.0.00352",
      "hardwareVersion": "1.0",
      "model": "SFE3160S",
      "softwareVersion": "lsc3.5.001_rc2",
      "vendor": "Askey Computer Corporation"
    },
    "cbsdSerialNumber": "198937330444276",
    "fccId": "H8NSFE3160S",
    "installationParam": {
      "antennaAzimuth": 90,
      "antennaBeamwidth": 360,
      "antennaDowntilt": 0,
      "antennaGain": 5,
      "eirpCapability": 27,
      "height": 6.0,
      "heightType": "AGL",
      "indoorDeployment": true,
      "latitude": 34.07463,
      "longitude": -118.32166
    },
    "measCapability": [
      "RECEIVED_POWER_WITH_GRANT"
    ],
    "userId": "AskeyUserId-000003"
  }
]
```

2020-03-04T10:10:52.976Z - INFO - engine sent successfully, the response to CBRS : {

```
"registrationResponse": [
  {
    "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
    "response": {
      "responseCode": 0
    }
  }
]
```

2020-03-04T10:10:53.026Z - INFO - spectrumInquiry request from CBRS : {

```
"spectrumInquiryRequest": [
```

```

    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "inquiredSpectrum": [
        {
          "highFrequency": 3630000000.0,
          "lowFrequency": 3610000000.0
        }
      ]
    }
  ]
}
2020-03-04T10:10:53.032Z - INFO - The requested spectrum is in the range, SpectrumInquiry response code
is 0
2020-03-04T10:10:53.032Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3630000000.0,
            "lowFrequency": 3610000000.0
          },
          "maxEirp": 5,
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-03-04T10:10:53.085Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "operationParam": {
        "maxEirp": 5,
        "operationFrequencyRange": {
          "highFrequency": 3630000000.0,
          "lowFrequency": 3610000000.0
        }
      }
    }
  ]
}
2020-03-04T10:10:53.089Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "channelType": "GAA",
      "grantExpireTime": "2020-03-11T10:10:53Z",
      "grantId": "792270517",
      "heartbeatInterval": 60,
      "response": {
        "responseCode": 0
      }
    }
  ]
}

```



```
    }
  ]
}
2020-03-04T10:10:53.127Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "792270517",
      "grantRenew": false,
      "operationState": "GRANTED"
    }
  ]
}
2020-03-04T10:10:53.132Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "792270517",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-03-04T10:14:13Z"
    }
  ]
}
2020-03-04T10:11:53.178Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "792270517",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-03-04T10:11:53.184Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "792270517",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-03-04T10:15:13Z"
    }
  ]
}
```

5.3 WINNF.PT.C.HBT.1(Max Eirp = 12 dBm/MHz)

2020-03-04T10:13:35.147Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-03-04T10:13:35.147Z - INFO - Selected spectrum frequency is {'lowFrequency': 3610000000L, 'highFrequency': 3630000000L}

2020-03-04T10:13:35.147Z - INFO - Granted Spectrum Max Eirp = 12dBm/MHz

2020-03-04T10:13:35.147Z - INFO - the selected test from the user : PowerMeasTest is starting now

2020-03-04T10:13:45.585Z - INFO - registration request from CBRS : {

```

"registrationRequest": [
  {
    "airInterface": {
      "radioTechnology": "E_UTRA",
      "supportedSpec": "LTE-Rel9"
    },
    "callSign": "ASKEY-TW",
    "cbsdCategory": "A",
    "cbsdInfo": {
      "firmwareVersion": "7.8.0.00352",
      "hardwareVersion": "1.0",
      "model": "SFE3160S",
      "softwareVersion": "lsc3.5.001_rc2",
      "vendor": "Askey Computer Corporation"
    },
    "cbsdSerialNumber": "198937330444276",
    "fccId": "H8NSFE3160S",
    "installationParam": {
      "antennaAzimuth": 90,
      "antennaBeamwidth": 360,
      "antennaDowntilt": 0,
      "antennaGain": 5,
      "eirpCapability": 27,
      "height": 6.0,
      "heightType": "AGL",
      "indoorDeployment": true,
      "latitude": 34.07463,
      "longitude": -118.32166
    },
    "measCapability": [
      "RECEIVED_POWER_WITH_GRANT"
    ],
    "userId": "AskeyUserId-000003"
  }
]

```

2020-03-04T10:13:45.614Z - INFO - engine sent successfully, the response to CBRS : {

```

"registrationResponse": [
  {
    "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
    "response": {
      "responseCode": 0
    }
  }
]

```

2020-03-04T10:13:45.663Z - INFO - spectrumInquiry request from CBRS : {

```

"spectrumInquiryRequest": [
  {
    "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
    "inquiredSpectrum": [

```

```

    {
      "highFrequency": 3630000000.0,
      "lowFrequency": 3610000000.0
    }
  ]
}
2020-03-04T10:13:45.667Z - INFO - The requested spectrum is in the range, SpectrumInquiry response code
is 0
2020-03-04T10:13:45.667Z - INFO - engine sent successfully, the response to CBRS : {
  "spectrumInquiryResponse": [
    {
      "availableChannel": [
        {
          "channelType": "GAA",
          "frequencyRange": {
            "highFrequency": 3630000000.0,
            "lowFrequency": 3610000000.0
          },
          "maxEirp": 12,
          "ruleApplied": "FCC_PART_96"
        }
      ],
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "response": {
        "responseCode": 0
      }
    }
  ]
}
2020-03-04T10:13:45.723Z - INFO - grant request from CBRS : {
  "grantRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "operationParam": {
        "maxEirp": 12,
        "operationFrequencyRange": {
          "highFrequency": 3630000000.0,
          "lowFrequency": 3610000000.0
        }
      }
    }
  ]
}
2020-03-04T10:13:45.726Z - INFO - engine sent successfully, the response to CBRS : {
  "grantResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "channelType": "GAA",
      "grantExpireTime": "2020-03-11T10:13:45Z",
      "grantId": "865304377",
      "heartbeatInterval": 60,
      "response": {
        "responseCode": 0
      }
    }
  ]
}

```

```
}
2020-03-04T10:13:45.763Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "865304377",
      "grantRenew": false,
      "operationState": "GRANTED"
    }
  ]
}
2020-03-04T10:13:45.769Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "865304377",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-03-04T10:17:05Z"
    }
  ]
}
2020-03-04T10:14:45.822Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "865304377",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-03-04T10:14:45.828Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "865304377",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-03-04T10:18:05Z"
    }
  ]
}
```

5.4 WINNF.PT.C.HBT.1(Max Eirp = 19 dBm/MHz)

2020-03-04T10:16:40.855Z - INFO - WINNF TEST HARNESS RELEASE: 1.0.0.3 - 2018-November-13

2020-03-04T10:16:40.857Z - INFO - Selected spectrum frequency is {'lowFrequency': 3610000000L, 'highFrequency': 3630000000L}

2020-03-04T10:16:40.857Z - INFO - Granted Spectrum Max Eirp = 19dBm/MHz

2020-03-04T10:16:40.858Z - INFO - the selected test from the user : PowerMeasTest is starting now

2020-03-04T10:16:50.882Z - INFO - registration request from CBRS : {

```

"registrationRequest": [
  {
    "airInterface": {
      "radioTechnology": "E_UTRA",
      "supportedSpec": "LTE-Rel9"
    },
    "callSign": "ASKEY-TW",
    "cbsdCategory": "A",
    "cbsdInfo": {
      "firmwareVersion": "7.8.0.00352",
      "hardwareVersion": "1.0",
      "model": "SFE3160S",
      "softwareVersion": "lsc3.5.001_rc2",
      "vendor": "Askey Computer Corporation"
    },
    "cbsdSerialNumber": "198937330444276",
    "fccId": "H8NSFE3160S",
    "installationParam": {
      "antennaAzimuth": 90,
      "antennaBeamwidth": 360,
      "antennaDowntilt": 0,
      "antennaGain": 5,
      "eirpCapability": 27,
      "height": 6.0,
      "heightType": "AGL",
      "indoorDeployment": true,
      "latitude": 34.07463,
      "longitude": -118.32166
    },
    "measCapability": [
      "RECEIVED_POWER_WITH_GRANT"
    ],
    "userId": "AskeyUserId-000003"
  }
]

```

2020-03-04T10:16:50.911Z - INFO - engine sent successfully, the response to CBRS : {

```

"registrationResponse": [
  {
    "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
    "response": {
      "responseCode": 0
    }
  }
]

```

2020-03-04T10:16:50.956Z - INFO - spectrumInquiry request from CBRS : {

```

"spectrumInquiryRequest": [
  {
    "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
    "inquiredSpectrum": [

```

```
        {
            "highFrequency": 3630000000.0,
            "lowFrequency": 3610000000.0
        }
    ]
}
2020-03-04T10:16:50.960Z - INFO - The requested spectrum is in the range, SpectrumInquiry response code is 0
2020-03-04T10:16:50.961Z - INFO - engine sent successfully, the response to CBRS : {
    "spectrumInquiryResponse": [
        {
            "availableChannel": [
                {
                    "channelType": "GAA",
                    "frequencyRange": {
                        "highFrequency": 3630000000.0,
                        "lowFrequency": 3610000000.0
                    },
                    "maxEirp": 19,
                    "ruleApplied": "FCC_PART_96"
                }
            ],
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "response": {
                "responseCode": 0
            }
        }
    ]
}
2020-03-04T10:16:51.007Z - INFO - grant request from CBRS : {
    "grantRequest": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "operationParam": {
                "maxEirp": 19,
                "operationFrequencyRange": {
                    "highFrequency": 3630000000.0,
                    "lowFrequency": 3610000000.0
                }
            }
        }
    ]
}
2020-03-04T10:16:51.013Z - INFO - engine sent successfully, the response to CBRS : {
    "grantResponse": [
        {
            "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
            "channelType": "GAA",
            "grantExpireTime": "2020-03-11T10:16:51Z",
            "grantId": "956518545",
            "heartbeatInterval": 60,
            "response": {
                "responseCode": 0
            }
        }
    ]
}
```

```
}
2020-03-04T10:16:51.061Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "956518545",
      "grantRenew": false,
      "operationState": "GRANTED"
    }
  ]
}
2020-03-04T10:16:51.066Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "956518545",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-03-04T10:20:11Z"
    }
  ]
}
2020-03-04T10:17:51.112Z - INFO - heartbeat request from CBRS : {
  "heartbeatRequest": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "956518545",
      "grantRenew": false,
      "operationState": "AUTHORIZED"
    }
  ]
}
2020-03-04T10:17:51.119Z - INFO - engine sent successfully, the response to CBRS : {
  "heartbeatResponse": [
    {
      "cbsdId": "H8NSFE3160SMock-SAS198937330444276",
      "grantId": "956518545",
      "response": {
        "responseCode": 0
      },
      "transmitExpireTime": "2020-03-04T10:21:11Z"
    }
  ]
}
```