


R-10682 SYMBOL RF ID Occupied Bandwidth 1/10/05 TS
 REF 39.5 dBm ATTEN 10 dB



hp 10 dB/
 OFFSET 40.0 dB
 DL -25.0 dBm

START 900.00 MHz RES BW 100 KHz VBW 300 KHz STOP 909.25 MHz SWP 20.0 sec

Customer	Symbol Technologies
Test Sample	915.25 MHz RFID (ASK) Transmitter
Model No.	N/A
Test Method	FCC Part 90.210(k)(3) Antenna Conducted Emissions
Notes	Authorized Bandwidth= 12 MHz. Emissions more than 55 + 10 log (P) down (-25 dBm) at bend edges
Date	February 10, 2005
Technician	T. Schneider
Sheet	3 of 6



Retlif Testing Laboratories

Report No. R-10682


R-10682 SYMBOL RF ID Occupied Bandwidth 1/10/05 TS
 REF 39.5 dBm ATTEN 10 dB

hp

10 dB/

OFFSET
40.0
dB

DL
-25.0
dBm



START 921.2 MHz RES BW 100 KHZ VBW 300 KHZ STOP 1.000 0 GHZ
 SWP 20.0 sec


Customer:	Symbol Technologies
Test Sample:	915.25 MHz RFID (ASK) Transmitter
Model No.:	N/A
Test Method:	FCC Part 90.210(k)(3) Antenna Conducted Emissions
Notes:	Authorized Bandwidth= 12 MHz. Emissions more than 55 + 10 log (P) down (-25 dBm) at bend edges
Date:	February 10, 2005
Tech:	T. Schneider
Slip:	3



Retlif Testing Laboratories

Report No. R-10682

R-10682 SYMBOL RF ID Occupied Bandwidth 1/10/05 TS
 REF 39.5 dBm ATTEN 10 dB



hp
 10 dB/
 OFFSET
 40.0
 dB
 DL
 -25.0
 dBm

START 1.00 GHz RES BW 100 KHz VBW 300 KHz STOP 2.00 GHz SWP 20.0 sec


Customer:	Symbol Technologies
Test Sample:	915.25 MHz RFID (ASK) Transmitter
Model No.:	N/A
Test Method:	FCC Part 90.210(k)(3) Antenna Conducted Emissions
Notes:	Authorized Bandwidth= 12 MHz. Emissions more than 55 + 10 log (P) down (-25 dBm) at bend edges
Date:	February 10, 2005
Tech:	T. Schneider
Step:	4
of:	6



Retlif Testing Laboratories

Report No. R-10682

R-10682 SYMBOL RF ID Occupied Bandwidth 1/10/05 TS
 REF 39.5 dBm ATTEN 10 dB



hp
 10 dB/
 OFFSET
 40.0
 dB
 DL
 -25.0
 dBm

START 2.00 GHz RES BW 100 kHz VBW 300 kHz STOP 4.00 GHz SWP 20.0 sec


Customer	Symbol Technologies
Test Sample	915.25 MHz RFID (ASK) Transmitter
Model No.	N/A
Test Method	FCC Part 90.210(k)(3) Antenna Conducted Emissions
Notes	Authorized Bandwidth= 12 MHz. Emissions more than 55 + 10 log (P) down (-25 dBm) at bend edges
Date	February 10, 2005
Tech	T. Schneider
Sheet	6 of 6



Retlif Testing Laboratories

Report No. R-10682

R-10682 SYMBOL RF ID Occupied Bandwidth 1/10/05 TS
 REF 39.5 dBm ATTEN 10 dB



h/p
 10 dB/
 OFFSET
 40.0
 dB
 DL
 -25.0
 dBm

START 4.00 GHz RES BW 100 KHz VBW 300 KHz STOP 9.20 GHz SWP 20.0 sec

Customer:	Symbol Technologies
Test Sample:	915.25 MHz RFID (ASK) Transmitter
Model No.:	N/A
Test Method:	FCC Part 90.210(k)(3) Antenna Conducted Emissions
Notes:	Authorized Bandwidth= 12 MHz. Emissions more than 55 + 10 log (P) down (-25 dBm) at bend edges
Date:	February 10, 2005
Technician:	T. Schneider
Sheet:	6 of 6



Retlif Testing Laboratories

Report No. R-10682


R-10859-2 SYMBOL RF ID OCCUPIED BW 4/19/05 DL
 REF 36.4 dBm ATTEN 10 dB

HP

10 dB/

OFFSET
 40.0
 dB

DL
 -25.0
 dBm



START 30 MHz RES BW 100 kHz VBW 300 kHz SWP 20.0 sec STOP 500 MHz

Test Method: FCC Part 90.210(k)(3) Antenna Conducted Emissions

Notes: Authorized Bandwidth = 12 MHz. Emissions more than 55 + 10 log (P) down (-25 dBm) at band edges.

Mode: EUT transmitting at 920.75 MHz

Customer	Symbol Technologies	
Test Sample	RFID (ASK) Transmitter	
Model Number	N/A	
Date: April 19, 2005	Tech: D. Lerner	Sheet: 1 of 7




Retlif Testing Laboratories

Report No. R-10859-2

R-10859-2 SYMBOL RF ID OCCUPIED BW 4/19/05 DL
 REF 36.4 dBm ATTEN 10 dB

hp
 10 dB/
 OFFSET
 40.0
 dB
 DL
 -25.0
 dBm



START 500 MHz RES BW 100 KHz VBW 300 KHz STOP 900 MHz
 SWP 20.0 sec

Test Method: FCC Part 90.210(k)(3) Antenna Conducted Emissions

Notes: Authorized Bandwidth = 12 MHz. Emissions more than 55 + 10 log (P) down (-25 dBm) at band edges.

Mode: EUT transmitting at 920.75 MHz

Customer	Symbol Technologies	
Test Sample	RFID (ASK) Transmitter	
Model Number	N/A	
Date: April 19, 2005	Tech: D. Lerner	Sheet: 2 of 7



Retlif Testing Laboratories

Report No. R-10859-2


R-10859-2 SYMBOL RF ID OCCUPIED BW 4/19/05 DL
 REF 36.4 dBm ATTEN 10 dB

hp

10 dB/

OFFSET
 40.0
 dB

DL
 -25.0
 dBm



START 900.0 MHz
 RES BW 100 kHz
 VBW 300 kHz
 STOP 914.7 MHz
 SWP 20.0 sec

Test Method: FCC Part 90.210(k)(3) Antenna Conducted Emissions

Notes: Authorized Bandwidth = 12 MHz. Emissions more than 55 + 10 log (P) down (-25 dBm) at band edges.

Mode: EUT transmitting at 920.75 MHz

Customer	Symbol Technologies	
Test Sample	RFID (ASK) Transmitter	
Model Number	N/A	
Date: April 19, 2005	Tech: D. Lerner	Sheet: 3 of 7



Retlif Testing Laboratories

Report No. R-10859-2


R-10859-2 SYMBOL RF ID OCCUPIED BW 4/19/05 DL
 REF 36.4 dBm ATTEN 10 dB

hp

10 dB/

OFFSET
 40.0
 dB

DL
 -25.0
 dBm



START 926.7 MHz
 RES BW 100 kHz
 VBW 300 kHz
 STOP 1.000 0 GHz
 SWP 20.0 sec

Test Method: FCC Part 90.210(k)(3) Antenna Conducted Emissions

Notes: Authorized Bandwidth = 12 MHz. Emissions more than 55 + 10 log (P) down (-25 dBm) at band edges.

Mode: EUT transmitting at 920.75 MHz

Customer	Symbol Technologies	
Test Sample	RFID (ASK) Transmitter	
Model Number	N/A	
Date: April 19, 2005	Tech: D. Lerner	Sheet: 4 of 7



Retlif Testing Laboratories

Report No. R-10859-2


R-10859-2 SYMBOL RF ID OCCUPIED BW 4/19/05 DL
 REF 36.4 dBm ATTEN 10 dB

h/p

10 dB/

OFFSET
 40.0
 dB

DL
 -25.0
 dBm



START 1.00 GHz RES BW 100 kHz VBW 300 kHz SWP 20.0 sec
 STOP 2.00 GHz

Test Method: FCC Part 90.210(k)(3) Antenna Conducted Emissions

Notes: Authorized Bandwidth = 12 MHz. Emissions more than 55 + 10 log (P) down (-25 dBm) at band edges.

Mode: EUT transmitting at 920.75 MHz

Customer	Symbol Technologies	
Test Sample	RFID (ASK) Transmitter	
Model Number	N/A	
Date: April 19, 2005	Tech: D. Lerner	Sheet: 5 of 7



Retlif Testing Laboratories

Report No. R-10859-2


R-10859-2 SYMBOL RF ID OCCUPIED BW 4/19/05 DL
 REF 36.4 dBm ATTEN 10 dB

hp

10 dB/

OFFSET
 40.0
 dB

DL
 -25.0
 dBm



START 2.00 GHz
 RES BW 100 kHz
 VBW 300 kHz
 SWP 20.0 sec
 STOP 4.00 GHz

Test Method: FCC Part 90.210(k)(3) Antenna Conducted Emissions

Notes: Authorized Bandwidth = 12 MHz. Emissions more than 55 + 10 log (P) down (-25 dBm) at band edges.

Mode: EUT transmitting at 920.75 MHz

Customer	Symbol Technologies	
Test Sample	RFID (ASK) Transmitter	
Model Number	N/A	
Date: April 19, 2005	Tech: D. Lerner	Sheet: 6 of 7



Retlif Testing Laboratories

Report No. R-10859-2


R-10859-2 SYMBOL RF ID OCCUPIED BW 4/19/05 DL
 REF 36.4 dBm ATTEN 10 dB

hp

10 dB/

OFFSET
 40.0
 dB

DL
 -25.0
 dBm



START 4.00 GHz
 RES BW 100 kHz
 VBW 300 kHz
 SWP 20.0 sec
 STOP 9.30 GHz

Test Method: FCC Part 90.210(k)(3) Antenna Conducted Emissions

Notes: Authorized Bandwidth = 12 MHz. Emissions more than 55 + 10 log (P) down (-25 dBm) at band edges.

Mode: EUT transmitting at 920.75 MHz

Customer	Symbol Technologies	
Test Sample	RFID (ASK) Transmitter	
Model Number	N/A	
Date: April 19, 2005	Tech: D. Lerner	Sheet: 7 of 7



Retlif Testing Laboratories

Report No. R-10859-2