


Customer: Symbol Technologies
 Test Site: Retif Bangkok
 Model No.: FCC ID: H9PC-ST3040K088R1
 Test Method: FCC Part 15, Subpart C, Para 15.547 (a)(1)(ii) 20 dB bandwidth
 Notes: Transmit Frequency: 2.402 GHz
 20 dB Bandwidth is less than 1 MHz



Retif Testing Laboratories
 Report No. R-8338-1


Date: January 4, 2000
 Tech: N. Dangda
 Sheet: 1 of 3



Customer: Symbol Technologies
 Test Sample: 2.4 GHz Frequency Hopping Spread Spectrum PCMCIA module
 Model No.: FCC ID: H9PFCSTJAHKURSR1
 Test Method: FCC Part 15, Subpart C, Para 15.247 (a)(1)(ii) 20 dB Bandwidth
 Notes: Transmit Frequency: 2.440 GHz
 20 dB Bandwidth is less than 1 MHz
 Date: January 4, 2008 Tech: N. Dragotas Sheet 2 of 3



Retif Testing Laboratories
 Report No. R-8338-1



Customer: Symbol Technologies
 Test Sample: 2.4 GHz Frequency Hopping Spread Spectrum PCMCIA module
 Model No.: FCC ID: H9PC-ST3040K080R1
 Test Method: FCC Part 15, Subpart C, Para 15.247 (a)(1)(ii) 20 dB Bandwidth
 Notes: Transmit Frequency: 2.480 GHz
 20 dB Bandwidth is less than 1 MHz

Date: January 4, 2000
 Tech: N. Drozdova
 Sheet 3 of 3


Retif Testing Laboratories
 Report No. R-8338-1

